

Liftcrane Jib Capacities

Jib No. 117 on
 Boom No. B10:290
 20 610 kg Crane Counterweight
 0 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating

MLC80A-1 SERIES 1



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. 9783-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with machine list not to exceed degrees noted. Refer to Boom Rigging **No. 80121888**, Jib Rigging **No. 84054323**, Wire Rope Specifications chart **No. 9780-A**, Counterweight Arrangements chart **No. 9769-A**, and Wind Conditions chart **No. 9779-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees ($^{\circ}$) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 6 480 mm crawlers, 900 mm treads, 4 390 mm gantry, 8 part boom hoist reeving, two 32 mm boom pendants, 20 610 kg crane counterweight, and 0 kg carbody counterweight.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Caution: Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 325 kg.

Table 1


| Over End or Side of Crawlers | | | | | | | | |
|------------------------------|-----------------------|---------|--------|---------|--------|---------|--------|---------|
| Boom Length (m) | Jib No. 117 | | | | | | | |
| | 9,1 m | | 12,2 m | | 15,2 m | | 18,3 m | |
| | 0° | 1° - 3° | 0° | 1° - 3° | 0° | 1° - 3° | 0° | 1° - 3° |
| | Block Weight (kg) | | | | | | | |
| 19,0 - 31,0 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 |
| 34,0 | 1 725 | 1 725 | 1 725 | 1 725 | 1 200 | 1 200 | 1 200 | 1 200 |
| 37,0 | 1 200 | 1 200 | 325 | 325 | 325 | 325 | 325 | 325 |
| 40,0 | 325 | 325 | 325 | 325 | 325 | 325 | # | # |
| 43,0 | # | # | # | # | # | # | # | # |
| 46,0 | Raising Not Permitted | | | | | | | |
| 49,0 | Raising Not Permitted | | | | | | | |

Table 2

| Over End of Blocked Crawlers | | | | | | | | |
|------------------------------|-------------------|---------|-----------------------|---------|--------|---------|--------|---------|
| Boom Length (m) | Jib No. 117 | | | | | | | |
| | 9,1 m | | 12,2 m | | 15,2 m | | 18,3 m | |
| | 0° | 1° - 3° | 0° | 1° - 3° | 0° | 1° - 3° | 0° | 1° - 3° |
| | Block Weight (kg) | | | | | | | |
| 19,0 - 31,0 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 |
| 34,0 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 |
| 37,0 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 725 | 1 200 | 1 200 |
| 40,0 | 1 200 | 1 200 | 1 200 | 1 200 | 1 200 | 1 200 | 325 | 325 |
| 43,0 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 |
| 46,0 | 325 | 325 | 325 | 325 | # | # | # | # |
| 49,0 | # | # | Raising Not Permitted | | | | | |

Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.

Explanation of Symbols



Jib No. 117
+
Boom No. B10:290




Crane Counterweight
+
Carbody Counterweight



360 Degree Rating



Boom Length



Jib Length




Jib Offset Angle



Operating Radius
(see page 1)



Boom Angle
(see page 1)



Jib Point Elevation
(see page 1)





Machine List





Lifting Capacities
(see page 1)

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | |
|--|--|--|-----|--|--|--|-----|--|--|--|--|--|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | |
|------|------|------|--------|--------|--------|--------|------|------|-------|-------|-------|-------|------|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | |
| 8,5 | 80,5 | 32,7 | 12 500 | 12 500 | 11 300 | | | | | | | | 8,5 | |
| 10,0 | 77,7 | 32,3 | 12 500 | 12 400 | 11 100 | | | | | | | | 10,0 | |
| 12,0 | 73,9 | 31,7 | 12 500 | 11 800 | 11 000 | 10 100 | 78,5 | 30,9 | 9 100 | 8 900 | | | 12,0 | |
| 14,0 | 70,0 | 30,9 | 12 500 | 11 800 | 11 000 | 9 900 | 74,4 | 30,1 | 8 400 | 8 300 | 8 200 | 8 100 | 14,0 | |
| 16,0 | 65,9 | 29,9 | 10 500 | 9 900 | 9 400 | 8 900 | 70,3 | 29,1 | 7 900 | 7 800 | 7 700 | 7 600 | 16,0 | |
| 18,0 | 61,7 | 28,8 | 8 800 | 8 400 | 8 000 | 7 600 | 65,9 | 27,9 | 7 500 | 7 400 | 7 300 | 7 200 | 18,0 | |
| 20,0 | 57,3 | 27,4 | 7 600 | 7 300 | 7 000 | 6 700 | 61,4 | 26,5 | 7 100 | 7 000 | 6 900 | 6 800 | 20,0 | |
| 22,0 | 52,6 | 25,8 | 6 600 | 6 400 | 6 100 | 5 900 | 56,5 | 24,8 | 6 700 | 6 500 | 6 200 | 6 000 | 22,0 | |
| 24,0 | 47,6 | 23,9 | 5 800 | 5 600 | 5 400 | 5 200 | 51,2 | 22,9 | 5 900 | 5 700 | 5 500 | 5 300 | 24,0 | |
| 26,0 | 42,0 | 21,6 | 5 100 | 4 900 | 4 800 | 4 600 | 45,4 | 20,4 | 5 200 | 5 000 | 4 900 | 4 700 | 26,0 | |
| 28,0 | 35,7 | 18,8 | 4 500 | 4 400 | 4 300 | 4 100 | 38,6 | 17,4 | 4 600 | 4 500 | 4 300 | 4 200 | 28,0 | |
| 30,0 | 28,0 | 15,1 | 4 000 | 3 900 | 3 800 | 3 700 | | | | | | | 30,0 | |

MLC80A-1 S-1






20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|--------|--------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 9,1 | 80,3 | 35,6 | 12 500 | | | | | | | | | | 9,1 |
| 10,0 | 78,8 | 35,4 | 12 500 | 12 500 | | | | | | | | | 10,0 |
| 12,0 | 75,3 | 34,8 | 12 500 | 12 500 | 11 200 | 10 100 | 79,6 | 34,0 | 9 200 | | | | 12,0 |
| 14,0 | 71,8 | 34,1 | 12 400 | 11 600 | 10 900 | 10 000 | 75,9 | 33,3 | 8 600 | 8 500 | 8 400 | 8 000 | 14,0 |
| 16,0 | 68,2 | 33,3 | 10 300 | 9 700 | 9 200 | 8 700 | 72,2 | 32,4 | 8 200 | 8 000 | 7 900 | 7 800 | 16,0 |
| 18,0 | 64,4 | 32,2 | 8 700 | 8 300 | 7 800 | 7 400 | 68,4 | 31,4 | 7 700 | 7 600 | 7 500 | 7 400 | 18,0 |
| 20,0 | 60,5 | 31,0 | 7 500 | 7 100 | 6 800 | 6 500 | 64,4 | 30,1 | 7 300 | 7 200 | 7 000 | 6 600 | 20,0 |
| 22,0 | 56,5 | 29,7 | 6 500 | 6 200 | 5 900 | 5 700 | 60,2 | 28,7 | 6 700 | 6 400 | 6 100 | 5 800 | 22,0 |
| 24,0 | 52,2 | 28,0 | 5 700 | 5 400 | 5 200 | 5 000 | 55,7 | 27,0 | 5 800 | 5 600 | 5 400 | 5 100 | 24,0 |
| 26,0 | 47,6 | 26,2 | 5 000 | 4 800 | 4 600 | 4 400 | 50,9 | 25,0 | 5 100 | 4 900 | 4 700 | 4 500 | 26,0 |
| 28,0 | 42,6 | 23,9 | 4 400 | 4 300 | 4 100 | 4 000 | 45,7 | 22,7 | 4 500 | 4 300 | 4 200 | 4 000 | 28,0 |
| 30,0 | 37,0 | 21,2 | 3 900 | 3 800 | 3 700 | 3 500 | 39,7 | 19,8 | 4 000 | 3 900 | 3 700 | 3 600 | 30,0 |
| 32,0 | 30,4 | 17,8 | 3 500 | 3 400 | 3 300 | 3 200 | 32,4 | 16,1 | 3 500 | 3 400 | 3 300 | 3 200 | 32,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | |
|-------|-------|-------|--------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 9,8 | 80,1 | 38,6 | 12 500 | | | | | | | | | | 9,8 |
| 10,0 | 79,7 | 38,5 | 12 500 | | | | | | | | | | 10,0 |
| 12,0 | 76,6 | 38,0 | 12 500 | 12 500 | 11 200 | 10 100 | | | | | | | 12,0 |
| 14,0 | 73,3 | 37,3 | 12 300 | 11 500 | 10 700 | 9 900 | 77,2 | 36,5 | 8 800 | 8 700 | 8 500 | 7 800 | 14,0 |
| 16,0 | 70,0 | 36,6 | 10 300 | 9 600 | 9 000 | 8 500 | 73,8 | 35,7 | 8 300 | 8 200 | 8 100 | 7 800 | 16,0 |
| 18,0 | 66,7 | 35,6 | 8 600 | 8 100 | 7 700 | 7 300 | 70,3 | 34,8 | 7 900 | 7 800 | 7 700 | 7 400 | 18,0 |
| 20,0 | 63,2 | 34,6 | 7 400 | 7 000 | 6 600 | 6 300 | 66,8 | 33,7 | 7 500 | 7 200 | 6 900 | 6 500 | 20,0 |
| 22,0 | 59,6 | 33,3 | 6 400 | 6 100 | 5 800 | 5 500 | 63,0 | 32,4 | 6 600 | 6 300 | 6 000 | 5 700 | 22,0 |
| 24,0 | 55,9 | 31,9 | 5 600 | 5 300 | 5 100 | 4 900 | 59,2 | 30,9 | 5 800 | 5 500 | 5 300 | 5 000 | 24,0 |
| 26,0 | 51,9 | 30,3 | 4 900 | 4 700 | 4 500 | 4 300 | 55,1 | 29,2 | 5 100 | 4 800 | 4 600 | 4 400 | 26,0 |
| 28,0 | 47,7 | 28,4 | 4 400 | 4 200 | 4 000 | 3 800 | 50,7 | 27,3 | 4 500 | 4 300 | 4 100 | 3 900 | 28,0 |
| 30,0 | 43,2 | 26,2 | 3 900 | 3 700 | 3 600 | 3 400 | 45,9 | 25,0 | 3 900 | 3 800 | 3 600 | 3 500 | 30,0 |
| 32,0 | 38,1 | 23,6 | 3 400 | 3 300 | 3 200 | 3 100 | 40,6 | 22,2 | 3 500 | 3 400 | 3 200 | 3 100 | 32,0 |
| 34,0 | 32,4 | 20,5 | 3 100 | 3 000 | 2 900 | 2 800 | 34,4 | 18,8 | 3 100 | 3 000 | 2 900 | 2 800 | 34,0 |
| 36,0 | 25,4 | 16,3 | 2 700 | 2 600 | 2 600 | 2 500 | | | | | | | 36,0 |

MLC80A-1 S-1






20 610 kg
+
0 kg




| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|--------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 9,8 | 80,9 | 41,6 | 12 500 | | | | | | | | | | 9,8 |
| 10,0 | 80,5 | 41,6 | 12 500 | | | | | | | | | | 10,0 |
| 12,0 | 77,6 | 41,1 | 12 500 | 12 500 | 11 100 | | | | | | | | 12,0 |
| 14,0 | 74,6 | 40,5 | 12 200 | 11 300 | 10 500 | 9 700 | 78,2 | 39,6 | 9 000 | 8 800 | 8 700 | | 14,0 |
| 16,0 | 71,6 | 39,8 | 10 100 | 9 400 | 8 800 | 8 200 | 75,1 | 38,9 | 8 500 | 8 400 | 8 200 | | 16,0 |
| 18,0 | 68,5 | 38,9 | 8 500 | 8 000 | 7 500 | 7 000 | 71,9 | 38,0 | 8 100 | 8 000 | 7 700 | 7 200 | 18,0 |
| 20,0 | 65,4 | 38,0 | 7 300 | 6 900 | 6 500 | 6 100 | 68,7 | 37,1 | 7 500 | 7 100 | 6 700 | 6 300 | 20,0 |
| 22,0 | 62,1 | 36,9 | 6 300 | 6 000 | 5 600 | 5 300 | 65,4 | 35,9 | 6 500 | 6 200 | 5 800 | 5 500 | 22,0 |
| 24,0 | 58,8 | 35,6 | 5 500 | 5 200 | 4 900 | 4 700 | 61,9 | 34,6 | 5 700 | 5 400 | 5 100 | 4 900 | 24,0 |
| 26,0 | 55,3 | 34,1 | 4 800 | 4 600 | 4 400 | 4 100 | 58,3 | 33,1 | 5 000 | 4 700 | 4 500 | 4 300 | 26,0 |
| 28,0 | 51,6 | 32,5 | 4 200 | 4 000 | 3 900 | 3 700 | 54,5 | 31,4 | 4 400 | 4 200 | 4 000 | 3 800 | 28,0 |
| 30,0 | 47,7 | 30,6 | 3 800 | 3 600 | 3 400 | 3 300 | 50,5 | 29,5 | 3 800 | 3 700 | 3 500 | 3 400 | 30,0 |
| 32,0 | 43,5 | 28,5 | 3 300 | 3 200 | 3 000 | 2 900 | 46,1 | 27,2 | 3 400 | 3 300 | 3 100 | 3 000 | 32,0 |
| 34,0 | 39,0 | 26,0 | 2 900 | 2 800 | 2 700 | 2 600 | 41,3 | 24,6 | 3 000 | 2 900 | 2 800 | 2 600 | 34,0 |
| 36,0 | 33,9 | 23,0 | 2 600 | 2 500 | 2 400 | 2 300 | 35,8 | 21,3 | 2 600 | 2 500 | 2 400 | 2 300 | 36,0 |
| 38,0 | 27,8 | 19,2 | 2 300 | 2 200 | 2 100 | 2 100 | | | | | | | 38,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 10,4 | 80,7 | 44,6 | 12 500 | | | | | | | | | | 10,4 |
| 12,0 | 78,5 | 44,2 | 12 500 | 12 500 | | | | | | | | | 12,0 |
| 14,0 | 75,7 | 43,6 | 12 100 | 11 100 | | | | | | | | | 14,0 |
| 16,0 | 72,9 | 43,0 | 10 000 | 9 300 | 8 600 | 8 000 | 79,0 | 42,8 | 9 100 | 9 000 | | | 16,0 |
| 18,0 | 70,1 | 42,2 | 8 400 | 7 900 | 7 300 | 6 800 | 76,2 | 42,1 | 8 700 | 8 500 | 8 400 | 7 500 | 18,0 |
| | | | | | | | 73,3 | 41,3 | 8 300 | 8 000 | 7 600 | 7 100 | |
| 20,0 | 67,2 | 41,3 | 7 200 | 6 700 | 6 300 | 5 900 | 70,3 | 40,4 | 7 500 | 7 000 | 6 600 | 6 200 | 20,0 |
| 22,0 | 64,2 | 40,3 | 6 200 | 5 800 | 5 500 | 5 200 | 67,3 | 39,3 | 6 400 | 6 100 | 5 700 | 5 400 | 22,0 |
| 24,0 | 61,2 | 39,1 | 5 400 | 5 100 | 4 800 | 4 500 | 64,2 | 38,2 | 5 600 | 5 300 | 5 000 | 4 700 | 24,0 |
| 26,0 | 58,1 | 37,8 | 4 700 | 4 500 | 4 200 | 4 000 | 60,9 | 36,8 | 4 900 | 4 600 | 4 400 | 4 100 | 26,0 |
| 28,0 | 54,8 | 36,4 | 4 100 | 3 900 | 3 700 | 3 500 | 57,6 | 35,3 | 4 300 | 4 100 | 3 900 | 3 700 | 28,0 |
| 30,0 | 51,3 | 34,7 | 3 700 | 3 500 | 3 300 | 3 100 | 54,0 | 33,6 | 3 800 | 3 600 | 3 400 | 3 200 | 30,0 |
| 32,0 | 47,7 | 32,9 | 3 200 | 3 100 | 2 900 | 2 800 | 50,3 | 31,7 | 3 300 | 3 200 | 3 000 | 2 900 | 32,0 |
| 34,0 | 43,9 | 30,7 | 2 800 | 2 700 | 2 600 | 2 500 | 46,3 | 29,5 | 2 900 | 2 800 | 2 700 | 2 500 | 34,0 |
| 36,0 | 39,7 | 28,3 | 2 500 | 2 400 | 2 300 | 2 200 | 41,9 | 26,9 | 2 600 | 2 500 | 2 300 | 2 200 | 36,0 |
| 38,0 | 35,1 | 25,4 | 2 200 | 2 100 | 2 000 | 1 900 | 36,9 | 23,8 | 2 300 | 2 200 | 2 100 | 2 000 | 38,0 |
| 40,0 | 29,7 | 21,9 | 1 900 | 1 900 | 1 800 | 1 700 | | | | | | | 40,0 |
| 42,0 | 23,2 | 17,4 | 1 700 | 1 600 | 1 600 | 1 500 | | | | | | | 42,0 |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|--------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 11,0 | 80,5 | 47,5 | 12 500 | | | | | | | | | | 11,0 |
| 12,0 | 79,2 | 47,3 | 12 500 | 12 500 | | | | | | | | | 12,0 |
| 14,0 | 76,7 | 46,8 | 12 000 | 11 000 | 10 000 | 9 200 | 79,8 | 45,9 | 9 200 | 9 100 | | | 14,0 |
| 16,0 | 74,1 | 46,1 | 9 900 | 9 100 | 8 400 | 7 800 | 77,2 | 45,3 | 8 800 | 8 700 | 8 400 | | 16,0 |
| 18,0 | 71,5 | 45,4 | 8 300 | 7 700 | 7 200 | 6 600 | 74,5 | 44,5 | 8 400 | 8 000 | 7 500 | 6 900 | 18,0 |
| 20,0 | 68,8 | 44,6 | 7 100 | 6 600 | 6 100 | 5 700 | 71,7 | 43,7 | 7 400 | 6 900 | 6 400 | 6 000 | 20,0 |
| 22,0 | 66,1 | 43,7 | 6 100 | 5 700 | 5 300 | 5 000 | 69,0 | 42,7 | 6 300 | 5 900 | 5 600 | 5 200 | 22,0 |
| 24,0 | 63,3 | 42,6 | 5 300 | 4 900 | 4 600 | 4 400 | 66,1 | 41,7 | 5 500 | 5 200 | 4 800 | 4 500 | 24,0 |
| 26,0 | 60,4 | 41,4 | 4 600 | 4 300 | 4 100 | 3 800 | 63,2 | 40,5 | 4 800 | 4 500 | 4 200 | 4 000 | 26,0 |
| 28,0 | 57,4 | 40,1 | 4 000 | 3 800 | 3 600 | 3 400 | 60,1 | 39,1 | 4 200 | 3 900 | 3 700 | 3 500 | 28,0 |
| 30,0 | 54,4 | 38,6 | 3 500 | 3 300 | 3 100 | 3 000 | 57,0 | 37,6 | 3 700 | 3 500 | 3 300 | 3 100 | 30,0 |
| 32,0 | 51,2 | 37,0 | 3 100 | 2 900 | 2 800 | 2 600 | 53,6 | 35,9 | 3 200 | 3 000 | 2 900 | 2 700 | 32,0 |
| 34,0 | 47,8 | 35,1 | 2 700 | 2 600 | 2 400 | 2 300 | 50,1 | 33,9 | 2 800 | 2 700 | 2 500 | 2 400 | 34,0 |
| 36,0 | 44,2 | 33,0 | 2 400 | 2 300 | 2 100 | 2 000 | 46,4 | 31,7 | 2 500 | 2 300 | 2 200 | 2 100 | 36,0 |
| 38,0 | 40,3 | 30,6 | 2 100 | 2 000 | 1 900 | 1 800 | 42,4 | 29,2 | 2 200 | 2 000 | 1 900 | 1 800 | 38,0 |
| 40,0 | 36,1 | 27,8 | 1 800 | 1 700 | 1 600 | 1 600 | 37,9 | 26,3 | 1 900 | 1 800 | 1 700 | 1 600 | 40,0 |
| 42,0 | 31,4 | 24,6 | 1 600 | 1 500 | 1 400 | 1 300 | 32,8 | 22,8 | 1 600 | 1 500 | 1 400 | 1 400 | 42,0 |
| 44,0 | 25,7 | 20,5 | 1 400 | 1 300 | 1 200 | 1 200 | | | | | | | 44,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 11,6 | 80,4 | 50,4 | 12 500 | | | | | | | | | | | 11,6 | |
| 12,0 | 79,9 | 50,3 | 12 500 | | | | | | | | | | | 12,0 | |
| 14,0 | 77,5 | 49,8 | 11 900 | 10 800 | 9 800 | 9 000 | 80,4 | 49,0 | 9 300 | 8 800 | 8 300 | | | 14,0 | |
| 16,0 | 75,1 | 49,3 | 9 800 | 9 000 | 8 200 | 7 600 | 78,0 | 48,4 | 8 900 | 8 400 | 7 900 | | | 16,0 | |
| 18,0 | 72,6 | 48,6 | 8 200 | 7 600 | 7 000 | 6 500 | 75,5 | 47,7 | 8 400 | 7 900 | 7 300 | 6 700 | | 18,0 | |
| 20,0 | 70,2 | 47,8 | 7 000 | 6 500 | 6 000 | 5 600 | 72,9 | 46,9 | 7 300 | 6 800 | 6 300 | 5 800 | | 20,0 | |
| 22,0 | 67,6 | 47,0 | 6 000 | 5 600 | 5 200 | 4 800 | 70,4 | 46,0 | 6 300 | 5 800 | 5 400 | 5 100 | | 22,0 | |
| 24,0 | 65,0 | 46,0 | 5 200 | 4 800 | 4 500 | 4 200 | 67,7 | 45,1 | 5 400 | 5 100 | 4 700 | 4 400 | | 24,0 | |
| 26,0 | 62,4 | 44,9 | 4 500 | 4 200 | 3 900 | 3 700 | 65,0 | 43,9 | 4 700 | 4 400 | 4 100 | 3 900 | | 26,0 | |
| 28,0 | 59,7 | 43,7 | 3 900 | 3 700 | 3 500 | 3 200 | 62,2 | 42,7 | 4 100 | 3 900 | 3 600 | 3 400 | | 28,0 | |
| 30,0 | 56,9 | 42,4 | 3 400 | 3 200 | 3 000 | 2 800 | 59,4 | 41,3 | 3 600 | 3 400 | 3 200 | 3 000 | | 30,0 | |
| 32,0 | 54,0 | 40,9 | 3 000 | 2 800 | 2 700 | 2 500 | 56,4 | 39,8 | 3 100 | 3 000 | 2 800 | 2 600 | | 32,0 | |
| 34,0 | 51,0 | 39,2 | 2 600 | 2 500 | 2 300 | 2 200 | 53,3 | 38,1 | 2 800 | 2 600 | 2 400 | 2 300 | | 34,0 | |
| 36,0 | 47,8 | 37,3 | 2 300 | 2 200 | 2 000 | 1 900 | 50,0 | 36,1 | 2 400 | 2 300 | 2 100 | 2 000 | | 36,0 | |
| 38,0 | 44,4 | 35,3 | 2 000 | 1 900 | 1 800 | 1 700 | 46,5 | 34,0 | 2 100 | 2 000 | 1 800 | 1 700 | | 38,0 | |
| 40,0 | 40,9 | 32,9 | 1 800 | 1 600 | 1 500 | 1 400 | 42,8 | 31,5 | 1 800 | 1 700 | 1 600 | 1 500 | | 40,0 | |
| 42,0 | 37,0 | 30,2 | 1 500 | 1 400 | 1 300 | 1 200 | 38,7 | 28,7 | 1 600 | 1 500 | 1 400 | 1 300 | | 42,0 | |
| 44,0 | 32,7 | 27,1 | 1 300 | 1 200 | 1 100 | 1 100 | 34,1 | 25,4 | 1 300 | 1 200 | 1 200 | 1 100 | | 44,0 | |
| 46,0 | 27,7 | 23,3 | 1 100 | 1 000 | | | | | | | | | | 46,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 11,6 | 80,9 | 53,5 | 12 500 | | | | | | | | | | 11,6 |
| 12,0 | 80,5 | 53,4 | 12 500 | | | | | | | | | | 12,0 |
| 14,0 | 78,2 | 53,0 | 11 800 | 10 600 | 9 600 | | 81,0 | 52,1 | 9 400 | | | | 14,0 |
| 16,0 | 76,0 | 52,4 | 9 700 | 8 800 | 8 100 | 7 400 | 78,7 | 51,5 | 9 100 | 8 800 | | | 16,0 |
| 18,0 | 73,7 | 51,8 | 8 100 | 7 400 | 6 800 | 6 300 | 76,4 | 50,9 | 8 400 | 7 800 | 7 200 | 6 500 | 18,0 |
| 20,0 | 71,4 | 51,1 | 6 900 | 6 300 | 5 800 | 5 400 | 74,0 | 50,2 | 7 200 | 6 600 | 6 100 | 5 700 | 20,0 |
| 22,0 | 69,0 | 50,3 | 5 900 | 5 400 | 5 000 | 4 700 | 71,6 | 49,3 | 6 200 | 5 700 | 5 300 | 4 900 | 22,0 |
| 24,0 | 66,6 | 49,4 | 5 100 | 4 700 | 4 400 | 4 000 | 69,2 | 48,4 | 5 300 | 4 900 | 4 600 | 4 300 | 24,0 |
| 26,0 | 64,2 | 48,4 | 4 400 | 4 100 | 3 800 | 3 500 | 66,7 | 47,4 | 4 600 | 4 300 | 4 000 | 3 700 | 26,0 |
| 28,0 | 61,6 | 47,2 | 3 800 | 3 600 | 3 300 | 3 100 | 64,1 | 46,2 | 4 000 | 3 700 | 3 500 | 3 200 | 28,0 |
| 30,0 | 59,1 | 46,0 | 3 300 | 3 100 | 2 900 | 2 700 | 61,5 | 45,0 | 3 500 | 3 300 | 3 000 | 2 800 | 30,0 |
| 32,0 | 56,4 | 44,6 | 2 900 | 2 700 | 2 500 | 2 300 | 58,7 | 43,6 | 3 000 | 2 800 | 2 600 | 2 500 | 32,0 |
| 34,0 | 53,7 | 43,1 | 2 500 | 2 400 | 2 200 | 2 000 | 55,9 | 42,0 | 2 700 | 2 500 | 2 300 | 2 100 | 34,0 |
| 36,0 | 50,8 | 41,4 | 2 200 | 2 000 | 1 900 | 1 800 | 53,0 | 40,3 | 2 300 | 2 100 | 2 000 | 1 900 | 36,0 |
| 38,0 | 47,8 | 39,6 | 1 900 | 1 800 | 1 600 | 1 500 | 49,9 | 38,4 | 2 000 | 1 900 | 1 700 | 1 600 | 38,0 |
| 40,0 | 44,7 | 37,5 | 1 600 | 1 500 | 1 400 | 1 300 | 46,7 | 36,3 | 1 700 | 1 600 | 1 500 | 1 400 | 40,0 |
| 42,0 | 41,4 | 35,2 | 1 400 | 1 300 | 1 200 | 1 100 | 43,2 | 33,8 | 1 500 | 1 400 | 1 300 | 1 200 | 42,0 |
| 44,0 | 37,7 | 32,6 | 1 200 | 1 100 | 1 000 | 900 | 39,4 | 31,1 | 1 200 | 1 100 | 1 000 | 1 000 | 44,0 |
| 46,0 | 33,8 | 29,6 | 1 000 | | | | 35,2 | 27,9 | 1 000 | | | | 46,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 12,2 | 80,8 | 56,4 | 12 500 | | | | | | | | | | | 12,2 | |
| 14,0 | 78,9 | 56,0 | 11 700 | 10 500 | 9 400 | | | | | | | | | 14,0 | |
| 16,0 | 76,8 | 55,5 | 9 600 | 8 700 | 7 900 | 7 200 | 79,3 | 54,6 | 9 200 | 7 700 | 7 000 | | | 16,0 | |
| 18,0 | 74,6 | 54,9 | 8 000 | 7 300 | 6 600 | 6 100 | 77,2 | 54,0 | 8 300 | 7 100 | 6 500 | 6 000 | | 18,0 | |
| 20,0 | 72,4 | 54,3 | 6 800 | 6 200 | 5 700 | 5 200 | 74,9 | 53,3 | 7 100 | 6 500 | 6 000 | 5 500 | | 20,0 | |
| 22,0 | 70,2 | 53,5 | 5 800 | 5 300 | 4 900 | 4 500 | 72,7 | 52,6 | 6 100 | 5 600 | 5 200 | 4 800 | | 22,0 | |
| 24,0 | 68,0 | 52,7 | 5 000 | 4 600 | 4 200 | 3 900 | 70,4 | 51,7 | 5 200 | 4 800 | 4 500 | 4 100 | | 24,0 | |
| 26,0 | 65,7 | 51,7 | 4 300 | 4 000 | 3 600 | 3 400 | 68,1 | 50,8 | 4 500 | 4 200 | 3 900 | 3 600 | | 26,0 | |
| 28,0 | 63,3 | 50,7 | 3 700 | 3 400 | 3 200 | 2 900 | 65,7 | 49,7 | 3 900 | 3 600 | 3 400 | 3 100 | | 28,0 | |
| 30,0 | 60,9 | 49,5 | 3 200 | 3 000 | 2 800 | 2 500 | 63,2 | 48,5 | 3 400 | 3 200 | 2 900 | 2 700 | | 30,0 | |
| 32,0 | 58,5 | 48,3 | 2 800 | 2 600 | 2 400 | 2 200 | 60,7 | 47,2 | 2 900 | 2 700 | 2 500 | 2 300 | | 32,0 | |
| 34,0 | 56,0 | 46,9 | 2 400 | 2 200 | 2 100 | 1 900 | 58,1 | 45,8 | 2 600 | 2 400 | 2 200 | 2 000 | | 34,0 | |
| 36,0 | 53,4 | 45,3 | 2 100 | 1 900 | 1 800 | 1 600 | 55,5 | 44,2 | 2 200 | 2 000 | 1 900 | 1 700 | | 36,0 | |
| 38,0 | 50,7 | 43,7 | 1 800 | 1 700 | 1 500 | 1 400 | 52,7 | 42,5 | 1 900 | 1 800 | 1 600 | 1 500 | | 38,0 | |
| 40,0 | 47,8 | 41,8 | 1 500 | 1 400 | 1 300 | 1 200 | 49,8 | 40,6 | 1 600 | 1 500 | 1 400 | 1 200 | | 40,0 | |
| 42,0 | 44,9 | 39,8 | 1 300 | 1 200 | 1 100 | 1 000 | 46,7 | 38,5 | 1 400 | 1 300 | 1 100 | 1 000 | | 42,0 | |
| 44,0 | 41,7 | 37,5 | 1 100 | 1 000 | 900 | | 43,5 | 36,1 | 1 100 | 1 000 | 900 | | | 44,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 12,8 | 80,7 | 59,4 | 12 500 | | | | | | | | | | 12,8 |
| 14,0 | 79,5 | 59,1 | 11 600 | 10 300 | | | | | | | | | 14,0 |
| 16,0 | 77,5 | 58,6 | 9 500 | 8 500 | 7 700 | | 79,9 | 57,7 | 9 300 | 7 500 | | | 16,0 |
| 18,0 | 75,4 | 58,1 | 7 900 | 7 100 | 6 500 | 5 900 | 77,9 | 57,2 | 8 300 | 6 400 | 5 800 | 5 300 | 18,0 |
| 20,0 | 73,4 | 57,5 | 6 600 | 6 000 | 5 500 | 5 000 | 75,8 | 56,5 | 7 000 | 5 400 | 4 900 | 4 400 | 20,0 |
| 22,0 | 71,3 | 56,7 | 5 700 | 5 200 | 4 700 | 4 300 | 73,6 | 55,8 | 6 000 | 4 500 | 4 100 | 3 700 | 22,0 |
| 24,0 | 69,2 | 55,9 | 4 800 | 4 400 | 4 100 | 3 700 | 71,5 | 55,0 | 5 100 | 3 700 | 3 400 | 3 000 | 24,0 |
| 26,0 | 67,0 | 55,1 | 4 200 | 3 800 | 3 500 | 3 200 | 69,3 | 54,1 | 4 400 | 3 100 | 2 800 | 2 500 | 26,0 |
| 28,0 | 64,8 | 54,1 | 3 600 | 3 300 | 3 000 | 2 800 | 67,1 | 53,1 | 3 800 | 2 600 | 2 400 | 2 200 | 28,0 |
| 30,0 | 62,6 | 53,0 | 3 100 | 2 800 | 2 600 | 2 400 | 64,8 | 52,0 | 3 300 | 2 200 | 2 000 | 1 800 | 30,0 |
| 32,0 | 60,3 | 51,8 | 2 700 | 2 500 | 2 200 | 2 000 | 62,5 | 50,8 | 2 800 | 1 900 | 1 800 | 1 600 | 32,0 |
| 34,0 | 58,0 | 50,6 | 2 300 | 2 100 | 1 900 | 1 800 | 60,1 | 49,5 | 2 500 | 1 600 | 1 500 | 1 300 | 34,0 |
| 36,0 | 55,6 | 49,1 | 2 000 | 1 800 | 1 600 | 1 500 | 57,6 | 48,1 | 2 100 | 1 300 | 1 200 | 1 100 | 36,0 |
| 38,0 | 53,1 | 47,6 | 1 700 | 1 500 | 1 400 | 1 200 | 55,1 | 46,5 | 1 800 | 1 100 | 1 000 | 900 | 38,0 |
| 40,0 | 50,6 | 45,9 | 1 400 | 1 300 | 1 200 | 1 000 | 52,5 | 44,8 | 1 500 | 1 000 | 900 | | 40,0 |
| 42,0 | 47,9 | 44,1 | 1 200 | 1 100 | 900 | | 49,7 | 42,9 | 1 300 | 900 | | | 42,0 |
| 44,0 | 45,1 | 42,0 | 1 000 | | | | 46,8 | 40,8 | 1 000 | | | | 44,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | |
| 9,1 | 80,9 | 32,5 | 12 000 | | | | | | | | | | 9,1 | |
| 10,0 | 79,2 | 32,3 | 11 800 | 10 400 | | | | | | | | | 10,0 | |
| 12,0 | 75,4 | 31,7 | 11 400 | 10 100 | 8 900 | 8 000 | | | | | | | 12,0 | |
| 14,0 | 71,5 | 30,9 | 11 100 | 9 900 | 8 700 | 7 800 | 77,6 | 29,9 | 7 100 | 7 000 | 6 900 | 6 200 | 14,0 | |
| 16,0 | 67,4 | 29,9 | 10 500 | 9 600 | 8 500 | 7 600 | 73,4 | 28,9 | 6 600 | 6 500 | 6 400 | 5 900 | 16,0 | |
| 18,0 | 63,2 | 28,8 | 9 100 | 8 700 | 8 200 | 7 500 | 69,0 | 27,7 | 6 200 | 6 100 | 6 000 | 5 700 | 18,0 | |
| 20,0 | 58,8 | 27,4 | 7 800 | 7 500 | 7 200 | 6 900 | 64,4 | 26,3 | 5 800 | 5 800 | 5 700 | 5 500 | 20,0 | |
| 22,0 | 54,1 | 25,8 | 6 900 | 6 600 | 6 300 | 6 100 | 59,5 | 24,6 | 5 500 | 5 500 | 5 400 | 5 300 | 22,0 | |
| 24,0 | 49,1 | 23,9 | 6 000 | 5 800 | 5 600 | 5 400 | 54,2 | 22,6 | 5 300 | 5 200 | 5 200 | 5 100 | 24,0 | |
| 26,0 | 43,5 | 21,6 | 5 300 | 5 200 | 5 000 | 4 800 | 48,2 | 20,2 | 5 100 | 5 000 | 5 000 | 5 000 | 26,0 | |
| 28,0 | 37,2 | 18,8 | 4 800 | 4 600 | 4 500 | 4 400 | 41,3 | 17,0 | 4 800 | 4 700 | 4 600 | 4 400 | 28,0 | |
| 30,0 | 29,5 | 15,1 | 4 300 | 4 200 | 4 000 | 3 900 | | | | | | | 30,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg




| | | | 10° | | | | 30° | | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|--|
| | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | |
| 9,8 | 80,6 | 35,5 | 11 900 | | | | | | | | | | 9,8 | |
| 10,0 | 80,2 | 35,4 | 11 900 | | | | | | | | | | 10,0 | |
| 12,0 | 76,7 | 34,8 | 11 500 | 10 200 | 8 900 | 8 000 | | | | | | | 12,0 | |
| 14,0 | 73,2 | 34,1 | 11 200 | 9 900 | 8 800 | 7 800 | 78,8 | 33,1 | 7 200 | 7 100 | 7 000 | | 14,0 | |
| 16,0 | 69,6 | 33,3 | 10 500 | 9 600 | 8 600 | 7 700 | 75,1 | 32,2 | 6 800 | 6 700 | 6 600 | 6 000 | 16,0 | |
| 18,0 | 65,8 | 32,2 | 9 000 | 8 500 | 8 000 | 7 600 | 71,2 | 31,2 | 6 400 | 6 300 | 6 200 | 6 000 | 18,0 | |
| 20,0 | 61,9 | 31,1 | 7 800 | 7 400 | 7 000 | 6 700 | 67,2 | 29,9 | 6 000 | 6 000 | 5 900 | 5 800 | 20,0 | |
| 22,0 | 57,9 | 29,7 | 6 800 | 6 500 | 6 200 | 5 900 | 62,9 | 28,5 | 5 700 | 5 700 | 5 600 | 5 600 | 22,0 | |
| 24,0 | 53,6 | 28,0 | 5 900 | 5 700 | 5 500 | 5 300 | 58,4 | 26,8 | 5 500 | 5 400 | 5 400 | 5 300 | 24,0 | |
| 26,0 | 49,0 | 26,2 | 5 300 | 5 100 | 4 900 | 4 700 | 53,6 | 24,8 | 5 200 | 5 200 | 5 000 | 4 800 | 26,0 | |
| 28,0 | 44,0 | 23,9 | 4 700 | 4 500 | 4 400 | 4 200 | 48,3 | 22,4 | 4 800 | 4 600 | 4 500 | 4 300 | 28,0 | |
| 30,0 | 38,4 | 21,2 | 4 200 | 4 000 | 3 900 | 3 800 | 42,2 | 19,5 | 4 300 | 4 100 | 4 000 | 3 900 | 30,0 | |
| 32,0 | 31,9 | 17,8 | 3 700 | 3 600 | 3 500 | 3 400 | 34,8 | 15,7 | 3 800 | 3 700 | 3 600 | 3 500 | 32,0 | |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 10,4 | 80,4 | 38,4 | 11 900 | | | | | | | | | | | 10,4 | |
| 12,0 | 77,8 | 38,0 | 11 600 | 10 200 | 9 000 | | | | | | | | | 12,0 | |
| 14,0 | 74,6 | 37,3 | 11 300 | 10 000 | 8 800 | 7 900 | 79,8 | 36,3 | 7 400 | 7 200 | | | | 14,0 | |
| 16,0 | 71,3 | 36,5 | 10 500 | 9 600 | 8 700 | 7 800 | 76,4 | 35,5 | 6 900 | 6 800 | 6 700 | 5 800 | | 16,0 | |
| 18,0 | 67,9 | 35,6 | 8 900 | 8 400 | 7 900 | 7 400 | 72,9 | 34,5 | 6 500 | 6 400 | 6 400 | 5 800 | | 18,0 | |
| 20,0 | 64,5 | 34,5 | 7 600 | 7 200 | 6 900 | 6 500 | 69,3 | 33,4 | 6 200 | 6 100 | 6 000 | 5 800 | | 20,0 | |
| 22,0 | 60,9 | 33,3 | 6 600 | 6 300 | 6 000 | 5 700 | 65,6 | 32,1 | 5 900 | 5 800 | 5 800 | 5 700 | | 22,0 | |
| 24,0 | 57,1 | 31,9 | 5 800 | 5 600 | 5 300 | 5 100 | 61,6 | 30,6 | 5 700 | 5 600 | 5 400 | 5 300 | | 24,0 | |
| 26,0 | 53,1 | 30,3 | 5 100 | 4 900 | 4 700 | 4 500 | 57,5 | 28,9 | 5 300 | 5 100 | 4 900 | 4 700 | | 26,0 | |
| 28,0 | 48,9 | 28,4 | 4 600 | 4 400 | 4 200 | 4 000 | 53,1 | 27,0 | 4 700 | 4 500 | 4 300 | 4 200 | | 28,0 | |
| 30,0 | 44,4 | 26,2 | 4 100 | 3 900 | 3 800 | 3 600 | 48,2 | 24,6 | 4 200 | 4 000 | 3 900 | 3 700 | | 30,0 | |
| 32,0 | 39,4 | 23,6 | 3 600 | 3 500 | 3 400 | 3 300 | 42,8 | 21,8 | 3 700 | 3 600 | 3 500 | 3 300 | | 32,0 | |
| 34,0 | 33,6 | 20,4 | 3 200 | 3 100 | 3 000 | 2 900 | 36,4 | 18,3 | 3 300 | 3 200 | 3 100 | 3 000 | | 34,0 | |
| 36,0 | 26,5 | 16,3 | 2 900 | 2 800 | 2 700 | 2 600 | | | | | | | | 36,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 11,0 | 80,3 | 41,3 | 11 800 | | | | | | | | | | 11,0 |
| 12,0 | 78,8 | 41,1 | 11 700 | 10 200 | | | | | | | | | 12,0 |
| 14,0 | 75,8 | 40,5 | 11 400 | 10 000 | 8 800 | 7 900 | 80,6 | 39,4 | 7 500 | | | | 14,0 |
| 16,0 | 72,8 | 39,8 | 10 400 | 9 500 | 8 600 | 7 800 | 77,5 | 38,7 | 7 100 | 6 900 | 6 800 | | 16,0 |
| 18,0 | 69,7 | 38,9 | 8 800 | 8 300 | 7 800 | 7 300 | 74,3 | 37,8 | 6 700 | 6 600 | 6 500 | 5 600 | 18,0 |
| 20,0 | 66,6 | 38,0 | 7 600 | 7 100 | 6 700 | 6 400 | 71,1 | 36,8 | 6 400 | 6 300 | 6 200 | 5 600 | 20,0 |
| 22,0 | 63,3 | 36,9 | 6 600 | 6 200 | 5 900 | 5 600 | 67,7 | 35,7 | 6 100 | 6 000 | 5 900 | 5 600 | 22,0 |
| 24,0 | 60,0 | 35,6 | 5 700 | 5 500 | 5 200 | 4 900 | 64,2 | 34,4 | 5 800 | 5 600 | 5 400 | 5 100 | 24,0 |
| 26,0 | 56,5 | 34,1 | 5 100 | 4 800 | 4 600 | 4 400 | 60,6 | 32,9 | 5 200 | 5 000 | 4 800 | 4 600 | 26,0 |
| 28,0 | 52,8 | 32,5 | 4 500 | 4 300 | 4 100 | 3 900 | 56,8 | 31,1 | 4 600 | 4 400 | 4 300 | 4 100 | 28,0 |
| 30,0 | 48,9 | 30,6 | 4 000 | 3 800 | 3 700 | 3 500 | 52,7 | 29,2 | 4 100 | 4 000 | 3 800 | 3 600 | 30,0 |
| 32,0 | 44,7 | 28,5 | 3 600 | 3 400 | 3 300 | 3 100 | 48,3 | 26,9 | 3 700 | 3 500 | 3 400 | 3 200 | 32,0 |
| 34,0 | 40,2 | 26,0 | 3 200 | 3 100 | 2 900 | 2 800 | 43,4 | 24,2 | 3 300 | 3 100 | 3 000 | 2 900 | 34,0 |
| 36,0 | 35,0 | 22,9 | 2 800 | 2 700 | 2 600 | 2 500 | 37,8 | 20,9 | 2 900 | 2 800 | 2 700 | 2 600 | 36,0 |
| 38,0 | 29,0 | 19,2 | 2 500 | 2 500 | 2 400 | 2 300 | | | | | | | 38,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 11,0 | 81,0 | 44,4 | 11 800 | | | | | | | | | | 11,0 |
| 12,0 | 79,6 | 44,2 | 11 700 | | | | | | | | | | 12,0 |
| 14,0 | 76,8 | 43,6 | 11 500 | 10 100 | 8 800 | 7 900 | | | | | | | 14,0 |
| 16,0 | 74,0 | 42,9 | 10 300 | 9 500 | 8 500 | 7 800 | 78,4 | 41,8 | 7 200 | 7 000 | | | 16,0 |
| 18,0 | 71,2 | 42,2 | 8 700 | 8 100 | 7 600 | 7 100 | 75,5 | 41,0 | 6 800 | 6 700 | 6 600 | 5 500 | 18,0 |
| 20,0 | 68,3 | 41,3 | 7 400 | 7 000 | 6 600 | 6 200 | 72,5 | 40,1 | 6 500 | 6 400 | 6 300 | 5 500 | 20,0 |
| 22,0 | 65,4 | 40,3 | 6 500 | 6 100 | 5 700 | 5 400 | 69,5 | 39,1 | 6 200 | 6 100 | 5 900 | 5 500 | 22,0 |
| 24,0 | 62,3 | 39,1 | 5 600 | 5 300 | 5 000 | 4 800 | 66,3 | 37,9 | 5 800 | 5 600 | 5 300 | 5 000 | 24,0 |
| 26,0 | 59,2 | 37,8 | 5 000 | 4 700 | 4 500 | 4 200 | 63,1 | 36,6 | 5 200 | 4 900 | 4 700 | 4 400 | 26,0 |
| 28,0 | 55,9 | 36,4 | 4 400 | 4 200 | 4 000 | 3 800 | 59,7 | 35,0 | 4 600 | 4 300 | 4 100 | 3 900 | 28,0 |
| 30,0 | 52,4 | 34,7 | 3 900 | 3 700 | 3 500 | 3 300 | 56,1 | 33,3 | 4 000 | 3 800 | 3 700 | 3 500 | 30,0 |
| 32,0 | 48,8 | 32,8 | 3 400 | 3 300 | 3 100 | 3 000 | 52,3 | 31,4 | 3 600 | 3 400 | 3 300 | 3 100 | 32,0 |
| 34,0 | 45,0 | 30,7 | 3 100 | 2 900 | 2 800 | 2 700 | 48,2 | 29,1 | 3 200 | 3 000 | 2 900 | 2 800 | 34,0 |
| 36,0 | 40,8 | 28,3 | 2 700 | 2 600 | 2 500 | 2 400 | 43,8 | 26,5 | 2 800 | 2 700 | 2 600 | 2 500 | 36,0 |
| 38,0 | 36,2 | 25,4 | 2 400 | 2 300 | 2 200 | 2 100 | 38,8 | 23,4 | 2 500 | 2 400 | 2 300 | 2 200 | 38,0 |
| 40,0 | 30,8 | 21,9 | 2 200 | 2 100 | 2 000 | 1 900 | | | | | | | 40,0 |
| 42,0 | 24,3 | 17,4 | 1 900 | 1 800 | 1 800 | 1 700 | | | | | | | 42,0 |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 11,6 | 80,8 | 47,3 | 11 800 | | | | | | | | | | 11,6 |
| 12,0 | 80,3 | 47,2 | 11 700 | | | | | | | | | | 12,0 |
| 14,0 | 77,7 | 46,7 | 11 500 | 10 100 | 8 800 | 7 800 | | | | | | | 14,0 |
| 16,0 | 75,1 | 46,1 | 10 200 | 9 400 | 8 500 | 7 700 | 79,2 | 45,0 | 7 300 | | | | 16,0 |
| 18,0 | 72,5 | 45,4 | 8 600 | 8 000 | 7 400 | 6 900 | 76,5 | 44,2 | 6 900 | 6 800 | 6 500 | | 18,0 |
| 20,0 | 69,8 | 44,6 | 7 300 | 6 900 | 6 400 | 6 000 | 73,8 | 43,4 | 6 600 | 6 500 | 6 400 | 5 400 | 20,0 |
| 22,0 | 67,1 | 43,6 | 6 400 | 6 000 | 5 600 | 5 200 | 71,0 | 42,4 | 6 300 | 6 100 | 5 900 | 5 300 | 22,0 |
| 24,0 | 64,3 | 42,6 | 5 500 | 5 200 | 4 900 | 4 600 | 68,1 | 41,3 | 5 800 | 5 500 | 5 200 | 4 900 | 24,0 |
| 26,0 | 61,4 | 41,4 | 4 800 | 4 600 | 4 300 | 4 100 | 65,1 | 40,1 | 5 100 | 4 800 | 4 500 | 4 300 | 26,0 |
| 28,0 | 58,5 | 40,1 | 4 300 | 4 000 | 3 800 | 3 600 | 62,1 | 38,8 | 4 500 | 4 200 | 4 000 | 3 800 | 28,0 |
| 30,0 | 55,4 | 38,6 | 3 800 | 3 600 | 3 400 | 3 200 | 58,9 | 37,2 | 3 900 | 3 700 | 3 600 | 3 400 | 30,0 |
| 32,0 | 52,2 | 36,9 | 3 300 | 3 200 | 3 000 | 2 900 | 55,5 | 35,5 | 3 500 | 3 300 | 3 100 | 3 000 | 32,0 |
| 34,0 | 48,8 | 35,1 | 3 000 | 2 800 | 2 700 | 2 500 | 52,0 | 33,5 | 3 100 | 2 900 | 2 800 | 2 700 | 34,0 |
| 36,0 | 45,2 | 33,0 | 2 600 | 2 500 | 2 400 | 2 300 | 48,2 | 31,3 | 2 700 | 2 600 | 2 500 | 2 400 | 36,0 |
| 38,0 | 41,3 | 30,6 | 2 300 | 2 200 | 2 100 | 2 000 | 44,1 | 28,8 | 2 400 | 2 300 | 2 200 | 2 100 | 38,0 |
| 40,0 | 37,1 | 27,8 | 2 100 | 2 000 | 1 900 | 1 800 | 39,6 | 25,8 | 2 100 | 2 000 | 1 900 | 1 800 | 40,0 |
| 42,0 | 32,3 | 24,5 | 1 800 | 1 700 | 1 700 | 1 600 | 34,3 | 22,2 | 1 900 | 1 800 | 1 700 | 1 600 | 42,0 |
| 44,0 | 26,7 | 20,4 | 1 600 | 1 500 | 1 500 | 1 400 | | | | | | | 44,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 12,2 | 80,6 | 50,3 | 11 700 | | | | | | | | | | | 12,2 | |
| 14,0 | 78,5 | 49,8 | 11 500 | 10 000 | 8 800 | | | | | | | | | 14,0 | |
| 16,0 | 76,1 | 49,3 | 10 100 | 9 300 | 8 300 | 7 600 | 79,9 | 48,1 | 7 400 | 6 900 | 6 400 | | | 16,0 | |
| 18,0 | 73,6 | 48,6 | 8 500 | 7 800 | 7 300 | 6 700 | 77,4 | 47,4 | 7 000 | 6 600 | 6 300 | 5 300 | | 18,0 | |
| 20,0 | 71,1 | 47,8 | 7 200 | 6 700 | 6 200 | 5 800 | 74,9 | 46,7 | 6 700 | 6 600 | 6 300 | 5 300 | | 20,0 | |
| 22,0 | 68,6 | 47,0 | 6 200 | 5 800 | 5 400 | 5 100 | 72,3 | 45,8 | 6 400 | 6 100 | 5 700 | 5 200 | | 22,0 | |
| 24,0 | 66,0 | 46,0 | 5 400 | 5 100 | 4 700 | 4 400 | 69,6 | 44,8 | 5 700 | 5 400 | 5 000 | 4 700 | | 24,0 | |
| 26,0 | 63,4 | 44,9 | 4 700 | 4 400 | 4 200 | 3 900 | 66,9 | 43,6 | 5 000 | 4 700 | 4 400 | 4 100 | | 26,0 | |
| 28,0 | 60,7 | 43,7 | 4 200 | 3 900 | 3 700 | 3 400 | 64,1 | 42,4 | 4 400 | 4 100 | 3 900 | 3 700 | | 28,0 | |
| 30,0 | 57,9 | 42,3 | 3 700 | 3 400 | 3 200 | 3 000 | 61,2 | 41,0 | 3 900 | 3 600 | 3 400 | 3 200 | | 30,0 | |
| 32,0 | 54,9 | 40,8 | 3 200 | 3 000 | 2 900 | 2 700 | 58,2 | 39,4 | 3 400 | 3 200 | 3 000 | 2 900 | | 32,0 | |
| 34,0 | 51,9 | 39,2 | 2 900 | 2 700 | 2 500 | 2 400 | 55,1 | 37,7 | 3 000 | 2 800 | 2 700 | 2 500 | | 34,0 | |
| 36,0 | 48,8 | 37,3 | 2 500 | 2 400 | 2 200 | 2 100 | 51,8 | 35,8 | 2 600 | 2 500 | 2 400 | 2 200 | | 36,0 | |
| 38,0 | 45,4 | 35,2 | 2 200 | 2 100 | 2 000 | 1 900 | 48,2 | 33,6 | 2 300 | 2 200 | 2 100 | 2 000 | | 38,0 | |
| 40,0 | 41,8 | 32,9 | 1 900 | 1 800 | 1 700 | 1 600 | 44,4 | 31,1 | 2 000 | 1 900 | 1 800 | 1 700 | | 40,0 | |
| 42,0 | 37,9 | 30,2 | 1 700 | 1 600 | 1 500 | 1 400 | 40,3 | 28,2 | 1 800 | 1 700 | 1 600 | 1 500 | | 42,0 | |
| 44,0 | 33,6 | 27,1 | 1 500 | 1 400 | 1 300 | 1 200 | 35,6 | 24,8 | 1 500 | 1 400 | 1 400 | 1 300 | | 44,0 | |
| 46,0 | 28,6 | 23,3 | 1 300 | 1 200 | 1 100 | 1 100 | | | | | | | | 46,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 12,8 | 80,5 | 53,2 | 11 600 | | | | | | | | | | 12,8 |
| 14,0 | 79,1 | 52,9 | 11 500 | 10 000 | | | | | | | | | 14,0 |
| 16,0 | 76,9 | 52,4 | 10 000 | 9 100 | 8 200 | 7 400 | | | | | | | 16,0 |
| 18,0 | 74,6 | 51,8 | 8 400 | 7 700 | 7 100 | 6 500 | 78,2 | 50,6 | 7 100 | 7 000 | | | 18,0 |
| 20,0 | 72,3 | 51,0 | 7 100 | 6 600 | 6 100 | 5 600 | 75,8 | 49,8 | 6 800 | 6 700 | | | 20,0 |
| 22,0 | 69,9 | 50,2 | 6 100 | 5 700 | 5 300 | 4 900 | 73,4 | 49,0 | 6 400 | 6 000 | 5 600 | 5 100 | 22,0 |
| 24,0 | 67,5 | 49,3 | 5 300 | 5 000 | 4 600 | 4 300 | 70,9 | 48,1 | 5 600 | 5 300 | 4 900 | 4 600 | 24,0 |
| 26,0 | 65,0 | 48,3 | 4 600 | 4 300 | 4 000 | 3 800 | 68,4 | 47,1 | 4 900 | 4 600 | 4 300 | 4 000 | 26,0 |
| 28,0 | 62,5 | 47,2 | 4 100 | 3 800 | 3 600 | 3 300 | 65,8 | 45,9 | 4 300 | 4 000 | 3 800 | 3 500 | 28,0 |
| 30,0 | 60,0 | 46,0 | 3 600 | 3 300 | 3 100 | 2 900 | 63,2 | 44,6 | 3 800 | 3 500 | 3 300 | 3 100 | 30,0 |
| 32,0 | 57,3 | 44,6 | 3 100 | 2 900 | 2 800 | 2 600 | 60,4 | 43,2 | 3 300 | 3 100 | 2 900 | 2 700 | 32,0 |
| 34,0 | 54,6 | 43,1 | 2 800 | 2 600 | 2 400 | 2 300 | 57,6 | 41,6 | 2 900 | 2 700 | 2 600 | 2 400 | 34,0 |
| 36,0 | 51,7 | 41,4 | 2 400 | 2 300 | 2 100 | 2 000 | 54,6 | 39,9 | 2 600 | 2 400 | 2 300 | 2 100 | 36,0 |
| 38,0 | 48,7 | 39,5 | 2 100 | 2 000 | 1 900 | 1 700 | 51,5 | 38,0 | 2 300 | 2 100 | 2 000 | 1 900 | 38,0 |
| 40,0 | 45,6 | 37,5 | 1 900 | 1 800 | 1 600 | 1 500 | 48,2 | 35,8 | 2 000 | 1 800 | 1 700 | 1 600 | 40,0 |
| 42,0 | 42,2 | 35,2 | 1 600 | 1 500 | 1 400 | 1 300 | 44,7 | 33,4 | 1 700 | 1 600 | 1 500 | 1 400 | 42,0 |
| 44,0 | 38,6 | 32,5 | 1 400 | 1 300 | 1 200 | 1 100 | 40,9 | 30,6 | 1 500 | 1 400 | 1 300 | 1 200 | 44,0 |
| 46,0 | 34,6 | 29,5 | 1 200 | 1 100 | 1 000 | 1 000 | 36,6 | 27,3 | 1 200 | 1 200 | 1 100 | 1 000 | 46,0 |
| 48,0 | 30,2 | 26,0 | 1 000 | 900 | | | | | | | | | 48,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|--------|-------|-------|------|------|-------|-------|-------|-------|------|--|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 13,4 | 80,4 | 56,1 | 11 500 | | | | | | | | | | 13,4 | | |
| 14,0 | 79,8 | 56,0 | 11 500 | 10 000 | | | | | | | | | 14,0 | | |
| 16,0 | 77,6 | 55,5 | 9 900 | 9 000 | 8 100 | | | | | | | | 16,0 | | |
| 18,0 | 75,5 | 54,9 | 8 300 | 7 600 | 6 900 | 6 300 | 78,9 | 53,7 | 7 200 | | | | 18,0 | | |
| 20,0 | 73,3 | 54,3 | 7 000 | 6 500 | 5 900 | 5 500 | 76,7 | 53,1 | 6 900 | 6 800 | 6 100 | 5 100 | 20,0 | | |
| 22,0 | 71,1 | 53,5 | 6 000 | 5 600 | 5 100 | 4 700 | 74,4 | 52,3 | 6 400 | 5 900 | 5 500 | 5 000 | 22,0 | | |
| 24,0 | 68,8 | 52,6 | 5 200 | 4 800 | 4 500 | 4 100 | 72,1 | 51,4 | 5 500 | 5 100 | 4 800 | 4 400 | 24,0 | | |
| 26,0 | 66,5 | 51,7 | 4 500 | 4 200 | 3 900 | 3 600 | 69,7 | 50,4 | 4 800 | 4 500 | 4 200 | 3 900 | 26,0 | | |
| 28,0 | 64,2 | 50,7 | 4 000 | 3 700 | 3 400 | 3 200 | 67,3 | 49,4 | 4 200 | 3 900 | 3 700 | 3 400 | 28,0 | | |
| 30,0 | 61,8 | 49,5 | 3 500 | 3 200 | 3 000 | 2 800 | 64,9 | 48,2 | 3 700 | 3 400 | 3 200 | 3 000 | 30,0 | | |
| 32,0 | 59,3 | 48,2 | 3 000 | 2 800 | 2 600 | 2 400 | 62,4 | 46,9 | 3 200 | 3 000 | 2 800 | 2 600 | 32,0 | | |
| 34,0 | 56,8 | 46,9 | 2 700 | 2 500 | 2 300 | 2 100 | 59,8 | 45,4 | 2 800 | 2 600 | 2 500 | 2 300 | 34,0 | | |
| 36,0 | 54,2 | 45,3 | 2 300 | 2 200 | 2 000 | 1 900 | 57,1 | 43,9 | 2 500 | 2 300 | 2 100 | 2 000 | 36,0 | | |
| 38,0 | 51,5 | 43,6 | 2 000 | 1 900 | 1 700 | 1 600 | 54,3 | 42,1 | 2 200 | 2 000 | 1 900 | 1 700 | 38,0 | | |
| 40,0 | 48,7 | 41,8 | 1 800 | 1 600 | 1 500 | 1 400 | 51,3 | 40,2 | 1 900 | 1 700 | 1 600 | 1 500 | 40,0 | | |
| 42,0 | 45,7 | 39,7 | 1 500 | 1 400 | 1 300 | 1 200 | 48,2 | 38,1 | 1 600 | 1 500 | 1 400 | 1 300 | 42,0 | | |
| 44,0 | 42,6 | 37,5 | 1 300 | 1 200 | 1 100 | 1 000 | 44,9 | 35,7 | 1 400 | 1 300 | 1 200 | 1 100 | 44,0 | | |
| 46,0 | 39,2 | 34,9 | 1 100 | 1 000 | | | 41,4 | 33,0 | 1 200 | 1 100 | 1 000 | | 46,0 | | |
| 48,0 | | | | | | | 37,5 | 29,8 | 1 000 | | | | 48,0 | | |

MLC80A-1 S-1







20 610 kg
+
0 kg




| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 13,4 | 80,9 | 59,2 | 11 500 | | | | | | | | | | 13,4 |
| 14,0 | 80,3 | 59,1 | 11 400 | | | | | | | | | | 14,0 |
| 16,0 | 78,3 | 58,6 | 9 800 | 8 800 | | | | | | | | | 16,0 |
| 18,0 | 76,2 | 58,0 | 8 200 | 7 400 | 6 800 | 6 200 | 79,5 | 56,8 | 7 300 | | | | 18,0 |
| 20,0 | 74,2 | 57,4 | 6 900 | 6 300 | 5 800 | 5 300 | 77,4 | 56,2 | 7 000 | 6 800 | 5 900 | 5 000 | 20,0 |
| 22,0 | 72,1 | 56,7 | 5 900 | 5 400 | 5 000 | 4 600 | 75,3 | 55,5 | 6 300 | 5 800 | 5 400 | 4 800 | 22,0 |
| 24,0 | 70,0 | 55,9 | 5 100 | 4 700 | 4 300 | 4 000 | 73,1 | 54,7 | 5 500 | 5 000 | 4 600 | 4 300 | 24,0 |
| 26,0 | 67,8 | 55,0 | 4 400 | 4 100 | 3 800 | 3 500 | 70,9 | 53,7 | 4 700 | 4 400 | 4 000 | 3 700 | 26,0 |
| 28,0 | 65,6 | 54,0 | 3 800 | 3 600 | 3 300 | 3 000 | 68,6 | 52,7 | 4 100 | 3 800 | 3 500 | 3 300 | 28,0 |
| 30,0 | 63,4 | 53,0 | 3 400 | 3 100 | 2 900 | 2 600 | 66,4 | 51,6 | 3 600 | 3 300 | 3 100 | 2 900 | 30,0 |
| 32,0 | 61,1 | 51,8 | 2 900 | 2 700 | 2 500 | 2 300 | 64,0 | 50,4 | 3 100 | 2 900 | 2 700 | 2 500 | 32,0 |
| 34,0 | 58,8 | 50,5 | 2 500 | 2 300 | 2 200 | 2 000 | 61,6 | 49,1 | 2 700 | 2 500 | 2 300 | 2 200 | 34,0 |
| 36,0 | 56,4 | 49,1 | 2 200 | 2 000 | 1 900 | 1 700 | 59,1 | 47,7 | 2 400 | 2 200 | 2 000 | 1 900 | 36,0 |
| 38,0 | 53,9 | 47,5 | 1 900 | 1 800 | 1 600 | 1 500 | 56,6 | 46,1 | 2 100 | 1 900 | 1 800 | 1 600 | 38,0 |
| 40,0 | 51,3 | 45,9 | 1 600 | 1 500 | 1 400 | 1 300 | 53,9 | 44,3 | 1 800 | 1 600 | 1 500 | 1 400 | 40,0 |
| 42,0 | 48,7 | 44,0 | 1 400 | 1 300 | 1 200 | 1 100 | 51,1 | 42,4 | 1 500 | 1 400 | 1 300 | 1 200 | 42,0 |
| 44,0 | 45,9 | 42,0 | 1 200 | 1 100 | 1 000 | 900 | 48,2 | 40,3 | 1 300 | 1 200 | 1 100 | 1 000 | 44,0 |
| 46,0 | 42,9 | 39,7 | 1 000 | | | | 45,1 | 37,9 | 1 100 | | | | 46,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 10,4 | 80,5 | 35,4 | 10 400 | | | | | | | | | | | 10,4 | |
| 12,0 | 77,6 | 34,9 | 10 100 | 8 800 | 7 600 | | | | | | | | | 12,0 | |
| 14,0 | 74,1 | 34,2 | 9 800 | 8 500 | 7 400 | 6 500 | | | | | | | | 14,0 | |
| 16,0 | 70,5 | 33,3 | 9 500 | 8 300 | 7 200 | 6 400 | 77,6 | 32,2 | 6 100 | 6 000 | 5 500 | | | 16,0 | |
| 18,0 | 66,7 | 32,3 | 9 100 | 8 100 | 7 100 | 6 300 | 73,7 | 31,2 | 5 700 | 5 600 | 5 200 | 4 700 | | 18,0 | |
| 20,0 | 62,9 | 31,1 | 7 900 | 7 600 | 6 900 | 6 200 | 69,7 | 29,9 | 5 300 | 5 200 | 5 000 | 4 500 | | 20,0 | |
| 22,0 | 58,8 | 29,7 | 7 000 | 6 700 | 6 400 | 6 000 | 65,4 | 28,5 | 5 000 | 5 000 | 4 700 | 4 300 | | 22,0 | |
| 24,0 | 54,5 | 28,1 | 6 100 | 5 900 | 5 700 | 5 500 | 60,9 | 26,8 | 4 800 | 4 700 | 4 500 | 4 200 | | 24,0 | |
| 26,0 | 50,0 | 26,2 | 5 500 | 5 300 | 5 100 | 4 900 | 56,1 | 24,8 | 4 500 | 4 500 | 4 400 | 4 000 | | 26,0 | |
| 28,0 | 45,0 | 24,0 | 4 900 | 4 700 | 4 600 | 4 400 | 50,8 | 22,4 | 4 300 | 4 300 | 4 200 | 3 900 | | 28,0 | |
| 30,0 | 39,4 | 21,3 | 4 400 | 4 200 | 4 100 | 4 000 | 44,7 | 19,5 | 4 200 | 4 200 | 4 100 | 3 800 | | 30,0 | |
| 32,0 | 32,9 | 17,9 | 3 900 | 3 800 | 3 700 | 3 600 | 37,2 | 15,6 | 4 000 | 3 900 | 3 800 | 3 700 | | 32,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 11,0 | 80,3 | 38,3 | 10 300 | | | | | | | | | | 11,0 |
| 12,0 | 78,7 | 38,0 | 10 200 | 8 800 | | | | | | | | | 12,0 |
| 14,0 | 75,4 | 37,4 | 9 900 | 8 600 | 7 400 | 6 600 | | | | | | | 14,0 |
| 16,0 | 72,2 | 36,6 | 9 700 | 8 400 | 7 300 | 6 400 | 78,7 | 35,4 | 6 200 | 6 100 | | | 16,0 |
| 18,0 | 68,8 | 35,7 | 9 000 | 8 200 | 7 200 | 6 300 | 75,2 | 34,5 | 5 800 | 5 700 | 5 600 | 4 800 | 18,0 |
| 20,0 | 65,3 | 34,6 | 7 900 | 7 500 | 7 000 | 6 200 | 71,6 | 33,4 | 5 500 | 5 400 | 5 300 | 4 800 | 20,0 |
| 22,0 | 61,7 | 33,4 | 6 900 | 6 500 | 6 200 | 6 000 | 67,9 | 32,1 | 5 200 | 5 100 | 5 000 | 4 800 | 22,0 |
| 24,0 | 58,0 | 32,0 | 6 000 | 5 800 | 5 500 | 5 300 | 63,9 | 30,6 | 4 900 | 4 900 | 4 800 | 4 600 | 24,0 |
| 26,0 | 54,0 | 30,3 | 5 400 | 5 100 | 4 900 | 4 700 | 59,8 | 28,9 | 4 700 | 4 600 | 4 600 | 4 500 | 26,0 |
| 28,0 | 49,8 | 28,5 | 4 800 | 4 600 | 4 400 | 4 300 | 55,4 | 26,9 | 4 500 | 4 500 | 4 400 | 4 300 | 28,0 |
| 30,0 | 45,3 | 26,3 | 4 300 | 4 100 | 4 000 | 3 800 | 50,5 | 24,6 | 4 300 | 4 200 | 4 100 | 4 000 | 30,0 |
| 32,0 | 40,3 | 23,7 | 3 800 | 3 700 | 3 600 | 3 500 | 45,1 | 21,8 | 3 900 | 3 800 | 3 700 | 3 600 | 32,0 |
| 34,0 | 34,6 | 20,5 | 3 500 | 3 400 | 3 300 | 3 200 | 38,7 | 18,3 | 3 500 | 3 400 | 3 300 | 3 200 | 34,0 |
| 36,0 | 27,6 | 16,4 | 3 100 | 3 000 | 3 000 | 2 900 | | | | | | | 36,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 11,6 | 80,2 | 41,2 | 10 300 | | | | | | | | | | | 11,6 | |
| 12,0 | 79,5 | 41,1 | 10 200 | | | | | | | | | | | 12,0 | |
| 14,0 | 76,6 | 40,5 | 10 000 | 8 600 | 7 400 | 6 600 | | | | | | | | 14,0 | |
| 16,0 | 73,6 | 39,8 | 9 700 | 8 500 | 7 300 | 6 500 | 79,6 | 38,6 | 6 300 | | | | | 16,0 | |
| 18,0 | 70,5 | 39,0 | 8 900 | 8 300 | 7 200 | 6 400 | 76,4 | 37,7 | 5 900 | 5 800 | 5 700 | | | 18,0 | |
| 20,0 | 67,3 | 38,0 | 7 700 | 7 300 | 6 900 | 6 300 | 73,2 | 36,7 | 5 600 | 5 500 | 5 400 | 4 600 | | 20,0 | |
| 22,0 | 64,1 | 36,9 | 6 700 | 6 400 | 6 100 | 5 800 | 69,8 | 35,6 | 5 300 | 5 200 | 5 200 | 4 600 | | 22,0 | |
| 24,0 | 60,7 | 35,6 | 5 900 | 5 600 | 5 400 | 5 100 | 66,3 | 34,3 | 5 100 | 5 000 | 4 900 | 4 600 | | 24,0 | |
| 26,0 | 57,2 | 34,2 | 5 200 | 5 000 | 4 800 | 4 600 | 62,7 | 32,8 | 4 800 | 4 800 | 4 700 | 4 600 | | 26,0 | |
| 28,0 | 53,6 | 32,5 | 4 700 | 4 500 | 4 300 | 4 100 | 58,8 | 31,1 | 4 600 | 4 600 | 4 500 | 4 300 | | 28,0 | |
| 30,0 | 49,7 | 30,7 | 4 200 | 4 000 | 3 800 | 3 700 | 54,7 | 29,1 | 4 300 | 4 200 | 4 000 | 3 800 | | 30,0 | |
| 32,0 | 45,5 | 28,5 | 3 700 | 3 600 | 3 400 | 3 300 | 50,3 | 26,8 | 3 900 | 3 700 | 3 600 | 3 400 | | 32,0 | |
| 34,0 | 41,0 | 26,0 | 3 400 | 3 200 | 3 100 | 3 000 | 45,4 | 24,1 | 3 500 | 3 300 | 3 200 | 3 100 | | 34,0 | |
| 36,0 | 35,9 | 23,0 | 3 000 | 2 900 | 2 800 | 2 700 | 39,7 | 20,8 | 3 100 | 3 000 | 2 900 | 2 800 | | 36,0 | |
| 38,0 | 29,8 | 19,3 | 2 700 | 2 600 | 2 500 | 2 500 | 32,8 | 16,5 | 2 700 | 2 700 | 2 600 | 2 500 | | 38,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 11,6 | 80,9 | 44,3 | 10 300 | | | | | | | | | | 11,6 |
| 12,0 | 80,3 | 44,2 | 10 300 | | | | | | | | | | 12,0 |
| 14,0 | 77,5 | 43,7 | 10 100 | 8 700 | 7 500 | 6 600 | | | | | | | 14,0 |
| 16,0 | 74,8 | 43,0 | 9 800 | 8 500 | 7 300 | 6 500 | | | | | | | 16,0 |
| 18,0 | 71,9 | 42,2 | 8 900 | 8 200 | 7 200 | 6 400 | 77,5 | 41,0 | 6 100 | 5 900 | | | 18,0 |
| 20,0 | 69,0 | 41,4 | 7 700 | 7 200 | 6 800 | 6 300 | 74,5 | 40,1 | 5 700 | 5 600 | 5 500 | 4 500 | 20,0 |
| 22,0 | 66,1 | 40,3 | 6 700 | 6 300 | 5 900 | 5 600 | 71,4 | 39,0 | 5 500 | 5 400 | 5 300 | 4 500 | 22,0 |
| 24,0 | 63,0 | 39,2 | 5 800 | 5 500 | 5 200 | 5 000 | 68,3 | 37,8 | 5 200 | 5 100 | 5 100 | 4 500 | 24,0 |
| 26,0 | 59,9 | 37,9 | 5 200 | 4 900 | 4 700 | 4 400 | 65,0 | 36,5 | 5 000 | 4 900 | 4 800 | 4 500 | 26,0 |
| 28,0 | 56,6 | 36,4 | 4 600 | 4 400 | 4 200 | 4 000 | 61,6 | 35,0 | 4 700 | 4 600 | 4 400 | 4 200 | 28,0 |
| 30,0 | 53,2 | 34,8 | 4 100 | 3 900 | 3 700 | 3 600 | 58,0 | 33,2 | 4 300 | 4 100 | 3 900 | 3 700 | 30,0 |
| 32,0 | 49,6 | 32,9 | 3 700 | 3 500 | 3 300 | 3 200 | 54,2 | 31,3 | 3 800 | 3 600 | 3 500 | 3 300 | 32,0 |
| 34,0 | 45,8 | 30,8 | 3 300 | 3 100 | 3 000 | 2 900 | 50,1 | 29,0 | 3 400 | 3 300 | 3 100 | 3 000 | 34,0 |
| 36,0 | 41,6 | 28,4 | 2 900 | 2 800 | 2 700 | 2 600 | 45,7 | 26,4 | 3 000 | 2 900 | 2 800 | 2 700 | 36,0 |
| 38,0 | 37,0 | 25,5 | 2 600 | 2 500 | 2 400 | 2 300 | 40,6 | 23,3 | 2 700 | 2 600 | 2 500 | 2 400 | 38,0 |
| 40,0 | 31,7 | 22,0 | 2 400 | 2 300 | 2 200 | 2 100 | 34,7 | 19,4 | 2 400 | 2 300 | 2 200 | 2 200 | 40,0 |
| 42,0 | 25,2 | 17,5 | 2 100 | 2 000 | 2 000 | 1 900 | | | | | | | 42,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 12,2 | 80,7 | 47,2 | 10 300 | | | | | | | | | | 12,2 |
| 14,0 | 78,4 | 46,8 | 10 100 | 8 700 | 7 500 | | | | | | | | 14,0 |
| 16,0 | 75,8 | 46,2 | 9 800 | 8 500 | 7 300 | 6 500 | | | | | | | 16,0 |
| 18,0 | 73,2 | 45,4 | 8 800 | 8 100 | 7 200 | 6 400 | 78,4 | 44,2 | 6 200 | | | | 18,0 |
| 20,0 | 70,5 | 44,6 | 7 600 | 7 100 | 6 600 | 6 200 | 75,6 | 43,3 | 5 800 | 5 700 | 5 300 | 4 400 | 20,0 |
| 22,0 | 67,8 | 43,7 | 6 600 | 6 200 | 5 800 | 5 400 | 72,8 | 42,4 | 5 600 | 5 500 | 5 300 | 4 400 | 22,0 |
| 24,0 | 65,0 | 42,6 | 5 700 | 5 400 | 5 100 | 4 800 | 69,9 | 41,3 | 5 300 | 5 200 | 5 200 | 4 400 | 24,0 |
| 26,0 | 62,1 | 41,5 | 5 000 | 4 800 | 4 500 | 4 300 | 66,9 | 40,1 | 5 100 | 5 000 | 4 800 | 4 400 | 26,0 |
| 28,0 | 59,1 | 40,1 | 4 500 | 4 200 | 4 000 | 3 800 | 63,9 | 38,7 | 4 700 | 4 500 | 4 200 | 4 000 | 28,0 |
| 30,0 | 56,1 | 38,7 | 4 000 | 3 800 | 3 600 | 3 400 | 60,7 | 37,1 | 4 200 | 4 000 | 3 800 | 3 600 | 30,0 |
| 32,0 | 52,9 | 37,0 | 3 500 | 3 400 | 3 200 | 3 000 | 57,3 | 35,4 | 3 700 | 3 500 | 3 400 | 3 200 | 32,0 |
| 34,0 | 49,5 | 35,1 | 3 200 | 3 000 | 2 900 | 2 700 | 53,8 | 33,4 | 3 300 | 3 200 | 3 000 | 2 900 | 34,0 |
| 36,0 | 45,9 | 33,0 | 2 800 | 2 700 | 2 600 | 2 500 | 50,0 | 31,2 | 3 000 | 2 800 | 2 700 | 2 600 | 36,0 |
| 38,0 | 42,1 | 30,6 | 2 500 | 2 400 | 2 300 | 2 200 | 45,9 | 28,7 | 2 600 | 2 500 | 2 400 | 2 300 | 38,0 |
| 40,0 | 37,8 | 27,9 | 2 300 | 2 200 | 2 100 | 2 000 | 41,3 | 25,7 | 2 300 | 2 200 | 2 100 | 2 000 | 40,0 |
| 42,0 | 33,1 | 24,6 | 2 000 | 1 900 | 1 800 | 1 800 | 36,0 | 22,0 | 2 100 | 2 000 | 1 900 | 1 800 | 42,0 |
| 44,0 | 27,5 | 20,5 | 1 800 | 1 700 | 1 600 | 1 600 | | | | | | | 44,0 |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|----|----|------|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | kg | kg | m |
| 12,8 | 80,5 | 50,2 | 10 200 | | | | | | | | | | | | 12,8 |
| 14,0 | 79,1 | 49,9 | 10 100 | 8 600 | | | | | | | | | | | 14,0 |
| 16,0 | 76,7 | 49,3 | 9 800 | 8 500 | 7 400 | 6 500 | | | | | | | | | 16,0 |
| 18,0 | 74,2 | 48,6 | 8 700 | 8 000 | 7 300 | 6 400 | 79,1 | 47,3 | 6 200 | | | | | | 18,0 |
| 20,0 | 71,7 | 47,9 | 7 500 | 6 900 | 6 500 | 6 000 | 76,6 | 46,5 | 5 900 | 5 800 | 5 200 | 4 300 | | | 20,0 |
| 22,0 | 69,2 | 47,0 | 6 500 | 6 000 | 5 600 | 5 300 | 74,0 | 45,6 | 5 700 | 5 600 | 5 200 | 4 300 | | | 22,0 |
| 24,0 | 66,6 | 46,0 | 5 600 | 5 300 | 5 000 | 4 700 | 71,3 | 44,6 | 5 400 | 5 400 | 5 200 | 4 300 | | | 24,0 |
| 26,0 | 64,0 | 44,9 | 4 900 | 4 700 | 4 400 | 4 100 | 68,6 | 43,5 | 5 200 | 4 900 | 4 700 | 4 300 | | | 26,0 |
| 28,0 | 61,3 | 43,7 | 4 400 | 4 100 | 3 900 | 3 700 | 65,8 | 42,3 | 4 600 | 4 400 | 4 100 | 3 900 | | | 28,0 |
| 30,0 | 58,5 | 42,4 | 3 900 | 3 700 | 3 500 | 3 300 | 62,9 | 40,9 | 4 100 | 3 900 | 3 700 | 3 500 | | | 30,0 |
| 32,0 | 55,6 | 40,9 | 3 400 | 3 300 | 3 100 | 2 900 | 59,8 | 39,3 | 3 600 | 3 400 | 3 300 | 3 100 | | | 32,0 |
| 34,0 | 52,6 | 39,2 | 3 100 | 2 900 | 2 700 | 2 600 | 56,7 | 37,6 | 3 200 | 3 100 | 2 900 | 2 800 | | | 34,0 |
| 36,0 | 49,4 | 37,3 | 2 700 | 2 600 | 2 500 | 2 300 | 53,4 | 35,6 | 2 900 | 2 700 | 2 600 | 2 500 | | | 36,0 |
| 38,0 | 46,0 | 35,3 | 2 400 | 2 300 | 2 200 | 2 100 | 49,8 | 33,4 | 2 600 | 2 400 | 2 300 | 2 200 | | | 38,0 |
| 40,0 | 42,5 | 32,9 | 2 200 | 2 100 | 1 900 | 1 800 | 46,0 | 30,9 | 2 300 | 2 200 | 2 000 | 1 900 | | | 40,0 |
| 42,0 | 38,6 | 30,2 | 1 900 | 1 800 | 1 700 | 1 600 | 41,8 | 28,0 | 2 000 | 1 900 | 1 800 | 1 700 | | | 42,0 |
| 44,0 | 34,3 | 27,1 | 1 700 | 1 600 | 1 500 | 1 400 | 37,1 | 24,6 | 1 700 | 1 700 | 1 600 | 1 500 | | | 44,0 |
| 46,0 | 29,3 | 23,3 | 1 500 | 1 400 | 1 300 | 1 300 | | | | | | | | | 46,0 |
| 48,0 | 23,2 | 18,5 | 1 300 | 1 200 | 1 200 | 1 100 | | | | | | | | | 48,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 13,4 | 80,4 | 53,1 | 10 100 | | | | | | | | | | | 13,4 | |
| 14,0 | 79,7 | 53,0 | 10 100 | 8 600 | | | | | | | | | | 14,0 | |
| 16,0 | 77,5 | 52,4 | 9 800 | 8 500 | 7 300 | | | | | | | | | 16,0 | |
| 18,0 | 75,2 | 51,8 | 8 600 | 7 900 | 7 200 | 6 400 | | | | | | | | 18,0 | |
| 20,0 | 72,9 | 51,1 | 7 300 | 6 800 | 6 300 | 5 800 | 77,4 | 49,8 | 6 000 | 5 900 | 5 100 | 4 200 | | 20,0 | |
| 22,0 | 70,5 | 50,3 | 6 300 | 5 900 | 5 500 | 5 100 | 75,0 | 48,9 | 5 800 | 5 700 | 5 100 | 4 200 | | 22,0 | |
| 24,0 | 68,1 | 49,4 | 5 500 | 5 200 | 4 800 | 4 500 | 72,5 | 48,0 | 5 500 | 5 400 | 5 000 | 4 200 | | 24,0 | |
| 26,0 | 65,6 | 48,4 | 4 800 | 4 500 | 4 200 | 4 000 | 70,0 | 46,9 | 5 200 | 4 800 | 4 500 | 4 200 | | 26,0 | |
| 28,0 | 63,1 | 47,3 | 4 300 | 4 000 | 3 700 | 3 500 | 67,4 | 45,8 | 4 500 | 4 300 | 4 000 | 3 800 | | 28,0 | |
| 30,0 | 60,6 | 46,0 | 3 800 | 3 500 | 3 300 | 3 100 | 64,7 | 44,5 | 4 000 | 3 800 | 3 600 | 3 300 | | 30,0 | |
| 32,0 | 57,9 | 44,6 | 3 300 | 3 100 | 2 900 | 2 800 | 62,0 | 43,1 | 3 500 | 3 300 | 3 100 | 3 000 | | 32,0 | |
| 34,0 | 55,2 | 43,1 | 2 900 | 2 800 | 2 600 | 2 400 | 59,1 | 41,5 | 3 100 | 3 000 | 2 800 | 2 600 | | 34,0 | |
| 36,0 | 52,3 | 41,5 | 2 600 | 2 500 | 2 300 | 2 200 | 56,2 | 39,8 | 2 800 | 2 600 | 2 500 | 2 300 | | 36,0 | |
| 38,0 | 49,3 | 39,6 | 2 300 | 2 200 | 2 000 | 1 900 | 53,0 | 37,8 | 2 500 | 2 300 | 2 200 | 2 100 | | 38,0 | |
| 40,0 | 46,2 | 37,5 | 2 000 | 1 900 | 1 800 | 1 700 | 49,7 | 35,7 | 2 200 | 2 000 | 1 900 | 1 800 | | 40,0 | |
| 42,0 | 42,9 | 35,2 | 1 800 | 1 700 | 1 600 | 1 500 | 46,2 | 33,2 | 1 900 | 1 800 | 1 700 | 1 600 | | 42,0 | |
| 44,0 | 39,3 | 32,6 | 1 600 | 1 500 | 1 400 | 1 300 | 42,3 | 30,4 | 1 700 | 1 600 | 1 500 | 1 400 | | 44,0 | |
| 46,0 | 35,3 | 29,6 | 1 400 | 1 300 | 1 200 | 1 100 | 38,0 | 27,1 | 1 400 | 1 400 | 1 300 | 1 200 | | 46,0 | |
| 48,0 | 30,8 | 26,1 | 1 200 | 1 100 | 1 000 | 1 000 | 33,1 | 23,2 | 1 200 | 1 200 | 1 100 | 1 000 | | 48,0 | |
| 50,0 | 25,6 | 21,7 | 1 000 | 900 | 900 | | | | | | | | | 50,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg




| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|----|----|------|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | kg | kg | m |
| 13,4 | 80,9 | 56,2 | 10 100 | | | | | | | | | | | | 13,4 |
| 14,0 | 80,3 | 56,0 | 10 100 | | | | | | | | | | | | 14,0 |
| 16,0 | 78,2 | 55,5 | 9 700 | 8 500 | 7 300 | | | | | | | | | | 16,0 |
| 18,0 | 76,0 | 54,9 | 8 500 | 7 800 | 7 000 | 6 300 | | | | | | | | | 18,0 |
| 20,0 | 73,8 | 54,3 | 7 200 | 6 700 | 6 200 | 5 700 | 78,2 | 52,9 | 6 100 | 6 000 | 5 000 | | | | 20,0 |
| 22,0 | 71,6 | 53,5 | 6 300 | 5 800 | 5 400 | 5 000 | 75,9 | 52,1 | 5 900 | 5 800 | 5 000 | 4 200 | | | 22,0 |
| 24,0 | 69,4 | 52,7 | 5 400 | 5 000 | 4 700 | 4 300 | 73,6 | 51,3 | 5 600 | 5 400 | 4 900 | 4 200 | | | 24,0 |
| 26,0 | 67,1 | 51,7 | 4 700 | 4 400 | 4 100 | 3 800 | 71,2 | 50,3 | 5 100 | 4 700 | 4 400 | 4 100 | | | 26,0 |
| 28,0 | 64,7 | 50,7 | 4 200 | 3 900 | 3 600 | 3 400 | 68,8 | 49,2 | 4 500 | 4 200 | 3 900 | 3 700 | | | 28,0 |
| 30,0 | 62,4 | 49,5 | 3 700 | 3 400 | 3 200 | 3 000 | 66,3 | 48,0 | 3 900 | 3 700 | 3 500 | 3 200 | | | 30,0 |
| 32,0 | 59,9 | 48,3 | 3 200 | 3 000 | 2 800 | 2 600 | 63,8 | 46,7 | 3 500 | 3 300 | 3 100 | 2 900 | | | 32,0 |
| 34,0 | 57,4 | 46,9 | 2 900 | 2 700 | 2 500 | 2 300 | 61,2 | 45,3 | 3 100 | 2 900 | 2 700 | 2 500 | | | 34,0 |
| 36,0 | 54,8 | 45,3 | 2 500 | 2 400 | 2 200 | 2 100 | 58,5 | 43,7 | 2 700 | 2 500 | 2 400 | 2 200 | | | 36,0 |
| 38,0 | 52,1 | 43,7 | 2 200 | 2 100 | 1 900 | 1 800 | 55,7 | 41,9 | 2 400 | 2 200 | 2 100 | 2 000 | | | 38,0 |
| 40,0 | 49,3 | 41,8 | 2 000 | 1 800 | 1 700 | 1 600 | 52,7 | 40,0 | 2 100 | 2 000 | 1 800 | 1 700 | | | 40,0 |
| 42,0 | 46,3 | 39,8 | 1 700 | 1 600 | 1 500 | 1 400 | 49,6 | 37,9 | 1 800 | 1 700 | 1 600 | 1 500 | | | 42,0 |
| 44,0 | 43,2 | 37,5 | 1 500 | 1 400 | 1 300 | 1 200 | 46,3 | 35,5 | 1 600 | 1 500 | 1 400 | 1 300 | | | 44,0 |
| 46,0 | 39,8 | 34,9 | 1 300 | 1 200 | 1 100 | 1 000 | 42,7 | 32,7 | 1 400 | 1 300 | 1 200 | 1 100 | | | 46,0 |
| 48,0 | 36,1 | 32,0 | 1 100 | 1 000 | 1 000 | | 38,8 | 29,6 | 1 200 | 1 100 | 1 000 | 900 | | | 48,0 |
| 50,0 | 32,1 | 28,7 | 900 | | | | 34,3 | 25,9 | 1 000 | 900 | | | | | 50,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|--------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 14,0 | 80,8 | 59,1 | 10 000 | | | | | | | | | | 14,0 |
| 16,0 | 78,8 | 58,6 | 9 600 | 8 400 | | | | | | | | | 16,0 |
| 18,0 | 76,8 | 58,1 | 8 400 | 7 600 | 6 900 | | | | | | | | 18,0 |
| 20,0 | 74,7 | 57,5 | 7 100 | 6 500 | 6 000 | 5 500 | 78,8 | 56,1 | 6 200 | 6 100 | | | 20,0 |
| 22,0 | 72,6 | 56,7 | 6 100 | 5 700 | 5 200 | 4 800 | 76,7 | 55,3 | 5 900 | 5 800 | 4 900 | 4 100 | 22,0 |
| 24,0 | 70,5 | 55,9 | 5 300 | 4 900 | 4 500 | 4 200 | 74,5 | 54,5 | 5 600 | 5 300 | 4 800 | 4 100 | 24,0 |
| 26,0 | 68,4 | 55,1 | 4 600 | 4 300 | 4 000 | 3 700 | 72,3 | 53,6 | 5 000 | 4 600 | 4 300 | 4 000 | 26,0 |
| 28,0 | 66,2 | 54,1 | 4 100 | 3 800 | 3 500 | 3 200 | 70,1 | 52,6 | 4 400 | 4 100 | 3 800 | 3 500 | 28,0 |
| 30,0 | 63,9 | 53,0 | 3 600 | 3 300 | 3 100 | 2 800 | 67,8 | 51,5 | 3 800 | 3 600 | 3 300 | 3 100 | 30,0 |
| 32,0 | 61,7 | 51,8 | 3 100 | 2 900 | 2 700 | 2 500 | 65,4 | 50,3 | 3 400 | 3 200 | 2 900 | 2 700 | 32,0 |
| 34,0 | 59,3 | 50,6 | 2 700 | 2 500 | 2 400 | 2 200 | 63,0 | 49,0 | 3 000 | 2 800 | 2 600 | 2 400 | 34,0 |
| 36,0 | 56,9 | 49,1 | 2 400 | 2 200 | 2 100 | 1 900 | 60,5 | 47,5 | 2 600 | 2 400 | 2 300 | 2 100 | 36,0 |
| 38,0 | 54,5 | 47,6 | 2 100 | 2 000 | 1 800 | 1 700 | 57,9 | 45,9 | 2 300 | 2 100 | 2 000 | 1 800 | 38,0 |
| 40,0 | 51,9 | 45,9 | 1 800 | 1 700 | 1 600 | 1 400 | 55,3 | 44,2 | 2 000 | 1 900 | 1 700 | 1 600 | 40,0 |
| 42,0 | 49,2 | 44,1 | 1 600 | 1 500 | 1 400 | 1 200 | 52,5 | 42,2 | 1 700 | 1 600 | 1 500 | 1 400 | 42,0 |
| 44,0 | 46,4 | 42,0 | 1 400 | 1 300 | 1 200 | 1 100 | 49,6 | 40,1 | 1 500 | 1 400 | 1 300 | 1 200 | 44,0 |
| 46,0 | 43,5 | 39,8 | 1 200 | 1 100 | 1 000 | | 46,4 | 37,7 | 1 300 | 1 200 | 1 100 | 1 000 | 46,0 |
| 48,0 | 40,3 | 37,3 | 1 000 | | | | 43,1 | 35,1 | 1 100 | 1 000 | | | 48,0 |
| 50,0 | | | | | | | 39,5 | 32,1 | 900 | | | | 50,0 |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 14,6 | 80,7 | 62,0 | 9 900 | | | | | | | | | | 14,6 |
| 16,0 | 79,4 | 61,7 | 9 500 | | | | | | | | | | 16,0 |
| 18,0 | 77,4 | 61,2 | 8 300 | 7 500 | 6 700 | | | | | | | | 18,0 |
| 20,0 | 75,5 | 60,6 | 7 000 | 6 400 | 5 800 | 5 300 | 79,4 | 59,2 | 6 300 | 6 000 | | | 20,0 |
| 22,0 | 73,5 | 59,9 | 6 000 | 5 500 | 5 100 | 4 600 | 77,4 | 58,5 | 6 000 | 5 800 | 4 800 | | 22,0 |
| 24,0 | 71,5 | 59,2 | 5 200 | 4 800 | 4 400 | 4 000 | 75,3 | 57,7 | 5 600 | 5 200 | 4 700 | 4 000 | 24,0 |
| 26,0 | 69,5 | 58,3 | 4 500 | 4 200 | 3 800 | 3 500 | 73,3 | 56,9 | 4 900 | 4 500 | 4 200 | 3 900 | 26,0 |
| 28,0 | 67,4 | 57,4 | 3 900 | 3 600 | 3 300 | 3 100 | 71,1 | 55,9 | 4 300 | 4 000 | 3 700 | 3 400 | 28,0 |
| 30,0 | 65,3 | 56,4 | 3 400 | 3 200 | 2 900 | 2 700 | 69,0 | 54,9 | 3 800 | 3 500 | 3 200 | 3 000 | 30,0 |
| 32,0 | 63,2 | 55,3 | 3 000 | 2 800 | 2 600 | 2 300 | 66,8 | 53,8 | 3 300 | 3 100 | 2 800 | 2 600 | 32,0 |
| 34,0 | 61,0 | 54,1 | 2 600 | 2 400 | 2 200 | 2 000 | 64,6 | 52,5 | 2 900 | 2 700 | 2 500 | 2 300 | 34,0 |
| 36,0 | 58,8 | 52,8 | 2 300 | 2 100 | 1 900 | 1 800 | 62,2 | 51,2 | 2 500 | 2 300 | 2 200 | 2 000 | 36,0 |
| 38,0 | 56,5 | 51,4 | 2 000 | 1 800 | 1 700 | 1 500 | 59,9 | 49,7 | 2 200 | 2 000 | 1 900 | 1 700 | 38,0 |
| 40,0 | 54,1 | 49,8 | 1 700 | 1 600 | 1 500 | 1 300 | 57,4 | 48,1 | 1 900 | 1 800 | 1 600 | 1 500 | 40,0 |
| 42,0 | 51,7 | 48,1 | 1 500 | 1 400 | 1 200 | 1 100 | 54,9 | 46,4 | 1 700 | 1 500 | 1 400 | 1 300 | 42,0 |
| 44,0 | 49,2 | 46,3 | 1 300 | 1 200 | 1 000 | 900 | 52,2 | 44,4 | 1 400 | 1 300 | 1 200 | 1 100 | 44,0 |
| 46,0 | 46,5 | 44,3 | 1 100 | 1 000 | | | 49,5 | 42,3 | 1 200 | 1 100 | 1 000 | | 46,0 |
| 48,0 | | | | | | | 46,5 | 40,0 | 1 000 | | | | 48,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 11,0 | 80,7 | 38,4 | 9 300 | | | | | | | | | | | 11,0 | |
| 12,0 | 79,0 | 38,1 | 9 200 | 7 800 | | | | | | | | | | 12,0 | |
| 14,0 | 75,8 | 37,4 | 8 900 | 7 600 | 6 500 | 5 700 | | | | | | | | 14,0 | |
| 16,0 | 72,5 | 36,7 | 8 600 | 7 400 | 6 300 | 5 500 | | | | | | | | 16,0 | |
| 18,0 | 69,2 | 35,7 | 8 300 | 7 200 | 6 200 | 5 500 | 77,1 | 34,6 | 5 400 | 5 200 | | | | 18,0 | |
| 20,0 | 65,7 | 34,7 | 8 000 | 7 000 | 6 100 | 5 400 | 73,5 | 33,5 | 5 000 | 4 900 | 4 300 | 3 900 | | 20,0 | |
| 22,0 | 62,1 | 33,5 | 7 000 | 6 700 | 6 000 | 5 300 | 69,8 | 32,2 | 4 700 | 4 600 | 4 100 | 3 700 | | 22,0 | |
| 24,0 | 58,4 | 32,0 | 6 200 | 5 900 | 5 700 | 5 200 | 65,9 | 30,8 | 4 500 | 4 400 | 3 900 | 3 600 | | 24,0 | |
| 26,0 | 54,5 | 30,4 | 5 500 | 5 300 | 5 100 | 4 900 | 61,8 | 29,1 | 4 200 | 4 100 | 3 800 | 3 400 | | 26,0 | |
| 28,0 | 50,3 | 28,6 | 4 900 | 4 800 | 4 600 | 4 400 | 57,4 | 27,1 | 4 000 | 4 000 | 3 600 | 3 300 | | 28,0 | |
| 30,0 | 45,8 | 26,4 | 4 500 | 4 300 | 4 200 | 4 000 | 52,6 | 24,8 | 3 800 | 3 800 | 3 500 | 3 200 | | 30,0 | |
| 32,0 | 40,8 | 23,8 | 4 000 | 3 900 | 3 800 | 3 600 | 47,2 | 22,0 | 3 700 | 3 600 | 3 400 | 3 100 | | 32,0 | |
| 34,0 | 35,1 | 20,7 | 3 600 | 3 500 | 3 400 | 3 300 | 40,9 | 18,5 | 3 500 | 3 500 | 3 300 | 3 000 | | 34,0 | |
| 36,0 | 28,2 | 16,6 | 3 300 | 3 200 | 3 100 | 3 000 | 32,7 | 13,7 | 3 300 | 3 300 | 3 100 | 3 000 | | 36,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 11,6 | 80,5 | 41,3 | 9 300 | | | | | | | | | | 11,6 |
| 12,0 | 79,9 | 41,2 | 9 200 | | | | | | | | | | 12,0 |
| 14,0 | 76,9 | 40,6 | 8 900 | 7 600 | 6 500 | 5 700 | | | | | | | 14,0 |
| 16,0 | 73,9 | 39,9 | 8 700 | 7 400 | 6 400 | 5 600 | | | | | | | 16,0 |
| 18,0 | 70,9 | 39,1 | 8 500 | 7 300 | 6 200 | 5 500 | 78,2 | 37,9 | 5 500 | | | | 18,0 |
| 20,0 | 67,7 | 38,1 | 7 900 | 7 100 | 6 100 | 5 400 | 74,9 | 36,9 | 5 200 | 5 100 | 4 800 | 4 100 | 20,0 |
| 22,0 | 64,5 | 37,0 | 6 900 | 6 600 | 6 000 | 5 300 | 71,6 | 35,7 | 4 900 | 4 800 | 4 700 | 4 100 | 22,0 |
| 24,0 | 61,1 | 35,7 | 6 100 | 5 800 | 5 500 | 5 200 | 68,1 | 34,4 | 4 600 | 4 500 | 4 500 | 4 000 | 24,0 |
| 26,0 | 57,7 | 34,3 | 5 400 | 5 200 | 5 000 | 4 700 | 64,5 | 32,9 | 4 400 | 4 300 | 4 200 | 3 900 | 26,0 |
| 28,0 | 54,0 | 32,7 | 4 800 | 4 600 | 4 500 | 4 300 | 60,7 | 31,2 | 4 200 | 4 100 | 4 100 | 3 800 | 28,0 |
| 30,0 | 50,1 | 30,8 | 4 400 | 4 200 | 4 000 | 3 900 | 56,6 | 29,2 | 4 000 | 3 900 | 3 900 | 3 600 | 30,0 |
| 32,0 | 46,0 | 28,7 | 3 900 | 3 800 | 3 600 | 3 500 | 52,2 | 27,0 | 3 800 | 3 800 | 3 700 | 3 600 | 32,0 |
| 34,0 | 41,5 | 26,2 | 3 500 | 3 400 | 3 300 | 3 200 | 47,3 | 24,3 | 3 600 | 3 500 | 3 400 | 3 300 | 34,0 |
| 36,0 | 36,4 | 23,2 | 3 200 | 3 100 | 3 000 | 2 900 | 41,7 | 21,0 | 3 300 | 3 200 | 3 100 | 3 000 | 36,0 |
| 38,0 | 30,4 | 19,5 | 2 900 | 2 800 | 2 700 | 2 600 | 34,9 | 16,8 | 3 000 | 2 900 | 2 800 | 2 700 | 38,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 12,2 | 80,3 | 44,2 | 9 200 | | | | | | | | | | 12,2 |
| 14,0 | 77,9 | 43,7 | 9 000 | 7 600 | 6 500 | 5 700 | | | | | | | 14,0 |
| 16,0 | 75,1 | 43,1 | 8 800 | 7 500 | 6 400 | 5 600 | | | | | | | 16,0 |
| 18,0 | 72,3 | 42,3 | 8 600 | 7 300 | 6 300 | 5 500 | 79,1 | 41,1 | 5 600 | | | | 18,0 |
| 20,0 | 69,4 | 41,4 | 7 800 | 7 100 | 6 200 | 5 400 | 76,1 | 40,1 | 5 300 | | | | 20,0 |
| 22,0 | 66,4 | 40,4 | 6 800 | 6 400 | 6 000 | 5 300 | 73,1 | 39,1 | 5 000 | 4 900 | 4 800 | 4 000 | 22,0 |
| 24,0 | 63,4 | 39,3 | 6 000 | 5 700 | 5 400 | 5 100 | 69,9 | 37,9 | 4 700 | 4 700 | 4 600 | 4 000 | 24,0 |
| 26,0 | 60,2 | 38,0 | 5 300 | 5 000 | 4 800 | 4 600 | 66,7 | 36,6 | 4 500 | 4 400 | 4 400 | 4 000 | 26,0 |
| 28,0 | 57,0 | 36,5 | 4 700 | 4 500 | 4 300 | 4 100 | 63,3 | 35,1 | 4 300 | 4 200 | 4 200 | 4 000 | 28,0 |
| 30,0 | 53,6 | 34,9 | 4 200 | 4 000 | 3 900 | 3 700 | 59,7 | 33,3 | 4 100 | 4 100 | 4 000 | 3 900 | 30,0 |
| 32,0 | 50,0 | 33,0 | 3 800 | 3 600 | 3 500 | 3 300 | 55,9 | 31,4 | 3 900 | 3 800 | 3 700 | 3 500 | 32,0 |
| 34,0 | 46,1 | 30,9 | 3 400 | 3 300 | 3 200 | 3 000 | 51,8 | 29,1 | 3 600 | 3 400 | 3 300 | 3 200 | 34,0 |
| 36,0 | 42,0 | 28,5 | 3 100 | 3 000 | 2 900 | 2 700 | 47,4 | 26,5 | 3 200 | 3 100 | 3 000 | 2 900 | 36,0 |
| 38,0 | 37,4 | 25,6 | 2 800 | 2 700 | 2 600 | 2 500 | 42,4 | 23,4 | 2 900 | 2 800 | 2 700 | 2 600 | 38,0 |
| 40,0 | 32,1 | 22,2 | 2 500 | 2 400 | 2 300 | 2 300 | 36,4 | 19,5 | 2 600 | 2 500 | 2 400 | 2 300 | 40,0 |
| 42,0 | 25,7 | 17,7 | 2 300 | 2 200 | 2 100 | 2 100 | | | | | | | 42,0 |

MLC80A-1 S-1







20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 12,2 | 81,0 | 47,3 | 9 200 | | | | | | | | | | 12,2 |
| 14,0 | 78,7 | 46,9 | 9 000 | 7 600 | 6 500 | | | | | | | | 14,0 |
| 16,0 | 76,1 | 46,3 | 8 800 | 7 500 | 6 400 | 5 600 | | | | | | | 16,0 |
| 18,0 | 73,5 | 45,5 | 8 600 | 7 400 | 6 300 | 5 500 | | | | | | | 18,0 |
| 20,0 | 70,8 | 44,7 | 7 700 | 7 200 | 6 200 | 5 400 | 77,1 | 43,4 | 5 400 | 5 300 | 4 700 | 3 900 | 20,0 |
| 22,0 | 68,1 | 43,8 | 6 700 | 6 300 | 5 900 | 5 300 | 74,3 | 42,4 | 5 100 | 5 000 | 4 700 | 3 900 | 22,0 |
| 24,0 | 65,3 | 42,7 | 5 900 | 5 600 | 5 300 | 5 000 | 71,4 | 41,4 | 4 800 | 4 800 | 4 600 | 3 900 | 24,0 |
| 26,0 | 62,5 | 41,6 | 5 200 | 4 900 | 4 700 | 4 400 | 68,5 | 40,1 | 4 600 | 4 500 | 4 500 | 3 900 | 26,0 |
| 28,0 | 59,5 | 40,3 | 4 600 | 4 400 | 4 200 | 4 000 | 65,4 | 38,8 | 4 400 | 4 400 | 4 300 | 3 900 | 28,0 |
| 30,0 | 56,4 | 38,8 | 4 200 | 4 000 | 3 800 | 3 600 | 62,2 | 37,2 | 4 200 | 4 100 | 4 000 | 3 800 | 30,0 |
| 32,0 | 53,2 | 37,1 | 3 700 | 3 500 | 3 400 | 3 200 | 58,9 | 35,5 | 3 900 | 3 700 | 3 600 | 3 400 | 32,0 |
| 34,0 | 49,9 | 35,3 | 3 300 | 3 200 | 3 100 | 2 900 | 55,3 | 33,6 | 3 500 | 3 400 | 3 200 | 3 100 | 34,0 |
| 36,0 | 46,3 | 33,2 | 3 000 | 2 900 | 2 800 | 2 600 | 51,6 | 31,3 | 3 200 | 3 000 | 2 900 | 2 800 | 36,0 |
| 38,0 | 42,5 | 30,8 | 2 700 | 2 600 | 2 500 | 2 400 | 47,5 | 28,8 | 2 800 | 2 700 | 2 600 | 2 500 | 38,0 |
| 40,0 | 38,3 | 28,0 | 2 400 | 2 300 | 2 200 | 2 200 | 42,9 | 25,8 | 2 500 | 2 400 | 2 300 | 2 300 | 40,0 |
| 42,0 | 33,6 | 24,8 | 2 200 | 2 100 | 2 000 | 2 000 | 37,7 | 22,2 | 2 300 | 2 200 | 2 100 | 2 000 | 42,0 |
| 44,0 | 28,0 | 20,8 | 2 000 | 1 900 | 1 800 | 1 800 | 31,2 | 17,5 | 2 000 | 1 900 | 1 900 | 1 800 | 44,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|--|------|--|
| | | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | | |
| | | | | | | | | | | | | | | | |
| | | | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | | | |
| 12,8 | 80,8 | 50,3 | 9 100 | | | | | | | | | | | 12,8 | |
| 14,0 | 79,4 | 50,0 | 9 000 | 7 600 | | | | | | | | | | 14,0 | |
| 16,0 | 77,0 | 49,4 | 8 800 | 7 500 | 6 400 | 5 600 | | | | | | | | 16,0 | |
| 18,0 | 74,5 | 48,7 | 8 700 | 7 400 | 6 300 | 5 500 | | | | | | | | 18,0 | |
| 20,0 | 72,0 | 48,0 | 7 600 | 7 100 | 6 200 | 5 400 | 78,0 | 46,6 | 5 500 | 5 400 | 4 600 | | | 20,0 | |
| 22,0 | 69,5 | 47,1 | 6 600 | 6 200 | 5 800 | 5 300 | 75,4 | 45,7 | 5 200 | 5 100 | 4 600 | 3 800 | | 22,0 | |
| 24,0 | 67,0 | 46,1 | 5 800 | 5 400 | 5 100 | 4 800 | 72,7 | 44,7 | 5 000 | 4 900 | 4 500 | 3 700 | | 24,0 | |
| 26,0 | 64,3 | 45,0 | 5 100 | 4 800 | 4 500 | 4 300 | 70,0 | 43,6 | 4 700 | 4 700 | 4 500 | 3 700 | | 26,0 | |
| 28,0 | 61,6 | 43,8 | 4 500 | 4 300 | 4 000 | 3 800 | 67,2 | 42,3 | 4 500 | 4 400 | 4 300 | 3 700 | | 28,0 | |
| 30,0 | 58,8 | 42,5 | 4 000 | 3 800 | 3 600 | 3 400 | 64,3 | 40,9 | 4 300 | 4 100 | 3 900 | 3 600 | | 30,0 | |
| 32,0 | 55,9 | 41,0 | 3 600 | 3 400 | 3 200 | 3 100 | 61,3 | 39,4 | 3 800 | 3 600 | 3 500 | 3 300 | | 32,0 | |
| 34,0 | 52,9 | 39,3 | 3 200 | 3 100 | 2 900 | 2 800 | 58,1 | 37,6 | 3 400 | 3 300 | 3 100 | 3 000 | | 34,0 | |
| 36,0 | 49,8 | 37,5 | 2 900 | 2 800 | 2 600 | 2 500 | 54,8 | 35,7 | 3 100 | 2 900 | 2 800 | 2 700 | | 36,0 | |
| 38,0 | 46,4 | 35,4 | 2 600 | 2 500 | 2 400 | 2 200 | 51,3 | 33,5 | 2 700 | 2 600 | 2 500 | 2 400 | | 38,0 | |
| 40,0 | 42,9 | 33,1 | 2 300 | 2 200 | 2 100 | 2 000 | 47,5 | 31,0 | 2 500 | 2 300 | 2 200 | 2 100 | | 40,0 | |
| 42,0 | 39,0 | 30,4 | 2 100 | 2 000 | 1 900 | 1 800 | 43,3 | 28,1 | 2 200 | 2 100 | 2 000 | 1 900 | | 42,0 | |
| 44,0 | 34,7 | 27,3 | 1 900 | 1 800 | 1 700 | 1 600 | 38,6 | 24,7 | 1 900 | 1 900 | 1 800 | 1 700 | | 44,0 | |
| 46,0 | 29,8 | 23,5 | 1 700 | 1 600 | 1 500 | 1 400 | | | | | | | | 46,0 | |
| 48,0 | 23,8 | 18,7 | 1 500 | 1 400 | 1 300 | 1 300 | | | | | | | | 48,0 | |

MLC80A-1 S-1







20 610 kg
+
0 kg




| | | | 10° | | | | 30° | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 13,4 | 80,7 | 53,2 | 9 100 | | | | | | | | | | 13,4 |
| 14,0 | 80,0 | 53,0 | 9 000 | 7 600 | | | | | | | | | 14,0 |
| 16,0 | 77,7 | 52,5 | 8 900 | 7 500 | 6 400 | | | | | | | | 16,0 |
| 18,0 | 75,4 | 51,9 | 8 600 | 7 400 | 6 300 | 5 500 | | | | | | | 18,0 |
| 20,0 | 73,1 | 51,2 | 7 500 | 7 000 | 6 200 | 5 400 | 78,7 | 49,8 | 5 600 | 5 500 | 4 500 | | 20,0 |
| 22,0 | 70,8 | 50,4 | 6 500 | 6 100 | 5 700 | 5 200 | 76,3 | 48,9 | 5 300 | 5 200 | 4 400 | 3 700 | 22,0 |
| 24,0 | 68,4 | 49,5 | 5 700 | 5 300 | 5 000 | 4 700 | 73,8 | 48,0 | 5 100 | 5 000 | 4 400 | 3 700 | 24,0 |
| 26,0 | 65,9 | 48,4 | 5 000 | 4 700 | 4 400 | 4 100 | 71,3 | 47,0 | 4 800 | 4 800 | 4 400 | 3 700 | 26,0 |
| 28,0 | 63,4 | 47,3 | 4 400 | 4 200 | 3 900 | 3 700 | 68,7 | 45,8 | 4 600 | 4 500 | 4 200 | 3 700 | 28,0 |
| 30,0 | 60,9 | 46,1 | 3 900 | 3 700 | 3 500 | 3 300 | 66,1 | 44,5 | 4 200 | 4 000 | 3 800 | 3 500 | 30,0 |
| 32,0 | 58,2 | 44,7 | 3 500 | 3 300 | 3 100 | 2 900 | 63,3 | 43,1 | 3 800 | 3 600 | 3 400 | 3 200 | 32,0 |
| 34,0 | 55,5 | 43,2 | 3 100 | 3 000 | 2 800 | 2 600 | 60,5 | 41,5 | 3 400 | 3 200 | 3 000 | 2 800 | 34,0 |
| 36,0 | 52,6 | 41,5 | 2 800 | 2 600 | 2 500 | 2 400 | 57,5 | 39,8 | 3 000 | 2 800 | 2 700 | 2 500 | 36,0 |
| 38,0 | 49,6 | 39,7 | 2 500 | 2 400 | 2 200 | 2 100 | 54,4 | 37,9 | 2 700 | 2 500 | 2 400 | 2 300 | 38,0 |
| 40,0 | 46,5 | 37,6 | 2 200 | 2 100 | 2 000 | 1 900 | 51,1 | 35,7 | 2 400 | 2 300 | 2 100 | 2 000 | 40,0 |
| 42,0 | 43,2 | 35,3 | 2 000 | 1 900 | 1 800 | 1 700 | 47,5 | 33,2 | 2 100 | 2 000 | 1 900 | 1 800 | 42,0 |
| 44,0 | 39,6 | 32,7 | 1 800 | 1 700 | 1 600 | 1 500 | 43,7 | 30,4 | 1 900 | 1 800 | 1 700 | 1 600 | 44,0 |
| 46,0 | 35,7 | 29,7 | 1 600 | 1 500 | 1 400 | 1 300 | 39,4 | 27,2 | 1 600 | 1 600 | 1 500 | 1 400 | 46,0 |
| 48,0 | 31,2 | 26,2 | 1 400 | 1 300 | 1 200 | 1 200 | 34,4 | 23,2 | 1 400 | 1 400 | 1 300 | 1 200 | 48,0 |
| 50,0 | 26,0 | 21,9 | 1 200 | 1 100 | 1 100 | 1 000 | | | | | | | 50,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 14,0 | 80,5 | 56,1 | 9 000 | | | | | | | | | | 14,0 |
| 16,0 | 78,4 | 55,6 | 8 900 | 7 500 | | | | | | | | | 16,0 |
| 18,0 | 76,3 | 55,0 | 8 500 | 7 400 | 6 300 | 5 500 | | | | | | | 18,0 |
| 20,0 | 74,1 | 54,4 | 7 400 | 6 800 | 6 100 | 5 400 | 79,4 | 53,0 | 5 600 | 5 500 | | | 20,0 |
| 22,0 | 71,9 | 53,6 | 6 400 | 5 900 | 5 500 | 5 100 | 77,1 | 52,2 | 5 400 | 5 300 | 4 400 | 3 600 | 22,0 |
| 24,0 | 69,6 | 52,8 | 5 600 | 5 200 | 4 800 | 4 500 | 74,8 | 51,3 | 5 100 | 5 100 | 4 300 | 3 600 | 24,0 |
| 26,0 | 67,4 | 51,8 | 4 900 | 4 600 | 4 300 | 4 000 | 72,5 | 50,3 | 4 900 | 4 800 | 4 300 | 3 600 | 26,0 |
| 28,0 | 65,0 | 50,8 | 4 300 | 4 000 | 3 800 | 3 500 | 70,1 | 49,3 | 4 600 | 4 400 | 4 100 | 3 600 | 28,0 |
| 30,0 | 62,6 | 49,6 | 3 800 | 3 600 | 3 300 | 3 100 | 67,6 | 48,1 | 4 100 | 3 900 | 3 600 | 3 400 | 30,0 |
| 32,0 | 60,2 | 48,4 | 3 400 | 3 200 | 3 000 | 2 800 | 65,1 | 46,8 | 3 700 | 3 400 | 3 200 | 3 000 | 32,0 |
| 34,0 | 57,7 | 47,0 | 3 000 | 2 800 | 2 600 | 2 500 | 62,5 | 45,3 | 3 300 | 3 100 | 2 900 | 2 700 | 34,0 |
| 36,0 | 55,1 | 45,5 | 2 700 | 2 500 | 2 400 | 2 200 | 59,8 | 43,8 | 2 900 | 2 700 | 2 600 | 2 400 | 36,0 |
| 38,0 | 52,4 | 43,8 | 2 400 | 2 200 | 2 100 | 2 000 | 57,0 | 42,0 | 2 600 | 2 400 | 2 300 | 2 100 | 38,0 |
| 40,0 | 49,6 | 41,9 | 2 100 | 2 000 | 1 900 | 1 700 | 54,0 | 40,1 | 2 300 | 2 200 | 2 000 | 1 900 | 40,0 |
| 42,0 | 46,6 | 39,9 | 1 900 | 1 800 | 1 600 | 1 500 | 50,9 | 37,9 | 2 000 | 1 900 | 1 800 | 1 700 | 42,0 |
| 44,0 | 43,5 | 37,6 | 1 600 | 1 500 | 1 400 | 1 400 | 47,6 | 35,5 | 1 800 | 1 700 | 1 600 | 1 500 | 44,0 |
| 46,0 | 40,2 | 35,1 | 1 400 | 1 400 | 1 300 | 1 200 | 44,0 | 32,8 | 1 600 | 1 500 | 1 400 | 1 300 | 46,0 |
| 48,0 | 36,5 | 32,2 | 1 300 | 1 200 | 1 100 | 1 000 | 40,1 | 29,7 | 1 300 | 1 300 | 1 200 | 1 100 | 48,0 |
| 50,0 | 32,5 | 28,9 | 1 100 | 1 000 | 900 | 900 | 35,6 | 26,0 | 1 100 | 1 100 | 1 000 | 900 | 50,0 |

MLC80A-1 S-1






20 610 kg
+
0 kg





| | | | 10° | | | | 30° | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|------|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m |
| 14,6 | 80,4 | 59,1 | 8 900 | | | | | | | | | | 14,6 |
| 16,0 | 79,0 | 58,7 | 8 800 | 7 400 | | | | | | | | | 16,0 |
| 18,0 | 77,0 | 58,2 | 8 400 | 7 300 | 6 200 | | | | | | | | 18,0 |
| 20,0 | 74,9 | 57,5 | 7 300 | 6 700 | 6 100 | 5 400 | 80,0 | 56,1 | 5 700 | | | | 20,0 |
| 22,0 | 72,9 | 56,8 | 6 300 | 5 800 | 5 400 | 5 000 | 77,9 | 55,3 | 5 500 | 5 300 | 4 200 | | 22,0 |
| 24,0 | 70,7 | 56,0 | 5 500 | 5 100 | 4 700 | 4 300 | 75,7 | 54,5 | 5 200 | 5 100 | 4 200 | 3 500 | 24,0 |
| 26,0 | 68,6 | 55,1 | 4 800 | 4 500 | 4 100 | 3 800 | 73,5 | 53,6 | 5 000 | 4 900 | 4 200 | 3 500 | 26,0 |
| 28,0 | 66,4 | 54,2 | 4 200 | 3 900 | 3 600 | 3 400 | 71,2 | 52,6 | 4 600 | 4 300 | 4 000 | 3 500 | 28,0 |
| 30,0 | 64,2 | 53,1 | 3 700 | 3 500 | 3 200 | 3 000 | 68,9 | 51,5 | 4 100 | 3 800 | 3 500 | 3 300 | 30,0 |
| 32,0 | 61,9 | 51,9 | 3 300 | 3 100 | 2 900 | 2 700 | 66,6 | 50,3 | 3 600 | 3 400 | 3 100 | 2 900 | 32,0 |
| 34,0 | 59,6 | 50,6 | 2 900 | 2 700 | 2 500 | 2 400 | 64,2 | 49,0 | 3 200 | 3 000 | 2 800 | 2 600 | 34,0 |
| 36,0 | 57,2 | 49,2 | 2 600 | 2 400 | 2 200 | 2 100 | 61,7 | 47,5 | 2 800 | 2 600 | 2 500 | 2 300 | 36,0 |
| 38,0 | 54,7 | 47,7 | 2 300 | 2 100 | 2 000 | 1 800 | 59,1 | 45,9 | 2 500 | 2 300 | 2 200 | 2 000 | 38,0 |
| 40,0 | 52,2 | 46,0 | 2 000 | 1 900 | 1 800 | 1 600 | 56,5 | 44,2 | 2 200 | 2 100 | 1 900 | 1 800 | 40,0 |
| 42,0 | 49,5 | 44,2 | 1 800 | 1 700 | 1 500 | 1 400 | 53,7 | 42,2 | 1 900 | 1 800 | 1 700 | 1 600 | 42,0 |
| 44,0 | 46,7 | 42,1 | 1 600 | 1 400 | 1 300 | 1 200 | 50,7 | 40,1 | 1 700 | 1 600 | 1 500 | 1 400 | 44,0 |
| 46,0 | 43,8 | 39,9 | 1 400 | 1 300 | 1 200 | 1 100 | 47,6 | 37,7 | 1 500 | 1 400 | 1 300 | 1 200 | 46,0 |
| 48,0 | 40,6 | 37,4 | 1 200 | 1 100 | 1 000 | 900 | 44,3 | 35,1 | 1 300 | 1 200 | 1 100 | 1 000 | 48,0 |
| 50,0 | 37,2 | 34,6 | 1 000 | 900 | | | 40,6 | 32,1 | 1 100 | 1 000 | 900 | | 50,0 |

MLC80A-1 S-1





| | | | 10° | | | | 30° | | | | | | | |
|------|------|------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|------|--|
| | | | | | | | | | | | | | | |
| | | | 0° | 1° | 2° | 3° | | | 0° | 1° | 2° | 3° | | |
| m | ° | m | kg | kg | kg | kg | ° | m | kg | kg | kg | kg | m | |
| 14,6 | 80,9 | 62,1 | 8 900 | | | | | | | | | | 14,6 | |
| 16,0 | 79,6 | 61,8 | 8 800 | | | | | | | | | | 16,0 | |
| 18,0 | 77,7 | 61,3 | 8 300 | 7 300 | 6 200 | | | | | | | | 18,0 | |
| 20,0 | 75,7 | 60,7 | 7 200 | 6 600 | 6 000 | 5 200 | 80,5 | 59,2 | 5 800 | | | | 20,0 | |
| 22,0 | 73,7 | 60,0 | 6 200 | 5 700 | 5 200 | 4 800 | 78,5 | 58,5 | 5 500 | 5 200 | | | 22,0 | |
| 24,0 | 71,7 | 59,3 | 5 400 | 4 900 | 4 600 | 4 200 | 76,5 | 57,8 | 5 300 | 5 100 | 4 200 | 3 500 | 24,0 | |
| 26,0 | 69,7 | 58,4 | 4 700 | 4 300 | 4 000 | 3 700 | 74,4 | 56,9 | 5 100 | 4 800 | 4 200 | 3 500 | 26,0 | |
| 28,0 | 67,7 | 57,5 | 4 100 | 3 800 | 3 500 | 3 200 | 72,3 | 56,0 | 4 500 | 4 200 | 3 900 | 3 400 | 28,0 | |
| 30,0 | 65,6 | 56,5 | 3 600 | 3 300 | 3 100 | 2 900 | 70,1 | 54,9 | 4 000 | 3 700 | 3 400 | 3 200 | 30,0 | |
| 32,0 | 63,5 | 55,4 | 3 200 | 2 900 | 2 700 | 2 500 | 67,9 | 53,8 | 3 500 | 3 300 | 3 000 | 2 800 | 32,0 | |
| 34,0 | 61,3 | 54,2 | 2 800 | 2 600 | 2 400 | 2 200 | 65,7 | 52,6 | 3 100 | 2 900 | 2 700 | 2 500 | 34,0 | |
| 36,0 | 59,1 | 52,9 | 2 500 | 2 300 | 2 100 | 1 900 | 63,4 | 51,2 | 2 700 | 2 500 | 2 400 | 2 200 | 36,0 | |
| 38,0 | 56,8 | 51,5 | 2 200 | 2 000 | 1 900 | 1 700 | 61,0 | 49,7 | 2 400 | 2 200 | 2 100 | 1 900 | 38,0 | |
| 40,0 | 54,4 | 49,9 | 1 900 | 1 800 | 1 600 | 1 500 | 58,6 | 48,1 | 2 100 | 2 000 | 1 800 | 1 700 | 40,0 | |
| 42,0 | 52,0 | 48,3 | 1 700 | 1 500 | 1 400 | 1 300 | 56,0 | 46,4 | 1 900 | 1 700 | 1 600 | 1 500 | 42,0 | |
| 44,0 | 49,4 | 46,4 | 1 400 | 1 300 | 1 200 | 1 100 | 53,4 | 44,5 | 1 600 | 1 500 | 1 400 | 1 300 | 44,0 | |
| 46,0 | 46,8 | 44,4 | 1 200 | 1 100 | 1 000 | | 50,6 | 42,3 | 1 400 | 1 300 | 1 200 | 1 100 | 46,0 | |
| 48,0 | 44,0 | 42,2 | 1 100 | 1 000 | | | 47,7 | 40,0 | 1 200 | 1 100 | 1 000 | | 48,0 | |
| 50,0 | 41,1 | 39,7 | 900 | | | | 44,5 | 37,4 | 1 000 | 900 | | | 50,0 | |

MLC80A-1 S-1



20 610 kg
+
0 kg



| | | | 10° | | | | 30° | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | | | | | | | | | | |
| m | ° | m | 0° | 1° | 2° | 3° | ° | m | 0° | 1° | 2° | 3° | m |
| | | | kg | kg | kg | kg | | | kg | kg | kg | kg | |
| 15,2 | 80,8 | 65,1 | 8 800 | | | | | | | | | | 15,2 |
| 16,0 | 80,1 | 64,9 | 8 700 | | | | | | | | | | 16,0 |
| 18,0 | 78,2 | 64,4 | 8 200 | 7 300 | | | | | | | | | 18,0 |
| 20,0 | 76,4 | 63,8 | 7 100 | 6 400 | 5 800 | 4 800 | | | | | | | 20,0 |
| 22,0 | 74,5 | 63,2 | 6 100 | 5 600 | 5 100 | 4 600 | 79,1 | 61,7 | 5 600 | 5 100 | | | 22,0 |
| 24,0 | 72,6 | 62,5 | 5 300 | 4 800 | 4 400 | 4 000 | 77,1 | 60,9 | 5 400 | 5 000 | 4 100 | | 24,0 |
| 26,0 | 70,7 | 61,7 | 4 600 | 4 200 | 3 900 | 3 500 | 75,2 | 60,1 | 5 100 | 4 700 | 4 100 | 3 400 | 26,0 |
| 28,0 | 68,8 | 60,8 | 4 000 | 3 700 | 3 400 | 3 100 | 73,2 | 59,2 | 4 400 | 4 100 | 3 800 | 3 300 | 28,0 |
| 30,0 | 66,8 | 59,9 | 3 500 | 3 200 | 3 000 | 2 700 | 71,2 | 58,3 | 3 900 | 3 600 | 3 300 | 3 100 | 30,0 |
| 32,0 | 64,8 | 58,8 | 3 100 | 2 800 | 2 600 | 2 400 | 69,1 | 57,2 | 3 400 | 3 200 | 2 900 | 2 700 | 32,0 |
| 34,0 | 62,8 | 57,7 | 2 700 | 2 500 | 2 300 | 2 100 | 67,0 | 56,0 | 3 000 | 2 800 | 2 600 | 2 400 | 34,0 |
| 36,0 | 60,7 | 56,5 | 2 400 | 2 200 | 2 000 | 1 800 | 64,8 | 54,8 | 2 600 | 2 400 | 2 300 | 2 100 | 36,0 |
| 38,0 | 58,6 | 55,2 | 2 100 | 1 900 | 1 700 | 1 600 | 62,6 | 53,4 | 2 300 | 2 100 | 2 000 | 1 800 | 38,0 |
| 40,0 | 56,4 | 53,7 | 1 800 | 1 600 | 1 500 | 1 400 | 60,4 | 51,9 | 2 000 | 1 900 | 1 700 | 1 600 | 40,0 |
| 42,0 | 54,1 | 52,2 | 1 600 | 1 400 | 1 300 | 1 200 | 58,0 | 50,3 | 1 800 | 1 600 | 1 500 | 1 400 | 42,0 |
| 44,0 | 51,8 | 50,5 | 1 300 | 1 200 | 1 100 | 1 000 | 55,6 | 48,6 | 1 500 | 1 400 | 1 300 | 1 200 | 44,0 |
| 46,0 | 49,4 | 48,6 | 1 100 | 1 000 | | | 53,1 | 46,6 | 1 300 | 1 200 | 1 100 | 1 000 | 46,0 |
| 48,0 | 46,9 | 46,6 | 1 000 | | | | 50,5 | 44,5 | 1 100 | 1 000 | | | 48,0 |
| 50,0 | | | | | | | 47,7 | 42,2 | 900 | | | | 50,0 |