

Liftcrane Luffing Jib Capacities

Luffing Jib No. LJ10:501 on

Boom No. B10:500

135 200 kg VPC (Variable Position Counterweight)

360 Degree Rating

MLC300 SERIES 1



LIFTING CAPACITIES: Lifting capacities for various boom lengths, boom angles, luffing jib lengths, and luffing jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Consult Luffing Jib Raising Procedure chart **No. 9380-AM** for allowable boom point configurations for 54,0 m boom length.

Upper luffing jib point capacity for liftcrane service with single part whip line is 16 600 kg or 33 300 kg with two part whip line. In all cases, upper luffing jib point capacities cannot exceed those listed for main luffing jib capacity.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and luffing jib point sheaves is considered part of load. Boom and luffing jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Operation is only approved for boom and luffing jib angle range shown in capacity chart.

LUFFING JIB BACKWARD STABILITY: Capacities indicated by (b) require 2 270 kg minimum weight suspended beneath luffing jib point, (c) require 4 540 kg minimum weight, and (d) require 7 260 kg minimum weight. **Caution:** Do not luff into areas indicated by (b), (c), or (d) without required minimum weight. Luffing jib may not luff down and luffing jib hoist wire rope may go slack. Luffing jib hoist wire rope may overhaul luffing jib and cause wire rope damage or failure.

OPERATING CONDITIONS: Machine to operate on a firm, level, and uniformly supporting surface. Supporting surface and bearing turntable are to be level within a tolerance of 13 mm in 3 m. Refer to Luffing Jib Rigging **No. 81023383**, Wire Rope Specifications chart **No. 9379-A**, Counterweight Arrangements chart **No. 9345-A**, Luffing Jib Raising Procedure chart **No. 9380-AM**, and Wind Conditions chart **No. 9371-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, travel, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.

MACHINE TRAVEL: Machine to travel on a firm, level, and uniformly supporting surface. Boom and luffing jib must be within angle range shown in capacity chart. Refer to Maximum Allowable Travel Specifications chart **No. 9372-A**.




OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation to center of vertical hoist line or load block. Boom angle and luffing jib angle are an indication of operating radius. In all cases, operating radius shall govern capacity.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts.



LUFFING JIB ANGLE: Luffing jib angle in degrees (°) is angle between horizontal and centerline of luffing jib butt and inserts.



LUFFING JIB POINT ELEVATION: Luffing jib point elevation is vertical distance from ground level to centerline of luffing jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 9 700 mm crawlers, 1 219 mm or 1 524 mm treads, 9 144 mm live mast, 24 part boom hoist reeving, boom support straps, 14 part luffing jib hoist reeving, luffing jib and backstay support straps, and 135 200 kg VPC.

Explanation of Symbols



Luffing Jib No. LJ10:501
+
Boom No. B10:500




VPC (Variable Position Counterweight)



360 Degree Rating



Boom Length



Luffing Jib Length




Boom Angle
(see page 1)



Operating Radius
(see page 1)



Luffing Jib Angle
(see page 1)






Luffing Jib Elevation
(see page 1)








Lifting Capacities
(see page 1)

This page intentionally left blank


REFERENCE ONLY!




	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
11,6	74,3	55,4	147 100 c							11,6
12,0	73,3	55,2	141 400 c							12,0
14,0	68,1	54,5	114 700 b							14,0
16,0	62,8	53,5	96 300 b	67,0	54,1	96 300 b				16,0
18,0	57,2	52,2	83 000	61,6	53,0	82 600				18,0
20,0	51,1	50,6	72 900	55,9	51,7	72 600	60,5	52,5	72 200	20,0
22,0	44,4	48,7	65 000	49,8	50,1	64 700	54,7	51,1	64 400	22,0
24,0	36,8	46,2	58 600	42,9	48,0	58 300	48,4	49,4	58 100	24,0
26,0	27,2	42,7	53 400	35,0	45,4	53 100	41,3	47,3	52 900	26,0
28,0				24,7	41,6	48 800	33,0	44,4	48 500	28,0
30,0							21,9	40,2	44 800	30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC300 S-1

ASME B30.5






30,0 m



24,0 m



	75°			70°			65°			
 m		 m	 kg		 m	 kg		 m	 kg	 m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0	62,1	52,2	64 000							22,0
24,0	56,4	50,9	57 600							24,0
26,0	50,3	49,3	52 100	57,9	50,4	49 700				26,0
28,0	43,5	47,3	47 300	51,9	48,9	45 100				28,0
30,0	35,6	44,7	43 200	45,3	47,0	41 200				30,0
32,0	25,7	41,0	39 600	37,8	44,6	37 900	46,8	46,4	36 100	32,0
34,0				28,6	41,3	34 900	39,6	44,1	33 300	34,0
36,0							30,8	41,1	30 800	36,0
38,0							18,3	36,2	28 500	38,0









	86°			83°			80°			
	m	m	kg	m	m	kg	m	kg	m	m
13,7	73,3	61,0	118 500 b						13,7	
14,0	72,7	60,9	115 700 b						14,0	
16,0	68,6	60,1	96 700						16,0	
18,0	64,4	59,2	83 400	67,8	59,8	83 200			18,0	
20,0	60,0	58,1	73 300	63,5	58,8	72 900	66,9	59,3	72 600	20,0
22,0	55,4	56,7	65 300	59,1	57,6	65 000	62,6	58,3	64 700	22,0
24,0	50,5	55,1	58 900	54,4	56,2	58 600	58,1	57,1	58 300	24,0
26,0	45,2	53,2	53 600	49,5	54,6	53 400	53,4	55,6	53 100	26,0
28,0	39,4	50,9	49 200	44,1	52,6	49 000	48,3	53,9	48 800	28,0
30,0	32,6	47,9	45 500	38,1	50,1	45 300	42,8	51,8	45 000	30,0
32,0		44,0	42 300	31,0	47,0	42 100	36,7	49,3	41 400	32,0
34,0				21,9	42,7	39 200	29,3	46,0	38 200	34,0
36,0							19,4	41,2	35 300	36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0



MLC300 S-1


ASME B30.5








	75°			70°			65°			
 m		 m	 kg		 m	 kg		 m	 kg	 m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,4	56,8	51 700							26,0
28,0	54,8	55,4	46 900							28,0
30,0	49,9	53,8	42 900	56,0	55,0	40 800				30,0
32,0	44,5	51,8	39 400	51,2	53,4	37 500				32,0
34,0	38,5	49,4	36 400	45,9	51,5	34 600	52,2	52,7	32 800	34,0
36,0	31,6	46,4	33 700	40,2	49,3	32 000	47,1	50,9	30 400	36,0
38,0	22,7	42,2	31 300	33,5	46,4	29 800	41,5	48,7	28 200	38,0
40,0				25,3	42,6	27 700	35,1	46,0	26 300	40,0
42,0							27,3	42,5	24 500	42,0
44,0							16,2	37,0	22 900	44,0



	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
15,2	73,6	66,8	103 500							15,2
16,0	72,4	66,6	97 500							16,0
18,0	69,0	65,8	83 700							18,0
20,0	65,5	64,9	73 500	68,2	65,4	73 200				20,0
22,0	61,9	63,8	65 500	64,7	64,5	65 200	67,5	65,0	65 000	22,0
24,0	58,1	62,6	59 100	61,1	63,4	58 800	64,0	64,0	58 500	24,0
26,0	54,2	61,2	53 800	57,3	62,2	53 600	60,3	62,9	53 300	26,0
28,0	50,1	59,6	49 400	53,4	60,7	49 200	56,5	61,6	48 900	28,0
30,0	45,8	57,7	45 600	49,3	59,0	45 400	52,5	60,1	44 800	30,0
32,0	41,0	55,5	42 400	44,8	57,1	42 200	48,3	58,4	41 200	32,0
34,0	35,7	52,8	39 600	39,9	54,8	39 200	43,8	56,4	38 100	34,0
36,0	29,6	49,5	37 100	34,5	52,0	36 300	38,8	54,0	35 300	36,0
38,0	21,8	45,1	34 800	28,1	48,5	33 800	33,2	51,1	32 800	38,0
40,0				19,9	43,7	31 500	26,6	47,4	30 600	40,0
42,0							17,6	42,1	28 600	42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0




	75°			70°			65°			
										
m	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	61,4	62,6	46 700							28,0
30,0	57,6	61,4	42 600							30,0
32,0	53,7	59,9	39 200	58,6	60,9	37 100				32,0
34,0	49,6	58,3	36 200	54,8	59,5	34 300				34,0
36,0	45,2	56,3	33 500	50,7	57,9	31 800				36,0
38,0	40,3	54,1	31 200	46,3	56,0	29 500				38,0
40,0	35,0	51,4	29 100	41,6	53,8	27 500	47,3	55,4	26 000	40,0
42,0	28,7	47,9	27 100	36,4	51,3	25 700	42,7	53,3	24 300	42,0
44,0	20,6	43,3	25 400	30,4	48,1	24 100	37,6	50,8	22 700	44,0
46,0				23,0	43,8	22 600	31,8	47,8	21 300	46,0
48,0							24,8	43,8	20 000	48,0
50,0							14,7	37,8	18 700	50,0




135 200 kg








360°





30,0 m




42,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
16,8	73,9	72,6	92 000							16,8
18,0	72,1	72,2	84 200							18,0
20,0	69,2	71,5	73 800	71,5	71,9	73 600				20,0
22,0	66,2	70,6	65 800	68,6	71,1	65 500				22,0
24,0	63,2	69,6	59 400	65,6	70,2	59 100				24,0
26,0	60,0	68,5	54 100	62,5	69,2	53 800	64,9	69,7	53 500	26,0
28,0	56,8	67,2	49 600	59,4	68,0	49 400	61,8	68,7	48 600	28,0
30,0	53,4	65,7	45 800	56,1	66,7	45 600	58,7	67,5	44 400	30,0
32,0	49,9	64,1	42 600	52,7	65,2	42 100	55,4	66,1	40 800	32,0
34,0	46,1	62,2	39 800	49,1	63,5	38 800	51,9	64,6	37 700	34,0
36,0	42,1	60,0	37 200	45,3	61,6	36 000	48,3	62,9	34 900	36,0
38,0	37,8	57,6	34 500	41,2	59,4	33 500	44,5	60,9	32 500	38,0
40,0	32,9	54,6	32 200	36,8	56,8	31 300	40,3	58,6	30 300	40,0
42,0	27,3	51,0	30 100	31,8	53,7	29 200	35,8	55,9	28 300	42,0
44,0	20,1	46,2	28 200	25,9	49,9	27 400	30,6	52,7	26 500	44,0
46,0				18,3	44,7	25 700	24,5	48,7	24 900	46,0
48,0							16,2	42,9	23 400	48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0




	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	59,6	67,2	38 700							32,0
34,0	56,3	65,9	35 700							34,0
36,0	52,9	64,4	33 100	57,2	65,4	31 300				36,0
38,0	49,4	62,8	30 700	53,8	64,0	29 000				38,0
40,0	45,6	60,8	28 600	50,3	62,4	27 000				40,0
42,0	41,6	58,7	26 800	46,6	60,5	25 300	51,1	61,7	23 800	42,0
44,0	37,2	56,1	25 100	42,6	58,4	23 600	47,4	59,9	22 200	44,0
46,0	32,2	53,1	23 500	38,3	56,0	22 200	43,5	57,8	20 900	46,0
48,0	26,4	49,4	22 100	33,6	53,1	20 800	39,3	55,5	19 600	48,0
50,0	19,0	44,3	20 800	28,0	49,6	19 600	34,6	52,7	18 400	50,0
52,0				21,2	44,9	18 400	29,3	49,3	17 300	52,0
54,0							22,8	45,0	16 300	54,0
56,0							13,5	38,5	15 300	56,0




135 200 kg





360°



30,0 m








48,0 m


	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
18,3	74,1	78,4	76 100							18,3
20,0	71,9	77,9	72 200							20,0
22,0	69,4	77,1	66 400							22,0
24,0	66,8	76,3	59 600	68,8	76,8	59 400				24,0
26,0	64,1	75,3	54 300	66,2	75,9	54 000	68,3	76,3	53 000	26,0
28,0	61,4	74,2	49 800	63,6	74,9	49 500	65,7	75,4	48 000	28,0
30,0	58,6	73,0	46 000	60,8	73,8	45 300	63,0	74,4	43 900	30,0
32,0	55,7	71,7	42 800	58,0	72,6	41 600	60,2	73,3	40 300	32,0
34,0	52,8	70,2	39 600	55,1	71,2	38 400	57,4	72,0	37 100	34,0
36,0	49,7	68,5	36 700	52,1	69,7	35 500	54,5	70,6	34 400	36,0
38,0	46,4	66,7	34 100	49,0	68,0	33 000	51,5	69,1	31 900	38,0
40,0	42,9	64,6	31 800	45,7	66,1	30 800	48,3	67,3	29 800	40,0
42,0	39,2	62,2	29 700	42,2	63,9	28 800	45,0	65,4	27 800	42,0
44,0	35,2	59,5	27 900	38,4	61,5	27 000	41,4	63,2	26 100	44,0
46,0	30,7	56,3	26 200	34,3	58,7	25 300	37,6	60,6	24 500	46,0
48,0	25,4	52,3	24 600	29,6	55,3	23 800	33,3	57,7	23 000	48,0
50,0	18,8	47,1	23 200	24,2	51,2	22 400	28,6	54,3	21 600	50,0
52,0				17,1	45,6	21 100	22,8	49,9	20 400	52,0
54,0							15,1	43,7	19 200	54,0
56,0										56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	63,8	74,1	38 100							32,0
34,0	61,0	73,0	35 100							34,0
36,0	58,2	71,8	32 500							36,0
38,0	55,4	70,4	30 200							38,0
40,0	52,4	68,9	28 100	56,1	70,0	26 400				40,0
42,0	49,2	67,2	26 200	53,2	68,5	24 700				42,0
44,0	46,0	65,3	24 600	50,1	66,8	23 100				44,0
46,0	42,5	63,2	23 000	46,8	65,0	21 600	50,7	66,1	20 200	46,0
48,0	38,7	60,8	21 600	43,4	62,9	20 300	47,5	64,3	19 000	48,0
50,0	34,6	58,0	20 400	39,7	60,6	19 100	44,2	62,3	17 800	50,0
52,0	30,0	54,7	19 200	35,7	57,9	18 000	40,5	60,1	16 800	52,0
54,0	24,6	50,7	18 100	31,3	54,8	16 900	36,6	57,5	15 800	54,0
56,0	17,7	45,2	17 000	26,1	51,0	15 900	32,3	54,4	14 900	56,0
58,0				19,7	46,0	15 000	27,3	50,8	14 000	58,0
60,0							21,3	46,1	13 200	60,0
62,0							12,6	39,1	12 400	62,0




135 200 kg








360°



30,0 m





54,0 m


	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
19,8	74,2	84,2	68 400							19,8
20,0	74,0	84,2	68 100							20,0
22,0	71,7	83,5	64 600							22,0
24,0	69,5	82,8	59 900							24,0
26,0	67,2	82,0	54 500							26,0
28,0	64,9	81,0	50 000	69,0	82,4	54 200				28,0
30,0	62,5	80,0	46 200	66,7	81,6	49 100				30,0
32,0	60,0	78,9	42 500	64,4	80,6	44 800	66,2	81,1	43 400	32,0
34,0	57,5	77,6	39 200	62,0	79,6	41 100	63,8	80,2	39 800	34,0
36,0	54,9	76,2	36 300	59,5	78,4	37 900	61,4	79,1	36 600	36,0
38,0	52,3	74,7	33 700	57,0	77,1	35 100	59,0	77,9	33 900	38,0
40,0	49,5	73,0	31 400	54,4	75,7	32 600	56,4	76,6	31 500	40,0
42,0	46,6	71,2	29 400	51,7	74,2	30 400	53,8	75,1	29 300	42,0
44,0	43,6	69,1	27 500	48,9	72,5	28 400	51,1	73,6	27 400	44,0
46,0	40,3	66,8	25 800	46,0	70,6	26 600	48,3	71,8	25 600	46,0
48,0	36,9	64,2	24 300	42,9	68,5	24 900	45,3	69,9	24 000	48,0
50,0	33,1	61,3	22 900	39,6	66,1	23 400	42,2	67,7	22 600	50,0
52,0	28,8	57,8	21 600	36,1	63,5	22 100	38,9	65,3	21 300	52,0
54,0	23,9	53,6	20 400	32,2	60,4	20 800	35,3	62,6	20 000	54,0
56,0	17,6	48,1	19 200	27,9	56,8	19 600	31,3	59,4	18 900	56,0
58,0				22,7	52,4	18 500	26,9	55,7	17 800	58,0
60,0				16,0	46,4	17 500	21,5	51,0	16 800	60,0
62,0							14,2	44,5	15 900	62,0
64,0										64,0
66,0										66,0
68,0										68,0

MLC300 S-1



ASME B30.5







	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
19,8										19,8
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0	62,1	78,8	32 000							36,0
38,0	59,7	77,6	29 600							38,0
40,0	57,2	76,4	27 600							40,0
42,0	54,6	75,0	25 700	57,8	75,8	24 100				42,0
44,0	51,9	73,4	24 100	55,3	74,5	22 500				44,0
46,0	49,1	71,7	22 600	52,6	73,0	21 100				46,0
48,0	46,2	69,8	21 200	49,9	71,3	19 800				48,0
50,0	43,1	67,7	19 900	47,0	69,5	18 600	50,5	70,6	17 300	50,0
52,0	39,9	65,4	18 700	44,0	67,4	17 500	47,6	68,8	16 200	52,0
54,0	36,4	62,8	17 700	40,8	65,2	16 500	44,6	66,8	15 300	54,0
56,0	32,5	59,8	16 700	37,3	62,6	15 500	41,5	64,6	14 400	56,0
58,0	28,2	56,2	15 700	33,6	59,7	14 600	38,1	62,1	13 500	58,0
60,0	23,2	51,9	14 800	29,4	56,3	13 800	34,4	59,3	12 800	60,0
62,0	16,6	46,1	14 000	24,6	52,3	13 000	30,3	56,1	12 000	62,0
64,0	2,6	33,0	13 100	18,6	46,9	12 300	25,7	52,2	11 300	64,0
66,0							20,0	47,2	10 700	66,0
68,0							11,8	39,7	10 000	68,0




135 200 kg




	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
21,3	74,3	90,0	60 300							21,3
22,0	73,6	89,9	59 800							22,0
24,0	71,6	89,2	58 300							24,0
26,0	69,6	88,5	54 700	71,2	88,9	53 800				26,0
28,0	67,5	87,6	50 200	69,2	88,1	48 800				28,0
30,0	65,4	86,7	46 000	67,1	87,3	44 500				30,0
32,0	63,3	85,7	42 200	65,0	86,4	40 800	66,7	86,8	39 400	32,0
34,0	61,1	84,7	38 900	62,9	85,3	37 600	64,5	85,9	36 300	34,0
36,0	58,9	83,5	36 000	60,7	84,2	34 800	62,4	84,8	33 600	36,0
38,0	56,6	82,2	33 400	58,4	83,0	32 300	60,2	83,7	31 100	38,0
40,0	54,3	80,7	31 100	56,1	81,7	30 100	58,0	82,5	29 000	40,0
42,0	51,9	79,2	29 100	53,8	80,2	28 100	55,6	81,1	27 000	42,0
44,0	49,4	77,5	27 200	51,4	78,7	26 300	53,3	79,6	25 300	44,0
46,0	46,8	75,6	25 500	48,8	76,9	24 600	50,8	78,0	23 700	46,0
48,0	44,1	73,6	24 000	46,2	75,1	23 100	48,3	76,3	22 300	48,0
50,0	41,2	71,4	22 600	43,5	73,0	21 800	45,6	74,4	20 900	50,0
52,0	38,1	68,9	21 300	40,6	70,7	20 500	42,9	72,3	19 700	52,0
54,0	34,9	66,1	20 100	37,5	68,2	19 400	39,9	69,9	18 600	54,0
56,0	31,3	62,9	19 000	34,2	65,3	18 300	36,8	67,3	17 600	56,0
58,0	27,3	59,3	18 000	30,5	62,0	17 300	33,4	64,4	16 600	58,0
60,0	22,6	54,8	17 000	26,4	58,2	16 400	29,7	61,0	15 700	60,0
62,0	16,7	48,9	16 100	21,5	53,5	15 500	25,4	57,0	14 800	62,0
64,0	6,5	38,4	15 200	15,2	47,2	14 600	20,3	52,1	14 000	64,0
66,0							13,4	45,1	13 300	66,0
68,0										68,0
70,0										70,0
72,0										72,0
74,0										74,0

MLC300 S-1

ASME B30.5




30,0 m



60,0 m


	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
21,3										21,3
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0	60,8	83,4	27 200							40,0
42,0	58,6	82,2	25 400							42,0
44,0	56,3	80,9	23 700							44,0
46,0	54,0	79,5	22 200	56,9	80,4	20 700				46,0
48,0	51,5	77,9	20 800	54,6	79,0	19 400				48,0
50,0	49,0	76,2	19 600	52,2	77,5	18 200				50,0
52,0	46,4	74,3	18 400	49,7	75,8	17 100	52,7	76,7	15 900	52,0
54,0	43,7	72,3	17 300	47,1	74,0	16 100	50,2	75,1	14 900	54,0
56,0	40,8	70,0	16 400	44,4	72,0	15 200	47,7	73,3	14 000	56,0
58,0	37,7	67,5	15 400	41,6	69,7	14 300	45,0	71,3	13 200	58,0
60,0	34,4	64,6	14 600	38,5	67,3	13 500	42,2	69,2	12 400	60,0
62,0	30,8	61,4	13 800	35,3	64,6	12 700	39,2	66,8	11 700	62,0
64,0	26,7	57,6	13 000	31,8	61,4	12 000	36,0	64,1	11 000	64,0
66,0	21,9	53,0	12 300	27,8	57,8	11 300	32,6	61,1	10 400	66,0
68,0	15,8	46,9	11 600	23,3	53,5	10 700	28,7	57,6	9 800	68,0
70,0				17,6	47,9	10 100	24,3	53,4	9 200	70,0
72,0							18,9	48,2	8 600	72,0
74,0							11,2	40,3	8 100	74,0




135 200 kg





360°



30,0 m






66,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
22,9	74,4	95,9	50 600							22,9
24,0	73,4	95,5	50 300							24,0
26,0	71,5	94,8	49 600							26,0
28,0	69,7	94,1	48 800	71,1	94,5	47 800				28,0
30,0	67,8	93,3	45 800	69,3	93,7	44 100				30,0
32,0	65,9	92,4	41 700	67,4	92,9	40 300	68,9	93,3	38 900	32,0
34,0	64,0	91,4	38 400	65,5	92,0	37 100	67,0	92,5	35 800	34,0
36,0	62,0	90,4	35 500	63,6	91,0	34 300	65,1	91,5	33 100	36,0
38,0	60,0	89,2	33 000	61,6	90,0	31 800	63,1	90,5	30 600	38,0
40,0	58,0	88,0	30 700	59,6	88,8	29 600	61,2	89,5	28 500	40,0
42,0	55,9	86,7	28 600	57,5	87,5	27 600	59,2	88,3	26 600	42,0
44,0	53,7	85,2	26 800	55,4	86,2	25 800	57,1	87,0	24 800	44,0
46,0	51,5	83,6	25 100	53,3	84,7	24 200	55,0	85,6	23 200	46,0
48,0	49,2	81,9	23 600	51,1	83,1	22 700	52,8	84,1	21 800	48,0
50,0	46,9	80,1	22 200	48,8	81,4	21 300	50,6	82,5	20 500	50,0
52,0	44,4	78,1	20 900	46,4	79,5	20 100	48,3	80,7	19 300	52,0
54,0	41,8	75,9	19 700	43,9	77,5	18 900	45,9	78,8	18 200	54,0
56,0	39,1	73,5	18 600	41,3	75,2	17 900	43,4	76,7	17 100	56,0
58,0	36,2	70,8	17 600	38,5	72,8	16 900	40,7	74,5	16 200	58,0
60,0	33,1	67,9	16 700	35,6	70,1	16 000	37,9	71,9	15 300	60,0
62,0	29,7	64,5	15 800	32,4	67,0	15 100	35,0	69,2	14 400	62,0
64,0	25,9	60,6	14 900	29,0	63,5	14 300	31,7	66,0	13 600	64,0
66,0	21,5	55,8	14 100	25,0	59,5	13 500	28,2	62,5	12 900	66,0
68,0	15,8	49,6	13 400	20,4	54,5	12 800	24,1	58,2	12 200	68,0
70,0	5,9	38,4	12 500	14,3	47,8	12 100	19,3	53,0	11 500	70,0
72,0							12,6	45,7	10 900	72,0
74,0										74,0
76,0										76,0
78,0										78,0
80,0										80,0

MLC300 S-1



ASME B30.5





	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
22,9										22,9
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0	61,7	89,1	24 900							42,0
44,0	59,7	88,0	23 200							44,0
46,0	57,7	86,7	21 700							46,0
48,0	55,6	85,4	20 300							48,0
50,0	53,4	83,9	19 100	56,1	84,9	17 700				50,0
52,0	51,2	82,3	17 900	54,0	83,5	16 600				52,0
54,0	48,9	80,6	16 900	51,8	81,9	15 600				54,0
56,0	46,6	78,8	15 900	49,5	80,2	14 600	52,3	81,2	13 400	56,0
58,0	44,1	76,7	15 000	47,2	78,4	13 800	50,0	79,5	12 600	58,0
60,0	41,5	74,5	14 100	44,7	76,4	13 000	47,7	77,7	11 900	60,0
62,0	38,8	72,1	13 300	42,2	74,3	12 200	45,3	75,8	11 100	62,0
64,0	35,8	69,4	12 600	39,5	71,9	11 500	42,7	73,7	10 500	64,0
66,0	32,7	66,4	11 900	36,6	69,3	10 800	40,1	71,3	9 900	66,0
68,0	29,3	62,9	11 200	33,5	66,3	10 200	37,3	68,8	9 300	68,0
70,0	25,4	58,9	10 600	30,2	63,0	9 600	34,2	65,9	8 700	70,0
72,0	20,8	54,1	10 000	26,4	59,2	9 100	30,9	62,7	8 200	72,0
74,0	14,9	47,6	9 400	22,1	54,6	8 500	27,3	59,0	7 700	74,0
76,0				16,6	48,6	8 000	23,1	54,6	7 200	76,0
78,0							17,9	49,0	6 700	78,0
80,0							10,5	40,7	6 200	80,0





135 200 kg





	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
24,4	74,5	101,7	41 400							24,4
26,0	73,1	101,2	40 900							26,0
28,0	71,4	100,5	40 400							28,0
30,0	69,7	99,8	39 800	71,1	100,2	39 600				30,0
32,0	68,0	99,0	39 200	69,4	99,4	39 100				32,0
34,0	66,3	98,1	38 300	67,7	98,6	36 800				34,0
36,0	64,5	97,1	35 100	65,9	97,7	33 900	67,3	98,1	32 700	36,0
38,0	62,7	96,1	32 600	64,2	96,7	31 400	65,6	97,2	30 200	38,0
40,0	60,9	95,0	30 300	62,4	95,7	29 200	63,8	96,3	28 100	40,0
42,0	59,1	93,8	28 300	60,5	94,6	27 200	62,0	95,2	26 100	42,0
44,0	57,2	92,6	26 400	58,7	93,4	25 400	60,2	94,1	24 400	44,0
46,0	55,3	91,2	24 700	56,8	92,1	23 800	58,3	92,8	22 800	46,0
48,0	53,3	89,7	23 200	54,9	90,7	22 300	56,4	91,5	21 400	48,0
50,0	51,3	88,1	21 800	52,9	89,2	20 900	54,4	90,1	20 100	50,0
52,0	49,2	86,4	20 500	50,8	87,6	19 700	52,4	88,6	18 900	52,0
54,0	47,0	84,6	19 400	48,7	85,9	18 600	50,4	87,0	17 800	54,0
56,0	44,8	82,6	18 300	46,5	84,0	17 500	48,3	85,2	16 700	56,0
58,0	42,4	80,4	17 200	44,3	82,0	16 500	46,1	83,3	15 800	58,0
60,0	40,0	78,1	16 300	41,9	79,8	15 600	43,8	81,2	14 900	60,0
62,0	37,4	75,5	15 400	39,4	77,4	14 700	41,4	79,0	14 000	62,0
64,0	34,6	72,7	14 600	36,8	74,8	13 900	38,9	76,6	13 300	64,0
66,0	31,7	69,6	13 800	34,0	71,9	13 200	36,2	73,9	12 500	66,0
68,0	28,4	66,0	13 100	31,0	68,7	12 500	33,4	71,0	11 800	68,0
70,0	24,8	61,9	12 400	27,7	65,0	11 800	30,3	67,7	11 200	70,0
72,0	20,5	56,9	11 700	23,9	60,8	11 200	26,9	63,9	10 600	72,0
74,0	15,1	50,4	11 100	19,5	55,6	10 500	23,1	59,5	10 000	74,0
76,0	5,6	38,7	9 900	13,7	48,5	10 000	18,4	54,0	9 400	76,0
78,0							12,1	46,3	8 900	78,0
80,0										80,0
82,0										82,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
24,4										24,4
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0	62,5	94,9	22 800							44,0
46,0	60,7	93,8	21 200							46,0
48,0	58,8	92,6	19 900							48,0
50,0	56,9	91,3	18 600							50,0
52,0	55,0	89,9	17 500	57,4	90,8	16 100				52,0
54,0	53,0	88,4	16 400	55,5	89,4	15 100				54,0
56,0	51,0	86,8	15 500	53,5	88,0	14 200				56,0
58,0	48,9	85,1	14 500	51,5	86,4	13 300				58,0
60,0	46,7	83,2	13 700	49,4	84,7	12 500	52,0	85,7	11 400	60,0
62,0	44,5	81,2	12 900	47,3	82,9	11 800	49,9	84,0	10 700	62,0
64,0	42,1	79,1	12 200	45,0	80,9	11 100	47,7	82,2	10 000	64,0
66,0	39,6	76,7	11 500	42,7	78,8	10 400	45,5	80,3	9 400	66,0
68,0	37,0	74,1	10 800	40,3	76,5	9 800	43,2	78,2	8 800	68,0
70,0	34,2	71,2	10 200	37,7	73,9	9 200	40,8	75,9	8 300	70,0
72,0	31,3	68,0	9 600	35,0	71,2	8 700	38,3	73,4	7 800	72,0
74,0	28,0	64,4	9 100	32,1	68,1	8 200	35,6	70,7	7 300	74,0
76,0	24,3	60,2	8 500	28,8	64,6	7 700	32,7	67,7	6 800	76,0
78,0	19,9	55,1	8 000	25,3	60,5	7 200	29,6	64,3	6 400	78,0
80,0	14,2	48,3	7 500	21,1	55,7	6 700	26,1	60,4	5 900	80,0
82,0				15,9	49,5	6 300	22,1	55,8	5 500	82,0




135 200 kg







360°



30,0 m




78,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
25,9	74,5	107,5	34 200							25,9
26,0	74,5	107,4	34 200							26,0
28,0	72,9	106,8	33 600							28,0
30,0	71,4	106,1	33 000							30,0
32,0	69,8	105,4	32 500							32,0
34,0	68,2	104,6	31 900	71,0	105,8	32 400				34,0
36,0	66,6	103,8	31 400	69,5	105,1	31 900				36,0
38,0	65,0	102,8	30 900	67,9	104,3	31 400				38,0
40,0	63,4	101,8	30 000	66,3	103,4	30 800	67,6	103,8	29 700	40,0
42,0	61,7	100,8	27 800	64,7	102,5	28 700	65,9	102,9	27 600	42,0
44,0	60,0	99,6	26 000	63,0	101,4	26 700	64,3	102,0	25 600	44,0
46,0	58,3	98,4	24 300	61,4	100,4	24 900	62,7	101,0	23 900	46,0
48,0	56,5	97,1	22 800	59,7	99,2	23 300	61,0	99,9	22 300	48,0
50,0	54,7	95,7	21 400	57,9	98,0	21 800	59,3	98,7	20 900	50,0
52,0	52,9	94,2	20 100	56,2	96,6	20 500	57,6	97,4	19 600	52,0
54,0	51,0	92,6	18 900	54,4	95,2	19 200	55,8	96,1	18 400	54,0
56,0	49,1	90,9	17 800	52,5	93,7	18 100	54,0	94,6	17 300	56,0
58,0	47,1	89,1	16 800	50,6	92,1	17 000	52,1	93,1	16 200	58,0
60,0	45,0	87,1	15 900	48,7	90,3	16 100	50,2	91,4	15 300	60,0
62,0	42,9	85,0	15 000	46,7	88,5	15 100	48,3	89,7	14 400	62,0
64,0	40,7	82,7	14 200	44,6	86,5	14 300	46,2	87,8	13 600	64,0
66,0	38,3	80,2	13 400	42,4	84,3	13 500	44,1	85,8	12 800	66,0
68,0	35,8	77,5	12 700	40,2	82,0	12 700	42,0	83,6	12 100	68,0
70,0	33,2	74,5	12 000	37,8	79,5	12 000	39,7	81,2	11 400	70,0
72,0	30,4	71,2	11 300	35,3	76,7	11 400	37,3	78,6	10 800	72,0
74,0	27,3	67,5	10 700	32,6	73,7	10 700	34,8	75,8	10 100	74,0
76,0	23,8	63,2	10 100	29,7	70,3	10 100	32,0	72,7	9 600	76,0
78,0	19,7	58,0	9 600	26,6	66,4	9 600	29,1	69,2	9 000	78,0
80,0	14,5	51,2	9 000	23,0	62,0	9 000	25,8	65,3	8 500	80,0
82,0				18,7	56,5	8 500	22,1	60,6	8 000	82,0
84,0				13,2	49,2	8 000	17,7	54,9	7 500	84,0
86,0							11,6	46,9	7 000	86,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
25,9										25,9
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0	63,2	100,6	20 700							46,0
48,0	61,5	99,6	19 400							48,0
50,0	59,8	98,4	18 100							50,0
52,0	58,1	97,2	17 000							52,0
54,0	56,3	95,8	15 900							54,0
56,0	54,5	94,4	14 900	56,8	95,3	13 700				56,0
58,0	52,7	92,9	14 000	55,0	94,0	12 800				58,0
60,0	50,8	91,3	13 200	53,1	92,5	12 000				60,0
62,0	48,8	89,6	12 400	51,3	90,9	11 300				62,0
64,0	46,8	87,7	11 700	49,3	89,2	10 600	51,7	90,2	9 500	64,0
66,0	44,8	85,7	11 000	47,4	87,4	9 900	49,8	88,5	8 900	66,0
68,0	42,6	83,6	10 300	45,3	85,4	9 300	47,8	86,7	8 300	68,0
70,0	40,4	81,3	9 700	43,2	83,3	8 700	45,7	84,8	7 800	70,0
72,0	38,0	78,8	9 200	40,9	81,0	8 200	43,6	82,7	7 200	72,0
74,0	35,5	76,0	8 600	38,6	78,6	7 700	41,4	80,5	6 700	74,0
76,0	32,8	73,0	8 100	36,2	75,9	7 200	39,1	78,1	6 300	76,0
78,0	30,0	69,7	7 600	33,6	73,0	6 700	36,7	75,4	5 800	78,0
80,0	26,8	65,9	7 100	30,7	69,7	6 300	34,1	72,6	5 400	80,0
82,0	23,3	61,5	6 700	27,7	66,0	5 800	31,4	69,4	5 000	82,0
84,0	19,1	56,1	6 200	24,2	61,8	5 400				84,0
86,0	13,7	49,0	5 800							86,0




135 200 kg





360°




30,0 m



84,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
27,4	74,6	113,3	27 900							27,4
28,0	74,2	113,1	27 700							28,0
30,0	72,8	112,5	27 200							30,0
32,0	71,3	111,8	26 700							32,0
34,0	69,9	111,1	26 200	71,0	111,5	26 200				34,0
36,0	68,4	110,3	25 700	69,6	110,7	25 800				36,0
38,0	66,9	109,4	25 200	68,1	109,9	25 300				38,0
40,0	65,4	108,5	24 800	66,6	109,1	24 900	67,8	109,5	24 800	40,0
42,0	63,9	107,6	24 400	65,1	108,2	24 500	66,3	108,6	24 400	42,0
44,0	62,4	106,5	23 900	63,6	107,2	24 100	64,8	107,7	23 500	44,0
46,0	60,8	105,4	23 500	62,0	106,1	23 000	63,3	106,7	21 900	46,0
48,0	59,2	104,2	22 500	60,5	105,0	21 500	61,7	105,6	20 500	48,0
50,0	57,6	103,0	21 000	58,9	103,8	20 100	60,1	104,5	19 200	50,0
52,0	56,0	101,6	19 700	57,3	102,5	18 900	58,5	103,3	18 000	52,0
54,0	54,3	100,2	18 600	55,6	101,2	17 700	56,9	102,0	16 900	54,0
56,0	52,6	98,7	17 500	53,9	99,7	16 700	55,3	100,6	15 900	56,0
58,0	50,8	97,1	16 500	52,2	98,2	15 700	53,6	99,1	14 900	58,0
60,0	49,0	95,4	15 500	50,5	96,6	14 800	51,8	97,6	14 000	60,0
62,0	47,2	93,5	14 600	48,6	94,8	13 900	50,1	95,9	13 200	62,0
64,0	45,3	91,6	13 800	46,8	93,0	13 100	48,3	94,2	12 400	64,0
66,0	43,3	89,5	13 100	44,9	91,0	12 400	46,4	92,3	11 700	66,0
68,0	41,2	87,2	12 300	42,9	88,8	11 700	44,4	90,3	11 000	68,0
70,0	39,1	84,8	11 600	40,8	86,6	11 000	42,4	88,1	10 400	70,0
72,0	36,9	82,2	11 000	38,6	84,1	10 400	40,3	85,8	9 800	72,0
74,0	34,5	79,4	10 400	36,4	81,4	9 800	38,2	83,3	9 200	74,0
76,0	32,0	76,2	9 800	34,0	78,5	9 200	35,9	80,6	8 700	76,0
78,0	29,2	72,8	9 300	31,4	75,4	8 700	33,4	77,6	8 200	78,0
80,0	26,2	68,9	8 800	28,6	71,8	8 200	30,8	74,4	7 700	80,0
82,0	22,9	64,4	8 300	25,6	67,8	7 700	28,0	70,7	7 200	82,0
84,0	18,9	59,0	7 800	22,1	63,1	7 300	24,9	66,6	6 800	84,0
86,0	14,0	51,9	7 300	18,0	57,5	6 800	21,3	61,8	6 300	86,0
88,0				12,7	49,9	6 400	17,0	55,8	5 900	88,0




135 200 kg






360°





30,0 m



84,0 m


	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
27,4							27,4
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0							46,0
48,0							48,0
50,0	62,2	105,3	17 700				50,0
52,0	60,6	104,2	16 600				52,0
54,0	59,0	103,0	15 500				54,0
56,0	57,4	101,7	14 500				56,0
58,0	55,7	100,4	13 600	57,8	101,2	12 400	58,0
60,0	54,1	98,9	12 800	56,2	99,9	11 600	60,0
62,0	52,3	97,4	12 000	54,5	98,5	10 800	62,0
64,0	50,6	95,8	11 300	52,8	97,0	10 200	64,0
66,0	48,8	94,1	10 600	51,0	95,4	9 500	66,0
68,0	46,9	92,2	10 000	49,3	93,7	8 900	68,0
70,0	45,0	90,2	9 300	47,4	91,8	8 300	70,0
72,0	43,0	88,1	8 800	45,5	89,9	7 800	72,0
74,0	41,0	85,9	8 200	43,5	87,8	7 300	74,0
76,0	38,8	83,4	7 700	41,5	85,6	6 800	76,0
78,0	36,6	80,8	7 200	39,4	83,2	6 300	78,0
80,0	34,2	77,9	6 800	37,1	80,6	5 900	80,0
82,0	31,6	74,7	6 300	34,8	77,8	5 500	82,0
84,0	28,8	71,2	5 900				84,0
86,0	25,8	67,2	5 500				86,0
88,0	22,4	62,6	5 100				88,0




135 200 kg



360°










30,0 m




90,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
29,0	74,6	119,1	23 100							29,0
30,0	73,9	118,8	22 900							30,0
32,0	72,6	118,1	22 400							32,0
34,0	71,3	117,5	22 000							34,0
36,0	69,9	116,7	21 500	71,0	117,1	21 600				36,0
38,0	68,5	116,0	21 100	69,6	116,4	21 200				38,0
40,0	67,2	115,1	20 600	68,3	115,6	20 800				40,0
42,0	65,8	114,2	20 200	66,9	114,8	20 400	68,0	115,2	20 400	42,0
44,0	64,4	113,3	19 900	65,5	113,9	20 200	66,6	114,3	20 000	44,0
46,0	62,9	112,3	19 500	64,1	112,9	19 600	65,2	113,4	19 700	46,0
48,0	61,5	111,2	19 200	62,6	111,9	19 300	63,8	112,4	19 300	48,0
50,0	60,0	110,0	18 800	61,2	110,8	19 000	62,3	111,4	18 700	50,0
52,0	58,5	108,8	18 500	59,7	109,6	18 400	60,9	110,3	17 500	52,0
54,0	57,0	107,5	18 000	58,2	108,4	17 200	59,4	109,1	16 400	54,0
56,0	55,5	106,2	17 000	56,7	107,1	16 200	57,9	107,8	15 400	56,0
58,0	53,9	104,7	16 000	55,1	105,7	15 200	56,4	106,5	14 400	58,0
60,0	52,3	103,2	15 100	53,6	104,2	14 300	54,8	105,1	13 500	60,0
62,0	50,7	101,6	14 200	52,0	102,7	13 500	53,2	103,6	12 700	62,0
64,0	49,0	99,8	13 400	50,3	101,0	12 700	51,6	102,1	11 900	64,0
66,0	47,2	98,0	12 600	48,6	99,3	11 900	49,9	100,4	11 200	66,0
68,0	45,5	96,1	11 900	46,9	97,4	11 200	48,2	98,6	10 500	68,0
70,0	43,6	94,0	11 200	45,1	95,5	10 600	46,5	96,8	9 900	70,0
72,0	41,7	91,8	10 600	43,3	93,4	9 900	44,7	94,8	9 300	72,0
74,0	39,8	89,4	10 000	41,3	91,1	9 400	42,8	92,6	8 700	74,0
76,0	37,7	86,9	9 400	39,3	88,7	8 800	40,9	90,4	8 200	76,0
78,0	35,5	84,1	8 800	37,3	86,1	8 300	38,9	87,9	7 700	78,0
80,0	33,3	81,2	8 300	35,1	83,4	7 800	36,8	85,3	7 200	80,0
82,0	30,8	77,9	7 800	32,8	80,3	7 300	34,6	82,5	6 800	82,0
84,0	28,2	74,3	7 400	30,3	77,0	6 800	32,3	79,4	6 300	84,0
86,0	25,3	70,2	6 900	27,6	73,3	6 400	29,7	76,0	5 900	86,0
88,0	22,1	65,5	6 500	24,7	69,1	6 000	27,0	72,2	5 500	88,0
90,0	18,3	59,9	6 100	21,3	64,3	5 600				90,0
92,0	13,5	52,6	5 600	17,4	58,4	5 200				92,0




	75°			70°			
 m		 m	 kg		 m	 kg	 m
29,0							29,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0							46,0
48,0							48,0
50,0							50,0
52,0	62,7	111,0	16 000				52,0
54,0	61,3	110,0	15 000				54,0
56,0	59,8	108,8	14 000				56,0
58,0	58,3	107,6	13 100				58,0
60,0	56,8	106,3	12 300				60,0
62,0	55,3	104,9	11 500	57,2	105,8	10 300	62,0
64,0	53,7	103,4	10 800	55,7	104,4	9 600	64,0
66,0	52,1	101,9	10 100	54,1	103,0	9 000	66,0
68,0	50,4	100,3	9 400	52,5	101,5	8 400	68,0
70,0	48,7	98,5	8 800	50,9	99,8	7 800	70,0
72,0	47,0	96,7	8 300	49,2	98,1	7 300	72,0
74,0	45,2	94,7	7 700	47,5	96,3	6 800	74,0
76,0	43,4	92,6	7 200	45,7	94,4	6 300	76,0
78,0	41,5	90,4	6 800	43,9	92,3	5 800	78,0
80,0	39,5	88,0	6 300	42,0	90,2	5 300	80,0
82,0	37,4	85,5	5 900				82,0
84,0	35,3	82,7	5 400				84,0
86,0							86,0
88,0							88,0
90,0							90,0
92,0							92,0




135 200 kg





360°






30,0 m






96,0 m



	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
30,5	74,7	124,9	19 200							30,5
32,0	73,7	124,4	18 800							32,0
34,0	72,5	123,8	18 400							34,0
36,0	71,2	123,1	18 000							36,0
38,0	69,9	122,4	17 500	71,0	122,8	17 900				38,0
40,0	68,7	121,6	17 100	69,7	122,1	17 300				40,0
42,0	67,4	120,8	16 800	68,4	121,3	16 900				42,0
44,0	66,1	119,9	16 400	67,1	120,4	16 600	68,1	120,8	16 600	44,0
46,0	64,8	119,0	16 000	65,8	119,5	16 200	66,8	120,0	16 300	46,0
48,0	63,4	118,0	15 700	64,5	118,6	15 900	65,5	119,1	16 000	48,0
50,0	62,1	116,9	15 400	63,1	117,6	15 600	64,2	118,1	15 600	50,0
52,0	60,7	115,8	15 100	61,8	116,5	15 300	62,9	117,1	15 300	52,0
54,0	59,3	114,6	14 800	60,4	115,4	15 000	61,5	116,0	15 000	54,0
56,0	57,9	113,4	14 500	59,0	114,2	14 700	60,1	114,9	14 800	56,0
58,0	56,5	112,1	14 200	57,6	112,9	14 400	58,7	113,7	14 000	58,0
60,0	55,0	110,7	14 000	56,2	111,6	13 900	57,3	112,4	13 100	60,0
62,0	53,6	109,2	13 700	54,7	110,2	13 000	55,9	111,1	12 300	62,0
64,0	52,0	107,7	13 000	53,2	108,7	12 200	54,4	109,6	11 500	64,0
66,0	50,5	106,1	12 200	51,7	107,2	11 500	52,9	108,1	10 800	66,0
68,0	48,9	104,3	11 500	50,2	105,5	10 800	51,4	106,6	10 100	68,0
70,0	47,3	102,5	10 800	48,6	103,8	10 100	49,8	104,9	9 500	70,0
72,0	45,6	100,6	10 200	47,0	101,9	9 500	48,2	103,1	8 900	72,0
74,0	43,9	98,5	9 600	45,3	100,0	8 900	46,6	101,2	8 300	74,0
76,0	42,2	96,3	9 000	43,6	97,9	8 400	44,9	99,3	7 800	76,0
78,0	40,3	94,0	8 400	41,8	95,7	7 900	43,2	97,2	7 300	78,0
80,0	38,4	91,5	7 900	40,0	93,3	7 400	41,4	94,9	6 800	80,0
82,0	36,5	88,9	7 400	38,0	90,8	6 900	39,6	92,5	6 300	82,0
84,0	34,4	86,0	7 000	36,0	88,1	6 400	37,6	90,0	5 900	84,0
86,0	32,2	82,9	6 500	33,9	85,2	6 000	35,6	87,2	5 500	86,0
88,0	29,8	79,5	6 100	31,7	82,0	5 600	33,5	84,3	5 100	88,0
90,0	27,3	75,7	5 700	29,3	78,6	5 200				90,0
92,0	24,5	71,5	5 300							92,0






	75°		
	m	m	kg
30,5			
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0			
54,0	63,2	116,8	14 500
56,0	61,9	115,7	13 600
58,0	60,5	114,6	12 700
60,0	59,1	113,4	11 800
62,0	57,7	112,1	11 000
64,0	56,3	110,8	10 300
66,0	54,8	109,4	9 600
68,0	53,4	108,0	9 000
70,0	51,8	106,4	8 400
72,0	50,3	104,7	7 800
74,0	48,7	103,0	7 300
76,0	47,1	101,2	6 800
78,0	45,4	99,2	6 300
80,0	43,7	97,2	5 800
82,0	41,9	95,0	5 300
84,0			
86,0			
88,0			
90,0			
92,0			





	86°			83°			80°			
	m	m	kg	m	m	kg	m	kg	m	m
12,2	73,8	61,3	139 900 c						12,2	
14,0	69,2	60,6	115 700 c						14,0	
16,0	63,9	59,7	97 100 b						16,0	
18,0	58,4	58,5	83 700	69,0	60,4	97 100 c			18,0	
20,0	52,4	57,0	73 600	63,7	59,4	83 300			20,0	
22,0				58,1	58,2	73 200	63,3	59,0	72 800 b	22,0
24,0	45,9	55,1	65 600	52,1	56,7	65 200	57,7	57,8	64 900	24,0
26,0	38,5	52,8	59 100	45,5	54,8	58 800	51,7	56,3	58 500	26,0
28,0	29,4	49,5	53 900	38,1	52,4	53 600	45,1	54,4	53 300	28,0
30,0				28,9	49,1	49 200	37,6	51,9	48 800	30,0
32,0				14,8	43,6	45 400	28,3	48,6	44 500	32,0
34,0							13,4	42,7	40 700	34,0
36,0										36,0
38,0										38,0
40,0										40,0





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	60,8	57,8	56 300							24,0
26,0	55,1	56,4	50 700							26,0
28,0	48,8	54,7	46 100							28,0
30,0	41,9	52,6	42 100	52,1	54,6	39 700				30,0
32,0	33,7	49,8	38 600	45,5	52,7	36 400				32,0
34,0	22,8	45,7	35 600	38,0	50,3	33 600	48,6	52,4	31 500	34,0
36,0				28,9	47,0	31 000	41,6	50,2	29 100	36,0
38,0				14,7	41,5	28 700	33,4	47,4	27 000	38,0
40,0							22,4	43,3	25 100	40,0




	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
13,7	74,1	67,1	119 600 b							13,7
14,0	73,6	67,0	116 700 b							14,0
16,0	69,5	66,3	97 600 b							16,0
18,0	65,3	65,4	84 100	69,3	66,0	83 900				18,0
20,0	61,0	64,3	73 900	65,1	65,1	73 500				20,0
22,0	56,4	63,0	65 900	60,7	64,0	65 500	64,8	64,7	65 300	22,0
24,0	51,6	61,5	59 400	56,2	62,7	59 100	60,5	63,6	58 800	24,0
26,0	46,4	59,6	54 100	51,3	61,2	53 800	55,9	62,3	53 400	26,0
28,0	40,7	57,4	49 700	46,1	59,3	49 400	51,0	60,7	48 500	28,0
30,0	34,1	54,6	45 900	40,3	57,0	45 600	45,8	58,9	44 300	30,0
32,0	26,1	50,9	42 600	33,7	54,2	42 200	40,0	56,6	40 700	32,0
34,0				25,6	50,5	38 900	33,3	53,7	37 600	34,0
36,0				13,0	44,2	35 900	25,1	49,9	34 800	36,0
38,0							11,8	43,3	32 200	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	62,9	63,5	50 200							26,0
28,0	58,4	62,3	45 600							28,0
30,0	53,7	60,9	41 700							30,0
32,0	48,7	59,2	38 300	56,2	60,7	35 900				32,0
34,0	43,2	57,1	35 400	51,3	59,1	33 100				34,0
36,0	37,1	54,6	32 700	46,1	57,2	30 700				36,0
38,0	29,9	51,4	30 400	40,3	55,0	28 500	48,5	56,9	26 600	38,0
40,0	20,2	46,8	28 300	33,7	52,2	26 500	43,0	54,8	24 800	40,0
42,0				25,6	48,4	24 800	36,9	52,3	23 100	42,0
44,0				12,9	42,1	23 100	29,6	49,0	21 600	44,0
46,0							19,8	44,3	20 200	46,0




135 200 kg






360°



36,0 m






36,0 m


	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
15,2	74,3	72,9	104 400 b							15,2
16,0	73,1	72,7	98 400 b							16,0
18,0	69,7	72,0	84 400							18,0
20,0	66,2	71,1	74 200	69,5	71,7	73 800				20,0
22,0	62,6	70,1	66 100	66,0	70,8	65 700				22,0
24,0	58,9	68,9	59 600	62,4	69,8	59 300	65,8	70,5	58 900	24,0
26,0	55,1	67,5	54 300	58,7	68,6	54 000	62,2	69,4	53 100	26,0
28,0	51,0	65,9	49 800	54,9	67,2	49 600	58,5	68,2	48 200	28,0
30,0	46,7	64,1	46 000	50,8	65,6	45 700	54,6	66,8	44 100	30,0
32,0	42,0	62,0	42 800	46,5	63,8	42 000	50,6	65,2	40 500	32,0
34,0	36,9	59,4	39 900	41,8	61,6	38 800	46,2	63,4	37 400	34,0
36,0	31,0	56,3	37 300	36,6	59,1	36 000	41,5	61,2	34 700	36,0
38,0	23,7	52,2	34 700	30,6	55,9	33 500	36,3	58,6	32 200	38,0
40,0				23,2	51,7	31 200	30,2	55,4	30 100	40,0
42,0							22,7	51,1	28 100	42,0
44,0							10,7	43,8	26 200	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	60,6	68,2	41 400							30,0
32,0	56,8	66,9	38 000							32,0
34,0	52,8	65,4	35 100							34,0
36,0	48,6	63,7	32 500	54,9	65,2	30 400				36,0
38,0	44,1	61,7	30 200	50,8	63,6	28 200				38,0
40,0	39,2	59,3	28 200	46,5	61,7	26 300	52,7	63,1	24 400	40,0
42,0	33,7	56,5	26 300	41,8	59,6	24 500	48,5	61,3	22 800	42,0
44,0	27,1	52,9	24 600	36,6	57,0	23 000	44,0	59,3	21 300	44,0
46,0	18,3	47,7	23 100	30,6	53,8	21 500	39,0	57,0	20 000	46,0
48,0				23,2	49,6	20 200	33,5	54,1	18 700	48,0
50,0				11,7	42,7	18 900	26,8	50,4	17 600	50,0
52,0							18,0	45,2	16 500	52,0




135 200 kg







360°



36,0 m





42,0 m




	86°			83°			80°			
										
	m	m	kg	m	m	kg	m	m	kg	m
16,8	74,5	78,7	91 900							16,8
18,0	72,7	78,3	84 800							18,0
20,0	69,8	77,6	74 500							20,0
22,0	66,8	76,8	66 400	69,6	77,4	66 100				22,0
24,0	63,8	75,8	59 900	66,7	76,5	59 500				24,0
26,0	60,7	74,7	54 500	63,6	75,5	54 200	66,5	76,1	52 600	26,0
28,0	57,5	73,4	50 000	60,5	74,4	49 600	63,5	75,2	47 700	28,0
30,0	54,1	72,0	46 200	57,3	73,2	45 300	60,3	74,0	43 600	30,0
32,0	50,6	70,4	43 000	53,9	71,7	41 600	57,1	72,8	40 100	32,0
34,0	46,9	68,6	39 900	50,4	70,1	38 400	53,7	71,3	37 000	34,0
36,0	43,0	66,5	37 000	46,7	68,3	35 600	50,2	69,7	34 300	36,0
38,0	38,7	64,1	34 400	42,8	66,2	33 100	46,5	67,8	31 900	38,0
40,0	34,0	61,3	32 100	38,5	63,7	30 900	42,5	65,7	29 700	40,0
42,0	28,5	57,8	30 000	33,7	60,9	28 900	38,2	63,3	27 800	42,0
44,0	21,8	53,3	28 100	28,2	57,4	27 100	33,4	60,4	26 000	44,0
46,0				21,4	52,8	25 400	27,9	56,8	24 400	46,0
48,0							20,9	52,2	23 000	48,0
50,0							9,8	44,3	21 500	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0





MLC300 S-1

ASME B30.5




	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	62,1	73,9	37 500							32,0
34,0	58,9	72,7	34 600							34,0
36,0	55,6	71,4	32 000							36,0
38,0	52,2	69,9	29 700							38,0
40,0	48,6	68,1	27 700	53,9	69,7	25 700				40,0
42,0	44,7	66,2	25 900	50,4	68,0	24 000				42,0
44,0	40,6	63,9	24 300	46,7	66,2	22 500				44,0
46,0	36,1	61,3	22 800	42,8	64,1	21 100	48,4	65,8	19 500	46,0
48,0	31,0	58,1	21 400	38,5	61,7	19 800	44,6	63,8	18 200	48,0
50,0	25,0	54,2	20 100	33,7	58,8	18 600	40,5	61,6	17 100	50,0
52,0	16,9	48,6	18 900	28,2	55,3	17 500	36,0	58,9	16 100	52,0
54,0				21,4	50,7	16 500	30,8	55,7	15 200	54,0
56,0				10,8	43,2	15 500	24,7	51,8	14 300	56,0
58,0							16,6	46,1	13 400	58,0




	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
18,3	74,6	84,5	75 500							18,3
20,0	72,4	84,0	71 800							20,0
22,0	69,9	83,3	67 000							22,0
24,0	67,3	82,5	60 200	69,8	83,0	59 900				24,0
26,0	64,7	81,5	54 800	67,2	82,2	54 000				26,0
28,0	62,0	80,5	50 300	64,5	81,3	49 000	67,0	81,8	47 200	28,0
30,0	59,2	79,3	46 400	61,8	80,2	44 800	64,4	80,9	43 000	30,0
32,0	56,4	78,0	42 700	59,1	79,0	41 100	61,7	79,8	39 500	32,0
34,0	53,4	76,5	39 400	56,2	77,7	37 900	58,9	78,6	36 400	34,0
36,0	50,3	74,9	36 500	53,2	76,2	35 100	56,0	77,3	33 700	36,0
38,0	47,1	73,1	34 000	50,2	74,6	32 600	53,1	75,8	31 300	38,0
40,0	43,7	71,0	31 700	46,9	72,8	30 400	50,0	74,2	29 200	40,0
42,0	40,0	68,7	29 600	43,5	70,7	28 400	46,7	72,3	27 300	42,0
44,0	36,1	66,1	27 800	39,8	68,4	26 700	43,3	70,3	25 500	44,0
46,0	31,7	63,0	26 100	35,8	65,7	25 000	39,6	67,9	24 000	46,0
48,0	26,6	59,2	24 500	31,4	62,6	23 500	35,6	65,2	22 500	48,0
50,0	20,3	54,4	23 100	26,3	58,8	22 100	31,1	62,1	21 200	50,0
52,0				20,0	53,9	20 900	26,0	58,2	20 000	52,0
54,0							19,5	53,2	18 800	54,0
56,0							9,1	44,7	17 700	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	63,2	79,7	34 000							34,0
36,0	60,4	78,6	31 400							36,0
38,0	57,6	77,3	29 100							38,0
40,0	54,7	75,9	27 100							40,0
42,0	51,7	74,4	25 300	56,2	75,6	23 400				42,0
44,0	48,5	72,6	23 700	53,2	74,2	21 900				44,0
46,0	45,2	70,7	22 200	50,1	72,5	20 500				46,0
48,0	41,7	68,5	20 900	46,9	70,7	19 200	51,6	72,0	17 600	48,0
50,0	37,8	66,0	19 600	43,5	68,6	18 100	48,4	70,3	16 500	50,0
52,0	33,6	63,1	18 500	39,8	66,3	17 000	45,1	68,3	15 500	52,0
54,0	28,9	59,7	17 400	35,8	63,6	16 000	41,5	66,1	14 600	54,0
56,0	23,3	55,4	16 400	31,4	60,5	15 100	37,7	63,6	13 700	56,0
58,0	15,7	49,4	15 500	26,3	56,7	14 200	33,5	60,7	12 900	58,0
60,0				19,9	51,8	13 400	28,7	57,3	12 200	60,0
62,0				10,0	43,7	12 500	23,1	53,0	11 400	62,0
64,0							15,4	46,9	10 700	64,0




135 200 kg








360°



36,0 m



54,0 m


	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
19,8	74,7	90,3	67 400							19,8
20,0	74,4	90,3	67 100							20,0
22,0	72,2	89,7	64 000							22,0
24,0	70,0	88,9	60 200							24,0
26,0	67,7	88,1	55 000	69,8	88,7	53 600				26,0
28,0	65,3	87,2	50 400	67,6	87,9	48 500				28,0
30,0	63,0	86,2	46 100	65,2	87,0	44 300	67,4	87,5	42 600	30,0
32,0	60,5	85,1	42 300	62,8	85,9	40 600	65,1	86,6	39 000	32,0
34,0	58,0	83,9	39 000	60,4	84,8	37 500	62,7	85,6	35 900	34,0
36,0	55,5	82,5	36 100	57,9	83,6	34 700	60,3	84,4	33 200	36,0
38,0	52,8	81,0	33 600	55,3	82,2	32 200	57,8	83,2	30 800	38,0
40,0	50,1	79,4	31 300	52,7	80,7	30 000	55,2	81,8	28 700	40,0
42,0	47,2	77,6	29 200	49,9	79,1	28 000	52,5	80,3	26 800	42,0
44,0	44,2	75,5	27 400	47,1	77,2	26 200	49,8	78,7	25 100	44,0
46,0	41,0	73,3	25 700	44,1	75,2	24 600	46,9	76,8	23 500	46,0
48,0	37,6	70,8	24 200	40,9	73,0	23 100	43,9	74,8	22 100	48,0
50,0	33,9	67,9	22 800	37,4	70,4	21 800	40,7	72,5	20 800	50,0
52,0	29,8	64,6	21 500	33,7	67,5	20 500	37,2	70,0	19 600	52,0
54,0	25,0	60,5	20 300	29,5	64,2	19 400	33,5	67,0	18 500	54,0
56,0	19,1	55,4	19 100	24,7	60,1	18 300	29,3	63,6	17 400	56,0
58,0				18,8	54,8	17 300	24,4	59,5	16 500	58,0
60,0							18,4	54,2	15 500	60,0
62,0										62,0
64,0										64,0
66,0										66,0
68,0										68,0
70,0										70,0

MLC300 S-1

ASME B30.5



36,0 m



54,0 m


	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
19,8										19,8
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0	61,6	84,3	28 600							38,0
40,0	59,1	83,2	26 600							40,0
42,0	56,6	81,9	24 800							42,0
44,0	54,0	80,4	23 200							44,0
46,0	51,3	78,8	21 700	55,3	80,2	19 900				46,0
48,0	48,5	77,1	20 400	52,7	78,7	18 700				48,0
50,0	45,5	75,2	19 100	49,9	77,0	17 500				50,0
52,0	42,4	73,0	18 000	47,1	75,2	16 500	51,2	76,5	15 000	52,0
54,0	39,1	70,6	17 000	44,0	73,1	15 500	48,4	74,8	14 000	54,0
56,0	35,6	67,9	16 000	40,8	70,9	14 600	45,4	72,8	13 200	56,0
58,0	31,6	64,8	15 100	37,4	68,3	13 700	42,3	70,7	12 400	58,0
60,0	27,2	61,1	14 200	33,7	65,5	12 900	39,0	68,3	11 700	60,0
62,0	21,9	56,6	13 400	29,5	62,1	12 200	35,4	65,6	11 000	62,0
64,0	14,8	50,2	12 700	24,7	58,0	11 500	31,5	62,4	10 300	64,0
66,0				18,7	52,8	10 800	27,0	58,7	9 700	66,0
68,0				9,4	44,2	10 100	21,7	54,1	9 100	68,0
70,0							14,5	47,6	8 500	70,0




135 200 kg





360°



36,0 m






60,0 m


	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
21,3	74,7	96,2	58 200							21,3
22,0	74,1	96,0	58 000							22,0
24,0	72,1	95,3	57 300							24,0
26,0	70,0	94,6	55 200							26,0
28,0	68,0	93,8	50 200	69,9	94,4	48 200				28,0
30,0	65,9	92,9	45 800	67,9	93,5	43 900				30,0
32,0	63,8	91,9	42 000	65,8	92,7	40 300	67,7	93,2	38 600	32,0
34,0	61,6	90,9	38 700	63,6	91,7	37 100	65,6	92,3	35 600	34,0
36,0	59,4	89,7	35 800	61,5	90,6	34 300	63,5	91,3	32 900	36,0
38,0	57,1	88,4	33 300	59,3	89,4	31 900	61,3	90,2	30 500	38,0
40,0	54,8	87,0	31 000	57,0	88,1	29 700	59,1	89,0	28 400	40,0
42,0	52,4	85,5	28 900	54,7	86,7	27 700	56,9	87,8	26 500	42,0
44,0	49,9	83,9	27 100	52,3	85,2	25 900	54,5	86,3	24 700	44,0
46,0	47,3	82,0	25 400	49,8	83,5	24 300	52,1	84,8	23 200	46,0
48,0	44,6	80,1	23 900	47,2	81,7	22 800	49,6	83,1	21 800	48,0
50,0	41,8	77,9	22 500	44,5	79,7	21 500	47,0	81,3	20 500	50,0
52,0	38,8	75,4	21 200	41,6	77,5	20 200	44,3	79,3	19 300	52,0
54,0	35,6	72,7	20 000	38,6	75,1	19 100	41,5	77,1	18 200	54,0
56,0	32,1	69,6	18 900	35,4	72,4	18 000	38,5	74,6	17 100	56,0
58,0	28,2	66,1	17 900	31,9	69,3	17 100	35,2	71,9	16 200	58,0
60,0	23,7	61,8	16 900	28,0	65,7	16 100	31,7	68,7	15 300	60,0
62,0	18,1	56,3	16 000	23,4	61,3	15 300	27,7	65,1	14 500	62,0
64,0	9,6	47,7	15 100	17,8	55,8	14 400	23,1	60,7	13 700	64,0
66,0							17,4	55,1	12 900	66,0
68,0										68,0
70,0										70,0
72,0										72,0
74,0										74,0
76,0										76,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
21,3										21,3
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0	62,5	90,1	26 200							40,0
42,0	60,3	89,0	24 400							42,0
44,0	58,1	87,7	22 800							44,0
46,0	55,8	86,4	21 300							46,0
48,0	53,4	84,9	20 000	57,0	86,1	18 300				48,0
50,0	51,0	83,3	18 800	54,7	84,7	17 100				50,0
52,0	48,5	81,6	17 700	52,2	83,1	16 100				52,0
54,0	45,8	79,7	16 600	49,8	81,5	15 100				54,0
56,0	43,1	77,6	15 700	47,2	79,7	14 200	50,9	81,0	12 800	56,0
58,0	40,1	75,3	14 800	44,5	77,7	13 400	48,4	79,2	12 000	58,0
60,0	37,0	72,7	13 900	41,6	75,5	12 600	45,7	77,3	11 300	60,0
62,0	33,6	69,8	13 200	38,6	73,0	11 900	43,0	75,2	10 600	62,0
64,0	29,9	66,4	12 400	35,4	70,3	11 200	40,0	72,9	10 000	64,0
66,0	25,7	62,5	11 700	31,9	67,2	10 500	36,9	70,3	9 400	66,0
68,0	20,7	57,7	11 100	27,9	63,6	9 900	33,5	67,4	8 800	68,0
70,0	14,0	50,9	10 400	23,4	59,3	9 300	29,8	64,0	8 200	70,0
72,0				17,7	53,7	8 800	25,6	60,1	7 700	72,0
74,0							20,5	55,2	7 200	74,0
76,0							13,7	48,4	6 800	76,0




135 200 kg



360°



36,0 m



66,0 m


	86°			83°			80°			
	m	m	kg	m	kg	m	kg	kg	m	
22,9	74,8	102,0	48 000						22,9	
24,0	73,7	101,6	47 700						24,0	
26,0	71,9	101,0	47 200						26,0	
28,0	70,1	100,2	46 700						28,0	
30,0	68,2	99,4	45 200	70,0	100,0	43 500			30,0	
32,0	66,3	98,6	41 500	68,1	99,2	39 800			32,0	
34,0	64,4	97,6	38 300	66,2	98,3	36 600	68,0	98,8	34,0	
36,0	62,4	96,6	35 400	64,3	97,4	33 900	66,1	97,9	36,0	
38,0	60,4	95,5	32 800	62,3	96,3	31 400	64,2	97,0	38,0	
40,0	58,4	94,3	30 500	60,3	95,2	29 200	62,2	95,9	40,0	
42,0	56,3	92,9	28 500	58,3	94,0	27 200	60,2	94,8	42,0	
44,0	54,2	91,5	26 700	56,2	92,6	25 500	58,2	93,6	44,0	
46,0	52,0	90,0	25 000	54,1	91,2	23 800	56,1	92,3	46,0	
48,0	49,7	88,3	23 500	51,9	89,7	22 400	53,9	90,8	48,0	
50,0	47,4	86,5	22 100	49,6	88,0	21 000	51,7	89,3	50,0	
52,0	44,9	84,5	20 800	47,3	86,2	19 800	49,5	87,6	52,0	
54,0	42,4	82,4	19 600	44,8	84,2	18 700	47,1	85,7	54,0	
56,0	39,7	80,0	18 500	42,3	82,0	17 600	44,7	83,8	56,0	
58,0	36,9	77,4	17 500	39,6	79,7	16 600	42,1	81,6	58,0	
60,0	33,8	74,5	16 600	36,7	77,0	15 700	39,4	79,2	60,0	
62,0	30,5	71,2	15 700	33,6	74,1	14 900	36,5	76,6	62,0	
64,0	26,8	67,4	14 800	30,3	70,8	14 100	33,4	73,6	64,0	
66,0	22,5	62,9	14 100	26,5	67,0	13 300	30,1	70,3	66,0	
68,0	17,1	57,1	13 300	22,2	62,4	12 600	26,3	66,5	68,0	
70,0	9,0	48,0	12 600	16,8	56,6	11 900	21,9	61,8	70,0	
72,0							16,4	55,8	72,0	
74,0									74,0	
76,0									76,0	
78,0									78,0	
80,0									80,0	
82,0									82,0	

MLC300 S-1

ASME B30.5



36,0 m



66,0 m


	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
22,9										22,9
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0	61,3	94,7	22 300							44,0
46,0	59,3	93,5	20 800							46,0
48,0	57,2	92,3	19 500							48,0
50,0	55,1	90,9	18 300							50,0
52,0	53,0	89,4	17 100	56,2	90,6	15 500				52,0
54,0	50,7	87,8	16 100	54,1	89,1	14 500				54,0
56,0	48,4	86,0	15 200	51,9	87,6	13 700				56,0
58,0	46,0	84,1	14 300	49,6	85,9	12 800	52,9	87,1	11 400	58,0
60,0	43,5	82,0	13 400	47,3	84,1	12 100	50,6	85,4	10 700	60,0
62,0	40,9	79,8	12 700	44,8	82,1	11 300	48,3	83,7	10 000	62,0
64,0	38,1	77,3	12 000	42,3	80,0	10 700	45,9	81,8	9 400	64,0
66,0	35,2	74,5	11 300	39,6	77,6	10 000	43,4	79,7	8 800	66,0
68,0	32,0	71,4	10 600	36,7	75,0	9 400	40,8	77,4	8 300	68,0
70,0	28,4	67,9	10 000	33,6	72,0	8 900	38,0	74,9	7 700	70,0
72,0	24,4	63,7	9 500	30,3	68,7	8 300	35,1	72,2	7 200	72,0
74,0	19,6	58,6	8 900	26,5	64,9	7 800	31,9	69,0	6 800	74,0
76,0	13,2	51,5	8 400	22,2	60,4	7 300	28,3	65,5	6 300	76,0
78,0				16,8	54,5	6 900	24,3	61,3	5 900	78,0
80,0							19,5	56,1	5 500	80,0
82,0							12,9	48,9	5 000	82,0




135 200 kg





360°



36,0 m




72,0 m


	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
24,4	74,8	107,8	39 600							24,4
26,0	73,5	107,3	39 200							26,0
28,0	71,8	106,6	38 700							28,0
30,0	70,1	105,9	38 200							30,0
32,0	68,4	105,1	37 700	70,0	105,6	37 600				32,0
34,0	66,7	104,3	37 100	68,3	104,9	36 400				34,0
36,0	64,9	103,3	35 100	66,6	104,0	33 400				36,0
38,0	63,1	102,3	32 400	64,8	103,1	31 000	66,5	103,6	29 500	38,0
40,0	61,3	101,2	30 200	63,0	102,1	28 800	64,7	102,7	27 400	40,0
42,0	59,5	100,1	28 100	61,2	101,0	26 800	62,9	101,7	25 500	42,0
44,0	57,6	98,8	26 300	59,4	99,8	25 000	61,1	100,6	23 800	44,0
46,0	55,7	97,5	24 600	57,5	98,5	23 400	59,3	99,4	22 300	46,0
48,0	53,7	96,0	23 100	55,6	97,2	22 000	57,4	98,1	20 900	48,0
50,0	51,7	94,5	21 700	53,6	95,7	20 600	55,5	96,8	19 600	50,0
52,0	49,6	92,8	20 400	51,6	94,2	19 400	53,5	95,3	18 400	52,0
54,0	47,5	91,0	19 200	49,5	92,5	18 300	51,5	93,7	17 300	54,0
56,0	45,2	89,0	18 200	47,3	90,6	17 200	49,4	92,0	16 300	56,0
58,0	42,9	86,9	17 100	45,1	88,7	16 200	47,2	90,2	15 300	58,0
60,0	40,5	84,6	16 200	42,8	86,6	15 300	45,0	88,3	14 500	60,0
62,0	37,9	82,1	15 300	40,4	84,3	14 500	42,7	86,1	13 600	62,0
64,0	35,2	79,3	14 500	37,8	81,7	13 700	40,2	83,8	12 900	64,0
66,0	32,3	76,2	13 700	35,1	78,9	12 900	37,6	81,3	12 200	66,0
68,0	29,1	72,8	13 000	32,1	75,9	12 200	34,9	78,5	11 500	68,0
70,0	25,6	68,8	12 300	28,9	72,4	11 600	32,0	75,4	10 900	70,0
72,0	21,5	64,1	11 700	25,4	68,4	11 000	28,7	71,8	10 200	72,0
74,0	16,4	58,0	11 000	21,2	63,6	10 400	25,2	67,8	9 700	74,0
76,0	8,6	48,4	10 400	16,1	57,4	9 800	21,0	62,9	9 100	76,0
78,0							15,7	56,7	8 600	78,0
80,0										80,0
82,0										82,0
84,0										84,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
24,4										24,4
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0	62,1	100,5	20 300							46,0
48,0	60,3	99,3	19 000							48,0
50,0	58,4	98,1	17 800							50,0
52,0	56,5	96,8	16 700							52,0
54,0	54,6	95,4	15 700	57,5	96,5	14 100				54,0
56,0	52,6	93,9	14 700	55,6	95,1	13 200				56,0
58,0	50,5	92,2	13 800	53,6	93,7	12 400				58,0
60,0	48,4	90,5	13 000	51,6	92,1	11 600				60,0
62,0	46,2	88,6	12 300	49,5	90,4	10 900	52,5	91,5	9 600	62,0
64,0	43,9	86,6	11 500	47,3	88,6	10 200	50,4	89,9	8 900	64,0
66,0	41,6	84,3	10 900	45,1	86,6	9 600	48,3	88,2	8 400	66,0
68,0	39,1	81,9	10 200	42,8	84,5	9 000	46,1	86,3	7 800	68,0
70,0	36,4	79,3	9 600	40,4	82,2	8 500	43,9	84,2	7 300	70,0
72,0	33,6	76,4	9 100	37,8	79,7	7 900	41,5	82,0	6 800	72,0
74,0	30,5	73,1	8 500	35,1	76,9	7 400	39,0	79,6	6 300	74,0
76,0	27,2	69,3	8 000	32,1	73,8	7 000	36,3	76,9	5 900	76,0
78,0	23,3	65,0	7 500	28,9	70,3	6 500	33,5	74,0	5 400	78,0
80,0	18,8	59,6	7 100	25,4	66,3	6 100				80,0
82,0	12,6	52,1	6 600	21,2	61,5	5 600				82,0
84,0				16,1	55,3	5 200				84,0




135 200 kg







360°




36,0 m




78,0 m




	86°			83°			80°			
										
m	m	m	kg	m	m	kg	m	m	kg	m
25,9	74,9	113,6	32 900							25,9
26,0	74,8	113,5	32 900							26,0
28,0	73,2	112,9	32 400							28,0
30,0	71,7	112,3	31 900							30,0
32,0	70,1	111,6	31 400	71,6	112,0	31 300				32,0
34,0	68,6	110,8	31 000	70,1	111,3	30 900				34,0
36,0	67,0	109,9	30 500	68,5	110,5	30 500				36,0
38,0	65,4	109,0	30 100	66,9	109,7	30 100				38,0
40,0	63,7	108,1	29 500	65,3	108,8	28 300	66,8	109,3	26 900	40,0
42,0	62,1	107,0	27 700	63,6	107,8	26 300	65,2	108,4	25 000	42,0
44,0	60,4	105,9	25 800	62,0	106,7	24 600	63,5	107,4	23 300	44,0
46,0	58,7	104,7	24 200	60,3	105,6	23 000	61,9	106,3	21 800	46,0
48,0	56,9	103,4	22 600	58,6	104,4	21 500	60,2	105,2	20 400	48,0
50,0	55,1	102,0	21 300	56,8	103,1	20 200	58,5	104,0	19 100	50,0
52,0	53,3	100,5	20 000	55,0	101,7	18 900	56,7	102,7	17 900	52,0
54,0	51,4	98,9	18 800	53,2	100,2	17 800	54,9	101,3	16 800	54,0
56,0	49,5	97,2	17 700	51,3	98,6	16 700	53,1	99,8	15 800	56,0
58,0	47,5	95,4	16 700	49,4	96,9	15 800	51,2	98,2	14 800	58,0
60,0	45,5	93,5	15 800	47,4	95,1	14 900	49,3	96,5	14 000	60,0
62,0	43,3	91,4	14 900	45,4	93,2	14 000	47,3	94,7	13 200	62,0
64,0	41,1	89,2	14 100	43,2	91,1	13 200	45,2	92,7	12 400	64,0
66,0	38,8	86,7	13 300	41,0	88,8	12 500	43,1	90,6	11 700	66,0
68,0	36,4	84,1	12 600	38,7	86,4	11 800	40,9	88,4	11 000	68,0
70,0	33,8	81,1	11 900	36,2	83,7	11 100	38,6	85,9	10 400	70,0
72,0	31,0	77,9	11 300	33,6	80,8	10 500	36,1	83,2	9 800	72,0
74,0	27,9	74,3	10 600	30,8	77,5	9 900	33,5	80,3	9 200	74,0
76,0	24,5	70,1	10 100	27,8	73,9	9 400	30,7	77,0	8 700	76,0
78,0	20,6	65,1	9 500	24,3	69,7	8 800	27,6	73,3	8 200	78,0
80,0	15,7	58,8	9 000	20,4	64,6	8 300	24,1	69,1	7 700	80,0
82,0	8,3	48,9	8 400	15,4	58,2	7 800	20,1	64,0	7 200	82,0
84,0							15,1	57,4	6 800	84,0
86,0										86,0




36,0 m



78,0 m


	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
25,9							25,9
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0							46,0
48,0	62,8	106,2	18 500				48,0
50,0	61,1	105,1	17 300				50,0
52,0	59,4	103,9	16 200				52,0
54,0	57,7	102,7	15 100				54,0
56,0	55,9	101,3	14 200				56,0
58,0	54,1	99,9	13 300	56,8	101,0	11 800	58,0
60,0	52,2	98,4	12 500	55,0	99,6	11 100	60,0
62,0	50,3	96,7	11 700	53,2	98,2	10 300	62,0
64,0	48,4	95,0	11 000	51,3	96,6	9 700	64,0
66,0	46,4	93,1	10 400	49,4	94,9	9 100	66,0
68,0	44,3	91,1	9 700	47,4	93,1	8 500	68,0
70,0	42,1	88,9	9 100	45,4	91,1	7 900	70,0
72,0	39,8	86,5	8 600	43,2	89,0	7 400	72,0
74,0	37,5	84,0	8 100	41,0	86,8	6 900	74,0
76,0	34,9	81,2	7 600	38,7	84,3	6 400	76,0
78,0	32,2	78,1	7 100	36,2	81,6	6 000	78,0
80,0	29,3	74,7	6 600	33,6	78,7	5 600	80,0
82,0	26,1	70,7	6 200	30,8	75,4	5 100	82,0
84,0	22,4	66,2	5 800				84,0
86,0	18,0	60,5	5 400				86,0




135 200 kg



360°




36,0 m



84,0 m


	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
27,4	74,9	119,4	27 000							27,4
28,0	74,5	119,2	26 800							28,0
30,0	73,0	118,6	26 400							30,0
32,0	71,6	117,9	26 000							32,0
34,0	70,2	117,2	25 500	71,5	117,7	25 500				34,0
36,0	68,7	116,5	25 100	70,1	117,0	25 100				36,0
38,0	67,2	115,6	24 700	68,6	116,2	24 700				38,0
40,0	65,7	114,7	24 200	67,1	115,4	24 500	68,5	115,8	24 200	40,0
42,0	64,2	113,8	23 800	65,7	114,5	24 000	67,1	115,0	23 900	42,0
44,0	62,7	112,7	23 500	64,1	113,5	23 600	65,6	114,1	22 900	44,0
46,0	61,1	111,6	23 100	62,6	112,5	22 600	64,0	113,1	21 400	46,0
48,0	59,6	110,5	22 400	61,0	111,4	21 100	62,5	112,1	19 900	48,0
50,0	57,9	109,2	20 900	59,5	110,2	19 800	61,0	111,0	18 700	50,0
52,0	56,3	107,9	19 600	57,9	109,0	18 500	59,4	109,8	17 500	52,0
54,0	54,6	106,5	18 400	56,2	107,6	17 400	57,8	108,6	16 400	54,0
56,0	52,9	105,0	17 400	54,6	106,2	16 400	56,1	107,2	15 400	56,0
58,0	51,2	103,4	16 300	52,8	104,7	15 400	54,5	105,8	14 500	58,0
60,0	49,4	101,7	15 400	51,1	103,1	14 500	52,7	104,3	13 600	60,0
62,0	47,6	99,9	14 500	49,3	101,4	13 700	51,0	102,7	12 800	62,0
64,0	45,7	98,0	13 700	47,5	99,6	12 900	49,2	101,0	12 000	64,0
66,0	43,7	95,9	13 000	45,6	97,7	12 100	47,4	99,2	11 300	66,0
68,0	41,7	93,7	12 200	43,6	95,6	11 400	45,5	97,2	10 600	68,0
70,0	39,6	91,3	11 600	41,6	93,4	10 800	43,5	95,2	10 000	70,0
72,0	37,3	88,8	10 900	39,4	91,0	10 200	41,4	92,9	9 400	72,0
74,0	35,0	86,0	10 300	37,2	88,4	9 600	39,3	90,5	8 900	74,0
76,0	32,5	82,9	9 700	34,9	85,6	9 000	37,1	87,9	8 300	76,0
78,0	29,8	79,5	9 200	32,4	82,5	8 500	34,7	85,1	7 800	78,0
80,0	26,9	75,7	8 700	29,7	79,1	8 000	32,2	82,0	7 400	80,0
82,0	23,6	71,4	8 200	26,7	75,3	7 500	29,5	78,6	6 900	82,0
84,0	19,8	66,2	7 700	23,4	70,9	7 100	26,5	74,7	6 500	84,0
86,0	15,1	59,6	7 200	19,6	65,7	6 600	23,2	70,3	6 000	86,0
88,0	8,0	49,3	6 800	14,9	59,0	6 200	19,4	65,0	5 600	88,0
90,0							14,5	58,2	5 200	90,0






135 200 kg





36,0 m



84,0 m


	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
27,4							27,4
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0							46,0
48,0							48,0
50,0							50,0
52,0	61,8	110,9	15 700				52,0
54,0	60,2	109,7	14 700				54,0
56,0	58,6	108,5	13 800				56,0
58,0	57,0	107,2	12 900				58,0
60,0	55,4	105,9	12 100	57,9	106,9	10 600	60,0
62,0	53,7	104,4	11 300	56,2	105,6	9 900	62,0
64,0	52,0	102,9	10 600	54,5	104,2	9 300	64,0
66,0	50,2	101,2	10 000	52,8	102,7	8 600	66,0
68,0	48,4	99,5	9 300	51,1	101,1	8 100	68,0
70,0	46,5	97,6	8 800	49,3	99,4	7 500	70,0
72,0	44,6	95,6	8 200	47,5	97,5	7 000	72,0
74,0	42,6	93,4	7 700	45,6	95,6	6 500	74,0
76,0	40,5	91,1	7 200	43,6	93,5	5 900	76,0
78,0	38,3	88,6	6 700	41,6	91,3	5 400	78,0
80,0	36,0	85,9	6 300				80,0
82,0	33,6	83,0	5 800				82,0
84,0	31,0	79,8	5 400				84,0
86,0							86,0
88,0							88,0
90,0							90,0




135 200 kg



360°






36,0 m



90,0 m

	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
29,0	74,9	125,2	22 500							29,0
30,0	74,2	124,9	22 300							30,0
32,0	72,9	124,3	21 900							32,0
34,0	71,5	123,6	21 500							34,0
36,0	70,2	122,9	21 100							36,0
38,0	68,8	122,1	20 600	70,1	122,6	20 800				38,0
40,0	67,4	121,3	20 300	68,8	121,9	20 400				40,0
42,0	66,1	120,4	19 900	67,4	121,0	20 000				42,0
44,0	64,7	119,5	19 500	66,0	120,2	19 700	67,3	120,7	19 600	44,0
46,0	63,2	118,5	19 200	64,6	119,2	19 400	65,9	119,8	19 300	46,0
48,0	61,8	117,4	18 900	63,2	118,2	19 000	64,5	118,8	19 000	48,0
50,0	60,3	116,3	18 500	61,7	117,1	18 700	63,1	117,8	18 200	50,0
52,0	58,8	115,1	18 200	60,2	116,0	18 100	61,6	116,8	17 000	52,0
54,0	57,3	113,8	17 800	58,8	114,8	16 900	60,2	115,6	15 900	54,0
56,0	55,8	112,5	16 900	57,2	113,5	15 900	58,7	114,4	14 900	56,0
58,0	54,2	111,0	15 900	55,7	112,2	14 900	57,2	113,1	14 000	58,0
60,0	52,6	109,5	15 000	54,1	110,7	14 000	55,6	111,8	13 100	60,0
62,0	51,0	107,9	14 100	52,5	109,2	13 200	54,1	110,3	12 300	62,0
64,0	49,3	106,2	13 300	50,9	107,6	12 400	52,5	108,8	11 500	64,0
66,0	47,6	104,4	12 500	49,2	105,9	11 700	50,8	107,2	10 800	66,0
68,0	45,8	102,5	11 800	47,5	104,1	11 000	49,1	105,5	10 200	68,0
70,0	44,0	100,4	11 100	45,8	102,2	10 300	47,4	103,7	9 500	70,0
72,0	42,1	98,3	10 500	43,9	100,1	9 700	45,7	101,7	8 900	72,0
74,0	40,2	95,9	9 900	42,0	97,9	9 100	43,8	99,7	8 400	74,0
76,0	38,2	93,4	9 300	40,1	95,6	8 600	41,9	97,5	7 900	76,0
78,0	36,0	90,7	8 800	38,0	93,1	8 100	40,0	95,1	7 400	78,0
80,0	33,8	87,8	8 200	35,9	90,4	7 600	37,9	92,6	6 900	80,0
82,0	31,4	84,6	7 800	33,6	87,4	7 100	35,8	89,9	6 400	82,0
84,0	28,8	81,1	7 300	31,2	84,2	6 600	33,5	86,9	6 000	84,0
86,0	25,9	77,1	6 800	28,6	80,7	6 200	31,1	83,7	5 600	86,0
88,0	22,8	72,6	6 400	25,8	76,7	5 800	28,5	80,1	5 200	88,0
90,0	19,1	67,2	6 000	22,6	72,1	5 400				90,0
92,0	14,6	60,4	5 600							92,0
94,0	7,7	49,7	5 200							94,0




	75°		
29,0			
30,0			
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0	63,9	117,6	15 200
54,0	62,4	116,6	14 200
56,0	61,0	115,5	13 200
58,0	59,5	114,3	12 400
60,0	58,0	113,1	11 600
62,0	56,5	111,8	10 800
64,0	54,9	110,4	10 100
66,0	53,3	108,9	9 400
68,0	51,7	107,3	8 800
70,0	50,1	105,7	8 200
72,0	48,4	103,9	7 700
74,0	46,6	102,1	7 200
76,0	44,8	100,1	6 700
78,0	43,0	98,0	6 200
80,0	41,1	95,7	5 700
82,0	39,1	93,3	5 200
84,0			
86,0			
88,0			
90,0			
92,0			
94,0			




135 200 kg



360°






36,0 m






96,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
30,5	74,9	131,0	18 700							30,5
32,0	74,0	130,5	18 400							32,0
34,0	72,7	129,9	18 000							34,0
36,0	71,5	129,3	17 600							36,0
38,0	70,2	128,6	17 500							38,0
40,0	68,9	127,8	16 900	70,1	128,3	17 000				40,0
42,0	67,6	127,0	16 500	68,9	127,5	16 700				42,0
44,0	66,3	126,1	16 200	67,6	126,7	16 400				44,0
46,0	65,0	125,2	15 900	66,3	125,8	16 000	67,5	126,3	16 100	46,0
48,0	63,7	124,2	15 500	65,0	124,9	15 700	66,2	125,5	15 800	48,0
50,0	62,4	123,2	15 200	63,6	123,9	15 400	64,9	124,5	15 500	50,0
52,0	61,0	122,0	14 900	62,3	122,9	15 100	63,6	123,5	15 200	52,0
54,0	59,6	120,9	14 700	60,9	121,8	14 800	62,2	122,5	14 900	54,0
56,0	58,2	119,7	14 400	59,5	120,6	14 600	60,8	121,4	14 400	56,0
58,0	56,8	118,4	14 100	58,1	119,4	14 300	59,5	120,2	13 500	58,0
60,0	55,3	117,0	13 900	56,7	118,1	13 600	58,1	119,0	12 600	60,0
62,0	53,9	115,5	13 600	55,3	116,7	12 800	56,6	117,7	11 800	62,0
64,0	52,4	114,0	12 900	53,8	115,2	12 000	55,2	116,3	11 100	64,0
66,0	50,8	112,4	12 100	52,3	113,7	11 200	53,7	114,8	10 400	66,0
68,0	49,3	110,7	11 400	50,7	112,1	10 500	52,2	113,3	9 700	68,0
70,0	47,7	108,9	10 700	49,2	110,4	9 900	50,7	111,7	9 100	70,0
72,0	46,0	107,0	10 100	47,6	108,6	9 300	49,1	110,0	8 500	72,0
74,0	44,3	104,9	9 500	45,9	106,7	8 700	47,5	108,1	8 000	74,0
76,0	42,5	102,8	8 900	44,2	104,6	8 200	45,8	106,2	7 400	76,0
78,0	40,7	100,5	8 400	42,5	102,5	7 600	44,1	104,2	6 900	78,0
80,0	38,9	98,1	7 900	40,6	100,2	7 200	42,4	102,0	6 500	80,0
82,0	36,9	95,4	7 400	38,8	97,7	6 700	40,5	99,7	6 000	82,0
84,0	34,8	92,6	6 900	36,8	95,1	6 200	38,6	97,2	5 500	84,0
86,0	32,6	89,6	6 500	34,7	92,2	5 800				86,0
88,0	30,3	86,2	6 000	32,5	89,2	5 400				88,0
90,0	27,8	82,6	5 600							90,0
92,0	25,1	78,4	5 200							92,0




	75°		
	m	m	kg
30,5			
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0			
54,0			
56,0	62,9	122,3	12 800
58,0	61,6	121,3	11 900
60,0	60,2	120,1	11 100
62,0	58,8	118,9	10 300
64,0	57,4	117,7	9 600
66,0	56,0	116,3	9 000
68,0	54,5	114,9	8 400
70,0	53,0	113,4	7 800
72,0	51,5	111,8	7 200
74,0	49,9	110,2	6 600
76,0	48,4	108,4	6 100
78,0	46,7	106,5	5 500
80,0			
82,0			
84,0			
86,0			
88,0			
90,0			
92,0			









	86°			83°			80°			
	m	m	kg	m	m	kg	m	kg	m	m
12,2	74,9	67,4	141 000 d							12,2
14,0	70,3	66,8	116 600 c							14,0
16,0	65,1	65,9	97 900 b							16,0
18,0	59,6	64,7	84 400	65,6	65,7	84 100 b				18,0
20,0	53,7	63,3	74 100	60,2	64,6	73 700	66,1	65,5	73 300 b	20,0
22,0	47,3	61,5	66 100	54,3	63,2	65 700	60,7	64,4	65 300 b	22,0
24,0	40,1	59,3	59 600	48,0	61,5	59 200	54,9	63,0	58 600	24,0
26,0	31,5	56,3	54 300	40,9	59,3	54 000	48,7	61,3	52 800	26,0
28,0	19,5	51,7	49 800	32,5	56,4	49 500	41,7	59,2	47 900	28,0
30,0				21,1	52,1	45 500	33,4	56,4	43 800	30,0
32,0							22,5	52,3	40 100	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0

MLC300 S-1




ASME B30.5






	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,6	63,3	49 200							26,0
28,0	53,7	61,9	44 700							28,0
30,0	47,3	60,1	40 800							30,0
32,0	40,2	57,8	37 500	52,2	60,3	34 800				32,0
34,0	31,6	54,9	34 600	45,7	58,4	32 100				34,0
36,0	19,6	50,3	31 900	38,3	56,0	29 700	50,4	58,3	27 400	36,0
38,0				29,1	52,8	27 500	43,6	56,3	25 400	38,0
40,0							35,8	53,7	23 600	40,0
42,0							25,8	50,1	22 000	42,0



	86°			83°			80°			
	m	m	kg	m	m	kg	m	kg	m	m
13,7	75,0	73,2	119 200 c						13,7	
14,0	74,4	73,1	116 500 c						14,0	
16,0	70,4	72,4	98 500 b						16,0	
18,0	66,2	71,6	84 800						18,0	
20,0	61,9	70,5	74 500	66,6	71,4	74 000			20,0	
22,0	57,4	69,3	66 400	62,3	70,4	66 000	67,0	71,2	65 200 b	22,0
24,0	52,6	67,8	59 900	57,9	69,2	59 500	62,8	70,2	58 100	24,0
26,0	47,5	66,0	54 500	53,1	67,7	54 200	58,3	69,0	52 400	26,0
28,0	41,9	63,9	50 000	48,1	66,0	49 700	53,6	67,5	47 600	28,0
30,0	35,6	61,2	46 200	42,5	63,9	45 400	48,6	65,8	43 500	30,0
32,0	28,0	57,8	43 000	36,3	61,3	41 700	43,1	63,7	40 000	32,0
34,0	17,3	52,6	40 000	28,9	58,0	38 500	36,9	61,2	36 900	34,0
36,0				18,7	53,0	35 600	29,7	58,0	34 200	36,0
38,0							19,9	53,3	31 700	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0






	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	61,9	69,1	44 200							28,0
30,0	57,4	67,8	40 400							30,0
32,0	52,6	66,3	37 100							32,0
34,0	47,5	64,6	34 200	56,3	66,3	31 600				34,0
36,0	41,9	62,4	31 700	51,4	64,8	29 200				36,0
38,0	35,6	59,8	29 400	46,2	62,9	27 100				38,0
40,0	28,0	56,3	27 400	40,5	60,7	25 300	49,9	62,8	23 100	40,0
42,0	17,3	51,1	25 500	33,9	57,9	23 600	44,6	60,8	21 600	42,0
44,0				25,8	54,2	22 000	38,6	58,4	20 200	44,0
46,0							31,7	55,4	18 800	46,0
48,0							22,9	51,3	17 600	48,0









	86°			83°			80°			
	m	m	kg	m	m	kg	m	kg	m	m
16,8	72,5	78,6	93 100 b							16,8
18,0	70,4	78,1	85 200							18,0
20,0	66,9	77,3	74 700	70,7	77,9	74 300				20,0
22,0	63,4	76,3	66 600	67,3	77,1	66 200				22,0
24,0	59,7	75,1	60 100	63,8	76,2	59 700				24,0
26,0	55,9	73,8	54 700	60,1	75,0	54 400	64,1	75,9	52 100	26,0
28,0	51,9	72,3	50 200	56,3	73,7	49 400	60,5	74,8	47 300	28,0
30,0	47,6	70,5	46 400	52,3	72,2	45 200	56,7	73,5	43 200	30,0
32,0	43,0	68,4	43 100	48,1	70,5	41 500	52,7	72,0	39 700	32,0
34,0	38,0	66,0	40 100	43,5	68,4	38 400	48,5	70,3	36 700	34,0
36,0	32,3	63,0	37 100	38,6	66,0	35 600	44,0	68,3	34 000	36,0
38,0	25,4	59,1	34 500	32,9	63,1	33 100	39,1	65,9	31 600	38,0
40,0				26,2	59,4	30 800	33,5	63,0	29 500	40,0
42,0				16,9	53,9	28 800	26,9	59,4	27 500	42,0
44,0							18,1	54,2	25 800	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0



MLC300 S-1

ASME B30.5





	75°			70°			65°			
										
	m	m	kg	m	kg	m	kg	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	59,7	73,7	36 700							32,0
34,0	55,9	72,4	33 900							34,0
36,0	51,9	70,8	31 400							36,0
38,0	47,6	69,1	29 200	55,0	70,8	26 800				38,0
40,0	43,1	67,0	27 200	50,9	69,3	24 900				40,0
42,0	38,0	64,5	25 400	46,6	67,4	23 300				42,0
44,0	32,3	61,5	23 800	41,9	65,3	21 800	49,6	67,3	19 800	44,0
46,0	25,4	57,7	22 300	36,7	62,7	20 400	45,2	65,3	18 500	46,0
48,0	15,7	51,9	20 900	30,8	59,5	19 200	40,4	63,1	17 400	48,0
50,0				23,4	55,4	18 000	35,0	60,4	16 300	50,0
52,0							28,8	57,0	15 300	52,0
54,0							20,7	52,3	14 400	54,0




	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
18,3	72,9	84,4	83 800							18,3
20,0	70,4	83,8	75 100							20,0
22,0	67,5	83,0	66 900	70,7	83,6	66 600				22,0
24,0	64,4	82,0	60 300	67,8	82,8	59 800				24,0
26,0	61,3	80,9	54 900	64,8	81,9	53 900	68,1	82,5	51 600	26,0
28,0	58,2	79,7	50 400	61,7	80,8	49 000	65,1	81,6	46 800	28,0
30,0	54,8	78,3	46 600	58,5	79,6	44 700	62,0	80,6	42 700	30,0
32,0	51,4	76,8	43 000	55,2	78,2	41 100	58,8	79,4	39 300	32,0
34,0	47,7	75,0	39 700	51,7	76,7	38 000	55,5	78,0	36 200	34,0
36,0	43,8	73,0	36 800	48,1	74,9	35 200	52,1	76,5	33 600	36,0
38,0	39,6	70,6	34 300	44,3	72,9	32 700	48,5	74,8	31 200	38,0
40,0	35,0	67,9	32 000	40,1	70,6	30 500	44,6	72,8	29 100	40,0
42,0	29,7	64,6	29 900	35,5	67,9	28 600	40,5	70,5	27 200	42,0
44,0	23,4	60,4	28 000	30,3	64,7	26 800	36,0	67,9	25 500	44,0
46,0				24,1	60,6	25 100	30,9	64,7	23 900	46,0
48,0				15,6	54,7	23 600	24,8	60,7	22 500	48,0
50,0							16,6	55,1	21 100	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	61,4	79,5	33 400							34,0
36,0	58,2	78,3	30 900							36,0
38,0	54,8	76,9	28 700							38,0
40,0	51,4	75,3	26 700	57,4	76,8	24 400				40,0
42,0	47,7	73,5	24 900	54,0	75,3	22 700				42,0
44,0	43,8	71,5	23 400	50,5	73,7	21 200				44,0
46,0	39,7	69,2	21 900	46,8	71,9	19 900	53,0	73,4	18 000	46,0
48,0	35,0	66,4	20 600	42,9	69,8	18 700	49,4	71,7	16 800	48,0
50,0	29,8	63,1	19 300	38,6	67,4	17 500	45,7	69,8	15 800	50,0
52,0	23,4	58,9	18 200	33,8	64,5	16 500	41,6	67,7	14 800	52,0
54,0	14,5	52,7	17 100	28,4	61,1	15 500	37,2	65,1	13 900	54,0
56,0				21,6	56,5	14 600	32,3	62,1	13 100	56,0
58,0							26,5	58,4	12 300	58,0
60,0							19,1	53,3	11 600	60,0




135 200 kg








360°



42,0 m




48,0 m


	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
19,8	73,2	90,2	71 400							19,8
20,0	73,0	90,1	71 100							20,0
22,0	70,4	89,4	66 800							22,0
24,0	67,9	88,6	60 700							24,0
26,0	65,2	87,7	55 200	68,1	88,5	53 400				26,0
28,0	62,5	86,7	50 600	65,5	87,6	48 400				28,0
30,0	59,8	85,5	46 300	62,8	86,6	44 200	65,8	87,3	42 200	30,0
32,0	57,0	84,3	42 500	60,1	85,4	40 600	63,1	86,3	38 700	32,0
34,0	54,0	82,8	39 200	57,3	84,2	37 400	60,4	85,2	35 600	34,0
36,0	51,0	81,2	36 300	54,3	82,7	34 700	57,5	83,9	33 000	36,0
38,0	47,8	79,5	33 800	51,3	81,2	32 200	54,6	82,5	30 600	38,0
40,0	44,4	77,5	31 500	48,1	79,4	30 000	51,6	81,0	28 500	40,0
42,0	40,8	75,2	29 500	44,8	77,4	28 100	48,4	79,2	26 700	42,0
44,0	36,9	72,6	27 600	41,2	75,2	26 300	45,1	77,3	25 000	44,0
46,0	32,6	69,6	25 900	37,3	72,7	24 700	41,6	75,1	23 400	46,0
48,0	27,7	66,1	24 400	33,1	69,7	23 200	37,7	72,6	22 000	48,0
50,0	21,8	61,5	23 000	28,3	66,2	21 800	33,5	69,7	20 700	50,0
52,0				22,5	61,8	20 600	28,8	66,2	19 500	52,0
54,0				14,5	55,5	19 400	23,1	61,9	18 400	54,0
56,0							15,5	55,9	17 300	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0
66,0										66,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
										
	m	m	m	kg	m	m	kg	m	kg	m
19,8										19,8
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0	62,6	85,2		30 300						38,0
40,0	59,8	84,1		28 000						40,0
42,0	57,0	82,8		26 100						42,0
44,0	54,0	81,4		24 300						44,0
46,0	51,0	79,8		22 800	56,3	81,3	20 600			46,0
48,0	47,8	78,0		21 300	53,3	79,8	19 300			48,0
50,0	44,4	76,0		20 000	50,2	78,2	18 100			50,0
52,0	40,8	73,8		18 800	47,0	76,4	16 900			52,0
54,0	36,9	71,2		17 700	43,6	74,3	15 900	49,3	76,2	54,0
56,0	32,6	68,2		16 700	39,9	72,0	15 000	46,0	74,3	56,0
58,0	27,7	64,6		15 700	35,9	69,3	14 100	42,5	72,2	58,0
60,0	21,8	60,1		14 800	31,5	66,2	13 300	38,8	69,8	60,0
62,0	13,5	53,4		13 900	26,4	62,5	12 500	34,7	67,0	62,0
64,0					20,1	57,6	11 800	30,1	63,7	64,0
66,0					10,4	49,7	11 000	24,7	59,7	66,0
								17,8	54,3	66,0




135 200 kg







360°



42,0 m




54,0 m




	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
21,3	73,4	96,0	64 000							21,3
22,0	72,7	95,8	63 000							22,0
24,0	70,4	95,1	60 100							24,0
26,0	68,2	94,3	55 400	70,7	94,9	52 900				26,0
28,0	65,8	93,4	50 200	68,4	94,1	47 900				28,0
30,0	63,5	92,4	45 800	66,1	93,3	43 700				30,0
32,0	61,1	91,3	42 100	63,7	92,3	40 100	66,3	93,0	38 100	32,0
34,0	58,6	90,1	38 800	61,3	91,2	37 000	64,0	92,0	35 100	34,0
36,0	56,0	88,8	35 900	58,8	90,0	34 200	61,5	91,0	32 500	36,0
38,0	53,4	87,3	33 400	56,3	88,7	31 800	59,1	89,8	30 100	38,0
40,0	50,7	85,7	31 100	53,7	87,3	29 600	56,5	88,5	28 100	40,0
42,0	47,8	83,9	29 100	51,0	85,7	27 600	53,9	87,0	26 200	42,0
44,0	44,9	82,0	27 200	48,1	83,9	25 900	51,2	85,5	24 500	44,0
46,0	41,7	79,8	25 600	45,2	81,9	24 300	48,4	83,7	23 000	46,0
48,0	38,3	77,3	24 000	42,0	79,8	22 800	45,5	81,8	21 600	48,0
50,0	34,7	74,5	22 600	38,7	77,3	21 500	42,4	79,6	20 300	50,0
52,0	30,7	71,3	21 300	35,1	74,6	20 200	39,0	77,2	19 100	52,0
54,0	26,1	67,5	20 100	31,1	71,4	19 100	35,5	74,5	18 000	54,0
56,0	20,5	62,6	19 000	26,6	67,6	18 000	31,5	71,4	17 000	56,0
58,0				21,1	62,9	17 000	27,1	67,7	16 000	58,0
60,0				13,7	56,2	16 000	21,7	63,1	15 100	60,0
62,0							14,6	56,6	14 300	62,0
64,0										64,0
66,0										66,0
68,0										68,0
70,0										70,0
72,0										72,0




MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
21,3										21,3
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0	61,1	89,9	25 500							40,0
42,0	58,6	88,7	23 800							42,0
44,0	56,0	87,3	22 200							44,0
46,0	53,4	85,9	20 800	58,0	87,2	18 700				46,0
48,0	50,7	84,3	19 500	55,4	85,8	17 500				48,0
50,0	47,8	82,5	18 300	52,8	84,3	16 400				50,0
52,0	44,9	80,5	17 200	50,0	82,7	15 400				52,0
54,0	41,7	78,3	16 200	47,1	80,9	14 400	51,9	82,4	12 700	54,0
56,0	38,4	75,9	15 300	44,1	78,8	13 600	49,2	80,7	11 900	56,0
58,0	34,7	73,1	14 400	40,9	76,6	12 800	46,3	78,8	11 200	58,0
60,0	30,7	69,9	13 600	37,5	74,1	12 000	43,2	76,7	10 500	60,0
62,0	26,1	66,0	12 800	33,8	71,2	11 300	39,9	74,4	9 800	62,0
64,0	20,5	61,2	12 100	29,6	67,8	10 600	36,4	71,8	9 200	64,0
66,0	12,7	54,0	11 300	24,9	63,8	10 000	32,6	68,8	8 700	66,0
68,0				18,9	58,6	9 400	28,3	65,2	8 100	68,0
70,0				9,8	50,2	8 800	23,2	60,9	7 600	70,0
72,0							16,7	55,1	7 100	72,0




	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
22,9	73,6	101,8	54 000							22,9
24,0	72,5	101,5	53 800							24,0
26,0	70,4	100,8	53 400							26,0
28,0	68,4	100,0	50 100	70,7	100,6	47 600				28,0
30,0	66,3	99,1	45 500	68,6	99,8	43 400				30,0
32,0	64,2	98,1	41 800	66,5	99,0	39 800	68,8	99,5	37 700	32,0
34,0	62,0	97,1	38 500	64,4	98,0	36 600	66,7	98,7	34 700	34,0
36,0	59,8	95,9	35 600	62,3	97,0	33 900	64,6	97,7	32 100	36,0
38,0	57,6	94,7	33 100	60,1	95,8	31 400	62,5	96,7	29 800	38,0
40,0	55,3	93,3	30 800	57,8	94,6	29 200	60,3	95,6	27 700	40,0
42,0	52,9	91,8	28 800	55,5	93,2	27 300	58,0	94,4	25 800	42,0
44,0	50,4	90,2	26 900	53,1	91,8	25 500	55,7	93,0	24 100	44,0
46,0	47,9	88,4	25 300	50,7	90,1	23 900	53,4	91,5	22 600	46,0
48,0	45,2	86,5	23 800	48,1	88,4	22 500	50,9	89,9	21 200	48,0
50,0	42,4	84,3	22 400	45,5	86,4	21 200	48,4	88,2	19 900	50,0
52,0	39,4	82,0	21 100	42,7	84,3	19 900	45,8	86,3	18 800	52,0
54,0	36,3	79,3	19 900	39,8	82,0	18 800	43,0	84,2	17 700	54,0
56,0	32,8	76,3	18 800	36,6	79,3	17 700	40,1	81,8	16 700	56,0
58,0	29,0	72,9	17 800	33,2	76,4	16 800	36,9	79,3	15 700	58,0
60,0	24,7	68,8	16 800	29,4	73,0	15 900	33,6	76,3	14 900	60,0
62,0	19,4	63,6	15 900	25,2	69,0	15 000	29,8	73,0	14 100	62,0
64,0	11,9	56,1	15 100	20,0	64,0	14 200	25,6	69,0	13 300	64,0
66,0				12,9	56,8	13 400	20,6	64,2	12 600	66,0
68,0							13,8	57,4	11 800	68,0
70,0										70,0
72,0										72,0
74,0										74,0
76,0										76,0
78,0										78,0

MLC300 S-1

ASME B30.5




42,0 m



60,0 m

	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
22,9										22,9
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0	62,1	95,6	23 400							42,0
44,0	59,9	94,5	21 800							44,0
46,0	57,6	93,2	20 400							46,0
48,0	55,3	91,9	19 100							48,0
50,0	52,9	90,4	17 900	57,0	91,8	16 000				50,0
52,0	50,4	88,8	16 800	54,7	90,4	15 000				52,0
54,0	47,9	87,0	15 800	52,3	88,8	14 000				54,0
56,0	45,2	85,0	14 900	49,8	87,2	13 200				56,0
58,0	42,4	82,9	14 100	47,3	85,3	12 400	51,6	86,9	10 800	58,0
60,0	39,5	80,5	13 200	44,6	83,4	11 600	49,1	85,2	10 100	60,0
62,0	36,3	77,9	12 500	41,7	81,2	10 900	46,5	83,3	9 400	62,0
64,0	32,8	74,9	11 800	38,7	78,7	10 300	43,7	81,3	8 800	64,0
66,0	29,0	71,4	11 100	35,5	76,0	9 700	40,8	79,0	8 300	66,0
68,0	24,7	67,3	10 500	32,0	72,9	9 100	37,8	76,5	7 700	68,0
70,0	19,4	62,2	9 900	28,1	69,3	8 600	34,5	73,6	7 200	70,0
72,0				23,5	65,0	8 000	30,8	70,4	6 800	72,0
74,0				17,9	59,5	7 500	26,8	66,7	6 300	74,0
76,0				9,3	50,7	7 000	22,0	62,1	5 900	76,0
78,0							15,8	56,0	5 400	78,0




135 200 kg





360°





42,0 m




66,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
24,4	73,8	107,6	44 900							24,4
26,0	72,3	107,1	44 600							26,0
28,0	70,4	106,4	44 200							28,0
30,0	68,6	105,6	43 800	70,6	106,2	42 400				30,0
32,0	66,7	104,8	41 300	68,8	105,4	39 300				32,0
34,0	64,8	103,8	38 000	66,9	104,6	36 100				34,0
36,0	62,8	102,8	35 200	65,0	103,7	33 400	67,1	104,3	31 600	36,0
38,0	60,9	101,7	32 600	63,0	102,7	30 900	65,2	103,4	29 200	38,0
40,0	58,8	100,5	30 400	61,1	101,6	28 800	63,2	102,4	27 200	40,0
42,0	56,8	99,2	28 300	59,0	100,4	26 800	61,3	101,3	25 300	42,0
44,0	54,6	97,8	26 500	57,0	99,1	25 100	59,2	100,1	23 600	44,0
46,0	52,5	96,3	24 800	54,9	97,7	23 500	57,2	98,9	22 100	46,0
48,0	50,2	94,6	23 300	52,7	96,2	22 000	55,1	97,5	20 700	48,0
50,0	47,9	92,9	21 900	50,4	94,6	20 700	52,9	96,0	19 400	50,0
52,0	45,5	90,9	20 700	48,1	92,8	19 500	50,7	94,4	18 300	52,0
54,0	42,9	88,8	19 500	45,7	90,9	18 300	48,4	92,6	17 200	54,0
56,0	40,3	86,5	18 400	43,2	88,8	17 300	46,0	90,7	16 200	56,0
58,0	37,5	84,0	17 400	40,6	86,5	16 300	43,5	88,6	15 300	58,0
60,0	34,5	81,1	16 500	37,8	84,0	15 400	40,8	86,4	14 400	60,0
62,0	31,2	77,9	15 600	34,8	81,2	14 600	38,1	83,9	13 600	62,0
64,0	27,6	74,3	14 700	31,6	78,0	13 800	35,1	81,1	12 900	64,0
66,0	23,4	69,9	14 000	28,0	74,4	13 100	31,9	78,0	12 100	66,0
68,0	18,4	64,5	13 200	23,9	70,2	12 300	28,3	74,4	11 500	68,0
70,0	11,2	56,5	12 500	19,0	64,9	11 700	24,3	70,3	10 800	70,0
72,0				12,2	57,3	11 000	19,5	65,1	10 200	72,0
74,0							13,0	57,9	9 600	74,0
76,0										76,0
78,0										78,0
80,0										80,0
82,0										82,0



	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
24,4										24,4
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0	60,9	100,2	19 800							46,0
48,0	58,8	99,0	18 600							48,0
50,0	56,8	97,8	17 400							50,0
52,0	54,6	96,4	16 300	58,3	97,6	14 400				52,0
54,0	52,5	94,8	15 300	56,3	96,3	13 500				54,0
56,0	50,2	93,2	14 400	54,1	94,8	12 600				56,0
58,0	47,9	91,4	13 500	51,9	93,3	11 800				58,0
60,0	45,5	89,5	12 700	49,7	91,6	11 100				60,0
62,0	43,0	87,4	12 000	47,3	89,8	10 400	51,3	91,3	8 800	62,0
64,0	40,3	85,1	11 300	44,9	87,8	9 800	49,0	89,6	8 300	64,0
66,0	37,5	82,5	10 600	42,3	85,7	9 200	46,6	87,7	7 700	66,0
68,0	34,5	79,7	10 000	39,6	83,3	8 600	44,1	85,7	7 200	68,0
70,0	31,2	76,5	9 400	36,8	80,7	8 000	41,5	83,5	6 700	70,0
72,0	27,6	72,8	8 900	33,7	77,8	7 500	38,8	81,1	6 200	72,0
74,0	23,4	68,5	8 300	30,4	74,5	7 100	35,9	78,4	5 600	74,0
76,0	18,4	63,0	7 800	26,6	70,7	6 600	32,7	75,4	5 200	76,0
78,0				22,3	66,1	6 100				78,0
80,0				17,0	60,3	5 700				80,0
82,0				8,6	50,9	5 300				82,0




135 200 kg





360°




42,0 m



72,0 m

	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
25,9	73,9	113,4	37 300							25,9
26,0	73,8	113,4	37 200							26,0
28,0	72,1	112,8	36 900							28,0
30,0	70,5	112,0	36 500							30,0
32,0	68,8	111,3	36 100	70,6	111,9	35 800				32,0
34,0	67,0	110,4	35 600	68,9	111,1	35 300				34,0
36,0	65,3	109,5	34 700	67,2	110,3	33 000				36,0
38,0	63,5	108,5	32 200	65,5	109,4	30 500	67,4	110,0	28 800	38,0
40,0	61,7	107,5	30 000	63,7	108,4	28 300	65,6	109,1	26 700	40,0
42,0	59,9	106,3	27 900	61,9	107,3	26 400	63,9	108,1	24 900	42,0
44,0	58,0	105,1	26 100	60,1	106,2	24 600	62,1	107,1	23 200	44,0
46,0	56,1	103,7	24 400	58,2	105,0	23 100	60,2	106,0	21 700	46,0
48,0	54,1	102,3	22 900	56,3	103,6	21 600	58,4	104,7	20 300	48,0
50,0	52,1	100,8	21 600	54,3	102,2	20 300	56,5	103,4	19 000	50,0
52,0	50,0	99,1	20 300	52,3	100,7	19 100	54,5	102,0	17 900	52,0
54,0	47,9	97,3	19 100	50,3	99,1	17 900	52,5	100,5	16 800	54,0
56,0	45,7	95,4	18 000	48,1	97,3	16 900	50,5	98,9	15 800	56,0
58,0	43,4	93,3	17 000	45,9	95,4	15 900	48,3	97,1	14 900	58,0
60,0	41,0	91,1	16 100	43,7	93,3	15 000	46,2	95,2	14 000	60,0
62,0	38,5	88,6	15 200	41,3	91,1	14 200	43,9	93,2	13 200	62,0
64,0	35,8	85,9	14 400	38,8	88,6	13 400	41,5	90,9	12 500	64,0
66,0	32,9	82,9	13 600	36,1	86,0	12 700	39,0	88,5	11 800	66,0
68,0	29,8	79,5	12 900	33,2	83,0	12 000	36,4	85,9	11 100	68,0
70,0	26,4	75,7	12 200	30,2	79,7	11 300	33,5	82,9	10 500	70,0
72,0	22,4	71,1	11 600	26,7	75,9	10 700	30,5	79,6	9 900	72,0
74,0	17,6	65,4	10 900	22,8	71,4	10 100	27,1	75,9	9 300	74,0
76,0	10,7	57,1	10 300	18,1	65,8	9 600	23,2	71,5	8 800	76,0
78,0				11,7	57,9	9 000	18,6	66,1	8 300	78,0
80,0							12,4	58,5	7 800	80,0
82,0										82,0




135 200 kg






360°




42,0 m



72,0 m

	75°			70°			
 m		 m	 kg		 m	 kg	 m
25,9							25,9
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0	63,5	107,1	19 400				46,0
48,0	61,7	106,0	18 100				48,0
50,0	59,9	104,9	16 900				50,0
52,0	58,0	103,6	15 800				52,0
54,0	56,1	102,3	14 900				54,0
56,0	54,1	100,9	13 900	57,5	102,1	12 100	56,0
58,0	52,1	99,3	13 100	55,6	100,8	11 300	58,0
60,0	50,1	97,7	12 300	53,6	99,3	10 600	60,0
62,0	47,9	95,9	11 600	51,6	97,8	9 900	62,0
64,0	45,7	94,0	10 900	49,5	96,1	9 300	64,0
66,0	43,4	91,9	10 200	47,4	94,3	8 700	66,0
68,0	41,0	89,6	9 600	45,2	92,3	8 100	68,0
70,0	38,5	87,2	9 000	42,8	90,2	7 600	70,0
72,0	35,8	84,5	8 500	40,4	87,9	7 100	72,0
74,0	32,9	81,5	8 000	37,9	85,4	6 600	74,0
76,0	29,8	78,1	7 500	35,1	82,6	6 200	76,0
78,0	26,4	74,2	7 000	32,2	79,5	5 700	78,0
80,0	22,4	69,7	6 600	29,0	76,0	5 200	80,0
82,0	17,6	64,0	6 100				82,0




135 200 kg





360°




42,0 m



78,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
27,4	74,0	119,2	31 100							27,4
28,0	73,6	119,1	31 000							28,0
30,0	72,0	118,4	30 600							30,0
32,0	70,5	117,7	30 200							32,0
34,0	68,9	116,9	29 800	70,6	117,5	29 700				34,0
36,0	67,3	116,1	29 400	69,1	116,8	29 400				36,0
38,0	65,7	115,2	29 000	67,5	116,0	29 100				38,0
40,0	64,1	114,3	28 600	65,9	115,1	27 900	67,6	115,7	26 200	40,0
42,0	62,4	113,2	27 600	64,2	114,1	25 900	66,0	114,8	24 300	42,0
44,0	60,7	112,1	25 600	62,6	113,1	24 100	64,4	113,8	22 700	44,0
46,0	59,0	110,9	24 000	60,9	112,0	22 600	62,7	112,8	21 100	46,0
48,0	57,3	109,6	22 500	59,2	110,8	21 100	61,1	111,7	19 800	48,0
50,0	55,5	108,3	21 100	57,5	109,5	19 800	59,4	110,6	18 500	50,0
52,0	53,7	106,8	19 800	55,7	108,2	18 600	57,6	109,3	17 300	52,0
54,0	51,8	105,3	18 700	53,9	106,7	17 500	55,9	108,0	16 300	54,0
56,0	49,9	103,6	17 600	52,0	105,2	16 400	54,0	106,5	15 300	56,0
58,0	47,9	101,8	16 600	50,1	103,5	15 500	52,2	105,0	14 400	58,0
60,0	45,9	99,9	15 600	48,1	101,8	14 600	50,3	103,3	13 500	60,0
62,0	43,8	97,9	14 800	46,1	99,9	13 700	48,3	101,6	12 700	62,0
64,0	41,6	95,6	14 000	44,0	97,8	13 000	46,3	99,7	12 000	64,0
66,0	39,3	93,2	13 200	41,8	95,6	12 200	44,2	97,7	11 300	66,0
68,0	36,9	90,6	12 500	39,6	93,3	11 500	42,1	95,5	10 600	68,0
70,0	34,3	87,8	11 800	37,2	90,7	10 900	39,8	93,1	10 000	70,0
72,0	31,6	84,6	11 200	34,6	87,8	10 300	37,4	90,6	9 400	72,0
74,0	28,6	81,1	10 500	31,9	84,7	9 700	34,9	87,8	8 900	74,0
76,0	25,3	77,0	10 000	28,9	81,2	9 200	32,2	84,7	8 300	76,0
78,0	21,5	72,3	9 400	25,7	77,2	8 600	29,2	81,2	7 800	78,0
80,0	16,9	66,3	8 900	21,9	72,6	8 100	26,0	77,3	7 400	80,0
82,0	10,3	57,6	8 400	17,4	66,8	7 600	22,3	72,7	6 900	82,0
84,0							17,9	67,0	6 500	84,0
86,0							11,9	59,2	6 000	86,0




135 200 kg






360°





42,0 m




78,0 m



	75°			70°			
 m		 m	 kg		 m	 kg	 m
27,4							27,4
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0							46,0
48,0							48,0
50,0	62,4	111,8	16 400				50,0
52,0	60,7	110,6	15 300				52,0
54,0	59,0	109,5	14 300				54,0
56,0	57,3	108,2	13 400				56,0
58,0	55,5	106,8	12 500	58,6	108,0	10 800	58,0
60,0	53,7	105,4	11 800	56,9	106,7	10 000	60,0
62,0	51,8	103,8	11 000	55,1	105,3	9 400	62,0
64,0	49,9	102,1	10 300	53,2	103,8	8 700	64,0
66,0	47,9	100,4	9 700	51,4	102,3	8 100	66,0
68,0	45,9	98,5	9 100	49,4	100,6	7 600	68,0
70,0	43,8	96,4	8 500	47,5	98,8	7 000	70,0
72,0	41,6	94,2	8 000	45,4	96,8	6 500	72,0
74,0	39,3	91,8	7 500	43,3	94,7	5 900	74,0
76,0	36,9	89,2	7 000	41,1	92,5	5 400	76,0
78,0	34,3	86,3	6 500				78,0
80,0	31,6	83,2	6 100				80,0
82,0	28,6	79,6	5 700				82,0
84,0	25,3	75,6	5 200				84,0
86,0							86,0




135 200 kg



	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
29,0	74,1	125,0	25 700							29,0
30,0	73,3	124,7	25 500							30,0
32,0	71,9	124,1	25 100							32,0
34,0	70,5	123,4	24 700							34,0
36,0	69,0	122,6	24 300							36,0
38,0	67,5	121,8	24 000	70,6	123,2	24 300				38,0
40,0	66,0	120,9	23 600	69,2	122,4	24 000				40,0
42,0	64,5	120,0	23 200	67,7	121,6	23 700				42,0
44,0	63,0	119,0	22 900	66,2	120,8	23 400	67,8	121,4	23 100	44,0
46,0	61,5	117,9	22 500	64,7	119,8	23 100	66,3	120,5	22 200	46,0
48,0	59,9	116,7	22 000	63,2	118,8	22 200	64,8	119,6	20 700	48,0
50,0	58,3	115,5	20 800	61,6	117,7	20 700	63,3	118,6	19 300	50,0
52,0	56,7	114,2	19 500	60,0	116,6	19 400	61,8	117,5	18 100	52,0
54,0	55,0	112,8	18 300	58,5	115,4	18 200	60,2	116,4	16 900	54,0
56,0	53,3	111,3	17 200	56,8	114,1	17 100	58,6	115,1	15 900	56,0
58,0	51,6	109,8	16 200	55,2	112,7	16 000	57,0	113,9	14 900	58,0
60,0	49,8	108,1	15 300	53,5	111,2	15 100	55,3	112,5	14 000	60,0
62,0	48,0	106,3	14 400	51,7	109,7	14 200	53,6	111,0	13 100	62,0
64,0	46,1	104,4	13 600	50,0	108,0	13 400	51,9	109,5	12 300	64,0
66,0	44,1	102,4	12 800	48,2	106,2	12 600	50,1	107,8	11 600	66,0
68,0	42,1	100,2	12 100	46,3	104,4	11 900	48,3	106,1	10 900	68,0
70,0	40,0	97,8	11 500	44,3	102,3	11 200	46,5	104,2	10 200	70,0
72,0	37,8	95,3	10 800	42,3	100,2	10 500	44,5	102,2	9 600	72,0
74,0	35,5	92,6	10 200	40,2	97,8	9 900	42,5	100,0	9 000	74,0
76,0	33,0	89,6	9 600	38,0	95,3	9 400	40,4	97,7	8 500	76,0
78,0	30,4	86,2	9 100	35,7	92,6	8 800	38,3	95,2	8 000	78,0
80,0	27,5	82,5	8 600	33,3	89,6	8 300	36,0	92,5	7 500	80,0
82,0	24,3	78,3	8 100	30,7	86,4	7 800	33,5	89,6	7 000	82,0
84,0	20,7	73,4	7 600	27,8	82,7	7 300	30,9	86,3	6 600	84,0
86,0	16,2	67,1	7 200	24,7	78,5	6 900	28,1	82,7	6 100	86,0
88,0	9,9	58,1	6 700	21,1	73,7	6 400	25,0	78,6	5 700	88,0
				16,8	67,6	6 000	21,5	73,8	5 300	




	75°		
	m	m	kg
29,0			
30,0			
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0	63,0	117,5	14 900
54,0	61,5	116,4	13 900
56,0	59,9	115,3	13 000
58,0	58,3	114,0	12 100
60,0	56,7	112,7	11 300
62,0	55,0	111,3	10 600
64,0	53,3	109,9	9 900
66,0	51,6	108,3	9 300
68,0	49,8	106,6	8 700
70,0	48,0	104,8	8 100
72,0	46,1	102,9	7 600
74,0	44,1	100,9	7 100
76,0	42,1	98,7	6 600
78,0	40,0	96,4	6 100
80,0	37,8	93,9	5 600
82,0	35,5	91,1	5 100
84,0			
86,0			
88,0			




135 200 kg







360°






42,0 m




90,0 m




	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
30,5	74,2	130,8	21 500							30,5
32,0	73,2	130,4	21 200							32,0
34,0	71,8	129,7	20 900							34,0
36,0	70,5	129,0	20 500							36,0
38,0	69,1	128,3	20 100	70,6	128,9	20 200				38,0
40,0	67,7	127,5	19 800	69,3	128,1	19 900				40,0
42,0	66,4	126,6	19 500	67,9	127,3	19 600				42,0
44,0	64,9	125,7	19 100	66,5	126,4	19 300	68,0	127,0	19 200	44,0
46,0	63,5	124,7	18 800	65,1	125,5	19 000	66,6	126,2	18 900	46,0
48,0	62,1	123,6	18 500	63,7	124,5	18 700	65,2	125,3	18 600	48,0
50,0	60,6	122,5	18 200	62,2	123,5	18 400	63,8	124,3	17 600	50,0
52,0	59,1	121,3	17 900	60,8	122,4	17 700	62,4	123,2	16 400	52,0
54,0	57,6	120,1	17 600	59,3	121,2	16 600	60,9	122,1	15 300	54,0
56,0	56,1	118,7	16 800	57,8	120,0	15 600	59,4	121,0	14 400	56,0
58,0	54,6	117,3	15 800	56,3	118,6	14 600	58,0	119,7	13 500	58,0
60,0	53,0	115,8	14 800	54,7	117,2	13 700	56,4	118,4	12 600	60,0
62,0	51,3	114,2	14 000	53,1	115,7	12 900	54,9	117,0	11 800	62,0
64,0	49,7	112,6	13 100	51,5	114,2	12 100	53,3	115,5	11 100	64,0
66,0	48,0	110,8	12 400	49,9	112,5	11 400	51,7	114,0	10 400	66,0
68,0	46,2	108,9	11 700	48,2	110,7	10 700	50,0	112,3	9 700	68,0
70,0	44,4	106,9	11 000	46,4	108,8	10 100	48,3	110,5	9 100	70,0
72,0	42,5	104,7	10 400	44,6	106,8	9 500	46,6	108,7	8 500	72,0
74,0	40,6	102,4	9 800	42,7	104,7	8 900	44,8	106,7	8 000	74,0
76,0	38,6	100,0	9 200	40,8	102,4	8 300	42,9	104,6	7 500	76,0
78,0	36,5	97,3	8 700	38,8	100,0	7 800	41,0	102,3	7 000	78,0
80,0	34,2	94,4	8 200	36,7	97,3	7 300	39,0	99,9	6 500	80,0
82,0	31,9	91,3	7 700	34,5	94,5	6 900	36,9	97,2	6 100	82,0
84,0	29,3	87,8	7 200	32,1	91,4	6 400	34,7	94,4	5 600	84,0
86,0	26,6	84,0	6 800	29,6	88,0	6 000	32,4	91,3	5 100	86,0
88,0	23,5	79,6	6 300	26,9	84,1	5 600				88,0
90,0	20,0	74,4	5 900							90,0
92,0	15,7	68,0	5 500							92,0
94,0	9,6	58,6	5 100							94,0






	75°		
	m	m	kg
30,5			
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0			
54,0	63,5	123,2	13 300
56,0	62,1	122,2	12 400
58,0	60,6	121,1	11 600
60,0	59,2	119,9	10 800
62,0	57,7	118,6	10 100
64,0	56,1	117,3	9 400
66,0	54,6	115,9	8 700
68,0	53,0	114,4	8 100
70,0	51,4	112,8	7 500
72,0	49,7	111,1	6 900
74,0	48,0	109,3	6 400
76,0	46,2	107,4	5 800
78,0	44,4	105,4	5 300
80,0			
82,0			
84,0			
86,0			
88,0			
90,0			
92,0			
94,0			








	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
32,0	74,2	136,6	17 900							32,0
34,0	73,0	136,1	17 600							34,0
36,0	71,7	135,4	17 200							36,0
38,0	70,5	134,7	16 900							38,0
40,0	69,2	133,9	16 600	70,6	134,5	16 700				40,0
42,0	67,9	133,1	16 200	69,3	133,8	16 400				42,0
44,0	66,6	132,3	15 900	68,1	133,0	16 100				44,0
46,0	65,3	131,4	15 600	66,8	132,1	15 800	68,2	132,7	15 800	46,0
48,0	64,0	130,4	15 300	65,4	131,2	15 500	66,9	131,8	15 500	48,0
50,0	62,6	129,4	15 000	64,1	130,3	15 200	65,6	130,9	15 200	50,0
52,0	61,3	128,3	14 700	62,8	129,2	14 900	64,2	130,0	15 000	52,0
54,0	59,9	127,1	14 500	61,4	128,1	14 700	62,9	129,0	14 700	54,0
56,0	58,5	125,9	14 200	60,0	127,0	14 400	61,6	127,9	14 000	56,0
58,0	57,1	124,6	14 000	58,7	125,8	14 200	60,2	126,8	13 000	58,0
60,0	55,6	123,3	13 700	57,2	124,5	13 300	58,8	125,6	12 200	60,0
62,0	54,2	121,8	13 400	55,8	123,2	12 400	57,4	124,3	11 400	62,0
64,0	52,7	120,3	12 700	54,3	121,7	11 700	55,9	122,9	10 600	64,0
66,0	51,2	118,7	12 000	52,8	120,2	11 000	54,5	121,5	9 900	66,0
68,0	49,6	117,0	11 300	51,3	118,7	10 300	53,0	120,0	9 300	68,0
70,0	48,0	115,3	10 600	49,8	117,0	9 600	51,5	118,4	8 700	70,0
72,0	46,4	113,4	10 000	48,2	115,2	9 000	49,9	116,8	8 100	72,0
74,0	44,7	111,4	9 400	46,5	113,3	8 500	48,3	115,0	7 600	74,0
76,0	42,9	109,2	8 800	44,8	111,3	7 900	46,7	113,2	7 000	76,0
78,0	41,1	107,0	8 300	43,1	109,2	7 400	45,0	111,2	6 500	78,0
80,0	39,3	104,6	7 800	41,3	107,0	6 900	43,3	109,1	6 000	80,0
82,0	37,3	102,0	7 300	39,5	104,6	6 500	41,5	106,8	5 500	82,0
84,0	35,3	99,2	6 800	37,5	102,0	6 000				84,0
86,0	33,1	96,2	6 400	35,5	99,3	5 500				86,0
88,0	30,8	92,9	5 900	33,3	96,3	5 100				88,0
90,0	28,4	89,3	5 500							90,0
92,0	25,7	85,3	5 100							92,0






	75°		
	m	m	kg
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0			
54,0			
56,0			
58,0	62,6	127,9	11 100
60,0	61,3	126,8	10 300
62,0	59,9	125,7	9 600
64,0	58,5	124,5	8 900
66,0	57,1	123,2	8 200
68,0	55,6	121,8	7 500
70,0	54,2	120,4	6 900
72,0	52,7	118,9	6 300
74,0	51,2	117,3	5 700
76,0	49,6	115,6	5 200
78,0			
80,0			
82,0			
84,0			
86,0			
88,0			
90,0			
92,0			





	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
13,7	72,1	73,0	121 000 c							13,7
14,0	71,4	72,9	118 100 c							14,0
16,0	66,2	72,1	98 800 c							16,0
18,0	60,7	71,0	85 100	67,6	72,0	84 700 b				18,0
20,0	55,0	69,6	74 800	62,2	71,0	74 300 b				20,0
22,0	48,7	67,9	66 700	56,5	69,7	66 200	63,6	70,9	64 400 b	22,0
24,0	41,7	65,8	60 100	50,4	68,1	59 700	58,0	69,7	57 400	24,0
26,0	33,5	63,0	54 800	43,6	66,1	54 300	52,0	68,2	51 700	26,0
28,0	22,6	58,9	50 300	35,8	63,5	49 300	45,4	66,3	47 000	28,0
30,0				25,9	59,9	45 000	37,9	63,9	42 900	30,0
32,0				5,8	51,8	41 100	28,7	60,6	39 400	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0





	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	58,3	68,8	43 200 b							28,0
30,0	52,4	67,3	39 400							30,0
32,0	45,8	65,4	36 200	58,4	67,5	33 000				32,0
34,0	38,4	63,1	33 400	52,4	66,0	30 400				34,0
36,0	29,3	59,8	30 900	45,9	64,1	28 100				36,0
38,0	15,6	54,5	28 500	38,5	61,8	26 100				38,0
40,0				29,4	58,5	24 200	45,5	62,3	21 900	40,0
42,0				15,8	53,2	22 500	38,0	59,9	20 400	42,0
44,0							28,8	56,6	19 000	44,0









	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
15,2	72,8	78,9	105 700 c							15,2
16,0	71,2	78,6	99 700 c							16,0
18,0	67,1	77,8	85 500							18,0
20,0	62,8	76,8	75 100	68,2	77,7	74 600 b				20,0
22,0	58,3	75,6	67 000	63,9	76,8	66 500				22,0
24,0	53,6	74,1	60 400	59,5	75,6	59 800	65,0	76,6	57 000	24,0
26,0	48,6	72,4	55 000	54,9	74,2	54 000	60,7	75,5	51 300	26,0
28,0	43,1	70,4	50 500	50,0	72,6	49 000	56,1	74,2	46 600	28,0
30,0	37,0	67,8	46 600	44,6	70,7	44 800	51,2	72,6	42 600	30,0
32,0	29,7	64,6	43 200	38,7	68,3	41 200	46,0	70,8	39 100	32,0
34,0		59,9	39 800	31,8	65,3	38 000	40,2	68,5	36 100	34,0
36,0				23,0	61,1	35 200	33,6	65,7	33 500	36,0
38,0							25,5	61,9	31 100	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC300 S-1

ASME B30.5






	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	60,9	74,6	38 900							30,0
32,0	56,4	73,3	35 700							32,0
34,0	51,5	71,8	32 900							34,0
36,0	46,3	69,9	30 500	56,4	72,0	27 600				36,0
38,0	40,6	67,7	28 300	51,6	70,5	25 600				38,0
40,0	34,0	64,9	26 400	46,4	68,6	23 800				40,0
42,0	26,0	61,2	24 600	40,6	66,4	22 200	51,3	68,7	19 800	42,0
44,0	13,8	55,1	22 900	34,1	63,6	20 800	46,1	66,8	18 500	44,0
46,0				26,1	59,9	19 400	40,3	64,6	17 300	46,0
48,0							33,7	61,8	16 200	48,0
50,0							25,5	58,0	15 100	50,0






	86°			83°			80°			
	m	m	kg	m	m	kg	m	kg	m	m
16,8	73,2	84,7	93 900 b							16,8
18,0	71,1	84,3	86 000							18,0
20,0	67,7	83,4	75 400							20,0
22,0	64,1	82,5	67 200	68,6	83,4	66 700				22,0
24,0	60,5	81,4	60 600	65,1	82,5	59 600				24,0
26,0	56,7	80,1	55 200	61,5	81,4	53 700	66,0	82,3	51 000	26,0
28,0	52,7	78,6	50 600	57,7	80,2	48 800	62,4	81,3	46 300	28,0
30,0	48,5	76,9	46 800	53,8	78,7	44 600	58,7	80,1	42 300	30,0
32,0	44,0	74,9	43 100	49,7	77,1	41 000	54,8	78,7	38 900	32,0
34,0	39,1	72,5	39 800	45,3	75,2	37 900	50,7	77,1	35 900	34,0
36,0	33,6	69,7	36 900	40,4	72,9	35 100	46,4	75,3	33 200	36,0
38,0	27,0	66,0	34 400	35,1	70,2	32 600	41,7	73,1	30 900	38,0
40,0	18,1	60,9	32 000	28,8	66,8	30 400	36,5	70,5	28 800	40,0
42,0				20,8	62,2	28 400	30,5	67,3	26 900	42,0
44,0							23,1	63,1	25 200	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0



MLC300 S-1

ASME B30.5






	75°			70°			65°			
	m	m	kg	m	kg	m	kg	m	m	
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	62,6	80,4	35 300							32,0
34,0	58,9	79,2	32 600							34,0
36,0	55,0	77,8	30 200							36,0
38,0	51,0	76,3	28 000							38,0
40,0	46,7	74,4	26 100	55,1	76,5	23 400				40,0
42,0	42,0	72,3	24 400	51,0	74,9	21 900				42,0
44,0	36,8	69,7	22 800	46,7	73,1	20 400				44,0
46,0	30,9	66,6	21 400	42,0	71,0	19 100	50,8	73,2	16 900	46,0
48,0	23,6	62,4	20 100	36,9	68,4	18 000	46,4	71,3	15 900	48,0
50,0	12,5	55,8	18 800	30,9	65,3	16 900	41,7	69,2	14 900	50,0
52,0				23,7	61,2	15 800	36,5	66,6	13 900	52,0
54,0							30,6	63,4	13 100	54,0
56,0							23,2	59,2	12 300	56,0






	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
18,3	73,5	90,5	84 500							18,3
20,0	71,0	89,9	75 700							20,0
22,0	68,1	89,1	67 500							22,0
24,0	65,1	88,2	60 900	68,9	89,1	59 100				24,0
26,0	62,0	87,2	55 400	65,9	88,2	53 200				26,0
28,0	58,8	86,0	50 800	62,8	87,2	48 300	66,6	88,0	45 800	28,0
30,0	55,5	84,6	46 600	59,7	86,0	44 100	63,6	87,0	41 800	30,0
32,0	52,1	83,1	42 800	56,4	84,7	40 600	60,5	85,9	38 400	32,0
34,0	48,5	81,4	39 500	53,0	83,2	37 400	57,2	84,7	35 400	34,0
36,0	44,7	79,4	36 600	49,5	81,6	34 700	53,9	83,2	32 800	36,0
38,0	40,5	77,1	34 100	45,7	79,7	32 300	50,4	81,6	30 500	38,0
40,0	36,0	74,5	31 800	41,7	77,5	30 100	46,7	79,8	28 400	40,0
42,0	30,9	71,3	29 700	37,3	74,9	28 200	42,7	77,7	26 500	42,0
44,0	24,8	67,3	27 900	32,3	71,9	26 400	38,4	75,2	24 900	44,0
46,0	16,7	61,7	26 100	26,6	68,2	24 800	33,6	72,3	23 300	46,0
48,0				19,2	63,2	23 300	28,1	68,8	21 900	48,0
50,0							21,3	64,2	20 600	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0





MLC300 S-1

ASME B30.5





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0	60,7	85,0	29 600							36,0
38,0	57,4	83,8	27 500							38,0
40,0	54,1	82,3	25 600							40,0
42,0	50,6	80,7	23 900	57,5	82,5	21 300				42,0
44,0	46,9	78,9	22 300	54,1	81,0	19 900				44,0
46,0	42,9	76,8	20 900	50,6	79,4	18 600				46,0
48,0	38,7	74,4	19 700	46,9	77,6	17 400				48,0
50,0	33,9	71,6	18 500	43,0	75,5	16 400	50,4	77,7	14 300	50,0
52,0	28,5	68,1	17 400	38,7	73,1	15 400	46,7	75,8	13 400	52,0
54,0	21,7	63,6	16 400	34,0	70,3	14 500	42,7	73,7	12 600	54,0
56,0	11,5	56,3	15 400	28,5	66,8	13 600	38,4	71,3	11 800	56,0
58,0				21,8	62,3	12 800	33,7	68,4	11 100	58,0
60,0							28,2	64,9	10 400	60,0
62,0							21,4	60,3	9 700	62,0
64,0							10,7	52,8	9 100	64,0




	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
19,8	73,7	96,3	70 100							19,8
20,0	73,5	96,3	69 800							20,0
22,0	71,0	95,6	66 300							22,0
24,0	68,4	94,8	61 400							24,0
26,0	65,8	93,9	55 500	69,1	94,7	52 600				26,0
28,0	63,1	92,9	50 400	66,5	93,9	47 800				28,0
30,0	60,4	91,8	46 000	63,8	92,9	43 600	67,1	93,7	41 200	30,0
32,0	57,6	90,5	42 300	61,1	91,8	40 000	64,5	92,8	37 800	32,0
34,0	54,7	89,1	39 000	58,3	90,6	36 900	61,8	91,7	34 800	34,0
36,0	51,6	87,6	36 100	55,4	89,2	34 200	59,0	90,5	32 200	36,0
38,0	48,5	85,8	33 600	52,4	87,7	31 800	56,2	89,2	29 900	38,0
40,0	45,1	83,9	31 300	49,3	86,0	29 600	53,2	87,7	27 800	40,0
42,0	41,6	81,7	29 300	46,0	84,2	27 700	50,1	86,1	26 000	42,0
44,0	37,8	79,2	27 500	42,5	82,0	25 900	46,9	84,2	24 300	44,0
46,0	33,6	76,3	25 800	38,8	79,6	24 300	43,4	82,2	22 800	46,0
48,0	28,8	72,9	24 300	34,7	76,8	22 800	39,8	79,8	21 400	48,0
50,0	23,2	68,6	22 800	30,1	73,6	21 500	35,8	77,2	20 200	50,0
52,0	15,6	62,5	21 500	24,8	69,5	20 300	31,3	74,0	19 000	52,0
54,0				17,9	64,1	19 100	26,2	70,2	17 900	54,0
56,0							19,8	65,3	16 900	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0
66,0										66,0
68,0										68,0
70,0										70,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	kg	m	kg	m	m	
19,8										19,8
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0	62,0	90,8	26 800							38,0
40,0	59,2	89,6	25 000							40,0
42,0	56,3	88,3	23 300							42,0
44,0	53,4	86,8	21 700							44,0
46,0	50,3	85,2	20 400	56,4	87,0	17 900				46,0
48,0	47,1	83,4	19 100	53,4	85,5	16 800				48,0
50,0	43,6	81,3	17 900	50,3	83,9	15 700				50,0
52,0	40,0	79,0	16 900	47,1	82,1	14 800	53,2	83,8	12 700	52,0
54,0	36,0	76,4	15 900	43,7	80,0	13 900	50,1	82,1	11 900	54,0
56,0	31,6	73,3	14 900	40,0	77,7	13 000	46,9	80,3	11 100	56,0
58,0	26,5	69,5	14 100	36,1	75,1	12 200	43,5	78,2	10 400	58,0
60,0	20,3	64,7	13 300	31,7	72,0	11 500	39,8	75,9	9 800	60,0
62,0	10,7	56,9	12 400	26,6	68,2	10 800	35,8	73,2	9 200	62,0
64,0				20,3	63,4	10 200	31,4	70,1	8 600	64,0
66,0							26,3	66,3	8 000	66,0
68,0							19,9	61,4	7 500	68,0
70,0							10,0	53,3	6 900	70,0




135 200 kg







360°



48,0 m







54,0 m




	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
21,3	73,9	102,1	60 000							21,3
22,0	73,2	101,9	59 900							22,0
24,0	70,9	101,2	58 900							24,0
26,0	68,6	100,5	55 100	71,5	101,2	52 100				26,0
28,0	66,3	99,6	49 900	69,2	100,4	47 200				28,0
30,0	64,0	98,6	45 600	66,9	99,6	43 100				30,0
32,0	61,6	97,6	41 800	64,6	98,6	39 500	67,5	99,4	37 200	32,0
34,0	59,1	96,4	38 600	62,2	97,6	36 400	65,2	98,5	34 300	34,0
36,0	56,6	95,1	35 700	59,7	96,4	33 700	62,8	97,4	31 700	36,0
38,0	54,0	93,6	33 200	57,2	95,2	31 300	60,4	96,3	29 400	38,0
40,0	51,3	92,1	30 900	54,6	93,8	29 100	57,9	95,1	27 300	40,0
42,0	48,4	90,3	28 900	52,0	92,2	27 200	55,3	93,7	25 500	42,0
44,0	45,5	88,4	27 100	49,2	90,5	25 500	52,7	92,2	23 800	44,0
46,0	42,4	86,3	25 400	46,3	88,6	23 900	49,9	90,6	22 300	46,0
48,0	39,1	83,9	23 900	43,2	86,6	22 400	47,0	88,7	21 000	48,0
50,0	35,5	81,1	22 500	40,0	84,2	21 100	44,0	86,7	19 700	50,0
52,0	31,6	78,0	21 200	36,5	81,6	19 900	40,8	84,4	18 500	52,0
54,0	27,1	74,3	20 000	32,6	78,6	18 800	37,4	81,9	17 500	54,0
56,0	21,8	69,7	18 900	28,3	75,1	17 700	33,6	79,0	16 500	56,0
58,0	14,6	63,3	17 900	23,3	70,8	16 700	29,5	75,6	15 600	58,0
60,0				16,8	65,0	15 800	24,6	71,5	14 700	60,0
62,0							18,7	66,3	13 900	62,0
64,0							9,2	57,6	13 000	64,0
66,0										66,0
68,0										68,0
70,0										70,0
72,0										72,0
74,0										74,0





MLC300 S-1



ASME B30.5








	75°			70°			65°			
										
	m	m	m	kg	m	m	kg	m	kg	m
21,3										21,3
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0	62,9	96,5	24 400							40,0
42,0	60,5	95,4	22 700							42,0
44,0	58,0	94,2	21 200							44,0
46,0	55,5	92,8	19 800							46,0
48,0	52,8	91,3	18 500	58,0	92,9	16 200				48,0
50,0	50,1	89,7	17 400	55,5	91,5	15 100				50,0
52,0	47,2	87,9	16 300	52,8	90,0	14 200				52,0
54,0	44,2	85,9	15 400	50,1	88,4	13 300				54,0
56,0	41,0	83,6	14 500	47,2	86,6	12 500				56,0
58,0	37,6	81,1	13 600	44,2	84,5	11 700	49,9	86,6	9 800	58,0
60,0	33,9	78,2	12 800	41,0	82,3	11 000	47,0	84,8	9 200	60,0
62,0	29,7	74,9	12 100	37,6	79,8	10 300	44,0	82,8	8 600	62,0
64,0	25,0	70,8	11 400	33,9	76,9	9 700	40,8	80,5	8 000	64,0
66,0	19,1	65,6	10 700	29,8	73,6	9 100	37,4	78,0	7 500	66,0
68,0	10,0	57,4	10 000	25,0	69,5	8 500	33,7	75,1	7 000	68,0
70,0				19,1	64,4	8 000	29,5	71,7	6 500	70,0
72,0							24,7	67,6	6 000	72,0
74,0							18,7	62,4	5 500	74,0



	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
22,9	74,0	107,9	50 000							22,9
24,0	72,9	107,6	49 800							24,0
26,0	70,9	106,9	49 500							26,0
28,0	68,8	106,1	48 700	71,4	106,8	46 900				28,0
30,0	66,8	105,3	45 500	69,4	106,1	42 700				30,0
32,0	64,6	104,3	41 500	67,3	105,2	39 200				32,0
34,0	62,5	103,3	38 300	65,2	104,3	36 000	67,8	105,0	33 900	34,0
36,0	60,3	102,2	35 400	63,1	103,3	33 300	65,7	104,2	31 300	36,0
38,0	58,1	101,0	32 900	60,9	102,2	30 900	63,6	103,2	29 000	38,0
40,0	55,8	99,6	30 600	58,7	101,0	28 800	61,4	102,1	26 900	40,0
42,0	53,4	98,1	28 600	56,4	99,7	26 900	59,2	100,9	25 100	42,0
44,0	51,0	96,5	26 800	54,0	98,3	25 100	57,0	99,6	23 500	44,0
46,0	48,4	94,8	25 100	51,6	96,7	23 500	54,6	98,2	22 000	46,0
48,0	45,8	92,9	23 600	49,1	95,0	22 100	52,2	96,7	20 600	48,0
50,0	43,0	90,8	22 200	46,5	93,1	20 800	49,7	95,0	19 400	50,0
52,0	40,1	88,5	21 000	43,7	91,1	19 600	47,1	93,2	18 200	52,0
54,0	37,0	85,9	19 800	40,9	88,8	18 500	44,4	91,2	17 200	54,0
56,0	33,6	83,0	18 700	37,8	86,3	17 400	41,6	89,0	16 200	56,0
58,0	29,9	79,6	17 700	34,5	83,5	16 500	38,6	86,6	15 300	58,0
60,0	25,6	75,7	16 700	30,9	80,3	15 600	35,3	83,8	14 400	60,0
62,0	20,6	70,8	15 800	26,8	76,5	14 700	31,8	80,7	13 600	62,0
64,0	13,9	64,0	15 000	22,0	71,9	13 900	27,9	77,1	12 900	64,0
66,0				15,9	65,8	13 200	23,3	72,8	12 100	66,0
68,0							17,7	67,2	11 500	68,0
70,0							8,7	58,1	10 800	70,0
72,0										72,0
74,0										74,0
76,0										76,0




	75°			70°			
 m		 m	 kg		 m	 kg	 m
22,9							22,9
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0	61,6	101,2	20 800				44,0
46,0	59,4	100,0	19 400				46,0
48,0	57,1	98,7	18 100				48,0
50,0	54,8	97,3	17 000				50,0
52,0	52,4	95,8	16 000	57,1	97,4	13 700	52,0
54,0	49,9	94,2	15 000	54,8	96,0	12 900	54,0
56,0	47,3	92,4	14 100	52,4	94,5	12 000	56,0
58,0	44,6	90,4	13 300	49,9	92,9	11 300	58,0
60,0	41,8	88,2	12 500	47,3	91,0	10 600	60,0
62,0	38,8	85,7	11 800	44,6	89,1	9 900	62,0
64,0	35,5	83,0	11 100	41,8	86,9	9 300	64,0
66,0	32,0	79,9	10 400	38,8	84,4	8 700	66,0
68,0	28,1	76,4	9 800	35,6	81,7	8 200	68,0
70,0	23,6	72,1	9 200	32,1	78,6	7 700	70,0
72,0	18,0	66,6	8 700	28,2	75,1	7 200	72,0
74,0				23,7	70,8	6 700	74,0
76,0				18,1	65,3	6 300	76,0




135 200 kg







360°









48,0 m





66,0 m

	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
24,4	74,1	113,7	42 000							24,4
26,0	72,7	113,2	41 700							26,0
28,0	70,8	112,5	41 400							28,0
30,0	69,0	111,8	41 000							30,0
32,0	67,1	110,9	40 600	69,5	111,7	38 600				32,0
34,0	65,2	110,0	37 800	67,6	110,9	35 500				34,0
36,0	63,2	109,0	34 900	65,7	110,0	32 800	68,1	110,7	30 700	36,0
38,0	61,3	107,9	32 400	63,8	109,0	30 400	66,2	109,8	28 400	38,0
40,0	59,3	106,8	30 200	61,8	107,9	28 300	64,2	108,9	26 400	40,0
42,0	57,2	105,5	28 100	59,8	106,8	26 400	62,3	107,8	24 600	42,0
44,0	55,1	104,1	26 300	57,7	105,5	24 600	60,3	106,7	22 900	44,0
46,0	52,9	102,6	24 700	55,6	104,2	23 100	58,3	105,5	21 400	46,0
48,0	50,7	101,0	23 200	53,5	102,7	21 600	56,2	104,1	20 100	48,0
50,0	48,4	99,2	21 800	51,3	101,1	20 300	54,0	102,7	18 800	50,0
52,0	46,0	97,3	20 500	49,0	99,4	19 100	51,8	101,2	17 700	52,0
54,0	43,5	95,3	19 400	46,6	97,6	18 000	49,6	99,5	16 700	54,0
56,0	40,9	93,0	18 300	44,1	95,5	17 000	47,2	97,6	15 700	56,0
58,0	38,1	90,5	17 300	41,6	93,3	16 000	44,8	95,7	14 800	58,0
60,0	35,1	87,7	16 300	38,8	90,9	15 100	42,2	93,5	13 900	60,0
62,0	31,9	84,6	15 400	35,9	88,2	14 300	39,5	91,1	13 100	62,0
64,0	28,4	81,1	14 600	32,8	85,2	13 500	36,7	88,5	12 400	64,0
66,0	24,3	76,9	13 800	29,3	81,8	12 800	33,6	85,6	11 700	66,0
68,0	19,5	71,7	13 100	25,5	77,8	12 100	30,2	82,3	11 100	68,0
70,0	13,1	64,6	12 400	20,9	72,9	11 400	26,5	78,5	10 400	70,0
72,0				15,0	66,5	10 800	22,1	73,9	9 800	72,0
74,0							16,7	68,0	9 300	74,0
76,0							8,1	58,3	8 700	76,0
78,0										78,0




	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
24,4							24,4
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0	62,4	106,9	18 800				46,0
48,0	60,4	105,8	17 600				48,0
50,0	58,4	104,6	16 400				50,0
52,0	56,3	103,2	15 400				52,0
54,0	54,2	101,8	14 400				54,0
56,0	52,0	100,3	13 500	56,3	101,9	11 500	56,0
58,0	49,7	98,6	12 700	54,2	100,5	10 700	58,0
60,0	47,4	96,8	12 000	52,0	99,0	10 000	60,0
62,0	44,9	94,8	11 200	49,7	97,3	9 400	62,0
64,0	42,4	92,7	10 600	47,4	95,5	8 800	64,0
66,0	39,7	90,3	9 900	44,9	93,5	8 200	66,0
68,0	36,8	87,7	9 300	42,4	91,4	7 600	68,0
70,0	33,8	84,8	8 800	39,7	89,0	7 100	70,0
72,0	30,4	81,5	8 200	36,9	86,4	6 600	72,0
74,0	26,7	77,7	7 700	33,8	83,5	6 100	74,0
76,0	22,4	73,2	7 200	30,5	80,2	5 600	76,0
78,0	17,1	67,4	6 800				78,0




135 200 kg





360°




48,0 m



72,0 m

	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
25,9	74,2	119,5	35 100							25,9
26,0	74,2	119,5	35 100							26,0
28,0	72,5	118,9	34 800							28,0
30,0	70,8	118,2	34 500							30,0
32,0	69,1	117,4	34 100	71,3	118,1	33 900				32,0
34,0	67,4	116,6	33 800	69,6	117,4	33 700				34,0
36,0	65,6	115,7	33 400	67,8	116,6	32 600				36,0
38,0	63,9	114,7	32 000	66,1	115,7	30 000				38,0
40,0	62,1	113,7	29 800	64,3	114,7	27 800	66,5	115,5	25 900	40,0
42,0	60,2	112,6	27 700	62,5	113,7	25 900	64,8	114,6	24 100	42,0
44,0	58,4	111,3	25 900	60,7	112,6	24 200	63,0	113,6	22 500	44,0
46,0	56,5	110,0	24 300	58,9	111,4	22 600	61,2	112,5	21 000	46,0
48,0	54,5	108,6	22 800	57,0	110,1	21 200	59,3	111,3	19 600	48,0
50,0	52,5	107,1	21 400	55,0	108,7	19 900	57,5	110,0	18 400	50,0
52,0	50,5	105,5	20 100	53,1	107,2	18 700	55,5	108,7	17 300	52,0
54,0	48,4	103,7	19 000	51,0	105,6	17 600	53,6	107,2	16 200	54,0
56,0	46,2	101,8	17 900	48,9	103,9	16 600	51,5	105,6	15 300	56,0
58,0	43,9	99,8	16 900	46,8	102,1	15 600	49,5	103,9	14 400	58,0
60,0	41,5	97,6	16 000	44,5	100,1	14 700	47,3	102,1	13 500	60,0
62,0	39,0	95,1	15 100	42,2	97,9	13 900	45,1	100,2	12 700	62,0
64,0	36,4	92,5	14 300	39,7	95,5	13 100	42,8	98,0	12 000	64,0
66,0	33,6	89,6	13 500	37,1	92,9	12 400	40,3	95,7	11 300	66,0
68,0	30,5	86,3	12 800	34,3	90,1	11 700	37,8	93,2	10 700	68,0
70,0	27,1	82,5	12 100	31,3	86,9	11 100	35,0	90,4	10 100	70,0
72,0	23,3	78,1	11 500	28,0	83,3	10 500	32,1	87,3	9 500	72,0
74,0	18,7	72,7	10 800	24,3	79,1	9 900	28,9	83,8	8 900	74,0
76,0	12,5	65,2	10 200	20,0	74,0	9 300	25,3	79,8	8 400	76,0
78,0				14,4	67,2	8 800	21,2	75,0	7 900	78,0
80,0							16,0	68,8	7 400	80,0
82,0							7,8	58,7	6 900	82,0




135 200 kg






360°




48,0 m



72,0 m


	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
25,9							25,9
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0							46,0
48,0	63,1	112,6	17 100				48,0
50,0	61,3	111,6	16 000				50,0
52,0	59,5	110,4	14 900				52,0
54,0	57,6	109,1	14 000				54,0
56,0	55,7	107,8	13 100				56,0
58,0	53,7	106,3	12 300	57,6	107,8	10 200	58,0
60,0	51,7	104,8	11 500	55,7	106,5	9 500	60,0
62,0	49,6	103,1	10 800	53,7	105,0	8 900	62,0
64,0	47,4	101,3	10 100	51,7	103,5	8 300	64,0
66,0	45,2	99,3	9 500	49,6	101,8	7 700	66,0
68,0	42,9	97,2	8 900	47,5	100,0	7 100	68,0
70,0	40,5	94,9	8 400	45,2	98,0	6 500	70,0
72,0	37,9	92,4	7 800	42,9	95,9	6 000	72,0
74,0	35,2	89,6	7 300	40,5	93,6	5 500	74,0
76,0	32,3	86,5	6 900	37,9	91,1	5 000	76,0
78,0	29,1	83,1	6 400				78,0
80,0	25,5	79,1	6 000				80,0
82,0	21,4	74,3	5 500				82,0




135 200 kg







360°






48,0 m



78,0 m

	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
27,4	74,3	125,3	29 600							27,4
28,0	73,9	125,2	29 500							28,0
30,0	72,3	124,5	29 200							30,0
32,0	70,8	123,9	28 800							32,0
34,0	69,2	123,1	28 500	71,2	123,8	28 300				34,0
36,0	67,6	122,3	28 100	69,6	123,0	28 100				36,0
38,0	66,0	121,4	27 800	68,1	122,2	27 800				38,0
40,0	64,4	120,5	27 500	66,5	121,4	27 400	68,5	122,0	25 400	40,0
42,0	62,8	119,4	27 000	64,8	120,4	25 400	66,9	121,2	23 600	42,0
44,0	61,1	118,3	25 500	63,2	119,4	23 700	65,2	120,3	21 900	44,0
46,0	59,4	117,2	23 800	61,5	118,4	22 100	63,6	119,3	20 500	46,0
48,0	57,6	115,9	22 300	59,8	117,2	20 700	61,9	118,2	19 100	48,0
50,0	55,9	114,6	20 900	58,1	116,0	19 400	60,3	117,1	17 900	50,0
52,0	54,1	113,1	19 700	56,3	114,6	18 200	58,5	115,9	16 700	52,0
54,0	52,2	111,6	18 500	54,5	113,2	17 100	56,8	114,6	15 700	54,0
56,0	50,3	110,0	17 400	52,7	111,7	16 100	55,0	113,2	14 700	56,0
58,0	48,4	108,2	16 400	50,8	110,1	15 100	53,2	111,7	13 800	58,0
60,0	46,3	106,3	15 500	48,9	108,4	14 300	51,3	110,1	13 000	60,0
62,0	44,2	104,3	14 600	46,9	106,5	13 400	49,4	108,4	12 200	62,0
64,0	42,1	102,1	13 800	44,8	104,6	12 700	47,4	106,6	11 500	64,0
66,0	39,8	99,7	13 100	42,6	102,4	11 900	45,3	104,7	10 800	66,0
68,0	37,4	97,2	12 400	40,4	100,1	11 300	43,2	102,6	10 200	68,0
70,0	34,9	94,4	11 700	38,0	97,6	10 600	41,0	100,3	9 600	70,0
72,0	32,2	91,3	11 000	35,6	94,9	10 000	38,7	97,8	9 000	72,0
74,0	29,2	87,8	10 400	32,9	91,9	9 500	36,2	95,2	8 500	74,0
76,0	26,0	83,9	9 900	30,0	88,5	8 900	33,6	92,2	7 900	76,0
78,0	22,3	79,3	9 300	26,9	84,7	8 400	30,8	89,0	7 500	78,0
80,0	17,9	73,7	8 800	23,3	80,3	7 900	27,7	85,3	7 000	80,0
82,0	12,0	65,8	8 300	19,2	75,0	7 400	24,3	81,1	6 500	82,0
84,0				13,8	68,0	7 000	20,3	76,1	6 100	84,0
86,0							15,3	69,6	5 700	86,0
88,0							7,5	59,1	5 300	88,0




	75°		
	m	m	kg
27,4			
28,0			
30,0			
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0	62,0	117,3	14 300
54,0	60,4	116,2	13 400
56,0	58,6	115,0	12 500
58,0	56,9	113,7	11 700
60,0	55,1	112,3	10 900
62,0	53,3	110,8	10 200
64,0	51,4	109,3	9 600
66,0	49,5	107,6	9 000
68,0	47,5	105,8	8 400
70,0	45,4	103,8	7 800
72,0	43,3	101,7	7 300
74,0	41,1	99,5	6 800
76,0	38,8	97,0	6 300
78,0	36,3	94,4	5 800
80,0	33,7	91,4	5 300
82,0			
84,0			
86,0			
88,0			




135 200 kg





360°








48,0 m






84,0 m

	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
29,0	74,4	131,1	24 600							29,0
30,0	73,6	130,8	24 400							30,0
32,0	72,2	130,2	24 100							32,0
34,0	70,8	129,5	23 800							34,0
36,0	69,3	128,8	23 400	71,2	129,4	23 400				36,0
38,0	67,8	128,0	23 100	69,7	128,7	23 200				38,0
40,0	66,4	127,1	22 800	68,2	127,9	22 900				40,0
42,0	64,9	126,2	22 500	66,7	127,0	22 600				42,0
44,0	63,3	125,2	22 200	65,2	126,1	22 300	67,1	126,9	21 500	44,0
46,0	61,8	124,1	21 900	63,7	125,1	21 800	65,6	126,0	20 000	46,0
48,0	60,2	123,0	21 500	62,2	124,1	20 300	64,1	125,0	18 700	48,0
50,0	58,6	121,7	20 600	60,6	123,0	19 000	62,6	124,0	17 500	50,0
52,0	57,0	120,5	19 300	59,0	121,8	17 800	61,0	122,9	16 300	52,0
54,0	55,3	119,1	18 100	57,4	120,5	16 700	59,4	121,7	15 300	54,0
56,0	53,7	117,6	17 100	55,8	119,2	15 700	57,8	120,4	14 300	56,0
58,0	51,9	116,1	16 100	54,1	117,7	14 700	56,2	119,1	13 400	58,0
60,0	50,2	114,4	15 100	52,4	116,2	13 900	54,5	117,7	12 600	60,0
62,0	48,3	112,7	14 300	50,6	114,6	13 100	52,8	116,2	11 800	62,0
64,0	46,5	110,8	13 500	48,8	112,9	12 300	51,1	114,6	11 100	64,0
66,0	44,5	108,8	12 700	47,0	111,0	11 600	49,3	112,9	10 400	66,0
68,0	42,5	106,6	12 000	45,1	109,1	10 900	47,4	111,1	9 800	68,0
70,0	40,5	104,3	11 300	43,1	106,9	10 300	45,5	109,2	9 200	70,0
72,0	38,3	101,8	10 700	41,0	104,7	9 700	43,6	107,1	8 600	72,0
74,0	36,0	99,1	10 100	38,9	102,2	9 100	41,5	104,9	8 100	74,0
76,0	33,6	96,2	9 500	36,6	99,6	8 600	39,4	102,5	7 600	76,0
78,0	31,0	93,0	9 000	34,2	96,7	8 000	37,2	99,9	7 100	78,0
80,0	28,1	89,3	8 500	31,7	93,6	7 600	34,8	97,1	6 600	80,0
82,0	25,0	85,2	8 000	28,9	90,1	7 100	32,3	94,0	6 200	82,0
84,0	21,5	80,5	7 500	25,9	86,1	6 700	29,6	90,6	5 700	84,0
86,0	17,3	74,6	7 100	22,5	81,5	6 200	26,7	86,7	5 300	86,0
88,0	11,5	66,5	6 600	18,5	76,0	5 800				88,0
90,0				13,3	68,7	5 400				90,0




	75°		
			
	m	m	kg
29,0			
30,0			
32,0			
34,0			
36,0			
38,0			
40,0			
42,0			
44,0			
46,0			
48,0			
50,0			
52,0			
54,0	62,7	123,1	13 000
56,0	61,1	122,0	12 100
58,0	59,5	120,8	11 300
60,0	57,9	119,6	10 500
62,0	56,3	118,2	9 800
64,0	54,6	116,8	9 200
66,0	52,9	115,3	8 500
68,0	51,2	113,7	7 900
70,0	49,4	112,0	7 300
72,0	47,6	110,2	6 700
74,0	45,7	108,3	6 200
76,0	43,7	106,2	5 700
78,0			
80,0			
82,0			
84,0			
86,0			
88,0			
90,0			










	86°			83°			80°			
	m	m	kg	m	kg	m	kg	m	m	m
13,7	73,2	79,2	115 300 d							13,7
14,0	72,4	79,1	113 500 d							14,0
16,0	67,3	78,3	100 100 c							16,0
18,0	61,9	77,2	85 600 b							18,0
20,0	56,2	75,9	75 200	64,2	77,4	74 600 b				20,0
22,0	50,1	74,3	67 000	58,6	76,2	66 400 b	66,4	77,3	63 100 c	22,0
24,0	43,3	72,3	60 400	52,7	74,7	59 500	60,9	76,3	56 300 b	24,0
26,0	35,4	69,7	55 000	46,2	72,9	53 600	55,2	74,9	50 700	26,0
28,0	25,3	65,9	50 500	38,9	70,5	48 700	48,9	73,2	46 100	28,0
30,0				29,9	67,4	44 500	42,0	71,1	42 100	30,0
32,0				16,7	62,2	40 800	33,8	68,4	38 700	32,0
34,0							23,1	64,3	35 600	34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0



MLC300 S-1

ASME B30.5





	75°			70°			65°			
										
m	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	57,0	74,3	38 100							30,0
32,0	51,0	72,7	35 000							32,0
34,0	44,3	70,8	32 200							34,0
36,0	36,6	68,2	29 800	52,6	71,7	26 700				36,0
38,0	26,9	64,7	27 600	46,1	69,8	24 700				38,0
40,0				38,7	67,5	23 000				40,0
42,0				29,7	64,3	21 400	47,3	68,3	18 800	42,0
44,0				16,3	59,1	19 900	40,1	66,1	17 600	44,0
46,0							31,5	63,1	16 400	46,0
48,0							19,5	58,5	15 200	48,0






	86°			83°			80°			
 m	 °	 m	 kg	 °	 m	 kg	 °	 m	 kg	 m
15,2	73,6	85,0	101 400 c							15,2
16,0	72,1	84,7	97 700 c							16,0
18,0	68,0	83,9	86 300 b							18,0
20,0	63,7	83,0	75 500	69,7	84,0	75 000 b				20,0
22,0	59,3	81,8	67 300	65,5	83,1	66 200 b				22,0
24,0	54,6	80,4	60 700	61,2	82,0	59 100				24,0
26,0	49,7	78,8	55 300	56,6	80,7	53 300	63,0	82,0	50 300	26,0
28,0	44,3	76,8	50 700	51,8	79,2	48 400	58,5	80,8	45 700	28,0
30,0	38,3	74,4	46 800	46,6	77,4	44 300	53,8	79,4	41 700	30,0
32,0	31,4	71,3	43 000	40,9	75,2	40 700	48,8	77,7	38 300	32,0
34,0	22,4	67,1	39 700	34,4	72,4	37 500	43,3	75,7	35 400	34,0
36,0				26,5	68,8	34 800	37,2	73,2	32 800	36,0
38,0				14,8	63,0	32 200	30,0	70,0	30 400	38,0
40,0							20,4	65,4	28 300	40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0







MLC300 S-1

ASME B30.5






	75°			70°			65°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	59,9	80,2	34 400							32,0
34,0	55,3	78,8	31 700							34,0
36,0	50,4	77,2	29 400							36,0
38,0	45,1	75,3	27 300							38,0
40,0	39,2	72,9	25 400	51,7	76,2	22 500				40,0
42,0	32,4	70,0	23 700	46,5	74,3	20 900				42,0
44,0	23,9	66,0	22 100	40,8	72,1	19 600				44,0
46,0				34,3	69,3	18 300	47,5	72,8	15 900	46,0
48,0				26,3	65,7	17 100	41,9	70,7	14 800	48,0
50,0				14,4	59,8	16 000	35,6	68,0	13 900	50,0
52,0							28,0	64,6	13 000	52,0
54,0							17,3	59,4	12 100	54,0






	86°			83°			80°			
										
m	m	m	kg	m	m	kg	m	m	kg	m
16,8	73,9	90,8	89 400 b							16,8
18,0	71,8	90,4	85 500 b							18,0
20,0	68,4	89,6	75 800							20,0
22,0	64,9	88,7	67 500	69,8	89,7	66 000 b				22,0
24,0	61,3	87,6	60 900	66,4	88,8	58 800				24,0
26,0	57,5	86,4	55 500	62,8	87,8	53 000	67,8	88,7	49 900	26,0
28,0	53,6	84,9	50 900	59,1	86,6	48 100	64,3	87,8	45 300	28,0
30,0	49,4	83,3	46 700	55,3	85,3	44 000	60,6	86,7	41 400	30,0
32,0	45,0	81,3	42 900	51,2	83,7	40 500	56,8	85,4	38 000	32,0
34,0	40,2	79,0	39 600	46,9	81,9	37 400	52,9	83,9	35 100	34,0
36,0	34,8	76,3	36 700	42,3	79,7	34 600	48,7	82,2	32 500	36,0
38,0	28,5	72,9	34 200	37,1	77,2	32 200	44,2	80,2	30 200	38,0
40,0	20,3	68,2	31 800	31,2	74,1	30 000	39,3	77,8	28 200	40,0
42,0				24,1	70,1	28 100	33,8	75,0	26 300	42,0
44,0				13,4	63,6	26 200	27,2	71,4	24 700	44,0
46,0							18,5	66,3	23 100	46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0



MLC300 S-1

ASME B30.5






	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	61,8	85,9	31 400							34,0
36,0	58,1	84,7	29 000							36,0
38,0	54,2	83,3	26 900							38,0
40,0	50,0	81,7	25 100							40,0
42,0	45,7	79,8	23 400	55,2	82,2	20 500				42,0
44,0	40,9	77,5	21 900	51,1	80,6	19 200				44,0
46,0	35,6	74,9	20 500	46,8	78,8	18 000				46,0
48,0	29,4	71,6	19 300	42,2	76,7	16 800	51,9	79,1	14 400	48,0
50,0	21,6	67,1	18 100	37,0	74,1	15 800	47,6	77,3	13 500	50,0
52,0				31,1	71,0	14 800	43,0	75,2	12 600	52,0
54,0				23,9	66,9	13 900	38,0	72,8	11 900	54,0
56,0				13,0	60,4	13 000	32,3	69,8	11 100	56,0
58,0							25,4	65,9	10 400	58,0
60,0							15,7	60,2	9 700	60,0




	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
18,3	74,1	96,6	75 900							18,3
20,0	71,6	96,1	74 800							20,0
22,0	68,7	95,3	68 000							22,0
24,0	65,7	94,4	61 200	69,9	95,3	58 400				24,0
26,0	62,7	93,4	55 700	67,0	94,5	52 500				26,0
28,0	59,5	92,2	50 600	63,9	93,5	47 700				28,0
30,0	56,2	90,9	46 300	60,8	92,4	43 500	65,2	93,5	40 900	30,0
32,0	52,8	89,4	42 500	57,6	91,2	40 000	62,1	92,4	37 500	32,0
34,0	49,3	87,7	39 300	54,3	89,8	36 900	58,9	91,2	34 600	34,0
36,0	45,5	85,8	36 400	50,8	88,2	34 200	55,7	89,9	32 000	36,0
38,0	41,4	83,6	33 900	47,1	86,3	31 800	52,2	88,4	29 800	38,0
40,0	37,0	81,1	31 600	43,2	84,3	29 700	48,6	86,7	27 700	40,0
42,0	32,1	78,0	29 600	38,9	81,9	27 700	44,8	84,7	25 900	42,0
44,0	26,2	74,3	27 700	34,2	79,1	26 000	40,7	82,4	24 300	44,0
46,0	18,7	69,1	26 000	28,8	75,6	24 400	36,2	79,8	22 800	46,0
48,0				22,2	71,2	22 900	31,1	76,7	21 400	48,0
50,0				12,3	64,3	21 500	25,1	72,7	20 100	50,0
52,0							17,1	67,2	18 900	52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0
66,0										66,0

MLC300 S-1

ASME B30.5




	75°			70°			65°			
										
	m	m	m	kg	m	m	kg	m	m	m
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0	59,9	90,6	26 400							38,0
40,0	56,7	89,3	24 500							40,0
42,0	53,3	87,8	22 900							42,0
44,0	49,8	86,1	21 400							44,0
46,0	46,0	84,3	20 000	54,2	86,7	17 400				46,0
48,0	42,0	82,1	18 800	50,7	85,1	16 300				48,0
50,0	37,7	79,6	17 700	47,0	83,3	15 200				50,0
52,0	32,8	76,6	16 600	43,1	81,2	14 300	51,4	83,6	12 000	52,0
54,0	27,1	73,0	15 600	38,8	78,8	13 400	47,7	81,8	11 300	54,0
56,0	19,9	68,1	14 700	34,1	76,0	12 600	43,8	79,7	10 500	56,0
58,0				28,7	72,5	11 900	39,6	77,4	9 900	58,0
60,0				22,0	68,1	11 100	35,0	74,7	9 300	60,0
62,0				12,0	61,0	10 400	29,7	71,4	8 700	62,0
64,0							23,4	67,2	8 100	64,0
66,0							14,4	60,9	7 500	66,0




135 200 kg








360°



54,0 m





48,0 m




	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
19,8	74,2	102,4	64 400							19,8
20,0	74,0	102,4	64 300							20,0
22,0	71,5	101,7	63 500							22,0
24,0	68,9	101,0	60 900							24,0
26,0	66,3	100,1	55 200							26,0
28,0	63,7	99,1	50 100	70,0	101,0	51 900				28,0
30,0	61,0	98,0	45 800	67,4	100,2	47 100				30,0
32,0	58,2	96,8	42 000	64,8	99,2	43 000				32,0
34,0	55,3	95,4	38 800	62,1	98,2	39 400	65,9	99,2	36 900	34,0
36,0	52,3	93,9	35 900	59,3	97,0	36 400	63,2	98,2	34 000	36,0
38,0	49,1	92,2	33 400	56,5	95,7	33 700	60,5	97,1	31 400	38,0
40,0	45,8	90,3	31 100	53,5	94,3	31 300	57,7	95,8	29 200	40,0
42,0	42,4	88,2	29 100	50,5	92,6	29 100	54,8	94,4	27 200	42,0
44,0	38,6	85,7	27 300	47,2	90,8	27 200	51,7	92,9	25 300	44,0
46,0	34,5	82,9	25 600	43,8	88,8	25 500	48,6	91,1	23 700	46,0
48,0	29,9	79,6	24 100	40,2	86,5	23 900	45,3	89,2	22 200	48,0
50,0	24,5	75,6	22 700	36,3	83,9	22 500	41,7	87,0	20 900	50,0
52,0	17,4	70,0	21 400	31,9	80,8	21 200	37,9	84,5	19 600	52,0
54,0				26,8	77,1	19 900	33,7	81,6	18 500	54,0
56,0				20,7	72,3	18 800	29,0	78,2	17 400	56,0
58,0				11,5	64,9	17 700	23,4	74,0	16 400	58,0
60,0							15,9	68,0	15 500	60,0
62,0										62,0
64,0										64,0
66,0										66,0
68,0										68,0
70,0										70,0




MLC300 S-1

ASME B30.5




	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
19,8										19,8
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0	61,3	96,3	23 900							40,0
42,0	58,6	95,1	22 200							42,0
44,0	55,7	93,8	20 800							44,0
46,0	52,7	92,3	19 400							46,0
48,0	49,6	90,6	18 200	56,4	92,7	15 600				48,0
50,0	46,3	88,8	17 100	53,5	91,2	14 600				50,0
52,0	42,9	86,6	16 100	50,4	89,6	13 700				52,0
54,0	39,1	84,3	15 100	47,2	87,8	12 800				54,0
56,0	35,1	81,5	14 200	43,8	85,7	12 000	51,0	88,0	9 900	56,0
58,0	30,6	78,3	13 400	40,1	83,4	11 300	47,8	86,3	9 200	58,0
60,0	25,3	74,3	12 600	36,2	80,8	10 600	44,4	84,3	8 600	60,0
62,0	18,6	69,1	11 800	31,8	77,7	9 900	40,8	82,0	8 000	62,0
64,0	6,7	59,4	11 100	26,7	74,0	9 300	36,9	79,4	7 500	64,0
66,0				20,5	69,2	8 700	32,6	76,4	6 900	66,0
68,0				11,2	61,6	8 100	27,7	72,9	6 400	68,0
70,0							21,8	68,3	5 800	70,0






	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
21,3	74,4	108,2	54 400							21,3
22,0	73,6	108,0	54 300							22,0
24,0	71,4	107,4	53 800							24,0
26,0	69,1	106,6	53 100							26,0
28,0	66,8	105,8	49 900	70,1	106,6	46 600				28,0
30,0	64,5	104,8	45 300	67,8	105,8	42 500				30,0
32,0	62,1	103,8	41 600	65,5	104,9	38 900	68,7	105,7	36 300	32,0
34,0	59,6	102,6	38 300	63,1	103,9	35 900	66,4	104,9	33 400	34,0
36,0	57,1	101,4	35 500	60,7	102,8	33 200	64,1	103,9	30 900	36,0
38,0	54,5	99,9	33 000	58,2	101,6	30 800	61,6	102,8	28 600	38,0
40,0	51,8	98,4	30 700	55,6	100,2	28 700	59,2	101,7	26 600	40,0
42,0	49,0	96,7	28 700	53,0	98,8	26 800	56,7	100,4	24 800	42,0
44,0	46,1	94,8	26 900	50,2	97,1	25 000	54,0	98,9	23 200	44,0
46,0	43,0	92,7	25 200	47,4	95,3	23 500	51,3	97,4	21 700	46,0
48,0	39,8	90,4	23 700	44,4	93,3	22 100	48,5	95,6	20 400	48,0
50,0	36,3	87,7	22 300	41,2	91,1	20 700	45,6	93,7	19 200	50,0
52,0	32,4	84,7	21 100	37,8	88,6	19 500	42,5	91,6	18 000	52,0
54,0	28,1	81,1	19 900	34,1	85,7	18 400	39,2	89,2	17 000	54,0
56,0	23,0	76,8	18 800	30,0	82,4	17 400	35,6	86,5	16 000	56,0
58,0	16,4	70,9	17 700	25,2	78,4	16 400	31,7	83,4	15 100	58,0
60,0				19,4	73,3	15 500	27,3	79,7	14 200	60,0
62,0				10,8	65,4	14 600	22,0	75,1	13 400	62,0
64,0							14,9	68,8	12 700	64,0
66,0										66,0
68,0										68,0
70,0										70,0
72,0										72,0
74,0										74,0




54,0 m



54,0 m


	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
21,3							21,3
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0	62,4	102,1	21 600				42,0
44,0	60,0	101,0	20 200				44,0
46,0	57,5	99,7	18 800				46,0
48,0	54,9	98,3	17 600				48,0
50,0	52,2	96,8	16 500				50,0
52,0	49,4	95,1	15 500	55,5	97,2	13 000	52,0
54,0	46,5	93,2	14 600	52,9	95,7	12 200	54,0
56,0	43,5	91,2	13 700	50,2	94,1	11 400	56,0
58,0	40,3	88,9	12 900	47,3	92,3	10 700	58,0
60,0	36,8	86,3	12 100	44,3	90,2	10 000	60,0
62,0	33,0	83,3	11 400	41,1	88,0	9 400	62,0
64,0	28,7	79,8	10 700	37,7	85,5	8 800	64,0
66,0	23,8	75,6	10 100	34,0	82,6	8 200	66,0
68,0	17,5	70,0	9 500	29,9	79,3	7 700	68,0
70,0	6,3	59,7	8 800	25,1	75,3	7 200	70,0
72,0				19,3	70,2	6 700	72,0
74,0				10,5	62,1	6 200	74,0




135 200 kg







360°










54,0 m










60,0 m



	86°			83°			80°			
										
m	m	m	kg	m	m	kg	m	m	kg	m
22,9	74,4	114,0	45 900							22,9
24,0	73,3	113,7	45 700							24,0
26,0	71,3	113,0	45 300							26,0
28,0	69,3	112,3	44 900							28,0
30,0	67,2	111,5	44 300	70,1	112,3	42 100				30,0
32,0	65,1	110,5	41 200	68,1	111,5	38 600				32,0
34,0	63,0	109,5	38 000	66,0	110,6	35 500				34,0
36,0	60,8	108,4	35 200	63,9	109,7	32 800	66,8	110,5	30 500	36,0
38,0	58,5	107,2	32 600	61,7	108,6	30 400	64,7	109,6	28 200	38,0
40,0	56,3	105,9	30 400	59,5	107,4	28 300	62,6	108,6	26 200	40,0
42,0	53,9	104,5	28 400	57,2	106,2	26 400	60,4	107,5	24 400	42,0
44,0	51,5	102,9	26 600	54,9	104,8	24 700	58,1	106,2	22 800	44,0
46,0	49,0	101,2	24 900	52,5	103,3	23 100	55,8	104,9	21 400	46,0
48,0	46,3	99,3	23 400	50,0	101,6	21 700	53,5	103,4	20 000	48,0
50,0	43,6	97,2	22 100	47,4	99,8	20 400	51,0	101,8	18 800	50,0
52,0	40,7	95,0	20 800	44,8	97,8	19 200	48,5	100,1	17 700	52,0
54,0	37,6	92,4	19 600	41,9	95,6	18 100	45,9	98,2	16 600	54,0
56,0	34,3	89,6	18 500	38,9	93,2	17 100	43,1	96,1	15 700	56,0
58,0	30,7	86,3	17 500	35,7	90,5	16 200	40,2	93,8	14 800	58,0
60,0	26,6	82,6	16 600	32,2	87,5	15 300	37,1	91,2	13 900	60,0
62,0	21,8	77,9	15 700	28,4	83,9	14 400	33,7	88,3	13 200	62,0
64,0	15,5	71,7	14 800	23,9	79,7	13 700	30,0	85,0	12 400	64,0
66,0				18,4	74,3	12 900	25,8	81,1	11 700	66,0
68,0				10,2	65,9	12 200	20,8	76,2	11 100	68,0
70,0							14,1	69,5	10 400	70,0
72,0										72,0
74,0										74,0
76,0										76,0






	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
22,9							22,9
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0	61,1	106,7	18 400				46,0
48,0	58,9	105,5	17 200				48,0
50,0	56,6	104,2	16 100				50,0
52,0	54,2	102,8	15 100				52,0
54,0	51,8	101,3	14 200	57,2	103,1	11 800	54,0
56,0	49,3	99,6	13 300	54,8	101,7	11 000	56,0
58,0	46,7	97,7	12 500	52,4	100,2	10 300	58,0
60,0	44,0	95,7	11 800	50,0	98,5	9 600	60,0
62,0	41,1	93,4	11 100	47,4	96,7	9 000	62,0
64,0	38,1	91,0	10 400	44,7	94,8	8 400	64,0
66,0	34,8	88,2	9 800	41,9	92,6	7 900	66,0
68,0	31,2	85,0	9 200	38,9	90,1	7 300	68,0
70,0	27,2	81,3	8 600	35,7	87,4	6 800	70,0
72,0	22,5	76,8	8 100	32,2	84,4	6 200	72,0
74,0	16,5	70,9	7 600	28,3	80,8	5 700	74,0
76,0	6,0	60,0	7 000	23,8	76,6	5 300	76,0



	86°			83°			80°			
 m	 m	 m	 kg	 m	 m	 kg	 m	 m	 kg	 m
24,4	74,5	119,8	38 900							24,4
26,0	73,1	119,3	38 700							26,0
28,0	71,2	118,7	38 400							28,0
30,0	69,4	117,9	38 000							30,0
32,0	67,5	117,1	37 700	70,1	117,9	37 600				32,0
34,0	65,6	116,2	37 100	68,3	117,1	35 000				34,0
36,0	63,7	115,2	34 800	66,4	116,3	32 300				36,0
38,0	61,7	114,2	32 200	64,5	115,3	29 900	67,2	116,2	27 700	38,0
40,0	59,7	113,0	29 900	62,5	114,3	27 800	65,3	115,3	25 700	40,0
42,0	57,6	111,7	27 900	60,5	113,2	25 900	63,3	114,3	23 900	42,0
44,0	55,5	110,4	26 100	58,5	112,0	24 200	61,3	113,2	22 300	44,0
46,0	53,4	108,9	24 500	56,4	110,7	22 600	59,3	112,0	20 800	46,0
48,0	51,2	107,3	23 000	54,3	109,2	21 200	57,3	110,8	19 500	48,0
50,0	48,9	105,6	21 600	52,1	107,7	19 900	55,2	109,4	18 300	50,0
52,0	46,5	103,7	20 400	49,8	106,0	18 800	53,0	107,9	17 200	52,0
54,0	44,0	101,7	19 200	47,5	104,2	17 700	50,8	106,3	16 100	54,0
56,0	41,4	99,5	18 100	45,1	102,3	16 600	48,5	104,5	15 200	56,0
58,0	38,7	97,0	17 100	42,5	100,1	15 700	46,1	102,6	14 300	58,0
60,0	35,8	94,3	16 200	39,8	97,8	14 800	43,6	100,6	13 500	60,0
62,0	32,6	91,3	15 300	37,0	95,2	14 000	40,9	98,3	12 700	62,0
64,0	29,1	87,9	14 500	33,9	92,3	13 200	38,2	95,8	12 000	64,0
66,0	25,2	83,8	13 700	30,6	89,0	12 500	35,2	93,1	11 300	66,0
68,0	20,6	78,9	13 000	26,9	85,3	11 800	32,0	90,0	10 600	68,0
70,0	14,7	72,3	12 300	22,7	80,8	11 200	28,5	86,4	10 000	70,0
72,0				17,4	75,1	10 500	24,5	82,3	9 500	72,0
74,0				9,5	66,2	9 900	19,7	77,2	8 900	74,0
76,0							13,3	70,1	8 400	76,0
78,0										78,0
80,0										80,0



	75°			70°			
 m	 m	 m	 kg	 m	 m	 kg	 m
24,4							24,4
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0							38,0
40,0							40,0
42,0							42,0
44,0							44,0
46,0							46,0
48,0	62,0	112,5	16 600				48,0
50,0	60,0	111,3	15 500				50,0
52,0	57,9	110,1	14 500				52,0
54,0	55,8	108,7	13 600				54,0
56,0	53,7	107,3	12 700				56,0
58,0	51,5	105,7	11 900	56,4	107,6	9 700	58,0
60,0	49,2	104,0	11 200	54,2	106,2	9 000	60,0
62,0	46,8	102,2	10 500	52,0	104,7	8 300	62,0
64,0	44,4	100,2	9 900	49,8	103,0	7 600	64,0
66,0	41,8	98,0	9 300	47,4	101,2	7 100	66,0
68,0	39,1	95,5	8 700	45,0	99,2	6 500	68,0
70,0	36,2	92,9	8 100	42,5	97,1	6 000	70,0
72,0	33,1	89,9	7 600	39,8	94,7	5 500	72,0
74,0	29,6	86,5	7 200				74,0
76,0	25,8	82,6	6 700				76,0
78,0	21,3	77,8	6 200				78,0
80,0	15,6	71,6	5 700				80,0