

Liftcrane Jib Capacities

Jib No. 148 on
 Boom No. B60:500
 with Mast No. M10:503 or Mast No. M11:503
 135 100 kg VPC (Variable Position Counterweight)
 Crawler Machine on a Barge
 0 Degree thru 2 Degree Static Machine List
 No Travel - 360 Degree Rating

MLC300 VPC-MAX SERIES 1



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. 9440-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

BOOM BACKWARD STABILITY: Capacities indicated by (b) require 1 090 kg minimum weight suspended beneath jib point, and (c) require 4 530 kg minimum weight. **Caution: Do not operate in areas indicated by (b) or (c) without required minimum weight. Boom and jib may not lower and boom hoist wire rope may go slack causing wire rope damage or failure.**

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with machine list not to exceed degrees noted. Refer to Boom Rigging **No. 81023382**, Jib Rigging **No. 84049566**, Mast Rigging **No. 81025690** or **No. 84045340**, Wire Rope Specification chart **No. 9366-A**, Counterweight Arrangements chart **No. 9345-A**, and Wind Conditions chart **No. 9480-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with VPC-MAX, 9 700 mm crawlers, 1 219 mm or 1 524 mm treads, 9 144 mm live mast, 30 0 m mast 10 part boom hoist reeving, boom support straps, and 135 100 kg VPC.

Warning: Luffing jib backstay straps must be removed before use of this chart. *Crane tipping or structural damage can occur.*

MLC300

VPC-MAX S-1



Refer to Table 1 and Table 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Select counterweight position from Table 1 or 2 that will allow raising and lowering of boom and jib length. Counterweight position selection may be changed with jib on barge deck or while jib is within operating range of capacity chart.

Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 2 800 kg.

Table 1a

Over End or Side of Crawlers												
Boom Length (m)	12,0 m Jib Length						18,0 m Jib Length					
	Counterweight Position						Counterweight Position					
	10,6 m			14,6 m			10,6 m			14,6 m		
	Machine List						Machine List					
	0°	1°	2°	0°	1°	2°	0°	1°	2°	0°	1°	2°
	Block Weight (kg)						Block Weight (kg)					
42,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
48,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
54,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
60,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
66,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
72,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	7 100	10 300	10 300	10 300
78,0	7 100	7 100	7 100	10 300	10 300	10 300	3 700	3 700	3 700	10 300	10 300	10 300
84,0	3 700	3 700	3 700	10 300	10 300	10 300	#	#	#	10 300	10 300	7 100
90,0	#	#	#	7 100	7 100	7 100	#	#	#	7 100	7 100	7 100
96,0				3 700	3 700	3 700				3 700	3 700	3 700
102,0				#	#	Raising Not Permitted				#	#	
108,0				#	#							

MLC300

VPC-MAX S-1



Table 1b

Over End or Side of Crawlers												
Boom Length (m)	24,0 m Jib Length						30,0 m Jib Length					
	Counterweight Position						Counterweight Position					
	10,6 m			14,6 m			10,6 m			14,6 m		
	Machine List						Machine List					
	0°	1°	2°	0°	1°	2°	0°	1°	2°	0°	1°	2°
	Block Weight (kg)						Block Weight (kg)					
42,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
48,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
54,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
60,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
66,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
72,0	7 100	7 100	7 100	10 300	10 300	10 300	7 100	7 100	7 100	10 300	10 300	10 300
78,0	3 700	3 700	3 700	10 300	10 300	10 300	3 700	3 700	3 700	10 300	10 300	10 300
84,0	#	#	#	7 100	7 100	7 100	#	#	#	7 100	7 100	7 100
90,0	#	#	#	3 700	3 700	3 700	Raising Not Permitted			3 700	3 700	3 700
96,0				#	#	#				#	#	#
102,0				#	#					#	#	
108,0												

Table 1c

Over End or Side of Crawlers												
Boom Length (m)	36,0 m Jib Length						42,0 m Jib Length					
	Counterweight Position						Counterweight Position					
	10,6 m			14,6 m			10,6 m			14,6 m		
	Machine List						Machine List					
	0°	1°	2°	0°	1°	2°	0°	1°	2°	0°	1°	2°
	Block Weight (kg)						Block Weight (kg)					
42,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
48,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
54,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
60,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
66,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	7 100	7 100	10 300	10 300	10 300
72,0	7 100	7 100	3 700	10 300	10 300	10 300	3 700	3 700	3 700	10 300	10 300	10 300
78,0	3 700	#	#	10 300	10 300	10 300	#	#	#	10 300	10 300	7 100
84,0	#	#	#	7 100	7 100	7 100	#	#	#	3 700	3 700	3 700
90,0				3 700	3 700	3 700				3 700	#	#
96,0				#	#	#	Raising Not Permitted			#	#	
102,0				#	#							
108,0												

MLC300

VPC-MAX S-1



Table 2a

Over End of Blocked Crawlers												
Boom Length (m)	12,0 m Jib Length						18,0 m Jib Length					
	Counterweight Position						Counterweight Position					
	10,6 m			14,6 m			10,6 m			14,6 m		
	Machine List						Machine List					
	0°	1°	2°	0°	1°	2°	0°	1°	2°	0°	1°	2°
	Block Weight (kg)						Block Weight (kg)					
42,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
48,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
54,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
60,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
66,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
72,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	7 100	10 300	10 300	10 300
78,0	7 100	7 100	7 100	10 300	10 300	10 300	3 700	3 700	3 700	10 300	10 300	10 300
84,0	3 700	3 700	3 700	10 300	10 300	10 300	#	#	#	10 300	10 300	7 100
90,0	#	#	#	7 100	7 100	7 100	#	#	#	7 100	7 100	7 100
96,0	#	#	#	3 700	3 700	3 700	#	#	#	3 700	3 700	3 700
102,0				#	#	Raising Not Permitted				#	#	
108,0				#	#					#	#	
Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.												

Table 2b

Over End of Blocked Crawlers												
Boom Length (m)	24,0 m Jib Length						30,0 m Jib Length					
	Counterweight Position						Counterweight Position					
	10,6 m			14,6 m			10,6 m			14,6 m		
	Machine List						Machine List					
	0°	1°	2°	0°	1°	2°	0°	1°	2°	0°	1°	2°
	Block Weight (kg)						Block Weight (kg)					
42,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
48,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
54,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
60,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
66,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
72,0	7 100	7 100	7 100	10 300	10 300	10 300	7 100	7 100	7 100	10 300	10 300	10 300
78,0	3 700	3 700	3 700	10 300	10 300	10 300	3 700	3 700	3 700	10 300	10 300	10 300
84,0	#	#	#	7 100	7 100	7 100	#	#	#	7 100	7 100	7 100
90,0	#	#	#	3 700	3 700	3 700	#	#	#	3 700	3 700	3 700
96,0	#	#		#	#	#				#	#	#
102,0				#	#	Raising Not Permitted				#	#	
108,0				#	#					#	#	
Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.												

MLC300

VPC-MAX S-1



Table 2c

Over End of Blocked Crawlers												
Boom Length (m)	36,0 m Jib Length						42,0 m Jib Length					
	Counterweight Position						Counterweight Position					
	10,6 m			14,6 m			10,6 m			14,6 m		
	Machine List						Machine List					
	0°	1°	2°	0°	1°	2°	0°	1°	2°	0°	1°	2°
	Block Weight (kg)						Block Weight (kg)					
42,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
48,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
54,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
60,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300	10 300
66,0	10 300	10 300	10 300	10 300	10 300	10 300	10 300	7 100	7 100	10 300	10 300	10 300
72,0	7 100	7 100	3 700	10 300	10 300	10 300	3 700	3 700	3 700	10 300	10 300	10 300
78,0	3 700	#	#	10 300	10 300	10 300	#	#	#	10 300	10 300	7 100
84,0	#	#	#	7 100	7 100	7 100	#	#	#	3 700	3 700	3 700
90,0	#	#	#	3 700	3 700	3 700	#	#	#	3 700	#	#
96,0				#	#	#				#	#	
102,0				#	#		Raising Not Permitted			#	#	
108,0												
Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.												

Explanation of Symbols



Jib No. 148
+
Boom No. B60:500




VPC (Variable Position Counterweight)




360 Degree Rating




Boom Length



Jib Length



Jib Offset Angle




Operating Radius
(see page 1)




Boom Angle
(see page 1)



Jib Point Elevation
(see page 1)



Counterweight Position
from Axis of Rotation







Machine List



Lifting Capacities
(see page 1)

MLC300 VPC-MAX S-1



			10,6 m			14,6 m				
			0°			0°				
			kg	kg	kg	kg	kg	kg		
11,6	82,3	55,5	65 000	61 600c	56 300c	65 000	61 600c	56 300c	11,6	
12,0	81,8	55,4	65 000	61 500c	56 200c	65 000	61 500c	56 200c	12,0	
14,0	79,7	55,0	65 000	61 000	55 800c	65 000	61 000	55 800c	14,0	
16,0	77,5	54,5	65 000	60 600	55 500b	65 000	60 600	55 500b	16,0	
18,0	75,3	53,9	65 000	60 200	55 200	65 000	60 200	55 200	18,0	
20,0	73,1	53,2	64 700	59 900	54 900	64 700	59 900	54 900	20,0	
22,0	70,8	52,4	61 700	58 800	54 200	61 700	58 800	54 200	22,0	
24,0	68,5	51,6	57 800	57 100	53 000	57 800	57 100	53 000	24,0	
26,0	66,1	50,6	54 400	54 100	51 900	54 400	54 100	51 900	26,0	
28,0	63,8	49,6	51 400	51 200	50 500	51 400	51 200	50 500	28,0	
30,0	61,3	48,4	48 700	48 500	48 200	48 700	48 500	48 200	30,0	
32,0	58,8	47,1	46 300	46 100	45 800	46 300	46 100	45 800	32,0	
34,0	56,2	45,7	44 200	44 000	43 800	44 200	44 000	43 800	34,0	
36,0	53,5	44,1	42 200	42 100	41 900	42 200	42 100	41 900	36,0	
38,0	50,7	42,4	40 400	40 300	40 100	40 400	40 300	40 100	38,0	
40,0	47,8	40,5	38 900	38 700	38 500	38 900	38 700	38 500	40,0	
42,0	44,7	38,3	37 400	37 300	37 100	37 400	37 300	37 100	42,0	
44,0	41,5	36,0	36 100	36 000	35 800	36 100	36 000	35 800	44,0	
46,0	37,9	33,3	34 900	34 800	34 300	34 900	34 800	34 600	46,0	
48,0	34,0	30,2	33 700	33 100	32 300	33 800	33 700	33 600	48,0	
50,0	29,7	26,6	31 900	31 100	30 400	32 900	32 800	32 700	50,0	
52,0	24,5	22,1	29 900			32 100			52,0	

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg







42,0 m

12,0 m

20°





			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
11,6									11,6
12,0									12,0
14,0	81,6	54,5	60 400	58 900c	54 200c	60 400	58 900c	54 200c	14,0
16,0	79,4	54,0	56 600	56 500	53 500c	56 600	56 500	53 500c	16,0
18,0	77,2	53,4	53 200	53 100	52 400	53 200	53 100	52 400	18,0
20,0	74,9	52,7	50 200	50 200	49 900	50 200	50 200	49 900	20,0
22,0	72,7	51,9	47 600	47 600	47 400	47 600	47 600	47 400	22,0
24,0	70,3	51,1	45 300	45 200	45 100	45 300	45 200	45 100	24,0
26,0	68,0	50,1	43 200	43 200	43 000	43 200	43 200	43 000	26,0
28,0	65,6	49,0	41 300	41 300	41 200	41 300	41 300	41 200	28,0
30,0	63,1	47,8	39 600	39 600	39 500	39 600	39 600	39 500	30,0
32,0	60,5	46,5	38 100	38 000	38 000	38 100	38 000	38 000	32,0
34,0	57,9	45,1	36 700	36 600	36 600	36 700	36 600	36 600	34,0
36,0	55,2	43,5	35 400	35 400	35 300	35 400	35 400	35 300	36,0
38,0	52,4	41,7	34 300	34 200	34 200	34 300	34 200	34 200	38,0
40,0	49,4	39,8	33 200	33 200	33 100	33 200	33 200	33 100	40,0
42,0	46,3	37,6	32 300	32 300	32 200	32 300	32 300	32 200	42,0
44,0	42,9	35,2	31 400	31 400	31 300	31 400	31 400	31 300	44,0
46,0	39,3	32,5	30 700	30 700	30 600	30 700	30 700	30 600	46,0
48,0	35,3	29,3	30 000	30 000	30 000	30 000	30 000	30 000	48,0
50,0	30,8	25,6	29 500	29 500	29 400	29 500	29 500	29 400	50,0
52,0									52,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
9,8	84,8	61,9	65 000b			65 000b			9,8		
10,0	84,6	61,8	65 000b			65 000b			10,0		
11,0	83,6	61,7	65 000	61 500c		65 000	61 500c		11,0		
12,0	82,7	61,5	65 000	61 200b		65 000	61 200b		12,0		
14,0	80,7	61,1	65 000	60 800	55 500b	65 000	60 800	55 500b	14,0		
16,0	78,8	60,7	65 000	60 400	55 200	65 000	60 400	55 200	16,0		
18,0	76,8	60,2	65 000	60 000	54 900	65 000	60 000	54 900	18,0		
20,0	74,8	59,5	65 000	59 700	54 700	65 000	59 700	54 700	20,0		
22,0	72,8	58,9	64 400	59 400	54 500	64 400	59 400	54 500	22,0		
24,0	70,8	58,1	61 500	58 500	53 900	61 500	58 500	53 900	24,0		
26,0	68,7	57,3	58 000	57 100	52 900	58 000	57 100	52 900	26,0		
28,0	66,6	56,3	54 900	54 600	51 900	54 900	54 600	51 900	28,0		
30,0	64,5	55,3	52 200	51 900	50 900	52 200	51 900	50 900	30,0		
32,0	62,3	54,2	49 700	49 400	49 100	49 700	49 400	49 100	32,0		
34,0	60,1	52,9	47 400	47 200	46 900	47 400	47 200	46 900	34,0		
36,0	57,8	51,6	45 400	45 200	44 900	45 400	45 200	44 900	36,0		
38,0	55,4	50,2	43 500	43 400	43 100	43 500	43 400	43 100	38,0		
40,0	53,0	48,6	41 800	41 700	40 800	41 800	41 700	41 400	40,0		
42,0	50,5	46,8	40 300	39 500	38 100	40 300	40 100	39 900	42,0		
44,0	47,8	44,9	38 200	36 900	35 700	38 900	38 700	38 500	44,0		
46,0	45,1	42,8	35 800	34 600	33 500	37 500	37 400	37 200	46,0		
48,0	42,2	40,5	33 500	32 400	31 400	36 400	36 300	36 100	48,0		
50,0	39,1	38,0	31 400	30 500	29 600	35 300	35 200	35 000	50,0		
52,0	35,8	35,1	29 500	28 600	27 900	34 300	34 200	34 000	52,0		
54,0	32,1	31,8	27 700	27 000	26 300	33 400	33 300	33 200	54,0		
56,0	28,0	28,0	26 000	25 400	24 800	32 600	32 500	32 400	56,0		
58,0	23,1	23,2	24 500			31 900			58,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
9,8									9,8		
10,0									10,0		
11,0									11,0		
12,0	84,4	61,1	65 000			65 000			12,0		
14,0	82,5	60,7	61 900	58 700 ^b	53 800 ^c	61 900	58 700 ^b	53 800 ^c	14,0		
16,0	80,5	60,2	58 300	57 800	53 500 ^b	58 300	57 800	53 500 ^b	16,0		
18,0	78,5	59,7	55 000	54 900	52 700	55 000	54 900	52 700	18,0		
20,0	76,5	59,1	52 100	52 100	51 700	52 100	52 100	51 700	20,0		
22,0	74,5	58,4	49 600	49 500	49 400	49 600	49 500	49 400	22,0		
24,0	72,4	57,6	47 300	47 200	47 100	47 300	47 200	47 100	24,0		
26,0	70,4	56,7	45 200	45 200	45 100	45 200	45 200	45 100	26,0		
28,0	68,2	55,8	43 400	43 300	43 200	43 400	43 300	43 200	28,0		
30,0	66,1	54,8	41 600	41 600	41 500	41 600	41 600	41 500	30,0		
32,0	63,9	53,6	40 100	40 100	40 000	40 100	40 100	40 000	32,0		
34,0	61,6	52,4	38 700	38 600	38 600	38 700	38 600	38 600	34,0		
36,0	59,3	51,0	37 400	37 300	37 300	37 400	37 300	37 300	36,0		
38,0	56,9	49,6	36 200	36 100	36 100	36 200	36 100	36 100	38,0		
40,0	54,5	48,0	35 100	35 100	35 000	35 100	35 100	35 000	40,0		
42,0	51,9	46,2	34 100	34 100	34 000	34 100	34 100	34 000	42,0		
44,0	49,3	44,3	33 200	33 100	33 100	33 200	33 100	33 100	44,0		
46,0	46,5	42,2	32 300	32 300	32 200	32 300	32 300	32 200	46,0		
48,0	43,5	39,8	31 500	31 500	31 400	31 500	31 500	31 500	48,0		
50,0	40,4	37,2	30 900	30 600	29 800	30 900	30 900	30 800	50,0		
52,0	36,9	34,2	29 600	28 800	28 000	30 300	30 200	30 200	52,0		
54,0	33,2	30,9	27 800	27 100	26 400	29 800	29 700	29 700	54,0		
56,0	28,9	26,8	26 100			29 300			56,0		
58,0									58,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
10,4	84,8	67,8	65 000			65 000			10,4		
11,0	84,2	67,8	65 000			65 000			11,0		
12,0	83,3	67,6	65 000	60 800		65 000	60 800		12,0		
14,0	81,6	67,3	65 000	60 400	55 000b	65 000	60 400	55 000b	14,0		
16,0	79,8	66,8	65 000	60 000	54 800	65 000	60 000	54 800	16,0		
18,0	78,0	66,4	65 000	59 700	54 500	65 000	59 700	54 500	18,0		
20,0	76,2	65,8	65 000	59 400	54 400	65 000	59 400	54 400	20,0		
22,0	74,4	65,2	65 000	59 200	54 200	65 000	59 200	54 200	22,0		
24,0	72,6	64,5	64 300	59 000	54 100	64 300	59 000	54 100	24,0		
26,0	70,7	63,8	61 300	58 100	53 500	61 300	58 100	53 500	26,0		
28,0	68,9	62,9	58 200	57 000	52 600	58 200	57 000	52 600	28,0		
30,0	67,0	62,0	55 300	55 000	51 800	55 300	55 000	51 800	30,0		
32,0	65,0	61,0	52 800	52 500	50 900	52 800	52 500	50 900	32,0		
34,0	63,1	59,9	50 500	50 200	49 600	50 500	50 200	49 800	34,0		
36,0	61,1	58,8	48 300	48 100	46 500	48 300	48 100	47 800	36,0		
38,0	59,0	57,5	46 400	45 100	43 200	46 400	46 200	45 900	38,0		
40,0	56,9	56,1	43 900	42 000	40 200	44 700	44 500	44 200	40,0		
42,0	54,8	54,6	40 800	39 200	37 600	43 000	42 800	42 600	42,0		
44,0	52,6	53,0	38 100	36 600	35 100	41 500	41 400	41 100	44,0		
46,0	50,3	51,3	35 600	34 200	32 900	40 100	40 000	39 800	46,0		
48,0	47,9	49,4	33 300	32 100	30 900	38 900	38 700	38 500	48,0		
50,0	45,4	47,4	31 200	30 100	29 100	37 700	37 600	37 400	50,0		
52,0	42,8	45,1	29 300	28 300	27 400	36 600	36 500	36 200	52,0		
54,0	40,1	42,6	27 500	26 600	25 800	35 600	35 300	34 600	54,0		
56,0	37,1	39,9	25 900	25 100	24 300	34 500	33 800	32 900	56,0		
58,0	34,0	36,8	24 300	23 600	22 900	32 800	32 000	31 300	58,0		
60,0	30,5	33,4	22 900	22 300	21 700	31 100	30 400	29 700	60,0		
62,0	26,6	29,3	21 500	21 000	20 500	29 500	28 900	28 300	62,0		
64,0	21,9	24,3	20 300	19 800	19 300	27 900	27 400	26 900	64,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
			kg			kg			
10,4									10,4
11,0									11,0
12,0									12,0
14,0	83,2	66,8	63 100	58 300b	52 500b	63 100	58 300b	52 500b	14,0
16,0	81,4	66,4	59 700	58 100	52 500b	59 700	58 100	52 500b	16,0
18,0	79,6	65,9	56 600	56 400	52 500	56 600	56 400	52 500	18,0
20,0	77,8	65,3	53 800	53 700	52 100	53 800	53 700	52 100	20,0
22,0	76,0	64,7	51 300	51 300	51 000	51 300	51 300	51 000	22,0
24,0	74,1	64,0	49 100	49 000	48 900	49 100	49 000	48 900	24,0
26,0	72,3	63,2	47 000	47 000	46 900	47 000	47 000	46 900	26,0
28,0	70,4	62,4	45 200	45 200	45 000	45 200	45 200	45 000	28,0
30,0	68,5	61,5	43 500	43 400	43 300	43 500	43 400	43 300	30,0
32,0	66,5	60,5	41 900	41 900	41 800	41 900	41 900	41 800	32,0
34,0	64,5	59,4	40 500	40 500	40 400	40 500	40 500	40 400	34,0
36,0	62,5	58,2	39 200	39 100	39 100	39 200	39 100	39 100	36,0
38,0	60,4	56,9	37 900	37 900	37 800	37 900	37 900	37 800	38,0
40,0	58,3	55,5	36 800	36 800	36 700	36 800	36 800	36 700	40,0
42,0	56,1	54,0	35 800	35 800	35 700	35 800	35 800	35 700	42,0
44,0	53,9	52,4	34 800	34 800	34 700	34 800	34 800	34 700	44,0
46,0	51,6	50,7	33 900	33 900	33 300	33 900	33 900	33 900	46,0
48,0	49,2	48,7	33 100	32 400	31 200	33 100	33 100	33 000	48,0
50,0	46,6	46,7	31 500	30 400	29 300	32 300	32 300	32 300	50,0
52,0	44,0	44,4	29 500	28 500	27 600	31 700	31 600	31 600	52,0
54,0	41,2	41,9	27 700	26 900	26 000	31 000	31 000	31 000	54,0
56,0	38,2	39,1	26 000	25 300	24 500	30 500	30 500	30 400	56,0
58,0	35,0	35,9	24 500	23 800	23 100	30 000	29 900	29 900	58,0
60,0	31,4	32,3	23 000	22 400	21 800	29 500	29 600	29 400	60,0
62,0									62,0
64,0									64,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°			0°			
			kg	kg	kg	kg	kg	kg	
11,0	84,7	73,8	65 000			65 000			11,0
12,0	83,9	73,7	65 000			65 000			12,0
14,0	82,3	73,4	65 000	59 800	54 400	65 000	59 800	54 400	14,0
16,0	80,7	73,0	65 000	59 500	54 200	65 000	59 500	54 200	16,0
18,0	79,0	72,5	65 000	59 300	54 000	65 000	59 300	54 000	18,0
20,0	77,4	72,0	65 000	59 000	53 900	65 000	59 000	53 900	20,0
22,0	75,8	71,5	65 000	58 800	53 700	65 000	58 800	53 700	22,0
24,0	74,1	70,9	64 800	58 600	53 600	64 800	58 600	53 600	24,0
26,0	72,4	70,2	64 300	58 400	53 500	64 300	58 400	53 500	26,0
28,0	70,7	69,4	61 200	57 700	53 000	61 200	57 700	53 000	28,0
30,0	69,0	68,6	58 300	56 700	52 300	58 300	56 700	52 300	30,0
32,0	67,3	67,7	55 700	55 400	51 500	55 700	55 400	51 500	32,0
34,0	65,5	66,7	53 300	51 800	49 000	53 300	53 000	50 800	34,0
36,0	63,7	65,7	50 400	47 900	45 400	51 100	50 900	50 100	36,0
38,0	61,9	64,6	46 600	44 300	42 100	49 100	48 900	48 600	38,0
40,0	60,1	63,4	43 200	41 200	39 200	47 300	47 100	46 800	40,0
42,0	58,2	62,0	40 200	38 300	36 600	45 600	45 400	45 100	42,0
44,0	56,2	60,6	37 400	35 800	34 200	44 100	43 900	43 600	44,0
46,0	54,2	59,1	34 900	33 400	32 000	42 600	42 400	42 100	46,0
48,0	52,2	57,5	32 600	31 300	30 000	41 300	41 100	40 000	48,0
50,0	50,1	55,8	30 500	29 300	28 200	40 000	39 100	37 700	50,0
52,0	47,9	53,9	28 600	27 500	26 500	38 200	36 900	35 700	52,0
54,0	45,7	51,9	26 900	25 900	24 900	36 000	34 900	33 800	54,0
56,0	43,3	49,7	25 200	24 300	23 400	34 000	33 000	32 000	56,0
58,0	40,8	47,3	23 700	22 900	22 100	32 200	31 200	30 300	58,0
60,0	38,2	44,6	22 300	21 500	20 800	30 500	29 600	28 800	60,0
62,0	35,4	41,7	20 800	20 200	19 600	28 900	28 100	27 300	62,0
64,0	32,4	38,5	19 400	19 000	18 500	27 300	26 600	26 000	64,0
66,0	29,1	34,8	18 100	17 700	17 300	25 900	25 300	24 700	66,0
68,0	25,3	30,5	16 900	16 500	16 200	24 600	24 100	23 500	68,0
70,0	20,9	25,3	15 700	15 400	15 100	23 300	22 800	22 400	70,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
11,0									11,0
12,0									12,0
14,0	83,8	72,9	63 500	57 700		63 500	57 700		14,0
16,0	82,1	72,5	60 900	57 600	51 100b	60 900	57 600	51 100b	16,0
18,0	80,5	72,0	57 900	57 300	51 100	57 900	57 300	51 100	18,0
20,0	78,8	71,5	55 300	55 200	51 100	55 300	55 200	51 100	20,0
22,0	77,2	71,0	52 800	52 800	51 000	52 800	52 800	51 000	22,0
24,0	75,5	70,3	50 600	50 600	50 300	50 600	50 600	50 300	24,0
26,0	73,8	69,7	48 600	48 600	48 500	48 600	48 600	48 500	26,0
28,0	72,1	68,9	46 800	46 800	46 600	46 800	46 800	46 600	28,0
30,0	70,4	68,1	45 100	45 100	45 000	45 100	45 100	45 000	30,0
32,0	68,6	67,2	43 600	43 500	43 400	43 600	43 500	43 400	32,0
34,0	66,9	66,2	42 200	42 100	42 000	42 200	42 100	42 000	34,0
36,0	65,1	65,1	40 800	40 800	40 700	40 800	40 800	40 700	36,0
38,0	63,2	64,0	39 600	39 500	39 500	39 600	39 500	39 500	38,0
40,0	61,3	62,8	38 400	38 400	38 300	38 400	38 400	38 300	40,0
42,0	59,4	61,5	37 400	37 400	36 900	37 400	37 400	37 300	42,0
44,0	57,5	60,0	36 400	36 100	34 600	36 400	36 400	36 300	44,0
46,0	55,5	58,5	35 300	33 800	32 400	35 500	35 500	35 400	46,0
48,0	53,4	56,9	33 000	31 700	30 400	34 600	34 600	34 500	48,0
50,0	51,3	55,1	30 900	29 700	28 500	33 800	33 800	33 700	50,0
52,0	49,1	53,2	28 900	27 800	26 800	33 100	33 000	33 000	52,0
54,0	46,8	51,2	27 100	26 100	25 200	32 400	32 400	32 300	54,0
56,0	44,4	48,9	25 500	24 600	23 700	31 700	31 700	31 500	56,0
58,0	41,9	46,5	23 900	23 100	22 300	31 100	31 100	30 500	58,0
60,0	39,2	43,8	22 400	21 700	21 000	30 400	29 700	29 000	60,0
62,0	36,4	40,8	21 000	20 400	19 800	29 000	28 300	27 500	62,0
64,0	33,3	37,5	19 600	19 100	18 600	27 500	26 800	26 100	64,0
66,0	29,8	33,7	18 300	17 800	17 400	26 000	25 400	24 800	66,0
68,0									68,0
70,0									70,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
11,6	84,7	79,8	65 000			65 000			11,6		
12,0	84,4	79,7	65 000			65 000			12,0		
14,0	82,9	79,4	65 000	59 200		65 000	59 200		14,0		
16,0	81,4	79,1	65 000	58 900	53 100	65 000	58 900	53 100	16,0		
18,0	79,9	78,7	65 000	58 700	53 000	65 000	58 700	53 000	18,0		
20,0	78,4	78,2	64 900	58 500	52 800	64 900	58 500	52 800	20,0		
22,0	76,9	77,7	64 700	58 300	52 700	64 700	58 300	52 700	22,0		
24,0	75,4	77,1	64 500	58 100	52 600	64 500	58 100	52 600	24,0		
26,0	73,8	76,5	64 200	57 900	52 500	64 200	57 900	52 500	26,0		
28,0	72,3	75,8	63 500	57 800	52 400	63 500	57 800	52 400	28,0		
30,0	70,7	75,0	61 000	57 200	52 300	61 000	57 200	52 300	30,0		
32,0	69,1	74,2	58 300	55 700	51 800	58 300	56 300	51 800	32,0		
34,0	67,5	73,4	54 600	51 300	48 300	55 900	55 300	51 200	34,0		
36,0	65,9	72,4	50 200	47 400	44 700	53 800	53 400	50 500	36,0		
38,0	64,3	71,4	46 400	43 900	41 500	51 700	51 400	49 900	38,0		
40,0	62,6	70,3	43 000	40 700	38 600	49 800	49 600	49 100	40,0		
42,0	60,9	69,1	39 900	37 900	36 000	48 100	47 900	47 200	42,0		
44,0	59,2	67,9	37 200	35 300	33 600	46 500	46 300	44 400	44,0		
46,0	57,4	66,5	34 700	33 000	31 500	44 900	43 600	41 800	46,0		
48,0	55,6	65,1	32 400	30 900	29 500	42 800	41 100	39 400	48,0		
50,0	53,8	63,6	30 300	28 900	27 600	40 300	38 700	37 200	50,0		
52,0	51,9	62,0	28 400	27 100	26 000	37 900	36 500	35 100	52,0		
54,0	49,9	60,2	26 600	25 500	24 400	35 800	34 500	33 200	54,0		
56,0	47,9	58,3	25 000	23 900	23 000	33 800	32 600	31 500	56,0		
58,0	45,8	56,3	23 400	22 500	21 600	31 900	30 800	29 800	58,0		
60,0	43,7	54,2	21 900	21 200	20 300	30 200	29 200	28 300	60,0		
62,0	41,4	51,8	20 500	19 800	19 100	28 600	27 700	26 800	62,0		
64,0	39,1	49,3	19 100	18 500	17 900	27 100	26 300	25 500	64,0		
66,0	36,6	46,5	17 800	17 300	16 700	25 700	25 000	24 200	66,0		
68,0	33,9	43,4	16 600	16 100	15 600	24 400	23 700	23 000	68,0		
70,0	31,0	40,0	15 400	15 000	14 600	23 100	22 500	21 900	70,0		
72,0	27,8	36,2	14 300	13 900	13 600	21 900	21 400	20 800	72,0		
74,0	24,2	31,6	13 200	12 900	12 600	20 800	20 300	19 800	74,0		
76,0	19,9	26,1	12 200	11 900	11 700	19 700	19 300	18 900	76,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
11,6									11,6
12,0									12,0
14,0	84,2	78,9	63 300			63 300			14,0
16,0	82,7	78,6	61 900	57 000		61 900	57 000		16,0
18,0	81,2	78,2	59 100	56 900	49 700	59 100	56 900	49 700	18,0
20,0	79,7	77,7	56 500	56 400	49 600	56 500	56 400	49 600	20,0
22,0	78,2	77,2	54 200	54 100	49 600	54 200	54 100	49 600	22,0
24,0	76,7	76,6	52 000	52 000	49 600	52 000	52 000	49 600	24,0
26,0	75,1	76,0	50 100	50 000	49 600	50 100	50 000	49 600	26,0
28,0	73,6	75,3	48 300	48 200	48 100	48 300	48 200	48 100	28,0
30,0	72,0	74,5	46 600	46 600	46 400	46 600	46 600	46 400	30,0
32,0	70,4	73,7	45 100	45 000	44 900	45 100	45 000	44 900	32,0
34,0	68,8	72,8	43 700	43 600	43 500	43 700	43 600	43 500	34,0
36,0	67,1	71,9	42 300	42 300	42 200	42 300	42 300	42 200	36,0
38,0	65,5	70,8	41 100	41 100	40 900	41 100	41 100	40 900	38,0
40,0	63,8	69,7	40 000	39 900	39 200	40 000	39 900	39 800	40,0
42,0	62,1	68,6	38 900	38 300	36 500	38 900	38 800	38 700	42,0
44,0	60,4	67,3	37 500	35 800	34 100	37 900	37 800	37 700	44,0
46,0	58,6	65,9	35 100	33 500	31 900	36 900	36 900	36 800	46,0
48,0	56,8	64,5	32 800	31 300	29 900	36 000	36 000	35 900	48,0
50,0	54,9	63,0	30 700	29 300	28 000	35 200	35 200	35 100	50,0
52,0	53,0	61,3	28 700	27 500	26 300	34 400	34 400	34 300	52,0
54,0	51,0	59,5	26 900	25 800	24 700	33 700	33 700	33 200	54,0
56,0	49,0	57,6	25 200	24 200	23 200	33 000	32 600	31 800	56,0
58,0	46,9	55,6	23 700	22 700	21 800	32 200	31 100	30 100	58,0
60,0	44,7	53,4	22 200	21 400	20 600	30 500	29 500	28 500	60,0
62,0	42,4	51,0	20 800	20 100	19 300	28 800	27 900	27 100	62,0
64,0	40,0	48,4	19 300	18 700	18 100	27 300	26 500	25 700	64,0
66,0	37,4	45,6	18 000	17 500	17 000	25 900	25 100	24 400	66,0
68,0	34,7	42,5	16 700	16 300	15 800	24 500	23 800	23 200	68,0
70,0	31,7	39,0	15 500	15 100	14 700	23 200	22 600	22 000	70,0
72,0	28,4	35,0	14 400	14 000	13 700	22 000	21 500	20 900	72,0
74,0									74,0
76,0									76,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
12,2	84,6	85,7	65 000	58 400		65 000	58 400		12,2		
14,0	83,4	85,5	65 000	58 100	51 300	65 000	58 100	51 300	14,0		
16,0	82,0	85,2	65 000	57 900	51 200	65 000	57 900	51 200	16,0		
18,0	80,6	84,8	64 800	57 800	51 100	64 800	57 800	51 100	18,0		
20,0	79,2	84,4	64 500	57 600	51 000	64 500	57 600	51 000	20,0		
22,0	77,8	83,9	64 200	57 400	50 900	64 200	57 400	50 900	22,0		
24,0	76,4	83,4	63 900	57 300	50 800	63 900	57 300	50 800	24,0		
26,0	75,0	82,8	63 700	57 200	50 800	63 700	57 200	50 800	26,0		
28,0	73,6	82,1	63 500	57 100	50 700	63 500	57 100	50 700	28,0		
30,0	72,1	81,5	63 000	54 800	50 600	63 000	54 800	50 600	30,0		
32,0	70,7	80,7	58 800	50 400	47 200	60 800	55 800	50 500	32,0		
34,0	69,2	79,9	53 900	46 500	43 600	58 400	55 100	50 400	34,0		
36,0	67,7	79,0	49 500	43 000	40 400	56 200	53 800	50 100	36,0		
38,0	66,2	78,1	45 700	39 800	37 600	54 100	51 700	49 200	38,0		
40,0	64,7	77,1	42 300	37 000	35 000	52 200	48 700	46 200	40,0		
42,0	63,2	76,1	39 200	34 500	32 600	50 400	45 600	43 400	42,0		
44,0	61,6	74,9	36 400	32 100	30 500	47 900	42 700	40 700	44,0		
46,0	60,0	73,7	33 900	30 000	28 500	44 800	40 200	38 400	46,0		
48,0	58,4	72,4	31 600	28 100	26 700	42 100	37 800	36 100	48,0		
50,0	56,8	71,1	29 500	26 300	25 000	39 500	35 600	34 100	50,0		
52,0	55,1	69,6	27 600	24 600	23 500	37 200	33 600	32 200	52,0		
54,0	53,4	68,1	25 900	23 100	22 000	35 000	31 700	30 500	54,0		
56,0	51,6	66,4	24 100	21 500	20 600	33 000	30 000	28 800	56,0		
58,0	49,8	64,7	22 500	20 100	19 300	31 200	28 400	27 300	58,0		
60,0	47,9	62,8	20 900	18 700	17 900	29 500	26 900	25 900	60,0		
62,0	46,0	60,8	19 500	17 400	16 700	27 900	25 400	24 500	62,0		
64,0	44,0	58,7	18 100	16 200	15 500	26 400	24 100	23 300	64,0		
66,0	42,0	56,4	16 800	15 000	14 400	25 000	22 900	22 100	66,0		
68,0	39,8	53,9	15 600	13 900	13 400	23 600	21 700	21 000	68,0		
70,0	37,5	51,2	14 400	12 800	12 400	22 400	20 600	19 900	70,0		
72,0	35,1	48,3	13 300	11 800	11 400	21 200	19 500	18 900	72,0		
74,0	32,5	45,1	12 300	10 900	10 500	20 100	18 500	17 900	74,0		
76,0	29,8	41,5	11 300	10 000	9 700	19 000	17 500	17 000	76,0		
78,0	26,7	37,5	10 300	9 100	8 900	18 000	16 600	16 200	78,0		
80,0	23,2	32,8	9 400	8 300	8 100	17 000	15 700	15 400	80,0		
82,0	19,1	27,1	8 500			16 100			82,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
12,2			61 500			61 500			12,2
14,0	84,7	85,0	60 900	56 200		60 900	56 200		14,0
16,0	83,3	84,7	59 900	56 200	48 000	59 900	56 200	48 000	16,0
18,0	81,9	84,3	57 600	56 100	48 000	57 600	56 100	48 000	18,0
20,0	80,5	83,9	55 300	55 200	48 000	55 300	55 200	48 000	20,0
22,0	79,1	83,4	53 300	53 200	48 000	53 300	53 200	48 000	22,0
24,0	77,7	82,8	51 400	51 300	48 000	51 400	51 300	48 000	24,0
26,0	76,2	82,3	49 600	49 500	48 000	49 600	49 500	48 000	26,0
28,0	74,8	81,6	48 000	47 900	47 600	48 000	47 900	47 600	28,0
30,0	73,3	80,9	46 500	46 400	46 300	46 500	46 400	46 300	30,0
32,0	71,9	80,2	45 100	45 000	44 900	45 100	45 000	44 900	32,0
34,0	70,4	79,4	43 700	43 700	43 600	43 700	43 700	43 600	34,0
36,0	68,9	78,5	42 500	42 500	41 000	42 500	42 500	42 300	36,0
38,0	67,4	77,6	41 400	40 400	38 200	41 400	41 300	41 200	38,0
40,0	65,9	76,6	39 600	37 600	35 500	40 300	40 200	40 100	40,0
42,0	64,3	75,5	37 000	35 000	33 100	39 300	39 200	39 100	42,0
44,0	62,7	74,3	34 400	32 600	30 900	38 300	38 300	38 200	44,0
46,0	61,1	73,1	32 100	30 500	28 900	37 400	37 400	37 300	46,0
48,0	59,5	71,8	30 000	28 500	27 100	36 500	36 500	36 400	48,0
50,0	57,9	70,5	28 000	26 700	25 400	35 800	35 600	34 500	50,0
52,0	56,2	69,0	26 200	25 000	23 800	34 900	33 900	32 600	52,0
54,0	54,4	67,4	24 600	23 400	22 300	33 400	32 100	30 800	54,0
56,0	52,6	65,8	22 900	21 900	20 900	31 500	30 300	29 100	56,0
58,0	50,8	64,0	21 300	20 400	19 600	29 800	28 700	27 600	58,0
60,0	48,9	62,1	19 800	19 000	18 300	28 100	27 100	26 100	60,0
62,0	47,0	60,1	18 400	17 700	17 000	26 600	25 700	24 800	62,0
64,0	45,0	57,9	17 100	16 400	15 800	25 200	24 300	23 500	64,0
66,0	42,9	55,6	15 800	15 200	14 700	23 800	23 000	22 300	66,0
68,0	40,7	53,1	14 600	14 100	13 600	22 500	21 800	21 100	68,0
70,0	38,4	50,4	13 500	13 000	12 600	21 300	20 700	20 100	70,0
72,0	35,9	47,4	12 400	12 000	11 600	20 200	19 600	19 000	72,0
74,0	33,3	44,1	11 400	11 000	10 700	19 100	18 600	18 000	74,0
76,0	30,4	40,5							76,0
78,0									78,0
80,0									80,0
82,0									82,0






MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
12,2	85,0	91,8	64 700			64 700			12,2		
14,0	83,8	91,6	64 400			64 400			14,0		
16,0	82,5	91,2	64 100	56 200		64 100	56 200		16,0		
18,0	81,3	90,9	63 800	56 100	49 100	63 800	56 100	49 100	18,0		
20,0	80,0	90,5	63 600	55 900	49 100	63 600	55 900	49 100	20,0		
22,0	78,7	90,1	63 300	55 800	49 000	63 300	55 800	49 000	22,0		
24,0	77,4	89,6	63 100	55 700	48 900	63 100	55 700	48 900	24,0		
26,0	76,0	89,0	62 800	55 500	48 800	62 800	55 500	48 800	26,0		
28,0	74,7	88,4	62 600	55 400	48 700	62 600	55 400	48 700	28,0		
30,0	73,4	87,8	62 200	54 700	48 700	62 200	54 700	48 700	30,0		
32,0	72,0	87,1	58 300	53 000	48 600	61 200	53 000	48 600	32,0		
34,0	70,7	86,4	53 400	49 700	46 300	59 100	51 100	47 900	34,0		
36,0	69,3	85,6	49 000	45 700	42 700	57 100	49 400	46 400	36,0		
38,0	67,9	84,7	45 200	42 200	39 500	55 300	47 800	45 000	38,0		
40,0	66,5	83,8	41 800	39 100	36 700	53 400	46 200	43 600	40,0		
42,0	65,1	82,8	38 700	36 300	34 100	50 700	44 800	42 400	42,0		
44,0	63,7	81,8	35 900	33 800	31 800	47 300	43 500	41 200	44,0		
46,0	62,2	80,7	33 400	31 500	29 600	44 300	42 000	39 900	46,0		
48,0	60,8	79,5	31 100	29 300	27 700	41 500	39 400	37 500	48,0		
50,0	59,3	78,3	29 000	27 400	25 900	39 000	37 100	35 300	50,0		
52,0	57,8	77,0	27 100	25 600	24 200	36 600	34 900	33 300	52,0		
54,0	56,2	75,6	25 200	23 900	22 700	34 500	32 900	31 400	54,0		
56,0	54,6	74,1	23 400	22 200	21 200	32 500	31 100	29 700	56,0		
58,0	53,0	72,6	21 700	20 600	19 600	30 600	29 300	28 000	58,0		
60,0	51,4	70,9	20 100	19 200	18 300	28 900	27 700	26 500	60,0		
62,0	49,7	69,2	18 700	17 800	17 000	27 300	26 200	25 100	62,0		
64,0	48,0	67,3	17 300	16 500	15 700	25 800	24 800	23 800	64,0		
66,0	46,2	65,3	16 000	15 300	14 600	24 400	23 500	22 500	66,0		
68,0	44,3	63,2	14 800	14 100	13 500	23 100	22 200	21 300	68,0		
70,0	42,4	60,9	13 600	13 000	12 400	21 800	21 000	20 200	70,0		
72,0	40,4	58,5	12 500	12 000	11 400	20 700	19 900	19 200	72,0		
74,0	38,3	55,9	11 500	11 000	10 500	19 500	18 800	18 200	74,0		
76,0	36,2	53,1	10 500	10 100	9 600	18 500	17 800	17 200	76,0		
78,0	33,8	50,1	9 600	9 200	8 800	17 500	16 900	16 300	78,0		
80,0	31,4	46,7	8 700	8 300	8 000	16 500	16 000	15 500	80,0		
82,0	28,7	43,0	7 800	7 500	7 200	15 600	15 100	14 600	82,0		
84,0	25,7	38,8	7 000	6 700	6 400	14 700	14 300	13 900	84,0		
86,0	22,4	33,9	6 200	6 000	5 700	13 900	13 500	13 100	86,0		
88,0	18,4	28,0	5 400	5 200	5 000	13 100	12 700	12 400	88,0		





MLC300 VPC-MAX S-1



									
									
			0° 	1° 	2° 	0° 	1° 	2° 	
m	°	m	kg	kg	kg	kg	kg	kg	m
12,2									12,2
14,0									14,0
16,0									16,0
18,0	83,7	90,7	58 500			58 500			18,0
20,0	82,4	90,4	58 100	54 100		58 100	54 100		20,0
	81,1	90,0	57 600	53 500	46 000	57 600	53 500	46 000	
22,0	79,8	89,5	56 300	53 000	46 000	56 300	53 000	46 000	22,0
24,0	78,5	89,1	54 300	52 500	46 000	54 300	52 500	46 000	24,0
26,0	77,2	88,5	52 400	51 500	46 000	52 400	51 500	46 000	26,0
28,0	75,8	87,9	50 700	50 300	46 000	50 700	50 300	46 000	28,0
30,0	74,5	87,3	49 100	48 800	46 000	49 100	48 800	46 000	30,0
32,0	73,2	86,6	47 500	47 500	45 000	47 500	47 500	45 000	32,0
34,0	71,8	85,8	46 100	46 100	43 700	46 100	46 100	43 700	34,0
36,0	70,4	85,0	44 800	44 800	42 400	44 800	44 800	42 400	36,0
38,0	69,0	84,2	43 600	42 900	40 200	43 600	43 500	41 300	38,0
40,0	67,6	83,2	42 100	39 800	37 300	42 400	42 400	40 200	40,0
42,0	66,2	82,3	39 300	36 900	34 700	41 400	41 300	39 200	42,0
44,0	64,8	81,2	36 500	34 300	32 300	40 300	40 200	38 200	44,0
46,0	63,3	80,1	33 900	32 000	30 200	39 400	39 300	37 300	46,0
48,0	61,8	78,9	31 600	29 800	28 200	38 500	38 300	36 500	48,0
50,0	60,3	77,7	29 500	27 800	26 300	37 600	37 400	35 600	50,0
52,0	58,8	76,4	27 500	26 000	24 600	36 700	35 300	33 700	52,0
54,0	57,2	75,0	25 700	24 400	23 100	34 900	33 300	31 800	54,0
56,0	55,6	73,5	23 800	22 700	21 600	32 900	31 400	30 000	56,0
58,0	54,0	71,9	22 100	21 100	20 100	31 000	29 600	28 400	58,0
60,0	52,3	70,2	20 500	19 600	18 700	29 200	28 000	26 800	60,0
62,0	50,6	68,5	19 000	18 200	17 300	27 600	26 500	25 400	62,0
64,0	48,9	66,6	17 600	16 800	16 100	26 100	25 000	24 000	64,0
66,0	47,1	64,6	16 300	15 600	14 900	24 700	23 700	22 800	66,0
68,0	45,2	62,5	15 100	14 400	13 800	23 300	22 400	21 600	68,0
70,0	43,3	60,2	13 900	13 300	12 700	22 000	21 200	20 400	70,0
72,0	41,3	57,7	12 800	12 200	11 700	20 800	20 100	19 400	72,0
74,0	39,1	55,1	11 700	11 200	10 700	19 700	19 000	18 300	74,0
76,0	36,9	52,2	10 700	10 200	9 800	18 600	18 000	17 400	76,0
78,0	34,6	49,1	9 800	9 300	8 900	17 600	17 000	16 500	78,0
80,0	32,0	45,7	8 800	8 500	8 100	16 600	16 100	15 600	80,0
82,0	29,3	41,9	8 000	7 600	7 300	15 700	15 200	14 700	82,0
84,0									84,0
86,0									86,0
88,0									88,0

MLC300 VPC-MAX S-1



			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
13,7	84,4	97,6	63 400			63 400			13,7
14,0	84,2	97,6	63 400			63 400			14,0
16,0	83,0	97,3	63 100	55 200		63 100	55 200		16,0
18,0	81,8	97,0	62 900	55 000	42 200	62 900	55 000	42 200	18,0
20,0	80,6	96,6	62 700	54 900	42 200	62 700	54 900	42 200	20,0
22,0	79,4	96,2	62 300	54 800	42 200	62 300	54 800	42 200	22,0
24,0	78,2	95,8	61 800	54 700	42 200	61 800	54 700	42 200	24,0
26,0	76,9	95,3	61 300	54 500	42 200	61 300	54 500	42 200	26,0
28,0	75,7	94,7	60 700	53 900	42 200	60 700	53 900	42 200	28,0
30,0	74,5	94,1	60 200	52 100	42 200	60 200	52 100	42 200	30,0
32,0	73,2	93,5	57 600	50 200	42 200	58 500	50 200	42 200	32,0
34,0	71,9	92,8	52 700	48 200	42 200	56 400	48 500	42 200	34,0
36,0	70,7	92,0	48 300	44 800	41 200	54 300	46 900	42 200	36,0
38,0	69,4	91,2	44 400	41 300	38 500	52 400	45 400	42 200	38,0
40,0	68,1	90,4	41 000	38 200	35 600	50 700	43 900	41 400	40,0
42,0	66,8	89,5	37 900	35 400	33 100	49 000	42 600	40 200	42,0
44,0	65,5	88,5	35 200	32 900	30 800	46 600	41 300	39 100	44,0
46,0	64,1	87,5	32 600	30 600	28 600	43 600	40 100	38 000	46,0
48,0	62,8	86,5	30 300	28 500	26 700	40 800	38 500	36 500	48,0
50,0	61,4	85,3	28 100	26 500	24 900	38 200	36 200	34 300	50,0
52,0	60,0	84,1	26 000	24 600	23 200	35 900	34 000	32 300	52,0
54,0	58,6	82,9	24 100	22 800	21 500	33 700	32 000	30 400	54,0
56,0	57,2	81,5	22 300	21 100	19 900	31 700	30 200	28 700	56,0
58,0	55,7	80,1	20 600	19 500	18 400	29 900	28 400	27 100	58,0
60,0	54,2	78,6	19 100	18 000	17 000	28 200	26 800	25 600	60,0
62,0	52,7	77,0	17 600	16 600	15 700	26 500	25 300	24 100	62,0
64,0	51,2	75,4	16 200	15 300	14 500	25 000	23 900	22 800	64,0
66,0	49,6	73,6	14 900	14 100	13 300	23 600	22 600	21 600	66,0
68,0	48,0	71,8	13 700	13 000	12 200	22 300	21 300	20 400	68,0
70,0	46,3	69,8	12 600	11 900	11 200	21 100	20 200	19 300	70,0
72,0	44,6	67,7	11 500	10 900	10 200	19 900	19 100	18 200	72,0
74,0	42,8	65,5	10 500	9 900	9 300	18 800	18 000	17 200	74,0
76,0	41,0	63,1	9 500	8 900	8 400	17 700	17 000	16 300	76,0
78,0	39,0	60,6	8 600	8 100	7 600	16 700	16 100	15 400	78,0
80,0	37,0	57,9	7 700	7 200	6 800	15 800	15 200	14 600	80,0
82,0	34,9	55,0	6 800	6 400	6 000	14 900	14 300	13 700	82,0
84,0	32,7	51,8	6 000	5 600	5 300	14 000	13 500	13 000	84,0
86,0	30,3	48,3	5 200	4 900	4 600	13 200	12 700	12 200	86,0
88,0	27,7	44,4	4 500	4 200	3 900	12 400	12 000	11 500	88,0
90,0	24,8	40,1	3 800	3 500		11 600	11 200	10 800	90,0
92,0	21,6	35,0				10 900			92,0

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°





84,0 m

12,0 m

20°

			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
m	°	m	kg	kg	kg	kg	kg	kg	m
13,7									13,7
14,0									14,0
16,0	84,1	96,8	56 400			56 400			16,0
18,0	82,9	96,5	56 000	53 200		56 000	53 200		18,0
20,0	81,7	96,1	55 700	53 000	40 000	55 700	53 000	40 000	20,0
22,0	80,5	95,7	55 300	52 500	40 000	55 300	52 500	40 000	22,0
24,0	79,2	95,2	54 900	51 300	40 000	54 900	51 300	40 000	24,0
26,0	78,0	94,7	53 400	49 700	40 000	53 400	49 700	40 000	26,0
28,0	76,8	94,2	51 700	48 200	40 000	51 700	48 200	40 000	28,0
30,0	75,5	93,6	50 100	46 700	40 000	50 100	46 700	40 000	30,0
32,0	74,3	92,9	48 600	45 200	40 000	48 600	45 200	40 000	32,0
34,0	73,0	92,2	47 200	43 900	40 000	47 200	43 900	40 000	34,0
36,0	71,7	91,5	45 900	42 600	39 900	45 900	42 600	39 900	36,0
38,0	70,4	90,7	44 700	41 400	39 100	44 700	41 400	39 100	38,0
40,0	69,1	89,8	41 700	38 900	36 300	43 500	40 200	38 100	40,0
42,0	67,8	88,9	38 600	36 100	33 700	42 500	39 100	37 100	42,0
44,0	66,5	88,0	35 800	33 500	31 400	41 500	38 100	36 100	44,0
46,0	65,1	86,9	33 200	31 100	29 200	40 500	37 100	35 300	46,0
48,0	63,8	85,9	30 900	29 000	27 200	39 600	36 200	34 500	48,0
50,0	62,4	84,7	28 800	27 000	25 400	38 500	35 400	33 700	50,0
52,0	61,0	83,5	26 700	25 200	23 700	36 400	34 500	32 700	52,0
54,0	59,6	82,2	24 700	23 300	22 000	34 200	32 500	30 900	54,0
56,0	58,1	80,9	22 800	21 600	20 400	32 100	30 600	29 100	56,0
58,0	56,7	79,5	21 100	20 000	18 900	30 300	28 800	27 400	58,0
60,0	55,2	78,0	19 500	18 500	17 500	28 500	27 200	25 900	60,0
62,0	53,6	76,4	18 000	17 100	16 100	26 900	25 700	24 500	62,0
64,0	52,1	74,7	16 600	15 700	14 900	25 400	24 200	23 100	64,0
66,0	50,5	72,9	15 300	14 500	13 700	23 900	22 900	21 900	66,0
68,0	48,8	71,1	14 100	13 300	12 600	22 600	21 600	20 700	68,0
70,0	47,2	69,1	12 900	12 200	11 500	21 300	20 400	19 500	70,0
72,0	45,4	67,0	11 800	11 200	10 500	20 100	19 300	18 500	72,0
74,0	43,6	64,7	10 800	10 200	9 600	19 000	18 200	17 500	74,0
76,0	41,7	62,3	9 700	9 200	8 700	17 900	17 200	16 500	76,0
78,0	39,8	59,8	8 800	8 300	7 800	16 900	16 200	15 600	78,0
80,0	37,8	57,0	7 900	7 400	7 000	15 900	15 300	14 700	80,0
82,0	35,6	54,0	7 000	6 600	6 200	15 000	14 400	13 900	82,0
84,0	33,3	50,8	6 200	5 800	5 400	14 100	13 600	13 100	84,0
86,0	30,9	47,2	5 400	5 000	4 700	13 300	12 800	12 300	86,0
88,0	28,2	43,2	4 600	4 300	4 000	12 500	12 000	11 600	88,0
90,0									90,0
92,0									92,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
m	°	m									
13,7	84,7	103,7	61 200			61 200			13,7		
14,0	84,6	103,7	61 100			61 100			14,0		
16,0	83,4	103,4	60 600	46 600		60 600	46 600		16,0		
18,0	82,3	103,1	60 100	46 600	35 100	60 100	46 600	35 100	18,0		
20,0	81,2	102,7	59 700	46 600	35 100	59 700	46 600	35 100	20,0		
22,0	80,0	102,3	59 200	46 600	35 100	59 200	46 600	35 100	22,0		
24,0	78,9	101,9	58 700	46 600	35 100	58 700	46 600	35 100	24,0		
26,0	77,7	101,4	58 300	46 600	35 100	58 300	46 600	35 100	26,0		
28,0	76,6	100,9	57 400	46 600	35 100	57 400	46 600	35 100	28,0		
30,0	75,4	100,4	55 500	46 600	35 100	55 500	46 600	35 100	30,0		
32,0	74,2	99,8	53 400	45 900	35 100	53 400	45 900	35 100	32,0		
34,0	73,0	99,1	51 300	44 400	35 100	51 500	44 400	35 100	34,0		
36,0	71,9	98,4	48 100	42 900	35 100	49 600	42 900	35 100	36,0		
38,0	70,7	97,7	44 200	40 900	35 100	47 900	41 500	35 100	38,0		
40,0	69,5	96,9	40 800	37 800	34 700	46 300	40 200	35 100	40,0		
42,0	68,2	96,1	37 700	35 000	32 600	44 800	38 900	35 100	42,0		
44,0	67,0	95,2	34 900	32 500	30 300	43 300	37 800	35 100	44,0		
46,0	65,8	94,2	32 400	30 200	28 200	42 000	36 700	34 700	46,0		
48,0	64,5	93,2	30 100	28 100	26 200	40 400	35 600	33 700	48,0		
50,0	63,3	92,2	27 800	26 100	24 400	38 000	34 600	32 800	50,0		
52,0	62,0	91,1	25 700	24 100	22 600	35 600	33 600	31 800	52,0		
54,0	60,7	89,9	23 800	22 300	21 000	33 500	31 700	30 000	54,0		
56,0	59,4	88,7	22 000	20 600	19 400	31 500	29 800	28 300	56,0		
58,0	58,0	87,4	20 300	19 100	17 900	29 600	28 100	26 600	58,0		
60,0	56,7	86,0	18 700	17 600	16 500	27 900	26 500	25 100	60,0		
62,0	55,3	84,6	17 300	16 200	15 200	26 300	25 000	23 700	62,0		
64,0	53,9	83,1	15 900	14 900	14 000	24 800	23 600	22 400	64,0		
66,0	52,5	81,5	14 600	13 700	12 900	23 400	22 300	21 200	66,0		
68,0	51,0	79,9	13 400	12 600	11 800	22 100	21 000	20 000	68,0		
70,0	49,5	78,1	12 300	11 500	10 700	20 800	19 900	18 900	70,0		
72,0	48,0	76,3	11 200	10 500	9 800	19 700	18 800	17 900	72,0		
74,0	46,4	74,3	10 200	9 500	8 900	18 600	17 700	16 900	74,0		
76,0	44,8	72,2	9 200	8 600	8 000	17 500	16 700	15 900	76,0		
78,0	43,2	70,0	8 300	7 700	7 200	16 500	15 800	15 100	78,0		
80,0	41,4	67,7	7 400	6 900	6 400	15 600	14 900	14 200	80,0		
82,0	39,7	65,2	6 600	6 100	5 600	14 700	14 000	13 400	82,0		
84,0	37,8	62,6	5 800	5 300	4 900	13 800	13 200	12 600	84,0		
86,0	35,9	59,8	5 000	4 600	4 200	13 000	12 400	11 900	86,0		
88,0	33,8	56,7	4 300	3 900	3 500	12 200	11 700	11 200	88,0		
90,0	31,6	53,4	3 500			11 500	11 000	10 500	90,0		
92,0	29,3	49,8				10 800	10 300	9 900	92,0		
94,0	26,8	45,8				10 100	9 700	9 300	94,0		
96,0	24,0	41,3				9 400	9 000	8 700	96,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°





90,0 m

12,0 m

20°

			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
13,7									13,7
14,0									14,0
16,0	84,5	102,9	53 600			53 600			16,0
18,0	83,3	102,6	53 300			53 300			18,0
20,0	82,2	102,2	53 000	44 500	33 500	53 000	44 500	33 500	20,0
22,0	81,0	101,8	52 700	44 500	33 500	52 700	44 500	33 500	22,0
24,0	79,9	101,4	52 300	44 500	33 500	52 300	44 500	33 500	24,0
26,0	78,7	100,9	52 000	44 500	33 500	52 000	44 500	33 500	26,0
28,0	77,6	100,4	51 100	44 100	33 500	51 100	44 100	33 500	28,0
30,0	76,4	99,8	49 400	42 800	33 500	49 400	42 800	33 500	30,0
32,0	75,2	99,2	47 800	41 500	33 500	47 800	41 500	33 500	32,0
34,0	74,0	98,6	46 300	40 200	33 500	46 300	40 200	33 500	34,0
36,0	72,8	97,9	44 800	39 000	33 500	44 800	39 000	33 500	36,0
38,0	71,6	97,1	43 500	37 900	33 500	43 500	37 900	33 500	38,0
40,0	70,4	96,3	41 500	36 800	33 500	42 200	36 800	33 500	40,0
42,0	69,2	95,5	38 400	35 400	32 900	41 000	35 800	33 500	42,0
44,0	68,0	94,6	35 600	33 100	30 900	39 800	34 800	33 000	44,0
46,0	66,7	93,7	33 000	30 800	28 700	38 700	33 900	32 200	46,0
48,0	65,5	92,7	30 700	28 700	26 800	37 700	33 000	31 400	48,0
50,0	64,2	91,6	28 500	26 700	25 000	36 700	32 200	30 700	50,0
52,0	62,9	90,5	26 400	24 700	23 200	35 700	31 500	30 000	52,0
54,0	61,6	89,3	24 400	22 900	21 500	34 000	30 700	29 300	54,0
56,0	60,3	88,1	22 500	21 200	19 900	31 900	29 700	28 300	56,0
58,0	58,9	86,8	20 800	19 600	18 400	30 100	28 500	27 000	58,0
60,0	57,6	85,4	19 200	18 100	17 000	28 300	26 900	25 500	60,0
62,0	56,2	84,0	17 800	16 700	15 700	26 700	25 400	24 100	62,0
64,0	54,8	82,5	16 400	15 400	14 400	25 200	23 900	22 700	64,0
66,0	53,3	80,9	15 000	14 100	13 300	23 700	22 600	21 500	66,0
68,0	51,8	79,2	13 800	13 000	12 200	22 400	21 300	20 300	68,0
70,0	50,3	77,4	12 600	11 800	11 100	21 100	20 100	19 200	70,0
72,0	48,8	75,5	11 500	10 800	10 100	19 900	19 000	18 100	72,0
74,0	47,2	73,6	10 500	9 800	9 200	18 800	18 000	17 100	74,0
76,0	45,6	71,5	9 500	8 900	8 300	17 700	16 900	16 200	76,0
78,0	43,9	69,3	8 500	8 000	7 400	16 700	16 000	15 300	78,0
80,0	42,2	66,9	7 600	7 100	6 600	15 800	15 100	14 400	80,0
82,0	40,4	64,4	6 800	6 300	5 800	14 900	14 200	13 600	82,0
84,0	38,5	61,7	6 000	5 500	5 100	14 000	13 400	12 800	84,0
86,0	36,5	58,9	5 200	4 700	4 300	13 100	12 600	12 000	86,0
88,0	34,4	55,8	4 400	4 000	3 700	12 300	11 800	11 300	88,0
90,0	32,2	52,4	3 700			11 600	11 100	10 600	90,0
92,0	29,9	48,7				10 800	10 400	10 000	92,0
94,0	27,3	44,6				10 100	9 700	9 300	94,0
96,0									96,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
15,2	84,2	109,5	58 000			58 000			15,2		
16,0	83,8	109,5	57 900			57 900			16,0		
18,0	82,7	109,2	57 400	39 600		57 400	39 600		18,0		
20,0	81,7	108,8	57 000	39 600	29 600	57 000	39 600	29 600	20,0		
22,0	80,6	108,5	56 600	39 600	29 600	56 600	39 600	29 600	22,0		
24,0	79,5	108,1	56 200	39 600	29 600	56 200	39 600	29 600	24,0		
26,0	78,4	107,6	55 800	39 600	29 600	55 800	39 600	29 600	26,0		
28,0	77,3	107,1	55 400	39 600	29 600	55 400	39 600	29 600	28,0		
30,0	76,2	106,6	55 000	39 600	29 600	55 000	39 600	29 600	30,0		
32,0	75,1	106,0	54 600	39 600	29 600	54 600	39 600	29 600	32,0		
34,0	74,0	105,4	51 800	39 600	29 600	54 300	39 600	29 600	34,0		
36,0	72,9	104,8	47 400	39 600	29 600	53 500	39 600	29 600	36,0		
38,0	71,8	104,1	43 500	39 600	29 600	51 900	39 600	29 600	38,0		
40,0	70,7	103,4	40 100	37 000	29 600	50 400	39 600	29 600	40,0		
42,0	69,5	102,6	37 000	34 200	29 600	48 600	39 600	29 600	42,0		
44,0	68,4	101,7	34 200	31 700	29 100	45 700	39 600	29 600	44,0		
46,0	67,2	100,9	31 500	29 300	27 200	42 600	39 400	29 600	46,0		
48,0	66,1	99,9	29 100	27 000	25 100	39 800	37 300	29 600	48,0		
50,0	64,9	99,0	26 800	24 900	23 200	37 300	35 000	29 500	50,0		
52,0	63,7	97,9	24 700	23 000	21 400	34 900	32 800	29 400	52,0		
54,0	62,5	96,9	22 700	21 200	19 700	32 800	30 800	28 600	54,0		
56,0	61,3	95,7	20 900	19 500	18 200	30 800	29 000	27 300	56,0		
58,0	60,0	94,5	19 300	17 900	16 700	28 900	27 200	25 700	58,0		
60,0	58,8	93,3	17 700	16 500	15 300	27 200	25 700	24 200	60,0		
62,0	57,5	92,0	16 200	15 100	14 000	25 600	24 200	22 800	62,0		
64,0	56,2	90,6	14 900	13 800	12 800	24 100	22 700	21 500	64,0		
66,0	54,9	89,1	13 600	12 600	11 700	22 700	21 400	20 300	66,0		
68,0	53,6	87,6	12 400	11 500	10 600	21 300	20 200	19 100	68,0		
70,0	52,2	86,0	11 200	10 400	9 600	20 100	19 000	18 000	70,0		
72,0	50,9	84,3	10 100	9 400	8 600	18 900	17 900	17 000	72,0		
74,0	49,4	82,6	9 100	8 400	7 700	17 800	16 900	16 000	74,0		
76,0	48,0	80,7	8 200	7 500	6 800	16 800	15 900	15 000	76,0		
78,0	46,5	78,8	7 200	6 600	6 000	15 800	15 000	14 200	78,0		
80,0	45,0	76,7	6 400	5 800	5 200	14 800	14 100	13 300	80,0		
82,0	43,5	74,6	5 500	5 000	4 400	13 900	13 200	12 500	82,0		
84,0	41,8	72,3	4 700	4 200	3 700	13 100	12 400	11 700	84,0		
86,0	40,2	69,9	4 000			12 300	11 600	11 000	86,0		
88,0	38,5	67,3	3 200			11 500	10 900	10 300	88,0		
90,0	36,7	64,5				10 700	10 200	9 600	90,0		
92,0	34,8	61,6				10 000	9 500	9 000	92,0		
94,0	32,8	58,4				9 300	8 900	8 400	94,0		
96,0	30,7	55,0				8 700	8 200	7 800	96,0		
100,0	26,0	47,1				7 400	7 000	6 700	100,0		
104,0	20,3	37,0				6 200			104,0		

MLC300 VPC-MAX S-1



148
+
B60





135 100 kg







96,0 m

12,0 m

20°


 m	 °	 m	 10,6 m			 14,6 m			 m
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
15,2									15,2
16,0									16,0
18,0	83,7	108,6	51 100			51 100			18,0
20,0	82,6	108,3	50 800	38 000	28 300	50 800	38 000	28 300	20,0
22,0	81,5	107,9	50 500	38 000	28 300	50 500	38 000	28 300	22,0
24,0	80,5	107,5	50 200	38 000	28 300	50 200	38 000	28 300	24,0
26,0	79,4	107,1	49 900	38 000	28 300	49 900	38 000	28 300	26,0
28,0	78,3	106,6	49 700	38 000	28 300	49 700	38 000	28 300	28,0
30,0	77,2	106,1	49 400	38 000	28 300	49 400	38 000	28 300	30,0
32,0	76,1	105,5	49 200	38 000	28 300	49 200	38 000	28 300	32,0
34,0	75,0	104,9	48 800	38 000	28 300	48 800	38 000	28 300	34,0
36,0	73,8	104,2	47 600	38 000	28 300	47 800	38 000	28 300	36,0
38,0	72,7	103,5	44 400	38 000	28 300	46 700	38 000	28 300	38,0
40,0	71,6	102,8	40 900	37 500	28 300	45 500	38 000	28 300	40,0
42,0	70,4	102,0	37 800	34 900	28 300	44 400	38 000	28 300	42,0
44,0	69,3	101,2	34 900	32 300	28 300	43 200	37 600	28 300	44,0
46,0	68,1	100,3	32 300	30 000	27 800	42 200	36 800	28 300	46,0
48,0	66,9	99,4	29 900	27 800	25 800	40 400	35 900	28 300	48,0
50,0	65,8	98,4	27 500	25 600	23 900	37 800	35 100	28 300	50,0
52,0	64,6	97,3	25 400	23 600	22 000	35 500	33 300	28 300	52,0
54,0	63,4	96,3	23 400	21 800	20 300	33 300	31 300	28 300	54,0
56,0	62,1	95,1	21 600	20 100	18 700	31 200	29 500	27 500	56,0
58,0	60,9	93,9	19 900	18 500	17 200	29 400	27 700	26 100	58,0
60,0	59,6	92,7	18 300	17 000	15 800	27 600	26 100	24 600	60,0
62,0	58,4	91,3	16 800	15 600	14 500	26 000	24 600	23 200	62,0
64,0	57,1	89,9	15 400	14 300	13 300	24 500	23 100	21 800	64,0
66,0	55,7	88,5	14 100	13 100	12 100	23 000	21 800	20 600	66,0
68,0	54,4	86,9	12 800	11 900	11 000	21 700	20 500	19 400	68,0
70,0	53,0	85,3	11 600	10 800	10 000	20 400	19 300	18 300	70,0
72,0	51,6	83,7	10 500	9 700	9 000	19 200	18 200	17 300	72,0
74,0	50,2	81,9	9 500	8 700	8 000	18 100	17 200	16 200	74,0
76,0	48,8	80,0	8 500	7 800	7 100	17 000	16 100	15 300	76,0
78,0	47,3	78,0	7 600	6 900	6 300	16 000	15 200	14 400	78,0
80,0	45,7	76,0	6 700	6 100	5 500	15 100	14 300	13 500	80,0
82,0	44,2	73,8	5 800	5 200	4 700	14 100	13 400	12 700	82,0
84,0	42,5	71,5	5 000	4 500	4 000	13 300	12 600	11 900	84,0
86,0	40,9	69,0	4 200			12 400	11 800	11 200	86,0
88,0	39,1	66,4	3 400			11 600	11 000	10 500	88,0
90,0	37,3	63,6				10 900	10 300	9 800	90,0
92,0	35,4	60,6				10 100	9 600	9 100	92,0
94,0	33,4	57,4				9 400	9 000	8 500	94,0
96,0	31,2	53,9				8 800	8 300	7 900	96,0
100,0									100,0
104,0									104,0

MLC300 VPC-MAX S-1







			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
15,2	84,5	115,6	50 800		50 800		15,2
16,0	84,1	115,5	50 800		50 800		16,0
18,0	83,1	115,2	50 800	32 400	50 800	32 400	18,0
20,0	82,1	114,9	50 800	32 400	50 800	32 400	20,0
22,0	81,1	114,5	50 800	32 400	50 800	32 400	22,0
24,0	80,1	114,2	50 800	32 400	50 800	32 400	24,0
26,0	79,0	113,7	50 800	32 400	50 800	32 400	26,0
28,0	78,0	113,3	49 900	32 400	49 900	32 400	28,0
30,0	77,0	112,8	48 200	32 400	48 200	32 400	30,0
32,0	75,9	112,3	46 500	32 400	46 500	32 400	32,0
34,0	74,9	111,7	45 000	32 400	45 000	32 400	34,0
36,0	73,8	111,1	43 500	32 400	43 500	32 400	36,0
38,0	72,8	110,4	42 000	32 400	42 000	32 400	38,0
40,0	71,7	109,7	39 800	32 400	40 600	32 400	40,0
42,0	70,6	109,0	36 700	32 400	39 300	32 400	42,0
44,0	69,6	108,2	33 800	31 100	38 100	32 400	44,0
46,0	68,5	107,4	31 100	28 700	36 900	32 100	46,0
48,0	67,4	106,5	28 600	26 400	35 800	31 200	48,0
50,0	66,3	105,6	26 300	24 300	34 700	30 300	50,0
52,0	65,2	104,6	24 200	22 400	33 700	29 400	52,0
54,0	64,1	103,6	22 300	20 600	32 400	28 600	54,0
56,0	62,9	102,6	20 500	19 000	30 400	27 800	56,0
58,0	61,8	101,5	18 800	17 400	28 600	26 800	58,0
60,0	60,6	100,3	17 300	16 000	26 900	25 300	60,0
62,0	59,4	99,1	15 800	14 600	25 300	23 800	62,0
64,0	58,2	97,8	14 400	13 300	23 800	22 300	64,0
66,0	57,0	96,5	13 100	12 100	22 400	21 100	66,0
68,0	55,8	95,1	11 900	11 000	21 000	19 800	68,0
70,0	54,6	93,6	10 800	9 900	19 800	18 600	70,0
72,0	53,3	92,1	9 700	8 900	18 600	17 600	72,0
74,0	52,0	90,5	8 700	7 900	17 500	16 500	74,0
76,0	50,7	88,8	7 700	7 000	16 500	15 500	76,0
78,0	49,4	87,0	6 800	6 100	15 500	14 600	78,0
80,0	48,0	85,2	5 900	5 300	14 500	13 700	80,0
82,0	46,6	83,2	5 100	4 500	13 600	12 900	82,0
84,0	45,2	81,2	4 300	3 700	12 800	12 100	84,0
86,0	43,7	79,1	3 600		12 000	11 300	86,0
88,0	42,2	76,8			11 200	10 500	88,0
90,0	40,6	74,4			10 400	9 800	90,0
92,0	39,0	71,9			9 700	9 200	92,0
94,0	37,3	69,2			9 100	8 500	94,0
96,0	35,6	66,4			8 400	7 900	96,0
100,0	31,8	60,0			7 200	6 700	100,0
104,0	27,6	52,6			6 000	5 600	104,0
108,0	22,6	43,5			4 900	4 600	108,0

MLC300 VPC-MAX S-1




			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
18,0	84,0	114,7	48 000		48 000		18,0
20,0	83,0	114,4	47 800	31 300	47 800	31 300	20,0
22,0	82,0	114,0	47 500	31 300	47 500	31 300	22,0
24,0	81,0	113,6	47 200	31 300	47 200	31 300	24,0
26,0	79,9	113,2	45 900	31 300	45 900	31 300	26,0
28,0	78,9	112,7	44 500	31 300	44 500	31 300	28,0
30,0	77,9	112,2	43 100	31 300	43 100	31 300	30,0
32,0	76,8	111,7	41 800	31 300	41 800	31 300	32,0
34,0	75,8	111,1	40 600	31 300	40 600	31 300	34,0
36,0	74,7	110,5	39 300	31 300	39 300	31 300	36,0
38,0	73,7	109,9	38 200	31 300	38 200	31 300	38,0
40,0	72,6	109,2	37 000	31 300	37 000	31 300	40,0
42,0	71,5	108,4	36 000	31 100	36 000	31 100	42,0
44,0	70,4	107,6	34 500	30 500	35 000	30 500	44,0
46,0	69,3	106,8	32 000	29 500	34 000	29 700	46,0
48,0	68,2	105,9	29 400	27 200	33 100	28 900	48,0
50,0	67,1	105,0	27 100	25 100	32 200	28 200	50,0
52,0	66,0	104,1	25 000	23 100	31 300	27 400	52,0
54,0	64,9	103,0	23 000	21 300	30 600	26 800	54,0
56,0	63,7	102,0	21 100	19 600	29 800	26 100	56,0
58,0	62,6	100,9	19 400	18 000	29 000	25 500	58,0
60,0	61,4	99,7	17 800	16 500	27 300	24 900	60,0
62,0	60,2	98,5	16 400	15 100	25 700	24 000	62,0
64,0	59,0	97,2	15 000	13 800	24 200	22 700	64,0
66,0	57,8	95,8	13 600	12 600	22 700	21 400	66,0
68,0	56,6	94,4	12 400	11 400	21 400	20 200	68,0
70,0	55,3	92,9	11 200	10 300	20 100	19 000	70,0
72,0	54,1	91,4	10 100	9 300	18 900	17 900	72,0
74,0	52,8	89,8	9 100	8 300	17 800	16 800	74,0
76,0	51,5	88,1	8 100	7 300	16 800	15 800	76,0
78,0	50,1	86,3	7 200	6 500	15 700	14 900	78,0
80,0	48,7	84,4	6 300	5 600	14 800	13 900	80,0
82,0	47,3	82,5	5 400	4 800	13 900	13 100	82,0
84,0	45,9	80,4	4 600	4 000	13 000	12 300	84,0
86,0	44,4	78,3	3 800		12 200	11 500	86,0
88,0	42,9	76,0	3 100		11 400	10 700	88,0
90,0	41,3	73,6			10 600	10 000	90,0
92,0	39,6	71,0			9 900	9 300	92,0
94,0	37,9	68,3			9 200	8 700	94,0
96,0	36,2	65,4			8 500	8 000	96,0
100,0	32,4	59,0			7 300	6 800	100,0
104,0	28,0	51,4			6 100		104,0
108,0							108,0

MLC300 VPC-MAX S-1






			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
15,2	84,8	121,6	44 800		44 800		15,2
16,0	84,4	121,5	44 800		44 800		16,0
18,0	83,5	121,3	44 800		44 800		18,0
20,0	82,5	121,0	44 800	27 200	44 800	27 200	20,0
22,0	81,5	120,6	44 800	27 200	44 800	27 200	22,0
24,0	80,6	120,3	44 800	27 200	44 800	27 200	24,0
26,0	79,6	119,9	44 800	27 200	44 800	27 200	26,0
28,0	78,6	119,4	44 800	27 200	44 800	27 200	28,0
30,0	77,6	119,0	44 700	27 200	44 700	27 200	30,0
32,0	76,6	118,5	43 400	27 200	43 400	27 200	32,0
34,0	75,7	117,9	41 800	27 200	41 800	27 200	34,0
36,0	74,7	117,3	40 300	27 200	40 300	27 200	36,0
38,0	73,7	116,7	38 900	27 200	38 900	27 200	38,0
40,0	72,7	116,1	37 500	27 200	37 500	27 200	40,0
42,0	71,7	115,4	35 600	27 200	36 200	27 200	42,0
44,0	70,6	114,6	32 800	27 200	34 900	27 200	44,0
46,0	69,6	113,9	30 100	27 000	33 700	27 200	46,0
48,0	68,6	113,1	27 600	25 300	32 600	27 200	48,0
50,0	67,6	112,2	25 300	23 200	31 500	26 700	50,0
52,0	66,5	111,3	23 200	21 300	30 500	25 900	52,0
54,0	65,5	110,3	21 300	19 500	29 600	25 100	54,0
56,0	64,4	109,3	19 500	17 800	28 700	24 400	56,0
58,0	63,3	108,3	17 800	16 300	27 800	23 600	58,0
60,0	62,2	107,2	16 200	14 800	26 100	23 000	60,0
62,0	61,1	106,1	14 800	13 500	24 500	22 300	62,0
64,0	60,0	104,9	13 400	12 200	23 000	21 500	64,0
66,0	58,9	103,6	12 100	11 000	21 600	20 200	66,0
68,0	57,8	102,3	10 900	9 900	20 300	19 000	68,0
70,0	56,6	101,0	9 800	8 800	19 000	17 800	70,0
72,0	55,4	99,6	8 700	7 800	17 900	16 700	72,0
74,0	54,3	98,1	7 700	6 800	16 800	15 700	74,0
76,0	53,1	96,6	6 700	5 900	15 700	14 700	76,0
78,0	51,8	94,9	5 800	5 000	14 700	13 800	78,0
80,0	50,6	93,3	4 900	4 200	13 800	12 900	80,0
82,0	49,3	91,5	4 100	3 400	12 900	12 000	82,0
84,0	48,0	89,6			12 000	11 300	84,0
86,0	46,7	87,7			11 200	10 500	86,0
88,0	45,3	85,7			10 400	9 700	88,0
90,0	43,9	83,6			9 700	9 100	90,0
92,0	42,5	81,3			9 000	8 400	92,0
94,0	41,1	79,0			8 300	7 700	94,0
96,0	39,5	76,5			7 700	7 100	96,0
100,0	36,3	71,1			6 400	6 000	100,0
104,0	32,9	65,0			5 300	4 900	104,0
108,0	29,0	58,0			4 200	3 700	108,0

MLC300 VPC-MAX S-1



			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
18,0	84,3	120,7	43 500		43 500		18,0
20,0	83,4	120,4	43 500	26 400	43 500	26 400	20,0
22,0	82,4	120,1	43 500	26 400	43 500	26 400	22,0
24,0	81,4	119,7	43 500	26 400	43 500	26 400	24,0
26,0	80,5	119,3	43 500	26 400	43 500	26 400	26,0
28,0	79,5	118,9	42 600	26 400	42 600	26 400	28,0
30,0	78,5	118,4	41 200	26 400	41 200	26 400	30,0
32,0	77,5	117,9	39 800	26 400	39 800	26 400	32,0
34,0	76,5	117,4	38 500	26 400	38 500	26 400	34,0
36,0	75,5	116,8	37 200	26 400	37 200	26 400	36,0
38,0	74,5	116,2	36 000	26 400	36 000	26 400	38,0
40,0	73,5	115,5	34 800	26 400	34 800	26 400	40,0
42,0	72,5	114,8	33 700	26 400	33 700	26 400	42,0
44,0	71,5	114,1	32 600	26 400	32 600	26 400	44,0
46,0	70,4	113,3	31 000	26 400	31 600	26 400	46,0
48,0	69,4	112,5	28 500	25 800	30 600	26 000	48,0
50,0	68,4	111,6	26 100	24 000	29 700	25 300	50,0
52,0	67,3	110,7	24 000	22 000	28 800	24 500	52,0
54,0	66,3	109,8	22 000	20 200	27 900	23 800	54,0
56,0	65,2	108,8	20 200	18 500	27 100	23 200	56,0
58,0	64,1	107,7	18 500	16 900	26 400	22 500	58,0
60,0	63,0	106,6	16 900	15 400	25 700	21 900	60,0
62,0	61,9	105,5	15 400	14 100	24 800	21 400	62,0
64,0	60,8	104,3	14 000	12 700	23 500	20 800	64,0
66,0	59,7	103,0	12 700	11 500	22 000	20 200	66,0
68,0	58,5	101,7	11 400	10 400	20 700	19 400	68,0
70,0	57,4	100,3	10 200	9 200	19 400	18 200	70,0
72,0	56,2	98,9	9 200	8 200	18 200	17 100	72,0
74,0	55,0	97,4	8 100	7 200	17 100	16 000	74,0
76,0	53,8	95,9	7 100	6 300	16 000	15 000	76,0
78,0	52,5	94,3	6 200	5 400	15 000	14 100	78,0
80,0	51,3	92,6	5 300	4 600	14 100	13 200	80,0
82,0	50,0	90,8	4 400	3 800	13 200	12 300	82,0
84,0	48,7	88,9	3 600		12 300	11 500	84,0
86,0	47,4	87,0			11 500	10 700	86,0
88,0	46,0	84,9			10 700	10 000	88,0
90,0	44,6	82,8			9 900	9 300	90,0
92,0	43,2	80,5			9 200	8 600	92,0
94,0	41,7	78,2			8 500	7 900	94,0
96,0	40,1	75,7			7 800	7 300	96,0
100,0	36,9	70,2			6 600	6 100	100,0
104,0	33,4	64,0			5 400	5 000	104,0
108,0	29,4	56,9			4 300	3 800	108,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
13,7	82,5	61,1	50 100	43 900c	39 200c	50 100	43 900c	39 200c	13,7		
14,0	82,2	61,0	49 900	43 700c	39 000c	49 900	43 700c	39 000c	14,0		
16,0	80,3	60,6	48 200	42 400	38 000c	48 200	42 400	38 000c	16,0		
18,0	78,3	60,0	46 600	41 200	37 000	46 600	41 200	37 000	18,0		
20,0	76,3	59,4	45 000	40 000	36 100	45 000	40 000	36 100	20,0		
22,0	74,3	58,7	43 600	39 000	35 200	43 600	39 000	35 200	22,0		
24,0	72,2	58,0	41 800	37 900	34 400	41 800	37 900	34 400	24,0		
26,0	70,2	57,1	39 400	37 000	33 600	39 400	37 000	33 600	26,0		
28,0	68,1	56,2	37 200	36 100	32 900	37 200	36 100	32 900	28,0		
30,0	65,9	55,2	35 300	35 000	32 200	35 300	35 000	32 200	30,0		
32,0	63,7	54,0	33 500	33 300	31 500	33 500	33 300	31 500	32,0		
34,0	61,5	52,8	31 900	31 800	30 900	31 900	31 800	30 900	34,0		
36,0	59,2	51,5	30 500	30 400	30 100	30 500	30 400	30 100	36,0		
38,0	56,9	50,0	29 200	29 100	28 900	29 200	29 100	28 900	38,0		
40,0	54,4	48,4	28 000	27 900	27 700	28 000	27 900	27 700	40,0		
42,0	51,9	46,7	26 900	26 800	26 700	26 900	26 800	26 700	42,0		
44,0	49,3	44,8	25 900	25 800	25 700	25 900	25 800	25 700	44,0		
46,0	46,5	42,7	25 000	24 900	24 800	25 000	24 900	24 800	46,0		
48,0	43,6	40,4	24 100	24 100	24 000	24 100	24 100	24 000	48,0		
50,0	40,5	37,8	23 400	23 300	23 200	23 400	23 300	23 200	50,0		
52,0	37,1	34,9	22 600	22 600	22 500	22 600	22 600	22 500	52,0		
54,0	33,5	31,6	22 000	21 900	21 900	22 000	21 900	21 900	54,0		
56,0	29,3	27,7	21 400	21 400	21 300	21 400	21 400	21 300	56,0		
58,0	24,3	22,9	20 900			20 900			58,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°





42,0 m

18,0 m

20°

			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
			kg	kg	kg	kg	kg	kg	m
13,7									13,7
14,0									14,0
16,0									16,0
18,0	80,9	59,4	37 000	36 200	33 000 ^b	37 000	36 200	33 000 ^b	18,0
20,0	78,9	58,7	34 900	34 800	32 300	34 900	34 800	32 300	20,0
22,0	76,9	58,0	33 100	33 000	31 700	33 100	33 000	31 700	22,0
24,0	74,8	57,3	31 400	31 300	30 900	31 400	31 300	30 900	24,0
26,0	72,7	56,4	29 900	29 900	29 500	29 900	29 900	29 500	26,0
28,0	70,6	55,5	28 600	28 600	28 300	28 600	28 600	28 300	28,0
30,0	68,4	54,4	27 400	27 300	27 100	27 400	27 300	27 100	30,0
32,0	66,2	53,3	26 300	26 200	26 000	26 300	26 200	26 000	32,0
34,0	63,9	52,0	25 300	25 200	25 100	25 300	25 200	25 100	34,0
36,0	61,6	50,7	24 400	24 300	24 200	24 400	24 300	24 200	36,0
38,0	59,2	49,2	23 500	23 500	23 400	23 500	23 500	23 400	38,0
40,0	56,7	47,6	22 700	22 700	22 600	22 700	22 700	22 600	40,0
42,0	54,1	45,8	22 000	22 000	21 900	22 000	22 000	21 900	42,0
44,0	51,4	43,8	21 400	21 300	21 300	21 400	21 300	21 300	44,0
46,0	48,6	41,7	20 800	20 700	20 700	20 800	20 700	20 700	46,0
48,0	45,6	39,3	20 200	20 200	20 200	20 200	20 200	20 200	48,0
50,0	42,4	36,7	19 800	19 700	19 700	19 800	19 700	19 700	50,0
52,0	39,0	33,7	19 300	19 300	19 200	19 300	19 300	19 200	52,0
54,0	35,1	30,2	18 900	18 900	18 900	18 900	18 900	18 900	54,0
56,0	30,7	26,1	18 600			18 600			56,0
58,0									58,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
12,2	84,5	67,4	51 700	43 800 ^b	38 100 ^c	51 700	43 800 ^b	38 100 ^c	12,2		
14,0	82,9	67,1	50 200	42 600	37 200	50 200	42 600	37 200	14,0		
16,0	81,2	66,7	48 600	41 500	36 400	48 600	41 500	36 400	16,0		
18,0	79,4	66,2	47 100	40 500	35 600	47 100	40 500	35 600	18,0		
20,0	77,6	65,7	45 700	39 500	34 900	45 700	39 500	34 900	20,0		
22,0	75,8	65,1	44 500	38 600	34 200	44 500	38 600	34 200	22,0		
24,0	73,9	64,4	43 300	37 700	33 500	43 300	37 700	33 500	24,0		
26,0	72,1	63,6	41 500	36 800	32 800	41 500	36 800	32 800	26,0		
28,0	70,2	62,8	39 300	36 000	32 200	39 300	36 000	32 200	28,0		
30,0	68,3	61,9	37 400	35 300	31 600	37 400	35 300	31 600	30,0		
32,0	66,4	60,9	35 600	34 000	30 500	35 600	34 000	30 500	32,0		
34,0	64,4	59,8	34 000	32 500	29 600	34 000	32 500	29 600	34,0		
36,0	62,4	58,6	32 500	31 100	28 800	32 500	31 100	28 800	36,0		
38,0	60,3	57,4	31 100	29 900	28 000	31 100	29 900	28 000	38,0		
40,0	58,2	56,0	29 900	28 800	27 500	29 900	28 800	27 500	40,0		
42,0	56,1	54,5	28 800	27 700	26 700	28 800	27 700	26 700	42,0		
44,0	53,9	52,9	27 700	26 700	25 900	27 700	26 700	25 900	44,0		
46,0	51,6	51,1	26 700	25 800	25 000	26 700	25 800	25 000	46,0		
48,0	49,2	49,2	25 900	24 900	24 300	25 900	24 900	24 300	48,0		
50,0	46,7	47,2	25 000	24 200	23 400	25 000	24 200	23 400	50,0		
52,0	44,1	44,9	24 300	23 500	22 700	24 300	23 500	22 700	52,0		
54,0	41,3	42,4	23 600	22 800	22 100	23 600	22 800	22 100	54,0		
56,0	38,4	39,7	22 900	22 200	21 600	22 900	22 200	21 600	56,0		
58,0	35,2	36,6	22 300	21 700	21 200	22 300	21 700	21 200	58,0		
60,0	31,7	33,1	21 700	21 200	20 800	21 700	21 200	20 800	60,0		
62,0	27,7	29,0	21 200	20 600		21 200	20 600		62,0		
64,0	23,0	23,9	20 800			20 800			64,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°





48,0 m

18,0 m

20°





			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
			kg	kg	kg	kg	kg	kg	m
12,2									12,2
14,0									14,0
16,0	83,6	66,0	40 000			40 000			16,0
18,0	81,8	65,5	37 800	36 400	33 100b	37 800	36 400	33 100b	18,0
20,0	80,0	65,0	35 900	35 600	32 500	35 900	35 600	32 500	20,0
22,0	78,1	64,4	34 100	34 000	32 000	34 100	34 000	32 000	22,0
24,0	76,3	63,7	32 500	32 400	31 400	32 500	32 400	31 400	24,0
26,0	74,4	62,9	31 100	31 000	30 700	31 100	31 000	30 700	26,0
28,0	72,5	62,1	29 800	29 700	29 400	29 800	29 700	29 400	28,0
30,0	70,6	61,1	28 600	28 500	28 300	28 600	28 500	28 300	30,0
32,0	68,6	60,1	27 500	27 400	27 200	27 500	27 400	27 200	32,0
34,0	66,6	59,0	26 500	26 400	26 200	26 500	26 400	26 200	34,0
36,0	64,6	57,8	25 500	25 500	25 400	25 500	25 500	25 400	36,0
38,0	62,5	56,5	24 700	24 600	24 500	24 700	24 600	24 500	38,0
40,0	60,4	55,1	23 900	23 800	23 800	23 900	23 800	23 800	40,0
42,0	58,2	53,6	23 200	23 100	23 100	23 200	23 100	23 100	42,0
44,0	55,9	52,0	22 500	22 400	22 400	22 500	22 400	22 400	44,0
46,0	53,6	50,2	21 900	21 800	21 800	21 900	21 800	21 800	46,0
48,0	51,1	48,3	21 300	21 200	21 200	21 300	21 200	21 200	48,0
50,0	48,6	46,2	20 800	20 700	20 700	20 800	20 700	20 700	50,0
52,0	45,9	43,9	20 300	20 200	20 200	20 300	20 200	20 200	52,0
54,0	43,1	41,3	19 800	19 800	19 800	19 800	19 800	19 800	54,0
56,0	40,0	38,5	19 400	19 400	19 400	19 400	19 400	19 400	56,0
58,0	36,7	35,3	19 100	19 000	19 000	19 100	19 000	19 000	58,0
60,0	33,1	31,6	18 800	18 800	18 700	18 800	18 800	18 700	60,0
62,0									62,0
64,0									64,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
12,2	85,0	73,5	51 500			51 500			12,2		
14,0	83,5	73,2	50 300	43 800		50 300	43 800		14,0		
16,0	81,9	72,8	48 900	42 800	38 100b	48 900	42 800	38 100b	16,0		
18,0	80,3	72,4	47 500	41 800	37 400	47 500	41 800	37 400	18,0		
20,0	78,7	71,9	46 300	40 800	36 600	46 300	40 800	36 600	20,0		
22,0	77,0	71,3	45 100	39 900	35 900	45 100	39 900	35 900	22,0		
24,0	75,3	70,7	43 900	39 000	35 200	43 900	39 000	35 200	24,0		
26,0	73,7	70,0	42 800	38 200	34 600	42 800	38 200	34 600	26,0		
28,0	72,0	69,3	41 300	37 400	33 900	41 300	37 400	33 900	28,0		
30,0	70,2	68,5	39 300	36 700	33 300	39 300	36 700	33 300	30,0		
32,0	68,5	67,6	37 400	36 000	32 700	37 400	36 000	32 700	32,0		
34,0	66,7	66,6	35 800	35 200	32 200	35 800	35 200	32 200	34,0		
36,0	64,9	65,5	34 300	34 100	31 600	34 300	34 100	31 600	36,0		
38,0	63,1	64,4	32 900	32 800	31 100	32 900	32 800	31 100	38,0		
40,0	61,3	63,2	31 700	31 500	30 700	31 700	31 500	30 700	40,0		
42,0	59,4	61,9	30 500	30 400	30 100	30 500	30 400	30 100	42,0		
44,0	57,4	60,5	29 400	29 300	29 100	29 400	29 300	29 100	44,0		
46,0	55,4	59,0	28 400	28 300	28 200	28 400	28 300	28 200	46,0		
48,0	53,4	57,3	27 500	27 400	27 200	27 500	27 400	27 200	48,0		
50,0	51,3	55,6	26 600	26 500	26 400	26 600	26 500	26 400	50,0		
52,0	49,1	53,7	25 800	25 700	25 600	25 800	25 700	25 600	52,0		
54,0	46,8	51,7	25 100	25 000	24 800	25 100	25 000	24 800	54,0		
56,0	44,5	49,5	24 400	24 300	24 200	24 400	24 300	24 200	56,0		
58,0	42,0	47,1	23 700	23 600	23 500	23 700	23 600	23 500	58,0		
60,0	39,3	44,4	23 100	22 900	22 400	23 100	23 000	22 900	60,0		
62,0	36,5	41,5	22 400	21 900	21 200	22 500	22 500	22 400	62,0		
64,0	33,5	38,2	21 300	20 700	20 100	22 000	21 900	21 800	64,0		
66,0	30,1	34,5	20 100	19 600	19 100	21 500	21 500	21 400	66,0		
68,0	26,3	30,2	19 000	18 500	18 100	21 100	21 000	21 000	68,0		
70,0	21,8	24,9	17 800	17 500	17 100	20 700	20 700	20 600	70,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
12,2									12,2		
14,0									14,0		
16,0	84,1	72,1	40 600			40 600			16,0		
18,0	82,5	71,7	38 600	36 500		38 600	36 500		18,0		
20,0	80,8	71,2	36 700	35 900	32 600	36 700	35 900	32 600	20,0		
22,0	79,2	70,6	35 000	34 900	32 100	35 000	34 900	32 100	22,0		
24,0	77,5	70,0	33 500	33 400	31 600	33 500	33 400	31 600	24,0		
26,0	75,8	69,3	32 100	32 000	31 200	32 100	32 000	31 200	26,0		
28,0	74,1	68,5	30 800	30 700	30 400	30 800	30 700	30 400	28,0		
30,0	72,3	67,7	29 600	29 500	29 300	29 600	29 500	29 300	30,0		
32,0	70,6	66,8	28 500	28 500	28 300	28 500	28 500	28 300	32,0		
34,0	68,8	65,8	27 500	27 500	27 300	27 500	27 500	27 300	34,0		
36,0	67,0	64,7	26 600	26 500	26 400	26 600	26 500	26 400	36,0		
38,0	65,1	63,6	25 700	25 700	25 600	25 700	25 700	25 600	38,0		
40,0	63,2	62,4	25 000	24 900	24 800	25 000	24 900	24 800	40,0		
42,0	61,3	61,0	24 200	24 200	24 100	24 200	24 200	24 100	42,0		
44,0	59,3	59,6	23 500	23 500	23 400	23 500	23 500	23 400	44,0		
46,0	57,3	58,1	22 900	22 800	22 800	22 900	22 800	22 800	46,0		
48,0	55,2	56,4	22 300	22 200	22 200	22 300	22 200	22 200	48,0		
50,0	53,1	54,7	21 800	21 700	21 600	21 800	21 700	21 600	50,0		
52,0	50,9	52,7	21 200	21 200	21 200	21 200	21 200	21 200	52,0		
54,0	48,5	50,7	20 700	20 700	20 700	20 700	20 700	20 700	54,0		
56,0	46,1	48,4	20 300	20 300	20 200	20 300	20 300	20 200	56,0		
58,0	43,6	45,9	19 900	19 900	19 800	19 900	19 900	19 800	58,0		
60,0	40,9	43,2	19 500	19 500	19 500	19 500	19 500	19 500	60,0		
62,0	38,0	40,2	19 200	19 200	19 100	19 200	19 200	19 100	62,0		
64,0	34,8	36,8	18 900	18 900	18 800	18 900	18 900	18 800	64,0		
66,0	31,3	32,9	18 700	18 700	18 600	18 700	18 700	18 600	66,0		
68,0									68,0		
70,0									70,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
13,7	84,2	79,3	50 400			50 400			13,7		
14,0	84,0	79,3	50 200			50 200			14,0		
16,0	82,5	79,0	49 000	42 700		49 000	42 700		16,0		
18,0	81,1	78,5	47 700	41 800	37 300	47 700	41 800	37 300	18,0		
20,0	79,5	78,1	46 600	40 900	36 600	46 600	40 900	36 600	20,0		
22,0	78,0	77,6	45 500	40 100	36 000	45 500	40 100	36 000	22,0		
24,0	76,5	77,0	44 400	39 300	35 400	44 400	39 300	35 400	24,0		
26,0	75,0	76,4	43 500	38 500	34 800	43 500	38 500	34 800	26,0		
28,0	73,4	75,7	42 500	37 800	34 200	42 500	37 800	34 200	28,0		
30,0	71,9	74,9	41 000	37 100	33 600	41 000	37 100	33 600	30,0		
32,0	70,3	74,1	39 200	36 500	33 100	39 200	36 500	33 100	32,0		
34,0	68,7	73,2	37 500	35 800	32 600	37 500	35 800	32 600	34,0		
36,0	67,0	72,3	36 000	35 200	32 100	36 000	35 200	32 100	36,0		
38,0	65,4	71,3	34 600	34 400	31 600	34 600	34 400	31 600	38,0		
40,0	63,7	70,2	33 300	33 200	31 100	33 300	33 200	31 100	40,0		
42,0	62,0	69,0	32 100	32 000	30 700	32 100	32 000	30 700	42,0		
44,0	60,3	67,8	31 000	30 900	30 300	31 000	30 900	30 300	44,0		
46,0	58,5	66,4	30 000	29 800	29 700	30 000	29 800	29 700	46,0		
48,0	56,7	65,0	29 000	28 900	28 800	29 000	28 900	28 800	48,0		
50,0	54,9	63,4	28 100	28 000	27 900	28 100	28 000	27 900	50,0		
52,0	53,0	61,8	27 300	27 200	27 000	27 300	27 200	27 100	52,0		
54,0	51,0	60,1	26 500	26 400	25 600	26 500	26 400	26 300	54,0		
56,0	49,0	58,2	25 800	25 200	24 200	25 800	25 700	25 600	56,0		
58,0	46,9	56,2	24 700	23 700	22 800	25 100	25 000	24 900	58,0		
60,0	44,8	54,0	23 300	22 400	21 600	24 400	24 400	24 200	60,0		
62,0	42,5	51,6	21 900	21 200	20 400	23 800	23 700	23 600	62,0		
64,0	40,1	49,1	20 700	19 900	19 200	23 300	23 200	23 100	64,0		
66,0	37,6	46,3	19 400	18 800	18 200	22 700	22 600	22 600	66,0		
68,0	34,9	43,2	18 200	17 700	17 200	22 200	22 200	22 100	68,0		
70,0	32,0	39,8	17 000	16 500	16 100	21 800	21 700	21 600	70,0		
72,0	28,8	35,9	15 800	15 500	15 100	21 400	21 300	21 200	72,0		
74,0	25,2	31,4	14 800	14 500	14 100	21 000	20 900	20 700	74,0		
76,0	20,8	25,8	13 700	13 500	13 200	20 700	20 400	20 000	76,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
13,7									13,7		
14,0									14,0		
16,0									16,0		
18,0	83,1	77,8	39 200			39 200			18,0		
20,0	81,6	77,4	37 400	35 900	32 600	37 400	35 900	32 600	20,0		
22,0	80,0	76,8	35 800	35 300	32 100	35 800	35 300	32 100	22,0		
24,0	78,5	76,3	34 300	34 200	31 700	34 300	34 200	31 700	24,0		
26,0	76,9	75,6	32 900	32 800	31 300	32 900	32 800	31 300	26,0		
28,0	75,4	74,9	31 700	31 600	30 900	31 700	31 600	30 900	28,0		
30,0	73,8	74,2	30 500	30 500	30 200	30 500	30 500	30 200	30,0		
32,0	72,2	73,3	29 500	29 400	29 200	29 500	29 400	29 200	32,0		
34,0	70,6	72,4	28 500	28 400	28 300	28 500	28 400	28 300	34,0		
36,0	68,9	71,5	27 600	27 500	27 400	27 600	27 500	27 400	36,0		
38,0	67,3	70,5	26 700	26 700	26 500	26 700	26 700	26 500	38,0		
40,0	65,6	69,4	25 900	25 900	25 800	25 900	25 900	25 800	40,0		
42,0	63,8	68,2	25 200	25 100	25 100	25 200	25 100	25 100	42,0		
44,0	62,1	66,9	24 500	24 400	24 400	24 500	24 400	24 400	44,0		
46,0	60,3	65,5	23 800	23 800	23 700	23 800	23 800	23 700	46,0		
48,0	58,5	64,1	23 200	23 200	23 100	23 200	23 200	23 100	48,0		
50,0	56,6	62,5	22 700	22 600	22 600	22 700	22 600	22 600	50,0		
52,0	54,7	60,9	22 100	22 100	22 000	22 100	22 100	22 000	52,0		
54,0	52,7	59,1	21 600	21 600	21 600	21 600	21 600	21 600	54,0		
56,0	50,6	57,2	21 200	21 100	21 100	21 200	21 100	21 100	56,0		
58,0	48,5	55,1	20 700	20 700	20 700	20 700	20 700	20 700	58,0		
60,0	46,3	52,9	20 300	20 300	20 300	20 300	20 300	20 300	60,0		
62,0	44,0	50,5	20 000	19 900	19 900	20 000	19 900	19 900	62,0		
64,0	41,6	47,9	19 600	19 600	19 500	19 600	19 600	19 500	64,0		
66,0	39,0	45,0	19 200	18 900	18 400	19 300	19 300	19 200	66,0		
68,0	36,2	41,8	18 400	17 900	17 400	19 000	19 000	19 000	68,0		
70,0	33,2	38,3	17 200	16 800	16 300	18 800	18 700	18 700	70,0		
72,0									72,0		
74,0									74,0		
76,0									76,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
13,7	84,7	85,4	50 200			50 200			13,7		
14,0	84,5	85,3	50 000			50 000			14,0		
16,0	83,1	85,0	48 900	42 500		48 900	42 500		16,0		
18,0	81,7	84,6	47 800	41 700	37 100	47 800	41 700	37 100	18,0		
20,0	80,3	84,2	46 800	40 900	36 500	46 800	40 900	36 500	20,0		
22,0	78,9	83,7	45 700	40 200	36 000	45 700	40 200	36 000	22,0		
24,0	77,5	83,2	44 800	39 500	35 400	44 800	39 500	35 400	24,0		
26,0	76,1	82,6	43 800	38 800	34 900	43 800	38 800	34 900	26,0		
28,0	74,6	82,0	43 000	38 100	34 300	43 000	38 100	34 300	28,0		
30,0	73,2	81,3	42 100	37 500	33 800	42 100	37 500	33 800	30,0		
32,0	71,7	80,6	40 800	36 900	33 400	40 800	36 900	33 400	32,0		
34,0	70,3	79,7	39 100	36 300	32 900	39 100	36 300	32 900	34,0		
36,0	68,8	78,9	37 600	35 700	32 400	37 600	35 700	32 400	36,0		
38,0	67,3	77,9	36 200	35 100	32 000	36 200	35 100	32 000	38,0		
40,0	65,8	77,0	34 900	34 500	31 500	34 900	34 500	31 500	40,0		
42,0	64,2	75,9	33 700	33 500	31 100	33 700	33 500	31 100	42,0		
44,0	62,7	74,8	32 500	32 400	30 700	32 500	32 400	30 700	44,0		
46,0	61,1	73,5	31 500	31 300	30 300	31 500	31 300	30 300	46,0		
48,0	59,4	72,3	30 500	30 300	29 800	30 500	30 300	30 000	48,0		
50,0	57,8	70,9	29 600	29 400	28 400	29 600	29 400	29 300	50,0		
52,0	56,1	69,4	28 700	28 000	26 700	28 700	28 600	28 400	52,0		
54,0	54,4	67,9	27 600	26 400	25 200	27 900	27 800	27 600	54,0		
56,0	52,6	66,2	25 900	24 800	23 700	27 100	27 000	26 900	56,0		
58,0	50,8	64,5	24 400	23 300	22 300	26 400	26 300	26 200	58,0		
60,0	48,9	62,6	23 000	22 000	21 100	25 700	25 600	25 500	60,0		
62,0	47,0	60,6	21 600	20 800	19 900	25 100	25 000	24 900	62,0		
64,0	45,0	58,5	20 300	19 600	18 800	24 500	24 400	24 300	64,0		
66,0	42,9	56,2	19 000	18 300	17 700	23 900	23 900	23 700	66,0		
68,0	40,8	53,7	17 800	17 200	16 600	23 400	23 300	23 200	68,0		
70,0	38,5	51,0	16 600	16 000	15 500	22 900	22 800	22 600	70,0		
72,0	36,1	48,1	15 500	15 000	14 500	22 400	22 000	21 500	72,0		
74,0	33,5	44,8	14 400	14 000	13 600	21 700	21 100	20 500	74,0		
76,0	30,7	41,2	13 400	13 000	12 700	20 600	20 100	19 600	76,0		
78,0	27,6	37,2	12 500	12 100	11 800	19 600	19 100	18 600	78,0		
80,0	24,1	32,4	11 500	11 200	11 000	18 600	18 200	17 800	80,0		
82,0	19,9	26,6	10 600	10 400	10 100	17 700	17 300	16 900	82,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
13,7									13,7		
14,0									14,0		
16,0									16,0		
18,0	83,6	83,9	39 700	35 900	32 500	39 700	35 900	32 500	18,0		
20,0	82,2	83,5	38 000	35 400	32 500	38 000	35 400	32 500	20,0		
22,0	80,8	83,0	36 400	35 400	32 100	36 400	35 400	32 100	22,0		
24,0	79,3	82,5	35 000	34 800	31 700	35 000	34 800	31 700	24,0		
26,0	77,9	81,9	33 700	33 600	31 300	33 700	33 600	31 300	26,0		
28,0	76,5	81,2	32 500	32 400	31 000	32 500	32 400	31 000	28,0		
30,0	75,0	80,5	31 400	31 300	30 700	31 400	31 300	30 700	30,0		
32,0	73,5	79,8	30 300	30 200	30 100	30 300	30 200	30 100	32,0		
34,0	72,1	79,0	29 400	29 300	29 100	29 400	29 300	29 100	34,0		
36,0	70,6	78,1	28 500	28 400	28 300	28 500	28 400	28 300	36,0		
38,0	69,0	77,1	27 600	27 500	27 400	27 600	27 500	27 400	38,0		
40,0	67,5	76,1	26 800	26 800	26 700	26 800	26 800	26 700	40,0		
42,0	65,9	75,1	26 100	26 000	25 900	26 100	26 000	25 900	42,0		
44,0	64,4	73,9	25 400	25 300	25 200	25 400	25 300	25 200	44,0		
46,0	62,7	72,7	24 700	24 700	24 600	24 700	24 700	24 600	46,0		
48,0	61,1	71,4	24 100	24 100	24 000	24 100	24 100	24 000	48,0		
50,0	59,4	70,0	23 500	23 500	23 400	23 500	23 500	23 400	50,0		
52,0	57,7	68,5	23 000	22 900	22 900	23 000	22 900	22 900	52,0		
54,0	56,0	67,0	22 500	22 400	22 400	22 500	22 400	22 400	54,0		
56,0	54,2	65,3	22 000	22 000	21 900	22 000	22 000	21 900	56,0		
58,0	52,3	63,5	21 500	21 500	21 500	21 500	21 500	21 500	58,0		
60,0	50,4	61,6	21 100	21 100	21 100	21 100	21 100	21 100	60,0		
62,0	48,5	59,6	20 700	20 500	20 200	20 700	20 700	20 700	62,0		
64,0	46,4	57,4	20 300	19 900	19 100	20 300	20 300	20 300	64,0		
66,0	44,3	55,0	19 400	18 700	18 000	20 000	20 000	19 900	66,0		
68,0	42,1	52,5	18 100	17 500	16 900	19 700	19 600	19 600	68,0		
70,0	39,8	49,7	16 900	16 400	15 800	19 400	19 300	19 300	70,0		
72,0	37,3	46,7	15 700	15 300	14 800	19 100	19 100	19 100	72,0		
74,0	34,6	43,4	14 600	14 200	13 800	18 900	18 800	18 800	74,0		
76,0	31,7	39,6	13 600	13 200	12 800	18 700	18 600	18 600	76,0		
78,0									78,0		
80,0									80,0		
82,0									82,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
15,2	84,0	91,2	47 500			47 500			15,2		
16,0	83,6	91,1	47 100			47 100			16,0		
18,0	82,3	90,7	46 200	40 300		46 200	40 300		18,0		
20,0	81,0	90,4	45 200	39 600	35 400	45 200	39 600	35 400	20,0		
22,0	79,7	89,9	44 400	39 000	34 900	44 400	39 000	34 900	22,0		
24,0	78,3	89,4	43 500	38 400	34 400	43 500	38 400	34 400	24,0		
26,0	77,0	88,9	42 700	37 800	34 000	42 700	37 800	34 000	26,0		
28,0	75,7	88,3	42 000	37 200	33 500	42 000	37 200	33 500	28,0		
30,0	74,4	87,6	41 200	36 600	33 100	41 200	36 600	33 100	30,0		
32,0	73,0	87,0	40 500	36 100	32 700	40 500	36 100	32 700	32,0		
34,0	71,7	86,2	39 800	35 600	32 200	39 800	35 600	32 200	34,0		
36,0	70,3	85,4	39 100	35 000	31 800	39 100	35 000	31 800	36,0		
38,0	68,9	84,6	38 100	34 600	31 400	38 100	34 600	31 400	38,0		
40,0	67,5	83,6	36 700	34 100	31 000	36 700	34 100	31 000	40,0		
42,0	66,1	82,7	35 500	33 600	30 700	35 500	33 600	30 700	42,0		
44,0	64,7	81,6	34 300	33 100	30 300	34 300	33 100	30 300	44,0		
46,0	63,2	80,5	33 200	32 600	30 000	33 200	32 700	30 000	46,0		
48,0	61,7	79,4	32 200	30 900	29 100	32 200	32 000	29 600	48,0		
50,0	60,2	78,1	30 600	29 000	27 500	31 200	31 000	29 300	50,0		
52,0	58,7	76,8	28 600	27 200	25 800	30 300	30 200	29 000	52,0		
54,0	57,2	75,4	26 900	25 500	24 200	29 500	29 300	28 700	54,0		
56,0	55,6	73,9	25 200	24 000	22 800	28 700	28 500	28 200	56,0		
58,0	54,0	72,4	23 700	22 500	21 400	27 900	27 800	27 600	58,0		
60,0	52,3	70,7	22 100	21 100	20 200	27 200	27 100	27 000	60,0		
62,0	50,6	69,0	20 700	19 800	18 900	26 600	26 400	26 100	62,0		
64,0	48,9	67,1	19 300	18 500	17 700	25 900	25 800	25 200	64,0		
66,0	47,1	65,1	18 000	17 200	16 500	25 300	24 800	24 000	66,0		
68,0	45,2	63,0	16 700	16 100	15 400	24 500	23 700	22 800	68,0		
70,0	43,3	60,7	15 600	14 900	14 300	23 300	22 500	21 700	70,0		
72,0	41,3	58,3	14 500	13 900	13 400	22 100	21 400	20 600	72,0		
74,0	39,2	55,7	13 400	12 900	12 400	21 000	20 300	19 600	74,0		
76,0	37,0	52,9	12 400	12 000	11 500	19 900	19 300	18 600	76,0		
78,0	34,7	49,8	11 500	11 100	10 600	18 900	18 300	17 700	78,0		
80,0	32,2	46,4	10 600	10 200	9 800	17 900	17 400	16 900	80,0		
82,0	29,5	42,7	9 700	9 400	9 000	17 000	16 500	16 000	82,0		
84,0	26,5	38,4	8 900	8 600	8 300	16 100	15 700	15 300	84,0		
86,0	23,1	33,5	8 100			15 300			86,0		







MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
m	°	m	kg	kg	kg	kg	kg	kg	m
15,2									15,2
16,0									16,0
18,0	84,0	90,0	40 500			40 500			18,0
20,0	82,7	89,6	38 900	35 700	32 300	38 900	35 700	32 300	20,0
22,0	81,4	89,1	37 400	35 300	31 900	37 400	35 300	31 900	22,0
24,0	80,1	88,7	36 000	34 800	31 600	36 000	34 800	31 600	24,0
26,0	78,8	88,1	34 700	34 400	31 300	34 700	34 400	31 300	26,0
28,0	77,4	87,5	33 500	33 400	31 000	33 500	33 400	31 000	28,0
30,0	76,1	86,9	32 400	32 300	30 600	32 400	32 300	30 600	30,0
32,0	74,7	86,2	31 400	31 200	30 400	31 400	31 200	30 400	32,0
34,0	73,3	85,4	30 400	30 300	30 000	30 400	30 300	30 000	34,0
36,0	72,0	84,6	29 500	29 400	29 300	29 500	29 400	29 300	36,0
38,0	70,6	83,7	28 600	28 600	28 500	28 600	28 600	28 500	38,0
40,0	69,1	82,8	27 800	27 800	27 700	27 800	27 800	27 700	40,0
42,0	67,7	81,8	27 100	27 000	26 900	27 100	27 000	26 900	42,0
44,0	66,3	80,8	26 400	26 300	26 300	26 400	26 300	26 300	44,0
46,0	64,8	79,7	25 700	25 700	25 600	25 700	25 700	25 600	46,0
48,0	63,3	78,5	25 100	25 100	25 000	25 100	25 100	25 000	48,0
50,0	61,8	77,2	24 500	24 500	24 400	24 500	24 500	24 400	50,0
52,0	60,3	75,9	24 000	23 900	23 800	24 000	23 900	23 800	52,0
54,0	58,7	74,5	23 400	23 400	23 300	23 400	23 400	23 300	54,0
56,0	57,1	73,0	22 900	22 900	22 700	22 900	22 900	22 800	56,0
58,0	55,4	71,4	22 500	22 400	21 900	22 500	22 400	22 400	58,0
60,0	53,8	69,7	22 000	21 400	20 600	22 000	22 000	22 000	60,0
62,0	52,1	67,9	21 200	20 300	19 400	21 600	21 600	21 500	62,0
64,0	50,3	66,0	19 800	19 000	18 200	21 200	21 200	21 100	64,0
66,0	48,5	64,0	18 400	17 700	17 000	20 800	20 800	20 800	66,0
68,0	46,6	61,9	17 200	16 500	15 800	20 500	20 500	20 400	68,0
70,0	44,6	59,6	16 000	15 300	14 700	20 200	20 100	20 100	70,0
72,0	42,6	57,1	14 800	14 300	13 700	19 900	19 800	19 800	72,0
74,0	40,4	54,4	13 700	13 200	12 700	19 600	19 600	19 400	74,0
76,0	38,2	51,5	12 700	12 200	11 800	19 300	19 300	18 800	76,0
78,0	35,8	48,4	11 700	11 300	10 900	19 000	18 500	17 900	78,0
80,0	33,2	44,9	10 800	10 400	10 000	18 100	17 600	17 000	80,0
82,0	30,4	41,0	9 900	9 500	9 200	17 100	16 600	16 200	82,0
84,0									84,0
86,0									86,0

MLC300 VPC-MAX S-1







			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
15,2	84,4	97,3	46 900			46 900			15,2
16,0	84,0	97,2	46 600			46 600			16,0
18,0	82,7	96,8	45 800	39 800		45 800	39 800		18,0
20,0	81,5	96,5	45 000	39 200	35 000	45 000	39 200	35 000	20,0
22,0	80,3	96,1	44 200	38 700	34 500	44 200	38 700	34 500	22,0
24,0	79,1	95,6	43 400	38 100	34 100	43 400	38 100	34 100	24,0
26,0	77,9	95,1	42 700	37 600	33 700	42 700	37 600	33 700	26,0
28,0	76,6	94,5	42 000	37 000	33 300	42 000	37 000	33 300	28,0
30,0	75,4	94,0	41 300	36 500	32 900	41 300	36 500	32 900	30,0
32,0	74,1	93,3	40 600	36 000	32 500	40 600	36 000	32 500	32,0
34,0	72,9	92,6	40 000	35 600	32 100	40 000	35 600	32 100	34,0
36,0	71,6	91,9	39 400	35 100	31 800	39 400	35 100	31 800	36,0
38,0	70,3	91,1	38 800	34 700	31 400	38 800	34 700	31 400	38,0
40,0	69,0	90,2	37 900	34 200	31 100	37 900	34 200	31 100	40,0
42,0	67,7	89,3	36 600	33 800	30 700	36 600	33 800	30 700	42,0
44,0	66,4	88,4	35 500	33 400	30 400	35 500	33 400	30 400	44,0
46,0	65,0	87,4	34 200	32 400	30 000	34 400	33 000	30 100	46,0
48,0	63,7	86,3	32 200	30 300	28 500	33 300	32 400	29 800	48,0
50,0	62,3	85,1	30 000	28 300	26 700	32 400	31 600	29 500	50,0
52,0	60,9	83,9	28 100	26 500	25 000	31 400	30 800	29 200	52,0
54,0	59,5	82,7	26 300	24 900	23 500	30 600	30 100	28 800	54,0
56,0	58,1	81,3	24 600	23 300	22 000	29 800	29 500	28 300	56,0
58,0	56,6	79,9	22 900	21 800	20 700	29 000	28 900	27 700	58,0
60,0	55,1	78,4	21 300	20 300	19 300	28 300	28 100	26 900	60,0
62,0	53,6	76,8	19 800	18 900	18 000	27 600	27 000	25 800	62,0
64,0	52,1	75,2	18 500	17 600	16 700	26 700	25 600	24 500	64,0
66,0	50,5	73,4	17 200	16 300	15 600	25 300	24 300	23 200	66,0
68,0	48,8	71,6	15 900	15 200	14 400	24 000	23 000	22 100	68,0
70,0	47,2	69,6	14 800	14 100	13 400	22 700	21 800	20 900	70,0
72,0	45,4	67,5	13 700	13 000	12 400	21 500	20 700	19 900	72,0
74,0	43,7	65,3	12 600	12 000	11 500	20 400	19 600	18 900	74,0
76,0	41,8	62,9	11 600	11 100	10 600	19 400	18 600	17 900	76,0
78,0	39,9	60,4	10 700	10 200	9 700	18 300	17 700	17 000	78,0
80,0	37,9	57,6	9 800	9 300	8 900	17 400	16 800	16 200	80,0
82,0	35,7	54,7	9 000	8 500	8 100	16 500	15 900	15 300	82,0
84,0	33,5	51,5	8 100	7 700	7 400	15 600	15 100	14 600	84,0
86,0	31,1	48,0	7 300	7 000	6 700	14 800	14 300	13 800	86,0
88,0	28,5	44,1	6 600	6 300	6 000	14 000	13 500	13 100	88,0
90,0	25,6	39,7	5 800	5 600	5 300	13 200	12 800	12 400	90,0
92,0	22,3	34,5	5 100			12 400			92,0







MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
m	°	m	kg	kg	kg	kg	kg	kg	m
15,2									15,2
16,0									16,0
18,0									18,0
20,0	83,2	95,7	39 300	35 400		39 300	35 400		20,0
22,0	82,0	95,3	37 800	35 000	30 200	37 800	35 000	30 200	22,0
24,0	80,7	94,8	36 500	34 600	29 900	36 500	34 600	29 900	24,0
26,0	79,5	94,3	35 200	34 200	29 700	35 200	34 200	29 700	26,0
28,0	78,2	93,8	34 100	33 800	29 400	34 100	33 800	29 400	28,0
30,0	77,0	93,2	33 000	32 900	29 100	33 000	32 900	29 100	30,0
32,0	75,7	92,5	32 000	31 900	28 900	32 000	31 900	28 900	32,0
34,0	74,4	91,8	31 000	30 900	28 700	31 000	30 900	28 700	34,0
36,0	73,2	91,1	30 200	30 000	28 400	30 200	30 000	28 400	36,0
38,0	71,9	90,3	29 300	29 200	28 200	29 300	29 200	28 200	38,0
40,0	70,6	89,4	28 500	28 400	28 000	28 500	28 400	28 000	40,0
42,0	69,2	88,5	27 800	27 700	27 600	27 800	27 700	27 600	42,0
44,0	67,9	87,5	27 100	27 000	26 900	27 100	27 000	26 900	44,0
46,0	66,5	86,5	26 400	26 400	26 300	26 400	26 400	26 300	46,0
48,0	65,2	85,4	25 800	25 700	25 600	25 800	25 700	25 600	48,0
50,0	63,8	84,3	25 200	25 100	25 100	25 200	25 100	25 100	50,0
52,0	62,4	83,0	24 600	24 600	24 500	24 600	24 600	24 500	52,0
54,0	61,0	81,8	24 100	24 100	23 700	24 100	24 100	24 000	54,0
56,0	59,5	80,4	23 600	23 300	22 600	23 600	23 600	23 500	56,0
58,0	58,0	79,0	23 100	22 400	21 200	23 200	23 100	23 000	58,0
60,0	56,5	77,5	22 000	20 900	19 900	22 700	22 700	22 600	60,0
62,0	55,0	75,9	20 500	19 500	18 600	22 300	22 200	22 200	62,0
64,0	53,4	74,2	19 000	18 100	17 300	21 900	21 800	21 800	64,0
66,0	51,8	72,4	17 700	16 900	16 100	21 500	21 400	21 400	66,0
68,0	50,1	70,5	16 400	15 700	14 900	21 100	21 100	21 100	68,0
70,0	48,4	68,5	15 200	14 500	13 800	20 800	20 700	20 700	70,0
72,0	46,7	66,4	14 100	13 500	12 800	20 500	20 400	20 000	72,0
74,0	44,9	64,1	13 000	12 400	11 800	20 200	19 800	19 200	74,0
76,0	43,0	61,7	12 000	11 400	10 900	19 600	18 900	18 200	76,0
78,0	41,0	59,1	11 000	10 500	10 000	18 600	17 900	17 300	78,0
80,0	39,0	56,3	10 100	9 600	9 200	17 600	17 000	16 400	80,0
82,0	36,8	53,3	9 200	8 800	8 400	16 700	16 100	15 500	82,0
84,0	34,5	50,0	8 400	8 000	7 600	15 800	15 200	14 700	84,0
86,0	32,0	46,4	7 500	7 200	6 800	14 900	14 400	13 900	86,0
88,0	29,3	42,3	6 700	6 400	6 100	14 100	13 600	13 200	88,0
90,0									90,0
92,0									92,0







MLC300 VPC-MAX S-1






			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
15,2	84,7	103,3	46 400			46 400			15,2
16,0	84,3	103,2	46 100			46 100			16,0
18,0	83,2	102,9	45 400	39 300		45 400	39 300		18,0
20,0	82,0	102,6	44 600	38 800	33 900	44 600	38 800	33 900	20,0
22,0	80,9	102,2	44 000	38 300	33 900	44 000	38 300	33 900	22,0
24,0	79,8	101,8	43 300	37 800	33 700	43 300	37 800	33 700	24,0
26,0	78,6	101,3	42 600	37 300	33 400	42 600	37 300	33 400	26,0
28,0	77,4	100,8	42 000	36 900	33 000	42 000	36 900	33 000	28,0
30,0	76,3	100,2	41 300	36 400	32 700	41 300	36 400	32 700	30,0
32,0	75,1	99,6	40 700	35 900	32 300	40 700	35 900	32 300	32,0
34,0	73,9	99,0	40 100	35 500	32 000	40 100	35 500	32 000	34,0
36,0	72,7	98,3	39 600	35 100	31 700	39 600	35 100	31 700	36,0
38,0	71,5	97,5	39 000	34 700	31 300	39 000	34 700	31 300	38,0
40,0	70,3	96,7	38 500	34 300	31 000	38 500	34 300	31 000	40,0
42,0	69,1	95,9	37 800	33 800	30 700	37 800	33 800	30 700	42,0
44,0	67,9	95,0	36 200	32 900	30 400	36 700	32 900	30 400	44,0
46,0	66,6	94,1	33 700	31 500	29 500	35 600	32 000	30 100	46,0
48,0	65,4	93,1	31 400	29 400	27 500	34 500	31 100	29 500	48,0
50,0	64,1	92,0	29 300	27 500	25 700	33 500	30 300	28 800	50,0
52,0	62,8	90,9	27 300	25 600	24 100	32 600	29 500	28 100	52,0
54,0	61,5	89,7	25 400	23 900	22 500	31 700	28 800	27 400	54,0
56,0	60,2	88,5	23 600	22 200	20 900	30 900	28 100	26 800	56,0
58,0	58,9	87,2	21 900	20 600	19 400	30 100	27 400	26 200	58,0
60,0	57,5	85,9	20 300	19 200	18 100	29 100	26 800	25 600	60,0
62,0	56,1	84,4	18 800	17 800	16 700	27 500	25 900	24 700	62,0
64,0	54,7	82,9	17 400	16 400	15 500	26 000	24 700	23 500	64,0
66,0	53,3	81,3	16 100	15 200	14 300	24 600	23 400	22 300	66,0
68,0	51,8	79,7	14 900	14 100	13 200	23 200	22 200	21 100	68,0
70,0	50,3	77,9	13 700	12 900	12 200	22 000	21 000	20 000	70,0
72,0	48,8	76,0	12 600	11 900	11 200	20 800	19 900	19 000	72,0
74,0	47,2	74,1	11 600	10 900	10 300	19 700	18 800	18 000	74,0
76,0	45,6	72,0	10 600	10 000	9 400	18 600	17 800	17 000	76,0
78,0	44,0	69,8	9 700	9 100	8 500	17 600	16 900	16 100	78,0
80,0	42,2	67,5	8 800	8 200	7 700	16 600	15 900	15 300	80,0
82,0	40,4	65,0	7 900	7 400	7 000	15 700	15 100	14 400	82,0
84,0	38,6	62,3	7 100	6 700	6 200	14 900	14 300	13 700	84,0
86,0	36,6	59,5	6 300	5 900	5 500	14 000	13 500	12 900	86,0
88,0	34,6	56,4	5 600	5 200	4 800	13 200	12 700	12 200	88,0
90,0	32,4	53,1	4 900	4 500	4 200	12 500	12 000	11 500	90,0
92,0	30,1	49,5	4 200	3 900		11 700	11 300	10 900	92,0
94,0	27,5	45,4	3 500	3 200		11 000	10 600	10 200	94,0
96,0	24,7	40,9				10 400	10 000	9 600	96,0

MLC300 VPC-MAX S-1







			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
15,2									15,2
16,0									16,0
18,0									18,0
20,0	83,6	101,8	39 600	35 000		39 600	35 000		20,0
22,0	82,4	101,4	38 300	34 700	29 900	38 300	34 700	29 900	22,0
24,0	81,3	101,0	37 000	34 400	29 700	37 000	34 400	29 700	24,0
26,0	80,1	100,5	35 800	34 100	29 400	35 800	34 100	29 400	26,0
28,0	79,0	100,0	34 700	33 700	29 200	34 700	33 700	29 200	28,0
30,0	77,8	99,4	33 600	33 300	29 000	33 600	33 300	29 000	30,0
32,0	76,6	98,8	32 600	32 500	28 800	32 600	32 500	28 800	32,0
34,0	75,4	98,2	31 700	31 500	28 500	31 700	31 500	28 500	34,0
36,0	74,2	97,5	30 800	30 700	28 300	30 800	30 700	28 300	36,0
38,0	73,0	96,7	30 000	29 900	28 100	30 000	29 900	28 100	38,0
40,0	71,8	95,9	29 200	29 100	27 900	29 200	29 100	27 900	40,0
42,0	70,6	95,1	28 400	28 300	27 700	28 400	28 300	27 700	42,0
44,0	69,3	94,2	27 800	27 700	27 500	27 800	27 700	27 500	44,0
46,0	68,1	93,2	27 100	27 000	26 900	27 100	27 000	26 900	46,0
48,0	66,8	92,2	26 500	26 400	26 300	26 500	26 400	26 300	48,0
50,0	65,5	91,1	25 900	25 800	25 700	25 900	25 800	25 700	50,0
52,0	64,2	90,0	25 300	25 200	24 700	25 300	25 300	25 200	52,0
54,0	62,9	88,8	24 800	24 300	23 200	24 800	24 700	24 700	54,0
56,0	61,6	87,6	24 200	23 000	21 700	24 300	24 200	24 200	56,0
58,0	60,2	86,3	22 600	21 400	20 200	23 800	23 800	23 700	58,0
60,0	58,9	84,9	21 000	19 900	18 800	23 400	23 300	23 200	60,0
62,0	57,5	83,5	19 500	18 400	17 400	22 900	22 900	22 800	62,0
64,0	56,0	81,9	18 100	17 100	16 100	22 500	22 500	22 400	64,0
66,0	54,6	80,3	16 700	15 800	14 900	22 100	22 100	22 000	66,0
68,0	53,1	78,6	15 500	14 600	13 800	21 800	21 700	21 400	68,0
70,0	51,6	76,9	14 300	13 500	12 700	21 400	21 300	20 400	70,0
72,0	50,0	75,0	13 100	12 400	11 700	21 000	20 200	19 300	72,0
74,0	48,4	73,0	12 100	11 400	10 700	20 000	19 200	18 300	74,0
76,0	46,8	70,9	11 000	10 400	9 800	18 900	18 100	17 300	76,0
78,0	45,1	68,6	10 100	9 500	8 900	17 900	17 200	16 400	78,0
80,0	43,3	66,3	9 100	8 600	8 100	16 900	16 200	15 500	80,0
82,0	41,5	63,7	8 300	7 800	7 300	16 000	15 300	14 700	82,0
84,0	39,6	61,0	7 400	7 000	6 500	15 100	14 500	13 900	84,0
86,0	37,6	58,1	6 600	6 200	5 800	14 200	13 700	13 100	86,0
88,0	35,5	55,0	5 800	5 400	5 100	13 400	12 900	12 400	88,0
90,0	33,3	51,6	5 100	4 700	4 400	12 600	12 200	11 700	90,0
92,0	30,9	47,8	4 300			11 900			92,0
94,0									94,0
96,0									96,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	84,2	109,2	44 900			44 900			16,8		
18,0	83,6	109,0	44 500			44 500			18,0		
20,0	82,5	108,7	43 900	38 000	28 600	43 900	38 000	28 600	20,0		
22,0	81,4	108,3	43 300	37 600	28 600	43 300	37 600	28 600	22,0		
24,0	80,3	107,9	42 700	37 200	28 600	42 700	37 200	28 600	24,0		
26,0	79,2	107,5	42 100	36 700	28 600	42 100	36 700	28 600	26,0		
28,0	78,2	107,0	41 500	36 300	28 600	41 500	36 300	28 600	28,0		
30,0	77,1	106,4	41 000	35 900	28 600	41 000	35 900	28 600	30,0		
32,0	76,0	105,9	40 500	35 500	28 600	40 500	35 500	28 600	32,0		
34,0	74,8	105,3	39 900	35 100	28 600	39 900	35 100	28 600	34,0		
36,0	73,7	104,6	39 400	34 400	28 600	39 400	34 400	28 600	36,0		
38,0	72,6	103,9	38 300	33 300	28 600	38 300	33 300	28 600	38,0		
40,0	71,5	103,2	37 100	32 200	28 600	37 100	32 200	28 600	40,0		
42,0	70,3	102,4	35 900	31 300	28 600	35 900	31 300	28 600	42,0		
44,0	69,2	101,6	34 800	30 300	28 600	34 800	30 300	28 600	44,0		
46,0	68,0	100,7	33 500	29 500	27 900	33 700	29 500	27 900	46,0		
48,0	66,9	99,8	31 200	28 600	26 900	32 700	28 600	27 100	48,0		
50,0	65,7	98,8	29 000	27 100	25 300	31 800	27 800	26 400	50,0		
52,0	64,5	97,8	27 000	25 300	23 600	30 900	27 100	25 800	52,0		
54,0	63,3	96,7	25 000	23 500	22 000	30 100	26 400	25 100	54,0		
56,0	62,1	95,5	23 200	21 800	20 400	29 300	25 700	24 500	56,0		
58,0	60,8	94,3	21 500	20 200	18 900	28 500	25 100	23 900	58,0		
60,0	59,6	93,1	19 900	18 700	17 500	27 800	24 500	23 400	60,0		
62,0	58,3	91,8	18 400	17 300	16 200	27 100	23 900	22 800	62,0		
64,0	57,0	90,4	17 100	16 000	15 000	25 700	23 400	22 300	64,0		
66,0	55,7	88,9	15 800	14 800	13 800	24 300	22 700	21 600	66,0		
68,0	54,4	87,4	14 500	13 600	12 700	23 000	21 800	20 700	68,0		
70,0	53,0	85,8	13 400	12 500	11 700	21 700	20 600	19 600	70,0		
72,0	51,6	84,1	12 300	11 500	10 700	20 500	19 500	18 600	72,0		
74,0	50,2	82,4	11 200	10 500	9 800	19 400	18 500	17 600	74,0		
76,0	48,8	80,5	10 300	9 600	8 900	18 400	17 500	16 600	76,0		
78,0	47,3	78,6	9 300	8 700	8 100	17 400	16 500	15 700	78,0		
80,0	45,8	76,5	8 400	7 800	7 300	16 400	15 600	14 900	80,0		
82,0	44,2	74,3	7 600	7 000	6 500	15 500	14 800	14 100	82,0		
84,0	42,6	72,0	6 800	6 300	5 800	14 600	14 000	13 300	84,0		
86,0	40,9	69,6	6 000	5 500	5 100	13 800	13 200	12 600	86,0		
88,0	39,2	67,0	5 300	4 800	4 400	13 000	12 400	11 800	88,0		
90,0	37,4	64,3	4 600	4 200	3 800	12 300	11 700	11 200	90,0		
92,0	35,5	61,3	3 900			11 500	11 000	10 500	92,0		
94,0	33,5	58,1	3 200			10 800	10 400	9 900	94,0		
96,0	31,4	54,7				10 200	9 700	9 300	96,0		
100,0	26,7	46,7				8 900	8 500	8 200	100,0		
104,0	20,9	36,5				7 700			104,0		






MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
16,8									16,8		
18,0									18,0		
20,0	84,0	107,9	39 200			39 200			20,0		
22,0	82,9	107,5	38 500	34 200		38 500	34 200		22,0		
24,0	81,8	107,1	37 300	33 900	26 200	37 300	33 900	26 200	24,0		
26,0	80,7	106,7	36 100	33 600	26 200	36 100	33 600	26 200	26,0		
28,0	79,6	106,2	35 000	33 300	26 200	35 000	33 300	26 200	28,0		
30,0	78,5	105,6	34 000	33 100	26 200	34 000	33 100	26 200	30,0		
32,0	77,4	105,1	33 000	32 500	26 200	33 000	32 500	26 200	32,0		
34,0	76,3	104,5	32 100	31 600	26 200	32 100	31 600	26 200	34,0		
36,0	75,1	103,8	31 300	30 700	26 200	31 300	30 700	26 200	36,0		
38,0	74,0	103,1	30 500	29 900	26 200	30 500	29 900	26 200	38,0		
40,0	72,9	102,4	29 700	29 100	26 200	29 700	29 100	26 200	40,0		
42,0	71,7	101,6	29 000	28 300	26 200	29 000	28 300	26 200	42,0		
44,0	70,6	100,7	28 300	27 500	26 100	28 300	27 500	26 100	44,0		
46,0	69,4	99,8	27 700	26 800	25 500	27 700	26 800	25 500	46,0		
48,0	68,2	98,9	27 100	26 100	24 900	27 100	26 100	24 900	48,0		
50,0	67,0	97,9	26 500	25 500	24 300	26 500	25 500	24 300	50,0		
52,0	65,8	96,9	25 900	24 900	23 700	25 900	24 900	23 800	52,0		
54,0	64,6	95,8	25 400	23 900	22 600	25 400	24 300	23 200	54,0		
56,0	63,4	94,6	24 100	22 600	21 200	24 900	23 800	22 700	56,0		
58,0	62,1	93,4	22 300	20 900	19 700	24 400	23 300	22 200	58,0		
60,0	60,9	92,2	20 700	19 400	18 300	24 000	22 800	21 800	60,0		
62,0	59,6	90,8	19 200	18 000	16 900	23 500	22 300	21 400	62,0		
64,0	58,3	89,4	17 700	16 700	15 600	23 100	21 900	21 000	64,0		
66,0	56,9	88,0	16 400	15 400	14 500	22 700	21 500	20 600	66,0		
68,0	55,6	86,4	15 100	14 200	13 300	22 300	21 100	20 200	68,0		
70,0	54,2	84,8	14 000	13 100	12 200	22 000	20 700	19 900	70,0		
72,0	52,8	83,1	12 800	12 000	11 300	21 000	19 800	18 900	72,0		
74,0	51,4	81,3	11 800	11 000	10 300	19 800	18 900	17 900	74,0		
76,0	49,9	79,4	10 700	10 000	9 400	18 700	17 800	17 000	76,0		
78,0	48,4	77,5	9 800	9 100	8 500	17 700	16 900	16 100	78,0		
80,0	46,9	75,4	8 900	8 300	7 700	16 700	15 900	15 200	80,0		
82,0	45,3	73,2	8 000	7 400	6 900	15 800	15 100	14 400	82,0		
84,0	43,6	70,8	7 100	6 600	6 100	14 900	14 200	13 600	84,0		
86,0	41,9	68,4	6 300	5 900	5 400	14 100	13 400	12 800	86,0		
88,0	40,2	65,7	5 600	5 100	4 700	13 200	12 700	12 100	88,0		
90,0	38,3	62,9	4 800	4 400	4 000	12 500	11 900	11 400	90,0		
92,0	36,4	59,9	4 100	3 700		11 700	11 200	10 700	92,0		
94,0	34,4	56,6	3 400	3 100		11 000	10 500	10 100	94,0		
96,0	32,2	53,1				10 300	9 900	9 400	96,0		
100,0									100,0		
104,0									104,0		

MLC300 VPC-MAX S-1



			 10,6 m			 14,6 m			
									
			0°	1°	2°	0°	1°	2°	
m	°	m	kg	kg	kg	kg	kg	kg	m
16,8	84,5	115,2	44 100			44 100			16,8
18,0	83,9	115,1	43 800			43 800			18,0
20,0	82,9	114,8	43 300	32 500	24 100	43 300	32 500	24 100	20,0
22,0	81,9	114,4	42 800	32 500	24 100	42 800	32 500	24 100	22,0
24,0	80,8	114,0	42 300	32 500	24 100	42 300	32 500	24 100	24,0
26,0	79,8	113,6	41 700	32 500	24 100	41 700	32 500	24 100	26,0
28,0	78,8	113,1	41 200	32 500	24 100	41 200	32 500	24 100	28,0
30,0	77,8	112,7	40 700	32 500	24 100	40 700	32 500	24 100	30,0
32,0	76,7	112,1	40 200	32 500	24 100	40 200	32 500	24 100	32,0
34,0	75,7	111,5	39 800	32 500	24 100	39 800	32 500	24 100	34,0
36,0	74,6	110,9	39 300	32 500	24 100	39 300	32 500	24 100	36,0
38,0	73,6	110,3	38 800	32 500	24 100	38 800	32 500	24 100	38,0
40,0	72,5	109,6	38 400	32 300	24 100	38 400	32 300	24 100	40,0
42,0	71,4	108,8	37 600	32 000	24 100	38 000	32 000	24 100	42,0
44,0	70,3	108,1	35 400	31 700	24 100	37 500	31 700	24 100	44,0
46,0	69,3	107,2	32 800	30 300	24 100	36 600	31 400	24 100	46,0
48,0	68,2	106,4	30 400	28 200	24 100	35 600	30 900	24 100	48,0
50,0	67,1	105,5	28 100	26 100	24 000	34 700	30 100	24 100	50,0
52,0	65,9	104,5	26 000	24 100	22 400	33 700	29 400	24 100	52,0
54,0	64,8	103,5	24 000	22 300	20 800	32 900	28 700	24 100	54,0
56,0	63,7	102,4	22 200	20 700	19 200	31 700	28 000	24 100	56,0
58,0	62,5	101,3	20 500	19 000	17 700	29 900	27 300	24 100	58,0
60,0	61,4	100,1	18 900	17 600	16 300	28 100	26 300	24 100	60,0
62,0	60,2	98,9	17 400	16 200	15 000	26 500	25 000	23 400	62,0
64,0	59,0	97,6	16 000	14 900	13 800	25 000	23 600	22 200	64,0
66,0	57,8	96,3	14 700	13 700	12 700	23 600	22 300	21 000	66,0
68,0	56,6	94,9	13 500	12 500	11 600	22 200	21 000	19 800	68,0
70,0	55,3	93,4	12 300	11 400	10 500	21 000	19 800	18 700	70,0
72,0	54,1	91,9	11 300	10 400	9 600	19 800	18 700	17 700	72,0
74,0	52,8	90,3	10 200	9 400	8 600	18 700	17 700	16 700	74,0
76,0	51,5	88,6	9 200	8 500	7 800	17 600	16 700	15 700	76,0
78,0	50,1	86,8	8 300	7 600	6 900	16 600	15 700	14 900	78,0
80,0	48,7	85,0	7 400	6 800	6 100	15 700	14 800	14 000	80,0
82,0	47,3	83,0	6 600	6 000	5 400	14 700	14 000	13 200	82,0
84,0	45,9	81,0	5 800	5 200	4 600	13 900	13 100	12 400	84,0
86,0	44,4	78,9	5 000	4 500	3 900	13 100	12 400	11 700	86,0
88,0	42,9	76,6	4 300	3 700	3 300	12 300	11 600	11 000	88,0
90,0	41,4	74,2	3 500			11 500	10 900	10 300	90,0
92,0	39,7	71,7				10 800	10 200	9 700	92,0
94,0	38,1	69,0				10 100	9 600	9 000	94,0
96,0	36,3	66,1				9 400	8 900	8 400	96,0
100,0	32,5	59,8				8 200	7 700	7 300	100,0
104,0	28,3	52,3				7 000	6 600	6 300	104,0
108,0	23,3	43,1				5 900	5 600	5 300	108,0

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°




96,0 m

18,0 m

20°


			10,6 m			14,6 m			
			0°			0°			
			kg	kg	kg	kg	kg	kg	m
16,8									16,8
18,0									18,0
20,0	84,3	114,0	38 700			38 700			20,0
22,0	83,3	113,6	38 400	30 100		38 400	30 100		22,0
24,0	82,2	113,2	37 600	30 100	22 200	37 600	30 100	22 200	24,0
26,0	81,2	112,8	36 600	30 100	22 200	36 600	30 100	22 200	26,0
28,0	80,2	112,3	35 600	30 100	22 200	35 600	30 100	22 200	28,0
30,0	79,1	111,8	34 600	30 100	22 200	34 600	30 100	22 200	30,0
32,0	78,1	111,3	33 600	30 100	22 200	33 600	30 100	22 200	32,0
34,0	77,0	110,7	32 800	30 100	22 200	32 800	30 100	22 200	34,0
36,0	76,0	110,1	31 900	30 100	22 200	31 900	30 100	22 200	36,0
38,0	74,9	109,4	31 100	30 100	22 200	31 100	30 100	22 200	38,0
40,0	73,8	108,7	30 400	30 100	22 200	30 400	30 100	22 200	40,0
42,0	72,7	108,0	29 700	29 600	22 200	29 700	29 600	22 200	42,0
44,0	71,6	107,2	29 000	28 900	22 200	29 000	28 900	22 200	44,0
46,0	70,6	106,4	28 400	28 200	22 200	28 400	28 200	22 200	46,0
48,0	69,4	105,5	27 700	27 600	22 200	27 700	27 600	22 200	48,0
50,0	68,3	104,6	27 100	26 900	22 200	27 100	27 100	22 200	50,0
52,0	67,2	103,6	26 500	25 200	22 100	26 600	26 500	22 200	52,0
54,0	66,1	102,6	25 000	23 300	21 300	26 100	26 000	22 200	54,0
56,0	64,9	101,5	23 100	21 600	20 100	25 600	25 500	22 200	56,0
58,0	63,8	100,4	21 400	19 900	18 500	25 100	25 000	22 200	58,0
60,0	62,6	99,2	19 800	18 400	17 100	24 600	24 600	22 200	60,0
62,0	61,4	98,0	18 200	17 000	15 800	24 200	24 100	22 200	62,0
64,0	60,2	96,7	16 800	15 600	14 500	23 800	23 700	22 200	64,0
66,0	59,0	95,3	15 500	14 400	13 300	23 400	22 600	21 300	66,0
68,0	57,7	93,9	14 200	13 200	12 200	22 700	21 500	20 300	68,0
70,0	56,5	92,4	13 000	12 000	11 100	21 500	20 300	19 200	70,0
72,0	55,2	90,9	11 900	11 000	10 100	20 300	19 200	18 100	72,0
74,0	53,9	89,3	10 800	10 000	9 200	19 100	18 100	17 100	74,0
76,0	52,6	87,6	9 800	9 000	8 300	18 000	17 100	16 100	76,0
78,0	51,2	85,8	8 800	8 100	7 400	17 000	16 100	15 200	78,0
80,0	49,8	83,9	7 900	7 200	6 600	16 000	15 200	14 400	80,0
82,0	48,4	81,9	7 000	6 400	5 800	15 100	14 300	13 500	82,0
84,0	47,0	79,9	6 200	5 600	5 000	14 200	13 500	12 700	84,0
86,0	45,5	77,7	5 400	4 800	4 300	13 400	12 700	12 000	86,0
88,0	43,9	75,4	4 600	4 100	3 600	12 500	11 900	11 200	88,0
90,0	42,3	73,0	3 900	3 400		11 800	11 200	10 600	90,0
92,0	40,7	70,4				11 000	10 500	9 900	92,0
94,0	39,0	67,6				10 300	9 800	9 200	94,0
96,0	37,2	64,7				9 600	9 100	8 600	96,0
100,0	33,3	58,2				8 300	7 900	7 500	100,0
104,0									104,0
108,0									108,0

MLC300 VPC-MAX S-1



			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
16,8	84,8	121,3	42 800		42 800		16,8
18,0	84,2	121,1	42 500		42 500		18,0
20,0	83,2	120,8	42 100	26 900	42 100	26 900	20,0
22,0	82,3	120,5	41 600	26 900	41 600	26 900	22,0
24,0	81,3	120,1	41 200	26 900	41 200	26 900	24,0
26,0	80,3	119,7	40 700	26 900	40 700	26 900	26,0
28,0	79,4	119,3	40 100	26 900	40 100	26 900	28,0
30,0	78,4	118,8	38 900	26 900	38 900	26 900	30,0
32,0	77,4	118,3	37 600	26 900	37 600	26 900	32,0
34,0	76,4	117,8	36 400	26 900	36 400	26 900	34,0
36,0	75,4	117,2	35 200	26 900	35 200	26 900	36,0
38,0	74,4	116,6	34 000	26 900	34 000	26 900	38,0
40,0	73,4	115,9	32 900	26 900	32 900	26 900	40,0
42,0	72,4	115,2	31 900	26 900	31 900	26 900	42,0
44,0	71,4	114,5	30 900	26 800	30 900	26 800	44,0
46,0	70,4	113,7	30 000	26 100	30 000	26 100	46,0
48,0	69,3	112,9	29 100	25 300	29 100	25 300	48,0
50,0	68,3	112,0	27 600	24 600	28 200	24 600	50,0
52,0	67,2	111,1	25 500	23 600	27 400	23 900	52,0
54,0	66,2	110,2	23 600	21 800	26 700	23 300	54,0
56,0	65,1	109,2	21 700	20 100	25 900	22 700	56,0
58,0	64,0	108,1	20 000	18 500	25 200	22 100	58,0
60,0	63,0	107,0	18 400	17 000	24 600	21 500	60,0
62,0	61,9	105,9	17 000	15 700	24 000	21 000	62,0
64,0	60,7	104,7	15 600	14 300	23 400	20 400	64,0
66,0	59,6	103,5	14 300	13 100	22 800	20 000	66,0
68,0	58,5	102,1	13 100	12 000	21 900	19 500	68,0
70,0	57,3	100,8	11 900	10 900	20 600	19 100	70,0
72,0	56,2	99,4	10 800	9 900	19 500	18 200	72,0
74,0	55,0	97,9	9 800	8 900	18 300	17 300	74,0
76,0	53,8	96,3	8 800	8 000	17 300	16 300	76,0
78,0	52,5	94,7	7 900	7 100	16 300	15 300	78,0
80,0	51,3	93,0	7 000	6 300	15 300	14 400	80,0
82,0	50,0	91,3	6 100	5 500	14 400	13 600	82,0
84,0	48,7	89,4	5 300	4 700	13 600	12 800	84,0
86,0	47,4	87,5	4 600	4 000	12 700	12 000	86,0
88,0	46,0	85,5	3 800	3 300	12 000	11 200	88,0
90,0	44,6	83,3			11 200	10 500	90,0
92,0	43,2	81,1			10 500	9 900	92,0
94,0	41,7	78,7			9 800	9 200	94,0
96,0	40,2	76,3			9 100	8 600	96,0
100,0	37,0	70,8			7 900	7 400	100,0
104,0	33,5	64,7			6 700	6 300	104,0
108,0	29,6	57,6			5 700	5 300	108,0
112,0	25,1	49,2			4 700	4 300	112,0

MLC300 VPC-MAX S-1



			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
16,8							16,8
18,0							18,0
20,0	84,6	120,0	37 900		37 900		20,0
22,0	83,6	119,7	37 600	25 100	37 600	25 100	22,0
24,0	82,6	119,3	37 100	25 100	37 100	25 100	24,0
26,0	81,6	118,9	36 100	25 100	36 100	25 100	26,0
28,0	80,7	118,5	35 100	25 100	35 100	25 100	28,0
30,0	79,7	118,0	34 000	25 100	34 000	25 100	30,0
32,0	78,7	117,5	33 000	25 100	33 000	25 100	32,0
34,0	77,7	116,9	32 100	25 100	32 100	25 100	34,0
36,0	76,7	116,3	31 200	25 100	31 200	25 100	36,0
38,0	75,7	115,7	30 300	25 100	30 300	25 100	38,0
40,0	74,7	115,1	29 400	25 100	29 400	25 100	40,0
42,0	73,6	114,4	28 600	24 900	28 600	24 900	42,0
44,0	72,6	113,6	27 900	24 300	27 900	24 300	44,0
46,0	71,6	112,8	27 100	23 700	27 100	23 700	46,0
48,0	70,5	112,0	26 400	23 100	26 400	23 100	48,0
50,0	69,5	111,1	25 700	22 500	25 700	22 500	50,0
52,0	68,4	110,2	25 100	22 000	25 100	22 000	52,0
54,0	67,4	109,3	24 300	21 400	24 500	21 400	54,0
56,0	66,3	108,3	22 700	20 500	23 800	20 900	56,0
58,0	65,2	107,2	20 900	19 400	23 300	20 400	58,0
60,0	64,1	106,1	19 300	17 900	22 800	20 000	60,0
62,0	63,0	105,0	17 800	16 500	22 200	19 500	62,0
64,0	61,9	103,8	16 400	15 100	21 700	19 100	64,0
66,0	60,8	102,5	15 000	13 900	21 200	18 700	66,0
68,0	59,6	101,2	13 800	12 700	20 800	18 300	68,0
70,0	58,4	99,8	12 600	11 600	20 400	17 900	70,0
72,0	57,3	98,4	11 400	10 500	19 900	17 500	72,0
74,0	56,1	96,9	10 400	9 500	18 800	17 100	74,0
76,0	54,8	95,3	9 400	8 500	17 700	16 600	76,0
78,0	53,6	93,7	8 400	7 600	16 700	15 700	78,0
80,0	52,3	92,0	7 500	6 800	15 700	14 800	80,0
82,0	51,0	90,2	6 600	5 900	14 800	13 900	82,0
84,0	49,7	88,3	5 800	5 100	13 900	13 100	84,0
86,0	48,4	86,4	5 000	4 400	13 100	12 300	86,0
88,0	47,0	84,3	4 200	3 700	12 300	11 600	88,0
90,0	45,6	82,2	3 500		11 500	10 800	90,0
92,0	44,1	79,9			10 800	10 100	92,0
94,0	42,6	77,5			10 100	9 500	94,0
96,0	41,1	75,0			9 400	8 800	96,0
100,0	37,8	69,5			8 100	7 600	100,0
104,0	34,3	63,2			6 900	6 500	104,0
108,0	30,3	55,9			5 800	5 400	108,0
112,0							112,0

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°


108,0 m

18,0 m

10°



			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
18,3	84,4	127,1	38 300		38 300		18,3
20,0	83,6	126,9	38 300	22 800	38 300	22 800	20,0
22,0	82,7	126,6	38 300	22 800	38 300	22 800	22,0
24,0	81,7	126,2	38 300	22 800	38 300	22 800	24,0
26,0	80,8	125,8	38 300	22 800	38 300	22 800	26,0
28,0	79,9	125,4	38 200	22 800	38 200	22 800	28,0
30,0	78,9	125,0	37 500	22 800	37 500	22 800	30,0
32,0	78,0	124,5	36 200	22 800	36 200	22 800	32,0
34,0	77,1	124,0	35 000	22 800	35 000	22 800	34,0
36,0	76,1	123,4	33 800	22 800	33 800	22 800	36,0
38,0	75,2	122,8	32 600	22 800	32 600	22 800	38,0
40,0	74,2	122,2	31 500	22 800	31 500	22 800	40,0
42,0	73,3	121,6	30 400	22 800	30 400	22 800	42,0
44,0	72,3	120,9	29 400	22 800	29 400	22 800	44,0
46,0	71,3	120,1	28 400	22 800	28 400	22 800	46,0
48,0	70,4	119,4	27 500	22 800	27 500	22 800	48,0
50,0	69,4	118,5	26 500	22 600	26 600	22 600	50,0
52,0	68,4	117,7	24 500	21 900	25 800	21 900	52,0
54,0	67,4	116,8	22 600	20 500	25 000	21 300	54,0
56,0	66,4	115,9	20 700	19 000	24 300	20 700	56,0
58,0	65,4	114,9	19 000	17 400	23 500	20 000	58,0
60,0	64,4	113,9	17 400	15 900	22 800	19 500	60,0
62,0	63,3	112,8	16 000	14 600	22 200	18 900	62,0
64,0	62,3	111,7	14 600	13 300	21 600	18 400	64,0
66,0	61,2	110,5	13 300	12 100	21 000	17 900	66,0
68,0	60,2	109,3	12 000	10 900	20 400	17 400	68,0
70,0	59,1	108,0	10 900	9 800	19 900	17 000	70,0
72,0	58,0	106,7	9 800	8 800	18 700	16 600	72,0
74,0	56,9	105,3	8 800	7 800	17 600	16 100	74,0
76,0	55,8	103,9	7 800	6 900	16 500	15 400	76,0
78,0	54,6	102,4	6 800	6 000	15 500	14 500	78,0
80,0	53,5	100,8	6 000	5 200	14 600	13 600	80,0
82,0	52,3	99,2	5 100	4 400	13 700	12 800	82,0
84,0	51,1	97,5	4 300	3 600	12 800	12 000	84,0
86,0	49,9	95,7	3 500		12 000	11 200	86,0
88,0	48,7	93,9			11 200	10 500	88,0
90,0	47,4	92,0			10 500	9 800	90,0
92,0	46,1	90,0			9 800	9 100	92,0
94,0	44,8	87,8			9 100	8 400	94,0
96,0	43,5	85,6			8 400	7 800	96,0
100,0	40,6	80,9			7 200	6 600	100,0
104,0	37,6	75,6			6 000	5 500	104,0
108,0	34,4	69,7			5 000	4 500	108,0
112,0	30,8	62,9			3 900	3 400	112,0

MLC300 VPC-MAX S-1





			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
18,3			36 200		36 200		18,3
20,0	84,8	126,1	36 200		36 200		20,0
22,0	83,9	125,8	36 200		36 200		22,0
24,0	83,0	125,4	36 200	21 300	36 200	21 300	24,0
26,0	82,0	125,0	35 700	21 300	35 700	21 300	26,0
28,0	81,1	124,6	34 600	21 300	34 600	21 300	28,0
30,0	80,2	124,2	33 600	21 300	33 600	21 300	30,0
32,0	79,2	123,7	32 500	21 300	32 500	21 300	32,0
34,0	78,3	123,2	31 500	21 300	31 500	21 300	34,0
36,0	77,3	122,6	30 600	21 300	30 600	21 300	36,0
38,0	76,4	122,0	29 600	21 300	29 600	21 300	38,0
40,0	75,4	121,4	28 700	21 300	28 700	21 300	40,0
42,0	74,5	120,7	27 800	21 300	27 800	21 300	42,0
44,0	73,5	120,0	27 000	21 300	27 000	21 300	44,0
46,0	72,5	119,3	26 200	21 300	26 200	21 300	46,0
48,0	71,5	118,5	25 400	21 300	25 400	21 300	48,0
50,0	70,5	117,7	24 700	21 000	24 700	21 000	50,0
52,0	69,6	116,8	24 000	20 500	24 000	20 500	52,0
54,0	68,5	115,9	23 200	19 900	23 300	19 900	54,0
56,0	67,5	115,0	21 800	19 200	22 700	19 400	56,0
58,0	66,5	114,0	20 000	18 300	22 000	18 800	58,0
60,0	65,5	112,9	18 400	16 900	21 500	18 300	60,0
62,0	64,4	111,9	16 900	15 400	20 900	17 800	62,0
64,0	63,4	110,7	15 400	14 100	20 300	17 400	64,0
66,0	62,3	109,6	14 100	12 800	19 800	17 000	66,0
68,0	61,3	108,3	12 800	11 700	19 300	16 500	68,0
70,0	60,2	107,1	11 600	10 500	18 900	16 200	70,0
72,0	59,1	105,7	10 500	9 500	18 400	15 800	72,0
74,0	58,0	104,3	9 400	8 500	17 900	15 400	74,0
76,0	56,8	102,9	8 400	7 500	17 000	15 000	76,0
78,0	55,7	101,4	7 400	6 600	16 000	14 600	78,0
80,0	54,5	99,8	6 500	5 700	15 000	14 100	80,0
82,0	53,3	98,2	5 700	4 900	14 100	13 200	82,0
84,0	52,1	96,4	4 800	4 100	13 200	12 400	84,0
86,0	50,9	94,7	4 000		12 400	11 600	86,0
88,0	49,7	92,8	3 300		11 600	10 800	88,0
90,0	48,4	90,8			10 800	10 100	90,0
92,0	47,1	88,8			10 100	9 400	92,0
94,0	45,7	86,7			9 400	8 700	94,0
96,0	44,4	84,4			8 700	8 100	96,0
100,0	41,5	79,6			7 400	6 900	100,0
104,0	38,4	74,2			6 200	5 700	104,0
108,0	35,1	68,2			5 100	4 700	108,0
112,0	31,4	61,2			4 000	3 600	112,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	81,4	66,5	36 200	31 000	27 300 ^c	36 200	31 000	27 300 ^c	16,8		
18,0	80,3	66,2	35 500	30 500	26 900 ^b	35 500	30 500	26 900 ^b	18,0		
20,0	78,5	65,6	34 400	29 700	26 200	34 400	29 700	26 200	20,0		
22,0	76,7	65,0	33 300	28 900	25 600	33 300	28 900	25 600	22,0		
24,0	74,8	64,3	32 400	28 200	25 100	32 400	28 200	25 100	24,0		
26,0	73,0	63,6	31 400	27 500	24 500	31 400	27 500	24 500	26,0		
28,0	71,1	62,8	30 300	26 800	24 000	30 300	26 800	24 000	28,0		
30,0	69,2	61,8	28 700	26 200	23 500	28 700	26 200	23 500	30,0		
32,0	67,3	60,8	27 200	25 600	23 000	27 200	25 600	23 000	32,0		
34,0	65,3	59,8	25 800	25 000	22 500	25 800	25 000	22 500	34,0		
36,0	63,3	58,6	24 600	24 300	22 100	24 600	24 300	22 100	36,0		
38,0	61,2	57,3	23 500	23 300	21 700	23 500	23 300	21 700	38,0		
40,0	59,1	55,9	22 500	22 300	21 300	22 500	22 300	21 300	40,0		
42,0	56,9	54,4	21 500	21 400	20 900	21 500	21 400	20 900	42,0		
44,0	54,7	52,8	20 700	20 500	20 400	20 700	20 500	20 400	44,0		
46,0	52,4	51,1	19 900	19 700	19 600	19 900	19 700	19 600	46,0		
48,0	50,0	49,2	19 200	19 000	18 900	19 200	19 000	18 900	48,0		
50,0	47,5	47,1	18 500	18 400	18 200	18 500	18 400	18 200	50,0		
52,0	44,9	44,9	17 800	17 700	17 600	17 800	17 700	17 600	52,0		
54,0	42,2	42,4	17 300	17 200	17 100	17 300	17 200	17 100	54,0		
56,0	39,2	39,6	16 700	16 600	16 600	16 700	16 600	16 600	56,0		
58,0	36,0	36,5	16 200	16 100	16 100	16 200	16 100	16 100	58,0		
60,0	32,5	33,0	15 700	15 700	15 600	15 700	15 700	15 600	60,0		
62,0	28,5	28,9	15 300	15 300	15 200	15 300	15 300	15 200	62,0		
64,0	23,8	23,8	15 000	14 900	14 800	15 000	14 900	14 800	64,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
16,8									16,8
18,0									18,0
20,0	81,7	64,9	28 400	26 000	23 300b	28 400	26 000	23 300b	20,0
22,0	79,9	64,2	26 800	25 500	22 900b	26 800	25 500	22 900b	22,0
24,0	78,0	63,5	25 400	24 900	22 400	25 400	24 900	22 400	24,0
26,0	76,1	62,8	24 100	24 000	22 000	24 100	24 000	22 000	26,0
28,0	74,2	61,9	23 000	22 900	21 700	23 000	22 900	21 700	28,0
30,0	72,3	61,0	22 000	21 800	21 300	22 000	21 800	21 300	30,0
32,0	70,3	60,0	21 000	20 900	20 700	21 000	20 900	20 700	32,0
34,0	68,3	58,9	20 100	20 000	19 800	20 100	20 000	19 800	34,0
36,0	66,3	57,7	19 300	19 300	19 100	19 300	19 300	19 100	36,0
38,0	64,2	56,4	18 600	18 500	18 400	18 600	18 500	18 400	38,0
40,0	62,1	55,0	17 900	17 900	17 700	17 900	17 900	17 700	40,0
42,0	59,9	53,5	17 300	17 200	17 100	17 300	17 200	17 100	42,0
44,0	57,6	51,8	16 700	16 700	16 600	16 700	16 700	16 600	44,0
46,0	55,2	50,1	16 200	16 100	16 100	16 200	16 100	16 100	46,0
48,0	52,8	48,1	15 700	15 700	15 600	15 700	15 700	15 600	48,0
50,0	50,2	46,0	15 200	15 200	15 100	15 200	15 200	15 100	50,0
52,0	47,6	43,7	14 800	14 800	14 700	14 800	14 800	14 700	52,0
54,0	44,7	41,1	14 400	14 400	14 300	14 400	14 400	14 300	54,0
56,0	41,7	38,3	14 100	14 000	14 000	14 100	14 000	14 000	56,0
58,0	38,3	35,1	13 800	13 700	13 700	13 800	13 700	13 700	58,0
60,0	34,6	31,4	13 500	13 400	13 400	13 500	13 400	13 400	60,0
62,0	30,4	27,0	13 300			13 300			62,0
64,0									64,0


MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
13,7	84,6	73,2	38 100			38 100			13,7		
14,0	84,3	73,2	38 000			38 000			14,0		
16,0	82,7	72,8	36 800	31 500		36 800	31 500		16,0		
18,0	81,1	72,4	35 800	30 700	27 000	35 800	30 700	27 000	18,0		
20,0	79,5	71,9	34 800	29 900	26 400	34 800	29 900	26 400	20,0		
22,0	77,8	71,3	33 800	29 200	25 800	33 800	29 200	25 800	22,0		
24,0	76,1	70,7	32 900	28 600	25 300	32 900	28 600	25 300	24,0		
26,0	74,5	70,0	32 000	27 900	24 800	32 000	27 900	24 800	26,0		
28,0	72,8	69,2	31 200	27 300	24 300	31 200	27 300	24 300	28,0		
30,0	71,0	68,4	30 100	26 700	23 800	30 100	26 700	23 800	30,0		
32,0	69,3	67,5	28 700	26 100	23 400	28 700	26 100	23 400	32,0		
34,0	67,5	66,5	27 300	25 600	23 000	27 300	25 600	23 000	34,0		
36,0	65,7	65,5	26 100	25 100	22 500	26 100	25 100	22 500	36,0		
38,0	63,9	64,4	24 900	24 600	22 200	24 900	24 600	22 200	38,0		
40,0	62,1	63,1	23 900	23 700	21 800	23 900	23 700	21 800	40,0		
42,0	60,2	61,8	22 900	22 800	21 400	22 900	22 800	21 400	42,0		
44,0	58,2	60,4	22 000	21 900	21 000	22 000	21 900	21 000	44,0		
46,0	56,2	58,9	21 200	21 100	20 700	21 200	21 100	20 700	46,0		
48,0	54,2	57,3	20 500	20 300	20 200	20 500	20 300	20 200	48,0		
50,0	52,1	55,5	19 700	19 600	19 500	19 700	19 600	19 500	50,0		
52,0	49,9	53,7	19 100	19 000	18 800	19 100	19 000	18 800	52,0		
54,0	47,6	51,6	18 500	18 400	18 300	18 500	18 400	18 300	54,0		
56,0	45,2	49,4	17 900	17 800	17 700	17 900	17 800	17 700	56,0		
58,0	42,7	47,0	17 400	17 200	17 200	17 400	17 200	17 200	58,0		
60,0	40,1	44,3	16 900	16 800	16 700	16 900	16 800	16 700	60,0		
62,0	37,3	41,4	16 400	16 300	16 200	16 400	16 300	16 200	62,0		
64,0	34,2	38,2	16 000	15 900	15 800	16 000	15 900	15 800	64,0		
66,0	30,9	34,4	15 600	15 500	15 400	15 600	15 500	15 400	66,0		
68,0	27,1	30,1	15 200	15 100	15 100	15 200	15 100	15 100	68,0		
70,0	22,5	24,7	14 900	14 800	14 800	14 900	14 800	14 800	70,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m			
									
m	°	m	kg	kg	kg	kg	kg	kg	m
13,7									13,7
14,0									14,0
16,0									16,0
18,0									18,0
20,0	82,4	71,0	29 000	26 100	23 300b	29 000	26 100	23 300b	20,0
22,0	80,8	70,5	27 500	25 600	23 000	27 500	25 600	23 000	22,0
24,0	79,1	69,8	26 100	25 100	22 600	26 100	25 100	22 600	24,0
26,0	77,4	69,2	24 900	24 600	22 200	24 900	24 600	22 200	26,0
28,0	75,6	68,4	23 800	23 700	21 900	23 800	23 700	21 900	28,0
30,0	73,9	67,6	22 800	22 700	21 500	22 800	22 700	21 500	30,0
32,0	72,1	66,6	21 800	21 700	21 200	21 800	21 700	21 200	32,0
34,0	70,3	65,7	21 000	20 900	20 700	21 000	20 900	20 700	34,0
36,0	68,5	64,6	20 200	20 100	19 900	20 200	20 100	19 900	36,0
38,0	66,7	63,4	19 400	19 400	19 200	19 400	19 400	19 200	38,0
40,0	64,8	62,2	18 800	18 700	18 600	18 800	18 700	18 600	40,0
42,0	62,9	60,9	18 200	18 100	18 000	18 200	18 100	18 000	42,0
44,0	60,9	59,5	17 600	17 500	17 400	17 600	17 500	17 400	44,0
46,0	58,8	57,9	17 000	16 900	16 900	17 000	16 900	16 900	46,0
48,0	56,8	56,3	16 500	16 500	16 400	16 500	16 500	16 400	48,0
50,0	54,6	54,5	16 000	16 000	15 900	16 000	16 000	15 900	50,0
52,0	52,4	52,5	15 600	15 600	15 500	15 600	15 600	15 500	52,0
54,0	50,1	50,5	15 200	15 200	15 100	15 200	15 200	15 100	54,0
56,0	47,6	48,2	14 800	14 800	14 700	14 800	14 800	14 700	56,0
58,0	45,1	45,7	14 500	14 400	14 400	14 500	14 400	14 400	58,0
60,0	42,3	43,0	14 100	14 100	14 100	14 100	14 100	14 100	60,0
62,0	39,4	40,0	13 900	13 800	13 800	13 900	13 800	13 800	62,0
64,0	36,3	36,5	13 600	13 500	13 500	13 600	13 500	13 500	64,0
66,0	32,7	32,6	13 400	13 300	13 300	13 400	13 300	13 300	66,0
68,0									68,0
70,0									70,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
13,7	85,0	79,3	38 100			38 100			13,7		
14,0	84,8	79,3	38 000			38 000			14,0		
16,0	83,3	78,9	36 900	31 400		36 900	31 400		16,0		
18,0	81,8	78,5	36 000	30 700	27 000	36 000	30 700	27 000	18,0		
20,0	80,3	78,0	35 000	30 100	26 500	35 000	30 100	26 500	20,0		
22,0	78,8	77,5	34 200	29 400	26 000	34 200	29 400	26 000	22,0		
24,0	77,3	77,0	33 300	28 800	25 500	33 300	28 800	25 500	24,0		
26,0	75,7	76,3	32 500	28 200	25 000	32 500	28 200	25 000	26,0		
28,0	74,2	75,6	31 700	27 700	24 600	31 700	27 700	24 600	28,0		
30,0	72,6	74,9	31 000	27 100	24 100	31 000	27 100	24 100	30,0		
32,0	71,0	74,1	30 100	26 600	23 700	30 100	26 600	23 700	32,0		
34,0	69,4	73,2	28 700	26 100	23 300	28 700	26 100	23 300	34,0		
36,0	67,8	72,2	27 500	25 600	22 900	27 500	25 600	22 900	36,0		
38,0	66,1	71,2	26 300	25 100	22 500	26 300	25 100	22 500	38,0		
40,0	64,5	70,1	25 200	24 600	22 200	25 200	24 600	22 200	40,0		
42,0	62,8	68,9	24 200	24 000	21 800	24 200	24 000	21 800	42,0		
44,0	61,0	67,7	23 300	23 100	21 500	23 300	23 100	21 500	44,0		
46,0	59,3	66,4	22 500	22 300	21 200	22 500	22 300	21 200	46,0		
48,0	57,5	64,9	21 700	21 500	20 900	21 700	21 500	20 900	48,0		
50,0	55,6	63,4	21 000	20 800	20 600	21 000	20 800	20 600	50,0		
52,0	53,7	61,8	20 300	20 100	20 000	20 300	20 100	20 000	52,0		
54,0	51,8	60,0	19 600	19 500	19 400	19 600	19 500	19 400	54,0		
56,0	49,7	58,1	19 000	18 900	18 800	19 000	18 900	18 800	56,0		
58,0	47,7	56,1	18 500	18 400	18 200	18 500	18 400	18 200	58,0		
60,0	45,5	53,9	17 900	17 800	17 700	17 900	17 800	17 700	60,0		
62,0	43,2	51,6	17 500	17 400	17 200	17 500	17 400	17 200	62,0		
64,0	40,8	49,0	17 000	16 900	16 800	17 000	16 900	16 800	64,0		
66,0	38,3	46,2	16 500	16 500	16 400	16 500	16 500	16 400	66,0		
68,0	35,6	43,1	16 100	16 100	16 000	16 100	16 100	16 000	68,0		
70,0	32,7	39,7	15 800	15 700	15 600	15 800	15 700	15 600	70,0		
72,0	29,5	35,8	15 400	15 300	15 300	15 400	15 300	15 300	72,0		
74,0	25,8	31,2	15 100	15 000	15 000	15 100	15 000	15 000	74,0		
76,0	21,5	25,6	14 800	14 800	14 700	14 800	14 800	14 700	76,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
			kg	kg	kg	kg	kg	kg	m
13,7									13,7
14,0									14,0
16,0									16,0
18,0									18,0
20,0	83,0	77,2	29 500	26 100		29 500	26 100		20,0
22,0	81,5	76,7	28 100	25 700	23 000	28 100	25 700	23 000	22,0
24,0	80,0	76,1	26 800	25 300	22 700	26 800	25 300	22 700	24,0
26,0	78,4	75,5	25 600	24 900	22 300	25 600	24 900	22 300	26,0
28,0	76,8	74,8	24 500	24 300	22 000	24 500	24 300	22 000	28,0
30,0	75,2	74,0	23 500	23 400	21 700	23 500	23 400	21 700	30,0
32,0	73,6	73,2	22 600	22 500	21 400	22 600	22 500	21 400	32,0
34,0	72,0	72,3	21 700	21 700	21 100	21 700	21 700	21 100	34,0
36,0	70,4	71,3	21 000	20 900	20 700	21 000	20 900	20 700	36,0
38,0	68,7	70,3	20 200	20 200	20 000	20 200	20 200	20 000	38,0
40,0	67,0	69,2	19 600	19 500	19 300	19 600	19 500	19 300	40,0
42,0	65,3	68,0	18 900	18 800	18 700	18 900	18 800	18 700	42,0
44,0	63,5	66,7	18 300	18 300	18 100	18 300	18 300	18 100	44,0
46,0	61,7	65,4	17 800	17 700	17 600	17 800	17 700	17 600	46,0
48,0	59,9	63,9	17 300	17 200	17 100	17 300	17 200	17 100	48,0
50,0	58,0	62,3	16 800	16 700	16 700	16 800	16 700	16 700	50,0
52,0	56,1	60,7	16 400	16 300	16 200	16 400	16 300	16 200	52,0
54,0	54,1	58,9	15 900	15 900	15 800	15 900	15 900	15 800	54,0
56,0	52,0	57,0	15 500	15 500	15 400	15 500	15 500	15 400	56,0
58,0	49,9	54,9	15 200	15 100	15 100	15 200	15 100	15 100	58,0
60,0	47,7	52,7	14 800	14 800	14 700	14 800	14 800	14 700	60,0
62,0	45,4	50,3	14 500	14 500	14 400	14 500	14 500	14 400	62,0
64,0	42,9	47,6	14 200	14 200	14 100	14 200	14 200	14 100	64,0
66,0	40,3	44,8	13 900	13 900	13 900	13 900	13 900	13 900	66,0
68,0	37,5	41,6	13 700	13 600	13 600	13 700	13 600	13 600	68,0
70,0	34,5	38,0	13 500	13 400	13 400	13 500	13 400	13 400	70,0
72,0	31,1	33,8	13 300	13 200	13 200	13 300	13 200	13 200	72,0
74,0									74,0
76,0									76,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
15,2	84,3	85,1	37 200			37 200			15,2		
16,0	83,8	85,0	36 900			36 900			16,0		
18,0	82,4	84,6	36 000	30 700		36 000	30 700		18,0		
20,0	81,0	84,2	35 200	30 100	26 400	35 200	30 100	26 400	20,0		
22,0	79,6	83,7	34 400	29 500	26 000	34 400	29 500	26 000	22,0		
24,0	78,2	83,2	33 600	29 000	25 500	33 600	29 000	25 500	24,0		
26,0	76,8	82,6	32 800	28 400	25 100	32 800	28 400	25 100	26,0		
28,0	75,3	82,0	32 100	27 900	24 700	32 100	27 900	24 700	28,0		
30,0	73,9	81,3	31 400	27 400	24 300	31 400	27 400	24 300	30,0		
32,0	72,4	80,5	30 800	26 900	23 900	30 800	26 900	23 900	32,0		
34,0	71,0	79,7	30 000	26 400	23 600	30 000	26 400	23 600	34,0		
36,0	69,5	78,9	28 700	25 900	23 200	28 700	25 900	23 200	36,0		
38,0	68,0	77,9	27 600	25 500	22 800	27 600	25 500	22 800	38,0		
40,0	66,5	76,9	26 500	25 100	22 500	26 500	25 100	22 500	40,0		
42,0	64,9	75,9	25 500	24 600	22 200	25 500	24 600	22 200	42,0		
44,0	63,4	74,7	24 500	24 200	21 800	24 500	24 200	21 800	44,0		
46,0	61,8	73,5	23 700	23 500	21 500	23 700	23 500	21 500	46,0		
48,0	60,1	72,2	22 900	22 700	21 200	22 900	22 700	21 200	48,0		
50,0	58,5	70,9	22 100	21 900	21 000	22 100	21 900	21 000	50,0		
52,0	56,8	69,4	21 400	21 300	20 700	21 400	21 300	20 700	52,0		
54,0	55,1	67,9	20 700	20 600	20 300	20 700	20 600	20 300	54,0		
56,0	53,3	66,2	20 100	20 000	19 900	20 100	20 000	19 900	56,0		
58,0	51,5	64,5	19 500	19 400	19 300	19 500	19 400	19 300	58,0		
60,0	49,6	62,6	19 000	18 900	18 800	19 000	18 900	18 800	60,0		
62,0	47,7	60,6	18 500	18 400	18 300	18 500	18 400	18 300	62,0		
64,0	45,7	58,4	18 000	17 900	17 800	18 000	17 900	17 800	64,0		
66,0	43,6	56,1	17 500	17 400	17 300	17 500	17 400	17 300	66,0		
68,0	41,4	53,6	17 100	17 000	16 900	17 100	17 000	16 900	68,0		
70,0	39,2	51,0	16 700	16 600	16 500	16 700	16 600	16 500	70,0		
72,0	36,7	48,0	16 300	16 100	15 800	16 300	16 200	16 100	72,0		
74,0	34,1	44,8	15 700	15 400	15 000	15 900	15 900	15 800	74,0		
76,0	31,3	41,2	14 800	14 400	14 000	15 600	15 500	15 400	76,0		
78,0	28,2	37,1	13 800	13 500	13 200	15 300	15 200	15 200	78,0		
80,0	24,7	32,3	12 900	12 600	12 300	15 000	14 900	14 900	80,0		
82,0	20,5	26,5	12 000	11 800	11 500	14 800	14 700	14 600	82,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
15,2			29 900	26 100	23 000	29 900	26 100	23 000	15,2		
16,0			28 600	25 700		28 600	25 700		16,0		
18,0									18,0		
20,0	83,5	83,3	29 900	26 100	23 000	29 900	26 100	23 000	20,0		
22,0	82,1	82,8	28 600	25 700		28 600	25 700		22,0		
24,0	80,7	82,3	27 300	25 300	22 700	27 300	25 300	22 700	24,0		
26,0	79,3	81,7	26 200	24 900	22 400	26 200	24 900	22 400	26,0		
28,0	77,8	81,1	25 100	24 600	22 100	25 100	24 600	22 100	28,0		
30,0	76,4	80,4	24 200	24 000	21 800	24 200	24 000	21 800	30,0		
32,0	74,9	79,6	23 200	23 100	21 500	23 200	23 100	21 500	32,0		
34,0	73,4	78,8	22 400	22 300	21 300	22 400	22 300	21 300	34,0		
36,0	71,9	77,9	21 600	21 600	21 000	21 600	21 600	21 000	36,0		
38,0	70,4	77,0	20 900	20 800	20 700	20 900	20 800	20 700	38,0		
40,0	68,8	76,0	20 300	20 200	20 000	20 300	20 200	20 000	40,0		
42,0	67,3	74,9	19 600	19 600	19 400	19 600	19 600	19 400	42,0		
44,0	65,7	73,8	19 100	19 000	18 900	19 100	19 000	18 900	44,0		
46,0	64,1	72,5	18 500	18 400	18 300	18 500	18 400	18 300	46,0		
48,0	62,4	71,2	18 000	17 900	17 800	18 000	17 900	17 800	48,0		
50,0	60,7	69,8	17 500	17 400	17 300	17 500	17 400	17 300	50,0		
52,0	59,0	68,4	17 000	17 000	16 900	17 000	17 000	16 900	52,0		
54,0	57,3	66,8	16 600	16 600	16 500	16 600	16 600	16 500	54,0		
56,0	55,5	65,1	16 200	16 200	16 100	16 200	16 200	16 100	56,0		
58,0	53,6	63,3	15 800	15 800	15 700	15 800	15 800	15 700	58,0		
60,0	51,7	61,4	15 500	15 400	15 400	15 500	15 400	15 400	60,0		
62,0	49,8	59,4	15 100	15 100	15 000	15 100	15 100	15 000	62,0		
64,0	47,7	57,2	14 800	14 800	14 700	14 800	14 800	14 700	64,0		
66,0	45,6	54,8	14 500	14 500	14 500	14 500	14 500	14 500	66,0		
68,0	43,4	52,3	14 300	14 200	14 200	14 300	14 200	14 200	68,0		
70,0	41,0	49,5	14 000	14 000	13 900	14 000	14 000	13 900	70,0		
72,0	38,5	46,5	13 800	13 700	13 700	13 800	13 700	13 700	72,0		
74,0	35,8	43,1	13 500	13 500	13 500	13 500	13 500	13 500	74,0		
76,0	32,9	39,3	13 400	13 300	13 300	13 400	13 300	13 300	76,0		
78,0									78,0		
80,0									80,0		
82,0									82,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
15,2	84,7	91,2	37 100			37 100			15,2		
16,0	84,2	91,0	36 800			36 800			16,0		
18,0	82,9	90,7	36 000	30 600		36 000	30 600		18,0		
20,0	81,6	90,3	35 200	30 000	26 300	35 200	30 000	26 300	20,0		
22,0	80,3	89,9	34 500	29 500	25 900	34 500	29 500	25 900	22,0		
24,0	79,0	89,4	33 700	29 000	25 500	33 700	29 000	25 500	24,0		
26,0	77,7	88,8	33 000	28 500	25 100	33 000	28 500	25 100	26,0		
28,0	76,3	88,2	32 400	28 000	24 800	32 400	28 000	24 800	28,0		
30,0	75,0	87,6	31 700	27 600	24 400	31 700	27 600	24 400	30,0		
32,0	73,7	86,9	31 100	27 100	24 000	31 100	27 100	24 000	32,0		
34,0	72,3	86,2	30 500	26 600	23 700	30 500	26 600	23 700	34,0		
36,0	70,9	85,4	29 800	26 200	23 400	29 800	26 200	23 400	36,0		
38,0	69,6	84,5	28 700	25 800	23 000	28 700	25 800	23 000	38,0		
40,0	68,2	83,6	27 600	25 400	22 700	27 600	25 400	22 700	40,0		
42,0	66,7	82,6	26 600	25 000	22 400	26 600	25 000	22 400	42,0		
44,0	65,3	81,6	25 700	24 600	22 100	25 700	24 600	22 100	44,0		
46,0	63,8	80,5	24 800	24 300	21 800	24 800	24 300	21 800	46,0		
48,0	62,4	79,3	24 000	23 800	21 500	24 000	23 800	21 500	48,0		
50,0	60,9	78,0	23 200	23 000	21 300	23 200	23 000	21 300	50,0		
52,0	59,4	76,7	22 500	22 300	21 000	22 500	22 300	21 000	52,0		
54,0	57,8	75,3	21 800	21 600	20 800	21 800	21 600	20 800	54,0		
56,0	56,2	73,9	21 200	21 000	20 500	21 200	21 000	20 500	56,0		
58,0	54,6	72,3	20 500	20 400	20 300	20 500	20 400	20 300	58,0		
60,0	52,9	70,6	20 000	19 900	19 700	20 000	19 900	19 700	60,0		
62,0	51,3	68,9	19 500	19 300	19 200	19 500	19 300	19 200	62,0		
64,0	49,5	67,0	18 900	18 800	18 700	18 900	18 800	18 700	64,0		
66,0	47,7	65,0	18 500	18 400	18 100	18 500	18 400	18 200	66,0		
68,0	45,9	62,9	18 000	17 700	17 300	18 000	17 900	17 800	68,0		
70,0	43,9	60,6	17 500	16 900	16 300	17 600	17 500	17 400	70,0		
72,0	41,9	58,2	16 400	15 800	15 300	17 200	17 100	17 000	72,0		
74,0	39,8	55,6	15 400	14 800	14 300	16 800	16 700	16 600	74,0		
76,0	37,6	52,8	14 400	13 900	13 400	16 400	16 400	16 300	76,0		
78,0	35,3	49,7	13 400	13 000	12 600	16 100	16 000	15 900	78,0		
80,0	32,8	46,3	12 500	12 100	11 800	15 800	15 700	15 600	80,0		
82,0	30,1	42,6	11 600	11 300	11 000	15 500	15 400	15 300	82,0		
84,0	27,1	38,3	10 800	10 500	10 200	15 200	15 100	15 100	84,0		
86,0	23,7	33,3	10 000	9 700	9 500	15 000	14 900	14 800	86,0		
88,0	19,6	27,2	9 200	9 000	8 800	14 800	14 700	14 600	88,0		

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
15,2									15,2		
16,0									16,0		
18,0									18,0		
20,0	84,0	89,4	30 300			30 300			20,0		
22,0	82,7	89,0	29 000	25 700		29 000	25 700		22,0		
24,0	81,3	88,5	27 800	25 300	22 600	27 800	25 300	22 600	24,0		
26,0	80,0	87,9	26 700	25 000	22 400	26 700	25 000	22 400	26,0		
28,0	78,7	87,3	25 700	24 700	22 100	25 700	24 700	22 100	28,0		
30,0	77,3	86,7	24 700	24 400	21 900	24 700	24 400	21 900	30,0		
32,0	76,0	86,0	23 900	23 700	21 600	23 900	23 700	21 600	32,0		
34,0	74,6	85,2	23 000	22 900	21 400	23 000	22 900	21 400	34,0		
36,0	73,2	84,4	22 300	22 200	21 200	22 300	22 200	21 200	36,0		
38,0	71,8	83,5	21 600	21 500	20 900	21 600	21 500	20 900	38,0		
40,0	70,4	82,6	20 900	20 800	20 700	20 900	20 800	20 700	40,0		
42,0	68,9	81,6	20 300	20 200	20 100	20 300	20 200	20 100	42,0		
44,0	67,5	80,6	19 700	19 600	19 500	19 700	19 600	19 500	44,0		
46,0	66,0	79,5	19 200	19 100	19 000	19 200	19 100	19 000	46,0		
48,0	64,5	78,3	18 600	18 600	18 500	18 600	18 600	18 500	48,0		
50,0	63,0	77,0	18 100	18 100	18 000	18 100	18 100	18 000	50,0		
52,0	61,5	75,7	17 700	17 600	17 500	17 700	17 600	17 500	52,0		
54,0	59,9	74,3	17 200	17 200	17 100	17 200	17 200	17 100	54,0		
56,0	58,3	72,8	16 900	16 800	16 700	16 900	16 800	16 700	56,0		
58,0	56,6	71,2	16 500	16 400	16 300	16 500	16 400	16 300	58,0		
60,0	55,0	69,5	16 100	16 000	16 000	16 100	16 000	16 000	60,0		
62,0	53,2	67,7	15 700	15 700	15 600	15 700	15 700	15 600	62,0		
64,0	51,5	65,8	15 400	15 400	15 300	15 400	15 400	15 300	64,0		
66,0	49,6	63,8	15 100	15 100	15 000	15 100	15 100	15 000	66,0		
68,0	47,7	61,6	14 800	14 800	14 700	14 800	14 800	14 700	68,0		
70,0	45,8	59,3	14 600	14 500	14 500	14 600	14 500	14 500	70,0		
72,0	43,7	56,8	14 300	14 300	14 200	14 300	14 300	14 200	72,0		
74,0	41,6	54,1	14 100	14 000	14 000	14 100	14 000	14 000	74,0		
76,0	39,3	51,2	13 800	13 800	13 700	13 800	13 800	13 700	76,0		
78,0	36,9	48,0	13 600	13 200	12 900	13 600	13 600	13 600	78,0		
80,0	34,3	44,5	12 800	12 400	12 000	13 400	13 400	13 400	80,0		
82,0	31,5	40,6	11 900	11 500	11 200	13 300	13 200	13 200	82,0		
84,0									84,0		
86,0									86,0		
88,0									88,0		

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	84,1	97,0	36 200			36 200			16,8		
18,0	83,4	96,8	35 800			35 800			18,0		
20,0	82,1	96,4	35 100	29 900	26 100	35 100	29 900	26 100	20,0		
22,0	80,9	96,0	34 500	29 400	25 800	34 500	29 400	25 800	22,0		
24,0	79,7	95,5	33 800	28 900	25 400	33 800	28 900	25 400	24,0		
26,0	78,5	95,0	33 200	28 500	25 100	33 200	28 500	25 100	26,0		
28,0	77,2	94,5	32 500	28 000	24 700	32 500	28 000	24 700	28,0		
30,0	76,0	93,9	31 900	27 600	24 400	31 900	27 600	24 400	30,0		
32,0	74,7	93,2	31 400	27 200	24 100	31 400	27 200	24 100	32,0		
34,0	73,5	92,5	30 800	26 800	23 800	30 800	26 800	23 800	34,0		
36,0	72,2	91,8	30 300	26 400	23 400	30 300	26 400	23 400	36,0		
38,0	70,9	91,0	29 700	26 000	23 100	29 700	26 000	23 100	38,0		
40,0	69,6	90,2	28 700	25 600	22 900	28 700	25 600	22 900	40,0		
42,0	68,3	89,3	27 700	25 300	22 600	27 700	25 300	22 600	42,0		
44,0	67,0	88,3	26 700	24 900	22 300	26 700	24 900	22 300	44,0		
46,0	65,6	87,3	25 900	24 600	22 000	25 900	24 600	22 000	46,0		
48,0	64,3	86,2	25 000	24 200	21 700	25 000	24 200	21 700	48,0		
50,0	62,9	85,1	24 200	23 900	21 500	24 200	23 900	21 500	50,0		
52,0	61,5	83,9	23 500	23 300	21 300	23 500	23 300	21 300	52,0		
54,0	60,1	82,6	22 800	22 600	21 000	22 800	22 600	21 000	54,0		
56,0	58,7	81,3	22 200	22 000	20 800	22 200	22 000	20 800	56,0		
58,0	57,2	79,8	21 500	21 400	20 500	21 500	21 400	20 500	58,0		
60,0	55,7	78,3	21 000	20 800	20 300	21 000	20 800	20 300	60,0		
62,0	54,2	76,8	20 400	20 100	19 600	20 400	20 300	20 000	62,0		
64,0	52,7	75,1	19 900	19 300	18 400	19 900	19 800	19 600	64,0		
66,0	51,1	73,3	18 900	18 100	17 300	19 400	19 300	19 100	66,0		
68,0	49,4	71,5	17 700	16 900	16 200	18 900	18 800	18 700	68,0		
70,0	47,8	69,5	16 500	15 800	15 100	18 500	18 400	18 200	70,0		
72,0	46,0	67,4	15 400	14 800	14 100	18 100	17 900	17 800	72,0		
74,0	44,2	65,2	14 400	13 800	13 200	17 600	17 500	17 500	74,0		
76,0	42,4	62,8	13 400	12 800	12 300	17 300	17 200	17 100	76,0		
78,0	40,5	60,3	12 400	11 900	11 400	16 900	16 800	16 700	78,0		
80,0	38,4	57,5	11 500	11 000	10 600	16 600	16 500	16 400	80,0		
82,0	36,3	54,6	10 700	10 200	9 800	16 200	16 200	16 100	82,0		
84,0	34,0	51,4	9 800	9 400	9 100	15 900	15 800	15 600	84,0		
86,0	31,6	47,8	9 000	8 700	8 300	15 700	15 400	15 100	86,0		
88,0	29,0	43,9	8 300	8 000	7 600	15 200	14 800	14 300	88,0		
90,0	26,1	39,5	7 500	7 300	7 000	14 500	14 100	13 700	90,0		
92,0	22,8	34,4	6 800			13 700			92,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°




72,0 m






24,0 m

20°




			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
m	°	m	kg	kg	kg	kg	kg	kg	m
16,8									16,8
18,0									18,0
20,0	84,4	95,5	30 600			30 600			20,0
22,0	83,1	95,1	29 400	25 600		29 400	25 600		22,0
24,0	81,9	94,6	28 200	25 300	22 500	28 200	25 300	22 500	24,0
26,0	80,7	94,1	27 200	25 000	22 300	27 200	25 000	22 300	26,0
28,0	79,4	93,6	26 200	24 700	22 100	26 200	24 700	22 100	28,0
30,0	78,2	93,0	25 300	24 400	21 800	25 300	24 400	21 800	30,0
32,0	76,9	92,3	24 400	24 100	21 600	24 400	24 100	21 600	32,0
34,0	75,6	91,6	23 600	23 500	21 400	23 600	23 500	21 400	34,0
36,0	74,3	90,9	22 900	22 700	21 200	22 900	22 700	21 200	36,0
38,0	73,0	90,1	22 200	22 000	21 000	22 200	22 000	21 000	38,0
40,0	71,7	89,2	21 500	21 400	20 800	21 500	21 400	20 800	40,0
42,0	70,4	88,3	20 900	20 800	20 600	20 900	20 800	20 600	42,0
44,0	69,1	87,3	20 300	20 200	20 100	20 300	20 200	20 100	44,0
46,0	67,7	86,3	19 800	19 700	19 600	19 800	19 700	19 600	46,0
48,0	66,3	85,2	19 200	19 200	19 100	19 200	19 200	19 100	48,0
50,0	64,9	84,0	18 800	18 700	18 600	18 800	18 700	18 600	50,0
52,0	63,5	82,8	18 300	18 200	18 200	18 300	18 200	18 200	52,0
54,0	62,1	81,5	17 900	17 800	17 700	17 900	17 800	17 700	54,0
56,0	60,6	80,2	17 500	17 400	17 300	17 500	17 400	17 300	56,0
58,0	59,2	78,7	17 100	17 000	16 900	17 100	17 000	16 900	58,0
60,0	57,6	77,2	16 700	16 600	16 600	16 700	16 600	16 600	60,0
62,0	56,1	75,6	16 300	16 300	16 200	16 300	16 300	16 200	62,0
64,0	54,5	73,9	16 000	16 000	15 900	16 000	16 000	15 900	64,0
66,0	52,9	72,1	15 700	15 600	15 600	15 700	15 600	15 600	66,0
68,0	51,2	70,2	15 400	15 300	15 300	15 400	15 300	15 300	68,0
70,0	49,5	68,2	15 100	15 000	15 000	15 100	15 000	15 000	70,0
72,0	47,8	66,1	14 800	14 800	14 400	14 800	14 800	14 700	72,0
74,0	45,9	63,8	14 600	14 200	13 700	14 600	14 500	14 500	74,0
76,0	44,1	61,4	13 800	13 300	12 700	14 300	14 300	14 300	76,0
78,0	42,1	58,8	12 800	12 300	11 800	14 100	14 100	14 000	78,0
80,0	40,0	56,0	11 900	11 400	11 000	13 900	13 900	13 800	80,0
82,0	37,8	52,9	11 000	10 600	10 100	13 700	13 700	13 600	82,0
84,0	35,5	49,6	10 100	9 700	9 400	13 500	13 500	13 400	84,0
86,0	33,0	45,9	9 300	8 900	8 600	13 400	13 400	13 300	86,0
88,0	30,2	41,9	8 500	8 200	7 900	13 200	13 200	13 200	88,0
90,0									90,0
92,0									92,0

MLC300 VPC-MAX S-1






			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
16,8	84,5	103,1	35 800			35 800			16,8
18,0	83,8	102,9	35 400			35 400			18,0
20,0	82,6	102,5	34 800	28 400	24 900	34 800	28 400	24 900	20,0
22,0	81,5	102,1	34 200	28 000	24 600	34 200	28 000	24 600	22,0
24,0	80,3	101,7	33 600	27 600	24 300	33 600	27 600	24 300	24,0
26,0	79,2	101,2	33 000	27 200	24 000	33 000	27 200	24 000	26,0
28,0	78,0	100,7	32 500	26 900	23 700	32 500	26 900	23 700	28,0
30,0	76,8	100,1	32 000	26 500	23 500	32 000	26 500	23 500	30,0
32,0	75,7	99,5	31 400	26 100	23 200	31 400	26 100	23 200	32,0
34,0	74,5	98,9	30 900	25 800	22 900	30 900	25 800	22 900	34,0
36,0	73,3	98,2	30 400	25 400	22 600	30 400	25 400	22 600	36,0
38,0	72,1	97,5	29 900	25 100	22 400	29 900	25 100	22 400	38,0
40,0	70,9	96,7	29 400	24 800	22 100	29 400	24 800	22 100	40,0
42,0	69,7	95,8	28 600	24 400	21 900	28 600	24 400	21 900	42,0
44,0	68,4	94,9	27 600	24 100	21 600	27 600	24 100	21 600	44,0
46,0	67,2	94,0	26 700	23 800	21 400	26 700	23 800	21 400	46,0
48,0	65,9	93,0	25 900	23 500	21 100	25 900	23 500	21 100	48,0
50,0	64,7	92,0	25 100	23 200	20 900	25 100	23 200	20 900	50,0
52,0	63,4	90,8	24 400	23 000	20 700	24 400	23 000	20 700	52,0
54,0	62,1	89,7	23 600	22 700	20 500	23 600	22 700	20 500	54,0
56,0	60,8	88,4	23 000	22 400	20 300	23 000	22 400	20 300	56,0
58,0	59,4	87,1	22 400	22 100	20 100	22 400	22 200	20 100	58,0
60,0	58,1	85,8	21 800	21 000	19 600	21 800	21 600	19 900	60,0
62,0	56,7	84,3	20 800	19 700	18 700	21 200	21 100	19 700	62,0
64,0	55,3	82,8	19 400	18 400	17 400	20 700	20 500	19 500	64,0
66,0	53,9	81,2	18 100	17 200	16 300	20 200	20 000	19 300	66,0
68,0	52,4	79,6	16 800	16 000	15 200	19 700	19 600	19 200	68,0
70,0	50,9	77,8	15 700	14 900	14 100	19 300	19 100	19 000	70,0
72,0	49,4	75,9	14 600	13 900	13 200	18 800	18 700	18 600	72,0
74,0	47,8	74,0	13 500	12 900	12 200	18 400	18 300	18 200	74,0
76,0	46,2	71,9	12 500	11 900	11 300	18 000	17 900	17 800	76,0
78,0	44,5	69,7	11 600	11 000	10 500	17 600	17 500	17 300	78,0
80,0	42,8	67,4	10 700	10 200	9 700	17 300	17 100	16 700	80,0
82,0	41,0	64,9	9 900	9 400	8 900	17 000	16 500	15 900	82,0
84,0	39,1	62,2	9 000	8 600	8 100	16 300	15 700	15 100	84,0
86,0	37,2	59,4	8 300	7 800	7 400	15 500	14 900	14 400	86,0
88,0	35,1	56,3	7 500	7 100	6 700	14 700	14 200	13 600	88,0
90,0	32,9	53,0	6 800	6 400	6 100	13 900	13 400	13 000	90,0
92,0	30,6	49,3	6 100	5 800	5 400	13 200	12 700	12 300	92,0
94,0	28,0	45,3	5 400	5 100	4 800	12 500	12 100	11 700	94,0
96,0	25,2	40,7	4 700	4 500	4 200	11 800	11 400	11 100	96,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m			
			0°			0°			
			kg			kg			
16,8									16,8
18,0									18,0
20,0	84,7	101,6	30 800			30 800			20,0
22,0	83,6	101,2	29 600	25 300		29 600	25 300		22,0
24,0	82,4	100,8	28 500	25 100		28 500	25 100		24,0
26,0	81,2	100,3	27 500	24 800	22 100	27 500	24 800	22 100	26,0
28,0	80,1	99,8	26 600	24 500	21 900	26 600	24 500	21 900	28,0
30,0	78,9	99,2	25 700	24 300	21 700	25 700	24 300	21 700	30,0
32,0	77,7	98,6	24 800	24 000	21 500	24 800	24 000	21 500	32,0
34,0	76,5	97,9	24 100	23 700	21 300	24 100	23 700	21 300	34,0
36,0	75,3	97,2	23 300	23 200	21 100	23 300	23 200	21 100	36,0
38,0	74,1	96,5	22 700	22 500	20 900	22 700	22 500	20 900	38,0
40,0	72,9	95,7	22 000	21 900	20 800	22 000	21 900	20 800	40,0
42,0	71,6	94,8	21 400	21 300	20 600	21 400	21 300	20 600	42,0
44,0	70,4	93,9	20 800	20 700	20 400	20 800	20 700	20 400	44,0
46,0	69,1	93,0	20 300	20 200	20 100	20 300	20 200	20 100	46,0
48,0	67,9	92,0	19 800	19 700	19 600	19 800	19 700	19 600	48,0
50,0	66,6	90,9	19 300	19 200	19 100	19 300	19 200	19 100	50,0
52,0	65,3	89,8	18 800	18 700	18 600	18 800	18 700	18 600	52,0
54,0	64,0	88,6	18 400	18 300	18 200	18 400	18 300	18 200	54,0
56,0	62,6	87,4	18 000	17 900	17 800	18 000	17 900	17 800	56,0
58,0	61,3	86,1	17 600	17 500	17 400	17 600	17 500	17 400	58,0
60,0	59,9	84,7	17 200	17 100	17 100	17 200	17 100	17 100	60,0
62,0	58,5	83,2	16 800	16 800	16 700	16 800	16 800	16 700	62,0
64,0	57,1	81,7	16 500	16 400	16 400	16 500	16 400	16 400	64,0
66,0	55,6	80,1	16 200	16 100	16 100	16 200	16 100	16 100	66,0
68,0	54,1	78,4	15 900	15 800	15 500	15 900	15 800	15 800	68,0
70,0	52,6	76,6	15 600	15 500	14 800	15 600	15 500	15 500	70,0
72,0	51,1	74,7	15 200	14 500	13 800	15 300	15 300	15 200	72,0
74,0	49,5	72,7	14 100	13 400	12 800	15 100	15 000	14 900	74,0
76,0	47,8	70,6	13 100	12 500	11 800	14 800	14 800	14 700	76,0
78,0	46,1	68,3	12 100	11 500	11 000	14 600	14 500	14 500	78,0
80,0	44,3	65,9	11 200	10 600	10 100	14 300	14 300	14 300	80,0
82,0	42,5	63,4	10 300	9 800	9 300	14 100	14 100	14 100	82,0
84,0	40,6	60,7	9 400	9 000	8 500	13 900	13 900	13 900	84,0
86,0	38,6	57,8	8 600	8 200	7 800	13 700	13 700	13 700	86,0
88,0	36,5	54,6	7 800	7 400	7 000	13 600	13 500	13 500	88,0
90,0	34,2	51,1	7 100	6 700	6 400	13 400	13 300	13 000	90,0
92,0	31,8	47,3	6 300	6 000	5 700	13 200	12 900	12 500	92,0
94,0	29,1	43,1	5 600	5 300	5 000	12 600	12 200	11 800	94,0
96,0									96,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	84,8	109,1	35 400			35 400			16,8		
18,0	84,1	108,9	35 100			35 100			18,0		
20,0	83,0	108,6	34 500	28 100		34 500	28 100		20,0		
22,0	81,9	108,2	34 000	27 800	24 300	34 000	27 800	24 300	22,0		
24,0	80,9	107,8	33 400	27 400	24 100	33 400	27 400	24 100	24,0		
26,0	79,8	107,4	32 900	27 100	23 800	32 900	27 100	23 800	26,0		
28,0	78,7	106,9	32 400	26 700	23 600	32 400	26 700	23 600	28,0		
30,0	77,6	106,4	31 900	26 400	23 300	31 900	26 400	23 300	30,0		
32,0	76,5	105,8	31 400	26 100	23 000	31 400	26 100	23 000	32,0		
34,0	75,4	105,2	31 000	25 700	22 800	31 000	25 700	22 800	34,0		
36,0	74,3	104,5	30 500	25 400	22 500	30 500	25 400	22 500	36,0		
38,0	73,1	103,9	30 000	25 100	22 300	30 000	25 100	22 300	38,0		
40,0	72,0	103,1	29 600	24 800	22 100	29 600	24 800	22 100	40,0		
42,0	70,9	102,3	29 200	24 500	21 800	29 200	24 500	21 800	42,0		
44,0	69,7	101,5	28 500	24 200	21 700	28 500	24 200	21 700	44,0		
46,0	68,6	100,6	27 600	24 000	21 400	27 600	24 000	21 400	46,0		
48,0	67,4	99,7	26 800	23 700	21 200	26 800	23 700	21 200	48,0		
50,0	66,2	98,7	26 000	23 400	21 000	26 000	23 400	21 000	50,0		
52,0	65,0	97,7	25 200	23 100	20 800	25 200	23 100	20 800	52,0		
54,0	63,8	96,6	24 500	22 900	20 600	24 500	22 900	20 600	54,0		
56,0	62,6	95,5	23 800	22 300	20 400	23 800	22 600	20 400	56,0		
58,0	61,4	94,3	22 800	21 500	20 100	23 200	22 400	20 200	58,0		
60,0	60,1	93,0	21 200	20 000	18 800	22 600	22 100	20 000	60,0		
62,0	58,8	91,7	19 700	18 600	17 500	22 100	21 800	19 900	62,0		
64,0	57,5	90,3	18 300	17 300	16 200	21 500	21 300	19 700	64,0		
66,0	56,2	88,8	17 000	16 000	15 100	21 000	20 800	19 500	66,0		
68,0	54,9	87,3	15 800	14 900	14 000	20 500	20 400	19 400	68,0		
70,0	53,5	85,7	14 600	13 800	13 000	20 000	19 900	19 200	70,0		
72,0	52,2	84,0	13 500	12 700	12 000	19 600	19 500	19 000	72,0		
74,0	50,7	82,3	12 500	11 800	11 000	19 200	19 000	18 500	74,0		
76,0	49,3	80,4	11 500	10 800	10 100	18 800	18 400	17 600	76,0		
78,0	47,8	78,5	10 600	9 900	9 300	18 300	17 500	16 700	78,0		
80,0	46,3	76,4	9 700	9 100	8 500	17 300	16 600	15 800	80,0		
82,0	44,7	74,2	8 800	8 300	7 700	16 400	15 700	15 000	82,0		
84,0	43,1	71,9	8 000	7 500	7 000	15 600	14 900	14 200	84,0		
86,0	41,4	69,5	7 200	6 700	6 300	14 700	14 100	13 500	86,0		
88,0	39,7	66,9	6 500	6 000	5 600	13 900	13 300	12 800	88,0		
90,0	37,9	64,2	5 800	5 400	4 900	13 200	12 600	12 100	90,0		
92,0	36,0	61,2	5 100	4 700	4 300	12 400	11 900	11 400	92,0		
94,0	34,0	58,0	4 400	4 100	3 700	11 700	11 300	10 800	94,0		
96,0	31,9	54,6	3 800	3 400		11 100	10 600	10 200	96,0		
100,0	27,1	46,6				9 800	9 400	9 000	100,0		
104,0	21,3	36,3				8 600			104,0		

MLC300 VPC-MAX S-1



148
+
B60



135 100 kg

360°




84,0 m






24,0 m

20°




			10,6 m			14,6 m			
									
m	°	m	kg	kg	kg	kg	kg	kg	m
16,8									16,8
18,0									18,0
20,0									20,0
22,0	83,9	107,3	29 900			29 900			22,0
24,0	82,8	106,9	28 800	24 900		28 800	24 900		24,0
26,0	81,7	106,4	27 800	24 600	21 900	27 800	24 600	21 900	26,0
28,0	80,6	106,0	26 900	24 400	21 700	26 900	24 400	21 700	28,0
30,0	79,5	105,4	26 100	24 200	21 600	26 100	24 200	21 600	30,0
32,0	78,4	104,9	25 300	23 900	21 400	25 300	23 900	21 400	32,0
34,0	77,3	104,2	24 500	23 700	21 200	24 500	23 700	21 200	34,0
36,0	76,2	103,6	23 800	23 500	21 100	23 800	23 500	21 100	36,0
38,0	75,0	102,9	23 100	23 000	20 900	23 100	23 000	20 900	38,0
40,0	73,9	102,1	22 500	22 300	20 800	22 500	22 300	20 800	40,0
42,0	72,7	101,3	21 900	21 800	20 600	21 900	21 800	20 600	42,0
44,0	71,6	100,5	21 300	21 200	20 400	21 300	21 200	20 400	44,0
46,0	70,4	99,6	20 800	20 700	20 300	20 800	20 700	20 300	46,0
48,0	69,2	98,7	20 300	20 200	20 000	20 300	20 200	20 000	48,0
50,0	68,0	97,7	19 800	19 700	19 600	19 800	19 700	19 600	50,0
52,0	66,8	96,6	19 300	19 200	19 100	19 300	19 200	19 100	52,0
54,0	65,6	95,5	18 900	18 800	18 700	18 900	18 800	18 700	54,0
56,0	64,4	94,4	18 500	18 400	18 300	18 500	18 400	18 300	56,0
58,0	63,1	93,2	18 100	18 000	17 900	18 100	18 000	17 900	58,0
60,0	61,9	91,9	17 700	17 600	17 500	17 700	17 600	17 500	60,0
62,0	60,6	90,6	17 400	17 300	17 200	17 400	17 300	17 200	62,0
64,0	59,3	89,2	17 000	16 900	16 900	17 000	16 900	16 900	64,0
66,0	57,9	87,7	16 700	16 500	15 800	16 700	16 600	16 600	66,0
68,0	56,6	86,2	16 400	15 700	14 800	16 400	16 300	16 200	68,0
70,0	55,2	84,5	15 400	14 500	13 700	16 100	16 000	16 000	70,0
72,0	53,8	82,8	14 300	13 400	12 700	15 800	15 700	15 700	72,0
74,0	52,4	81,0	13 200	12 400	11 700	15 500	15 500	15 400	74,0
76,0	50,9	79,1	12 100	11 400	10 700	15 300	15 200	15 100	76,0
78,0	49,4	77,2	11 200	10 500	9 900	15 000	15 000	14 900	78,0
80,0	47,8	75,1	10 200	9 600	9 000	14 800	14 700	14 700	80,0
82,0	46,2	72,8	9 300	8 800	8 200	14 600	14 500	14 500	82,0
84,0	44,6	70,5	8 500	8 000	7 400	14 400	14 300	14 200	84,0
86,0	42,9	68,0	7 700	7 200	6 700	14 200	14 000	13 800	86,0
88,0	41,1	65,4	6 900	6 400	6 000	14 000	13 600	13 100	88,0
90,0	39,2	62,5	6 100	5 700	5 300	13 500	12 900	12 400	90,0
92,0	37,3	59,5	5 400	5 000	4 600	12 700	12 200	11 700	92,0
94,0	35,2	56,2	4 700	4 300	4 000	12 000	11 500	11 000	94,0
96,0	33,0	52,6	4 000	3 700	3 400	11 300	10 800	10 400	96,0
100,0									100,0
104,0									104,0

MLC300 VPC-MAX S-1






			 10,6 m			 14,6 m			
									
			0°	1°	2°	0°	1°	2°	
m	o	m	kg	kg	kg	kg	kg	kg	m
18,3	84,3	115,0	33 000			33 000			18,3
20,0	83,4	114,7	32 600	27 600		32 600	27 600		20,0
22,0	82,4	114,3	32 100	27 300	23 100	32 100	27 300	23 100	22,0
24,0	81,4	114,0	31 700	27 000	23 100	31 700	27 000	23 100	24,0
26,0	80,3	113,5	31 200	26 600	23 100	31 200	26 600	23 100	26,0
28,0	79,3	113,1	30 800	26 400	23 100	30 800	26 400	23 100	28,0
30,0	78,3	112,6	30 400	26 100	23 000	30 400	26 100	23 000	30,0
32,0	77,2	112,0	30 000	25 800	22 700	30 000	25 800	22 700	32,0
34,0	76,2	111,5	29 600	25 500	22 500	29 600	25 500	22 500	34,0
36,0	75,1	110,9	29 200	25 200	22 300	29 200	25 200	22 300	36,0
38,0	74,1	110,2	28 700	24 900	22 100	28 700	24 900	22 100	38,0
40,0	73,0	109,5	28 400	24 600	21 900	28 400	24 600	21 900	40,0
42,0	71,9	108,8	28 000	24 400	21 700	28 000	24 400	21 700	42,0
44,0	70,9	108,0	27 700	24 100	21 500	27 700	24 100	21 500	44,0
46,0	69,8	107,2	27 300	23 900	21 300	27 300	23 900	21 300	46,0
48,0	68,7	106,3	26 900	23 600	21 100	26 900	23 600	21 100	48,0
50,0	67,6	105,4	26 500	23 400	20 900	26 500	23 400	20 900	50,0
52,0	66,4	104,4	26 200	23 000	20 700	26 200	23 000	20 700	52,0
54,0	65,3	103,4	25 500	22 400	20 500	25 600	22 400	20 500	54,0
56,0	64,2	102,3	24 100	21 700	20 200	24 900	21 800	20 400	56,0
58,0	63,0	101,2	22 400	21 000	19 600	24 300	21 300	20 200	58,0
60,0	61,9	100,1	20 800	19 500	18 200	23 700	20 700	19 700	60,0
62,0	60,7	98,8	19 300	18 100	16 900	23 100	20 200	19 300	62,0
64,0	59,5	97,6	17 900	16 800	15 700	22 500	19 700	18 900	64,0
66,0	58,3	96,2	16 600	15 600	14 600	22 000	19 300	18 500	66,0
68,0	57,1	94,8	15 400	14 400	13 500	21 500	18 900	18 100	68,0
70,0	55,8	93,3	14 200	13 300	12 400	21 000	18 500	17 700	70,0
72,0	54,5	91,8	13 100	12 300	11 500	20 500	18 100	17 400	72,0
74,0	53,3	90,2	12 100	11 300	10 500	20 000	17 800	17 000	74,0
76,0	51,9	88,5	11 100	10 400	9 600	19 000	17 400	16 700	76,0
78,0	50,6	86,7	10 200	9 500	8 800	18 000	16 900	16 100	78,0
80,0	49,2	84,9	9 300	8 600	8 000	17 100	16 200	15 400	80,0
82,0	47,8	82,9	8 400	7 800	7 200	16 100	15 400	14 600	82,0
84,0	46,4	80,9	7 600	7 100	6 500	15 300	14 500	13 800	84,0
86,0	44,9	78,8	6 900	6 300	5 800	14 500	13 800	13 100	86,0
88,0	43,4	76,5	6 100	5 600	5 100	13 700	13 000	12 400	88,0
90,0	41,8	74,1	5 400	4 900	4 500	12 900	12 300	11 700	90,0
92,0	40,2	71,6	4 700	4 300	3 900	12 200	11 600	11 100	92,0
94,0	38,5	68,9	4 100	3 700	3 300	11 500	11 000	10 400	94,0
96,0	36,8	66,0	3 400			10 800	10 300	9 800	96,0
100,0	33,0	59,6				9 600	9 100	8 700	100,0
104,0	28,7	52,2				8 400	8 000	7 600	104,0
108,0	23,7	43,0				7 300	7 000	6 700	108,0

MLC300 VPC-MAX S-1




			10,6 m			14,6 m			
			0°			0°			
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3									18,3
20,0									20,0
22,0	84,3	113,4	28 700			28 700			22,0
24,0	83,2	113,0	28 400	24 600		28 400	24 600		24,0
26,0	82,2	112,6	28 100	24 400	20 500	28 100	24 400	20 500	26,0
28,0	81,1	112,1	27 600	24 100	20 500	27 600	24 100	20 500	28,0
30,0	80,1	111,6	26 700	23 900	20 500	26 700	23 900	20 500	30,0
32,0	79,0	111,1	25 900	23 700	20 500	25 900	23 700	20 500	32,0
34,0	78,0	110,5	25 200	23 500	20 500	25 200	23 500	20 500	34,0
36,0	76,9	109,9	24 500	23 300	20 500	24 500	23 300	20 500	36,0
38,0	75,9	109,2	23 800	23 200	20 500	23 800	23 200	20 500	38,0
40,0	74,8	108,5	23 100	22 900	20 500	23 100	22 900	20 500	40,0
42,0	73,7	107,8	22 600	22 400	20 500	22 600	22 400	20 500	42,0
44,0	72,6	107,0	22 000	21 800	20 300	22 000	21 800	20 300	44,0
46,0	71,5	106,1	21 500	21 300	20 200	21 500	21 300	20 200	46,0
48,0	70,4	105,3	20 900	20 800	20 100	20 900	20 800	20 100	48,0
50,0	69,3	104,3	20 500	20 300	19 900	20 500	20 300	19 900	50,0
52,0	68,2	103,4	20 000	19 900	19 800	20 000	19 900	19 800	52,0
54,0	67,0	102,3	19 500	19 400	19 300	19 500	19 400	19 300	54,0
56,0	65,9	101,3	19 100	19 000	18 900	19 100	19 000	18 900	56,0
58,0	64,7	100,2	18 700	18 600	18 500	18 700	18 600	18 500	58,0
60,0	63,5	99,0	18 300	18 200	18 200	18 300	18 200	18 200	60,0
62,0	62,4	97,7	18 000	17 900	17 500	18 000	17 900	17 800	62,0
64,0	61,1	96,4	17 600	17 500	16 600	17 600	17 500	17 500	64,0
66,0	59,9	95,1	17 200	16 400	15 400	17 300	17 200	17 100	66,0
68,0	58,7	93,7	16 300	15 200	14 300	17 000	16 900	16 800	68,0
70,0	57,4	92,2	15 100	14 100	13 200	16 700	16 600	16 500	70,0
72,0	56,1	90,6	13 900	13 000	12 200	16 400	16 300	16 200	72,0
74,0	54,8	89,0	12 800	12 000	11 200	16 100	16 000	16 000	74,0
76,0	53,5	87,3	11 800	11 000	10 300	15 800	15 800	15 700	76,0
78,0	52,1	85,5	10 800	10 100	9 400	15 600	15 500	15 500	78,0
80,0	50,7	83,6	9 900	9 200	8 600	15 300	15 300	15 200	80,0
82,0	49,3	81,6	9 000	8 400	7 800	15 100	15 100	14 900	82,0
84,0	47,9	79,5	8 200	7 600	7 000	14 900	14 700	14 200	84,0
86,0	46,4	77,4	7 400	6 800	6 300	14 600	14 100	13 500	86,0
88,0	44,8	75,0	6 600	6 100	5 600	14 000	13 400	12 700	88,0
90,0	43,2	72,6	5 800	5 400	4 900	13 200	12 600	12 000	90,0
92,0	41,5	70,0	5 100	4 700	4 200	12 500	11 900	11 400	92,0
94,0	39,8	67,3	4 400	4 000	3 600	11 800	11 200	10 700	94,0
96,0	38,0	64,3	3 800	3 400		11 100	10 600	10 100	96,0
100,0	34,1	57,8				9 800	9 300	8 900	100,0
104,0	29,7	50,0				8 500			104,0
108,0									108,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
18,3	84,6	121,0	32 500			32 500			18,3		
20,0	83,7	120,8	32 100	26 700		32 100	26 700		20,0		
22,0	82,8	120,4	31 700	26 700		31 700	26 700		22,0		
24,0	81,8	120,1	31 400	26 600	19 600	31 400	26 600	19 600	24,0		
26,0	80,8	119,7	31 000	26 300	19 600	31 000	26 300	19 600	26,0		
28,0	79,8	119,2	30 600	26 000	19 600	30 600	26 000	19 600	28,0		
30,0	78,9	118,8	30 200	25 800	19 600	30 200	25 800	19 600	30,0		
32,0	77,9	118,3	29 800	25 500	19 600	29 800	25 500	19 600	32,0		
34,0	76,9	117,7	29 400	25 300	19 600	29 400	25 300	19 600	34,0		
36,0	75,9	117,1	29 100	25 000	19 600	29 100	25 000	19 600	36,0		
38,0	74,9	116,5	28 700	24 700	19 600	28 700	24 700	19 600	38,0		
40,0	73,9	115,9	28 400	24 500	19 600	28 400	24 500	19 600	40,0		
42,0	72,9	115,2	28 000	24 300	19 600	28 000	24 300	19 600	42,0		
44,0	71,9	114,4	27 700	24 000	19 600	27 700	24 000	19 600	44,0		
46,0	70,8	113,6	27 400	23 800	19 600	27 400	23 800	19 600	46,0		
48,0	69,8	112,8	27 100	23 600	19 600	27 100	23 600	19 600	48,0		
50,0	68,8	112,0	26 700	23 300	19 600	26 700	23 300	19 600	50,0		
52,0	67,7	111,1	26 300	23 100	19 600	26 400	23 100	19 600	52,0		
54,0	66,7	110,1	25 000	22 600	19 600	26 100	22 900	19 600	54,0		
56,0	65,6	109,1	23 100	21 500	19 200	25 700	22 700	19 600	56,0		
58,0	64,5	108,1	21 400	19 900	18 400	25 200	22 500	19 600	58,0		
60,0	63,4	107,0	19 800	18 400	17 100	24 500	22 300	19 600	60,0		
62,0	62,3	105,8	18 300	17 000	15 800	23 900	22 000	19 600	62,0		
64,0	61,2	104,7	16 900	15 700	14 500	23 400	21 600	19 600	64,0		
66,0	60,1	103,4	15 600	14 500	13 400	22 800	21 200	19 500	66,0		
68,0	59,0	102,1	14 400	13 300	12 300	22 300	20 700	19 400	68,0		
70,0	57,8	100,7	13 200	12 200	11 300	21 600	20 300	19 200	70,0		
72,0	56,6	99,3	12 100	11 200	10 300	20 500	19 300	18 200	72,0		
74,0	55,4	97,8	11 100	10 200	9 400	19 300	18 300	17 200	74,0		
76,0	54,2	96,3	10 100	9 300	8 500	18 300	17 300	16 300	76,0		
78,0	53,0	94,7	9 200	8 400	7 700	17 300	16 300	15 400	78,0		
80,0	51,8	93,0	8 300	7 500	6 900	16 300	15 400	14 500	80,0		
82,0	50,5	91,2	7 400	6 700	6 100	15 400	14 600	13 700	82,0		
84,0	49,2	89,4	6 600	6 000	5 400	14 500	13 700	13 000	84,0		
86,0	47,9	87,4	5 800	5 200	4 700	13 700	13 000	12 200	86,0		
88,0	46,5	85,4	5 100	4 500	4 000	12 900	12 200	11 500	88,0		
90,0	45,1	83,3	4 400	3 900	3 400	12 200	11 500	10 800	90,0		
92,0	43,7	81,0	3 700			11 400	10 800	10 200	92,0		
94,0	42,2	78,7				10 800	10 200	9 600	94,0		
96,0	40,7	76,2				10 100	9 500	9 000	96,0		
100,0	37,5	70,8				8 800	8 300	7 900	100,0		
104,0	34,0	64,6				7 700	7 200	6 800	104,0		
108,0	30,1	57,6				6 600	6 200	5 800	108,0		
112,0	25,6	49,1				5 600	5 200	4 900	112,0		

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
18,3									18,3		
20,0									20,0		
22,0	84,5	119,5	28 400			28 400			22,0		
24,0	83,6	119,1	28 100			28 100			24,0		
26,0	82,6	118,7	27 800	24 000	17 400	27 800	24 000	17 400	26,0		
28,0	81,6	118,3	27 600	23 900	17 400	27 600	23 900	17 400	28,0		
30,0	80,6	117,8	27 100	23 700	17 400	27 100	23 700	17 400	30,0		
32,0	79,6	117,3	26 400	23 500	17 400	26 400	23 500	17 400	32,0		
34,0	78,6	116,7	25 600	23 400	17 400	25 600	23 400	17 400	34,0		
36,0	77,6	116,1	24 900	23 200	17 400	24 900	23 200	17 400	36,0		
38,0	76,6	115,5	24 300	23 000	17 400	24 300	23 000	17 400	38,0		
40,0	75,6	114,9	23 600	22 800	17 400	23 600	22 800	17 400	40,0		
42,0	74,6	114,2	23 000	22 700	17 400	23 000	22 700	17 400	42,0		
44,0	73,5	113,4	22 500	22 300	17 400	22 500	22 300	17 400	44,0		
46,0	72,5	112,6	22 000	21 800	17 400	22 000	21 800	17 400	46,0		
48,0	71,5	111,8	21 400	21 300	17 400	21 400	21 300	17 400	48,0		
50,0	70,4	110,9	20 900	20 800	17 400	20 900	20 800	17 400	50,0		
52,0	69,4	110,0	20 500	20 300	17 400	20 500	20 300	17 400	52,0		
54,0	68,3	109,1	20 100	19 900	17 400	20 100	19 900	17 400	54,0		
56,0	67,2	108,1	19 600	19 500	17 400	19 600	19 500	17 400	56,0		
58,0	66,1	107,0	19 200	19 100	17 400	19 200	19 100	17 400	58,0		
60,0	65,0	105,9	18 900	18 700	17 400	18 900	18 700	17 400	60,0		
62,0	63,9	104,7	18 500	17 900	16 800	18 500	18 400	17 400	62,0		
64,0	62,8	103,5	18 000	16 700	15 500	18 100	18 000	17 400	64,0		
66,0	61,7	102,3	16 600	15 400	14 300	17 800	17 700	17 400	66,0		
68,0	60,5	101,0	15 300	14 200	13 200	17 500	17 400	17 300	68,0		
70,0	59,3	99,6	14 100	13 100	12 100	17 200	17 100	17 000	70,0		
72,0	58,2	98,2	13 000	12 000	11 100	16 900	16 800	16 700	72,0		
74,0	57,0	96,6	11 900	11 000	10 100	16 600	16 500	16 400	74,0		
76,0	55,7	95,1	10 900	10 000	9 200	16 300	16 200	16 200	76,0		
78,0	54,5	93,4	9 900	9 100	8 300	16 100	16 000	15 700	78,0		
80,0	53,2	91,7	9 000	8 200	7 500	15 800	15 600	15 000	80,0		
82,0	51,9	89,9	8 100	7 400	6 700	15 600	15 000	14 200	82,0		
84,0	50,6	88,1	7 200	6 600	5 900	15 000	14 200	13 400	84,0		
86,0	49,3	86,1	6 400	5 800	5 200	14 200	13 400	12 700	86,0		
88,0	47,9	84,0	5 600	5 100	4 500	13 300	12 600	11 900	88,0		
90,0	46,5	81,9	4 900	4 400	3 800	12 600	11 900	11 200	90,0		
92,0	45,0	79,6	4 200			11 800	11 200	10 600	92,0		
94,0	43,5	77,2	3 500			11 100	10 500	9 900	94,0		
96,0	41,9	74,6				10 400	9 800	9 300	96,0		
100,0	38,7	69,1				9 100	8 600	8 100	100,0		
104,0	35,1	62,8				7 900	7 400	7 000	104,0		
108,0	31,0	55,5				6 800	6 400	6 000	108,0		
112,0									112,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°


102,0 m

24,0 m

10°




			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
18,3	84,8	127,1	31 600		31 600		18,3
20,0	84,0	126,8	31 300		31 300		20,0
22,0	83,1	126,5	31 000	22 300	31 000	22 300	22,0
24,0	82,2	126,1	30 600	22 300	30 600	22 300	24,0
26,0	81,3	125,8	30 300	22 300	30 300	22 300	26,0
28,0	80,3	125,3	29 900	22 300	29 900	22 300	28,0
30,0	79,4	124,9	29 600	22 300	29 600	22 300	30,0
32,0	78,5	124,4	29 300	22 300	29 300	22 300	32,0
34,0	77,5	123,9	29 000	22 300	29 000	22 300	34,0
36,0	76,6	123,4	28 600	22 300	28 600	22 300	36,0
38,0	75,6	122,8	28 300	22 300	28 300	22 300	38,0
40,0	74,7	122,1	28 000	22 300	28 000	22 300	40,0
42,0	73,7	121,5	27 400	22 300	27 400	22 300	42,0
44,0	72,8	120,8	26 600	22 300	26 600	22 300	44,0
46,0	71,8	120,1	25 800	22 200	25 800	22 200	46,0
48,0	70,8	119,3	25 000	21 700	25 000	21 700	48,0
50,0	69,8	118,5	24 300	21 100	24 300	21 100	50,0
52,0	68,8	117,6	23 600	20 500	23 600	20 500	52,0
54,0	67,9	116,7	22 900	20 000	22 900	20 000	54,0
56,0	66,8	115,8	22 300	19 400	22 300	19 400	56,0
58,0	65,8	114,8	20 900	18 900	21 700	18 900	58,0
60,0	64,8	113,8	19 300	17 700	21 100	18 400	60,0
62,0	63,8	112,7	17 800	16 400	20 600	17 900	62,0
64,0	62,7	111,6	16 400	15 100	20 000	17 500	64,0
66,0	61,7	110,4	15 100	13 900	19 500	17 000	66,0
68,0	60,6	109,2	13 900	12 800	19 000	16 600	68,0
70,0	59,5	107,9	12 700	11 700	18 600	16 200	70,0
72,0	58,5	106,6	11 600	10 600	18 100	15 900	72,0
74,0	57,3	105,2	10 600	9 700	17 700	15 500	74,0
76,0	56,2	103,8	9 600	8 700	17 300	15 200	76,0
78,0	55,1	102,3	8 700	7 900	16 900	14 800	78,0
80,0	53,9	100,7	7 800	7 000	16 000	14 500	80,0
82,0	52,8	99,1	6 900	6 200	15 100	14 100	82,0
84,0	51,6	97,4	6 100	5 400	14 200	13 300	84,0
86,0	50,4	95,6	5 400	4 700	13 400	12 600	86,0
88,0	49,1	93,8	4 600	4 000	12 600	11 800	88,0
90,0	47,9	91,9	3 900		11 800	11 100	90,0
92,0	46,6	89,8	3 200		11 100	10 400	92,0
94,0	45,2	87,7			10 400	9 800	94,0
96,0	43,9	85,5			9 800	9 200	96,0
100,0	41,1	80,8			8 500	8 000	100,0
104,0	38,0	75,5			7 400	6 900	104,0
108,0	34,8	69,5			6 300	5 900	108,0
112,0	31,2	62,7			5 300	4 900	112,0
116,0	27,1	54,8			4 300	4 000	116,0
120,0	22,3	45,0			3 400		120,0

MLC300 VPC-MAX S-1




			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
18,3							18,3
20,0							20,0
22,0							22,0
24,0							24,0
26,0	83,9	125,2	27 600		27 600		26,0
28,0	82,9	124,8	27 400	20 200	27 400	20 200	28,0
30,0	82,0	124,4	27 200	20 200	27 200	20 200	30,0
32,0	81,1	123,9	26 900	20 200	26 900	20 200	32,0
34,0	80,1	123,4	26 400	20 200	26 400	20 200	34,0
36,0	79,2	122,9	25 700	20 200	25 700	20 200	36,0
38,0	78,2	122,4	25 000	20 200	25 000	20 200	38,0
40,0	77,3	121,8	24 400	20 200	24 400	20 200	40,0
42,0	76,3	121,1	23 800	20 200	23 800	20 200	42,0
44,0	75,3	120,5	23 200	20 200	23 200	20 200	44,0
46,0	74,4	119,8	22 700	20 200	22 700	20 200	46,0
48,0	73,4	119,0	22 200	20 000	22 200	20 000	48,0
50,0	72,4	118,2	21 700	19 500	21 700	19 500	50,0
52,0	71,4	117,4	21 200	19 000	21 200	19 000	52,0
54,0	70,4	116,6	20 700	18 600	20 700	18 600	54,0
56,0	69,4	115,7	20 300	18 100	20 300	18 100	56,0
58,0	68,4	114,7	19 900	17 700	19 900	17 700	58,0
60,0	67,4	113,7	19 500	17 200	19 500	17 200	60,0
62,0	66,3	112,7	19 100	16 800	19 100	16 800	62,0
64,0	65,3	111,6	18 700	16 500	18 800	16 500	64,0
66,0	64,3	110,5	17 500	16 100	18 400	16 100	66,0
68,0	63,2	109,3	16 200	14 900	18 000	15 700	68,0
70,0	62,1	108,1	14 900	13 700	17 600	15 400	70,0
72,0	61,0	106,8	13 700	12 600	17 200	15 000	72,0
74,0	59,9	105,4	12 500	11 500	16 800	14 700	74,0
76,0	58,8	104,1	11 500	10 500	16 500	14 400	76,0
78,0	57,7	102,6	10 400	9 500	16 100	14 200	78,0
80,0	56,5	101,1	9 500	8 600	15 800	13 900	80,0
82,0	55,4	99,5	8 500	7 700	15 500	13 600	82,0
84,0	54,2	97,9	7 600	6 900	15 300	13 400	84,0
86,0	53,0	96,1	6 800	6 100	14 700	13 100	86,0
88,0	51,7	94,3	6 000	5 300	13 900	12 800	88,0
90,0	50,5	92,5	5 200	4 600	13 000	12 200	90,0
92,0	49,2	90,5	4 500	3 900	12 300	11 500	92,0
94,0	47,9	88,5	3 800		11 500	10 800	94,0
96,0	46,5	86,3	3 100		10 800	10 200	96,0
100,0	45,2	84,1			10 100	9 500	100,0
104,0	42,3	79,2			8 800	8 300	104,0
108,0	39,2	73,8			7 600	7 100	108,0
112,0	35,8	67,7			6 500	6 100	112,0
116,0	32,2	60,7			5 500	5 100	116,0
120,0							120,0

MLC300 VPC-MAX S-1





			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
19,8	84,4	132,9	30 700		30 700		19,8
20,0	84,3	132,9	30 700		30 700		20,0
22,0	83,4	132,6	30 400	18 800	30 400	18 800	22,0
24,0	82,5	132,2	30 100	18 800	30 100	18 800	24,0
26,0	81,7	131,9	29 800	18 800	29 800	18 800	26,0
28,0	80,8	131,5	29 500	18 800	29 500	18 800	28,0
30,0	79,9	131,1	29 200	18 800	29 200	18 800	30,0
32,0	79,0	130,6	28 900	18 800	28 900	18 800	32,0
34,0	78,1	130,1	28 600	18 800	28 600	18 800	34,0
36,0	77,2	129,6	28 300	18 800	28 300	18 800	36,0
38,0	76,3	129,0	28 000	18 800	28 000	18 800	38,0
40,0	75,4	128,4	27 700	18 800	27 700	18 800	40,0
42,0	74,5	127,8	26 800	18 800	26 800	18 800	42,0
44,0	73,6	127,1	25 900	18 800	25 900	18 800	44,0
46,0	72,7	126,4	25 100	18 800	25 100	18 800	46,0
48,0	71,7	125,7	24 200	18 800	24 200	18 800	48,0
50,0	70,8	124,9	23 500	18 800	23 500	18 800	50,0
52,0	69,9	124,1	22 700	18 800	22 700	18 800	52,0
54,0	68,9	123,3	22 000	18 600	22 000	18 600	54,0
56,0	68,0	122,4	21 400	18 200	21 400	18 200	56,0
58,0	67,0	121,5	19 900	17 600	20 700	17 600	58,0
60,0	66,1	120,5	18 300	16 600	20 100	17 100	60,0
62,0	65,1	119,5	16 900	15 400	19 600	16 600	62,0
64,0	64,1	118,4	15 400	14 100	19 000	16 200	64,0
66,0	63,1	117,3	14 100	12 800	18 500	15 700	66,0
68,0	62,1	116,2	12 900	11 700	18 000	15 300	68,0
70,0	61,1	115,0	11 700	10 600	17 500	14 900	70,0
72,0	60,1	113,8	10 600	9 600	17 000	14 500	72,0
74,0	59,0	112,5	9 600	8 600	16 600	14 100	74,0
76,0	58,0	111,1	8 600	7 700	16 200	13 800	76,0
78,0	56,9	109,7	7 700	6 800	15 800	13 400	78,0
80,0	55,9	108,3	6 800	5 900	15 200	13 100	80,0
82,0	54,8	106,8	5 900	5 100	14 300	12 800	82,0
84,0	53,7	105,2	5 100	4 400	13 500	12 300	84,0
86,0	52,6	103,6	4 400		12 600	11 800	86,0
88,0	51,4	101,9	3 600		11 900	11 000	88,0
90,0	50,3	100,1			11 100	10 300	90,0
92,0	49,1	98,3			10 400	9 600	92,0
94,0	47,9	96,3			9 700	9 000	94,0
96,0	46,6	94,3			9 000	8 400	96,0
100,0	44,1	90,1			7 800	7 200	100,0
104,0	41,4	85,4			6 600	6 100	104,0
108,0	38,6	80,2			5 600	5 100	108,0
112,0	35,5	74,4			4 600	4 100	112,0
116,0	32,2	67,9			3 500		116,0

MLC300 VPC-MAX S-1



			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
19,8							19,8
20,0							20,0
22,0							22,0
24,0							24,0
26,0	84,2	131,3	27 200		27 200		26,0
	83,3	130,9	27 000	17 200	27 000	17 200	
28,0	82,4	130,5	26 800	17 200	26 800	17 200	28,0
30,0	81,5	130,1	26 600	17 200	26 600	17 200	30,0
32,0	80,6	129,6	26 400	17 200	26 400	17 200	32,0
34,0	79,7	129,1	26 000	17 200	26 000	17 200	34,0
36,0	78,8	128,6	25 300	17 200	25 300	17 200	36,0
38,0	77,9	128,0	24 700	17 200	24 700	17 200	38,0
40,0	77,0	127,4	24 100	17 200	24 100	17 200	40,0
42,0	76,0	126,8	23 500	17 200	23 500	17 200	42,0
44,0	75,1	126,1	23 000	17 200	23 000	17 200	44,0
46,0	74,2	125,4	22 500	17 200	22 500	17 200	46,0
48,0	73,3	124,7	22 000	17 200	22 000	17 200	48,0
50,0	72,3	123,9	21 500	17 200	21 500	17 200	50,0
52,0	71,4	123,1	20 800	17 200	20 800	17 200	52,0
54,0	70,4	122,2	20 300	17 100	20 300	17 100	54,0
56,0	69,5	121,3	19 700	16 800	19 700	16 800	56,0
58,0	68,5	120,4	19 200	16 300	19 200	16 300	58,0
60,0	67,5	119,4	18 700	15 900	18 700	15 900	60,0
62,0	66,6	118,4	17 900	15 500	18 200	15 500	62,0
64,0	65,6	117,3	16 600	15 100	17 700	15 100	64,0
66,0	64,6	116,2	15 200	13 900	17 200	14 700	66,0
68,0	63,6	115,1	14 000	12 700	16 800	14 300	68,0
70,0	62,5	113,9	12 700	11 600	16 400	14 000	70,0
72,0	61,5	112,6	11 600	10 500	16 000	13 700	72,0
74,0	60,5	111,3	10 500	9 500	15 600	13 300	74,0
76,0	59,4	110,0	9 500	8 500	15 300	13 000	76,0
78,0	58,3	108,6	8 500	7 600	14 900	12 700	78,0
80,0	57,2	107,1	7 600	6 700	14 600	12 400	80,0
82,0	56,1	105,6	6 700	5 900	14 300	12 200	82,0
84,0	55,0	104,0	5 900	5 100	13 900	11 900	84,0
86,0	53,9	102,3	5 000	4 300	13 200	11 700	86,0
88,0	52,7	100,6	4 300	3 600	12 400	11 400	88,0
90,0	51,6	98,8	3 500		11 600	10 800	90,0
92,0	50,4	96,9			10 800	10 100	92,0
94,0	49,1	95,0			10 100	9 400	94,0
96,0	47,9	92,9			9 400	8 800	96,0
100,0	45,3	88,6			8 200	7 600	100,0
104,0	42,6	83,8			7 000	6 400	104,0
108,0	39,7	78,5			5 800	5 400	108,0
112,0	36,6	72,6			4 800	4 300	112,0
116,0	33,1	65,9			3 700		116,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	82,5	72,7	28 900	24 400	21 100 ^c	28 900	24 400	21 100 ^c	16,8		
18,0	81,5	72,4	28 400	24 000	20 800 ^b	28 400	24 000	20 800 ^b	18,0		
20,0	79,8	71,9	27 500	23 400	20 400	27 500	23 400	20 400	20,0		
22,0	78,2	71,4	26 600	22 800	19 900	26 600	22 800	19 900	22,0		
24,0	76,5	70,7	25 700	22 200	19 500	25 700	22 200	19 500	24,0		
26,0	74,8	70,1	24 800	21 700	19 000	24 800	21 700	19 000	26,0		
28,0	73,1	69,3	23 900	21 100	18 600	23 900	21 100	18 600	28,0		
30,0	71,4	68,5	23 100	20 600	18 200	23 100	20 600	18 200	30,0		
32,0	69,7	67,6	22 300	20 000	17 800	22 300	20 000	17 800	32,0		
34,0	67,9	66,6	21 600	19 400	17 400	21 600	19 400	17 400	34,0		
36,0	66,1	65,6	20 900	18 900	17 100	20 900	18 900	17 100	36,0		
38,0	64,3	64,4	20 200	18 400	16 700	20 200	18 400	16 700	38,0		
40,0	62,4	63,2	19 400	17 800	16 300	19 400	17 800	16 300	40,0		
42,0	60,5	61,9	18 500	17 300	16 000	18 500	17 300	16 000	42,0		
44,0	58,6	60,5	17 700	16 900	15 500	17 700	16 900	15 500	44,0		
46,0	56,6	59,0	17 000	16 500	15 200	17 000	16 500	15 200	46,0		
48,0	54,6	57,4	16 300	16 000	14 800	16 300	16 000	14 800	48,0		
50,0	52,5	55,6	15 700	15 500	14 500	15 700	15 500	14 500	50,0		
52,0	50,3	53,7	15 100	14 900	14 100	15 100	14 900	14 100	52,0		
54,0	48,0	51,7	14 500	14 400	13 800	14 500	14 400	13 800	54,0		
56,0	45,6	49,5	14 000	13 900	13 600	14 000	13 900	13 600	56,0		
58,0	43,2	47,1	13 500	13 400	13 300	13 500	13 400	13 300	58,0		
60,0	40,5	44,5	13 100	13 000	12 900	13 100	13 000	12 900	60,0		
62,0	37,7	41,5	12 700	12 600	12 500	12 700	12 600	12 500	62,0		
64,0	34,7	38,3	12 300	12 200	12 100	12 300	12 200	12 100	64,0		
66,0	31,3	34,6	11 900	11 800	11 800	11 900	11 800	11 800	66,0		
68,0	27,6	30,3	11 600	11 500	11 400	11 600	11 500	11 400	68,0		
70,0	23,0	24,9	11 300	11 200	11 100	11 300	11 200	11 100	70,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°




42,0 m

30,0 m

20°





			10,6 m			14,6 m					
			0°	1°	2°	0°	1°	2°			
			kg	kg	kg	kg	kg	kg			
16,8									16,8		
18,0									18,0		
20,0									20,0		
22,0	81,9	70,6	23 400	20 800	18 400 ^b	23 400	20 800	18 400 ^b	22,0		
24,0	80,2	69,9	22 200	20 300	18 000	22 200	20 300	18 000	24,0		
26,0	78,5	69,2	21 000	19 800	17 700	21 000	19 800	17 700	26,0		
28,0	76,8	68,5	19 900	19 300	17 400	19 900	19 300	17 400	28,0		
30,0	75,1	67,6	19 000	18 700	17 000	19 000	18 700	17 000	30,0		
32,0	73,3	66,7	18 100	17 900	16 700	18 100	17 900	16 700	32,0		
34,0	71,5	65,7	17 300	17 100	16 300	17 300	17 100	16 300	34,0		
36,0	69,7	64,7	16 500	16 400	16 000	16 500	16 400	16 000	36,0		
38,0	67,9	63,5	15 800	15 700	15 600	15 800	15 700	15 600	38,0		
40,0	66,0	62,3	15 200	15 100	15 000	15 200	15 100	15 000	40,0		
42,0	64,0	61,0	14 600	14 500	14 400	14 600	14 500	14 400	42,0		
44,0	62,1	59,6	14 100	14 000	13 900	14 100	14 000	13 900	44,0		
46,0	60,1	58,0	13 500	13 500	13 400	13 500	13 500	13 400	46,0		
48,0	58,0	56,4	13 100	13 000	12 900	13 100	13 000	12 900	48,0		
50,0	55,8	54,6	12 600	12 600	12 500	12 600	12 600	12 500	50,0		
52,0	53,6	52,7	12 200	12 200	12 100	12 200	12 200	12 100	52,0		
54,0	51,3	50,6	11 900	11 800	11 700	11 900	11 800	11 700	54,0		
56,0	48,9	48,3	11 500	11 400	11 400	11 500	11 400	11 400	56,0		
58,0	46,3	45,8	11 200	11 100	11 100	11 200	11 100	11 100	58,0		
60,0	43,6	43,1	10 900	10 800	10 800	10 900	10 800	10 800	60,0		
62,0	40,7	40,1	10 600	10 500	10 500	10 600	10 500	10 500	62,0		
64,0	37,5	36,7	10 300	10 300	10 200	10 300	10 300	10 200	64,0		
66,0	34,0	32,8	10 100	10 100	10 000	10 100	10 100	10 000	66,0		
68,0	30,0	28,2	9 900			9 900			68,0		
70,0									70,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
m	°	m	kg	kg	kg	kg	kg	kg	m	°	m
15,2	84,2	79,1	29 700			29 700			15,2		
16,0	83,6	79,0	29 400			29 400			16,0		
18,0	82,1	78,6	28 500	24 100		28 500	24 100		18,0		
20,0	80,6	78,1	27 700	23 500	20 400	27 700	23 500	20 400	20,0		
22,0	79,1	77,6	27 000	23 000	20 000	27 000	23 000	20 000	22,0		
24,0	77,6	77,0	26 200	22 400	19 600	26 200	22 400	19 600	24,0		
26,0	76,0	76,4	25 300	21 900	19 200	25 300	21 900	19 200	26,0		
28,0	74,5	75,7	24 500	21 400	18 800	24 500	21 400	18 800	28,0		
30,0	72,9	75,0	23 700	20 900	18 400	23 700	20 900	18 400	30,0		
32,0	71,3	74,1	23 000	20 400	18 100	23 000	20 400	18 100	32,0		
34,0	69,7	73,3	22 300	19 900	17 700	22 300	19 900	17 700	34,0		
36,0	68,1	72,3	21 600	19 400	17 400	21 600	19 400	17 400	36,0		
38,0	66,5	71,3	21 000	18 900	17 100	21 000	18 900	17 100	38,0		
40,0	64,8	70,2	20 400	18 400	16 700	20 400	18 400	16 700	40,0		
42,0	63,1	69,0	19 700	18 000	16 400	19 700	18 000	16 400	42,0		
44,0	61,4	67,8	18 800	17 500	16 100	18 800	17 500	16 100	44,0		
46,0	59,6	66,4	18 100	17 100	15 700	18 100	17 100	15 700	46,0		
48,0	57,8	65,0	17 400	16 700	15 400	17 400	16 700	15 400	48,0		
50,0	56,0	63,5	16 700	16 300	15 000	16 700	16 300	15 000	50,0		
52,0	54,1	61,8	16 100	15 900	14 700	16 100	15 900	14 700	52,0		
54,0	52,1	60,1	15 500	15 400	14 400	15 500	15 400	14 400	54,0		
56,0	50,1	58,2	15 000	14 900	14 100	15 000	14 900	14 100	56,0		
58,0	48,0	56,2	14 500	14 400	13 800	14 500	14 400	13 800	58,0		
60,0	45,9	54,0	14 000	13 900	13 600	14 000	13 900	13 600	60,0		
62,0	43,6	51,7	13 600	13 500	13 300	13 600	13 500	13 300	62,0		
64,0	41,2	49,1	13 200	13 100	13 000	13 200	13 100	13 000	64,0		
66,0	38,7	46,3	12 800	12 700	12 600	12 800	12 700	12 600	66,0		
68,0	36,0	43,3	12 400	12 300	12 200	12 400	12 300	12 200	68,0		
70,0	33,1	39,8	12 100	12 000	11 900	12 100	12 000	11 900	70,0		
72,0	29,9	35,9	11 800	11 700	11 600	11 800	11 700	11 600	72,0		
74,0	26,3	31,4	11 500	11 400	11 300	11 500	11 400	11 300	74,0		
76,0	21,9	25,8	11 200	11 100	11 100	11 200	11 100	11 100	76,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
15,2			24 400			24 400			15,2		
16,0			23 700	20 900		23 700	20 900		16,0		
18,0	84,1	77,3	22 800	20 500	18 100	22 800	20 500	18 100	18,0		
20,0	82,6	76,7	21 600	20 000	17 800	21 600	20 000	17 800	20,0		
22,0			20 600	19 500	17 500	20 600	19 500	17 500	22,0		
24,0	81,0	76,2	19 600	19 100	17 200	19 600	19 100	17 200	24,0		
26,0	79,5	75,5	18 700	18 600	16 900	18 700	18 600	16 900	26,0		
28,0	77,9	74,8	17 900	17 800	16 600	17 900	17 800	16 600	28,0		
30,0	76,3	74,1	17 200	17 100	16 300	17 200	17 100	16 300	30,0		
32,0	74,7	73,2	16 500	16 400	15 900	16 500	16 400	15 900	32,0		
34,0	73,1	72,4	15 900	15 800	15 600	15 900	15 800	15 600	34,0		
36,0	71,4	71,4	15 300	15 200	15 100	15 300	15 200	15 100	36,0		
38,0	69,8	70,4	14 700	14 600	14 600	14 700	14 600	14 600	38,0		
40,0	68,1	69,3	14 200	14 100	14 100	14 200	14 100	14 100	40,0		
42,0	66,4	68,1	13 800	13 700	13 600	13 800	13 700	13 600	42,0		
44,0	64,6	66,8	13 300	13 200	13 100	13 300	13 200	13 100	44,0		
46,0	62,8	65,4	12 900	12 800	12 800	12 900	12 800	12 800	46,0		
48,0	61,0	64,0	12 500	12 400	12 400	12 500	12 400	12 400	48,0		
50,0	59,1	62,4	12 100	12 100	12 000	12 100	12 100	12 000	50,0		
52,0	57,2	60,8	11 800	11 700	11 700	11 800	11 700	11 700	52,0		
54,0	55,2	59,0	11 500	11 400	11 400	11 500	11 400	11 400	54,0		
56,0	53,1	57,1	11 200	11 100	11 100	11 200	11 100	11 100	56,0		
58,0	51,0	55,0	10 900	10 900	10 800	10 900	10 900	10 800	58,0		
60,0	48,8	52,8	10 600	10 600	10 600	10 600	10 600	10 600	60,0		
62,0	46,5	50,4	10 400	10 400	10 300	10 400	10 400	10 300	62,0		
64,0	44,0	47,7	10 200	10 100	10 100	10 200	10 100	10 100	64,0		
66,0	41,4	44,9	10 000	10 000	9 900	10 000	10 000	9 900	66,0		
68,0	38,6	41,7	9 800			9 800			68,0		
70,0	35,6	38,1							70,0		
72,0	32,2	34,0							72,0		
74,0	28,3	29,1							74,0		
76,0									76,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
15,2	84,6	85,2	29 700			29 700			15,2		
16,0	84,1	85,1	29 400			29 400			16,0		
18,0	82,7	84,7	28 600	24 100		28 600	24 100		18,0		
20,0	81,3	84,3	27 900	23 500	20 500	27 900	23 500	20 500	20,0		
22,0	79,9	83,8	27 200	23 000	20 000	27 200	23 000	20 000	22,0		
24,0	78,5	83,3	26 500	22 600	19 700	26 500	22 600	19 700	24,0		
26,0	77,1	82,7	25 800	22 100	19 300	25 800	22 100	19 300	26,0		
28,0	75,7	82,0	25 000	21 600	19 000	25 000	21 600	19 000	28,0		
30,0	74,2	81,3	24 200	21 200	18 600	24 200	21 200	18 600	30,0		
32,0	72,8	80,6	23 500	20 700	18 300	23 500	20 700	18 300	32,0		
34,0	71,3	79,8	22 900	20 300	18 000	22 900	20 300	18 000	34,0		
36,0	69,8	78,9	22 200	19 900	17 700	22 200	19 900	17 700	36,0		
38,0	68,3	78,0	21 600	19 400	17 400	21 600	19 400	17 400	38,0		
40,0	66,8	77,0	21 000	18 900	17 000	21 000	18 900	17 000	40,0		
42,0	65,2	75,9	20 500	18 500	16 700	20 500	18 500	16 700	42,0		
44,0	63,7	74,8	19 900	18 100	16 400	19 900	18 100	16 400	44,0		
46,0	62,1	73,6	19 100	17 600	16 100	19 100	17 600	16 100	46,0		
48,0	60,5	72,3	18 400	17 200	15 800	18 400	17 200	15 800	48,0		
50,0	58,8	70,9	17 700	16 900	15 500	17 700	16 900	15 500	50,0		
52,0	57,1	69,5	17 100	16 500	15 200	17 100	16 500	15 200	52,0		
54,0	55,4	67,9	16 500	16 100	14 900	16 500	16 100	14 900	54,0		
56,0	53,6	66,3	16 000	15 700	14 600	16 000	15 700	14 600	56,0		
58,0	51,8	64,5	15 400	15 300	14 300	15 400	15 300	14 300	58,0		
60,0	50,0	62,7	15 000	14 800	14 100	15 000	14 800	14 100	60,0		
62,0	48,0	60,7	14 500	14 400	13 800	14 500	14 400	13 800	62,0		
64,0	46,0	58,5	14 100	13 900	13 600	14 100	13 900	13 600	64,0		
66,0	44,0	56,2	13 700	13 500	13 300	13 700	13 500	13 300	66,0		
68,0	41,8	53,8	13 300	13 200	13 000	13 300	13 200	13 000	68,0		
70,0	39,5	51,1	12 900	12 800	12 700	12 900	12 800	12 700	70,0		
72,0	37,1	48,1	12 600	12 500	12 400	12 600	12 500	12 400	72,0		
74,0	34,5	44,9	12 200	12 200	12 100	12 200	12 200	12 100	74,0		
76,0	31,7	41,3	11 900	11 900	11 800	11 900	11 900	11 800	76,0		
78,0	28,6	37,3	11 700	11 600	11 500	11 700	11 600	11 500	78,0		
80,0	25,1	32,5	11 400	11 300	11 200	11 400	11 300	11 200	80,0		
82,0	21,0	26,7	11 200	11 100	11 000	11 200	11 100	11 000	82,0		

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
15,2			24 500			24 500			15,2		
16,0			23 900			23 900			16,0		
18,0									18,0		
20,0	84,5	83,4							20,0		
22,0	83,1	82,9	20 900	20 600	18 100	20 900	20 600	18 100	22,0		
24,0	81,7	82,4	23 200	20 200	17 900	23 200	20 200	17 900	24,0		
26,0	80,3	81,8	22 100	19 700	17 600	22 100	19 700	17 600	26,0		
28,0	78,8	81,1	21 100	19 300	17 300	21 100	19 300	17 300	28,0		
30,0	77,4	80,4	20 200	18 900	17 000	20 200	18 900	17 000	30,0		
32,0	75,9	79,7	19 300	18 400	16 800	19 300	18 400	16 800	32,0		
34,0	74,4	78,9	18 500	17 800	16 500	18 500	17 800	16 500	34,0		
36,0	72,9	78,0	17 800	17 700	16 500	17 800	17 700	16 500	36,0		
38,0	71,4	77,0	17 100	17 000	16 200	17 100	17 000	16 200	38,0		
40,0	69,8	76,0	16 500	16 400	15 900	16 500	16 400	15 900	40,0		
42,0	68,3	75,0	15 900	15 800	15 600	15 900	15 800	15 600	42,0		
44,0	66,7	73,8	15 400	15 300	15 200	15 400	15 300	15 200	44,0		
46,0	65,1	72,6	14 900	14 800	14 700	14 900	14 800	14 700	46,0		
48,0	63,4	71,3	14 400	14 300	14 200	14 400	14 300	14 200	48,0		
50,0	61,8	69,9	13 900	13 900	13 800	13 900	13 900	13 800	50,0		
52,0	60,0	68,4	13 500	13 400	13 400	13 500	13 400	13 400	52,0		
54,0	58,3	66,8	13 100	13 000	13 000	13 100	13 000	13 000	54,0		
56,0	56,5	65,2	12 700	12 700	12 600	12 700	12 700	12 600	56,0		
58,0	54,7	63,4	12 400	12 300	12 300	12 400	12 300	12 300	58,0		
60,0	52,8	61,5	12 100	12 000	11 900	12 100	12 000	11 900	60,0		
62,0	50,8	59,4	11 800	11 700	11 600	11 800	11 700	11 600	62,0		
64,0	48,7	57,2	11 500	11 400	11 400	11 500	11 400	11 400	64,0		
66,0	46,6	54,9	11 200	11 100	11 100	11 200	11 100	11 100	66,0		
68,0	44,4	52,3	10 900	10 900	10 800	10 900	10 900	10 800	68,0		
70,0	42,0	49,6	10 700	10 700	10 600	10 700	10 700	10 600	70,0		
72,0	39,5	46,5	10 500	10 400	10 400	10 500	10 400	10 400	72,0		
74,0	36,9	43,2	10 300	10 200	10 200	10 300	10 200	10 200	74,0		
76,0	33,9	39,4	10 100	10 000	10 000	10 100	10 000	10 000	76,0		
78,0	30,7	35,1	9 900	9 900	9 800	9 900	9 900	9 800	78,0		
80,0									80,0		
82,0									82,0		

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
15,2	85,0	91,2	29 600			29 600			15,2		
16,0	84,5	91,1	29 300			29 300			16,0		
18,0	83,2	90,8	28 600	24 000		28 600	24 000		18,0		
20,0	81,9	90,4	27 900	23 500	20 400	27 900	23 500	20 400	20,0		
22,0	80,6	89,9	27 300	23 100	20 000	27 300	23 100	20 000	22,0		
24,0	79,3	89,5	26 700	22 600	19 700	26 700	22 600	19 700	24,0		
26,0	78,0	88,9	26 000	22 200	19 400	26 000	22 200	19 400	26,0		
28,0	76,6	88,3	25 400	21 800	19 100	25 400	21 800	19 100	28,0		
30,0	75,3	87,7	24 700	21 400	18 700	24 700	21 400	18 700	30,0		
32,0	74,0	87,0	24 000	21 000	18 400	24 000	21 000	18 400	32,0		
34,0	72,6	86,3	23 400	20 600	18 100	23 400	20 600	18 100	34,0		
36,0	71,2	85,5	22 800	20 200	17 800	22 800	20 200	17 800	36,0		
38,0	69,9	84,6	22 200	19 800	17 500	22 200	19 800	17 500	38,0		
40,0	68,5	83,7	21 600	19 400	17 300	21 600	19 400	17 300	40,0		
42,0	67,0	82,7	21 100	18 900	17 000	21 100	18 900	17 000	42,0		
44,0	65,6	81,7	20 500	18 500	16 700	20 500	18 500	16 700	44,0		
46,0	64,2	80,6	20 000	18 100	16 400	20 000	18 100	16 400	46,0		
48,0	62,7	79,4	19 400	17 700	16 200	19 400	17 700	16 200	48,0		
50,0	61,2	78,2	18 700	17 300	15 900	18 700	17 300	15 900	50,0		
52,0	59,7	76,8	18 100	17 000	15 600	18 100	17 000	15 600	52,0		
54,0	58,1	75,5	17 500	16 700	15 300	17 500	16 700	15 300	54,0		
56,0	56,5	74,0	16 900	16 300	15 000	16 900	16 300	15 000	56,0		
58,0	54,9	72,4	16 400	16 000	14 800	16 400	16 000	14 800	58,0		
60,0	53,3	70,8	15 800	15 600	14 500	15 800	15 600	14 500	60,0		
62,0	51,6	69,0	15 400	15 200	14 300	15 400	15 200	14 300	62,0		
64,0	49,8	67,1	14 900	14 800	14 000	14 900	14 800	14 000	64,0		
66,0	48,1	65,2	14 500	14 400	13 800	14 500	14 400	13 800	66,0		
68,0	46,2	63,0	14 100	14 000	13 600	14 100	14 000	13 600	68,0		
70,0	44,3	60,8	13 700	13 600	13 400	13 700	13 600	13 400	70,0		
72,0	42,3	58,4	13 300	13 200	13 100	13 300	13 200	13 100	72,0		
74,0	40,2	55,8	13 000	12 900	12 800	13 000	12 900	12 800	74,0		
76,0	38,0	52,9	12 700	12 600	12 500	12 700	12 600	12 500	76,0		
78,0	35,7	49,9	12 400	12 300	12 200	12 400	12 300	12 200	78,0		
80,0	33,2	46,5	12 100	12 000	11 900	12 100	12 000	11 900	80,0		
82,0	30,5	42,8	11 800	11 700	11 700	11 800	11 700	11 700	82,0		
84,0	27,5	38,5	11 600	11 400	11 200	11 600	11 500	11 400	84,0		
86,0	24,1	33,6	11 200	11 000	10 700	11 300	11 300	11 200	86,0		
88,0	20,1	27,6	10 400	10 200	10 000	11 100	11 100	11 000	88,0		

MLC300 VPC-MAX S-1



148
+
B60



135 100 kg

360°




60,0 m

30,0 m

20°




			10,6 m			14,6 m			
									
m	°	m	kg	kg	kg	kg	kg	kg	m
15,2									15,2
16,0									16,0
18,0									18,0
20,0									20,0
22,0									22,0
	83,6	89,0	24 000			24 000			
24,0	82,3	88,5	23 400	20 600		23 400	20 600		24,0
26,0	80,9	88,0	22 600	20 200	17 900	22 600	20 200	17 900	26,0
28,0	79,6	87,4	21 600	19 900	17 600	21 600	19 900	17 600	28,0
30,0	78,3	86,8	20 700	19 500	17 400	20 700	19 500	17 400	30,0
32,0	76,9	86,1	19 900	19 100	17 100	19 900	19 100	17 100	32,0
34,0	75,5	85,3	19 100	18 700	16 900	19 100	18 700	16 900	34,0
36,0	74,1	84,5	18 400	18 200	16 700	18 400	18 200	16 700	36,0
38,0	72,7	83,6	17 700	17 600	16 400	17 700	17 600	16 400	38,0
40,0	71,3	82,7	17 100	16 900	16 200	17 100	16 900	16 200	40,0
42,0	69,9	81,7	16 500	16 400	15 900	16 500	16 400	15 900	42,0
44,0	68,4	80,7	15 900	15 800	15 600	15 900	15 800	15 600	44,0
46,0	67,0	79,5	15 400	15 300	15 200	15 400	15 300	15 200	46,0
48,0	65,5	78,4	15 000	14 900	14 800	15 000	14 900	14 800	48,0
50,0	64,0	77,1	14 500	14 400	14 300	14 500	14 400	14 300	50,0
52,0	62,4	75,8	14 100	14 000	13 900	14 100	14 000	13 900	52,0
54,0	60,8	74,4	13 700	13 600	13 500	13 700	13 600	13 500	54,0
56,0	59,2	72,9	13 300	13 200	13 200	13 300	13 200	13 200	56,0
58,0	57,6	71,3	13 000	12 900	12 800	13 000	12 900	12 800	58,0
60,0	55,9	69,6	12 600	12 600	12 500	12 600	12 600	12 500	60,0
62,0	54,2	67,8	12 300	12 300	12 200	12 300	12 300	12 200	62,0
64,0	52,4	65,9	12 000	12 000	11 900	12 000	12 000	11 900	64,0
66,0	50,6	63,9	11 700	11 700	11 600	11 700	11 700	11 600	66,0
68,0	48,7	61,7	11 500	11 400	11 300	11 500	11 400	11 300	68,0
70,0	46,7	59,4	11 200	11 100	11 100	11 200	11 100	11 100	70,0
72,0	44,7	56,9	11 000	10 900	10 900	11 000	10 900	10 900	72,0
74,0	42,6	54,2	10 700	10 700	10 600	10 700	10 700	10 600	74,0
76,0	40,3	51,3	10 500	10 500	10 500	10 500	10 500	10 500	76,0
78,0	37,9	48,2	10 300	10 300	10 300	10 300	10 300	10 300	78,0
80,0	35,3	44,7	10 200	10 100	10 100	10 200	10 100	10 100	80,0
82,0	32,5	40,7	10 000	10 000	9 900	10 000	10 000	9 900	82,0
84,0	29,3	36,3	9 900	9 800	9 800	9 900	9 800	9 800	84,0
86,0									86,0
88,0									88,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	84,4	97,1	28 900			28 900			16,8		
18,0	83,6	96,8	28 500			28 500			18,0		
20,0	82,4	96,5	27 900	23 400	20 300	27 900	23 400	20 300	20,0		
22,0	81,2	96,1	27 400	23 000	20 000	27 400	23 000	20 000	22,0		
24,0	80,0	95,6	26 800	22 600	19 700	26 800	22 600	19 700	24,0		
26,0	78,7	95,1	26 200	22 300	19 400	26 200	22 300	19 400	26,0		
28,0	77,5	94,5	25 600	21 800	19 100	25 600	21 800	19 100	28,0		
30,0	76,3	94,0	25 000	21 500	18 800	25 000	21 500	18 800	30,0		
32,0	75,0	93,3	24 400	21 100	18 500	24 400	21 100	18 500	32,0		
34,0	73,7	92,6	23 800	20 700	18 200	23 800	20 700	18 200	34,0		
36,0	72,5	91,9	23 200	20 400	17 900	23 200	20 400	17 900	36,0		
38,0	71,2	91,1	22 600	20 000	17 700	22 600	20 000	17 700	38,0		
40,0	69,9	90,2	22 100	19 700	17 400	22 100	19 700	17 400	40,0		
42,0	68,6	89,3	21 500	19 300	17 200	21 500	19 300	17 200	42,0		
44,0	67,3	88,4	21 100	18 900	16 900	21 100	18 900	16 900	44,0		
46,0	65,9	87,4	20 600	18 500	16 700	20 600	18 500	16 700	46,0		
48,0	64,6	86,3	20 100	18 200	16 400	20 100	18 200	16 400	48,0		
50,0	63,2	85,1	19 600	17 800	16 200	19 600	17 800	16 200	50,0		
52,0	61,8	83,9	19 000	17 400	15 900	19 000	17 400	15 900	52,0		
54,0	60,4	82,7	18 300	17 100	15 700	18 300	17 100	15 700	54,0		
56,0	59,0	81,3	17 800	16 800	15 400	17 800	16 800	15 400	56,0		
58,0	57,5	79,9	17 200	16 500	15 200	17 200	16 500	15 200	58,0		
60,0	56,0	78,4	16 700	16 200	14 900	16 700	16 200	14 900	60,0		
62,0	54,5	76,8	16 200	15 900	14 600	16 200	15 900	14 600	62,0		
64,0	52,9	75,2	15 700	15 600	14 400	15 700	15 600	14 400	64,0		
66,0	51,4	73,4	15 300	15 200	14 200	15 300	15 200	14 200	66,0		
68,0	49,7	71,6	14 900	14 700	14 000	14 900	14 700	14 000	68,0		
70,0	48,0	69,6	14 500	14 400	13 700	14 500	14 400	13 700	70,0		
72,0	46,3	67,5	14 100	14 000	13 500	14 100	14 000	13 500	72,0		
74,0	44,5	65,3	13 800	13 600	13 300	13 800	13 600	13 300	74,0		
76,0	42,7	62,9	13 400	13 300	13 200	13 400	13 300	13 200	76,0		
78,0	40,8	60,4	13 100	13 000	12 800	13 100	13 000	12 900	78,0		
80,0	38,7	57,6	12 800	12 600	12 300	12 800	12 700	12 600	80,0		
82,0	36,6	54,7	12 300	11 900	11 600	12 500	12 400	12 300	82,0		
84,0	34,4	51,5	11 600	11 200	10 800	12 200	12 100	12 000	84,0		
86,0	32,0	48,0	10 800	10 400	10 100	12 000	11 900	11 800	86,0		
88,0	29,3	44,1	10 000	9 700	9 400	11 700	11 600	11 500	88,0		
90,0	26,5	39,7	9 300	9 000	8 700	11 500	11 400	11 300	90,0		
92,0	23,2	34,5	8 600	8 300	8 100	11 300	11 200	11 100	92,0		
94,0	19,3	28,3	7 900	7 700	7 500	11 100	11 000	11 000	94,0		







MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
16,8											16,8
18,0											18,0
20,0											20,0
22,0	84,0	95,1	24 000			24 000					22,0
24,0	82,8	94,7	23 500	20 600		23 500	20 600				24,0
26,0	81,5	94,1	22 900	20 300	17 800	22 900	20 300	17 800			26,0
28,0	80,3	93,6	22 000	19 900	17 600	22 000	19 900	17 600			28,0
30,0	79,0	93,0	21 200	19 600	17 400	21 200	19 600	17 400			30,0
32,0	77,8	92,3	20 300	19 300	17 200	20 300	19 300	17 200			32,0
34,0	76,5	91,6	19 600	18 900	17 000	19 600	18 900	17 000			34,0
36,0	75,2	90,9	18 900	18 600	16 800	18 900	18 600	16 800			36,0
38,0	73,9	90,1	18 200	18 100	16 600	18 200	18 100	16 600			38,0
40,0	72,6	89,2	17 600	17 500	16 300	17 600	17 500	16 300			40,0
42,0	71,3	88,3	17 000	16 900	16 100	17 000	16 900	16 100			42,0
44,0	69,9	87,3	16 500	16 400	15 800	16 500	16 400	15 800			44,0
46,0	68,6	86,3	16 000	15 900	15 600	16 000	15 900	15 600			46,0
48,0	67,2	85,2	15 500	15 400	15 300	15 500	15 400	15 300			48,0
50,0	65,8	84,1	15 100	15 000	14 900	15 100	15 000	14 900			50,0
52,0	64,4	82,9	14 600	14 600	14 500	14 600	14 600	14 500			52,0
54,0	63,0	81,6	14 200	14 200	14 100	14 200	14 200	14 100			54,0
56,0	61,5	80,2	13 900	13 800	13 700	13 900	13 800	13 700			56,0
58,0	60,0	78,8	13 500	13 400	13 300	13 500	13 400	13 300			58,0
60,0	58,5	77,3	13 200	13 100	13 000	13 200	13 100	13 000			60,0
62,0	57,0	75,7	12 800	12 800	12 700	12 800	12 800	12 700			62,0
64,0	55,4	74,0	12 500	12 500	12 400	12 500	12 500	12 400			64,0
66,0	53,8	72,2	12 200	12 200	12 100	12 200	12 200	12 100			66,0
68,0	52,1	70,3	12 000	11 900	11 800	12 000	11 900	11 800			68,0
70,0	50,4	68,3	11 700	11 600	11 600	11 700	11 600	11 600			70,0
72,0	48,7	66,1	11 500	11 400	11 300	11 500	11 400	11 300			72,0
74,0	46,8	63,9	11 200	11 200	11 100	11 200	11 200	11 100			74,0
76,0	44,9	61,4	11 000	11 000	10 900	11 000	11 000	10 900			76,0
78,0	43,0	58,8	10 800	10 700	10 700	10 800	10 700	10 700			78,0
80,0	40,9	56,0	10 600	10 600	10 500	10 600	10 600	10 500			80,0
82,0	38,7	53,0	10 400	10 400	10 300	10 400	10 400	10 300			82,0
84,0	36,4	49,7	10 200	10 200	10 200	10 200	10 200	10 200			84,0
86,0	33,9	46,0	10 100	10 000	9 900	10 100	10 000	9 900			86,0
88,0	31,1	41,9	9 900	9 900	9 600	9 900	9 900	9 900			88,0
90,0											90,0
92,0											92,0
94,0											94,0








MLC300 VPC-MAX S-1






			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
16,8	84,7	103,1	28 700			28 700			16,8
18,0	84,0	102,9	28 400			28 400			18,0
20,0	82,9	102,6	27 800	23 300	20 200	27 800	23 300	20 200	20,0
22,0	81,7	102,2	27 300	22 900	19 900	27 300	22 900	19 900	22,0
24,0	80,6	101,8	26 800	22 600	19 600	26 800	22 600	19 600	24,0
26,0	79,4	101,3	26 300	22 200	19 300	26 300	22 200	19 300	26,0
28,0	78,3	100,8	25 700	21 800	19 000	25 700	21 800	19 000	28,0
30,0	77,1	100,2	25 200	21 500	18 800	25 200	21 500	18 800	30,0
32,0	75,9	99,6	24 700	21 200	18 500	24 700	21 200	18 500	32,0
34,0	74,7	99,0	24 100	20 800	18 200	24 100	20 800	18 200	34,0
36,0	73,6	98,3	23 500	20 500	18 000	23 500	20 500	18 000	36,0
38,0	72,4	97,5	23 000	20 200	17 800	23 000	20 200	17 800	38,0
40,0	71,1	96,7	22 500	19 800	17 500	22 500	19 800	17 500	40,0
42,0	69,9	95,9	22 000	19 500	17 300	22 000	19 500	17 300	42,0
44,0	68,7	95,0	21 500	19 200	17 000	21 500	19 200	17 000	44,0
46,0	67,5	94,1	21 000	18 900	16 800	21 000	18 900	16 800	46,0
48,0	66,2	93,1	20 600	18 500	16 600	20 600	18 500	16 600	48,0
50,0	64,9	92,0	20 200	18 200	16 300	20 200	18 200	16 300	50,0
52,0	63,7	90,9	19 700	17 800	16 100	19 700	17 800	16 100	52,0
54,0	62,4	89,7	19 200	17 500	15 900	19 200	17 500	15 900	54,0
56,0	61,0	88,5	18 600	17 200	15 700	18 600	17 200	15 700	56,0
58,0	59,7	87,2	18 000	16 900	15 500	18 000	16 900	15 500	58,0
60,0	58,3	85,9	17 500	16 600	15 200	17 500	16 600	15 200	60,0
62,0	57,0	84,4	17 000	16 300	15 000	17 000	16 300	15 000	62,0
64,0	55,6	82,9	16 500	16 000	14 800	16 500	16 000	14 800	64,0
66,0	54,1	81,3	16 100	15 800	14 500	16 100	15 800	14 500	66,0
68,0	52,7	79,7	15 700	15 400	14 300	15 700	15 400	14 300	68,0
70,0	51,2	77,9	15 200	15 100	14 100	15 200	15 100	14 100	70,0
72,0	49,6	76,0	14 900	14 700	13 900	14 900	14 700	13 900	72,0
74,0	48,1	74,1	14 500	14 200	13 500	14 500	14 400	13 700	74,0
76,0	46,4	72,0	14 000	13 400	12 800	14 100	14 000	13 500	76,0
78,0	44,8	69,8	13 100	12 500	12 000	13 800	13 700	13 300	78,0
80,0	43,0	67,5	12 200	11 700	11 200	13 500	13 400	13 200	80,0
82,0	41,3	65,0	11 400	10 900	10 400	13 200	13 100	12 900	82,0
84,0	39,4	62,3	10 600	10 100	9 700	12 900	12 800	12 700	84,0
86,0	37,4	59,5	9 800	9 400	9 000	12 600	12 500	12 400	86,0
88,0	35,4	56,4	9 000	8 600	8 300	12 300	12 300	12 100	88,0
90,0	33,2	53,1	8 300	8 000	7 600	12 100	12 000	11 900	90,0
92,0	30,9	49,5	7 600	7 300	7 000	11 900	11 800	11 700	92,0
94,0	28,3	45,4	6 900	6 700	6 400	11 600	11 600	11 500	94,0
96,0	25,5	40,8	6 300	6 000	5 800	11 400	11 400	11 300	96,0
100,0	18,6	29,1	5 000	4 800	4 600	11 100	11 000	10 900	100,0

MLC300 VPC-MAX S-1



			 10,6 m			 14,6 m			
									
			0°	1°	2°	0°	1°	2°	
			kg	kg	kg	kg	kg	kg	
16,8									16,8
18,0									18,0
20,0									20,0
22,0	84,4	101,2	24 000			24 000			22,0
24,0	83,2	100,8	23 500	20 500		23 500	20 500		24,0
26,0	82,0	100,3	23 000	20 200	17 700	23 000	20 200	17 700	26,0
28,0	80,9	99,8	22 400	19 900	17 500	22 400	19 900	17 500	28,0
30,0	79,7	99,2	21 600	19 600	17 300	21 600	19 600	17 300	30,0
32,0	78,5	98,6	20 800	19 400	17 200	20 800	19 400	17 200	32,0
34,0	77,3	98,0	20 000	19 000	17 000	20 000	19 000	17 000	34,0
36,0	76,1	97,3	19 300	18 700	16 800	19 300	18 700	16 800	36,0
38,0	74,9	96,5	18 700	18 400	16 600	18 700	18 400	16 600	38,0
40,0	73,7	95,7	18 100	18 000	16 400	18 100	18 000	16 400	40,0
42,0	72,5	94,9	17 500	17 400	16 200	17 500	17 400	16 200	42,0
44,0	71,2	94,0	17 000	16 900	16 000	17 000	16 900	16 000	44,0
46,0	70,0	93,0	16 500	16 400	15 800	16 500	16 400	15 800	46,0
48,0	68,7	92,0	16 000	15 900	15 600	16 000	15 900	15 600	48,0
50,0	67,4	90,9	15 600	15 500	15 300	15 600	15 500	15 300	50,0
52,0	66,1	89,8	15 100	15 000	14 900	15 100	15 000	14 900	52,0
54,0	64,8	88,6	14 700	14 600	14 500	14 700	14 600	14 500	54,0
56,0	63,5	87,4	14 400	14 300	14 200	14 400	14 300	14 200	56,0
58,0	62,1	86,1	14 000	13 900	13 800	14 000	13 900	13 800	58,0
60,0	60,7	84,7	13 700	13 600	13 500	13 700	13 600	13 500	60,0
62,0	59,3	83,2	13 300	13 300	13 200	13 300	13 300	13 200	62,0
64,0	57,9	81,7	13 000	12 900	12 900	13 000	12 900	12 900	64,0
66,0	56,4	80,1	12 700	12 700	12 600	12 700	12 700	12 600	66,0
68,0	55,0	78,4	12 400	12 400	12 300	12 400	12 400	12 300	68,0
70,0	53,4	76,6	12 200	12 100	12 000	12 200	12 100	12 000	70,0
72,0	51,9	74,7	11 900	11 900	11 800	11 900	11 900	11 800	72,0
74,0	50,3	72,7	11 700	11 600	11 600	11 700	11 600	11 600	74,0
76,0	48,6	70,6	11 500	11 400	11 300	11 500	11 400	11 300	76,0
78,0	46,9	68,4	11 200	11 200	11 100	11 200	11 200	11 100	78,0
80,0	45,2	66,0	11 000	11 000	10 900	11 000	11 000	10 900	80,0
82,0	43,3	63,4	10 800	10 800	10 700	10 800	10 800	10 700	82,0
84,0	41,4	60,7	10 600	10 400	10 100	10 600	10 600	10 600	84,0
86,0	39,4	57,8	10 200	9 800	9 400	10 500	10 400	10 400	86,0
88,0	37,3	54,6	9 400	9 000	8 700	10 300	10 200	10 200	88,0
90,0	35,0	51,2	8 700	8 300	8 000	10 100	10 100	10 100	90,0
92,0	32,6	47,4	7 900	7 600	7 300	10 000	10 000	9 900	92,0
94,0	29,9	43,1	7 200	6 900	6 600	9 900	9 900	9 800	94,0
96,0	27,0	38,3	6 500			9 800			96,0
100,0									100,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
18,3	84,2	109,0	28 000			28 000			18,3		
20,0	83,3	108,7	27 600	23 000		27 600	23 000		20,0		
22,0	82,2	108,3	27 100	22 700	19 600	27 100	22 700	19 600	22,0		
24,0	81,1	107,9	26 600	22 400	19 400	26 600	22 400	19 400	24,0		
26,0	80,0	107,4	26 200	22 000	19 100	26 200	22 000	19 100	26,0		
28,0	78,9	107,0	25 700	21 700	18 900	25 700	21 700	18 900	28,0		
30,0	77,8	106,4	25 200	21 400	18 600	25 200	21 400	18 600	30,0		
32,0	76,7	105,9	24 800	21 100	18 400	24 800	21 100	18 400	32,0		
34,0	75,6	105,3	24 300	20 800	18 200	24 300	20 800	18 200	34,0		
36,0	74,5	104,6	23 700	20 500	17 900	23 700	20 500	17 900	36,0		
38,0	73,4	103,9	23 200	20 200	17 700	23 200	20 200	17 700	38,0		
40,0	72,3	103,2	22 700	19 900	17 500	22 700	19 900	17 500	40,0		
42,0	71,1	102,4	22 300	19 600	17 300	22 300	19 600	17 300	42,0		
44,0	70,0	101,6	21 800	19 300	17 100	21 800	19 300	17 100	44,0		
46,0	68,8	100,7	21 400	19 000	16 900	21 400	19 000	16 900	46,0		
48,0	67,6	99,8	20 900	18 700	16 600	20 900	18 700	16 600	48,0		
50,0	66,5	98,8	20 500	18 400	16 400	20 500	18 400	16 400	50,0		
52,0	65,3	97,7	20 100	18 100	16 200	20 100	18 100	16 200	52,0		
54,0	64,1	96,7	19 700	17 800	16 000	19 700	17 800	16 000	54,0		
56,0	62,8	95,5	19 300	17 500	15 800	19 300	17 500	15 800	56,0		
58,0	61,6	94,3	18 700	17 200	15 600	18 700	17 200	15 600	58,0		
60,0	60,4	93,1	18 200	16 900	15 400	18 200	16 900	15 400	60,0		
62,0	59,1	91,8	17 700	16 600	15 200	17 700	16 600	15 200	62,0		
64,0	57,8	90,4	17 200	16 300	15 000	17 200	16 300	15 000	64,0		
66,0	56,5	88,9	16 700	16 100	14 800	16 700	16 100	14 800	66,0		
68,0	55,1	87,4	16 300	15 800	14 600	16 300	15 900	14 600	68,0		
70,0	53,8	85,8	15 900	15 400	14 400	15 900	15 600	14 400	70,0		
72,0	52,4	84,1	15 200	14 400	13 600	15 500	15 300	14 200	72,0		
74,0	51,0	82,4	14 200	13 500	12 700	15 100	15 000	14 000	74,0		
76,0	49,5	80,5	13 200	12 500	11 900	14 800	14 600	13 800	76,0		
78,0	48,1	78,5	12 300	11 600	11 000	14 400	14 300	13 600	78,0		
80,0	46,5	76,5	11 400	10 800	10 200	14 100	14 000	13 500	80,0		
82,0	45,0	74,3	10 500	10 000	9 400	13 800	13 600	13 300	82,0		
84,0	43,4	72,0	9 700	9 200	8 700	13 500	13 400	13 100	84,0		
86,0	41,7	69,6	9 000	8 500	8 000	13 200	13 100	12 900	86,0		
88,0	40,0	67,0	8 200	7 800	7 300	12 900	12 800	12 700	88,0		
90,0	38,2	64,3	7 500	7 100	6 700	12 700	12 600	12 500	90,0		
92,0	36,3	61,3	6 800	6 400	6 100	12 400	12 300	12 200	92,0		
94,0	34,3	58,1	6 200	5 800	5 500	12 200	12 100	12 000	94,0		
96,0	32,2	54,7	5 500	5 200	4 900	12 000	11 700	11 500	96,0		
100,0	27,4	46,7	4 300	4 000	3 800	11 100	10 700	10 400	100,0		
104,0	21,6	36,5				9 900	9 600	9 300	104,0		

MLC300 VPC-MAX S-1



148
+
B60



135 100 kg

360°



78,0 m






30,0 m

20°

			10,6 m			14,6 m			
									
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3									18,3
20,0									20,0
22,0									22,0
24,0	83,6	106,9	23 400			23 400			24,0
26,0	82,5	106,5	23 000	20 100	17 600	23 000	20 100	17 600	26,0
28,0	81,4	106,0	22 500	19 800	17 400	22 500	19 800	17 400	28,0
30,0	80,3	105,4	21 900	19 600	17 200	21 900	19 600	17 200	30,0
32,0	79,2	104,9	21 100	19 300	17 000	21 100	19 300	17 000	32,0
34,0	78,1	104,2	20 400	19 100	16 900	20 400	19 100	16 900	34,0
36,0	76,9	103,6	19 700	18 800	16 700	19 700	18 800	16 700	36,0
38,0	75,8	102,9	19 100	18 500	16 600	19 100	18 500	16 600	38,0
40,0	74,7	102,1	18 500	18 200	16 400	18 500	18 200	16 400	40,0
42,0	73,5	101,3	18 000	17 800	16 200	18 000	17 800	16 200	42,0
44,0	72,4	100,5	17 400	17 300	16 100	17 400	17 300	16 100	44,0
46,0	71,2	99,6	16 900	16 800	15 900	16 900	16 800	15 900	46,0
48,0	70,0	98,7	16 400	16 300	15 700	16 400	16 300	15 700	48,0
50,0	68,8	97,7	16 000	15 900	15 500	16 000	15 900	15 500	50,0
52,0	67,6	96,7	15 600	15 500	15 300	15 600	15 500	15 300	52,0
54,0	66,4	95,6	15 200	15 100	14 900	15 200	15 100	14 900	54,0
56,0	65,1	94,4	14 800	14 700	14 600	14 800	14 700	14 600	56,0
58,0	63,9	93,2	14 400	14 300	14 200	14 400	14 300	14 200	58,0
60,0	62,6	91,9	14 100	14 000	13 900	14 100	14 000	13 900	60,0
62,0	61,3	90,6	13 800	13 700	13 600	13 800	13 700	13 600	62,0
64,0	60,0	89,2	13 400	13 400	13 300	13 400	13 400	13 300	64,0
66,0	58,7	87,7	13 200	13 100	13 000	13 200	13 100	13 000	66,0
68,0	57,4	86,2	12 900	12 800	12 700	12 900	12 800	12 700	68,0
70,0	56,0	84,5	12 600	12 500	12 400	12 600	12 500	12 400	70,0
72,0	54,6	82,8	12 300	12 300	12 200	12 300	12 300	12 200	72,0
74,0	53,1	81,0	12 100	12 000	12 000	12 100	12 000	12 000	74,0
76,0	51,7	79,2	11 900	11 800	11 700	11 900	11 800	11 700	76,0
78,0	50,2	77,2	11 600	11 600	11 400	11 600	11 600	11 500	78,0
80,0	48,6	75,1	11 400	11 200	10 900	11 400	11 400	11 300	80,0
82,0	47,0	72,9	11 100	10 600	10 000	11 200	11 200	11 100	82,0
84,0	45,4	70,5	10 300	9 800	9 300	11 000	11 000	10 900	84,0
86,0	43,7	68,0	9 500	9 000	8 500	10 800	10 800	10 700	86,0
88,0	41,9	65,4	8 700	8 300	7 800	10 700	10 600	10 600	88,0
90,0	40,0	62,6	8 000	7 500	7 100	10 500	10 500	10 400	90,0
92,0	38,1	59,5	7 200	6 800	6 500	10 400	10 300	10 300	92,0
94,0	36,0	56,2	6 500	6 200	5 800	10 200	10 200	10 100	94,0
96,0	33,8	52,6	5 900	5 500	5 200	10 100	10 000	10 000	96,0
100,0	28,9	44,3	4 500	4 300	4 000	9 800	9 800	9 800	100,0
104,0									104,0

MLC300 VPC-MAX S-1



									
									
			0° 	1° 	2° 	0° 	1° 	2° 	
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3	84,5	115,0	27 700			27 700			18,3
20,0	83,6	114,7	27 400	22 700		27 400	22 700		20,0
22,0	82,6	114,4	26 900	22 400	19 400	26 900	22 400	19 400	22,0
24,0	81,6	114,0	26 500	22 100	19 100	26 500	22 100	19 100	24,0
26,0	80,6	113,6	26 100	21 900	18 900	26 100	21 900	18 900	26,0
28,0	79,5	113,1	25 600	21 600	18 700	25 600	21 600	18 700	28,0
30,0	78,5	112,6	25 200	21 300	18 500	25 200	21 300	18 500	30,0
32,0	77,4	112,1	24 800	21 000	18 300	24 800	21 000	18 300	32,0
34,0	76,4	111,5	24 400	20 700	18 100	24 400	20 700	18 100	34,0
36,0	75,4	110,9	23 900	20 400	17 900	23 900	20 400	17 900	36,0
38,0	74,3	110,3	23 500	20 200	17 600	23 500	20 200	17 600	38,0
40,0	73,2	109,6	23 000	19 900	17 400	23 000	19 900	17 400	40,0
42,0	72,2	108,8	22 500	19 700	17 300	22 500	19 700	17 300	42,0
44,0	71,1	108,0	22 100	19 400	17 000	22 100	19 400	17 000	44,0
46,0	70,0	107,2	21 700	19 100	16 900	21 700	19 100	16 900	46,0
48,0	68,9	106,4	21 300	18 900	16 700	21 300	18 900	16 700	48,0
50,0	67,8	105,4	20 900	18 600	16 500	20 900	18 600	16 500	50,0
52,0	66,7	104,5	20 500	18 300	16 300	20 500	18 300	16 300	52,0
54,0	65,6	103,5	20 100	18 000	16 100	20 100	18 000	16 100	54,0
56,0	64,4	102,4	19 700	17 700	15 900	19 700	17 700	15 900	56,0
58,0	63,3	101,3	19 400	17 400	15 700	19 400	17 400	15 700	58,0
60,0	62,1	100,1	18 900	17 200	15 600	18 900	17 200	15 600	60,0
62,0	60,9	98,9	18 400	16 900	15 400	18 400	16 900	15 400	62,0
64,0	59,7	97,6	17 900	16 700	15 200	17 900	16 700	15 200	64,0
66,0	58,5	96,3	17 400	16 200	15 000	17 400	16 400	15 000	66,0
68,0	57,3	94,9	16 500	15 500	14 500	17 000	16 200	14 800	68,0
70,0	56,1	93,4	15 300	14 400	13 500	16 600	15 900	14 600	70,0
72,0	54,8	91,9	14 200	13 300	12 500	16 200	15 700	14 400	72,0
74,0	53,5	90,3	13 200	12 400	11 600	15 800	15 500	14 300	74,0
76,0	52,2	88,6	12 200	11 400	10 700	15 400	15 200	14 100	76,0
78,0	50,8	86,8	11 200	10 500	9 900	15 100	14 900	13 900	78,0
80,0	49,5	85,0	10 300	9 700	9 100	14 700	14 600	13 700	80,0
82,0	48,1	83,0	9 500	8 900	8 300	14 400	14 300	13 600	82,0
84,0	46,6	81,0	8 700	8 100	7 600	14 100	14 000	13 400	84,0
86,0	45,2	78,8	7 900	7 400	6 900	13 800	13 700	13 200	86,0
88,0	43,6	76,6	7 200	6 700	6 200	13 500	13 400	13 100	88,0
90,0	42,1	74,2	6 500	6 000	5 500	13 300	13 000	12 500	90,0
92,0	40,5	71,7	5 800	5 300	4 900	12 900	12 400	11 900	92,0
94,0	38,8	69,0	5 100	4 700	4 300	12 300	11 800	11 200	94,0
96,0	37,0	66,1	4 500	4 100	3 700	11 600	11 100	10 600	96,0
100,0	33,3	59,8	3 300			10 400	9 900	9 500	100,0
104,0	29,0	52,3				9 200	8 800	8 500	104,0
108,0	24,0	43,1				8 100	7 800	7 500	108,0

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg





84,0 m

30,0 m

20°

			10,6 m			14,6 m					
			0°	1°	2°	0°	1°	2°			
m	°	m	kg	kg	kg	kg	kg	kg	m	°	m
18,3									18,3		
20,0									20,0		
22,0									22,0		
24,0	83,9	113,0	23 400			23 400			24,0		
26,0	82,9	112,6	23 000	19 900	17 400	23 000	19 900	17 400	26,0		
28,0	81,9	112,1	22 600	19 700	17 200	22 600	19 700	17 200	28,0		
30,0	80,8	111,6	22 100	19 500	17 100	22 100	19 500	17 100	30,0		
32,0	79,8	111,1	21 500	19 200	16 900	21 500	19 200	16 900	32,0		
34,0	78,7	110,5	20 800	19 000	16 800	20 800	19 000	16 800	34,0		
36,0	77,7	109,9	20 100	18 800	16 700	20 100	18 800	16 700	36,0		
38,0	76,6	109,2	19 500	18 500	16 500	19 500	18 500	16 500	38,0		
40,0	75,5	108,5	18 900	18 300	16 300	18 900	18 300	16 300	40,0		
42,0	74,4	107,8	18 300	18 000	16 200	18 300	18 000	16 200	42,0		
44,0	73,3	107,0	17 800	17 600	16 100	17 800	17 600	16 100	44,0		
46,0	72,3	106,2	17 300	17 200	15 900	17 300	17 200	15 900	46,0		
48,0	71,1	105,3	16 900	16 700	15 700	16 900	16 700	15 700	48,0		
50,0	70,0	104,4	16 400	16 300	15 600	16 400	16 300	15 600	50,0		
52,0	68,9	103,4	16 000	15 900	15 400	16 000	15 900	15 400	52,0		
54,0	67,8	102,4	15 600	15 500	15 200	15 600	15 500	15 200	54,0		
56,0	66,6	101,3	15 200	15 100	14 900	15 200	15 100	14 900	56,0		
58,0	65,5	100,2	14 900	14 700	14 600	14 900	14 700	14 600	58,0		
60,0	64,3	99,0	14 500	14 400	14 300	14 500	14 400	14 300	60,0		
62,0	63,1	97,7	14 200	14 100	14 000	14 200	14 100	14 000	62,0		
64,0	61,9	96,4	13 900	13 800	13 700	13 900	13 800	13 700	64,0		
66,0	60,7	95,1	13 600	13 500	13 400	13 600	13 500	13 400	66,0		
68,0	59,4	93,7	13 300	13 200	13 100	13 300	13 200	13 100	68,0		
70,0	58,1	92,2	13 000	12 900	12 800	13 000	12 900	12 800	70,0		
72,0	56,9	90,6	12 800	12 700	12 600	12 800	12 700	12 600	72,0		
74,0	55,6	89,0	12 500	12 400	12 200	12 500	12 400	12 400	74,0		
76,0	54,2	87,3	12 300	12 200	11 500	12 300	12 200	12 100	76,0		
78,0	52,9	85,5	12 000	11 300	10 600	12 000	12 000	11 900	78,0		
80,0	51,5	83,6	11 100	10 400	9 800	11 800	11 700	11 700	80,0		
82,0	50,0	81,6	10 200	9 600	9 000	11 600	11 500	11 500	82,0		
84,0	48,6	79,6	9 400	8 800	8 200	11 400	11 300	11 300	84,0		
86,0	47,1	77,4	8 600	8 000	7 500	11 200	11 100	11 100	86,0		
88,0	45,5	75,1	7 800	7 300	6 800	11 000	11 000	10 900	88,0		
90,0	43,9	72,6	7 000	6 500	6 100	10 900	10 800	10 800	90,0		
92,0	42,3	70,0	6 300	5 900	5 400	10 700	10 600	10 600	92,0		
94,0	40,6	67,3	5 600	5 200	4 800	10 600	10 500	10 400	94,0		
96,0	38,8	64,3	4 900	4 500	4 200	10 400	10 300	10 300	96,0		
100,0	34,9	57,8	3 700	3 300		10 100	10 100	9 700	100,0		
104,0	30,4	50,0				9 400	9 000	8 700	104,0		
108,0									108,0		

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
18,3	84,8	121,1	27 200			27 200			18,3		
20,0	83,9	120,8	26 900			26 900			20,0		
22,0	83,0	120,5	26 500	22 000		26 500	22 000		22,0		
24,0	82,0	120,1	26 100	21 800	18 500	26 100	21 800	18 500	24,0		
26,0	81,0	119,7	25 700	21 500	18 500	25 700	21 500	18 500	26,0		
28,0	80,1	119,3	25 300	21 300	18 400	25 300	21 300	18 400	28,0		
30,0	79,1	118,8	25 000	21 000	18 200	25 000	21 000	18 200	30,0		
32,0	78,1	118,3	24 600	20 700	18 000	24 600	20 700	18 000	32,0		
34,0	77,1	117,8	24 300	20 500	17 800	24 300	20 500	17 800	34,0		
36,0	76,1	117,2	23 900	20 300	17 600	23 900	20 300	17 600	36,0		
38,0	75,1	116,6	23 500	20 000	17 500	23 500	20 000	17 500	38,0		
40,0	74,1	115,9	23 100	19 800	17 300	23 100	19 800	17 300	40,0		
42,0	73,1	115,2	22 600	19 500	17 100	22 600	19 500	17 100	42,0		
44,0	72,1	114,5	22 200	19 300	16 900	22 200	19 300	16 900	44,0		
46,0	71,1	113,7	21 800	19 100	16 800	21 800	19 100	16 800	46,0		
48,0	70,0	112,9	21 400	18 800	16 600	21 400	18 800	16 600	48,0		
50,0	69,0	112,0	21 000	18 600	16 400	21 000	18 600	16 400	50,0		
52,0	67,9	111,1	20 700	18 400	16 200	20 700	18 400	16 200	52,0		
54,0	66,9	110,2	20 300	18 100	16 100	20 300	18 100	16 100	54,0		
56,0	65,8	109,2	20 000	17 900	15 900	20 000	17 900	15 900	56,0		
58,0	64,7	108,1	19 600	17 600	15 800	19 600	17 600	15 800	58,0		
60,0	63,7	107,0	19 300	17 400	15 600	19 300	17 400	15 600	60,0		
62,0	62,6	105,9	19 000	17 100	15 400	19 000	17 100	15 400	62,0		
64,0	61,4	104,7	18 500	16 900	15 300	18 500	16 900	15 300	64,0		
66,0	60,3	103,5	17 300	16 000	14 700	18 000	16 600	15 100	66,0		
68,0	59,2	102,2	16 000	15 000	13 900	17 600	16 400	14 900	68,0		
70,0	58,0	100,8	14 900	13 900	12 900	17 200	16 100	14 800	70,0		
72,0	56,9	99,4	13 800	12 800	12 000	16 800	15 700	14 600	72,0		
74,0	55,7	97,9	12 700	11 900	11 000	16 400	15 400	14 400	74,0		
76,0	54,5	96,4	11 700	10 900	10 100	16 000	15 100	14 300	76,0		
78,0	53,2	94,7	10 800	10 000	9 300	15 600	14 800	14 100	78,0		
80,0	52,0	93,1	9 900	9 200	8 500	15 300	14 500	13 900	80,0		
82,0	50,7	91,3	9 100	8 400	7 700	15 000	14 200	13 600	82,0		
84,0	49,4	89,4	8 300	7 600	7 000	14 600	14 000	13 400	84,0		
86,0	48,1	87,5	7 500	6 900	6 300	14 400	13 700	13 100	86,0		
88,0	46,7	85,5	6 800	6 200	5 700	14 100	13 400	12 700	88,0		
90,0	45,3	83,4	6 000	5 500	5 000	13 400	12 800	12 100	90,0		
92,0	43,9	81,1	5 400	4 900	4 400	12 700	12 100	11 500	92,0		
94,0	42,4	78,8	4 700	4 300	3 800	12 000	11 400	10 800	94,0		
96,0	40,9	76,3	4 100	3 700		11 300	10 800	10 200	96,0		
100,0	37,7	70,9				10 100	9 600	9 100	100,0		
104,0	34,2	64,8				8 900	8 500	8 100	104,0		
108,0	30,3	57,7				7 900	7 500	7 100	108,0		
112,0	25,9	49,2				6 800	6 500	6 200	112,0		
116,0	20,4	38,4				5 900			116,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°




90,0 m

30,0 m

20°




			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
18,3									18,3		
20,0									20,0		
22,0									22,0		
24,0	84,3	119,1	23 200			23 200			24,0		
26,0	83,3	118,7	22 800	19 600		22 800	19 600		26,0		
28,0	82,3	118,3	22 500	19 400	16 100	22 500	19 400	16 100	28,0		
30,0	81,3	117,8	22 100	19 300	16 100	22 100	19 300	16 100	30,0		
32,0	80,3	117,3	21 700	19 100	16 000	21 700	19 100	16 000	32,0		
34,0	79,3	116,7	21 000	18 900	15 800	21 000	18 900	15 800	34,0		
36,0	78,3	116,1	20 300	18 700	15 700	20 300	18 700	15 700	36,0		
38,0	77,3	115,5	19 800	18 500	15 500	19 800	18 500	15 500	38,0		
40,0	76,3	114,9	19 200	18 300	15 400	19 200	18 300	15 400	40,0		
42,0	75,3	114,2	18 700	18 000	15 200	18 700	18 000	15 200	42,0		
44,0	74,2	113,4	18 100	17 800	15 100	18 100	17 800	15 100	44,0		
46,0	73,2	112,6	17 700	17 500	14 900	17 700	17 500	14 900	46,0		
48,0	72,2	111,8	17 200	17 000	14 700	17 200	17 000	14 700	48,0		
50,0	71,1	110,9	16 800	16 600	14 500	16 800	16 600	14 500	50,0		
52,0	70,1	110,0	16 300	16 200	14 400	16 300	16 200	14 400	52,0		
54,0	69,0	109,1	15 900	15 800	14 200	15 900	15 800	14 200	54,0		
56,0	67,9	108,1	15 600	15 500	14 100	15 600	15 500	14 100	56,0		
58,0	66,8	107,0	15 200	15 100	13 900	15 200	15 100	13 900	58,0		
60,0	65,7	105,9	14 900	14 800	13 800	14 900	14 800	13 800	60,0		
62,0	64,6	104,7	14 600	14 400	13 600	14 600	14 400	13 600	62,0		
64,0	63,5	103,5	14 200	14 100	13 500	14 200	14 100	13 500	64,0		
66,0	62,4	102,3	13 900	13 800	13 300	13 900	13 800	13 300	66,0		
68,0	61,2	101,0	13 700	13 600	13 200	13 700	13 600	13 200	68,0		
70,0	60,0	99,6	13 400	13 300	13 100	13 400	13 300	13 100	70,0		
72,0	58,8	98,1	13 100	13 000	12 600	13 100	13 000	12 900	72,0		
74,0	57,6	96,6	12 900	12 600	11 900	12 900	12 800	12 700	74,0		
76,0	56,4	95,1	12 600	11 800	11 000	12 600	12 500	12 500	76,0		
78,0	55,2	93,4	11 700	10 900	10 100	12 400	12 300	12 200	78,0		
80,0	53,9	91,7	10 800	10 000	9 300	12 200	12 100	12 000	80,0		
82,0	52,6	89,9	9 900	9 200	8 500	12 000	11 900	11 800	82,0		
84,0	51,3	88,1	9 000	8 400	7 700	11 800	11 700	11 600	84,0		
86,0	49,9	86,1	8 200	7 600	7 000	11 600	11 500	11 400	86,0		
88,0	48,6	84,0	7 400	6 800	6 300	11 400	11 300	11 300	88,0		
90,0	47,1	81,9	6 700	6 100	5 600	11 200	11 100	11 100	90,0		
92,0	45,7	79,6	6 000	5 500	5 000	11 000	11 000	10 900	92,0		
94,0	44,2	77,2	5 300	4 800	4 300	10 900	10 800	10 800	94,0		
96,0	42,6	74,6	4 600	4 200	3 700	10 700	10 700	10 400	96,0		
100,0	39,3	69,1	3 400			10 300	9 900	9 400	100,0		
104,0	35,7	62,8				9 200	8 800	8 300	104,0		
108,0	31,7	55,5				8 100	7 700	7 300	108,0		
112,0	27,0	46,6				7 000	6 700	6 300	112,0		
116,0									116,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
19,8	84,3	126,9	26 500			26 500			19,8		
20,0	84,2	126,9	26 500			26 500			20,0		
22,0	83,3	126,6	26 100	21 600		26 100	21 600		22,0		
24,0	82,4	126,2	25 800	21 500	15 600	25 800	21 500	15 600	24,0		
26,0	81,5	125,8	25 500	21 200	15 600	25 500	21 200	15 600	26,0		
28,0	80,5	125,4	25 200	21 000	15 600	25 200	21 000	15 600	28,0		
30,0	79,6	125,0	24 800	20 800	15 600	24 800	20 800	15 600	30,0		
32,0	78,7	124,5	24 500	20 500	15 600	24 500	20 500	15 600	32,0		
34,0	77,7	124,0	24 200	20 300	15 600	24 200	20 300	15 600	34,0		
36,0	76,8	123,4	23 800	20 100	15 600	23 800	20 100	15 600	36,0		
38,0	75,8	122,9	23 500	19 900	15 600	23 500	19 900	15 600	38,0		
40,0	74,9	122,2	23 100	19 700	15 600	23 100	19 700	15 600	40,0		
42,0	73,9	121,6	22 800	19 400	15 600	22 800	19 400	15 600	42,0		
44,0	73,0	120,9	22 400	19 200	15 600	22 400	19 200	15 600	44,0		
46,0	72,0	120,1	22 000	19 000	15 600	22 000	19 000	15 600	46,0		
48,0	71,0	119,4	21 600	18 800	15 600	21 600	18 800	15 600	48,0		
50,0	70,0	118,6	21 300	18 600	15 600	21 300	18 600	15 600	50,0		
52,0	69,1	117,7	20 900	18 400	15 600	20 900	18 400	15 600	52,0		
54,0	68,1	116,8	20 600	18 200	15 600	20 600	18 200	15 600	54,0		
56,0	67,1	115,9	20 300	18 000	15 600	20 300	18 000	15 600	56,0		
58,0	66,0	114,9	19 900	17 800	15 600	19 900	17 800	15 600	58,0		
60,0	65,0	113,9	19 600	17 500	15 500	19 600	17 500	15 500	60,0		
62,0	64,0	112,8	18 900	17 000	15 400	19 300	17 300	15 500	62,0		
64,0	63,0	111,7	17 600	16 200	15 000	19 000	17 100	15 300	64,0		
66,0	61,9	110,5	16 300	15 000	13 900	18 700	16 800	15 200	66,0		
68,0	60,8	109,3	15 000	13 900	12 800	18 300	16 600	15 000	68,0		
70,0	59,8	108,0	13 900	12 800	11 800	17 800	16 400	14 900	70,0		
72,0	58,7	106,7	12 800	11 800	10 800	17 400	16 200	14 700	72,0		
74,0	57,6	105,3	11 700	10 800	9 900	17 000	16 000	14 600	74,0		
76,0	56,5	103,9	10 700	9 800	9 000	16 700	15 800	14 400	76,0		
78,0	55,3	102,4	9 800	9 000	8 200	16 300	15 600	14 300	78,0		
80,0	54,2	100,8	8 900	8 100	7 400	15 900	15 300	14 100	80,0		
82,0	53,0	99,2	8 100	7 300	6 600	15 600	14 900	14 000	82,0		
84,0	51,8	97,5	7 200	6 600	5 900	15 000	14 200	13 300	84,0		
86,0	50,6	95,8	6 500	5 800	5 200	14 200	13 400	12 600	86,0		
88,0	49,4	93,9	5 700	5 100	4 500	13 400	12 700	11 900	88,0		
90,0	48,1	92,0	5 000	4 500	3 900	12 700	12 000	11 200	90,0		
92,0	46,8	90,0	4 300	3 800		11 900	11 300	10 600	92,0		
94,0	45,5	87,9	3 700	3 200		11 300	10 600	10 000	94,0		
96,0	44,1	85,7	3 100			10 600	10 000	9 400	96,0		
100,0	41,3	80,9				9 400	8 800	8 300	100,0		
104,0	38,3	75,6				8 200	7 700	7 200	104,0		
108,0	35,0	69,7				7 100	6 700	6 300	108,0		
112,0	31,5	62,9				6 100	5 700	5 400	112,0		
116,0	27,4	55,0				5 200	4 800	4 500	116,0		
120,0	22,7	45,3				4 300	4 000	3 700	120,0		

MLC300 VPC-MAX S-1




			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
19,8									19,8		
20,0									20,0		
22,0									22,0		
24,0									24,0		
26,0	83,6	124,8	22 700	19 300		22 700	19 300		26,0		
28,0	82,7	124,4	22 400	19 200	13 500	22 400	19 200	13 500	28,0		
30,0	81,7	123,9	22 100	19 000	13 500	22 100	19 000	13 500	30,0		
32,0	80,8	123,5	21 700	18 900	13 500	21 700	18 900	13 500	32,0		
34,0	79,8	122,9	21 300	18 700	13 500	21 300	18 700	13 500	34,0		
36,0	78,9	122,4	20 700	18 600	13 500	20 700	18 600	13 500	36,0		
38,0	77,9	121,8	20 100	18 400	13 500	20 100	18 400	13 500	38,0		
40,0	77,0	121,2	19 600	18 200	13 500	19 600	18 200	13 500	40,0		
42,0	76,0	120,5	19 000	18 000	13 500	19 000	18 000	13 500	42,0		
44,0	75,0	119,8	18 500	17 800	13 500	18 500	17 800	13 500	44,0		
46,0	74,1	119,1	18 100	17 600	13 500	18 100	17 600	13 500	46,0		
48,0	73,1	118,3	17 600	17 400	13 500	17 600	17 400	13 500	48,0		
50,0	72,1	117,4	17 200	17 000	13 500	17 200	17 000	13 500	50,0		
52,0	71,1	116,6	16 800	16 600	13 500	16 800	16 600	13 500	52,0		
54,0	70,1	115,7	16 400	16 200	13 500	16 400	16 200	13 500	54,0		
56,0	69,1	114,7	16 000	15 900	13 500	16 000	15 900	13 500	56,0		
58,0	68,0	113,7	15 600	15 500	13 500	15 600	15 500	13 500	58,0		
60,0	67,0	112,7	15 300	15 200	13 500	15 300	15 200	13 500	60,0		
62,0	66,0	111,6	15 000	14 800	13 500	15 000	14 800	13 500	62,0		
64,0	64,9	110,5	14 700	14 500	13 500	14 700	14 500	13 500	64,0		
66,0	63,9	109,3	14 400	14 200	13 400	14 400	14 200	13 400	66,0		
68,0	62,8	108,1	14 100	14 000	13 200	14 100	14 000	13 300	68,0		
70,0	61,7	106,8	13 800	13 700	12 800	13 800	13 700	13 200	70,0		
72,0	60,6	105,5	13 500	12 800	11 800	13 500	13 400	13 000	72,0		
74,0	59,5	104,1	12 800	11 800	10 900	13 300	13 200	12 900	74,0		
76,0	58,3	102,6	11 700	10 800	9 900	13 000	12 900	12 800	76,0		
78,0	57,2	101,1	10 700	9 900	9 100	12 800	12 700	12 600	78,0		
80,0	56,0	99,5	9 800	9 000	8 200	12 600	12 500	12 400	80,0		
82,0	54,8	97,9	8 900	8 200	7 400	12 400	12 300	12 200	82,0		
84,0	53,6	96,2	8 100	7 400	6 700	12 100	12 100	12 000	84,0		
86,0	52,4	94,4	7 300	6 600	5 900	11 900	11 900	11 800	86,0		
88,0	51,1	92,5	6 500	5 900	5 200	11 700	11 700	11 600	88,0		
90,0	49,9	90,5	5 700	5 100	4 600	11 600	11 500	11 400	90,0		
92,0	48,5	88,5	5 000	4 500	3 900	11 400	11 300	11 100	92,0		
94,0	47,2	86,4	4 300	3 800	3 300	11 200	11 000	10 400	94,0		
96,0	45,8	84,1	3 700			11 100	10 400	9 800	96,0		
100,0	42,9	79,2				9 800	9 200	8 700	100,0		
104,0	39,9	73,8				8 500	8 100	7 600	104,0		
108,0	36,5	67,8				7 400	7 000	6 500	108,0		
112,0	32,8	60,8				6 400	6 000	5 600	112,0		
116,0	28,6	52,5				5 300			116,0		
120,0									120,0		

MLC300 VPC-MAX S-1







			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
19,8	84,6	133,0	25 800		25 800		19,8
20,0	84,5	132,9	25 800		25 800		20,0
22,0	83,6	132,6	25 500	18 200	25 500	18 200	22,0
24,0	82,7	132,3	25 200	18 200	25 200	18 200	24,0
26,0	81,9	131,9	24 900	18 200	24 900	18 200	26,0
28,0	81,0	131,5	24 600	18 200	24 600	18 200	28,0
30,0	80,1	131,1	24 300	18 200	24 300	18 200	30,0
32,0	79,2	130,7	24 000	18 200	24 000	18 200	32,0
34,0	78,3	130,2	23 700	18 200	23 700	18 200	34,0
36,0	77,4	129,6	23 500	18 200	23 500	18 200	36,0
38,0	76,5	129,1	23 200	18 200	23 200	18 200	38,0
40,0	75,6	128,5	22 900	18 200	22 900	18 200	40,0
42,0	74,7	127,9	22 600	18 200	22 600	18 200	42,0
44,0	73,8	127,2	22 300	18 200	22 300	18 200	44,0
46,0	72,9	126,5	21 900	18 200	21 900	18 200	46,0
48,0	71,9	125,8	21 600	18 200	21 600	18 200	48,0
50,0	71,0	125,0	21 300	18 200	21 300	18 200	50,0
52,0	70,1	124,2	20 900	18 100	20 900	18 100	52,0
54,0	69,1	123,3	20 300	17 600	20 300	17 600	54,0
56,0	68,2	122,5	19 700	17 100	19 700	17 100	56,0
58,0	67,2	121,5	19 200	16 700	19 200	16 700	58,0
60,0	66,3	120,6	18 600	16 200	18 600	16 200	60,0
62,0	65,3	119,6	18 200	15 800	18 200	15 800	62,0
64,0	64,3	118,5	17 000	15 400	17 600	15 400	64,0
66,0	63,3	117,4	15 700	14 300	17 200	14 900	66,0
68,0	62,3	116,3	14 500	13 300	16 700	14 600	68,0
70,0	61,3	115,1	13 300	12 200	16 300	14 200	70,0
72,0	60,3	113,8	12 200	11 200	15 900	13 800	72,0
74,0	59,3	112,5	11 200	10 200	15 500	13 500	74,0
76,0	58,2	111,2	10 200	9 300	15 200	13 200	76,0
78,0	57,1	109,8	9 300	8 400	14 800	12 900	78,0
80,0	56,1	108,4	8 400	7 600	14 500	12 600	80,0
82,0	55,0	106,9	7 500	6 800	14 100	12 300	82,0
84,0	53,9	105,3	6 700	6 000	13 800	12 000	84,0
86,0	52,8	103,7	6 000	5 300	13 600	11 800	86,0
88,0	51,6	102,0	5 200	4 600	13 000	11 500	88,0
90,0	50,5	100,2	4 500	3 900	12 300	11 200	90,0
92,0	49,3	98,3	3 800		11 600	10 900	92,0
94,0	48,1	96,4	3 200		10 900	10 200	94,0
96,0	46,9	94,4			10 200	9 600	96,0
100,0	44,3	90,1			9 000	8 400	100,0
104,0	41,6	85,4			7 800	7 300	104,0
108,0	38,8	80,3			6 800	6 300	108,0
112,0	35,7	74,5			5 800	5 400	112,0
116,0	32,4	68,0			4 800	4 500	116,0
120,0	28,7	60,5			4 000	3 600	120,0

MLC300 VPC-MAX S-1




			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
19,8							19,8
20,0							20,0
22,0							22,0
24,0							24,0
26,0	83,9	130,9	22 400	16 100	22 400	16 100	26,0
28,0	83,0	130,5	22 100	16 100	22 100	16 100	28,0
30,0	82,1	130,0	21 800	16 100	21 800	16 100	30,0
32,0	81,2	129,6	21 500	16 100	21 500	16 100	32,0
34,0	80,3	129,1	21 200	16 100	21 200	16 100	34,0
36,0	79,4	128,6	20 800	16 100	20 800	16 100	36,0
38,0	78,5	128,0	20 200	16 100	20 200	16 100	38,0
40,0	77,6	127,4	19 700	16 100	19 700	16 100	40,0
42,0	76,7	126,8	19 200	16 100	19 200	16 100	42,0
44,0	75,7	126,1	18 700	16 100	18 700	16 100	44,0
46,0	74,8	125,4	18 200	16 100	18 200	16 100	46,0
48,0	73,9	124,7	17 800	16 000	17 800	16 000	48,0
50,0	73,0	123,9	17 400	15 900	17 400	15 900	50,0
52,0	72,0	123,1	17 000	15 700	17 000	15 700	52,0
54,0	71,1	122,2	16 600	15 500	16 600	15 500	54,0
56,0	70,1	121,3	16 200	15 300	16 200	15 300	56,0
58,0	69,1	120,4	15 900	15 000	15 900	15 000	58,0
60,0	68,2	119,4	15 500	14 600	15 500	14 600	60,0
62,0	67,2	118,4	15 200	14 300	15 200	14 300	62,0
64,0	66,2	117,3	14 900	13 900	14 900	13 900	64,0
66,0	65,2	116,2	14 600	13 600	14 600	13 600	66,0
68,0	64,2	115,1	14 300	13 300	14 300	13 300	68,0
70,0	63,2	113,9	14 000	13 000	14 000	13 000	70,0
72,0	62,1	112,6	13 400	12 200	13 800	12 700	72,0
74,0	61,1	111,3	12 300	11 300	13 500	12 400	74,0
76,0	60,0	110,0	11 300	10 300	13 300	12 200	76,0
78,0	59,0	108,5	10 300	9 400	13 100	11 900	78,0
80,0	57,9	107,1	9 400	8 500	12 800	11 700	80,0
82,0	56,8	105,5	8 500	7 700	12 600	11 400	82,0
84,0	55,7	104,0	7 600	6 900	12 400	11 200	84,0
86,0	54,5	102,3	6 800	6 100	12 200	11 000	86,0
88,0	53,4	100,6	6 000	5 400	12 000	10 800	88,0
90,0	52,2	98,8	5 300	4 700	11 900	10 600	90,0
92,0	51,0	96,9	4 600	4 000	11 700	10 400	92,0
94,0	49,8	95,0	3 900	3 300	11 400	10 200	94,0
96,0	48,5	92,9	3 200		10 700	9 900	96,0
100,0	45,9	88,6			9 500	8 800	100,0
104,0	43,2	83,8			8 300	7 700	104,0
108,0	40,3	78,5			7 100	6 700	108,0
112,0	37,2	72,6			6 100	5 700	112,0
116,0	33,8	65,9			5 100	4 700	116,0
120,0	29,9	58,1			4 200	3 800	120,0

MLC300 VPC-MAX S-1






			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
19,8	84,8	139,0	25 300		25 300		19,8
20,0	84,7	139,0	25 300		25 300		20,0
22,0	83,9	138,7	25 000		25 000		22,0
24,0	83,1	138,4	24 800	15 300	24 800	15 300	24,0
26,0	82,2	138,0	24 500	15 300	24 500	15 300	26,0
28,0	81,4	137,7	24 200	15 300	24 200	15 300	28,0
30,0	80,5	137,2	24 000	15 300	24 000	15 300	30,0
32,0	79,7	136,8	23 700	15 300	23 700	15 300	32,0
34,0	78,8	136,3	23 500	15 300	23 500	15 300	34,0
36,0	78,0	135,8	23 200	15 300	23 200	15 300	36,0
38,0	77,1	135,3	23 000	15 300	23 000	15 300	38,0
40,0	76,2	134,7	22 700	15 300	22 700	15 300	40,0
42,0	75,4	134,1	22 400	15 300	22 400	15 300	42,0
44,0	74,5	133,5	22 200	15 300	22 200	15 300	44,0
46,0	73,6	132,9	21 900	15 300	21 900	15 300	46,0
48,0	72,8	132,2	21 600	15 300	21 600	15 300	48,0
50,0	71,9	131,4	21 100	15 300	21 100	15 300	50,0
52,0	71,0	130,7	20 500	15 300	20 500	15 300	52,0
54,0	70,1	129,9	19 800	15 300	19 800	15 300	54,0
56,0	69,2	129,0	19 200	15 300	19 200	15 300	56,0
58,0	68,3	128,1	18 600	15 300	18 600	15 300	58,0
60,0	67,4	127,2	18 100	15 100	18 100	15 100	60,0
62,0	66,4	126,3	17 300	14 900	17 500	14 900	62,0
64,0	65,5	125,3	16 100	14 400	17 000	14 400	64,0
66,0	64,6	124,2	14 700	13 300	16 600	14 000	66,0
68,0	63,6	123,2	13 500	12 200	16 100	13 600	68,0
70,0	62,7	122,0	12 300	11 100	15 600	13 300	70,0
72,0	61,7	120,9	11 200	10 100	15 200	12 900	72,0
74,0	60,8	119,7	10 200	9 100	14 800	12 600	74,0
76,0	59,8	118,4	9 200	8 200	14 400	12 200	76,0
78,0	58,8	117,1	8 300	7 300	14 000	11 900	78,0
80,0	57,8	115,7	7 400	6 500	13 700	11 600	80,0
82,0	56,8	114,3	6 500	5 700	13 400	11 300	82,0
84,0	55,7	112,9	5 700	4 900	13 000	11 000	84,0
86,0	54,7	111,3	5 000	4 200	12 700	10 800	86,0
88,0	53,6	109,8	4 200	3 500	12 300	10 500	88,0
90,0	52,6	108,1	3 500		11 600	10 300	90,0
92,0	51,5	106,4			10 900	10 000	92,0
94,0	50,4	104,7			10 200	9 400	94,0
96,0	49,2	102,8			9 500	8 800	96,0
100,0	46,9	98,9			8 300	7 600	100,0
104,0	44,5	94,7			7 100	6 500	104,0
108,0	42,0	90,0			6 100	5 500	108,0
112,0	39,3	84,9			5 100	4 600	112,0
116,0	36,4	79,3			4 100	3 600	116,0
120,0	33,3	73,0			3 000		120,0

MLC300 VPC-MAX S-1



			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
19,8							19,8
20,0							20,0
22,0							22,0
24,0							24,0
26,0	84,2	137,0	22 100		22 100		26,0
28,0	83,3	136,6	21 900	13 600	21 900	13 600	28,0
30,0	82,5	136,2	21 600	13 600	21 600	13 600	30,0
32,0	81,6	135,7	21 400	13 600	21 400	13 600	32,0
34,0	80,8	135,3	21 100	13 600	21 100	13 600	34,0
36,0	79,9	134,8	20 900	13 600	20 900	13 600	36,0
38,0	79,0	134,2	20 400	13 600	20 400	13 600	38,0
40,0	78,2	133,7	19 900	13 600	19 900	13 600	40,0
42,0	77,3	133,0	19 400	13 600	19 400	13 600	42,0
44,0	76,4	132,4	19 000	13 600	19 000	13 600	44,0
46,0	75,5	131,7	18 500	13 600	18 500	13 600	46,0
48,0	74,6	131,0	18 100	13 600	18 100	13 600	48,0
50,0	73,7	130,3	17 600	13 600	17 600	13 600	50,0
52,0	72,8	129,5	17 200	13 600	17 200	13 600	52,0
54,0	71,9	128,7	16 900	13 600	16 900	13 600	54,0
56,0	71,0	127,9	16 500	13 600	16 500	13 600	56,0
58,0	70,1	127,0	16 200	13 600	16 200	13 600	58,0
60,0	69,2	126,1	15 800	13 600	15 800	13 600	60,0
62,0	68,3	125,1	15 500	13 500	15 500	13 500	62,0
64,0	67,3	124,1	15 200	13 300	15 200	13 300	64,0
66,0	66,4	123,0	14 900	13 000	14 900	13 000	66,0
68,0	65,4	122,0	14 600	12 700	14 600	12 700	68,0
70,0	64,5	120,8	13 600	12 300	14 300	12 300	70,0
72,0	63,5	119,6	12 500	11 300	14 100	12 000	72,0
74,0	62,5	118,4	11 400	10 300	13 800	11 700	74,0
76,0	61,5	117,2	10 300	9 300	13 400	11 400	76,0
78,0	60,5	115,8	9 400	8 400	13 100	11 200	78,0
80,0	59,5	114,5	8 400	7 500	12 800	10 900	80,0
82,0	58,5	113,0	7 500	6 700	12 500	10 600	82,0
84,0	57,4	111,6	6 700	5 900	12 200	10 400	84,0
86,0	56,4	110,0	5 900	5 100	12 000	10 100	86,0
88,0	55,3	108,4	5 100	4 400	11 700	9 900	88,0
90,0	54,2	106,8	4 400	3 700	11 500	9 700	90,0
92,0	53,1	105,0	3 600		11 200	9 500	92,0
94,0	52,0	103,2			10 800	9 300	94,0
96,0	50,9	101,4			10 100	9 100	96,0
100,0	48,5	97,4			8 800	8 100	100,0
104,0	46,0	93,1			7 600	7 000	104,0
108,0	43,5	88,4			6 500	5 900	108,0
112,0	40,7	83,2			5 400	4 900	112,0
116,0	37,8	77,4			4 400	3 900	116,0
120,0	34,6	70,9			3 400		120,0

MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
19,8	81,9	78,1	21 900	18 600	16 100b	21 900	18 600	16 100b	19,8		
20,0	81,8	78,0	21 800	18 600	16 000b	21 800	18 600	16 000b	20,0		
22,0	80,3	77,5	21 000	18 100	15 600	21 000	18 100	15 600	22,0		
24,0	78,8	77,0	20 300	17 500	15 300	20 300	17 500	15 300	24,0		
26,0	77,2	76,3	19 500	17 000	15 000	19 500	17 000	15 000	26,0		
28,0	75,7	75,6	18 800	16 500	14 600	18 800	16 500	14 600	28,0		
30,0	74,1	74,9	18 100	16 000	14 200	18 100	16 000	14 200	30,0		
32,0	72,5	74,1	17 400	15 500	13 900	17 400	15 500	13 900	32,0		
34,0	70,9	73,2	16 800	15 000	13 500	16 800	15 000	13 500	34,0		
36,0	69,3	72,2	16 200	14 600	13 100	16 200	14 600	13 100	36,0		
38,0	67,6	71,2	15 600	14 100	12 800	15 600	14 100	12 800	38,0		
40,0	66,0	70,1	15 100	13 700	12 400	15 100	13 700	12 400	40,0		
42,0	64,3	69,0	14 500	13 300	12 100	14 500	13 300	12 100	42,0		
44,0	62,5	67,7	14 000	12 900	11 800	14 000	12 900	11 800	44,0		
46,0	60,8	66,4	13 500	12 500	11 500	13 500	12 500	11 500	46,0		
48,0	59,0	64,9	13 100	12 100	11 200	13 100	12 100	11 200	48,0		
50,0	57,1	63,4	12 700	11 700	10 800	12 700	11 700	10 800	50,0		
52,0	55,2	61,8	12 300	11 400	10 600	12 300	11 400	10 600	52,0		
54,0	53,3	60,0	11 900	11 100	10 300	11 900	11 100	10 300	54,0		
56,0	51,2	58,1	11 500	10 800	10 000	11 500	10 800	10 000	56,0		
58,0	49,2	56,1	11 200	10 400	9 800	11 200	10 400	9 800	58,0		
60,0	47,0	53,9	10 800	10 200	9 500	10 800	10 200	9 500	60,0		
62,0	44,7	51,6	10 500	9 900	9 300	10 500	9 900	9 300	62,0		
64,0	42,3	49,0	10 200	9 600	9 100	10 200	9 600	9 100	64,0		
66,0	39,8	46,2	10 000	9 400	8 900	10 000	9 400	8 900	66,0		
68,0	37,1	43,1	9 700	9 200	8 700	9 700	9 200	8 700	68,0		
70,0	34,2	39,7	9 400	9 000	8 500	9 400	9 000	8 500	70,0		
72,0	31,0	35,8	9 100	8 800	8 300	9 100	8 800	8 300	72,0		
74,0	27,3	31,2	8 900	8 600	8 200	8 900	8 600	8 200	74,0		
76,0	23,0	25,6	8 600	8 500	8 000	8 600	8 500	8 000	76,0		

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°





42,0 m

36,0 m

20°





			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
19,8											19,8
20,0											20,0
22,0											22,0
24,0											24,0
26,0	81,4	75,4	17 100	15 300	13 700	17 100	15 300	13 700			26,0
28,0	79,8	74,7	16 500	14 800	13 300	16 500	14 800	13 300			28,0
30,0	78,2	73,9	16 000	14 400	13 000	16 000	14 400	13 000			30,0
32,0	76,6	73,1	15 300	14 000	12 700	15 300	14 000	12 700			32,0
34,0	75,0	72,2	14 600	13 600	12 400	14 600	13 600	12 400			34,0
36,0	73,3	71,2	14 000	13 200	12 100	14 000	13 200	12 100			36,0
38,0	71,6	70,2	13 400	12 800	11 800	13 400	12 800	11 800			38,0
40,0	69,9	69,1	12 800	12 400	11 500	12 800	12 400	11 500			40,0
42,0	68,2	67,9	12 300	12 100	11 200	12 300	12 100	11 200			42,0
44,0	66,5	66,6	11 800	11 700	10 900	11 800	11 700	10 900			44,0
46,0	64,7	65,3	11 400	11 300	10 600	11 400	11 300	10 600			46,0
48,0	62,8	63,8	10 900	10 900	10 400	10 900	10 900	10 400			48,0
50,0	60,9	62,2	10 600	10 500	10 100	10 600	10 500	10 100			50,0
52,0	59,0	60,6	10 200	10 100	9 900	10 200	10 100	9 900			52,0
54,0	57,0	58,8	9 900	9 800	9 700	9 900	9 800	9 700			54,0
56,0	55,0	56,9	9 500	9 500	9 400	9 500	9 500	9 400			56,0
58,0	52,8	54,8	9 200	9 200	9 100	9 200	9 200	9 100			58,0
60,0	50,6	52,6	9 000	8 900	8 800	9 000	8 900	8 800			60,0
62,0	48,3	50,1	8 700	8 600	8 600	8 700	8 600	8 600			62,0
64,0	45,8	47,5	8 500	8 400	8 400	8 500	8 400	8 400			64,0
66,0	43,2	44,6	8 200	8 200	8 100	8 200	8 200	8 100			66,0
68,0	40,4	41,4	8 000	8 000	7 900	8 000	8 000	7 900			68,0
70,0	37,3	37,8	7 800	7 800	7 700	7 800	7 800	7 700			70,0
72,0	33,9	33,6	7 700	7 600	7 600	7 700	7 600	7 600			72,0
74,0	30,0	28,7	7 500			7 500					74,0
76,0											76,0





MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	84,7	84,8	23 200			23 200			16,8		
18,0	83,8	84,6	22 800			22 800			18,0		
20,0	82,4	84,2	22 000	18 600	16 100	22 000	18 600	16 100	20,0		
22,0	81,0	83,7	21 300	18 200	15 700	21 300	18 200	15 700	22,0		
24,0	79,6	83,2	20 600	17 700	15 400	20 600	17 700	15 400	24,0		
26,0	78,2	82,6	19 900	17 200	15 100	19 900	17 200	15 100	26,0		
28,0	76,7	82,0	19 200	16 800	14 700	19 200	16 800	14 700	28,0		
30,0	75,3	81,3	18 500	16 300	14 400	18 500	16 300	14 400	30,0		
32,0	73,8	80,5	17 900	15 800	14 100	17 900	15 800	14 100	32,0		
34,0	72,4	79,7	17 300	15 400	13 800	17 300	15 400	13 800	34,0		
36,0	70,9	78,8	16 700	15 000	13 400	16 700	15 000	13 400	36,0		
38,0	69,4	77,9	16 200	14 500	13 100	16 200	14 500	13 100	38,0		
40,0	67,9	76,9	15 600	14 100	12 800	15 600	14 100	12 800	40,0		
42,0	66,3	75,9	15 200	13 700	12 500	15 200	13 700	12 500	42,0		
44,0	64,7	74,7	14 600	13 300	12 200	14 600	13 300	12 200	44,0		
46,0	63,1	73,5	14 200	13 000	11 900	14 200	13 000	11 900	46,0		
48,0	61,5	72,2	13 700	12 600	11 600	13 700	12 600	11 600	48,0		
50,0	59,9	70,9	13 300	12 300	11 300	13 300	12 300	11 300	50,0		
52,0	58,2	69,4	12 900	11 900	11 000	12 900	11 900	11 000	52,0		
54,0	56,5	67,8	12 500	11 600	10 700	12 500	11 600	10 700	54,0		
56,0	54,7	66,2	12 100	11 300	10 500	12 100	11 300	10 500	56,0		
58,0	52,9	64,4	11 800	11 000	10 200	11 800	11 000	10 200	58,0		
60,0	51,0	62,6	11 500	10 700	10 000	11 500	10 700	10 000	60,0		
62,0	49,1	60,6	11 100	10 400	9 700	11 100	10 400	9 700	62,0		
64,0	47,1	58,4	10 800	10 200	9 500	10 800	10 200	9 500	64,0		
66,0	45,0	56,1	10 500	9 900	9 300	10 500	9 900	9 300	66,0		
68,0	42,8	53,6	10 300	9 700	9 100	10 300	9 700	9 100	68,0		
70,0	40,5	50,9	10 000	9 400	8 900	10 000	9 400	8 900	70,0		
72,0	38,1	48,0	9 800	9 200	8 700	9 800	9 200	8 700	72,0		
74,0	35,5	44,8	9 500	9 000	8 500	9 500	9 000	8 500	74,0		
76,0	32,7	41,2	9 200	8 800	8 400	9 200	8 800	8 400	76,0		
78,0	29,6	37,1	9 000	8 700	8 200	9 000	8 700	8 200	78,0		
80,0	26,1	32,3	8 800	8 600	8 100	8 800	8 600	8 100	80,0		
82,0	21,9	26,5	8 600	8 400	8 000	8 600	8 400	8 000	82,0		

MLC300 VPC-MAX S-1







			 10,6 m			 14,6 m			
			 0° 1° 2°			 0° 1° 2°			
			kg	kg	kg	kg	kg	kg	
16,8 18,0 20,0 22,0 24,0	83,5	82,2	17 900			17 900			16,8 18,0 20,0 22,0 24,0
26,0 28,0 30,0 32,0 34,0	82,0 80,6 79,1 77,6 76,1	81,6 81,0 80,2 79,5 78,7	17 300 16 800 16 300 15 700 15 100	15 400 15 000 14 600 14 200 13 800	13 800 13 500 13 200 12 900 12 600	17 300 16 800 16 300 15 700 15 100	15 400 15 000 14 600 14 200 13 800	13 800 13 500 13 200 12 900 12 600	26,0 28,0 30,0 32,0 34,0
36,0 38,0 40,0 42,0 44,0	74,6 73,1 71,6 70,0 68,4	77,8 76,8 75,8 74,8 73,6	14 500 13 900 13 300 12 800 12 300	13 500 13 100 12 800 12 500 12 100	12 300 12 000 11 700 11 500 11 200	14 500 13 900 13 300 12 800 12 300	13 500 13 100 12 800 12 500 12 100	12 300 12 000 11 700 11 500 11 200	36,0 38,0 40,0 42,0 44,0
46,0 48,0 50,0 52,0 54,0	66,8 65,1 63,5 61,7 60,0	72,4 71,1 69,7 68,2 66,6	11 900 11 500 11 100 10 700 10 400	11 800 11 400 11 000 10 600 10 300	11 000 10 700 10 500 10 200 10 000	11 900 11 500 11 100 10 700 10 400	11 800 11 400 11 000 10 600 10 300	11 000 10 700 10 500 10 200 10 000	46,0 48,0 50,0 52,0 54,0
56,0 58,0 60,0 62,0 64,0	58,2 56,3 54,4 52,4 50,4	64,9 63,1 61,2 59,2 57,0	10 000 9 800 9 500 9 200 8 900	10 000 9 700 9 400 9 100 8 900	9 800 9 600 9 300 9 100 8 800	10 000 9 800 9 500 9 200 8 900	10 000 9 700 9 400 9 100 8 900	9 800 9 600 9 300 9 100 8 800	56,0 58,0 60,0 62,0 64,0
66,0 68,0 70,0 72,0 74,0	48,3 46,0 43,7 41,1 38,4	54,6 52,0 49,3 46,2 42,8	8 700 8 500 8 300 8 100 7 900	8 600 8 400 8 200 8 000 7 800	8 600 8 400 8 200 8 000 7 800	8 700 8 500 8 300 8 100 7 900	8 600 8 400 8 200 8 000 7 800	8 600 8 400 8 200 8 000 7 800	66,0 68,0 70,0 72,0 74,0
76,0 78,0 80,0 82,0	35,5 32,2	39,0 34,7	7 700 7 600	7 700 7 500	7 600 7 500	7 700 7 600	7 700 7 500	7 600 7 500	76,0 78,0 80,0 82,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
18,3	84,0	90,6	22 700			22 700			18,3		
20,0	82,9	90,3	22 100	18 600		22 100	18 600		20,0		
22,0	81,6	89,9	21 500	18 200	15 700	21 500	18 200	15 700	22,0		
24,0	80,3	89,4	20 800	17 800	15 400	20 800	17 800	15 400	24,0		
26,0	79,0	88,8	20 200	17 400	15 100	20 200	17 400	15 100	26,0		
28,0	77,7	88,2	19 500	17 000	14 900	19 500	17 000	14 900	28,0		
30,0	76,3	87,6	18 900	16 500	14 600	18 900	16 500	14 600	30,0		
32,0	75,0	86,9	18 300	16 100	14 300	18 300	16 100	14 300	32,0		
34,0	73,6	86,2	17 700	15 700	14 000	17 700	15 700	14 000	34,0		
36,0	72,2	85,4	17 200	15 300	13 700	17 200	15 300	13 700	36,0		
38,0	70,9	84,5	16 700	14 900	13 300	16 700	14 900	13 300	38,0		
40,0	69,5	83,6	16 200	14 500	13 100	16 200	14 500	13 100	40,0		
42,0	68,0	82,6	15 700	14 100	12 800	15 700	14 100	12 800	42,0		
44,0	66,6	81,6	15 200	13 800	12 500	15 200	13 800	12 500	44,0		
46,0	65,2	80,5	14 700	13 400	12 200	14 700	13 400	12 200	46,0		
48,0	63,7	79,3	14 300	13 000	11 900	14 300	13 000	11 900	48,0		
50,0	62,2	78,1	13 900	12 700	11 600	13 900	12 700	11 600	50,0		
52,0	60,7	76,7	13 500	12 400	11 400	13 500	12 400	11 400	52,0		
54,0	59,1	75,4	13 100	12 100	11 100	13 100	12 100	11 100	54,0		
56,0	57,5	73,9	12 700	11 800	10 900	12 700	11 800	10 900	56,0		
58,0	55,9	72,3	12 400	11 500	10 600	12 400	11 500	10 600	58,0		
60,0	54,3	70,7	12 000	11 200	10 400	12 000	11 200	10 400	60,0		
62,0	52,6	68,9	11 700	10 900	10 200	11 700	10 900	10 200	62,0		
64,0	50,8	67,0	11 400	10 700	9 900	11 400	10 700	9 900	64,0		
66,0	49,0	65,0	11 100	10 400	9 700	11 100	10 400	9 700	66,0		
68,0	47,2	62,9	10 800	10 200	9 500	10 800	10 200	9 500	68,0		
70,0	45,2	60,7	10 600	9 900	9 300	10 600	9 900	9 300	70,0		
72,0	43,2	58,2	10 300	9 700	9 100	10 300	9 700	9 100	72,0		
74,0	41,2	55,6	10 100	9 500	9 000	10 100	9 500	9 000	74,0		
76,0	39,0	52,8	9 800	9 300	8 800	9 800	9 300	8 800	76,0		
78,0	36,6	49,7	9 600	9 100	8 600	9 600	9 100	8 600	78,0		
80,0	34,1	46,3	9 400	8 900	8 400	9 400	8 900	8 400	80,0		
82,0	31,4	42,6	9 100	8 800	8 300	9 100	8 800	8 300	82,0		
84,0	28,4	38,3	8 900	8 600	8 200	8 900	8 600	8 200	84,0		
86,0	25,0	33,4	8 700	8 500	8 100	8 700	8 500	8 100	86,0		
88,0	20,9	27,3	8 600	8 400	8 000	8 600	8 400	8 000	88,0		







MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
18,3									18,3		
20,0									20,0		
22,0									22,0		
24,0	83,9	88,3	18 000			18 000			24,0		
26,0	82,6	87,8	17 500	15 500	13 800	17 500	15 500	13 800	26,0		
28,0	81,2	87,2	17 000	15 100	13 500	17 000	15 100	13 500	28,0		
30,0	79,9	86,5	16 500	14 800	13 300	16 500	14 800	13 300	30,0		
32,0	78,5	85,8	16 000	14 400	13 000	16 000	14 400	13 000	32,0		
34,0	77,1	85,1	15 500	14 100	12 700	15 500	14 100	12 700	34,0		
36,0	75,8	84,3	14 900	13 700	12 500	14 900	13 700	12 500	36,0		
38,0	74,3	83,4	14 300	13 400	12 200	14 300	13 400	12 200	38,0		
40,0	72,9	82,5	13 800	13 100	11 900	13 800	13 100	11 900	40,0		
42,0	71,5	81,5	13 300	12 700	11 700	13 300	12 700	11 700	42,0		
44,0	70,0	80,4	12 800	12 400	11 500	12 800	12 400	11 500	44,0		
46,0	68,6	79,3	12 300	12 100	11 200	12 300	12 100	11 200	46,0		
48,0	67,1	78,1	11 900	11 800	11 000	11 900	11 800	11 000	48,0		
50,0	65,5	76,9	11 600	11 500	10 800	11 600	11 500	10 800	50,0		
52,0	64,0	75,5	11 200	11 100	10 500	11 200	11 100	10 500	52,0		
54,0	62,4	74,1	10 800	10 800	10 300	10 800	10 800	10 300	54,0		
56,0	60,8	72,6	10 500	10 400	10 100	10 500	10 400	10 100	56,0		
58,0	59,2	71,0	10 200	10 100	9 900	10 200	10 100	9 900	58,0		
60,0	57,5	69,3	9 900	9 800	9 700	9 900	9 800	9 700	60,0		
62,0	55,7	67,5	9 600	9 600	9 500	9 600	9 600	9 500	62,0		
64,0	54,0	65,6	9 400	9 300	9 200	9 400	9 300	9 200	64,0		
66,0	52,1	63,6	9 100	9 100	9 000	9 100	9 100	9 000	66,0		
68,0	50,2	61,4	8 900	8 900	8 800	8 900	8 900	8 800	68,0		
70,0	48,3	59,1	8 700	8 600	8 600	8 700	8 600	8 600	70,0		
72,0	46,2	56,6	8 500	8 400	8 400	8 500	8 400	8 400	72,0		
74,0	44,0	53,9	8 300	8 200	8 200	8 300	8 200	8 200	74,0		
76,0	41,8	51,0	8 100	8 100	8 000	8 100	8 100	8 000	76,0		
78,0	39,3	47,8	7 900	7 900	7 900	7 900	7 900	7 900	78,0		
80,0	36,7	44,2	7 800	7 700	7 700	7 800	7 700	7 700	80,0		
82,0	33,9	40,3	7 600	7 600	7 600	7 600	7 600	7 600	82,0		
84,0	30,7	35,7	7 500	7 500	7 500	7 500	7 500	7 500	84,0		
86,0									86,0		
88,0									88,0		

MLC300 VPC-MAX S-1







			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3	84,4	96,7	22 700			22 700			18,3
20,0	83,4	96,4	22 200	18 600		22 200	18 600		20,0
22,0	82,1	96,0	21 600	18 200	15 700	21 600	18 200	15 700	22,0
24,0	80,9	95,5	21 000	17 900	15 400	21 000	17 900	15 400	24,0
26,0	79,7	95,0	20 400	17 500	15 200	20 400	17 500	15 200	26,0
28,0	78,5	94,5	19 800	17 100	14 900	19 800	17 100	14 900	28,0
30,0	77,2	93,9	19 200	16 700	14 600	19 200	16 700	14 600	30,0
32,0	76,0	93,2	18 700	16 300	14 400	18 700	16 300	14 400	32,0
34,0	74,7	92,6	18 100	15 900	14 100	18 100	15 900	14 100	34,0
36,0	73,4	91,8	17 600	15 600	13 800	17 600	15 600	13 800	36,0
38,0	72,1	91,0	17 100	15 200	13 600	17 100	15 200	13 600	38,0
40,0	70,8	90,2	16 600	14 800	13 300	16 600	14 800	13 300	40,0
42,0	69,5	89,3	16 100	14 500	13 000	16 100	14 500	13 000	42,0
44,0	68,2	88,3	15 700	14 100	12 700	15 700	14 100	12 700	44,0
46,0	66,9	87,3	15 200	13 800	12 500	15 200	13 800	12 500	46,0
48,0	65,5	86,2	14 800	13 400	12 200	14 800	13 400	12 200	48,0
50,0	64,1	85,1	14 400	13 100	11 900	14 400	13 100	11 900	50,0
52,0	62,7	83,9	14 000	12 800	11 700	14 000	12 800	11 700	52,0
54,0	61,3	82,6	13 600	12 500	11 400	13 600	12 500	11 400	54,0
56,0	59,9	81,3	13 300	12 200	11 200	13 300	12 200	11 200	56,0
58,0	58,4	79,8	12 900	11 900	11 000	12 900	11 900	11 000	58,0
60,0	56,9	78,4	12 600	11 600	10 700	12 600	11 600	10 700	60,0
62,0	55,4	76,8	12 200	11 400	10 500	12 200	11 400	10 500	62,0
64,0	53,9	75,1	11 900	11 100	10 300	11 900	11 100	10 300	64,0
66,0	52,3	73,3	11 600	10 900	10 100	11 600	10 900	10 100	66,0
68,0	50,6	71,5	11 400	10 600	9 900	11 400	10 600	9 900	68,0
70,0	49,0	69,5	11 100	10 400	9 700	11 100	10 400	9 700	70,0
72,0	47,2	67,4	10 800	10 100	9 500	10 800	10 100	9 500	72,0
74,0	45,5	65,2	10 600	9 900	9 300	10 600	9 900	9 300	74,0
76,0	43,6	62,8	10 400	9 700	9 100	10 400	9 700	9 100	76,0
78,0	41,7	60,3	10 100	9 500	9 000	10 100	9 500	9 000	78,0
80,0	39,6	57,5	9 900	9 300	8 800	9 900	9 300	8 800	80,0
82,0	37,5	54,6	9 700	9 200	8 700	9 700	9 200	8 700	82,0
84,0	35,3	51,4	9 500	9 000	8 500	9 500	9 000	8 500	84,0
86,0	32,9	47,8	9 200	8 800	8 400	9 200	8 800	8 400	86,0
88,0	30,2	43,9	9 000	8 700	8 200	9 000	8 700	8 200	88,0
90,0	27,3	39,5	8 800	8 600	8 100	8 800	8 600	8 100	90,0
92,0	24,0	34,4	8 700	8 500	8 100	8 700	8 500	8 100	92,0
94,0	20,1	28,1	8 500	8 400	8 000	8 500	8 400	8 000	94,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3									18,3
20,0									20,0
22,0									22,0
24,0									24,0
26,0	83,1	93,9	17 600	15 600		17 600	15 600		26,0
28,0	81,8	93,4	17 100	15 200	13 500	17 100	15 200	13 500	28,0
30,0	80,5	92,8	16 700	14 900	13 300	16 700	14 900	13 300	30,0
32,0	79,3	92,1	16 200	14 600	13 100	16 200	14 600	13 100	32,0
34,0	78,0	91,4	15 800	14 200	12 800	15 800	14 200	12 800	34,0
36,0	76,7	90,7	15 300	13 900	12 600	15 300	13 900	12 600	36,0
38,0	75,4	89,9	14 700	13 600	12 400	14 700	13 600	12 400	38,0
40,0	74,1	89,0	14 200	13 300	12 100	14 200	13 300	12 100	40,0
42,0	72,8	88,1	13 700	13 000	11 900	13 700	13 000	11 900	42,0
44,0	71,4	87,1	13 200	12 700	11 700	13 200	12 700	11 700	44,0
46,0	70,1	86,1	12 800	12 400	11 400	12 800	12 400	11 400	46,0
48,0	68,7	85,0	12 400	12 100	11 200	12 400	12 100	11 200	48,0
50,0	67,3	83,9	12 000	11 900	11 000	12 000	11 900	11 000	50,0
52,0	65,9	82,6	11 600	11 500	10 800	11 600	11 500	10 800	52,0
54,0	64,5	81,3	11 300	11 200	10 600	11 300	11 200	10 600	54,0
56,0	63,0	80,0	11 000	10 900	10 400	11 000	10 900	10 400	56,0
58,0	61,5	78,5	10 600	10 600	10 200	10 600	10 600	10 200	58,0
60,0	60,0	77,0	10 400	10 300	10 000	10 400	10 300	10 000	60,0
62,0	58,4	75,4	10 100	10 000	9 800	10 100	10 000	9 800	62,0
64,0	56,9	73,7	9 800	9 700	9 600	9 800	9 700	9 600	64,0
66,0	55,2	71,9	9 600	9 500	9 400	9 600	9 500	9 400	66,0
68,0	53,6	70,0	9 300	9 300	9 200	9 300	9 300	9 200	68,0
70,0	51,9	68,0	9 100	9 000	9 000	9 100	9 000	9 000	70,0
72,0	50,1	65,8	8 900	8 800	8 800	8 900	8 800	8 800	72,0
74,0	48,3	63,6	8 700	8 600	8 600	8 700	8 600	8 600	74,0
76,0	46,4	61,1	8 500	8 400	8 400	8 500	8 400	8 400	76,0
78,0	44,4	58,5	8 300	8 300	8 200	8 300	8 300	8 200	78,0
80,0	42,3	55,7	8 100	8 100	8 100	8 100	8 100	8 100	80,0
82,0	40,1	52,6	8 000	7 900	7 900	8 000	7 900	7 900	82,0
84,0	37,7	49,3	7 800	7 800	7 800	7 800	7 800	7 800	84,0
86,0	35,2	45,6	7 700	7 700	7 600	7 700	7 700	7 600	86,0
88,0	32,4	41,5	7 600	7 500	7 500	7 600	7 500	7 500	88,0
90,0									90,0
92,0									92,0
94,0									94,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
18,3	84,7	102,8	22 600			22 600			18,3		
20,0	83,8	102,5	22 200	18 500		22 200	18 500		20,0		
22,0	82,6	102,1	21 600	18 200	15 600	21 600	18 200	15 600	22,0		
24,0	81,5	101,7	21 100	17 900	15 400	21 100	17 900	15 400	24,0		
26,0	80,3	101,2	20 600	17 500	15 100	20 600	17 500	15 100	26,0		
28,0	79,1	100,7	20 000	17 200	14 900	20 000	17 200	14 900	28,0		
30,0	78,0	100,1	19 500	16 800	14 700	19 500	16 800	14 700	30,0		
32,0	76,8	99,5	18 900	16 500	14 400	18 900	16 500	14 400	32,0		
34,0	75,6	98,9	18 500	16 100	14 200	18 500	16 100	14 200	34,0		
36,0	74,4	98,2	18 000	15 800	13 900	18 000	15 800	13 900	36,0		
38,0	73,2	97,4	17 500	15 400	13 700	17 500	15 400	13 700	38,0		
40,0	72,0	96,6	17 000	15 100	13 400	17 000	15 100	13 400	40,0		
42,0	70,8	95,8	16 500	14 700	13 200	16 500	14 700	13 200	42,0		
44,0	69,6	94,9	16 100	14 400	12 900	16 100	14 400	12 900	44,0		
46,0	68,3	94,0	15 700	14 100	12 700	15 700	14 100	12 700	46,0		
48,0	67,1	93,0	15 300	13 800	12 400	15 300	13 800	12 400	48,0		
50,0	65,8	91,9	14 900	13 500	12 200	14 900	13 500	12 200	50,0		
52,0	64,5	90,8	14 500	13 200	12 000	14 500	13 200	12 000	52,0		
54,0	63,2	89,6	14 100	12 900	11 700	14 100	12 900	11 700	54,0		
56,0	61,9	88,4	13 700	12 600	11 500	13 700	12 600	11 500	56,0		
58,0	60,6	87,1	13 400	12 300	11 300	13 400	12 300	11 300	58,0		
60,0	59,2	85,7	13 100	12 000	11 100	13 100	12 000	11 100	60,0		
62,0	57,8	84,3	12 700	11 800	10 800	12 700	11 800	10 800	62,0		
64,0	56,4	82,8	12 400	11 500	10 600	12 400	11 500	10 600	64,0		
66,0	55,0	81,2	12 100	11 300	10 400	12 100	11 300	10 400	66,0		
68,0	53,5	79,5	11 900	11 100	10 200	11 900	11 100	10 200	68,0		
70,0	52,0	77,8	11 600	10 800	10 000	11 600	10 800	10 000	70,0		
72,0	50,5	75,9	11 300	10 600	9 900	11 300	10 600	9 900	72,0		
74,0	48,9	73,9	11 100	10 400	9 700	11 100	10 400	9 700	74,0		
76,0	47,3	71,9	10 800	10 100	9 500	10 800	10 100	9 500	76,0		
78,0	45,6	69,7	10 600	10 000	9 300	10 600	10 000	9 300	78,0		
80,0	43,9	67,3	10 400	9 800	9 200	10 400	9 800	9 200	80,0		
82,0	42,1	64,8	10 200	9 600	9 000	10 200	9 600	9 000	82,0		
84,0	40,2	62,2	10 000	9 400	8 800	10 000	9 400	8 800	84,0		
86,0	38,3	59,3	9 800	9 200	8 700	9 800	9 200	8 700	86,0		
88,0	36,2	56,2	9 500	9 100	8 600	9 500	9 100	8 600	88,0		
90,0	34,0	52,9	9 400	8 900	8 400	9 400	8 900	8 400	90,0		
92,0	31,7	49,2	9 100	8 700	8 300	9 100	8 800	8 300	92,0		
94,0	29,1	45,2	8 800	8 400	8 100	9 000	8 600	8 200	94,0		
96,0	26,3	40,6	8 100	7 900	7 600	8 800	8 500	8 100	96,0		
100,0	19,3	28,7	6 900	6 700	6 500	8 500	8 400	8 000	100,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3									18,3
20,0									20,0
22,0									22,0
24,0									24,0
26,0	83,5	100,1	17 700	15 600		17 700	15 600		26,0
28,0	82,3	99,5	17 200	15 300	13 600	17 200	15 300	13 600	28,0
30,0	81,1	99,0	16 800	14 900	13 400	16 800	14 900	13 400	30,0
32,0	79,9	98,4	16 400	14 600	13 100	16 400	14 600	13 100	32,0
34,0	78,7	97,7	16 000	14 400	12 900	16 000	14 400	12 900	34,0
36,0	77,5	97,0	15 600	14 100	12 700	15 600	14 100	12 700	36,0
38,0	76,3	96,3	15 100	13 800	12 500	15 100	13 800	12 500	38,0
40,0	75,1	95,5	14 600	13 500	12 300	14 600	13 500	12 300	40,0
42,0	73,9	94,6	14 100	13 200	12 000	14 100	13 200	12 000	42,0
44,0	72,6	93,7	13 600	12 900	11 800	13 600	12 900	11 800	44,0
46,0	71,4	92,7	13 200	12 700	11 600	13 200	12 700	11 600	46,0
48,0	70,1	91,7	12 800	12 400	11 400	12 800	12 400	11 400	48,0
50,0	68,8	90,7	12 400	12 200	11 200	12 400	12 200	11 200	50,0
52,0	67,5	89,5	12 000	11 900	11 000	12 000	11 900	11 000	52,0
54,0	66,2	88,4	11 700	11 600	10 800	11 700	11 600	10 800	54,0
56,0	64,8	87,1	11 400	11 300	10 600	11 400	11 300	10 600	56,0
58,0	63,5	85,8	11 100	11 000	10 400	11 100	11 000	10 400	58,0
60,0	62,1	84,4	10 800	10 700	10 300	10 800	10 700	10 300	60,0
62,0	60,7	82,9	10 500	10 400	10 100	10 500	10 400	10 100	62,0
64,0	59,3	81,4	10 200	10 100	9 900	10 200	10 100	9 900	64,0
66,0	57,8	79,8	10 000	9 900	9 700	10 000	9 900	9 700	66,0
68,0	56,3	78,1	9 700	9 700	9 600	9 700	9 700	9 600	68,0
70,0	54,8	76,3	9 500	9 400	9 400	9 500	9 400	9 400	70,0
72,0	53,2	74,4	9 300	9 200	9 100	9 300	9 200	9 100	72,0
74,0	51,6	72,4	9 100	9 000	8 900	9 100	9 000	8 900	74,0
76,0	49,9	70,2	8 900	8 800	8 700	8 900	8 800	8 700	76,0
78,0	48,2	68,0	8 700	8 600	8 600	8 700	8 600	8 600	78,0
80,0	46,5	65,6	8 500	8 500	8 400	8 500	8 500	8 400	80,0
82,0	44,6	63,0	8 300	8 300	8 200	8 300	8 300	8 200	82,0
84,0	42,7	60,3	8 200	8 100	8 100	8 200	8 100	8 100	84,0
86,0	40,7	57,4	8 000	8 000	7 900	8 000	8 000	7 900	86,0
88,0	38,5	54,2	7 900	7 800	7 800	7 900	7 800	7 800	88,0
90,0	36,3	50,7	7 800	7 700	7 700	7 800	7 700	7 700	90,0
92,0	33,8	46,8	7 700	7 600	7 600	7 700	7 600	7 600	92,0
94,0	31,1	42,5	7 500	7 500	7 500	7 500	7 500	7 500	94,0
96,0	28,1	37,6	7 500			7 500			96,0
100,0									100,0

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
19,8	84,2	108,6	22 200			22 200			19,8		
20,0	84,1	108,6	22 100			22 100			20,0		
22,0	83,0	108,2	21 600	18 100		21 600	18 100		22,0		
24,0	81,9	107,8	21 100	17 800	15 300	21 100	17 800	15 300	24,0		
26,0	80,9	107,3	20 600	17 500	15 100	20 600	17 500	15 100	26,0		
28,0	79,8	106,9	20 100	17 200	14 900	20 100	17 200	14 900	28,0		
30,0	78,7	106,3	19 600	16 900	14 600	19 600	16 900	14 600	30,0		
32,0	77,6	105,8	19 200	16 500	14 400	19 200	16 500	14 400	32,0		
34,0	76,5	105,2	18 700	16 200	14 200	18 700	16 200	14 200	34,0		
36,0	75,3	104,5	18 200	15 900	14 000	18 200	15 900	14 000	36,0		
38,0	74,2	103,8	17 800	15 600	13 800	17 800	15 600	13 800	38,0		
40,0	73,1	103,1	17 300	15 300	13 500	17 300	15 300	13 500	40,0		
42,0	71,9	102,3	16 900	15 000	13 300	16 900	15 000	13 300	42,0		
44,0	70,8	101,4	16 500	14 700	13 100	16 500	14 700	13 100	44,0		
46,0	69,6	100,6	16 000	14 300	12 900	16 000	14 300	12 900	46,0		
48,0	68,5	99,6	15 700	14 000	12 600	15 700	14 000	12 600	48,0		
50,0	67,3	98,7	15 300	13 700	12 400	15 300	13 700	12 400	50,0		
52,0	66,1	97,6	14 900	13 400	12 200	14 900	13 400	12 200	52,0		
54,0	64,9	96,5	14 500	13 200	12 000	14 500	13 200	12 000	54,0		
56,0	63,7	95,4	14 200	12 900	11 700	14 200	12 900	11 700	56,0		
58,0	62,4	94,2	13 800	12 600	11 500	13 800	12 600	11 500	58,0		
60,0	61,2	92,9	13 500	12 400	11 300	13 500	12 400	11 300	60,0		
62,0	59,9	91,6	13 200	12 100	11 100	13 200	12 100	11 100	62,0		
64,0	58,6	90,2	12 900	11 900	10 900	12 900	11 900	10 900	64,0		
66,0	57,3	88,8	12 600	11 600	10 700	12 600	11 600	10 700	66,0		
68,0	56,0	87,3	12 300	11 400	10 500	12 300	11 400	10 500	68,0		
70,0	54,6	85,7	12 000	11 200	10 300	12 000	11 200	10 300	70,0		
72,0	53,2	84,0	11 800	11 000	10 200	11 800	11 000	10 200	72,0		
74,0	51,8	82,2	11 500	10 700	10 000	11 500	10 700	10 000	74,0		
76,0	50,4	80,4	11 300	10 500	9 800	11 300	10 500	9 800	76,0		
78,0	48,9	78,4	11 100	10 300	9 600	11 100	10 300	9 600	78,0		
80,0	47,3	76,3	10 800	10 100	9 500	10 800	10 100	9 500	80,0		
82,0	45,8	74,2	10 600	9 900	9 300	10 600	9 900	9 300	82,0		
84,0	44,2	71,9	10 400	9 800	9 200	10 400	9 800	9 200	84,0		
86,0	42,5	69,4	10 200	9 600	9 000	10 200	9 600	9 000	86,0		
88,0	40,7	66,8	9 900	9 400	8 900	10 000	9 400	8 900	88,0		
90,0	38,9	64,1	9 200	8 800	8 300	9 800	9 300	8 700	90,0		
92,0	37,0	61,1	8 500	8 100	7 700	9 600	9 100	8 600	92,0		
94,0	35,0	57,9	7 800	7 500	7 100	9 400	9 000	8 500	94,0		
96,0	32,9	54,5	7 200	6 900	6 500	9 200	8 800	8 400	96,0		
100,0	28,2	46,5	6 000	5 700	5 400	8 900	8 600	8 100	100,0		
104,0	22,3	36,2	4 800			8 600			104,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
19,8									19,8		
20,0									20,0		
22,0									22,0		
24,0									24,0		
26,0	83,9	106,2	17 700	15 500		17 700	15 500		26,0		
28,0	82,8	105,7	17 300	15 300		17 300	15 300		28,0		
30,0	81,6	105,2	16 900	15 000	13 300	16 900	15 000	13 300	30,0		
32,0	80,5	104,6	16 500	14 700	13 100	16 500	14 700	13 100	32,0		
34,0	79,4	104,0	16 100	14 400	12 900	16 100	14 400	12 900	34,0		
36,0	78,3	103,3	15 800	14 200	12 700	15 800	14 200	12 700	36,0		
38,0	77,1	102,6	15 400	13 900	12 500	15 400	13 900	12 500	38,0		
40,0	76,0	101,9	14 900	13 600	12 300	14 900	13 600	12 300	40,0		
42,0	74,8	101,1	14 500	13 400	12 100	14 500	13 400	12 100	42,0		
44,0	73,7	100,2	14 000	13 100	11 900	14 000	13 100	11 900	44,0		
46,0	72,5	99,3	13 600	12 900	11 700	13 600	12 900	11 700	46,0		
48,0	71,3	98,4	13 200	12 600	11 600	13 200	12 600	11 600	48,0		
50,0	70,1	97,4	12 800	12 400	11 400	12 800	12 400	11 400	50,0		
52,0	68,9	96,4	12 400	12 100	11 200	12 400	12 100	11 200	52,0		
54,0	67,7	95,3	12 100	11 900	11 000	12 100	11 900	11 000	54,0		
56,0	66,4	94,1	11 700	11 600	10 800	11 700	11 600	10 800	56,0		
58,0	65,2	92,9	11 400	11 300	10 600	11 400	11 300	10 600	58,0		
60,0	63,9	91,6	11 200	11 100	10 500	11 200	11 100	10 500	60,0		
62,0	62,6	90,3	10 900	10 800	10 300	10 900	10 800	10 300	62,0		
64,0	61,3	88,9	10 600	10 500	10 100	10 600	10 500	10 100	64,0		
66,0	60,0	87,4	10 300	10 300	10 000	10 300	10 300	10 000	66,0		
68,0	58,6	85,8	10 100	10 000	9 800	10 100	10 000	9 800	68,0		
70,0	57,2	84,2	9 900	9 800	9 700	9 900	9 800	9 700	70,0		
72,0	55,8	82,5	9 600	9 600	9 500	9 600	9 600	9 500	72,0		
74,0	54,4	80,7	9 400	9 400	9 300	9 400	9 400	9 300	74,0		
76,0	52,9	78,8	9 200	9 200	9 100	9 200	9 200	9 100	76,0		
78,0	51,4	76,8	9 100	9 000	8 900	9 100	9 000	8 900	78,0		
80,0	49,8	74,7	8 900	8 800	8 700	8 900	8 800	8 700	80,0		
82,0	48,2	72,5	8 700	8 600	8 600	8 700	8 600	8 600	82,0		
84,0	46,6	70,1	8 500	8 500	8 400	8 500	8 500	8 400	84,0		
86,0	44,9	67,6	8 400	8 300	8 300	8 400	8 300	8 300	86,0		
88,0	43,1	64,9	8 200	8 200	8 100	8 200	8 200	8 100	88,0		
90,0	41,2	62,1	8 100	8 000	8 000	8 100	8 000	8 000	90,0		
92,0	39,2	59,0	7 900	7 900	7 800	7 900	7 900	7 800	92,0		
94,0	37,2	55,7	7 800	7 800	7 500	7 800	7 800	7 700	94,0		
96,0	35,0	52,1	7 600	7 200	6 900	7 700	7 600	7 600	96,0		
100,0	29,9	43,7	6 200	6 000	5 700	7 500	7 500	7 400	100,0		
104,0									104,0		







MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
19,8	84,5	114,7	22 000			22 000			19,8		
20,0	84,4	114,6	21 900			21 900			20,0		
22,0	83,4	114,3	21 500	17 900		21 500	17 900		22,0		
24,0	82,4	113,9	21 000	17 600	14 300	21 000	17 600	14 300	24,0		
26,0	81,4	113,5	20 600	17 300	14 100	20 600	17 300	14 100	26,0		
28,0	80,3	113,0	20 100	17 100	13 900	20 100	17 100	13 900	28,0		
30,0	79,3	112,5	19 700	16 800	13 700	19 700	16 800	13 700	30,0		
32,0	78,2	112,0	19 200	16 500	13 500	19 200	16 500	13 500	32,0		
34,0	77,2	111,4	18 800	16 200	13 300	18 800	16 200	13 300	34,0		
36,0	76,1	110,8	18 400	15 900	13 100	18 400	15 900	13 100	36,0		
38,0	75,1	110,2	17 900	15 700	12 900	17 900	15 700	12 900	38,0		
40,0	74,0	109,5	17 600	15 400	12 700	17 600	15 400	12 700	40,0		
42,0	72,9	108,7	17 100	15 100	12 500	17 100	15 100	12 500	42,0		
44,0	71,9	107,9	16 700	14 800	12 300	16 700	14 800	12 300	44,0		
46,0	70,8	107,1	16 300	14 500	12 100	16 300	14 500	12 100	46,0		
48,0	69,7	106,2	15 900	14 200	11 900	15 900	14 200	11 900	48,0		
50,0	68,6	105,3	15 600	13 900	11 700	15 600	13 900	11 700	50,0		
52,0	67,5	104,4	15 200	13 700	11 500	15 200	13 700	11 500	52,0		
54,0	66,3	103,3	14 900	13 400	11 300	14 900	13 400	11 300	54,0		
56,0	65,2	102,3	14 500	13 100	11 100	14 500	13 100	11 100	56,0		
58,0	64,0	101,2	14 200	12 900	10 900	14 200	12 900	10 900	58,0		
60,0	62,9	100,0	13 900	12 600	10 700	13 900	12 600	10 700	60,0		
62,0	61,7	98,8	13 600	12 400	10 500	13 600	12 400	10 500	62,0		
64,0	60,5	97,5	13 300	12 200	10 400	13 300	12 200	10 400	64,0		
66,0	59,3	96,2	13 000	11 900	10 200	13 000	11 900	10 200	66,0		
68,0	58,1	94,8	12 700	11 700	10 000	12 700	11 700	10 000	68,0		
70,0	56,8	93,3	12 500	11 500	9 900	12 500	11 500	9 900	70,0		
72,0	55,6	91,7	12 200	11 300	9 700	12 200	11 300	9 700	72,0		
74,0	54,3	90,1	11 900	11 100	9 500	11 900	11 100	9 500	74,0		
76,0	52,9	88,4	11 700	10 900	9 400	11 700	10 900	9 400	76,0		
78,0	51,6	86,7	11 500	10 700	9 200	11 500	10 700	9 200	78,0		
80,0	50,2	84,8	11 200	10 500	9 100	11 200	10 500	9 100	80,0		
82,0	48,8	82,9	11 000	10 300	8 900	11 000	10 300	8 900	82,0		
84,0	47,4	80,8	10 600	9 800	8 800	10 800	10 100	8 800	84,0		
86,0	45,9	78,7	9 800	9 300	8 600	10 600	9 900	8 700	86,0		
88,0	44,4	76,4	9 100	8 600	8 000	10 400	9 800	8 500	88,0		
90,0	42,8	74,0	8 400	7 900	7 400	10 300	9 600	8 400	90,0		
92,0	41,2	71,5	7 700	7 200	6 800	10 100	9 400	8 300	92,0		
94,0	39,5	68,8	7 000	6 600	6 200	9 900	9 300	8 200	94,0		
96,0	37,8	65,9	6 400	6 000	5 600	9 700	9 200	8 000	96,0		
100,0	34,0	59,5	5 200	4 800	4 500	9 300	8 900	7 800	100,0		
104,0	29,7	52,1	4 000	3 800		9 000	8 700	7 700	104,0		
108,0	24,6	42,8	3 000			8 700	8 500	7 500	108,0		




MLC300 VPC-MAX S-1







			 10,6 m			 14,6 m			
									
			0° 	1° 	2° 	0° 	1° 	2° 	
m	°	m	kg	kg	kg	kg	kg	kg	m
19,8									19,8
20,0									20,0
22,0									22,0
24,0									24,0
26,0	84,2	112,3	17 700			17 700			26,0
28,0	83,2	111,8	17 300	14 000		17 300	14 000		28,0
30,0	82,1	111,3	17 000	13 700	12 300	17 000	13 700	12 300	30,0
32,0	81,0	110,8	16 600	13 500	12 200	16 600	13 500	12 200	32,0
34,0	80,0	110,2	16 200	13 300	12 000	16 200	13 300	12 000	34,0
36,0	78,9	109,6	15 900	13 000	11 800	15 900	13 000	11 800	36,0
38,0	77,9	108,9	15 500	12 800	11 700	15 500	12 800	11 700	38,0
40,0	76,8	108,2	15 200	12 600	11 500	15 200	12 600	11 500	40,0
42,0	75,7	107,5	14 700	12 300	11 300	14 700	12 300	11 300	42,0
44,0	74,6	106,7	14 300	12 100	11 100	14 300	12 100	11 100	44,0
46,0	73,5	105,9	13 900	11 900	11 000	13 900	11 900	11 000	46,0
48,0	72,4	105,0	13 500	11 700	10 800	13 500	11 700	10 800	48,0
50,0	71,3	104,0	13 100	11 500	10 600	13 100	11 500	10 600	50,0
52,0	70,1	103,1	12 700	11 300	10 400	12 700	11 300	10 400	52,0
54,0	69,0	102,0	12 400	11 100	10 300	12 400	11 100	10 300	54,0
56,0	67,8	101,0	12 100	10 900	10 100	12 100	10 900	10 100	56,0
58,0	66,7	99,8	11 800	10 700	10 000	11 800	10 700	10 000	58,0
60,0	65,5	98,7	11 500	10 500	9 800	11 500	10 500	9 800	60,0
62,0	64,3	97,4	11 200	10 400	9 700	11 200	10 400	9 700	62,0
64,0	63,1	96,1	10 900	10 200	9 500	10 900	10 200	9 500	64,0
66,0	61,9	94,8	10 700	10 000	9 400	10 700	10 000	9 400	66,0
68,0	60,6	93,3	10 400	9 900	9 300	10 400	9 900	9 300	68,0
70,0	59,4	91,8	10 200	9 700	9 100	10 200	9 700	9 100	70,0
72,0	58,1	90,3	10 000	9 500	9 000	10 000	9 500	9 000	72,0
74,0	56,7	88,6	9 800	9 400	8 900	9 800	9 400	8 900	74,0
76,0	55,4	86,9	9 600	9 300	8 700	9 600	9 300	8 700	76,0
78,0	54,0	85,1	9 400	9 100	8 600	9 400	9 100	8 600	78,0
80,0	52,6	83,2	9 200	9 000	8 500	9 200	9 000	8 500	80,0
82,0	51,2	81,2	9 000	8 900	8 400	9 000	8 900	8 400	82,0
84,0	49,7	79,2	8 800	8 700	8 300	8 800	8 700	8 300	84,0
86,0	48,2	77,0	8 700	8 600	8 200	8 700	8 600	8 200	86,0
88,0	46,7	74,6	8 500	8 500	8 100	8 500	8 500	8 100	88,0
90,0	45,1	72,2	8 400	8 200	7 800	8 400	8 300	8 000	90,0
92,0	43,4	69,6	8 100	7 800	7 400	8 200	8 200	7 900	92,0
94,0	41,7	66,8	7 600	7 100	6 700	8 100	8 000	7 800	94,0
96,0	39,9	63,8	6 900	6 500	6 100	8 000	7 900	7 800	96,0
100,0	35,9	57,2	5 600	5 200	4 900	7 700	7 700	7 600	100,0
104,0	31,4	49,4	4 300	4 100	3 800	7 500	7 500	7 500	104,0
108,0									108,0

MLC300 VPC-MAX S-1






									
									
			0° 	1° 	2° 	0° 	1° 	2° 	
m	°	m	kg	kg	kg	kg	kg	kg	m
19,8	84,8	120,7	21 800			21 800			19,8
20,0	84,7	120,7	21 700			21 700			20,0
22,0	83,7	120,4	21 400			21 400			22,0
24,0	82,8	120,0	21 000	17 500		21 000	17 500		24,0
26,0	81,8	119,6	20 600	17 200	13 900	20 600	17 200	13 900	26,0
28,0	80,8	119,2	20 200	17 000	13 800	20 200	17 000	13 800	28,0
30,0	79,8	118,7	19 700	16 700	13 600	19 700	16 700	13 600	30,0
32,0	78,8	118,2	19 300	16 500	13 400	19 300	16 500	13 400	32,0
34,0	77,9	117,7	18 900	16 200	13 200	18 900	16 200	13 200	34,0
36,0	76,9	117,1	18 500	15 900	13 100	18 500	15 900	13 100	36,0
38,0	75,9	116,5	18 100	15 700	12 900	18 100	15 700	12 900	38,0
40,0	74,9	115,8	17 700	15 400	12 700	17 700	15 400	12 700	40,0
42,0	73,8	115,1	17 300	15 200	12 500	17 300	15 200	12 500	42,0
44,0	72,8	114,4	17 000	14 900	12 300	17 000	14 900	12 300	44,0
46,0	71,8	113,6	16 600	14 600	12 100	16 600	14 600	12 100	46,0
48,0	70,8	112,8	16 200	14 400	12 000	16 200	14 400	12 000	48,0
50,0	69,7	111,9	15 900	14 100	11 800	15 900	14 100	11 800	50,0
52,0	68,7	111,0	15 500	13 900	11 600	15 500	13 900	11 600	52,0
54,0	67,6	110,1	15 200	13 600	11 400	15 200	13 600	11 400	54,0
56,0	66,6	109,1	14 900	13 400	11 200	14 900	13 400	11 200	56,0
58,0	65,5	108,0	14 600	13 100	11 100	14 600	13 100	11 100	58,0
60,0	64,4	106,9	14 200	12 900	10 900	14 200	12 900	10 900	60,0
62,0	63,3	105,8	13 900	12 700	10 700	13 900	12 700	10 700	62,0
64,0	62,2	104,6	13 700	12 400	10 500	13 700	12 400	10 500	64,0
66,0	61,1	103,3	13 400	12 200	10 400	13 400	12 200	10 400	66,0
68,0	59,9	102,0	13 100	12 000	10 200	13 100	12 000	10 200	68,0
70,0	58,8	100,7	12 800	11 800	10 100	12 800	11 800	10 100	70,0
72,0	57,6	99,3	12 600	11 600	9 900	12 600	11 600	9 900	72,0
74,0	56,4	97,8	12 300	11 400	9 800	12 300	11 400	9 800	74,0
76,0	55,2	96,2	12 100	11 200	9 600	12 100	11 200	9 600	76,0
78,0	54,0	94,6	11 800	11 000	9 500	11 800	11 000	9 500	78,0
80,0	52,7	92,9	11 300	10 500	9 300	11 600	10 800	9 300	80,0
82,0	51,4	91,1	10 400	9 700	9 000	11 400	10 600	9 200	82,0
84,0	50,1	89,3	9 600	8 900	8 300	11 200	10 400	9 000	84,0
86,0	48,8	87,3	8 800	8 200	7 600	11 000	10 300	8 900	86,0
88,0	47,4	85,3	8 100	7 500	7 000	10 800	10 100	8 800	88,0
90,0	46,0	83,2	7 300	6 800	6 300	10 600	9 900	8 700	90,0
92,0	44,6	80,9	6 700	6 200	5 700	10 400	9 800	8 500	92,0
94,0	43,1	78,6	6 000	5 500	5 100	10 300	9 600	8 400	94,0
96,0	41,6	76,1	5 400	4 900	4 500	10 100	9 500	8 300	96,0
100,0	38,4	70,7	4 200	3 800	3 400	9 800	9 200	8 100	100,0
104,0	34,9	64,5				9 400	8 900	7 900	104,0
108,0	31,0	57,4				8 800	8 400	7 700	108,0
112,0	26,5	48,9				7 800	7 400	7 100	112,0
116,0	21,0	38,0				6 800			116,0




MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
19,8											19,8
20,0											20,0
22,0											22,0
24,0											24,0
26,0	84,5	118,4	17 700			17 700					26,0
28,0	83,5	118,0	17 300	13 900		17 300	13 900				28,0
30,0	82,5	117,5	17 000	13 700		17 000	13 700				30,0
32,0	81,5	117,0	16 700	13 500	12 100	16 700	13 500	12 100			32,0
34,0	80,5	116,4	16 300	13 300	12 000	16 300	13 300	12 000			34,0
36,0	79,5	115,8	16 000	13 100	11 800	16 000	13 100	11 800			36,0
38,0	78,5	115,2	15 700	12 900	11 700	15 700	12 900	11 700			38,0
40,0	77,5	114,6	15 400	12 600	11 500	15 400	12 600	11 500			40,0
42,0	76,5	113,8	15 000	12 400	11 300	15 000	12 400	11 300			42,0
44,0	75,4	113,1	14 600	12 200	11 200	14 600	12 200	11 200			44,0
46,0	74,4	112,3	14 200	12 000	11 000	14 200	12 000	11 000			46,0
48,0	73,3	111,5	13 800	11 800	10 900	13 800	11 800	10 900			48,0
50,0	72,3	110,6	13 400	11 700	10 700	13 400	11 700	10 700			50,0
52,0	71,2	109,7	13 000	11 400	10 500	13 000	11 400	10 500			52,0
54,0	70,2	108,7	12 700	11 300	10 400	12 700	11 300	10 400			54,0
56,0	69,1	107,7	12 400	11 100	10 300	12 400	11 100	10 300			56,0
58,0	68,0	106,7	12 100	10 900	10 100	12 100	10 900	10 100			58,0
60,0	66,9	105,6	11 800	10 700	10 000	11 800	10 700	10 000			60,0
62,0	65,8	104,4	11 500	10 500	9 800	11 500	10 500	9 800			62,0
64,0	64,6	103,2	11 200	10 400	9 700	11 200	10 400	9 700			64,0
66,0	63,5	101,9	11 000	10 200	9 600	11 000	10 200	9 600			66,0
68,0	62,4	100,6	10 800	10 100	9 400	10 800	10 100	9 400			68,0
70,0	61,2	99,2	10 500	9 900	9 300	10 500	9 900	9 300			70,0
72,0	60,0	97,8	10 300	9 800	9 200	10 300	9 800	9 200			72,0
74,0	58,8	96,3	10 100	9 600	9 000	10 100	9 600	9 000			74,0
76,0	57,6	94,7	9 900	9 500	8 900	9 900	9 500	8 900			76,0
78,0	56,3	93,1	9 700	9 300	8 800	9 700	9 300	8 800			78,0
80,0	55,0	91,3	9 500	9 200	8 700	9 500	9 200	8 700			80,0
82,0	53,7	89,5	9 300	9 100	8 600	9 300	9 100	8 600			82,0
84,0	52,4	87,7	9 100	9 000	8 500	9 100	9 000	8 500			84,0
86,0	51,1	85,7	9 000	8 700	8 200	9 000	8 900	8 400			86,0
88,0	49,7	83,6	8 700	8 200	7 700	8 800	8 700	8 300			88,0
90,0	48,2	81,4	8 100	7 500	7 000	8 700	8 600	8 200			90,0
92,0	46,8	79,1	7 300	6 800	6 300	8 500	8 500	8 100			92,0
94,0	45,3	76,7	6 600	6 200	5 700	8 400	8 300	8 000			94,0
96,0	43,7	74,2	6 000	5 500	5 100	8 200	8 200	7 900			96,0
100,0	40,4	68,6	4 700	4 300	3 900	8 000	7 900	7 800			100,0
104,0	36,8	62,2	3 500			7 800	7 700	7 700			104,0
108,0	32,7	54,8				7 600	7 600	7 500			108,0
112,0	27,9	45,8				7 400	7 400	7 200			112,0
116,0											116,0

MLC300 VPC-MAX S-1






			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
21,3	84,4	126,6	21 200			21 200			21,3
22,0	84,0	126,5	21 100			21 100			22,0
24,0	83,1	126,1	20 700	17 200		20 700	17 200		24,0
26,0	82,2	125,7	20 300	17 000	13 700	20 300	17 000	13 700	26,0
28,0	81,3	125,3	20 000	16 700	13 600	20 000	16 700	13 600	28,0
30,0	80,3	124,9	19 600	16 500	13 400	19 600	16 500	13 400	30,0
32,0	79,4	124,4	19 300	16 300	13 300	19 300	16 300	13 300	32,0
34,0	78,5	123,9	18 900	16 100	13 100	18 900	16 100	13 100	34,0
36,0	77,5	123,3	18 500	15 900	12 900	18 500	15 900	12 900	36,0
38,0	76,6	122,7	18 200	15 600	12 800	18 200	15 600	12 800	38,0
40,0	75,6	122,1	17 800	15 400	12 600	17 800	15 400	12 600	40,0
42,0	74,7	121,5	17 400	15 100	12 500	17 400	15 100	12 500	42,0
44,0	73,7	120,8	17 100	14 900	12 300	17 100	14 900	12 300	44,0
46,0	72,7	120,0	16 700	14 700	12 200	16 700	14 700	12 200	46,0
48,0	71,7	119,2	16 400	14 400	12 000	16 400	14 400	12 000	48,0
50,0	70,8	118,4	16 100	14 200	11 800	16 100	14 200	11 800	50,0
52,0	69,8	117,6	15 700	14 000	11 700	15 700	14 000	11 700	52,0
54,0	68,8	116,7	15 400	13 700	11 500	15 400	13 700	11 500	54,0
56,0	67,8	115,7	15 100	13 500	11 300	15 100	13 500	11 300	56,0
58,0	66,8	114,8	14 800	13 300	11 200	14 800	13 300	11 200	58,0
60,0	65,7	113,7	14 500	13 000	11 000	14 500	13 000	11 000	60,0
62,0	64,7	112,7	14 200	12 800	10 800	14 200	12 800	10 800	62,0
64,0	63,7	111,5	14 000	12 600	10 700	14 000	12 600	10 700	64,0
66,0	62,6	110,4	13 700	12 400	10 500	13 700	12 400	10 500	66,0
68,0	61,5	109,2	13 400	12 200	10 400	13 400	12 200	10 400	68,0
70,0	60,5	107,9	13 200	12 000	10 200	13 200	12 000	10 200	70,0
72,0	59,4	106,6	12 900	11 800	10 000	12 900	11 800	10 000	72,0
74,0	58,3	105,2	12 700	11 600	9 900	12 700	11 600	9 900	74,0
76,0	57,1	103,8	12 400	11 400	9 800	12 400	11 400	9 800	76,0
78,0	56,0	102,3	11 700	10 800	9 600	12 200	11 200	9 600	78,0
80,0	54,9	100,7	10 800	10 000	9 300	12 000	11 000	9 500	80,0
82,0	53,7	99,1	10 000	9 200	8 500	11 700	10 900	9 400	82,0
84,0	52,5	97,4	9 100	8 400	7 800	11 500	10 700	9 200	84,0
86,0	51,3	95,6	8 400	7 700	7 100	11 300	10 500	9 100	86,0
88,0	50,0	93,8	7 600	7 000	6 400	11 100	10 400	9 000	88,0
90,0	48,8	91,8	6 900	6 300	5 800	11 000	10 200	8 900	90,0
92,0	47,5	89,8	6 200	5 700	5 200	10 800	10 000	8 700	92,0
94,0	46,2	87,7	5 600	5 100	4 600	10 600	9 900	8 600	94,0
96,0	44,8	85,5	4 900	4 500	4 000	10 400	9 700	8 500	96,0
100,0	42,0	80,7	3 700	3 300		10 100	9 500	8 300	100,0
104,0	38,9	75,4				9 600	9 100	8 100	104,0
108,0	35,7	69,5				8 500	8 100	7 600	108,0
112,0	32,1	62,7				7 500	7 100	6 700	112,0
116,0	28,0	54,7				6 500	6 200	5 900	116,0
120,0	23,2	44,9				5 600	5 300	5 100	120,0







MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
21,3									21,3		
22,0									22,0		
24,0									24,0		
26,0	84,8	124,5	17 600			17 600			26,0		
28,0	83,8	124,1	17 300			17 300			28,0		
30,0	82,9	123,6	17 000	13 600		17 000	13 600		30,0		
32,0	81,9	123,1	16 600	13 400	11 900	16 600	13 400	11 900	32,0		
34,0	81,0	122,6	16 300	13 300	11 800	16 300	13 300	11 800	34,0		
36,0	80,0	122,1	16 000	13 000	11 700	16 000	13 000	11 700	36,0		
38,0	79,1	121,5	15 700	12 800	11 600	15 700	12 800	11 600	38,0		
40,0	78,1	120,8	15 400	12 700	11 500	15 400	12 700	11 500	40,0		
42,0	77,1	120,2	15 100	12 500	11 300	15 100	12 500	11 300	42,0		
44,0	76,2	119,5	14 800	12 300	11 200	14 800	12 300	11 200	44,0		
46,0	75,2	118,7	14 400	12 100	11 000	14 400	12 100	11 000	46,0		
48,0	74,2	117,9	14 000	11 900	10 900	14 000	11 900	10 900	48,0		
50,0	73,2	117,1	13 600	11 700	10 700	13 600	11 700	10 700	50,0		
52,0	72,2	116,3	13 300	11 500	10 600	13 300	11 500	10 600	52,0		
54,0	71,2	115,4	13 000	11 400	10 500	13 000	11 400	10 500	54,0		
56,0	70,2	114,4	12 700	11 200	10 300	12 700	11 200	10 300	56,0		
58,0	69,2	113,4	12 400	11 000	10 200	12 400	11 000	10 200	58,0		
60,0	68,1	112,4	12 100	10 900	10 100	12 100	10 900	10 100	60,0		
62,0	67,1	111,3	11 800	10 700	9 900	11 800	10 700	9 900	62,0		
64,0	66,0	110,2	11 500	10 500	9 800	11 500	10 500	9 800	64,0		
66,0	65,0	109,0	11 300	10 400	9 700	11 300	10 400	9 700	66,0		
68,0	63,9	107,7	11 000	10 200	9 500	11 000	10 200	9 500	68,0		
70,0	62,8	106,5	10 800	10 100	9 400	10 800	10 100	9 400	70,0		
72,0	61,7	105,1	10 600	9 900	9 300	10 600	9 900	9 300	72,0		
74,0	60,6	103,7	10 400	9 800	9 200	10 400	9 800	9 200	74,0		
76,0	59,4	102,3	10 200	9 600	9 100	10 200	9 600	9 100	76,0		
78,0	58,3	100,7	10 000	9 500	9 000	10 000	9 500	9 000	78,0		
80,0	57,1	99,1	9 800	9 400	8 900	9 800	9 400	8 900	80,0		
82,0	55,9	97,5	9 600	9 300	8 700	9 600	9 300	8 700	82,0		
84,0	54,7	95,8	9 400	9 000	8 400	9 400	9 100	8 600	84,0		
86,0	53,5	94,0	9 100	8 600	7 900	9 200	9 000	8 500	86,0		
88,0	52,2	92,1	8 500	7 800	7 200	9 100	8 900	8 400	88,0		
90,0	50,9	90,1	7 700	7 100	6 500	8 900	8 800	8 300	90,0		
92,0	49,6	88,1	7 000	6 400	5 900	8 800	8 700	8 300	92,0		
94,0	48,2	85,9	6 300	5 700	5 200	8 700	8 600	8 200	94,0		
96,0	46,8	83,6	5 600	5 100	4 600	8 500	8 500	8 100	96,0		
100,0	43,9	78,8	4 300	3 900	3 500	8 200	8 200	7 900	100,0		
104,0	40,8	73,3				8 000	8 000	7 800	104,0		
108,0	37,5	67,2				7 800	7 800	7 600	108,0		
112,0	33,8	60,1				7 600	7 300	7 000	112,0		
116,0	29,5	51,7				6 700			116,0		
120,0									120,0		




MLC300 VPC-MAX S-1







			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
21,3	84,6	132,6	20 900			20 900			21,3
22,0	84,3	132,5	20 800			20 800			22,0
24,0	83,4	132,2	20 500	16 800		20 500	16 800		24,0
26,0	82,6	131,8	20 200	16 700	11 900	20 200	16 700	11 900	26,0
28,0	81,7	131,4	19 900	16 500	11 900	19 900	16 500	11 900	28,0
30,0	80,8	131,0	19 600	16 400	11 900	19 600	16 400	11 900	30,0
32,0	79,9	130,6	19 300	16 200	11 900	19 300	16 200	11 900	32,0
34,0	79,0	130,1	18 900	16 000	11 900	18 900	16 000	11 900	34,0
36,0	78,1	129,5	18 600	15 800	11 900	18 600	15 800	11 900	36,0
38,0	77,2	129,0	18 200	15 500	11 900	18 200	15 500	11 900	38,0
40,0	76,3	128,4	17 900	15 300	11 900	17 900	15 300	11 900	40,0
42,0	75,4	127,8	17 600	15 100	11 900	17 600	15 100	11 900	42,0
44,0	74,5	127,1	17 200	14 900	11 900	17 200	14 900	11 900	44,0
46,0	73,5	126,4	16 900	14 700	11 900	16 900	14 700	11 900	46,0
48,0	72,6	125,7	16 600	14 500	11 900	16 600	14 500	11 900	48,0
50,0	71,7	124,9	16 300	14 300	11 800	16 300	14 300	11 800	50,0
52,0	70,7	124,1	16 000	14 100	11 700	16 000	14 100	11 700	52,0
54,0	69,8	123,2	15 700	13 800	11 500	15 700	13 800	11 500	54,0
56,0	68,9	122,4	15 400	13 600	11 400	15 400	13 600	11 400	56,0
58,0	67,9	121,4	15 100	13 400	11 200	15 100	13 400	11 200	58,0
60,0	66,9	120,5	14 800	13 200	11 100	14 800	13 200	11 100	60,0
62,0	66,0	119,5	14 500	13 000	10 900	14 500	13 000	10 900	62,0
64,0	65,0	118,4	14 200	12 800	10 800	14 200	12 800	10 800	64,0
66,0	64,0	117,3	14 000	12 600	10 600	14 000	12 600	10 600	66,0
68,0	63,0	116,2	13 700	12 400	10 500	13 700	12 400	10 500	68,0
70,0	62,0	115,0	13 500	12 200	10 400	13 500	12 200	10 400	70,0
72,0	61,0	113,7	13 200	12 000	10 200	13 200	12 000	10 200	72,0
74,0	59,9	112,4	12 700	11 500	10 000	13 000	11 800	10 100	74,0
76,0	58,9	111,1	11 700	10 700	9 700	12 800	11 600	9 900	76,0
78,0	57,8	109,7	10 700	9 800	9 000	12 500	11 500	9 800	78,0
80,0	56,7	108,3	9 800	9 000	8 200	12 300	11 300	9 700	80,0
82,0	55,7	106,7	9 000	8 200	7 400	12 100	11 100	9 500	82,0
84,0	54,6	105,2	8 100	7 400	6 700	11 900	10 900	9 400	84,0
86,0	53,4	103,5	7 400	6 700	6 000	11 700	10 800	9 300	86,0
88,0	52,3	101,8	6 600	5 900	5 300	11 500	10 600	9 200	88,0
90,0	51,1	100,1	5 900	5 300	4 700	11 300	10 500	9 100	90,0
92,0	50,0	98,2	5 200	4 600	4 100	11 100	10 300	8 900	92,0
94,0	48,7	96,3	4 600	4 000	3 500	10 900	10 200	8 800	94,0
96,0	47,5	94,3	3 900	3 400		10 800	10 000	8 700	96,0
100,0	45,0	90,0				10 000	9 400	8 500	100,0
104,0	42,3	85,3				8 800	8 300	7 800	104,0
108,0	39,4	80,1				7 800	7 300	6 800	108,0
112,0	36,4	74,3				6 800	6 300	5 900	112,0
116,0	33,1	67,8				5 800	5 400	5 100	116,0
120,0	29,4	60,3				4 900	4 600	4 300	120,0
124,0	25,1	51,3				4 100	3 800	3 500	124,0
128,0	19,8	39,8				3 200	3 000		128,0






MLC300 VPC-MAX S-1




			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
21,3 22,0 24,0 26,0 28,0	84,1	130,2	17 200			17 200			21,3 22,0 24,0 26,0 28,0
30,0 32,0 34,0 36,0 38,0	83,2 82,3 81,4 80,5 79,6	129,8 129,3 128,8 128,3 127,7	16 900 16 600 16 300 16 000 15 800	13 600 13 400 13 200 13 000 12 800	10 000 10 000 10 000 10 000 10 000	16 900 16 600 16 300 16 000 15 800	13 600 13 400 13 200 13 000 12 800	10 000 10 000 10 000 10 000 10 000	30,0 32,0 34,0 36,0 38,0
40,0 42,0 44,0 46,0 48,0	78,7 77,8 76,8 75,9 75,0	127,1 126,5 125,8 125,1 124,4	15 500 15 200 15 000 14 700 14 300	12 700 12 500 12 300 12 200 12 000	10 000 10 000 10 000 10 000 10 000	15 500 15 200 15 000 14 700 14 300	12 700 12 500 12 300 12 200 12 000	10 000 10 000 10 000 10 000 10 000	40,0 42,0 44,0 46,0 48,0
50,0 52,0 54,0 56,0 58,0	74,0 73,1 72,1 71,2 70,2	123,6 122,8 121,9 121,0 120,1	14 000 13 600 13 300 13 000 12 700	11 800 11 600 11 500 11 300 11 200	10 000 10 000 10 000 10 000 10 000	14 000 13 600 13 300 13 000 12 700	11 800 11 600 11 500 11 300 11 200	10 000 10 000 10 000 10 000 10 000	50,0 52,0 54,0 56,0 58,0
60,0 62,0 64,0 66,0 68,0	69,2 68,2 67,2 66,2 65,2	119,1 118,1 117,0 115,9 114,7	12 400 12 100 11 900 11 600 11 400	11 000 10 800 10 700 10 500 10 400	10 000 10 000 9 900 9 800 9 600	12 400 12 100 11 900 11 600 11 400	11 000 10 800 10 700 10 500 10 400	10 000 10 000 9 900 9 800 9 600	60,0 62,0 64,0 66,0 68,0
70,0 72,0 74,0 76,0 78,0	64,2 63,2 62,1 61,1 60,0	113,5 112,3 111,0 109,6 108,2	11 100 10 900 10 700 10 500 10 300	10 200 10 100 10 000 9 800 9 700	9 500 9 400 9 300 9 200 9 100	11 100 10 900 10 700 10 500 10 300	10 200 10 100 10 000 9 800 9 700	9 500 9 400 9 300 9 200 9 100	70,0 72,0 74,0 76,0 78,0
80,0 82,0 84,0 86,0 88,0	58,9 57,8 56,7 55,5 54,4	106,7 105,2 103,6 101,9 100,2	10 100 9 900 9 100 8 300 7 500	9 500 9 100 8 400 7 600 6 800	8 800 8 400 7 600 6 900 6 200	10 100 9 900 9 700 9 600 9 400	9 600 9 500 9 300 9 200 9 100	9 000 8 900 8 800 8 700 8 600	80,0 82,0 84,0 86,0 88,0
90,0 92,0 94,0 96,0 100,0	53,2 52,0 50,8 49,5 46,9	98,4 96,5 94,6 92,5 88,1	6 800 6 100 5 400 4 700 3 400	6 100 5 400 4 800 4 100	5 500 4 900 4 200 3 600	9 200 9 100 8 900 8 800 8 500	9 000 8 900 8 800 8 700 8 500	8 500 8 400 8 300 8 200 8 100	90,0 92,0 94,0 96,0 100,0
104,0 108,0 112,0 116,0 120,0	44,2 41,3 38,1 34,7 30,8	83,3 78,0 72,1 65,3 57,4				8 300 8 000 7 100 6 100 5 100	8 200 7 700 6 700 5 700 4 800	7 900 7 200 6 200 5 300 4 500	104,0 108,0 112,0 116,0 120,0
124,0 128,0									124,0 128,0

MLC300 VPC-MAX S-1





			 10,6 m		 14,6 m		
							
			0° 	1° 	0° 	1° 	
			kg	kg	kg	kg	
21,3	84,8	138,7	20 400		20 400		21,3
22,0	84,6	138,6	20 400		20 400		22,0
24,0	83,7	138,2	20 100		20 100		24,0
26,0	82,9	137,9	19 800	14 100	19 800	14 100	26,0
28,0	82,0	137,5	19 600	14 100	19 600	14 100	28,0
30,0	81,2	137,1	19 300	14 100	19 300	14 100	30,0
32,0	80,3	136,7	19 000	14 100	19 000	14 100	32,0
34,0	79,5	136,2	18 700	14 100	18 700	14 100	34,0
36,0	78,6	135,7	18 400	14 100	18 400	14 100	36,0
38,0	77,8	135,2	18 100	14 100	18 100	14 100	38,0
40,0	76,9	134,6	17 800	14 100	17 800	14 100	40,0
42,0	76,0	134,0	17 500	14 100	17 500	14 100	42,0
44,0	75,2	133,4	17 200	14 100	17 200	14 100	44,0
46,0	74,3	132,7	16 900	14 100	16 900	14 100	46,0
48,0	73,4	132,0	16 600	14 100	16 600	14 100	48,0
50,0	72,5	131,3	16 300	14 100	16 300	14 100	50,0
52,0	71,6	130,5	16 000	14 000	16 000	14 000	52,0
54,0	70,7	129,7	15 700	13 800	15 700	13 800	54,0
56,0	69,8	128,9	15 500	13 600	15 500	13 600	56,0
58,0	68,9	128,0	15 200	13 400	15 200	13 400	58,0
60,0	68,0	127,1	14 900	13 200	14 900	13 200	60,0
62,0	67,1	126,1	14 700	13 000	14 700	13 000	62,0
64,0	66,2	125,1	14 400	12 800	14 400	12 800	64,0
66,0	65,2	124,1	14 200	12 700	14 200	12 700	66,0
68,0	64,3	123,0	13 900	12 500	13 900	12 500	68,0
70,0	63,3	121,9	13 700	12 300	13 700	12 300	70,0
72,0	62,4	120,7	13 200	11 800	13 400	12 000	72,0
74,0	61,4	119,5	12 100	11 100	13 200	11 700	74,0
76,0	60,4	118,3	11 100	10 100	13 000	11 400	76,0
78,0	59,4	116,9	10 200	9 200	12 800	11 200	78,0
80,0	58,4	115,6	9 300	8 400	12 500	10 900	80,0
82,0	57,4	114,2	8 400	7 600	12 300	10 600	82,0
84,0	56,4	112,7	7 600	6 800	12 000	10 400	84,0
86,0	55,3	111,2	6 800	6 100	11 800	10 200	86,0
88,0	54,3	109,6	6 100	5 400	11 500	10 000	88,0
90,0	53,2	108,0	5 400	4 700	11 300	9 700	90,0
92,0	52,1	106,3	4 700	4 100	11 000	9 500	92,0
94,0	51,0	104,5	4 100	3 400	10 800	9 300	94,0
96,0	49,9	102,6	3 400		10 600	9 100	96,0
100,0	47,5	98,7			9 600	8 800	100,0
104,0	45,1	94,5			8 500	7 900	104,0
108,0	42,6	89,8			7 400	6 900	108,0
112,0	39,9	84,7			6 400	5 900	112,0
116,0	37,0	79,1			5 500	5 000	116,0
120,0	33,9	72,8			4 600	4 200	120,0
124,0	30,5	65,6			3 700	3 300	124,0
128,0							128,0

MLC300 VPC-MAX S-1






			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
21,3							21,3
22,0							22,0
24,0							24,0
26,0							26,0
28,0	84,4	136,3	17 000		17 000		28,0
30,0	83,5	135,8	16 800	12 300	16 800	12 300	30,0
32,0	82,7	135,4	16 500	12 300	16 500	12 300	32,0
34,0	81,8	134,9	16 200	12 300	16 200	12 300	34,0
36,0	80,9	134,4	16 000	12 300	16 000	12 300	36,0
38,0	80,1	133,9	15 700	12 300	15 700	12 300	38,0
40,0	79,2	133,3	15 500	12 300	15 500	12 300	40,0
42,0	78,3	132,7	15 200	12 300	15 200	12 300	42,0
44,0	77,4	132,1	15 000	12 200	15 000	12 200	44,0
46,0	76,6	131,4	14 700	12 100	14 700	12 100	46,0
48,0	75,7	130,7	14 400	11 900	14 400	11 900	48,0
50,0	74,8	130,0	14 100	11 800	14 100	11 800	50,0
52,0	73,9	129,2	13 800	11 600	13 800	11 600	52,0
54,0	73,0	128,4	13 500	11 500	13 500	11 500	54,0
56,0	72,1	127,5	13 100	11 300	13 100	11 300	56,0
58,0	71,1	126,6	12 900	11 200	12 900	11 200	58,0
60,0	70,2	125,7	12 600	11 000	12 600	11 000	60,0
62,0	69,3	124,7	12 300	10 900	12 300	10 900	62,0
64,0	68,3	123,7	12 000	10 800	12 000	10 800	64,0
66,0	67,4	122,7	11 800	10 600	11 800	10 600	66,0
68,0	66,4	121,6	11 600	10 500	11 600	10 500	68,0
70,0	65,5	120,5	11 300	10 300	11 300	10 300	70,0
72,0	64,5	119,3	11 100	10 200	11 100	10 200	72,0
74,0	63,5	118,0	10 900	10 100	10 900	10 100	74,0
76,0	62,5	116,8	10 700	9 900	10 700	9 900	76,0
78,0	61,5	115,4	10 500	9 800	10 500	9 800	78,0
80,0	60,5	114,1	10 200	9 400	10 300	9 700	80,0
82,0	59,5	112,6	9 600	8 700	10 100	9 600	82,0
84,0	58,4	111,2	8 700	7 900	9 900	9 400	84,0
86,0	57,4	109,6	7 900	7 100	9 800	9 300	86,0
88,0	56,3	108,0	7 100	6 300	9 600	9 200	88,0
90,0	55,2	106,3	6 300	5 600	9 500	9 000	90,0
92,0	54,1	104,6	5 600	4 900	9 300	8 900	92,0
94,0	53,0	102,8	4 900	4 300	9 200	8 700	94,0
96,0	51,8	100,9	4 200	3 700	9 000	8 500	96,0
100,0	49,4	96,9			8 700	8 300	100,0
104,0	47,0	92,6			8 500	7 900	104,0
108,0	44,4	87,9			7 900	7 300	108,0
112,0	41,6	82,6			6 800	6 300	112,0
116,0	38,7	76,8			5 800	5 400	116,0
120,0	35,4	70,3			4 900	4 500	120,0
124,0	31,9	62,8			4 000	3 600	124,0
128,0	27,8	54,0			3 000		128,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
19,8	82,2	84,4	18 300	15 600	13 400b	18 300	15 600	13 400b	19,8		
20,0	82,1	84,3	18 300	15 500	13 400b	18 300	15 500	13 400b	20,0		
22,0	80,7	83,9	17 500	15 000	13 100	17 500	15 000	13 100	22,0		
24,0	79,3	83,3	16 800	14 500	12 700	16 800	14 500	12 700	24,0		
26,0	77,9	82,7	16 100	14 000	12 300	16 100	14 000	12 300	26,0		
28,0	76,4	82,1	15 400	13 500	11 900	15 400	13 500	11 900	28,0		
30,0	75,0	81,4	14 800	13 000	11 500	14 800	13 000	11 500	30,0		
32,0	73,5	80,7	14 100	12 500	11 200	14 100	12 500	11 200	32,0		
34,0	72,1	79,9	13 500	12 100	10 800	13 500	12 100	10 800	34,0		
36,0	70,6	79,0	13 000	11 600	10 500	13 000	11 600	10 500	36,0		
38,0	69,1	78,1	12 400	11 200	10 100	12 400	11 200	10 100	38,0		
40,0	67,6	77,1	11 900	10 800	9 800	11 900	10 800	9 800	40,0		
42,0	66,0	76,0	11 400	10 400	9 400	11 400	10 400	9 400	42,0		
44,0	64,5	74,9	11 000	10 000	9 100	11 000	10 000	9 100	44,0		
46,0	62,9	73,7	10 500	9 600	8 800	10 500	9 600	8 800	46,0		
48,0	61,3	72,4	10 100	9 300	8 500	10 100	9 300	8 500	48,0		
50,0	59,6	71,0	9 700	8 900	8 200	9 700	8 900	8 200	50,0		
52,0	57,9	69,6	9 300	8 600	8 000	9 300	8 600	8 000	52,0		
54,0	56,2	68,0	9 000	8 300	7 700	9 000	8 300	7 700	54,0		
56,0	54,5	66,4	8 600	8 000	7 400	8 600	8 000	7 400	56,0		
58,0	52,6	64,6	8 300	7 700	7 200	8 300	7 700	7 200	58,0		
60,0	50,8	62,8	8 000	7 400	6 900	8 000	7 400	6 900	60,0		
62,0	48,9	60,8	7 700	7 200	6 700	7 700	7 200	6 700	62,0		
64,0	46,9	58,6	7 400	6 900	6 500	7 400	6 900	6 500	64,0		
66,0	44,8	56,3	7 100	6 700	6 300	7 100	6 700	6 300	66,0		
68,0	42,6	53,9	6 900	6 500	6 100	6 900	6 500	6 100	68,0		
70,0	40,4	51,2	6 700	6 200	5 900	6 700	6 200	5 900	70,0		
72,0	37,9	48,3	6 400	6 000	5 700	6 400	6 000	5 700	72,0		
74,0	35,4	45,0	6 200	5 900	5 500	6 200	5 900	5 500	74,0		
76,0	32,6	41,5	6 000	5 700	5 400	6 000	5 700	5 400	76,0		
78,0	29,5	37,4	5 800	5 500	5 200	5 800	5 500	5 200	78,0		
80,0	26,0	32,7	5 700	5 400	5 100	5 700	5 400	5 100	80,0		
82,0	21,9	27,0	5 500	5 300	5 000	5 500	5 300	5 000	82,0		

MLC300 VPC-MAX S-1







			10,6 m			14,6 m				
			0°			0°				
			kg			kg				
19,8									19,8	
20,0									20,0	
22,0									22,0	
24,0									24,0	
26,0	82,4	81,9	13 900	11 400	10 300	13 900	11 400	10 300	26,0	
28,0	81,0	81,2	13 300	11 000	9 900	13 300	11 000	9 900	28,0	
30,0	79,5	80,5	12 800	10 600	9 600	12 800	10 600	9 600	30,0	
32,0	78,1	79,8	12 300	10 200	9 300	12 300	10 200	9 300	32,0	
34,0	76,6	79,0	11 800	9 900	9 100	11 800	9 900	9 100	34,0	
36,0	75,1	78,1	11 300	9 500	8 800	11 300	9 500	8 800	36,0	
38,0	73,6	77,1	10 900	9 200	8 500	10 900	9 200	8 500	38,0	
40,0	72,0	76,1	10 500	8 900	8 200	10 500	8 900	8 200	40,0	
42,0	70,5	75,1	10 100	8 600	8 000	10 100	8 600	8 000	42,0	
44,0	68,9	73,9	9 700	8 300	7 700	9 700	8 300	7 700	44,0	
46,0	67,3	72,7	9 300	8 000	7 500	9 300	8 000	7 500	46,0	
48,0	65,6	71,4	9 000	7 800	7 200	9 000	7 800	7 200	48,0	
50,0	64,0	70,0	8 700	7 500	7 000	8 700	7 500	7 000	50,0	
52,0	62,2	68,5	8 400	7 200	6 800	8 400	7 200	6 800	52,0	
54,0	60,5	67,0	8 100	7 000	6 600	8 100	7 000	6 600	54,0	
56,0	58,7	65,3	7 800	6 800	6 400	7 800	6 800	6 400	56,0	
58,0	56,9	63,5	7 500	6 600	6 200	7 500	6 600	6 200	58,0	
60,0	55,0	61,6	7 300	6 400	6 000	7 300	6 400	6 000	60,0	
62,0	53,0	59,6	7 000	6 200	5 800	7 000	6 200	5 800	62,0	
64,0	51,0	57,4	6 800	6 000	5 700	6 800	6 000	5 700	64,0	
66,0	48,8	55,0	6 600	5 800	5 500	6 600	5 800	5 500	66,0	
68,0	46,6	52,5	6 400	5 700	5 400	6 400	5 700	5 400	68,0	
70,0	44,3	49,7	6 200	5 500	5 200	6 200	5 500	5 200	70,0	
72,0	41,8	46,7	6 000	5 400	5 100	6 000	5 400	5 100	72,0	
74,0	39,1	43,4	5 900	5 200	5 000	5 900	5 200	5 000	74,0	
76,0	36,2	39,6	5 800	5 100	4 900	5 800	5 100	4 900	76,0	
78,0	33,0	35,4	5 600	5 000	4 800	5 600	5 000	4 800	78,0	
80,0	29,2	30,3	5 500			5 500			80,0	
82,0									82,0	

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
16,8	84,7	91,1	19 500			19 500			16,8		
18,0	83,9	90,9	19 100			19 100			18,0		
20,0	82,6	90,5	18 400	15 600	13 400	18 400	15 600	13 400	20,0		
22,0	81,3	90,0	17 800	15 100	13 100	17 800	15 100	13 100	22,0		
24,0	80,0	89,5	17 100	14 600	12 800	17 100	14 600	12 800	24,0		
26,0	78,7	89,0	16 400	14 200	12 400	16 400	14 200	12 400	26,0		
28,0	77,4	88,4	15 800	13 700	12 100	15 800	13 700	12 100	28,0		
30,0	76,0	87,8	15 200	13 300	11 700	15 200	13 300	11 700	30,0		
32,0	74,7	87,1	14 600	12 800	11 400	14 600	12 800	11 400	32,0		
34,0	73,3	86,3	14 000	12 400	11 000	14 000	12 400	11 000	34,0		
36,0	72,0	85,5	13 500	12 000	10 700	13 500	12 000	10 700	36,0		
38,0	70,6	84,7	12 900	11 600	10 400	12 900	11 600	10 400	38,0		
40,0	69,2	83,8	12 400	11 200	10 100	12 400	11 200	10 100	40,0		
42,0	67,8	82,8	12 000	10 800	9 800	12 000	10 800	9 800	42,0		
44,0	66,4	81,7	11 500	10 400	9 500	11 500	10 400	9 500	44,0		
46,0	64,9	80,6	11 100	10 100	9 200	11 100	10 100	9 200	46,0		
48,0	63,4	79,5	10 600	9 700	8 900	10 600	9 700	8 900	48,0		
50,0	61,9	78,2	10 200	9 400	8 600	10 200	9 400	8 600	50,0		
52,0	60,4	76,9	9 900	9 100	8 300	9 900	9 100	8 300	52,0		
54,0	58,9	75,5	9 500	8 800	8 100	9 500	8 800	8 100	54,0		
56,0	57,3	74,1	9 200	8 500	7 800	9 200	8 500	7 800	56,0		
58,0	55,7	72,5	8 800	8 200	7 600	8 800	8 200	7 600	58,0		
60,0	54,0	70,8	8 500	7 900	7 400	8 500	7 900	7 400	60,0		
62,0	52,3	69,1	8 200	7 700	7 100	8 200	7 700	7 100	62,0		
64,0	50,6	67,2	7 900	7 400	6 900	7 900	7 400	6 900	64,0		
66,0	48,8	65,2	7 700	7 200	6 700	7 700	7 200	6 700	66,0		
68,0	47,0	63,1	7 400	6 900	6 500	7 400	6 900	6 500	68,0		
70,0	45,1	60,9	7 200	6 700	6 300	7 200	6 700	6 300	70,0		
72,0	43,1	58,5	6 900	6 500	6 100	6 900	6 500	6 100	72,0		
74,0	41,0	55,9	6 700	6 300	5 900	6 700	6 300	5 900	74,0		
76,0	38,8	53,0	6 500	6 100	5 800	6 500	6 100	5 800	76,0		
78,0	36,5	50,0	6 300	5 900	5 600	6 300	5 900	5 600	78,0		
80,0	34,0	46,6	6 100	5 800	5 400	6 100	5 800	5 400	80,0		
82,0	31,3	42,9	5 900	5 600	5 300	5 900	5 600	5 300	82,0		
84,0	28,3	38,7	5 800	5 500	5 200	5 800	5 500	5 200	84,0		
86,0	25,0	33,8	5 600	5 300	5 000	5 600	5 300	5 000	86,0		
88,0	21,0	27,8	5 500	5 200	4 900	5 500	5 200	4 900	88,0		







MLC300 VPC-MAX S-1







			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
16,8									16,8		
18,0									18,0		
20,0									20,0		
22,0									22,0		
24,0									24,0		
26,0	83,0	88,1	14 100	11 500		14 100	11 500		26,0		
28,0	81,6	87,5	13 500	11 100	10 000	13 500	11 100	10 000	28,0		
30,0	80,3	86,8	13 000	10 800	9 800	13 000	10 800	9 800	30,0		
32,0	78,9	86,1	12 500	10 400	9 500	12 500	10 400	9 500	32,0		
34,0	77,5	85,4	12 100	10 100	9 200	12 100	10 100	9 200	34,0		
36,0	76,2	84,5	11 600	9 800	9 000	11 600	9 800	9 000	36,0		
38,0	74,8	83,7	11 200	9 400	8 700	11 200	9 400	8 700	38,0		
40,0	73,4	82,8	10 800	9 100	8 400	10 800	9 100	8 400	40,0		
42,0	71,9	81,8	10 400	8 800	8 200	10 400	8 800	8 200	42,0		
44,0	70,5	80,7	10 100	8 600	7 900	10 100	8 600	7 900	44,0		
46,0	69,0	79,6	9 700	8 300	7 700	9 700	8 300	7 700	46,0		
48,0	67,5	78,4	9 400	8 000	7 500	9 400	8 000	7 500	48,0		
50,0	66,0	77,2	9 100	7 800	7 300	9 100	7 800	7 300	50,0		
52,0	64,5	75,8	8 800	7 600	7 100	8 800	7 600	7 100	52,0		
54,0	62,9	74,4	8 500	7 300	6 900	8 500	7 300	6 900	54,0		
56,0	61,3	72,9	8 200	7 100	6 700	8 200	7 100	6 700	56,0		
58,0	59,6	71,3	7 900	6 900	6 500	7 900	6 900	6 500	58,0		
60,0	58,0	69,7	7 700	6 700	6 300	7 700	6 700	6 300	60,0		
62,0	56,2	67,9	7 400	6 500	6 100	7 400	6 500	6 100	62,0		
64,0	54,5	66,0	7 200	6 300	6 000	7 200	6 300	6 000	64,0		
66,0	52,6	64,0	7 000	6 100	5 800	7 000	6 100	5 800	66,0		
68,0	50,8	61,8	6 800	6 000	5 700	6 800	6 000	5 700	68,0		
70,0	48,8	59,5	6 600	5 800	5 500	6 600	5 800	5 500	70,0		
72,0	46,8	57,0	6 400	5 700	5 400	6 400	5 700	5 400	72,0		
74,0	44,6	54,3	6 300	5 500	5 200	6 300	5 500	5 200	74,0		
76,0	42,4	51,4	6 100	5 400	5 100	6 100	5 400	5 100	76,0		
78,0	40,0	48,3	5 900	5 300	5 000	5 900	5 300	5 000	78,0		
80,0	37,4	44,8	5 800	5 200	4 900	5 800	5 200	4 900	80,0		
82,0	34,6	40,9	5 700	5 100	4 800	5 700	5 100	4 800	82,0		
84,0	31,4	36,4	5 600	5 000	4 700	5 600	5 000	4 700	84,0		
86,0	27,8	31,1	5 500			5 500			86,0		
88,0									88,0		

MLC300 VPC-MAX S-1





			 10,6 m			 14,6 m			
									
			0° 	1° 	2° 	0° 	1° 	2° 	
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3	84,1	96,9	19 100			19 100			18,3
20,0	83,1	96,6	18 500	15 600		18 500	15 600		20,0
22,0	81,9	96,2	17 900	15 200	13 100	17 900	15 200	13 100	22,0
24,0	80,7	95,7	17 300	14 700	12 900	17 300	14 700	12 900	24,0
26,0	79,4	95,2	16 700	14 300	12 500	16 700	14 300	12 500	26,0
28,0	78,2	94,6	16 100	13 900	12 200	16 100	13 900	12 200	28,0
30,0	76,9	94,0	15 500	13 500	11 900	15 500	13 500	11 900	30,0
32,0	75,7	93,4	14 900	13 100	11 600	14 900	13 100	11 600	32,0
34,0	74,4	92,7	14 400	12 700	11 300	14 400	12 700	11 300	34,0
36,0	73,2	92,0	13 900	12 300	10 900	13 900	12 300	10 900	36,0
38,0	71,9	91,2	13 300	11 900	10 700	13 300	11 900	10 700	38,0
40,0	70,6	90,3	12 900	11 500	10 300	12 900	11 500	10 300	40,0
42,0	69,3	89,4	12 400	11 200	10 100	12 400	11 200	10 100	42,0
44,0	68,0	88,5	12 000	10 800	9 800	12 000	10 800	9 800	44,0
46,0	66,6	87,5	11 500	10 500	9 500	11 500	10 500	9 500	46,0
48,0	65,3	86,4	11 100	10 100	9 200	11 100	10 100	9 200	48,0
50,0	63,9	85,2	10 700	9 800	8 900	10 700	9 800	8 900	50,0
52,0	62,5	84,0	10 400	9 500	8 700	10 400	9 500	8 700	52,0
54,0	61,1	82,8	10 000	9 200	8 400	10 000	9 200	8 400	54,0
56,0	59,7	81,4	9 700	8 900	8 200	9 700	8 900	8 200	56,0
58,0	58,2	80,0	9 300	8 600	7 900	9 300	8 600	7 900	58,0
60,0	56,7	78,5	9 100	8 300	7 700	9 100	8 300	7 700	60,0
62,0	55,2	77,0	8 700	8 100	7 500	8 700	8 100	7 500	62,0
64,0	53,7	75,3	8 500	7 800	7 300	8 500	7 800	7 300	64,0
66,0	52,1	73,5	8 200	7 600	7 100	8 200	7 600	7 100	66,0
68,0	50,4	71,7	7 900	7 400	6 900	7 900	7 400	6 900	68,0
70,0	48,8	69,7	7 600	7 100	6 700	7 600	7 100	6 700	70,0
72,0	47,1	67,6	7 400	6 900	6 500	7 400	6 900	6 500	72,0
74,0	45,3	65,4	7 200	6 700	6 300	7 200	6 700	6 300	74,0
76,0	43,4	63,0	7 000	6 500	6 100	7 000	6 500	6 100	76,0
78,0	41,5	60,5	6 800	6 300	6 000	6 800	6 300	6 000	78,0
80,0	39,5	57,8	6 600	6 200	5 800	6 600	6 200	5 800	80,0
82,0	37,4	54,8	6 400	6 000	5 600	6 400	6 000	5 600	82,0
84,0	35,1	51,7	6 200	5 800	5 500	6 200	5 800	5 500	84,0
86,0	32,7	48,2	6 000	5 700	5 400	6 000	5 700	5 400	86,0
88,0	30,1	44,3	5 900	5 600	5 200	5 900	5 600	5 200	88,0
90,0	27,3	39,9	5 700	5 400	5 100	5 700	5 400	5 100	90,0
92,0	24,0	34,8	5 600	5 300	5 000	5 600	5 300	5 000	92,0
94,0	20,1	28,6	5 500	5 200	4 900	5 500	5 200	4 900	94,0

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
18,3									18,3		
20,0									20,0		
22,0									22,0		
24,0									24,0		
26,0	83,4	94,2	14 200	11 600		14 200	11 600		26,0		
28,0	82,2	93,7	13 700	11 200	10 100	13 700	11 200	10 100	28,0		
30,0	80,9	93,1	13 200	10 900	9 900	13 200	10 900	9 900	30,0		
32,0	79,7	92,4	12 800	10 600	9 600	12 800	10 600	9 600	32,0		
34,0	78,4	91,7	12 300	10 300	9 300	12 300	10 300	9 300	34,0		
36,0	77,1	91,0	11 900	9 900	9 100	11 900	9 900	9 100	36,0		
38,0	75,8	90,1	11 500	9 600	8 900	11 500	9 600	8 900	38,0		
40,0	74,5	89,3	11 100	9 400	8 600	11 100	9 400	8 600	40,0		
42,0	73,2	88,4	10 700	9 100	8 400	10 700	9 100	8 400	42,0		
44,0	71,8	87,4	10 400	8 800	8 100	10 400	8 800	8 100	44,0		
46,0	70,5	86,4	10 100	8 600	7 900	10 100	8 600	7 900	46,0		
48,0	69,1	85,3	9 700	8 300	7 700	9 700	8 300	7 700	48,0		
50,0	67,7	84,1	9 400	8 100	7 500	9 400	8 100	7 500	50,0		
52,0	66,3	82,9	9 100	7 900	7 300	9 100	7 900	7 300	52,0		
54,0	64,9	81,6	8 800	7 600	7 100	8 800	7 600	7 100	54,0		
56,0	63,4	80,3	8 600	7 400	6 900	8 600	7 400	6 900	56,0		
58,0	61,9	78,9	8 300	7 200	6 700	8 300	7 200	6 700	58,0		
60,0	60,4	77,3	8 000	7 000	6 600	8 000	7 000	6 600	60,0		
62,0	58,9	75,7	7 800	6 800	6 400	7 800	6 800	6 400	62,0		
64,0	57,3	74,1	7 600	6 600	6 200	7 600	6 600	6 200	64,0		
66,0	55,7	72,3	7 300	6 500	6 100	7 300	6 500	6 100	66,0		
68,0	54,0	70,4	7 200	6 300	5 900	7 200	6 300	5 900	68,0		
70,0	52,3	68,4	7 000	6 100	5 800	7 000	6 100	5 800	70,0		
72,0	50,6	66,2	6 800	6 000	5 600	6 800	6 000	5 600	72,0		
74,0	48,8	64,0	6 600	5 800	5 500	6 600	5 800	5 500	74,0		
76,0	46,9	61,5	6 400	5 700	5 400	6 400	5 700	5 400	76,0		
78,0	44,9	58,9	6 300	5 500	5 300	6 300	5 500	5 300	78,0		
80,0	42,8	56,1	6 100	5 400	5 100	6 100	5 400	5 100	80,0		
82,0	40,6	53,1	6 000	5 300	5 000	6 000	5 300	5 000	82,0		
84,0	38,3	49,8	5 900	5 200	4 900	5 900	5 200	4 900	84,0		
86,0	35,8	46,1	5 700	5 100	4 800	5 700	5 100	4 800	86,0		
88,0	33,1	42,1	5 600	5 000	4 800	5 600	5 000	4 800	88,0		
90,0	30,0	37,4	5 600	4 900	4 700	5 600	4 900	4 700	90,0		
92,0									92,0		
94,0									94,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
18,3	84,5	102,9	19 100			19 100			18,3		
20,0	83,5	102,7	18 600	15 700		18 600	15 700		20,0		
22,0	82,4	102,3	18 000	15 300	13 100	18 000	15 300	13 100	22,0		
24,0	81,2	101,8	17 500	14 800	12 900	17 500	14 800	12 900	24,0		
26,0	80,1	101,4	16 900	14 400	12 600	16 900	14 400	12 600	26,0		
28,0	78,9	100,9	16 300	14 000	12 300	16 300	14 000	12 300	28,0		
30,0	77,7	100,3	15 800	13 700	12 000	15 800	13 700	12 000	30,0		
32,0	76,6	99,7	15 200	13 300	11 700	15 200	13 300	11 700	32,0		
34,0	75,4	99,0	14 700	12 900	11 400	14 700	12 900	11 400	34,0		
36,0	74,2	98,4	14 200	12 500	11 100	14 200	12 500	11 100	36,0		
38,0	73,0	97,6	13 800	12 200	10 800	13 800	12 200	10 800	38,0		
40,0	71,8	96,8	13 300	11 800	10 600	13 300	11 800	10 600	40,0		
42,0	70,6	96,0	12 800	11 500	10 300	12 800	11 500	10 300	42,0		
44,0	69,4	95,1	12 400	11 100	10 000	12 400	11 100	10 000	44,0		
46,0	68,1	94,2	12 000	10 800	9 800	12 000	10 800	9 800	46,0		
48,0	66,9	93,2	11 600	10 500	9 500	11 600	10 500	9 500	48,0		
50,0	65,6	92,1	11 200	10 200	9 200	11 200	10 200	9 200	50,0		
52,0	64,3	91,0	10 800	9 900	9 000	10 800	9 900	9 000	52,0		
54,0	63,0	89,8	10 500	9 600	8 700	10 500	9 600	8 700	54,0		
56,0	61,7	88,6	10 100	9 300	8 500	10 100	9 300	8 500	56,0		
58,0	60,4	87,3	9 800	9 000	8 300	9 800	9 000	8 300	58,0		
60,0	59,0	86,0	9 500	8 700	8 000	9 500	8 700	8 000	60,0		
62,0	57,6	84,5	9 200	8 500	7 800	9 200	8 500	7 800	62,0		
64,0	56,2	83,0	8 900	8 200	7 600	8 900	8 200	7 600	64,0		
66,0	54,8	81,4	8 700	8 000	7 400	8 700	8 000	7 400	66,0		
68,0	53,3	79,8	8 400	7 800	7 200	8 400	7 800	7 200	68,0		
70,0	51,8	78,0	8 100	7 600	7 000	8 100	7 600	7 000	70,0		
72,0	50,3	76,1	7 900	7 300	6 800	7 900	7 300	6 800	72,0		
74,0	48,7	74,2	7 600	7 100	6 600	7 600	7 100	6 600	74,0		
76,0	47,1	72,1	7 400	6 900	6 500	7 400	6 900	6 500	76,0		
78,0	45,5	69,9	7 200	6 800	6 300	7 200	6 800	6 300	78,0		
80,0	43,7	67,6	7 000	6 600	6 100	7 000	6 600	6 100	80,0		
82,0	42,0	65,1	6 800	6 400	6 000	6 800	6 400	6 000	82,0		
84,0	40,1	62,5	6 600	6 200	5 800	6 600	6 200	5 800	84,0		
86,0	38,1	59,6	6 400	6 100	5 700	6 400	6 100	5 700	86,0		
88,0	36,1	56,6	6 300	5 900	5 500	6 300	5 900	5 500	88,0		
90,0	33,9	53,3	6 100	5 800	5 400	6 100	5 800	5 400	90,0		
92,0	31,6	49,6	6 000	5 600	5 300	6 000	5 600	5 300	92,0		
94,0	29,1	45,6	5 800	5 500	5 200	5 800	5 500	5 200	94,0		
96,0	26,3	41,1	5 700	5 400	5 100	5 700	5 400	5 100	96,0		
100,0	19,4	29,4	5 500	5 200	4 900	5 500	5 200	4 900	100,0		

MLC300 VPC-MAX S-1






			10,6 m			14,6 m				
			0°			0°				
			kg			kg				
18,3									18,3	
20,0									20,0	
22,0									22,0	
24,0									24,0	
26,0	83,8	100,4	14 300	11 600		14 300	11 600		26,0	
28,0	82,7	99,8	13 800	11 300	10 200	13 800	11 300	10 200	28,0	
30,0	81,5	99,3	13 400	11 000	9 900	13 400	11 000	9 900	30,0	
32,0	80,3	98,7	13 000	10 700	9 700	13 000	10 700	9 700	32,0	
34,0	79,1	98,0	12 500	10 400	9 400	12 500	10 400	9 400	34,0	
36,0	77,9	97,3	12 100	10 100	9 200	12 100	10 100	9 200	36,0	
38,0	76,7	96,6	11 800	9 800	9 000	11 800	9 800	9 000	38,0	
40,0	75,5	95,8	11 400	9 500	8 800	11 400	9 500	8 800	40,0	
42,0	74,2	94,9	11 000	9 300	8 500	11 000	9 300	8 500	42,0	
44,0	73,0	94,0	10 700	9 000	8 300	10 700	9 000	8 300	44,0	
46,0	71,7	93,1	10 400	8 800	8 100	10 400	8 800	8 100	46,0	
48,0	70,5	92,0	10 000	8 500	7 900	10 000	8 500	7 900	48,0	
50,0	69,2	91,0	9 700	8 300	7 700	9 700	8 300	7 700	50,0	
52,0	67,9	89,9	9 500	8 100	7 500	9 500	8 100	7 500	52,0	
54,0	66,6	88,7	9 200	7 900	7 300	9 200	7 900	7 300	54,0	
56,0	65,2	87,4	8 900	7 700	7 200	8 900	7 700	7 200	56,0	
58,0	63,9	86,1	8 700	7 500	7 000	8 700	7 500	7 000	58,0	
60,0	62,5	84,7	8 400	7 300	6 800	8 400	7 300	6 800	60,0	
62,0	61,1	83,3	8 100	7 100	6 600	8 100	7 100	6 600	62,0	
64,0	59,7	81,8	7 900	6 900	6 500	7 900	6 900	6 500	64,0	
66,0	58,2	80,2	7 700	6 700	6 300	7 700	6 700	6 300	66,0	
68,0	56,8	78,5	7 500	6 600	6 200	7 500	6 600	6 200	68,0	
70,0	55,2	76,7	7 300	6 400	6 000	7 300	6 400	6 000	70,0	
72,0	53,7	74,8	7 100	6 200	5 900	7 100	6 200	5 900	72,0	
74,0	52,1	72,8	6 900	6 100	5 800	6 900	6 100	5 800	74,0	
76,0	50,4	70,7	6 700	5 900	5 600	6 700	5 900	5 600	76,0	
78,0	48,7	68,4	6 600	5 800	5 500	6 600	5 800	5 500	78,0	
80,0	47,0	66,0	6 400	5 700	5 400	6 400	5 700	5 400	80,0	
82,0	45,1	63,5	6 300	5 600	5 200	6 300	5 600	5 200	82,0	
84,0	43,2	60,8	6 100	5 400	5 100	6 100	5 400	5 100	84,0	
86,0	41,2	57,9	6 000	5 300	5 000	6 000	5 300	5 000	86,0	
88,0	39,1	54,7	5 900	5 200	5 000	5 900	5 200	5 000	88,0	
90,0	36,8	51,3	5 800	5 100	4 900	5 800	5 100	4 900	90,0	
92,0	34,4	47,5	5 700	5 000	4 800	5 700	5 000	4 800	92,0	
94,0	31,8	43,2	5 600	5 000	4 700	5 600	5 000	4 700	94,0	
96,0	28,8	38,4	5 500	4 900	4 700	5 500	4 900	4 700	96,0	
100,0									100,0	

MLC300 VPC-MAX S-1






			10,6 m			14,6 m					
			0°			0°					
			kg	kg	kg	kg	kg	kg			
18,3	84,8	109,0	19 100			19 100			18,3		
20,0	83,9	108,7	18 600	15 600		18 600	15 600		20,0		
22,0	82,8	108,4	18 100	15 300		18 100	15 300		22,0		
24,0	81,7	107,9	17 600	14 900	12 800	17 600	14 900	12 800	24,0		
26,0	80,6	107,5	17 000	14 500	12 600	17 000	14 500	12 600	26,0		
28,0	79,5	107,0	16 500	14 100	12 300	16 500	14 100	12 300	28,0		
30,0	78,4	106,5	16 000	13 800	12 100	16 000	13 800	12 100	30,0		
32,0	77,3	105,9	15 500	13 400	11 800	15 500	13 400	11 800	32,0		
34,0	76,2	105,3	15 000	13 100	11 500	15 000	13 100	11 500	34,0		
36,0	75,1	104,7	14 500	12 700	11 200	14 500	12 700	11 200	36,0		
38,0	74,0	104,0	14 100	12 400	11 000	14 100	12 400	11 000	38,0		
40,0	72,9	103,2	13 600	12 100	10 700	13 600	12 100	10 700	40,0		
42,0	71,7	102,4	13 200	11 700	10 500	13 200	11 700	10 500	42,0		
44,0	70,6	101,6	12 800	11 400	10 200	12 800	11 400	10 200	44,0		
46,0	69,4	100,7	12 400	11 100	10 000	12 400	11 100	10 000	46,0		
48,0	68,3	99,8	12 000	10 800	9 700	12 000	10 800	9 700	48,0		
50,0	67,1	98,8	11 600	10 500	9 500	11 600	10 500	9 500	50,0		
52,0	65,9	97,8	11 300	10 200	9 200	11 300	10 200	9 200	52,0		
54,0	64,7	96,7	10 900	9 900	9 000	10 900	9 900	9 000	54,0		
56,0	63,5	95,6	10 600	9 600	8 800	10 600	9 600	8 800	56,0		
58,0	62,2	94,4	10 300	9 400	8 600	10 300	9 400	8 600	58,0		
60,0	61,0	93,1	9 900	9 100	8 300	9 900	9 100	8 300	60,0		
62,0	59,7	91,8	9 700	8 900	8 100	9 700	8 900	8 100	62,0		
64,0	58,4	90,4	9 400	8 600	7 900	9 400	8 600	7 900	64,0		
66,0	57,1	89,0	9 100	8 400	7 700	9 100	8 400	7 700	66,0		
68,0	55,8	87,5	8 800	8 200	7 500	8 800	8 200	7 500	68,0		
70,0	54,4	85,9	8 600	7 900	7 300	8 600	7 900	7 300	70,0		
72,0	53,0	84,2	8 300	7 700	7 100	8 300	7 700	7 100	72,0		
74,0	51,6	82,4	8 100	7 500	7 000	8 100	7 500	7 000	74,0		
76,0	50,2	80,6	7 900	7 300	6 800	7 900	7 300	6 800	76,0		
78,0	48,7	78,6	7 600	7 100	6 600	7 600	7 100	6 600	78,0		
80,0	47,2	76,6	7 400	6 900	6 400	7 400	6 900	6 400	80,0		
82,0	45,6	74,4	7 200	6 700	6 300	7 200	6 700	6 300	82,0		
84,0	44,0	72,1	7 000	6 600	6 100	7 000	6 600	6 100	84,0		
86,0	42,3	69,7	6 800	6 400	6 000	6 800	6 400	6 000	86,0		
88,0	40,6	67,1	6 700	6 300	5 800	6 700	6 300	5 800	88,0		
90,0	38,8	64,3	6 500	6 100	5 700	6 500	6 100	5 700	90,0		
92,0	36,9	61,4	6 300	6 000	5 600	6 300	6 000	5 600	92,0		
94,0	34,9	58,2	6 200	5 800	5 500	6 200	5 800	5 500	94,0		
96,0	32,8	54,8	6 000	5 700	5 400	6 000	5 700	5 400	96,0		
100,0	28,1	46,8	5 800	5 400	5 100	5 800	5 400	5 100	100,0		
104,0	22,3	36,7	5 500	5 300	5 000	5 500	5 300	5 000	104,0		






MLC300 VPC-MAX S-1






			10,6 m			14,6 m			
			0°			0°			
			1°			1°			
			2°			2°			
m	°	m	kg	kg	kg	kg	kg	kg	m
18,3									18,3
20,0									20,0
22,0									22,0
24,0									24,0
26,0	84,2	106,4	14 400			14 400			26,0
28,0	83,1	106,0	13 900	11 300		13 900	11 300		28,0
30,0	82,0	105,4	13 500	11 100	10 000	13 500	11 100	10 000	30,0
32,0	80,9	104,8	13 100	10 800	9 800	13 100	10 800	9 800	32,0
34,0	79,7	104,2	12 700	10 500	9 500	12 700	10 500	9 500	34,0
36,0	78,6	103,6	12 300	10 200	9 300	12 300	10 200	9 300	36,0
38,0	77,5	102,9	12 000	10 000	9 100	12 000	10 000	9 100	38,0
40,0	76,3	102,1	11 600	9 700	8 900	11 600	9 700	8 900	40,0
42,0	75,2	101,3	11 300	9 500	8 700	11 300	9 500	8 700	42,0
44,0	74,0	100,5	10 900	9 200	8 500	10 900	9 200	8 500	44,0
46,0	72,9	99,6	10 600	9 000	8 300	10 600	9 000	8 300	46,0
48,0	71,7	98,7	10 300	8 700	8 100	10 300	8 700	8 100	48,0
50,0	70,5	97,7	10 000	8 500	7 900	10 000	8 500	7 900	50,0
52,0	69,3	96,6	9 700	8 300	7 700	9 700	8 300	7 700	52,0
54,0	68,1	95,5	9 500	8 100	7 500	9 500	8 100	7 500	54,0
56,0	66,8	94,4	9 200	7 900	7 300	9 200	7 900	7 300	56,0
58,0	65,6	93,2	9 000	7 700	7 200	9 000	7 700	7 200	58,0
60,0	64,3	91,9	8 700	7 500	7 000	8 700	7 500	7 000	60,0
62,0	63,0	90,6	8 500	7 300	6 900	8 500	7 300	6 900	62,0
64,0	61,7	89,2	8 200	7 100	6 700	8 200	7 100	6 700	64,0
66,0	60,4	87,7	8 000	7 000	6 500	8 000	7 000	6 500	66,0
68,0	59,0	86,1	7 800	6 800	6 400	7 800	6 800	6 400	68,0
70,0	57,6	84,5	7 600	6 700	6 300	7 600	6 700	6 300	70,0
72,0	56,2	82,8	7 400	6 500	6 100	7 400	6 500	6 100	72,0
74,0	54,8	81,0	7 200	6 400	6 000	7 200	6 400	6 000	74,0
76,0	53,3	79,1	7 100	6 200	5 800	7 100	6 200	5 800	76,0
78,0	51,8	77,2	6 900	6 100	5 700	6 900	6 100	5 700	78,0
80,0	50,3	75,1	6 700	5 900	5 600	6 700	5 900	5 600	80,0
82,0	48,7	72,8	6 600	5 800	5 500	6 600	5 800	5 500	82,0
84,0	47,0	70,5	6 500	5 700	5 400	6 500	5 700	5 400	84,0
86,0	45,3	68,0	6 300	5 600	5 300	6 300	5 600	5 300	86,0
88,0	43,5	65,4	6 200	5 500	5 200	6 200	5 500	5 200	88,0
90,0	41,7	62,5	6 100	5 400	5 100	6 100	5 400	5 100	90,0
92,0	39,7	59,5	5 900	5 300	5 000	5 900	5 300	5 000	92,0
94,0	37,7	56,2	5 800	5 200	4 900	5 800	5 200	4 900	94,0
96,0	35,5	52,6	5 700	5 100	4 800	5 700	5 100	4 800	96,0
100,0	30,5	44,3	5 600	5 000	4 700	5 600	5 000	4 700	100,0
104,0									104,0

MLC300 VPC-MAX S-1






			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
19,8	84,3	114,8	18 600			18 600			19,8
20,0	84,2	114,8	18 600			18 600			20,0
22,0	83,2	114,4	18 100	15 200		18 100	15 200		22,0
24,0	82,2	114,1	17 600	14 900	12 700	17 600	14 900	12 700	24,0
26,0	81,1	113,6	17 100	14 500	12 500	17 100	14 500	12 500	26,0
28,0	80,1	113,2	16 700	14 200	12 300	16 700	14 200	12 300	28,0
30,0	79,1	112,7	16 200	13 800	12 100	16 200	13 800	12 100	30,0
32,0	78,0	112,2	15 700	13 500	11 800	15 700	13 500	11 800	32,0
34,0	77,0	111,6	15 200	13 200	11 600	15 200	13 200	11 600	34,0
36,0	75,9	111,0	14 800	12 900	11 300	14 800	12 900	11 300	36,0
38,0	74,9	110,3	14 400	12 600	11 100	14 400	12 600	11 100	38,0
40,0	73,8	109,6	13 900	12 200	10 800	13 900	12 200	10 800	40,0
42,0	72,7	108,9	13 500	11 900	10 600	13 500	11 900	10 600	42,0
44,0	71,7	108,1	13 100	11 600	10 400	13 100	11 600	10 400	44,0
46,0	70,6	107,3	12 700	11 300	10 100	12 700	11 300	10 100	46,0
48,0	69,5	106,4	12 300	11 000	9 900	12 300	11 000	9 900	48,0
50,0	68,4	105,5	12 000	10 800	9 700	12 000	10 800	9 700	50,0
52,0	67,3	104,5	11 600	10 500	9 500	11 600	10 500	9 500	52,0
54,0	66,1	103,5	11 300	10 200	9 200	11 300	10 200	9 200	54,0
56,0	65,0	102,5	11 000	9 900	9 000	11 000	9 900	9 000	56,0
58,0	63,9	101,3	10 600	9 700	8 800	10 600	9 700	8 800	58,0
60,0	62,7	100,2	10 300	9 400	8 600	10 300	9 400	8 600	60,0
62,0	61,5	99,0	10 100	9 200	8 400	10 100	9 200	8 400	62,0
64,0	60,3	97,7	9 800	8 900	8 200	9 800	8 900	8 200	64,0
66,0	59,1	96,3	9 500	8 700	8 000	9 500	8 700	8 000	66,0
68,0	57,9	94,9	9 200	8 500	7 800	9 200	8 500	7 800	68,0
70,0	56,6	93,5	9 000	8 300	7 600	9 000	8 300	7 600	70,0
72,0	55,4	91,9	8 700	8 100	7 400	8 700	8 100	7 400	72,0
74,0	54,1	90,3	8 500	7 900	7 200	8 500	7 900	7 200	74,0
76,0	52,8	88,6	8 200	7 700	7 100	8 200	7 700	7 100	76,0
78,0	51,4	86,9	8 100	7 500	6 900	8 100	7 500	6 900	78,0
80,0	50,1	85,0	7 800	7 300	6 800	7 800	7 300	6 800	80,0
82,0	48,7	83,1	7 600	7 100	6 600	7 600	7 100	6 600	82,0
84,0	47,2	81,1	7 400	6 900	6 400	7 400	6 900	6 400	84,0
86,0	45,8	78,9	7 200	6 800	6 300	7 200	6 800	6 300	86,0
88,0	44,2	76,6	7 100	6 600	6 100	7 100	6 600	6 100	88,0
90,0	42,7	74,3	6 900	6 400	6 000	6 900	6 400	6 000	90,0
92,0	41,1	71,7	6 700	6 300	5 900	6 700	6 300	5 900	92,0
94,0	39,4	69,1	6 500	6 100	5 700	6 500	6 100	5 700	94,0
96,0	37,6	66,2	6 400	6 000	5 600	6 400	6 000	5 600	96,0
100,0	33,9	59,9	6 100	5 700	5 400	6 100	5 700	5 400	100,0
104,0	29,6	52,4	5 300	5 100	4 800	5 800	5 500	5 200	104,0
108,0	24,6	43,2	4 300	4 100	3 900	5 600	5 300	5 000	108,0
112,0	18,0	30,8	3 300	3 100		5 400	5 200	4 900	112,0




MLC300 VPC-MAX S-1



			10,6 m			14,6 m					
			0°			0°					
			kg			kg					
19,8											19,8
20,0											20,0
22,0											22,0
24,0											24,0
26,0	84,5	112,6	14 400			14 400					26,0
28,0	83,5	112,1	14 000	11 400		14 000	11 400				28,0
30,0	82,4	111,6	13 600	11 100	10 000	13 600	11 100	10 000			30,0
32,0	81,4	111,1	13 200	10 800	9 800	13 200	10 800	9 800			32,0
34,0	80,3	110,5	12 900	10 600	9 600	12 900	10 600	9 600			34,0
36,0	79,2	109,9	12 500	10 300	9 400	12 500	10 300	9 400			36,0
38,0	78,2	109,2	12 200	10 100	9 200	12 200	10 100	9 200			38,0
40,0	77,1	108,5	11 800	9 800	9 000	11 800	9 800	9 000			40,0
42,0	76,0	107,7	11 500	9 600	8 800	11 500	9 600	8 800			42,0
44,0	74,9	107,0	11 200	9 400	8 600	11 200	9 400	8 600			44,0
46,0	73,8	106,1	10 900	9 100	8 400	10 900	9 100	8 400			46,0
48,0	72,7	105,2	10 600	8 900	8 200	10 600	8 900	8 200			48,0
50,0	71,6	104,3	10 300	8 700	8 000	10 300	8 700	8 000			50,0
52,0	70,5	103,3	10 000	8 500	7 900	10 000	8 500	7 900			52,0
54,0	69,3	102,3	9 700	8 300	7 700	9 700	8 300	7 700			54,0
56,0	68,2	101,2	9 500	8 100	7 500	9 500	8 100	7 500			56,0
58,0	67,0	100,1	9 200	7 900	7 300	9 200	7 900	7 300			58,0
60,0	65,8	98,9	9 000	7 700	7 200	9 000	7 700	7 200			60,0
62,0	64,7	97,7	8 800	7 500	7 000	8 800	7 500	7 000			62,0
64,0	63,4	96,4	8 500	7 400	6 900	8 500	7 400	6 900			64,0
66,0	62,2	95,0	8 300	7 200	6 700	8 300	7 200	6 700			66,0
68,0	61,0	93,6	8 100	7 100	6 600	8 100	7 100	6 600			68,0
70,0	59,7	92,1	7 900	6 900	6 400	7 900	6 900	6 400			70,0
72,0	58,4	90,6	7 700	6 700	6 300	7 700	6 700	6 300			72,0
74,0	57,1	88,9	7 500	6 600	6 200	7 500	6 600	6 200			74,0
76,0	55,8	87,2	7 400	6 500	6 100	7 400	6 500	6 100			76,0
78,0	54,4	85,4	7 200	6 300	5 900	7 200	6 300	5 900			78,0
80,0	53,0	83,6	7 000	6 200	5 800	7 000	6 200	5 800			80,0
82,0	51,6	81,6	6 900	6 100	5 700	6 900	6 100	5 700			82,0
84,0	50,2	79,5	6 700	5 900	5 600	6 700	5 900	5 600			84,0
86,0	48,6	77,3	6 600	5 800	5 500	6 600	5 800	5 500			86,0
88,0	47,1	75,0	6 500	5 700	5 400	6 500	5 700	5 400			88,0
90,0	45,5	72,6	6 300	5 600	5 300	6 300	5 600	5 300			90,0
92,0	43,8	70,0	6 200	5 500	5 200	6 200	5 500	5 200			92,0
94,0	42,1	67,2	6 100	5 400	5 100	6 100	5 400	5 100			94,0
96,0	40,3	64,3	6 000	5 300	5 000	6 000	5 300	5 000			96,0
100,0	36,4	57,7	5 800	5 100	4 900	5 800	5 100	4 900			100,0
104,0	32,0	49,9	5 600	5 000	4 700	5 600	5 000	4 800			104,0
108,0	26,6	40,2	4 600			5 500					108,0
112,0											112,0

MLC300 VPC-MAX S-1



			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
19,8	84,6	120,9	18 300			18 300			19,8
20,0	84,5	120,9	18 300			18 300			20,0
22,0	83,5	120,5	17 900	14 500		17 900	14 500		22,0
24,0	82,6	120,2	17 500	14 200		17 500	14 200		24,0
26,0	81,6	119,8	17 100	13 900	12 100	17 100	13 900	12 100	26,0
28,0	80,6	119,3	16 700	13 600	11 800	16 700	13 600	11 800	28,0
30,0	79,6	118,9	16 200	13 300	11 600	16 200	13 300	11 600	30,0
32,0	78,6	118,4	15 800	12 900	11 400	15 800	12 900	11 400	32,0
34,0	77,7	117,8	15 400	12 600	11 100	15 400	12 600	11 100	34,0
36,0	76,7	117,2	15 000	12 300	10 900	15 000	12 300	10 900	36,0
38,0	75,7	116,6	14 500	12 100	10 700	14 500	12 100	10 700	38,0
40,0	74,7	116,0	14 100	11 700	10 400	14 100	11 700	10 400	40,0
42,0	73,6	115,3	13 800	11 500	10 200	13 800	11 500	10 200	42,0
44,0	72,6	114,5	13 400	11 200	10 000	13 400	11 200	10 000	44,0
46,0	71,6	113,8	13 000	10 900	9 800	13 000	10 900	9 800	46,0
48,0	70,6	112,9	12 600	10 600	9 600	12 600	10 600	9 600	48,0
50,0	69,5	112,1	12 300	10 400	9 300	12 300	10 400	9 300	50,0
52,0	68,5	111,2	11 900	10 100	9 200	11 900	10 100	9 200	52,0
54,0	67,4	110,2	11 600	9 900	8 900	11 600	9 900	8 900	54,0
56,0	66,4	109,2	11 300	9 600	8 700	11 300	9 600	8 700	56,0
58,0	65,3	108,2	11 000	9 400	8 600	11 000	9 400	8 600	58,0
60,0	64,2	107,1	10 700	9 100	8 300	10 700	9 100	8 300	60,0
62,0	63,1	106,0	10 400	8 900	8 200	10 400	8 900	8 200	62,0
64,0	62,0	104,8	10 100	8 700	8 000	10 100	8 700	8 000	64,0
66,0	60,9	103,5	9 800	8 500	7 800	9 800	8 500	7 800	66,0
68,0	59,7	102,2	9 600	8 300	7 600	9 600	8 300	7 600	68,0
70,0	58,6	100,9	9 300	8 100	7 400	9 300	8 100	7 400	70,0
72,0	57,4	99,4	9 100	7 900	7 300	9 100	7 900	7 300	72,0
74,0	56,2	98,0	8 900	7 700	7 100	8 900	7 700	7 100	74,0
76,0	55,0	96,4	8 600	7 500	7 000	8 600	7 500	7 000	76,0
78,0	53,8	94,8	8 400	7 400	6 800	8 400	7 400	6 800	78,0
80,0	52,5	93,1	8 200	7 200	6 700	8 200	7 200	6 700	80,0
82,0	51,3	91,3	8 000	7 000	6 500	8 000	7 000	6 500	82,0
84,0	50,0	89,5	7 800	6 800	6 400	7 800	6 800	6 400	84,0
86,0	48,6	87,6	7 600	6 700	6 200	7 600	6 700	6 200	86,0
88,0	47,3	85,5	7 400	6 500	6 100	7 400	6 500	6 100	88,0
90,0	45,9	83,4	7 200	6 400	6 000	7 200	6 400	6 000	90,0
92,0	44,5	81,2	7 000	6 200	5 800	7 000	6 200	5 800	92,0
94,0	43,0	78,8	6 900	6 100	5 700	6 900	6 100	5 700	94,0
96,0	41,5	76,4	6 700	6 000	5 600	6 700	6 000	5 600	96,0
100,0	38,3	71,0	5 600	5 200	4 900	6 400	5 700	5 400	100,0
104,0	34,8	64,8	4 500	4 200	3 900	6 100	5 500	5 200	104,0
108,0	30,9	57,8	3 500			5 900	5 300	5 000	108,0
112,0	26,5	49,3				5 700	5 100	4 800	112,0
116,0	21,0	38,6				5 500	4 900	4 700	116,0

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg






78,0 m







42,0 m

20°




			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
m	°	m	kg	kg	kg	kg	kg	kg	m
19,8									19,8
20,0									20,0
22,0									22,0
24,0									24,0
26,0	84,8	118,7	14 400			14 400			26,0
28,0	83,8	118,2	14 000			14 000			28,0
30,0	82,8	117,7	13 700	11 100		13 700	11 100		30,0
32,0	81,8	117,2	13 300	10 900	9 700	13 300	10 900	9 700	32,0
34,0	80,8	116,7	13 000	10 600	9 600	13 000	10 600	9 600	34,0
36,0	79,8	116,1	12 600	10 400	9 400	12 600	10 400	9 400	36,0
38,0	78,8	115,5	12 300	10 100	9 200	12 300	10 100	9 200	38,0
40,0	77,8	114,8	12 000	9 900	9 000	12 000	9 900	9 000	40,0
42,0	76,8	114,1	11 700	9 700	8 800	11 700	9 700	8 800	42,0
44,0	75,7	113,4	11 300	9 500	8 700	11 300	9 500	8 700	44,0
46,0	74,7	112,6	11 000	9 300	8 500	11 000	9 300	8 500	46,0
48,0	73,7	111,7	10 800	9 000	8 300	10 800	9 000	8 300	48,0
50,0	72,6	110,9	10 500	8 800	8 100	10 500	8 800	8 100	50,0
52,0	71,5	110,0	10 200	8 600	8 000	10 200	8 600	8 000	52,0
54,0	70,5	109,0	10 000	8 400	7 800	10 000	8 400	7 800	54,0
56,0	69,4	108,0	9 700	8 300	7 600	9 700	8 300	7 600	56,0
58,0	68,3	106,9	9 500	8 100	7 500	9 500	8 100	7 500	58,0
60,0	67,2	105,8	9 200	7 900	7 300	9 200	7 900	7 300	60,0
62,0	66,1	104,7	9 000	7 700	7 200	9 000	7 700	7 200	62,0
64,0	65,0	103,5	8 800	7 600	7 100	8 800	7 600	7 100	64,0
66,0	63,8	102,2	8 600	7 400	6 900	8 600	7 400	6 900	66,0
68,0	62,7	100,9	8 400	7 200	6 800	8 400	7 200	6 800	68,0
70,0	61,5	99,5	8 200	7 100	6 600	8 200	7 100	6 600	70,0
72,0	60,3	98,1	8 000	6 900	6 500	8 000	6 900	6 500	72,0
74,0	59,1	96,6	7 800	6 800	6 400	7 800	6 800	6 400	74,0
76,0	57,9	95,0	7 700	6 600	6 200	7 700	6 600	6 200	76,0
78,0	56,7	93,4	7 500	6 500	6 100	7 500	6 500	6 100	78,0
80,0	55,4	91,7	7 300	6 400	6 000	7 300	6 400	6 000	80,0
82,0	54,1	89,9	7 200	6 200	5 900	7 200	6 200	5 900	82,0
84,0	52,8	88,0	7 000	6 100	5 800	7 000	6 100	5 800	84,0
86,0	51,4	86,0	6 800	6 000	5 700	6 800	6 000	5 700	86,0
88,0	50,0	84,0	6 700	5 900	5 600	6 700	5 900	5 600	88,0
90,0	48,6	81,8	6 600	5 800	5 500	6 600	5 800	5 500	90,0
92,0	47,2	79,5	6 400	5 700	5 400	6 400	5 700	5 400	92,0
94,0	45,7	77,1	6 300	5 600	5 300	6 300	5 600	5 300	94,0
96,0	44,1	74,6	6 200	5 500	5 200	6 200	5 500	5 200	96,0
100,0	40,8	69,0	6 000	5 300	5 000	6 000	5 300	5 000	100,0
104,0	37,2	62,7	5 000	4 700	4 400	5 800	5 100	4 900	104,0
108,0	33,2	55,4	3 900	3 600	3 300	5 600	5 000	4 800	108,0
112,0	28,5	46,5				5 500	4 900	4 700	112,0
116,0									116,0








MLC300 VPC-MAX S-1






 m	 °	 m	 10,6 m			 14,6 m			 m
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
19,8	84,8	126,9	18 100			18 100			19,8
20,0	84,8	126,9	18 000			18 000			20,0
22,0	83,8	126,6	17 800			17 800			22,0
24,0	82,9	126,3	17 500	14 100		17 500	14 100		24,0
26,0	82,0	125,9	17 100	13 800	12 000	17 100	13 800	12 000	26,0
28,0	81,1	125,5	16 700	13 500	11 700	16 700	13 500	11 700	28,0
30,0	80,1	125,0	16 300	13 200	11 500	16 300	13 200	11 500	30,0
32,0	79,2	124,6	15 900	13 000	11 300	15 900	13 000	11 300	32,0
34,0	78,3	124,0	15 500	12 700	11 100	15 500	12 700	11 100	34,0
36,0	77,3	123,5	15 100	12 400	10 900	15 100	12 400	10 900	36,0
38,0	76,4	122,9	14 700	12 100	10 700	14 700	12 100	10 700	38,0
40,0	75,4	122,3	14 300	11 900	10 500	14 300	11 900	10 500	40,0
42,0	74,5	121,6	13 900	11 600	10 300	13 900	11 600	10 300	42,0
44,0	73,5	120,9	13 600	11 300	10 100	13 600	11 300	10 100	44,0
46,0	72,5	120,2	13 200	11 100	9 900	13 200	11 100	9 900	46,0
48,0	71,6	119,4	12 900	10 800	9 700	12 900	10 800	9 700	48,0
50,0	70,6	118,6	12 500	10 600	9 500	12 500	10 600	9 500	50,0
52,0	69,6	117,7	12 200	10 300	9 300	12 200	10 300	9 300	52,0
54,0	68,6	116,9	11 900	10 100	9 100	11 900	10 100	9 100	54,0
56,0	67,6	115,9	11 600	9 800	8 900	11 600	9 800	8 900	56,0
58,0	66,6	114,9	11 300	9 600	8 700	11 300	9 600	8 700	58,0
60,0	65,6	113,9	11 000	9 400	8 500	11 000	9 400	8 500	60,0
62,0	64,5	112,8	10 700	9 200	8 300	10 700	9 200	8 300	62,0
64,0	63,5	111,7	10 400	8 900	8 100	10 400	8 900	8 100	64,0
66,0	62,4	110,6	10 200	8 700	8 000	10 200	8 700	8 000	66,0
68,0	61,4	109,3	9 900	8 500	7 800	9 900	8 500	7 800	68,0
70,0	60,3	108,1	9 700	8 400	7 600	9 700	8 400	7 600	70,0
72,0	59,2	106,8	9 400	8 200	7 500	9 400	8 200	7 500	72,0
74,0	58,1	105,4	9 200	8 000	7 300	9 200	8 000	7 300	74,0
76,0	57,0	103,9	9 000	7 800	7 200	9 000	7 800	7 200	76,0
78,0	55,8	102,5	8 700	7 600	7 000	8 700	7 600	7 000	78,0
80,0	54,7	100,9	8 600	7 500	6 900	8 600	7 500	6 900	80,0
82,0	53,5	99,3	8 300	7 300	6 700	8 300	7 300	6 700	82,0
84,0	52,3	97,6	8 100	7 100	6 600	8 100	7 100	6 600	84,0
86,0	51,1	95,8	7 900	7 000	6 500	7 900	7 000	6 500	86,0
88,0	49,9	94,0	7 800	6 800	6 300	7 800	6 800	6 300	88,0
90,0	48,6	92,0	7 600	6 700	6 200	7 600	6 700	6 200	90,0
92,0	47,3	90,0	7 000	6 400	6 000	7 400	6 500	6 100	92,0
94,0	46,0	87,9	6 400	5 900	5 400	7 200	6 400	5 900	94,0
96,0	44,7	85,7	5 800	5 300	4 800	7 100	6 200	5 800	96,0
100,0	41,8	81,0	4 600	4 200	3 800	6 800	6 000	5 600	100,0
104,0	38,8	75,7	3 500			6 500	5 800	5 400	104,0
108,0	35,6	69,8				6 200	5 500	5 200	108,0
112,0	32,0	63,0				6 000	5 300	5 000	112,0
116,0	28,0	55,1				5 700	5 200	4 900	116,0
120,0	23,2	45,4				5 500	5 000	4 700	120,0





MLC300 VPC-MAX S-1



			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
19,8									19,8
20,0									20,0
22,0									22,0
24,0									24,0
26,0									26,0
28,0	84,1	124,3	14 100			14 100			28,0
30,0	83,2	123,9	13 700	11 100		13 700	11 100		30,0
32,0	82,2	123,4	13 400	10 900	9 700	13 400	10 900	9 700	32,0
34,0	81,3	122,9	13 000	10 600	9 600	13 000	10 600	9 600	34,0
36,0	80,3	122,3	12 700	10 400	9 400	12 700	10 400	9 400	36,0
38,0	79,4	121,7	12 400	10 200	9 200	12 400	10 200	9 200	38,0
40,0	78,4	121,1	12 100	10 000	9 000	12 100	10 000	9 000	40,0
42,0	77,4	120,4	11 800	9 800	8 900	11 800	9 800	8 900	42,0
44,0	76,5	119,7	11 500	9 600	8 700	11 500	9 600	8 700	44,0
46,0	75,5	119,0	11 200	9 400	8 500	11 200	9 400	8 500	46,0
48,0	74,5	118,2	11 000	9 200	8 400	11 000	9 200	8 400	48,0
50,0	73,5	117,4	10 700	9 000	8 200	10 700	9 000	8 200	50,0
52,0	72,5	116,5	10 400	8 800	8 100	10 400	8 800	8 100	52,0
54,0	71,5	115,6	10 200	8 600	7 900	10 200	8 600	7 900	54,0
56,0	70,5	114,7	9 900	8 400	7 800	9 900	8 400	7 800	56,0
58,0	69,5	113,7	9 700	8 200	7 600	9 700	8 200	7 600	58,0
60,0	68,4	112,6	9 500	8 100	7 500	9 500	8 100	7 500	60,0
62,0	67,4	111,6	9 300	7 900	7 300	9 300	7 900	7 300	62,0
64,0	66,3	110,4	9 000	7 700	7 200	9 000	7 700	7 200	64,0
66,0	65,3	109,2	8 800	7 600	7 000	8 800	7 600	7 000	66,0
68,0	64,2	108,0	8 600	7 400	6 900	8 600	7 400	6 900	68,0
70,0	63,1	106,7	8 400	7 300	6 800	8 400	7 300	6 800	70,0
72,0	62,0	105,4	8 200	7 100	6 600	8 200	7 100	6 600	72,0
74,0	60,9	104,0	8 100	7 000	6 500	8 100	7 000	6 500	74,0
76,0	59,8	102,5	7 900	6 900	6 400	7 900	6 900	6 400	76,0
78,0	58,6	101,0	7 700	6 700	6 300	7 700	6 700	6 300	78,0
80,0	57,4	99,5	7 600	6 600	6 200	7 600	6 600	6 200	80,0
82,0	56,2	97,8	7 400	6 500	6 100	7 400	6 500	6 100	82,0
84,0	55,0	96,1	7 300	6 300	5 900	7 300	6 300	5 900	84,0
86,0	53,8	94,3	7 100	6 200	5 800	7 100	6 200	5 800	86,0
88,0	52,5	92,4	7 000	6 100	5 700	7 000	6 100	5 700	88,0
90,0	51,3	90,5	6 800	6 000	5 600	6 800	6 000	5 600	90,0
92,0	50,0	88,4	6 700	5 900	5 500	6 700	5 900	5 500	92,0
94,0	48,6	86,3	6 600	5 800	5 500	6 600	5 800	5 500	94,0
96,0	47,2	84,0	6 400	5 700	5 300	6 400	5 700	5 400	96,0
100,0	44,3	79,1	5 300	4 900	4 400	6 200	5 500	5 200	100,0
104,0	41,3	73,7	4 100	3 700		6 000	5 300	5 000	104,0
108,0	37,9	67,6	3 000			5 800	5 200	4 900	108,0
112,0	34,2	60,6				5 700	5 000	4 800	112,0
116,0	30,0	52,3				5 600	4 900	4 700	116,0
120,0									120,0

MLC300 VPC-MAX S-1



			 10,6 m			 14,6 m			
									
			0°  kg	1°  kg	2°  kg	0°  kg	1°  kg	2°  kg	
21,3	84,4	132,8	17 400			17 400			21,3
22,0	84,1	132,7	17 300			17 300			22,0
24,0	83,2	132,4	17 100	13 900		17 100	13 900		24,0
26,0	82,4	132,0	16 800	13 700	10 700	16 800	13 700	10 700	26,0
28,0	81,5	131,6	16 600	13 400	10 700	16 600	13 400	10 700	28,0
30,0	80,6	131,2	16 200	13 100	10 700	16 200	13 100	10 700	30,0
32,0	79,7	130,7	15 900	12 900	10 700	15 900	12 900	10 700	32,0
34,0	78,8	130,2	15 500	12 600	10 700	15 500	12 600	10 700	34,0
36,0	77,9	129,7	15 100	12 400	10 700	15 100	12 400	10 700	36,0
38,0	77,0	129,1	14 800	12 100	10 600	14 800	12 100	10 600	38,0
40,0	76,1	128,6	14 400	11 900	10 400	14 400	11 900	10 400	40,0
42,0	75,2	127,9	14 100	11 600	10 300	14 100	11 600	10 300	42,0
44,0	74,3	127,3	13 700	11 400	10 100	13 700	11 400	10 100	44,0
46,0	73,4	126,6	13 400	11 100	9 900	13 400	11 100	9 900	46,0
48,0	72,4	125,8	13 100	10 900	9 700	13 100	10 900	9 700	48,0
50,0	71,5	125,1	12 700	10 600	9 500	12 700	10 600	9 500	50,0
52,0	70,6	124,3	12 400	10 400	9 300	12 400	10 400	9 300	52,0
54,0	69,6	123,4	12 100	10 200	9 200	12 100	10 200	9 200	54,0
56,0	68,7	122,5	11 800	10 000	9 000	11 800	10 000	9 000	56,0
58,0	67,7	121,6	11 500	9 700	8 800	11 500	9 700	8 800	58,0
60,0	66,8	120,6	11 300	9 500	8 600	11 300	9 500	8 600	60,0
62,0	65,8	119,6	11 000	9 300	8 500	11 000	9 300	8 500	62,0
64,0	64,8	118,6	10 700	9 100	8 300	10 700	9 100	8 300	64,0
66,0	63,8	117,5	10 400	8 900	8 100	10 400	8 900	8 100	66,0
68,0	62,8	116,3	10 200	8 700	8 000	10 200	8 700	8 000	68,0
70,0	61,8	115,2	9 900	8 500	7 800	9 900	8 500	7 800	70,0
72,0	60,8	113,9	9 700	8 400	7 600	9 700	8 400	7 600	72,0
74,0	59,8	112,6	9 500	8 200	7 500	9 500	8 200	7 500	74,0
76,0	58,7	111,3	9 300	8 000	7 400	9 300	8 000	7 400	76,0
78,0	57,7	109,9	9 000	7 800	7 200	9 000	7 800	7 200	78,0
80,0	56,6	108,4	8 900	7 700	7 100	8 900	7 700	7 100	80,0
82,0	55,5	106,9	8 600	7 500	6 900	8 600	7 500	6 900	82,0
84,0	54,4	105,4	8 500	7 400	6 800	8 500	7 400	6 800	84,0
86,0	53,3	103,7	8 300	7 200	6 700	8 300	7 200	6 700	86,0
88,0	52,1	102,0	7 900	7 000	6 500	8 000	7 000	6 500	88,0
90,0	51,0	100,3	7 200	6 600	6 000	7 900	6 900	6 400	90,0
92,0	49,8	98,4	6 600	6 000	5 400	7 700	6 700	6 300	92,0
94,0	48,6	96,5	5 900	5 400	4 800	7 500	6 600	6 200	94,0
96,0	47,4	94,5	5 300	4 800	4 300	7 400	6 500	6 000	96,0
100,0	44,8	90,2	4 100	3 700	3 200	7 100	6 200	5 800	100,0
104,0	42,2	85,5				6 800	6 000	5 600	104,0
108,0	39,3	80,4				6 500	5 800	5 400	108,0
112,0	36,3	74,6				6 200	5 600	5 200	112,0
116,0	33,0	68,1				6 000	5 400	5 000	116,0
120,0	29,3	60,6				5 800	5 200	4 900	120,0
124,0	25,0	51,7				5 200	4 800	4 600	124,0
128,0	19,8	40,3				4 400	4 100	3 900	128,0

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°

90,0 m

42,0 m

20°

			10,6 m			14,6 m			
			0°	1°	2°	0°	1°	2°	
			kg	kg	kg	kg	kg	kg	m
21,3									21,3
22,0									22,0
24,0									24,0
26,0									26,0
28,0	84,4	130,4	14 000			14 000			28,0
30,0	83,5	130,0	13 700	11 000		13 700	11 000		30,0
32,0	82,6	129,5	13 400	10 800	9 100	13 400	10 800	9 100	32,0
34,0	81,7	129,0	13 100	10 600	9 100	13 100	10 600	9 100	34,0
36,0	80,8	128,5	12 800	10 400	9 100	12 800	10 400	9 100	36,0
38,0	79,9	127,9	12 500	10 200	9 100	12 500	10 200	9 100	38,0
40,0	79,0	127,4	12 200	10 000	9 000	12 200	10 000	9 000	40,0
42,0	78,0	126,7	11 900	9 800	8 900	11 900	9 800	8 900	42,0
44,0	77,1	126,1	11 600	9 600	8 700	11 600	9 600	8 700	44,0
46,0	76,2	125,3	11 400	9 400	8 600	11 400	9 400	8 600	46,0
48,0	75,3	124,6	11 100	9 200	8 400	11 100	9 200	8 400	48,0
50,0	74,3	123,8	10 800	9 000	8 300	10 800	9 000	8 300	50,0
52,0	73,4	123,0	10 600	8 900	8 100	10 600	8 900	8 100	52,0
54,0	72,4	122,2	10 300	8 700	8 000	10 300	8 700	8 000	54,0
56,0	71,5	121,3	10 100	8 500	7 800	10 100	8 500	7 800	56,0
58,0	70,5	120,3	9 900	8 300	7 700	9 900	8 300	7 700	58,0
60,0	69,5	119,4	9 700	8 200	7 600	9 700	8 200	7 600	60,0
62,0	68,5	118,3	9 500	8 000	7 400	9 500	8 000	7 400	62,0
64,0	67,5	117,3	9 200	7 900	7 300	9 200	7 900	7 300	64,0
66,0	66,5	116,2	9 000	7 700	7 200	9 000	7 700	7 200	66,0
68,0	65,5	115,0	8 800	7 600	7 000	8 800	7 600	7 000	68,0
70,0	64,5	113,8	8 700	7 400	6 900	8 700	7 400	6 900	70,0
72,0	63,5	112,6	8 500	7 300	6 800	8 500	7 300	6 800	72,0
74,0	62,4	111,2	8 300	7 100	6 600	8 300	7 100	6 600	74,0
76,0	61,4	109,9	8 100	7 000	6 500	8 100	7 000	6 500	76,0
78,0	60,3	108,5	8 000	6 900	6 400	8 000	6 900	6 400	78,0
80,0	59,2	107,0	7 800	6 700	6 300	7 800	6 700	6 300	80,0
82,0	58,1	105,5	7 600	6 600	6 200	7 600	6 600	6 200	82,0
84,0	57,0	103,9	7 500	6 500	6 100	7 500	6 500	6 100	84,0
86,0	55,9	102,2	7 300	6 400	6 000	7 300	6 400	6 000	86,0
88,0	54,7	100,5	7 200	6 300	5 900	7 200	6 300	5 900	88,0
90,0	53,5	98,7	7 100	6 200	5 800	7 100	6 200	5 800	90,0
92,0	52,3	96,9	6 900	6 100	5 700	6 900	6 100	5 700	92,0
94,0	51,1	94,9	6 700	6 000	5 600	6 800	6 000	5 600	94,0
96,0	49,9	92,9	6 200	5 500	5 100	6 700	5 900	5 500	96,0
100,0	47,3	88,5	4 900	4 400	4 000	6 400	5 700	5 400	100,0
104,0	44,5	83,7	3 700			6 200	5 500	5 200	104,0
108,0	41,6	78,4				6 000	5 300	5 100	108,0
112,0	38,5	72,5				5 900	5 200	4 900	112,0
116,0	35,1	65,8				5 700	5 100	4 800	116,0
120,0	31,3	58,0				5 600	5 000	4 700	120,0
124,0	26,8	48,5				5 400	4 900	4 600	124,0
128,0									128,0

MLC300 VPC-MAX S-1



148
+
B60

135 100 kg

360°


96,0 m

42,0 m

10°





			10,6 m		14,6 m		
			0°		1°		
m	°	m	kg	kg	kg	kg	m
21,3	84,7	138,8	17 200		17 200		21,3
22,0	84,4	138,8	17 100		17 100		22,0
24,0	83,5	138,4	16 900		16 900		24,0
26,0	82,7	138,1	16 700	13 200	16 700	13 200	26,0
28,0	81,8	137,7	16 400	13 200	16 400	13 200	28,0
30,0	81,0	137,3	16 200	13 100	16 200	13 100	30,0
32,0	80,2	136,9	15 900	12 800	15 900	12 800	32,0
34,0	79,3	136,4	15 600	12 600	15 600	12 600	34,0
36,0	78,4	135,9	15 200	12 400	15 200	12 400	36,0
38,0	77,6	135,4	14 900	12 100	14 900	12 100	38,0
40,0	76,7	134,8	14 600	11 900	14 600	11 900	40,0
42,0	75,9	134,2	14 200	11 700	14 200	11 700	42,0
44,0	75,0	133,6	13 900	11 400	13 900	11 400	44,0
46,0	74,1	132,9	13 600	11 200	13 600	11 200	46,0
48,0	73,2	132,2	13 300	11 000	13 300	11 000	48,0
50,0	72,4	131,5	13 000	10 800	13 000	10 800	50,0
52,0	71,5	130,7	12 700	10 500	12 700	10 500	52,0
54,0	70,6	129,9	12 400	10 300	12 400	10 300	54,0
56,0	69,7	129,1	12 100	10 100	12 100	10 100	56,0
58,0	68,8	128,2	11 800	9 900	11 800	9 900	58,0
60,0	67,9	127,3	11 500	9 700	11 500	9 700	60,0
62,0	66,9	126,3	11 300	9 500	11 300	9 500	62,0
64,0	66,0	125,3	11 000	9 300	11 000	9 300	64,0
66,0	65,1	124,3	10 700	9 100	10 700	9 100	66,0
68,0	64,1	123,2	10 500	9 000	10 500	9 000	68,0
70,0	63,2	122,1	10 300	8 800	10 300	8 800	70,0
72,0	62,2	120,9	10 000	8 600	10 000	8 600	72,0
74,0	61,2	119,7	9 800	8 400	9 800	8 400	74,0
76,0	60,3	118,5	9 600	8 200	9 600	8 200	76,0
78,0	59,3	117,2	9 400	8 100	9 400	8 100	78,0
80,0	58,3	115,8	9 200	7 900	9 200	7 900	80,0
82,0	57,3	114,4	9 000	7 700	9 000	7 700	82,0
84,0	56,2	112,9	8 400	7 400	8 800	7 600	84,0
86,0	55,2	111,4	7 700	6 900	8 600	7 400	86,0
88,0	54,1	109,9	6 900	6 200	8 400	7 300	88,0
90,0	53,1	108,2	6 200	5 600	8 200	7 100	90,0
92,0	52,0	106,5	5 500	4 900	8 000	7 000	92,0
94,0	50,9	104,7	4 900	4 300	7 900	6 800	94,0
96,0	49,7	102,9	4 300	3 700	7 700	6 700	96,0
100,0	47,4	99,0	3 100		7 400	6 500	100,0
104,0	45,0	94,8			7 100	6 200	104,0
108,0	42,5	90,1			6 800	6 000	108,0
112,0	39,8	85,0			6 500	5 800	112,0
116,0	36,9	79,4			6 200	5 600	116,0
120,0	33,8	73,1			5 300	4 900	120,0
124,0	30,4	66,0			4 500	4 100	124,0
128,0	26,6	57,6			3 700	3 400	128,0






MLC300 VPC-MAX S-1




			10,6 m		14,6 m		
			0°	1°	0°	1°	
m	°	m	kg	kg	kg	kg	m
21,3							21,3
22,0							22,0
24,0							24,0
26,0							26,0
28,0	84,6	136,5	14 000		14 000		28,0
30,0	83,8	136,1	13 700		13 700		30,0
32,0	82,9	135,7	13 400	10 800	13 400	10 800	32,0
34,0	82,1	135,2	13 100	10 600	13 100	10 600	34,0
36,0	81,2	134,7	12 800	10 400	12 800	10 400	36,0
38,0	80,3	134,2	12 500	10 200	12 500	10 200	38,0
40,0	79,5	133,6	12 300	10 000	12 300	10 000	40,0
42,0	78,6	133,0	12 000	9 900	12 000	9 900	42,0
44,0	77,7	132,4	11 700	9 700	11 700	9 700	44,0
46,0	76,8	131,7	11 500	9 500	11 500	9 500	46,0
48,0	75,9	131,0	11 200	9 300	11 200	9 300	48,0
50,0	75,0	130,2	11 000	9 100	11 000	9 100	50,0
52,0	74,1	129,5	10 800	9 000	10 800	9 000	52,0
54,0	73,2	128,7	10 500	8 800	10 500	8 800	54,0
56,0	72,3	127,8	10 300	8 600	10 300	8 600	56,0
58,0	71,4	126,9	10 100	8 500	10 100	8 500	58,0
60,0	70,5	126,0	9 900	8 300	9 900	8 300	60,0
62,0	69,6	125,0	9 600	8 200	9 600	8 200	62,0
64,0	68,6	124,0	9 500	8 000	9 500	8 000	64,0
66,0	67,7	123,0	9 300	7 900	9 300	7 900	66,0
68,0	66,7	121,9	9 100	7 700	9 100	7 700	68,0
70,0	65,8	120,8	8 900	7 600	8 900	7 600	70,0
72,0	64,8	119,6	8 700	7 400	8 700	7 400	72,0
74,0	63,8	118,4	8 500	7 300	8 500	7 300	74,0
76,0	62,8	117,1	8 300	7 200	8 300	7 200	76,0
78,0	61,8	115,8	8 200	7 000	8 200	7 000	78,0
80,0	60,8	114,4	8 000	6 900	8 000	6 900	80,0
82,0	59,8	113,0	7 900	6 800	7 900	6 800	82,0
84,0	58,7	111,5	7 700	6 700	7 700	6 700	84,0
86,0	57,7	109,9	7 600	6 600	7 600	6 600	86,0
88,0	56,6	108,3	7 400	6 400	7 400	6 400	88,0
90,0	55,5	106,7	7 300	6 300	7 300	6 300	90,0
92,0	54,4	105,0	6 600	5 900	7 200	6 200	92,0
94,0	53,3	103,2	5 900	5 300	7 000	6 100	94,0
96,0	52,1	101,3	5 200	4 600	6 900	6 000	96,0
100,0	49,8	97,3	4 000	3 500	6 700	5 800	100,0
104,0	47,3	93,0			6 500	5 700	104,0
108,0	44,7	88,3			6 200	5 500	108,0
112,0	42,0	83,1			6 100	5 300	112,0
116,0	39,0	77,3			5 900	5 200	116,0
120,0	35,9	70,8			5 600	5 000	120,0
124,0	32,3	63,4			4 800	4 400	124,0
128,0	28,3	54,6			3 900	3 600	128,0




MLC300 VPC-MAX S-1



							
							
			0°	1°	0°	1°	
			kg	kg	kg	kg	
21,3	84,9	144,9	16 600		16 600		21,3
22,0	84,6	144,8	16 500		16 500		22,0
24,0	83,8	144,5	16 300		16 300		24,0
26,0	83,0	144,2	16 100	11 000	16 100	11 000	26,0
28,0	82,2	143,8	15 900	11 000	15 900	11 000	28,0
30,0	81,4	143,4	15 700	11 000	15 700	11 000	30,0
32,0	80,6	143,0	15 400	11 000	15 400	11 000	32,0
34,0	79,8	142,5	15 200	11 000	15 200	11 000	34,0
36,0	78,9	142,1	15 000	11 000	15 000	11 000	36,0
38,0	78,1	141,6	14 700	11 000	14 700	11 000	38,0
40,0	77,3	141,0	14 500	11 000	14 500	11 000	40,0
42,0	76,5	140,4	14 200	11 000	14 200	11 000	42,0
44,0	75,6	139,8	13 900	11 000	13 900	11 000	44,0
46,0	74,8	139,2	13 600	10 900	13 600	10 900	46,0
48,0	74,0	138,5	13 300	10 700	13 300	10 700	48,0
50,0	73,1	137,8	13 000	10 500	13 000	10 500	50,0
52,0	72,3	137,1	12 700	10 300	12 700	10 300	52,0
54,0	71,4	136,4	12 500	10 100	12 500	10 100	54,0
56,0	70,6	135,6	12 200	9 900	12 200	9 900	56,0
58,0	69,7	134,7	11 900	9 800	11 900	9 800	58,0
60,0	68,8	133,8	11 600	9 600	11 600	9 600	60,0
62,0	68,0	132,9	11 400	9 400	11 400	9 400	62,0
64,0	67,1	132,0	11 100	9 200	11 100	9 200	64,0
66,0	66,2	131,0	10 900	9 100	10 900	9 100	66,0
68,0	65,3	130,0	10 700	8 900	10 700	8 900	68,0
70,0	64,4	128,9	10 400	8 700	10 400	8 700	70,0
72,0	63,5	127,8	10 200	8 500	10 200	8 500	72,0
74,0	62,6	126,7	10 000	8 400	10 000	8 400	74,0
76,0	61,7	125,5	9 800	8 200	9 800	8 200	76,0
78,0	60,7	124,3	9 600	8 100	9 600	8 100	78,0
80,0	59,8	123,0	9 300	7 900	9 400	7 900	80,0
82,0	58,8	121,7	8 700	7 700	9 200	7 800	82,0
84,0	57,9	120,3	7 900	7 100	9 000	7 600	84,0
86,0	56,9	118,9	7 100	6 300	8 800	7 500	86,0
88,0	55,9	117,4	6 400	5 600	8 600	7 400	88,0
90,0	54,9	115,9	5 700	5 000	8 400	7 200	90,0
92,0	53,9	114,3	5 000	4 300	8 300	7 100	92,0
94,0	52,8	112,7	4 400	3 700	8 100	7 000	94,0
96,0	51,8	110,9	3 700		7 900	6 800	96,0
100,0	49,7	107,3			7 600	6 600	100,0
104,0	47,4	103,4			7 300	6 400	104,0
108,0	45,1	99,2			7 100	6 100	108,0
112,0	42,7	94,7			6 700	5 900	112,0
116,0	40,2	89,7			5 800	5 300	116,0
120,0	37,5	84,2			4 900	4 500	120,0
124,0	34,6	78,0			4 100	3 700	124,0
128,0	31,4	71,2			3 200	3 000	128,0

MLC300 VPC-MAX S-1



			10,6 m		14,6 m		
							
m	°	m	kg	kg	kg	kg	m
21,3							21,3
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0	84,0	142,2	13 500		13 500		30,0
32,0	83,2	141,8	13 300	9 600	13 300	9 600	32,0
34,0	82,4	141,3	13 000	9 600	13 000	9 600	34,0
36,0	81,6	140,8	12 800	9 600	12 800	9 600	36,0
38,0	80,7	140,3	12 500	9 600	12 500	9 600	38,0
40,0	79,9	139,8	12 200	9 600	12 200	9 600	40,0
42,0	79,1	139,2	12 000	9 600	12 000	9 600	42,0
44,0	78,2	138,6	11 800	9 600	11 800	9 600	44,0
46,0	77,4	138,0	11 500	9 500	11 500	9 500	46,0
48,0	76,5	137,3	11 300	9 300	11 300	9 300	48,0
50,0	75,7	136,6	11 100	9 200	11 100	9 200	50,0
52,0	74,8	135,8	10 800	9 000	10 800	9 000	52,0
54,0	74,0	135,1	10 600	8 800	10 600	8 800	54,0
56,0	73,1	134,3	10 400	8 700	10 400	8 700	56,0
58,0	72,2	133,4	10 200	8 500	10 200	8 500	58,0
60,0	71,4	132,5	10 000	8 400	10 000	8 400	60,0
62,0	70,5	131,6	9 800	8 200	9 800	8 200	62,0
64,0	69,6	130,7	9 600	8 100	9 600	8 100	64,0
66,0	68,7	129,7	9 400	7 900	9 400	7 900	66,0
68,0	67,8	128,6	9 200	7 800	9 200	7 800	68,0
70,0	66,9	127,6	9 000	7 700	9 000	7 700	70,0
72,0	66,0	126,5	8 800	7 500	8 800	7 500	72,0
74,0	65,1	125,3	8 700	7 400	8 700	7 400	74,0
76,0	64,1	124,1	8 500	7 300	8 500	7 300	76,0
78,0	63,2	122,9	8 400	7 200	8 400	7 200	78,0
80,0	62,2	121,6	8 200	7 000	8 200	7 000	80,0
82,0	61,3	120,2	8 000	6 900	8 000	6 900	82,0
84,0	60,3	118,8	7 900	6 800	7 900	6 800	84,0
86,0	59,3	117,4	7 700	6 700	7 700	6 700	86,0
88,0	58,3	115,9	7 500	6 600	7 600	6 600	88,0
90,0	57,3	114,4	6 800	6 100	7 500	6 500	90,0
92,0	56,2	112,8	6 100	5 400	7 400	6 400	92,0
94,0	55,2	111,1	5 400	4 800	7 200	6 300	94,0
96,0	54,1	109,4	4 800	4 100	7 100	6 200	96,0
100,0	52,0	105,7	3 500		6 900	6 000	100,0
104,0	49,7	101,7			6 600	5 800	104,0
108,0	47,4	97,4			6 500	5 700	108,0
112,0	44,9	92,8			6 300	5 500	112,0
116,0	42,3	87,7			6 100	5 400	116,0
120,0	39,5	82,0			5 300	4 900	120,0
124,0	36,5	75,7			4 500	4 100	124,0
128,0	33,3	68,6			3 600	3 200	128,0