

Liftcrane Jib Capacities

Jib No. 148 on
 Boom No. B10:680
 200 000 kg VPC (Variable Position Counterweight)
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating - Three Swing Drives

MLC650 SERIES 1



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. 9441-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

BOOM BACKWARD STABILITY: Capacities indicated by (b) require 1 090 kg minimum weight suspended beneath jib point, (c) require 4 530 kg minimum weight, and (d) require 9 070 kg minimum weight. **Caution: Do not operate in areas indicated by (b), (c), or (d) without required minimum weight.** Boom and jib may not lower and boom hoist wire rope may go slack causing wire rope damage or failure.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with machine list not to exceed degrees noted. Refer to Boom Rigging **No. 81018141**, Jib Rigging **No. 81023385**, Wire Rope Specifications chart **No. 9673-A**, Counterweight Arrangements chart **No. 9349-A**, and Wind Conditions chart **No. 9670-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with three swing drives, 11 125 mm crawlers, 1 524 mm or 2 032 mm treads, 11 m live mast, 30 part boom hoist reeving, boom support straps, and 200 000 kg VPC.

Caution: Luffing jib backstay straps must be removed before use of this chart. Crane tipping or structural damage may occur.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 2 800 kg.

Table 1:

Over End or Side of Crawlers												
Boom Length (m)	Jib Length (m)											
	12,0				18,0				24,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
	Block Weight (kg)											
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
56,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
62,0	7 300	7 300	7 300	7 300	7 300	7 300	7 300	#	7 300	#	#	#
68,0	#	#	#	#	#	#	#	#	#	#	#	#
74,0	Raising Not Permitted											

Table 1 (continued):

Over End or Side of Crawlers												
Boom Length (m)	Jib Length (m)											
	30,0				36,0				42,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
	Block Weight (kg)											
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	10 200	10 200
56,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
62,0	#	#	#	#	#	#	#	#	#	#	#	#
68,0	#	#	#	#	#	#	#	#	#	#	#	#
74,0	Raising Not Permitted											


Table 2:

Over End of Blocked Crawlers												
Boom Length (m)	Jib Length (m)											
	12,0				18,0				24,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
	Block Weight (kg)											
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
56,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
62,0	7 300	7 300	7 300	7 300	7 300	7 300	7 300	#	7 300	#	#	#
68,0	#	#	#	#	#	#	#	#	#	#	#	#
74,0	#	#	#	#	#	#	#	#	#	#	#	#
Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. <i>Crane tipping or structural damage can occur.</i>												

Table 2 (continued):

Over End of Blocked Crawlers												
Boom Length (m)	Jib Length (m)											
	30,0				36,0				42,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
	Block Weight (kg)											
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	10 200	10 200
56,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
62,0	#	#	#	#	#	#	#	#	#	#	#	#
68,0	#	#	#	#	#	#	#	#	#	#	#	#
74,0	#	#	Raising Not Permitted									
Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.												

Explanation of Symbols



Jib No. 148
+
Boom No. B10:680




VPC (Variable Position Counterweight)




360 Degree Rating




Boom Length



Jib Length




Jib Offset Angle



Operating Radius
(see page 1)



Boom Angle
(see page 1)



Jib Point Elevation
(see page 1)










Machine List






Lifting Capacities
(see page 1)

MLC650 S-1





	 10°							 20°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
8,5	84,8	46,8	65 000d											8,5	
9,0	84,2	46,7	65 000c											9,0	
10,0	82,9	46,5	65 000c	63 300d										10,0	
11,0	81,5	46,3	65 000b	62 900c	57 600d			83,9	45,9	65 000c	60 800d			11,0	
12,0	80,2	46,1	65 000	62 500c	57 300c	52 900d		82,6	45,7	65 000b	60 600c			12,0	
14,0	77,5	45,6	65 000	61 900b	56 800c	52 400c		79,9	45,1	61 900	59 300c	54 700c	50 600d	14,0	
16,0	74,8	44,9	65 000	61 400	56 300	52 100b		77,1	44,5	57 100	56 700	53 300c	49 400c	16,0	
18,0	72,0	44,2	65 000	60 600	55 600	51 400		74,4	43,7	53 100	52 900	51 800	48 300	18,0	
20,0	69,2	43,3	61 800	58 700	54 200	50 100		71,5	42,9	49 600	49 400	48 900	47 200	20,0	
22,0	66,3	42,3	57 100	56 300	52 700	48 900		68,6	41,9	46 600	46 500	46 000	45 100	22,0	
24,0	63,4	41,2	53 100	52 700	51 300	47 800		65,6	40,7	44 000	43 900	43 500	42 800	24,0	
26,0	60,3	40,0	49 600	49 200	48 900	46 700		62,5	39,5	41 700	41 600	41 300	40 700	26,0	
28,0	57,1	38,6	46 600	46 300	46 000	45 300		59,3	38,0	39 700	39 600	39 400	38 900	28,0	
30,0	53,8	37,0	43 900	43 700	43 400	42 900		55,9	36,4	37 900	37 800	37 700	37 200	30,0	
32,0	50,4	35,2	41 600	41 400	41 100	40 800		52,4	34,6	36 300	36 200	36 100	35 800	32,0	
34,0	46,7	33,2	39 500	39 300	39 100	38 900		48,6	32,6	34 800	34 800	34 700	34 500	34,0	
36,0	42,7	30,8	37 700	37 500	37 300	37 200		44,6	30,2	33 600	33 500	33 500	33 400	36,0	
38,0	38,4	28,2	36 100	35 900	35 700	35 600		40,1	27,4	32 500	32 400	32 400	32 300	38,0	
40,0	33,5	25,0	34 600	34 500	34 300	34 200		35,1	24,1	31 600	31 500	31 500	31 400	40,0	
42,0	27,7	21,0	33 400	33 300	33 100	33 000		29,0	19,9	30 900	30 900	30 800	30 800	42,0	
44,0	20,2	15,5	32 500	32 300	32 200	32 100								44,0	









MLC650 S-1






	10°							20°							
m	°	m	0° kg	1° kg	2° kg	3° kg	°	m	0° kg	1° kg	2° kg	3° kg	m		
9,1	84,7	52,8	65 000c											9,1	
10,0	83,7	52,6	65 000c	63 400d										10,0	
11,0	82,6	52,5	65 000	63 000c	57 700d			84,7	52,0	65 000c				11,0	
12,0	81,4	52,2	65 000	62 700b	57 400c	52 900d		83,5	51,8	65 000	60 600c			12,0	
14,0	79,1	51,8	65 000	62 100	56 900b	52 500c		81,2	51,3	64 300	60 000b	55 200c	51 000d	14,0	
16,0	76,7	51,2	65 000	61 600	56 500	52 100b	78,8	50,8	59 800	58 500	54 000b	50 000c		16,0	
18,0	74,3	50,6	65 000	61 100	56 100	51 800	76,3	50,1	55 800	55 600	52 800	49 000		18,0	
20,0	71,9	49,8	64 800	60 500	55 500	51 200	73,9	49,4	52 400	52 300	51 400	48 100		20,0	
22,0	69,4	49,0	62 100	58 800	54 200	50 100	71,4	48,5	49 500	49 300	48 700	47 100		22,0	
24,0	66,9	48,0	57 900	57 000	52 900	49 100	68,8	47,6	46 800	46 700	46 200	45 400		24,0	
26,0	64,3	47,0	54 200	53 800	51 600	48 000	66,2	46,5	44 500	44 400	44 000	43 200		26,0	
28,0	61,6	45,8	51 000	50 700	50 100	47 100	63,5	45,3	42 400	42 300	42 100	41 400		28,0	
30,0	58,9	44,5	48 200	47 900	47 600	46 200	60,8	44,0	40 600	40 500	40 300	39 700		30,0	
32,0	56,1	43,1	45 600	45 400	45 100	44 500	57,9	42,5	38 900	38 800	38 700	38 200		32,0	
34,0	53,2	41,4	43 400	43 200	42 900	42 500	55,0	40,9	37 400	37 300	37 200	36 800		34,0	
36,0	50,1	39,7	41 400	41 200	41 000	40 600	51,9	39,1	36 000	35 900	35 900	35 600		36,0	
38,0	46,9	37,7	39 600	39 400	39 200	39 000	48,6	37,0	34 800	34 700	34 700	34 500		38,0	
40,0	43,5	35,4	38 000	37 800	37 600	37 400	45,1	34,7	33 700	33 700	33 600	33 500		40,0	
42,0	39,8	32,9	36 500	36 400	36 200	36 100	41,3	32,1	32 800	32 700	32 600	32 600		42,0	
44,0	35,7	29,9	35 200	35 100	34 900	34 800	37,1	29,1	31 900	31 900	31 800	31 700		44,0	
46,0	31,1	26,5	34 100	33 900	33 800	33 600	32,4	25,5	31 300	31 200	31 100	31 100		46,0	
48,0	25,8	22,2	33 100	33 000	32 800	32 400								48,0	
50,0	18,7	16,3	32 300	31 800	31 200	30 400								50,0	







MLC650 S-1






	 10°							 20°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
9,8	84,7	58,7	65 000c							65 000					9,8
10,0	84,4	58,7	65 000c							64 700					10,0
11,0	83,4	58,5	65 000	63 100c							60 100b	55 200c			11,0
12,0	82,3	58,4	65 000	62 800b	57 400c			84,2	57,9						12,0
14,0	80,3	57,9	65 000	62 200	56 900b	52 500c		82,1	57,5						14,0
16,0	78,2	57,5	65 000	61 700	56 500	52 200		80,0	57,0	62 000	59 200	54 600b	50 400c		16,0
18,0	76,0	56,9	65 000	61 300	56 200	51 900		77,9	56,4	58 200	57 700	53 500	49 500		18,0
20,0	73,9	56,2	65 000	60 900	55 900	51 600		75,7	55,7	54 900	54 700	52 400	48 700		20,0
22,0	71,7	55,5	64 800	60 200	55 300	51 000		73,5	55,0	52 000	51 800	50 900	47 800		22,0
24,0	69,5	54,7	62 300	58 700	54 100	50 000		71,3	54,2	49 300	49 200	48 600	47 100		24,0
26,0	67,3	53,7	58 400	57 200	53 000	49 100		69,0	53,2	47 000	46 900	46 400	45 500		26,0
28,0	65,0	52,7	55 100	54 700	51 900	48 200		66,7	52,2	44 900	44 800	44 400	43 600		28,0
30,0	62,6	51,6	52 200	51 800	50 800	47 400		64,4	51,1	43 000	42 900	42 600	41 900		30,0
32,0	60,3	50,4	49 500	49 200	48 800	46 600		61,9	49,8	41 300	41 200	41 000	40 400		32,0
34,0	57,8	49,0	47 100	46 800	46 600	45 600		59,4	48,5	39 800	39 600	39 500	39 000		34,0
36,0	55,3	47,5	45 000	44 700	44 400	43 900		56,9	47,0	38 400	38 200	38 100	37 700		36,0
38,0	52,6	45,9	43 100	42 800	42 600	42 100		54,2	45,3	37 100	37 000	36 900	36 500		38,0
40,0	49,9	44,1	41 300	41 100	40 800	40 500		51,4	43,5	35 900	35 800	35 700	35 500		40,0
42,0	47,0	42,2	39 700	39 500	39 300	38 700		48,5	41,5	34 800	34 700	34 600	34 500		42,0
44,0	44,0	40,0	38 200	38 000	37 500	36 100		45,5	39,3	33 800	33 800	33 700	33 600		44,0
46,0	40,8	37,5	36 900	36 200	34 800	33 500		42,2	36,8	33 000	32 900	32 800	32 800		46,0
48,0	37,3	34,8	35 700	33 500	32 200	31 000		38,6	34,0	32 200	32 100	32 000	31 400		48,0
50,0	33,5	31,6	34 700	30 900	29 800	28 800		34,7	30,7	31 600	31 100	30 200	29 100		50,0
52,0	29,2	27,9	33 400	28 600	27 600	26 700		30,2	26,9	31 000	28 800	27 900	26 900		52,0
54,0	24,1	23,3	30 800	26 400	25 600	24 800									54,0

MLC650 S-1






	 10°							 20°							
	 m	 °	 m					 °	 m					 m	
				0°	1°	2°	3°			0°	1°	2°	3°		
				kg	kg	kg	kg			kg	kg	kg	kg		
10,4	84,6	64,7	65 000											10,4	
11,0	84,0	64,6	65 000											11,0	
12,0	83,1	64,4	65 000	62 800										12,0	
14,0	81,2	64,1	65 000	62 200	56 900	52 400c	82,9	63,6	65 000	60 100				14,0	
16,0	79,3	63,6	65 000	61 800	56 500	52 100	81,0	63,1	63 700	59 600	54 800	50 600c		16,0	
18,0	77,4	63,1	65 000	61 300	56 200	51 800	79,1	62,6	60 300	58 400	53 900	49 800		18,0	
20,0	75,5	62,5	65 000	61 000	55 900	51 600	77,1	62,0	57 000	56 800	53 000	49 100		20,0	
22,0	73,6	61,8	65 000	60 700	55 600	51 400	75,2	61,4	54 200	54 000	52 000	48 300		22,0	
24,0	71,6	61,1	65 000	60 000	55 000	50 800	73,2	60,6	51 600	51 400	50 600	47 600		24,0	
26,0	69,6	60,3	62 400	58 700	54 100	49 900	71,2	59,8	49 300	49 100	48 600	46 900		26,0	
28,0	67,6	59,4	59 000	57 400	53 000	49 100	69,2	58,9	47 200	47 000	46 600	45 700		28,0	
30,0	65,5	58,4	55 900	55 400	52 100	48 300	67,1	57,9	45 300	45 100	44 700	43 900		30,0	
32,0	63,4	57,3	53 100	52 700	51 100	47 500	65,0	56,8	43 500	43 400	43 100	42 400		32,0	
34,0	61,3	56,2	50 700	50 300	49 900	46 800	62,8	55,6	41 900	41 800	41 600	40 900		34,0	
36,0	59,1	54,9	48 400	48 100	47 800	46 100	60,6	54,3	40 500	40 400	40 200	39 600		36,0	
38,0	56,9	53,5	46 300	46 000	45 700	43 500	58,3	52,9	39 100	39 000	38 900	38 400		38,0	
40,0	54,6	52,0	44 500	44 000	42 200	40 100	56,0	51,4	37 900	37 800	37 700	37 300		40,0	
42,0	52,2	50,3	42 800	40 800	38 800	37 000	53,6	49,7	36 800	36 700	36 600	36 300		42,0	
44,0	49,7	48,6	41 200	37 500	35 800	34 100	51,1	47,9	35 800	35 700	35 600	34 700		44,0	
46,0	47,1	46,6	39 800	34 600	33 000	31 500	48,5	45,9	34 800	34 600	33 600	32 100		46,0	
48,0	44,4	44,5	37 900	31 900	30 500	29 100	45,7	43,8	33 900	32 400	31 000	29 600		48,0	
50,0	41,6	42,1	35 000	29 400	28 100	26 900	42,8	41,3	33 200	29 900	28 600	27 300		50,0	
52,0	38,5	39,5	32 300	27 100	25 900	24 800	39,7	38,7	32 300	27 500	26 300	25 200		52,0	
54,0	35,2	36,5	29 800	24 900	23 900	22 900	36,3	35,6	30 200	25 300	24 300	23 200		54,0	
56,0	31,6	33,1	27 500	22 900	22 000	21 100	32,6	32,2	27 700	23 200	22 300	21 400		56,0	
58,0	27,5	29,2	25 300	21 100	20 300	19 400								58,0	
60,0	22,7	24,3	23 200	19 300	18 600	17 900								60,0	

MLC650 S-1





	10°							20°						
														
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,0	84,6	70,7	65 000											11,0
12,0	83,7	70,5	65 000											12,0
14,0	82,0	70,2	65 000											14,0
16,0	80,3	69,8	65 000											16,0
18,0	78,5	69,3	65 000											18,0
20,0	76,8	68,8	65 000											20,0
22,0	75,1	68,2	65 000											22,0
24,0	73,3	67,5	65 000											24,0
26,0	71,5	66,8	64 900											26,0
28,0	69,7	66,0	62 600											28,0
30,0	67,8	65,1	59 400											30,0
32,0	66,0	64,1	56 500											32,0
34,0	64,1	63,1	54 000											34,0
36,0	62,2	62,0	51 600											36,0
38,0	60,2	60,7	49 500											38,0
40,0	58,2	59,4	47 500											40,0
42,0	56,1	58,0	45 700											42,0
44,0	54,0	56,5	43 200											44,0
46,0	51,8	54,8	39 700											46,0
48,0	49,6	53,0	36 500											48,0
50,0	47,2	51,1	33 600											50,0
52,0	44,8	49,0	30 900											52,0
54,0	42,2	46,7	28 400											54,0
56,0	39,5	44,1	26 100											56,0
58,0	36,6	41,3	24 000											58,0
60,0	33,5	38,2	21 900											60,0
62,0	30,1	34,6	20 100											62,0
64,0	26,2	30,5	18 200											64,0
66,0	21,5	25,3	16 500											66,0


MLC650 S-1






	10°							20°							
				0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
11,0	85,0	76,7	65 000										11,0		
12,0	84,2	76,6	65 000										12,0		
14,0	82,6	76,3	65 000	62 200	56 700		84,1	75,8	65 000				14,0		
16,0	81,1	75,9	65 000	61 700	56 400	51 300	82,5	75,4	65 000	59 600			16,0		
18,0	79,5	75,5	65 000	61 400	56 100	51 300	80,9	75,0	63 500	59 300	54 400	49 800	18,0		
20,0	77,9	75,0	65 000	61 000	55 800	51 300	79,3	74,5	60 600	58 300	53 700	49 600	20,0		
22,0	76,3	74,4	65 000	60 700	55 500	51 200	77,7	73,9	57 900	57 100	52 900	49 000	22,0		
24,0	74,7	73,8	65 000	60 400	55 300	51 000	76,1	73,3	55 400	55 200	52 100	48 300	24,0		
26,0	73,1	73,2	65 000	60 200	55 100	50 900	74,4	72,6	53 100	52 900	51 400	47 800	26,0		
28,0	71,4	72,4	64 700	59 700	54 700	50 400	72,8	71,9	51 100	50 900	50 300	47 200	28,0		
30,0	69,8	71,6	62 800	58 500	53 800	49 700	71,1	71,1	49 200	49 000	48 400	46 700	30,0		
32,0	68,1	70,8	59 800	57 500	53 000	49 000	69,4	70,2	47 400	47 200	46 800	45 900	32,0		
34,0	66,4	69,8	57 200	53 600	50 000	46 600	67,7	69,3	45 800	45 600	45 200	44 400	34,0		
36,0	64,6	68,8	54 700	48 800	45 500	42 500	65,9	68,3	44 300	44 200	43 800	43 000	36,0		
38,0	62,9	67,7	52 500	44 400	41 500	38 800	64,2	67,2	42 900	42 800	42 500	39 900	38,0		
40,0	61,1	66,6	50 000	40 600	38 000	35 500	62,4	66,0	41 600	41 200	39 000	36 500	40,0		
42,0	59,3	65,3	45 700	37 100	34 700	32 500	60,5	64,7	40 400	38 000	35 700	33 400	42,0		
44,0	57,4	64,0	41 800	33 900	31 700	29 700	58,6	63,4	39 300	34 800	32 600	30 600	44,0		
46,0	55,5	62,5	38 300	31 000	29 000	27 200	56,7	61,9	38 200	31 800	29 800	28 000	46,0		
48,0	53,5	61,0	35 100	28 300	26 500	24 900	54,7	60,3	35 900	29 100	27 300	25 600	48,0		
50,0	51,5	59,3	32 200	25 800	24 200	22 700	52,7	58,6	32 900	26 600	24 900	23 400	50,0		
52,0	49,5	57,5	29 500	23 600	22 100	20 700	50,6	56,8	30 200	24 200	22 700	21 300	52,0		
54,0	47,3	55,6	27 000	21 500	20 200	18 900	48,4	54,9	27 600	22 100	20 700	19 400	54,0		
56,0	45,1	53,5	24 700	19 500	18 300	17 100	46,2	52,8	25 300	20 100	18 800	17 600	56,0		
58,0	42,8	51,2	22 600	17 700	16 600	15 500	43,8	50,5	23 100	18 200	17 100	16 000	58,0		
60,0	40,3	48,8	20 600	16 000	15 000	14 000	41,3	48,0	21 000	16 500	15 400	14 400	60,0		
62,0	37,7	46,1	18 700	14 400	13 500	12 600	38,7	45,3	19 100	14 800	13 800	12 900	62,0		
64,0	35,0	43,1	16 900	12 900	12 100	11 200	35,9	42,2	17 300	13 200	12 400	11 500	64,0		
66,0	32,0	39,8	15 300	11 500	10 700	9 900	32,8	38,8	15 600	11 800	11 000	10 200	66,0		
68,0	28,7	36,1	13 700	10 200	9 400	8 700	29,4	35,0	13 900	10 400	9 600	8 900	68,0		
70,0	25,0	31,7	12 200	8 900	8 200	7 600							70,0		
72,0	20,5	26,3	10 700	7 600	7 100	6 500							72,0		






MLC650 S-1





	10°							20°						
														
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,6	84,9	82,7	65 000											11,6
12,0	84,6	82,6	65 000											12,0
14,0	83,2	82,3	65 000		62 000			84,5	81,8	65 000				14,0
16,0	81,8	82,0	65 000		61 600	56 100		83,1	81,5	65 000	59 400			16,0
18,0	80,3	81,6	65 000		61 200	55 800	50 500	81,6	81,1	64 700	59 200	54 200		18,0
20,0	78,8	81,2	65 000	60 900	55 600	50 500		80,1	80,6	62 100	58 600	53 800	49 000	20,0
22,0	77,4	80,7	65 000	60 600	55 400	50 500		78,6	80,1	59 500	57 700	53 100	48 900	22,0
24,0	75,9	80,1	65 000	60 300	55 100	50 500		77,2	79,6	57 000	56 600	52 400	48 500	24,0
26,0	74,4	79,5	65 000	60 000	54 900	50 500		75,6	79,0	54 800	54 600	51 700	48 000	26,0
28,0	72,9	78,8	65 000	59 800	54 800	50 400		74,1	78,3	52 700	52 600	51 100	47 400	28,0
30,0	71,4	78,1	64 800	59 300	54 300	50 000		72,6	77,6	50 900	50 700	50 000	46 900	30,0
32,0	69,8	77,3	62 900	58 000	53 600	49 400		71,1	76,8	49 100	49 000	48 400	46 500	32,0
34,0	68,3	76,4	60 200	52 600	48 700	45 100		69,5	75,9	47 500	47 400	46 900	45 500	34,0
36,0	66,7	75,5	57 700	47 800	44 300	41 100		67,9	75,0	46 000	45 900	45 000	42 300	36,0
38,0	65,1	74,5	54 300	43 500	40 400	37 500		66,3	74,0	44 600	44 500	41 600	38 600	38,0
40,0	63,5	73,5	49 500	39 600	36 800	34 200		64,7	72,9	43 300	40 800	37 900	35 300	40,0
42,0	61,8	72,3	45 200	36 200	33 600	31 300		63,0	71,8	42 100	37 200	34 700	32 200	42,0
44,0	60,2	71,1	41 300	33 000	30 700	28 500		61,3	70,6	41 000	34 000	31 600	29 400	44,0
46,0	58,5	69,8	37 800	30 100	28 000	26 000		59,6	69,3	38 800	31 000	28 900	26 900	46,0
48,0	56,7	68,5	34 600	27 500	25 600	23 800		57,9	67,9	35 500	28 300	26 400	24 500	48,0
50,0	55,0	67,0	31 700	25 000	23 300	21 600		56,1	66,4	32 500	25 800	24 000	22 400	50,0
52,0	53,1	65,4	29 000	22 800	21 200	19 700		54,2	64,8	29 800	23 500	21 900	20 300	52,0
54,0	51,3	63,8	26 500	20 700	19 300	17 800		52,4	63,1	27 200	21 400	19 900	18 500	54,0
56,0	49,4	62,0	24 200	18 800	17 400	16 100		50,4	61,3	24 900	19 400	18 000	16 700	56,0
58,0	47,4	60,1	22 100	17 000	15 700	14 500		48,4	59,4	22 700	17 600	16 300	15 100	58,0
60,0	45,3	58,0	20 100	15 300	14 200	13 000		46,3	57,3	20 600	15 800	14 700	13 500	60,0
62,0	43,2	55,8	18 300	13 700	12 700	11 600		44,2	55,0	18 700	14 200	13 100	12 100	62,0
64,0	41,0	53,4	16 500	12 300	11 300	10 300		41,9	52,6	16 900	12 700	11 700	10 700	64,0
66,0	38,6	50,8	14 900	10 900	10 000	9 100		39,5	50,0	15 300	11 200	10 300	9 400	66,0
68,0	36,2	48,0	13 300	9 500	8 700	7 900		37,0	47,1	13 700	9 900	9 000	8 200	68,0
70,0	33,5	44,9	11 900	8 300	7 500	6 800		34,3	43,9	12 200	8 600	7 800	7 000	70,0
72,0	30,7	41,4	10 200	7 100	6 400	5 700		31,4	40,3	10 500	7 300	6 600	5 900	72,0
74,0	27,5	37,4	8 700	6 000	5 300	4 700		28,1	36,3	8 900	6 100	5 500	4 800	74,0
76,0	23,9	32,9	7 200	4 900	4 300	3 700								76,0






MLC650 S-1






	 10°							 20°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
12,2	84,9	88,6	65 000							65 000					12,2
14,0	83,7	88,4	65 000	61 800											14,0
16,0	82,3	88,1	65 000	61 400	55 900			83,6	87,6	65 000					16,0
18,0	81,0	87,7	65 000	61 000	55 600	49 600		82,2	87,2	65 000	58 900				18,0
20,0	79,6	87,3	65 000	60 700	55 300	49 600		80,8	86,8	63 500	58 700			48 100	20,0
22,0	78,3	86,8	65 000	60 400	55 100	49 600		79,5	86,3	60 900	57 900	53 200		48 100	22,0
24,0	76,9	86,3	65 000	60 200	54 900	49 600		78,1	85,8	58 500	57 100	52 600		48 100	24,0
26,0	75,5	85,8	65 000	59 900	54 700	49 600		76,7	85,2	56 300	56 100	52 000		48 100	26,0
28,0	74,1	85,1	65 000	59 700	54 600	49 600		75,3	84,6	54 300	54 100	51 300		47 600	28,0
30,0	72,7	84,5	64 900	59 500	54 400	49 600		73,9	83,9	52 500	52 200	50 700		47 100	30,0
32,0	71,3	83,7	64 900	55 900	51 300	47 000		72,5	83,2	50 700	50 500	49 900	46 700	32,0	
34,0	69,9	83,0	62 900	50 600	46 400	42 600		71,0	82,4	49 100	49 000	47 700	44 100	34,0	
36,0	68,4	82,1	58 300	45 800	42 100	38 700		69,6	81,6	47 600	46 700	43 500	40 000	36,0	
38,0	67,0	81,2	52 900	41 500	38 200	35 100		68,1	80,7	46 200	42 800	39 500	36 400	38,0	
40,0	65,5	80,2	48 000	37 700	34 700	31 900		66,6	79,7	44 900	38 900	35 900	33 100	40,0	
42,0	64,0	79,2	43 700	34 200	31 500	29 000		65,1	78,7	43 700	35 400	32 600	30 100	42,0	
44,0	62,5	78,1	39 800	31 100	28 600	26 300		63,6	77,5	40 900	32 200	29 700	27 300	44,0	
46,0	60,9	77,0	36 300	28 200	26 000	23 900		62,0	76,4	37 400	29 200	26 900	24 800	46,0	
48,0	59,4	75,7	33 100	25 600	23 600	21 600		60,4	75,1	34 100	26 500	24 500	22 500	48,0	
50,0	57,8	74,4	30 100	23 200	21 300	19 500		58,8	73,8	31 100	24 100	22 100	20 300	50,0	
52,0	56,2	73,0	27 400	21 000	19 200	17 600		57,2	72,4	28 300	21 800	20 000	18 300	52,0	
54,0	54,5	71,5	25 000	18 900	17 300	15 800		55,5	70,9	25 800	19 600	18 000	16 500	54,0	
56,0	52,8	69,9	22 700	17 000	15 500	14 100		53,8	69,3	23 400	17 700	16 200	14 700	56,0	
58,0	51,1	68,2	20 500	15 200	13 800	12 500		52,1	67,6	21 200	15 800	14 400	13 100	58,0	
60,0	49,3	66,4	18 600	13 500	12 300	11 000		50,3	65,8	19 200	14 100	12 800	11 600	60,0	
62,0	47,4	64,5	16 700	12 000	10 800	9 700		48,4	63,8	17 300	12 500	11 300	10 200	62,0	
64,0	45,5	62,5	15 000	10 500	9 400	8 300		46,5	61,8	15 500	11 000	9 900	8 800	64,0	
66,0	43,6	60,3	13 100	9 100	8 100	7 100		44,5	59,6	13 700	9 600	8 500	7 500	66,0	
68,0	41,5	58,0	11 300	7 800	6 900	5 900		42,4	57,2	11 900	8 200	7 300	6 300	68,0	
70,0	39,4	55,5	9 600	6 600	5 700	4 800		40,2	54,6	10 100	6 900	6 000	5 200	70,0	
72,0	37,2	52,7	8 000	5 400	4 600	3 800		38,0	51,9	8 500	5 700	4 900	4 100	72,0	
74,0	34,8	49,8	6 500	4 300	3 500			35,5	48,8	6 900	4 600	3 800		74,0	
76,0	32,2	46,5	5 100	3 200				32,9	45,5	5 400	3 400			76,0	
78,0	29,5	42,9	3 700					30,1	41,8	3 900				78,0	

MLC650 S-1





	 10°							 20°							
															
				0°  kg	1°  kg	2°  kg	3°  kg			0°  kg	1°  kg	2°  kg	3°  kg		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
11,0	84,4	52,3	53 300c										11,0		
12,0	83,2	52,2	52 100c	45 700d									12,0		
14,0	80,9	51,7	49 800	43 900c	39 300d	35 600d	84,1	51,1	43 100c				14,0		
16,0	78,5	51,1	47 600	42 200b	37 900c	34 500c	81,7	50,5	40 900b	37 300c			16,0		
18,0	76,1	50,5	45 600	40 700	36 700	33 500	79,2	49,9	38 000	36 200	33 000b	30 400c	18,0		
20,0	73,7	49,7	43 800	39 200	35 500	32 500	76,8	49,1	35 500	35 000	32 100	29 600b	20,0		
22,0	71,2	48,9	42 000	37 900	34 500	31 600	74,2	48,3	33 300	32 900	31 300	28 900	22,0		
24,0	68,7	47,9	39 400	36 700	33 500	30 800	71,7	47,3	31 300	31 000	30 300	28 300	24,0		
26,0	66,1	46,9	36 800	35 600	32 500	30 000	69,1	46,2	29 600	29 300	28 800	27 700	26,0		
28,0	63,4	45,7	34 600	34 300	31 700	29 200	66,4	45,0	28 100	27 900	27 400	26 900	28,0		
30,0	60,7	44,4	32 600	32 400	30 900	28 500	63,6	43,7	26 800	26 600	26 100	25 700	30,0		
32,0	57,9	42,9	30 900	30 600	30 100	27 900	60,7	42,2	25 500	25 400	25 000	24 700	32,0		
34,0	54,9	41,3	29 300	29 100	28 900	27 300	57,7	40,6	24 500	24 300	24 000	23 700	34,0		
36,0	51,9	39,5	27 900	27 700	27 600	26 800	54,6	38,7	23 500	23 400	23 100	22 800	36,0		
38,0	48,6	37,5	26 600	26 500	26 300	26 100	51,3	36,7	22 600	22 500	22 300	22 100	38,0		
40,0	45,2	35,3	25 500	25 400	25 200	25 100	47,7	34,4	21 800	21 700	21 600	21 400	40,0		
42,0	41,5	32,7	24 500	24 300	24 200	24 100	43,9	31,7	21 100	21 000	20 900	20 800	42,0		
44,0	37,4	29,8	23 600	23 400	23 300	23 200	39,7	28,7	20 500	20 400	20 400	20 200	44,0		
46,0	32,8	26,3	22 700	22 600	22 500	22 400	34,8	25,0	20 000	19 900	19 800	19 800	46,0		
48,0	27,3	21,9	22 000	21 900	21 800	21 700							48,0		






MLC650 S-1






		10°						20°						
		m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	m
11,0	85,0	58,4	53 400c											11,0
12,0	84,0	58,3	52 800b											12,0
14,0	81,9	57,8	50 600	44 500c	39 800c			84,7	57,2	43 500c				14,0
16,0	79,8	57,3	48 600	43 000	38 600c	35 000c		82,6	56,7	41 800	37 700c			16,0
18,0	77,7	56,8	46 800	41 500	37 400	34 000		80,4	56,1	39 400	36 700	33 400b	30 700c	18,0
20,0	75,5	56,1	45 100	40 200	36 300	33 100	78,3	55,5	36 900	35 700	32 600	30 000b		20,0
22,0	73,3	55,4	43 500	39 000	35 300	32 300	76,1	54,7	34 800	34 400	31 900	29 400		22,0
24,0	71,1	54,5	42 000	37 800	34 400	31 500	73,8	53,9	32 900	32 500	31 200	28 800		24,0
26,0	68,9	53,6	39 600	36 700	33 500	30 800	71,6	52,9	31 200	30 900	30 300	28 200		26,0
28,0	66,6	52,6	37 300	35 700	32 700	30 100	69,2	51,9	29 700	29 500	28 900	27 700		28,0
30,0	64,2	51,5	35 200	34 700	31 900	29 400	66,9	50,8	28 400	28 100	27 600	27 100		30,0
32,0	61,8	50,2	33 400	33 200	31 100	28 800	64,4	49,5	27 100	26 900	26 500	26 100		32,0
34,0	59,4	48,9	31 800	31 500	30 500	28 200	61,9	48,1	26 000	25 900	25 500	25 100		34,0
36,0	56,8	47,4	30 300	30 100	29 700	27 700	59,3	46,6	25 000	24 900	24 500	24 200		36,0
38,0	54,2	45,8	28 900	28 800	28 600	27 200	56,6	45,0	24 100	24 000	23 700	23 400		38,0
40,0	51,4	44,0	27 700	27 500	27 400	26 700	53,8	43,1	23 300	23 200	22 900	22 700		40,0
42,0	48,6	42,0	26 600	26 500	26 300	26 100	50,9	41,1	22 500	22 400	22 200	22 000		42,0
44,0	45,5	39,8	25 600	25 500	25 300	25 200	47,8	38,8	21 800	21 700	21 600	21 400		44,0
46,0	42,3	37,4	24 700	24 500	24 400	24 300	44,5	36,3	21 200	21 100	21 000	20 800		46,0
48,0	38,8	34,6	23 900	23 700	23 600	23 500	40,9	33,5	20 600	20 600	20 500	20 400		48,0
50,0	35,0	31,4	23 100	23 000	22 900	22 800	36,9	30,2	20 200	20 100	20 000	20 000		50,0
52,0	30,7	27,7	22 400	22 300	22 200	22 100	32,3	26,2	19 700	19 700	19 700	19 600		52,0
54,0	25,5	23,0	21 800	21 800	21 600	21 600								54,0




MLC650 S-1






	 10°							 20°							
															
				0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 		
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
11,6		84,9	64,4	53 200c										11,6	
12,0		84,6	64,3	53 100										12,0	
14,0		82,7	64,0	51 300	45 000c	40 100d								14,0	
16,0		80,8	63,5	49 500	43 600	39 000c	35 400c	83,3	62,8	42 500				16,0	
18,0		78,9	63,0	47 800	42 200	37 900	34 500	81,4	62,3	40 500	37 100	33 700		18,0	
20,0		77,0	62,4	46 100	41 000	36 900	33 600	79,5	61,7	38 200	36 200	33 000	30 300	20,0	
22,0		75,0	61,8	44 700	39 800	36 000	32 900	77,5	61,1	36 100	35 300	32 300	29 700	22,0	
24,0		73,1	61,0	43 300	38 700	35 100	32 100	75,5	60,3	34 300	33 900	31 600	29 200	24,0	
26,0		71,1	60,2	42 000	37 700	34 300	31 400	73,5	59,5	32 700	32 300	31 000	28 700	26,0	
28,0		69,0	59,3	39 800	36 800	33 500	30 700	71,4	58,6	31 200	30 800	30 200	28 200	28,0	
30,0		67,0	58,3	37 700	35 900	32 700	30 100	69,4	57,6	29 800	29 500	29 000	27 700	30,0	
32,0		64,9	57,2	35 800	35 000	32 000	29 500	67,2	56,5	28 600	28 300	27 800	27 300	32,0	
34,0		62,7	56,1	34 100	33 800	31 400	29 000	65,1	55,3	27 500	27 200	26 800	26 300	34,0	
36,0		60,6	54,8	32 500	32 300	30 800	28 400	62,8	54,0	26 400	26 200	25 800	25 400	36,0	
38,0		58,3	53,4	31 100	30 900	30 200	27 900	60,6	52,6	25 500	25 300	25 000	24 600	38,0	
40,0		56,0	51,9	29 800	29 600	29 500	27 500	58,2	51,0	24 600	24 500	24 200	23 800	40,0	
42,0		53,6	50,2	28 700	28 500	28 300	27 000	55,8	49,4	23 800	23 700	23 400	23 200	42,0	
44,0		51,1	48,4	27 600	27 400	27 200	26 600	53,2	47,5	23 100	23 000	22 800	22 500	44,0	
46,0		48,5	46,5	26 600	26 400	26 300	26 100	50,6	45,5	22 400	22 400	22 100	21 900	46,0	
48,0		45,8	44,3	25 700	25 500	25 400	25 300	47,8	43,3	21 800	21 800	21 600	21 400	48,0	
50,0		43,0	42,0	24 900	24 700	24 600	24 500	44,9	40,9	21 300	21 200	21 100	20 900	50,0	
52,0		39,9	39,3	24 100	24 000	23 800	23 700	41,8	38,2	20 800	20 700	20 600	20 500	52,0	
54,0		36,6	36,3	23 400	23 300	23 200	23 000	38,3	35,1	20 300	20 300	20 200	20 100	54,0	
56,0		33,0	33,0	22 800	22 600	22 500	22 400	34,6	31,6	19 900	19 900	19 800	19 800	56,0	
58,0		28,9	29,0	22 200	22 100	22 000	21 900							58,0	
60,0		24,0	24,1	21 700	21 600	21 500	21 300							60,0	

MLC650 S-1






	 10°							 20°							
															
															
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
12,2	84,9	70,3	53 000											12,2	
14,0	83,3	70,0	51 900	45 300c										14,0	
16,0	81,6	69,6	50 100	44 000	39 300c			83,9	68,9	42 800				16,0	
18,0	79,9	69,2	48 500	42 800	38 300	34 800		82,2	68,5	41 400				18,0	
20,0	78,1	68,6	47 000	41 600	37 400	34 000		80,4	67,9	39 300	37 400			20,0	
22,0	76,4	68,0	45 600	40 500	36 500	33 300		78,7	67,3	37 300	35 800	32 600	30 000	22,0	
24,0	74,6	67,4	44 300	39 500	35 700	32 600		76,9	66,7	35 500	35 000	32 000	29 500	24,0	
26,0	72,8	66,6	43 100	38 500	34 900	31 900		75,1	65,9	33 900	33 500	31 400	29 000	26,0	
28,0	71,0	65,8	41 800	37 600	34 200	31 300		73,2	65,1	32 400	32 100	30 900	28 500	28,0	
30,0	69,2	64,9	39 900	36 800	33 500	30 700		71,4	64,2	31 100	30 800	30 100	28 100	30,0	
32,0	67,3	64,0	38 000	35 900	32 800	30 200		69,5	63,2	29 900	29 600	29 000	27 700	32,0	
34,0	65,4	62,9	36 200	35 200	32 100	29 600		67,5	62,2	28 800	28 500	28 000	27 300	34,0	
36,0	63,5	61,8	34 600	34 200	31 500	29 100		65,6	61,0	27 700	27 500	27 000	26 600	36,0	
38,0	61,5	60,6	33 200	32 900	31 000	28 600		63,6	59,8	26 800	26 600	26 100	25 700	38,0	
40,0	59,5	59,3	31 800	31 600	30 400	28 100		61,5	58,5	25 900	25 700	25 300	25 000	40,0	
42,0	57,4	57,8	30 600	30 400	29 900	27 700		59,4	57,0	25 100	24 900	24 600	24 200	42,0	
44,0	55,3	56,3	29 500	29 300	29 100	27 300		57,3	55,4	24 300	24 200	23 900	23 600	44,0	
46,0	53,1	54,6	28 500	28 300	28 100	26 900		55,1	53,8	23 600	23 500	23 200	23 000	46,0	
48,0	50,8	52,9	27 500	27 300	27 100	26 500		52,8	51,9	23 000	22 900	22 600	22 400	48,0	
50,0	48,5	50,9	26 600	26 400	26 300	26 100		50,4	49,9	22 400	22 300	22 100	21 900	50,0	
52,0	46,0	48,8	25 800	25 600	25 500	25 300		47,9	47,8	21 800	21 800	21 600	21 400	52,0	
54,0	43,5	46,5	25 000	24 900	24 700	24 500		45,2	45,4	21 300	21 300	21 100	21 000	54,0	
56,0	40,7	43,9	24 300	24 200	24 000	23 100		42,4	42,8	20 900	20 800	20 700	20 600	56,0	
58,0	37,8	41,1	23 600	23 400	22 400	21 400		39,4	39,9	20 500	20 400	20 300	20 200	58,0	
60,0	34,7	38,0	23 100	21 600	20 700	19 800		36,2	36,6	20 100	20 000	20 000	19 800	60,0	
62,0	31,2	34,4	22 500	20 000	19 200	18 400		32,5	32,9	19 800	19 700	19 300	18 700	62,0	
64,0	27,3	30,1	22 000	18 400	17 700	17 000		28,4	28,4	19 500	18 600	17 900	17 200	64,0	
66,0	22,6	24,9	20 400	16 900	16 300	15 600								66,0	



MLC650 S-1





	10°							20°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,1	76,2	52 500											13,7
14,0	83,9	76,1	52 300											14,0
16,0	82,3	75,8	50 700	44 400	39 600b		84,5	75,0	43 000					16,0
18,0	80,7	75,3	49 200	43 300	38 700	35 100	82,9	74,6	42 000	37 600				18,0
20,0	79,1	74,8	47 800	42 200	37 800	34 400	81,2	74,1	40 300	36 900	33 500	30 700		20,0
22,0	77,5	74,3	46 400	41 100	37 000	33 700	79,6	73,6	38 400	36 100	32 900	30 200		22,0
24,0	75,9	73,7	45 200	40 200	36 200	33 000	78,0	73,0	36 600	35 400	32 300	29 700		24,0
26,0	74,3	73,0	44 000	39 300	35 500	32 400	76,3	72,3	35 000	34 600	31 800	29 300		26,0
28,0	72,6	72,3	42 900	38 400	34 700	31 800	74,7	71,5	33 600	33 200	31 300	28 800		28,0
30,0	71,0	71,5	41 800	37 500	34 100	31 200	73,0	70,7	32 300	31 900	30 800	28 400		30,0
32,0	69,3	70,6	40 000	36 800	33 400	30 700	71,3	69,9	31 000	30 700	30 100	28 000		32,0
34,0	67,6	69,7	38 200	36 000	32 800	30 200	69,6	68,9	29 900	29 700	29 100	27 700		34,0
36,0	65,8	68,7	36 600	35 300	32 200	29 700	67,8	67,9	28 900	28 600	28 100	27 300		36,0
38,0	64,1	67,6	35 100	34 600	31 700	29 200	66,0	66,8	27 900	27 700	27 200	26 800		38,0
40,0	62,3	66,4	33 700	33 500	31 100	28 700	64,2	65,6	27 100	26 800	26 400	26 000		40,0
42,0	60,4	65,1	32 500	32 200	30 700	28 300	62,3	64,3	26 200	26 000	25 600	25 300		42,0
44,0	58,6	63,8	31 300	31 100	30 200	27 900	60,5	62,9	25 400	25 300	24 900	24 600		44,0
46,0	56,7	62,3	30 200	30 000	29 700	27 500	58,5	61,5	24 700	24 600	24 300	23 900		46,0
48,0	54,7	60,8	29 200	29 000	28 800	27 200	56,5	59,9	24 100	24 000	23 700	23 400		48,0
50,0	52,7	59,1	28 300	28 100	27 900	26 500	54,5	58,2	23 500	23 300	23 100	22 800		50,0
52,0	50,6	57,3	27 400	27 200	26 100	24 700	52,4	56,4	22 900	22 800	22 500	22 300		52,0
54,0	48,5	55,4	26 600	25 500	24 100	22 800	50,2	54,4	22 300	22 300	22 000	21 800		54,0
56,0	46,2	53,3	25 900	23 500	22 300	21 100	47,9	52,3	21 800	21 800	21 600	21 400		56,0
58,0	43,9	51,0	25 100	21 700	20 500	19 400	45,5	49,9	21 400	21 300	21 100	20 100		58,0
60,0	41,4	48,6	24 300	19 900	18 900	17 900	43,0	47,4	21 000	20 500	19 500	18 500		60,0
62,0	38,8	45,9	22 600	18 300	17 400	16 400	40,3	44,7	20 600	18 800	17 900	16 900		62,0
64,0	36,1	42,9	20 800	16 800	15 900	15 100	37,5	41,6	20 200	17 200	16 400	15 500		64,0
66,0	33,1	39,6	19 100	15 400	14 600	13 800	34,3	38,1	19 500	15 700	14 900	14 100		66,0
68,0	29,7	35,8	17 500	14 000	13 300	12 600	30,9	34,2	17 800	14 300	13 500	12 800		68,0
70,0	26,0	31,3	16 000	12 700	12 000	11 400								70,0

MLC650 S-1






	10°							20°							
															
	 m	 °	 m					 °	 m					 m	
				0°  kg	1°  kg	2°  kg	3°  kg			0°  kg	1°  kg	2°  kg	3°  kg		
13,7	84,6	82,2	52 600											13,7	
14,0	84,3	82,2	52 400											14,0	
16,0	82,9	81,9	51 100	44 600										16,0	
18,0	81,4	81,5	49 700	43 600	38 900			83,4	80,7	42 300				18,0	
20,0	80,0	81,0	48 400	42 600	38 100	34 600		81,9	80,3	41 100	37 100	33 600		20,0	
22,0	78,5	80,5	47 100	41 600	37 300	33 900		80,4	79,8	39 300	36 400	33 100	30 300	22,0	
24,0	77,0	80,0	45 900	40 700	36 600	33 300		78,9	79,2	37 600	35 800	32 600	29 900	24,0	
26,0	75,5	79,3	44 800	39 800	35 900	32 700		77,4	78,6	36 000	35 100	32 100	29 500	26,0	
28,0	74,0	78,7	43 700	39 000	35 200	32 200		75,9	77,9	34 600	34 200	31 600	29 100	28,0	
30,0	72,5	77,9	42 700	38 200	34 600	31 600		74,4	77,2	33 300	33 000	31 100	28 700	30,0	
32,0	70,9	77,1	41 800	37 400	33 900	31 100		72,8	76,4	32 100	31 800	30 700	28 300	32,0	
34,0	69,4	76,3	40 100	36 700	33 400	30 600		71,2	75,5	31 000	30 700	30 100	27 900	34,0	
36,0	67,8	75,4	38 500	36 000	32 800	30 100		69,6	74,6	30 000	29 700	29 100	27 600	36,0	
38,0	66,2	74,4	36 900	35 400	32 300	29 700		68,0	73,6	29 000	28 800	28 200	27 300	38,0	
40,0	64,6	73,3	35 500	34 800	31 800	29 300		66,4	72,5	28 100	27 900	27 400	26 900	40,0	
42,0	62,9	72,2	34 200	33 900	31 300	28 800		64,7	71,4	27 300	27 100	26 600	26 200	42,0	
44,0	61,3	71,0	33 000	32 800	30 800	28 400		63,0	70,1	26 500	26 300	25 900	25 500	44,0	
46,0	59,6	69,7	31 900	31 700	30 200	28 000		61,3	68,8	25 800	25 600	25 200	24 900	46,0	
48,0	57,8	68,3	30 900	30 300	28 700	26 900		59,5	67,4	25 100	25 000	24 600	24 300	48,0	
50,0	56,0	66,8	29 900	28 100	26 400	24 700		57,7	65,9	24 500	24 300	24 000	23 700	50,0	
52,0	54,2	65,3	29 000	25 900	24 200	22 700		55,9	64,3	23 900	23 800	23 500	23 100	52,0	
54,0	52,4	63,6	28 100	23 800	22 300	20 800		54,0	62,6	23 300	23 200	22 800	21 700	54,0	
56,0	50,4	61,8	27 100	21 800	20 400	19 100		52,0	60,8	22 800	22 500	21 300	19 900	56,0	
58,0	48,4	59,9	25 100	20 000	18 700	17 500		50,0	58,8	22 300	20 800	19 500	18 200	58,0	
60,0	46,4	57,8	23 100	18 300	17 100	16 000		47,9	56,7	21 800	19 000	17 800	16 700	60,0	
62,0	44,3	55,6	21 200	16 700	15 600	14 500		45,7	54,5	21 400	17 300	16 200	15 200	62,0	
64,0	42,0	53,2	19 400	15 100	14 100	13 200		43,4	52,0	20 000	15 700	14 700	13 700	64,0	
66,0	39,7	50,6	17 800	13 700	12 800	11 900		41,0	49,4	18 300	14 200	13 300	12 400	66,0	
68,0	37,2	47,7	16 200	12 400	11 500	10 700		38,5	46,4	16 700	12 800	12 000	11 100	68,0	
70,0	34,5	44,6	14 700	11 100	10 300	9 600		35,7	43,2	15 100	11 500	10 700	9 900	70,0	
72,0	31,6	41,1	13 300	9 900	9 200	8 500		32,7	39,6	13 600	10 200	9 500	8 800	72,0	
74,0	28,4	37,1	11 900	8 700	8 100	7 400								74,0	
76,0	24,8	32,5	10 600	7 600	7 000	6 400								76,0	





MLC650 S-1




	10°							20°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,9	88,3	52 400											13,7
14,0	84,7	88,3	52 300											14,0
16,0	83,4	87,9	51 400	44 800										16,0
18,0	82,0	87,6	50 000	43 800	39 000									18,0
20,0	80,7	87,2	48 800	42 800	38 300	34 600	83,9	86,8	42 400					20,0
22,0	79,3	86,7	47 600	41 900	37 500	34 000	82,5	86,4	41 600	37 200	33 700			22,0
24,0	77,9	86,2	46 500	41 100	36 900	33 500	81,1	85,9	40 100	36 600	33 200	30 400		24,0
26,0	76,6	85,6	45 400	40 200	36 200	32 900	79,7	85,4	38 400	36 000	32 700	30 000		26,0
28,0	75,2	85,0	44 400	39 500	35 600	32 400	78,3	84,9	36 900	35 400	32 200	29 600		28,0
30,0	73,8	84,3	43 400	38 700	34 900	31 900	76,9	84,2	35 600	34 800	31 800	29 200		30,0
32,0	72,3	83,6	42 500	38 000	34 400	31 400	75,5	83,5	34 300	33 900	31 300	28 900		32,0
34,0	70,9	82,8	41 600	37 300	33 800	30 900	74,1	82,8	33 100	32 800	30 900	28 500		34,0
36,0	69,5	82,0	40 200	36 600	33 300	30 500	72,6	82,0	32 000	31 700	30 500	28 200		36,0
38,0	68,0	81,1	38 700	36 000	32 800	30 100	71,2	81,2	31 000	30 700	30 000	27 900		38,0
40,0	66,5	80,1	37 200	35 400	32 300	29 700	69,7	80,2	30 000	29 700	29 200	27 500		40,0
42,0	65,0	79,1	35 900	34 800	31 800	29 300	68,2	79,3	29 100	28 900	28 300	27 300		42,0
44,0	63,5	78,0	34 700	34 300	31 300	28 900	66,7	78,2	28 300	28 100	27 600	27 000		44,0
46,0	62,0	76,8	33 500	32 400	30 100	28 000	65,2	77,1	27 500	27 300	26 800	26 400		46,0
48,0	60,4	75,5	32 500	29 700	27 600	25 700	63,6	75,9	26 800	26 600	26 100	25 700		48,0
50,0	58,8	74,2	31 500	27 300	25 400	23 600	62,0	74,7	26 100	25 900	25 500	25 100		50,0
52,0	57,2	72,8	30 500	25 000	23 300	21 600	60,4	73,3	25 400	25 300	24 900	24 500		52,0
54,0	55,5	71,3	29 000	22 900	21 300	19 800	58,7	71,9	24 800	24 700	24 200	22 600		54,0
56,0	53,8	69,7	26 700	21 000	19 500	18 100	57,1	70,4	24 300	23 800	22 300	20 700		56,0
58,0	52,1	68,0	24 500	19 100	17 800	16 400	55,3	68,8	23 700	21 900	20 400	18 900		58,0
60,0	50,3	66,2	22 500	17 500	16 200	15 000	53,6	67,1	23 200	20 000	18 600	17 300		60,0
62,0	48,4	64,3	20 600	15 900	14 700	13 500	51,7	65,2	22 700	18 300	17 000	15 700		62,0
64,0	46,5	62,3	18 900	14 400	13 300	12 200	49,9	63,3	21 400	16 600	15 400	14 300		64,0
66,0	44,6	60,1	17 200	13 000	12 000	11 000	47,9	61,2	19 600	15 100	13 900	12 900		66,0
68,0	42,5	57,8	15 700	11 600	10 700	9 800	45,9	59,0	17 900	13 600	12 600	11 600		68,0
70,0	40,4	55,2	14 200	10 400	9 500	8 600	43,8	56,6	16 300	12 200	11 300	10 300		70,0
72,0	38,1	52,5	12 800	9 200	8 400	7 600	41,6	54,0	14 700	10 900	10 000	9 100		72,0
74,0	35,7	49,5	11 500	8 100	7 300	6 600	39,3	51,2	13 300	9 600	8 800	8 000		74,0
76,0	33,1	46,2	10 000	7 000	6 300	5 600	36,9	48,1	11 900	8 400	7 700	6 900		76,0
78,0	30,4	42,6	8 600	5 900	5 300	4 700	34,2	44,7	10 500	7 300	6 600	5 900		78,0
80,0	27,3	38,4	7 200	4 900	4 300	3 800	31,3	40,9	9 000	6 200	5 500	4 900		80,0
82,0	23,8	33,6	5 900	4 000	3 400									82,0







MLC650 S-1





	 10°							 20°							
															
															
m	°	m						°	m					m	
15,2	84,3	94,1	52 000											15,2	
16,0	83,8	94,0	51 500											16,0	
18,0	82,6	93,7	50 300	43 900										18,0	
20,0	81,3	93,3	49 200	43 000										20,0	
22,0	80,0	92,9	48 000	42 200	38 300	34 700								22,0	
24,0	78,7	92,4	47 000	41 400	37 000	33 600								24,0	
26,0	77,5	91,8	46 000	40 600	36 400	33 100								26,0	
28,0	76,2	91,3	45 000	39 800	35 800	32 600								28,0	
30,0	74,9	90,6	44 100	39 100	35 300	32 100								30,0	
32,0	73,5	90,0	43 200	38 400	34 700	31 700								32,0	
34,0	72,2	89,2	42 300	37 800	34 200	31 200								34,0	
36,0	70,9	88,5	41 500	37 200	33 700	30 800								36,0	
38,0	69,5	87,6	40 300	36 600	33 200	30 400								38,0	
40,0	68,2	86,7	38 900	36 000	32 700	30 000								40,0	
42,0	66,8	85,8	37 500	35 400	32 200	29 600								42,0	
44,0	65,4	84,8	36 300	33 400	30 700	28 200								44,0	
46,0	64,0	83,7	35 100	30 500	28 100	25 900								46,0	
48,0	62,6	82,6	34 000	27 900	25 700	23 600								48,0	
50,0	61,1	81,4	32 600	25 400	23 400	21 500								50,0	
52,0	59,6	80,1	30 000	23 200	21 300	19 500								52,0	
54,0	58,1	78,7	27 500	21 100	19 400	17 700								54,0	
56,0	56,6	77,3	25 200	19 200	17 600	16 000								56,0	
58,0	55,0	75,8	23 000	17 400	15 900	14 500								58,0	
60,0	53,4	74,2	21 000	15 700	14 300	13 000								60,0	
62,0	51,8	72,5	19 100	14 100	12 800	11 600								62,0	
64,0	50,1	70,7	17 300	12 600	11 400	10 300								64,0	
66,0	48,4	68,8	15 700	11 200	10 100	9 000								66,0	
68,0	46,6	66,8	14 100	9 900	8 900	7 900								68,0	
70,0	44,8	64,6	12 500	8 700	7 700	6 700								70,0	
72,0	42,9	62,3	10 900	7 500	6 600	5 700								72,0	
74,0	40,9	59,9	9 300	6 400	5 500	4 700								74,0	
76,0	38,9	57,2	7 900	5 300	4 500	3 700								76,0	
78,0	36,7	54,3	6 500	4 300	3 500									78,0	
80,0	34,4	51,2	5 100	3 300										80,0	
82,0	31,9	47,8	3 800											82,0	

MLC650 S-1




	 10°							 20°							
															
															
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
12,2	84,8	58,2	39 900c											12,2	
14,0	83,0	57,8	38 300c	32 800c										14,0	
16,0	80,8	57,3	36 700	31 600c	27 800c	24 800d								16,0	
18,0	78,7	56,7	35 300	30 500	26 900b	24 100c	82,5	56,1	31 100	27 900c				18,0	
20,0	76,6	56,1	33 900	29 500	26 100	23 500b	80,4	55,4	28 900	27 100b	24 200c	21 900c		20,0	
22,0	74,4	55,4	32 700	28 500	25 400	22 900	78,1	54,6	27 000	26 300	23 600b	21 300c	22,0		
24,0	72,2	54,5	31 500	27 600	24 700	22 300	75,9	53,8	25 400	25 200	23 000	20 900	24,0		
26,0	69,9	53,6	30 400	26 800	24 000	21 700	73,6	52,9	23 900	23 800	22 400	20 400	26,0		
28,0	67,6	52,6	28 800	26 000	23 300	21 200	71,3	51,8	22 600	22 500	21 900	20 000	28,0		
30,0	65,3	51,5	27 100	25 300	22 800	20 700	68,9	50,7	21 500	21 300	21 100	19 600	30,0		
32,0	62,9	50,2	25 500	24 600	22 200	20 200	66,5	49,4	20 400	20 300	20 100	19 200	32,0		
34,0	60,4	48,9	24 100	23 800	21 600	19 800	64,0	48,1	19 500	19 400	19 200	18 800	34,0		
36,0	57,9	47,4	22 900	22 700	21 200	19 300	61,4	46,5	18 600	18 500	18 400	18 100	36,0		
38,0	55,2	45,7	21 800	21 600	20 700	18 900	58,7	44,9	17 800	17 700	17 600	17 400	38,0		
40,0	52,5	44,0	20 700	20 600	20 200	18 600	55,9	43,0	17 100	17 000	17 000	16 700	40,0		
42,0	49,6	42,0	19 800	19 700	19 500	18 200	52,9	41,0	16 500	16 400	16 300	16 200	42,0		
44,0	46,6	39,8	19 000	18 800	18 700	17 900	49,8	38,8	15 800	15 800	15 700	15 600	44,0		
46,0	43,4	37,3	18 200	18 100	17 900	17 600	46,5	36,2	15 300	15 300	15 200	15 100	46,0		
48,0	39,9	34,5	17 500	17 400	17 300	17 200	42,9	33,4	14 800	14 800	14 700	14 700	48,0		
50,0	36,0	31,4	16 800	16 700	16 600	16 600	38,9	30,0	14 400	14 400	14 300	14 200	50,0		
52,0	31,7	27,6	16 200	16 200	16 100	16 000	34,3	26,1	14 000	14 000	13 900	13 900	52,0		
54,0	26,5	23,0	15 700	15 600	15 600	15 500							54,0		

MLC650 S-1





		10°						20°					
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	83,9	64,0	39 000b	33 200c									13,7
14,0	83,6	63,9	38 800b	33 100c									14,0
16,0	81,8	63,5	37 300	32 000c	28 100c								16,0
18,0	79,8	63,0	36 000	31 000	27 300	24 400c	83,3	62,2	31 800				18,0
20,0	77,9	62,4	34 700	30 000	26 600	23 800	81,3	61,6	29 800	27 400	24 400b	22 000c	20,0
22,0	76,0	61,7	33 500	29 200	25 900	23 300	79,4	61,0	28 000	26 700	23 800	21 600b	22,0
24,0	74,0	61,0	32 400	28 300	25 200	22 700	77,4	60,2	26 400	26 000	23 300	21 100	24,0
26,0	72,0	60,2	31 400	27 500	24 600	22 200	75,4	59,4	25 000	24 800	22 800	20 700	26,0
28,0	70,0	59,3	30 400	26 800	24 000	21 700	73,3	58,5	23 700	23 600	22 300	20 300	28,0
30,0	67,9	58,3	29 000	26 100	23 400	21 200	71,2	57,5	22 600	22 400	21 900	19 900	30,0
32,0	65,8	57,2	27 400	25 400	22 800	20 800	69,1	56,4	21 500	21 400	21 200	19 600	32,0
34,0	63,7	56,0	26 000	24 800	22 300	20 300	66,9	55,2	20 600	20 500	20 300	19 200	34,0
36,0	61,5	54,7	24 700	24 200	21 900	19 900	64,7	53,9	19 700	19 600	19 400	18 900	36,0
38,0	59,3	53,4	23 500	23 300	21 400	19 500	62,4	52,5	18 900	18 800	18 700	18 400	38,0
40,0	56,9	51,8	22 500	22 300	20 900	19 200	60,0	50,9	18 200	18 100	18 000	17 700	40,0
42,0	54,5	50,2	21 500	21 300	20 500	18 800	57,6	49,2	17 500	17 400	17 400	17 100	42,0
44,0	52,1	48,4	20 600	20 400	20 200	18 500	55,1	47,4	16 900	16 800	16 800	16 600	44,0
46,0	49,5	46,4	19 800	19 600	19 500	18 200	52,4	45,4	16 400	16 300	16 200	16 100	46,0
48,0	46,8	44,3	19 000	18 900	18 800	17 900	49,6	43,2	15 800	15 700	15 700	15 600	48,0
50,0	43,9	41,9	18 300	18 200	18 100	17 700	46,7	40,8	15 400	15 300	15 200	15 200	50,0
52,0	40,8	39,3	17 700	17 500	17 500	17 300	43,5	38,0	14 900	14 900	14 800	14 700	52,0
54,0	37,5	36,3	17 000	17 000	16 900	16 800	40,1	34,9	14 500	14 500	14 400	14 400	54,0
56,0	33,9	32,9	16 500	16 400	16 300	16 300	36,3	31,4	14 200	14 100	14 100	14 000	56,0
58,0	29,8	28,9	16 000	15 900	15 900	15 800	31,9	27,1	13 900	13 800	13 800	13 700	58,0
60,0	24,9	24,0	15 600	15 500	15 400	15 400							60,0




MLC650 S-1




	10°							20°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,5	70,1	39 300											13,7
14,0	84,2	70,0	39 100											14,0
16,0	82,5	69,6	37 800	32 300c										16,0
18,0	80,8	69,2	36 500	31 400	27 600	24 600c	83,9	68,4	32 400					18,0
20,0	79,0	68,6	35 300	30 500	26 900	24 100	82,1	67,8	30 600	27 600	24 600b			20,0
22,0	77,3	68,0	34 200	29 700	26 300	23 600	80,4	67,2	28 900	27 000	24 100	21 800b		22,0
24,0	75,5	67,4	33 200	28 900	25 600	23 100	78,6	66,6	27 300	26 300	23 600	21 300		24,0
26,0	73,7	66,6	32 200	28 100	25 000	22 600	76,8	65,8	26 000	25 700	23 100	21 000		26,0
28,0	71,9	65,8	31 300	27 400	24 500	22 100	74,9	65,0	24 700	24 500	22 700	20 600		28,0
30,0	70,0	64,9	30 400	26 700	23 900	21 600	73,0	64,1	23 600	23 400	22 200	20 200		30,0
32,0	68,2	64,0	29 200	26 100	23 400	21 200	71,2	63,1	22 500	22 400	21 800	19 900		32,0
34,0	66,3	62,9	27 700	25 500	22 900	20 800	69,2	62,1	21 600	21 500	21 200	19 600		34,0
36,0	64,3	61,8	26 400	24 900	22 400	20 400	67,3	60,9	20 700	20 600	20 400	19 300		36,0
38,0	62,4	60,6	25 200	24 400	22 000	20 000	65,3	59,7	19 900	19 800	19 600	19 000		38,0
40,0	60,4	59,3	24 100	23 800	21 600	19 700	63,2	58,3	19 200	19 100	18 900	18 600		40,0
42,0	58,3	57,8	23 100	22 900	21 200	19 400	61,1	56,9	18 500	18 400	18 300	18 000		42,0
44,0	56,2	56,3	22 100	21 900	20 800	19 000	58,9	55,3	17 900	17 800	17 700	17 500		44,0
46,0	54,0	54,6	21 300	21 100	20 400	18 700	56,7	53,6	17 300	17 200	17 200	16 900		46,0
48,0	51,7	52,8	20 500	20 300	20 100	18 400	54,4	51,8	16 700	16 700	16 600	16 400		48,0
50,0	49,4	50,9	19 700	19 600	19 500	18 200	52,0	49,8	16 300	16 200	16 100	16 000		50,0
52,0	46,9	48,8	19 000	18 900	18 800	17 900	49,5	47,6	15 800	15 700	15 700	15 600		52,0
54,0	44,3	46,5	18 400	18 300	18 200	17 700	46,9	45,3	15 400	15 300	15 300	15 200		54,0
56,0	41,6	43,9	17 800	17 700	17 600	17 400	44,0	42,7	15 000	14 900	14 900	14 800		56,0
58,0	38,7	41,1	17 300	17 200	17 100	17 000	41,0	39,7	14 600	14 600	14 500	14 500		58,0
60,0	35,6	38,0	16 700	16 700	16 600	16 500	37,8	36,5	14 300	14 300	14 200	14 100		60,0
62,0	32,1	34,4	16 300	16 200	16 100	16 000	34,1	32,7	14 000	14 000	13 900	13 900		62,0
64,0	28,2	30,1	15 900	15 800	15 700	15 600	29,9	28,2	13 800	13 700	13 700	13 600		64,0
66,0	23,5	24,9	15 500	15 400	15 300	15 300								66,0






MLC650 S-1





	 10°							 20°							
															
															
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
13,7	84,9	76,1	39 600										13,7		
14,0	84,7	76,1	39 400										14,0		
16,0	83,1	75,7	38 200	32 500 ^c									16,0		
18,0	81,5	75,3	37 000	31 700	27 800								18,0		
20,0	79,9	74,8	35 800	30 900	27 200	24 300	82,8	74,0	31 300	27 800	24 700 ^b		20,0		
22,0	78,3	74,2	34 800	30 100	26 600	23 800	81,2	73,4	29 600	27 200	24 300	21 900 ^c	22,0		
24,0	76,7	73,6	33 800	29 400	26 000	23 300	79,5	72,8	28 100	26 600	23 800	21 500	24,0		
26,0	75,1	73,0	32 900	28 600	25 400	22 800	77,9	72,1	26 800	26 100	23 300	21 200	26,0		
28,0	73,4	72,2	32 000	28 000	24 900	22 400	76,2	71,4	25 600	25 400	22 900	20 800	28,0		
30,0	71,8	71,4	31 200	27 300	24 400	22 000	74,5	70,6	24 400	24 300	22 500	20 500	30,0		
32,0	70,1	70,6	30 300	26 700	23 900	21 600	72,8	69,7	23 400	23 300	22 200	20 200	32,0		
34,0	68,4	69,6	29 400	26 100	23 400	21 200	71,1	68,8	22 500	22 400	21 800	19 900	34,0		
36,0	66,6	68,6	28 000	25 600	23 000	20 800	69,3	67,7	21 600	21 500	21 300	19 600	36,0		
38,0	64,9	67,5	26 800	25 000	22 500	20 500	67,5	66,6	20 800	20 700	20 500	19 300	38,0		
40,0	63,1	66,4	25 600	24 500	22 100	20 100	65,7	65,4	20 100	20 000	19 800	19 000	40,0		
42,0	61,2	65,1	24 600	24 000	21 700	19 800	63,9	64,1	19 400	19 300	19 200	18 700	42,0		
44,0	59,4	63,7	23 600	23 400	21 400	19 500	62,0	62,8	18 800	18 700	18 600	18 300	44,0		
46,0	57,5	62,3	22 700	22 500	21 000	19 200	60,0	61,3	18 200	18 100	18 000	17 700	46,0		
48,0	55,5	60,7	21 900	21 700	20 700	18 900	58,0	59,7	17 600	17 600	17 500	17 200	48,0		
50,0	53,5	59,1	21 100	20 900	20 300	18 600	56,0	58,0	17 100	17 100	17 000	16 800	50,0		
52,0	51,4	57,3	20 300	20 200	20 000	18 400	53,8	56,2	16 700	16 600	16 500	16 300	52,0		
54,0	49,2	55,3	19 700	19 600	19 400	18 100	51,6	54,2	16 200	16 100	16 100	15 900	54,0		
56,0	47,0	53,2	19 100	18 900	18 800	17 900	49,4	52,1	15 800	15 700	15 700	15 600	56,0		
58,0	44,7	51,0	18 500	18 400	18 300	17 700	47,0	49,7	15 400	15 300	15 300	15 200	58,0		
60,0	42,2	48,5	17 900	17 800	17 700	17 500	44,4	47,2	15 000	15 000	14 900	14 900	60,0		
62,0	39,6	45,8	17 400	17 300	17 200	17 100	41,7	44,4	14 700	14 700	14 600	14 600	62,0		
64,0	36,8	42,8	16 900	16 900	16 700	16 700	38,9	41,3	14 400	14 300	14 300	14 300	64,0		
66,0	33,8	39,5	16 500	16 400	16 300	16 200	35,7	37,8	14 100	14 100	14 000	14 000	66,0		
68,0	30,5	35,7	16 100	16 000	15 900	15 800	32,2	33,8	13 900	13 900	13 800	13 800	68,0		
70,0	26,7	31,2	15 700	15 700	15 400	14 800	28,2	29,1	13 700	13 700	13 600	13 600	70,0		
72,0	22,2	25,8	15 400	14 800	14 300	13 700							72,0		

MLC650 S-1





	 10°						 20°						
													
													
m	o	m	kg	kg	kg	kg	o	m	kg	kg	kg	kg	m
15,2	84,2	82,0	38 900										15,2
16,0	83,6	81,8	38 500										16,0
18,0	82,2	81,4	37 400	31 900									18,0
20,0	80,7	81,0	36 300	31 200	27 400	24 400	83,4	80,1	31 900	28 000			20,0
22,0	79,2	80,5	35 300	30 400	26 800	24 000	81,9	79,6	30 300	27 400	24 400		22,0
24,0	77,7	79,9	34 400	29 700	26 300	23 500	80,4	79,0	28 900	26 900	24 000	21 600	24,0
26,0	76,2	79,3	33 500	29 100	25 700	23 100	78,9	78,4	27 600	26 400	23 600	21 300	26,0
28,0	74,7	78,6	32 600	28 400	25 200	22 700	77,3	77,7	26 400	25 900	23 200	21 000	28,0
30,0	73,2	77,9	31 800	27 800	24 700	22 300	75,8	77,0	25 300	25 100	22 800	20 700	30,0
32,0	71,7	77,1	31 100	27 200	24 300	21 900	74,2	76,2	24 300	24 100	22 400	20 400	32,0
34,0	70,1	76,2	30 300	26 700	23 800	21 600	72,6	75,3	23 300	23 200	22 100	20 100	34,0
36,0	68,5	75,3	29 400	26 100	23 400	21 200	71,0	74,4	22 500	22 300	21 800	19 800	36,0
38,0	66,9	74,3	28 200	25 600	23 000	20 900	69,4	73,4	21 700	21 500	21 300	19 500	38,0
40,0	65,3	73,3	27 100	25 100	22 600	20 500	67,8	72,3	20 900	20 800	20 600	19 300	40,0
42,0	63,7	72,1	26 000	24 700	22 200	20 200	66,1	71,2	20 300	20 200	20 000	19 000	42,0
44,0	62,0	70,9	25 000	24 200	21 900	19 900	64,4	69,9	19 600	19 500	19 400	18 800	44,0
46,0	60,3	69,6	24 000	23 800	21 500	19 600	62,7	68,6	19 000	18 900	18 800	18 500	46,0
48,0	58,5	68,2	23 200	23 000	21 200	19 300	60,9	67,2	18 400	18 400	18 300	18 000	48,0
50,0	56,8	66,8	22 400	22 200	20 800	19 100	59,1	65,7	17 900	17 800	17 800	17 500	50,0
52,0	54,9	65,2	21 600	21 500	20 500	18 800	57,3	64,1	17 400	17 400	17 300	17 100	52,0
54,0	53,1	63,5	20 900	20 800	20 300	18 600	55,4	62,4	17 000	16 900	16 800	16 600	54,0
56,0	51,1	61,7	20 300	20 100	19 900	18 300	53,4	60,6	16 500	16 500	16 400	16 300	56,0
58,0	49,2	59,8	19 700	19 500	19 400	18 100	51,4	58,6	16 100	16 100	16 000	15 900	58,0
60,0	47,1	57,7	19 100	19 000	18 900	17 900	49,3	56,5	15 800	15 700	15 600	15 600	60,0
62,0	45,0	55,5	18 600	18 400	18 300	17 700	47,1	54,2	15 400	15 400	15 300	15 200	62,0
64,0	42,7	53,1	18 000	17 900	17 600	16 600	44,8	51,8	15 100	15 000	15 000	14 900	64,0
66,0	40,4	50,5	17 600	17 200	16 200	15 300	42,4	49,1	14 800	14 700	14 700	14 600	66,0
68,0	37,9	47,6	17 100	15 800	15 000	14 100	39,8	46,2	14 500	14 400	14 400	14 300	68,0
70,0	35,2	44,5	16 700	14 500	13 700	13 000	37,0	42,9	14 200	14 200	14 200	13 500	70,0
72,0	32,3	41,0	16 300	13 300	12 600	11 900	34,0	39,2	14 000	13 700	13 000	12 300	72,0
74,0	29,1	37,0	15 400	12 100	11 500	10 900	30,6	35,0	13 800	12 500	11 800	11 200	74,0
76,0	25,5	32,4	14 100	11 000	10 400	9 800							76,0


MLC650 S-1





	10°							20°							
				0°	1°	2°	3°			0°	1°	2°	3°		
				kg	kg	kg	kg			kg	kg	kg	kg	kg	
m	°	m						°	m					m	
15,2	84,6	88,0	39 100							32 200	28 000			15,2	
16,0	84,1	87,9	38 700							30 900	27 500			16,0	
18,0	82,7	87,5	37 600	32 100				83,8	86,2					18,0	
20,0	81,4	87,1	36 700	31 400	27 500	24 500		82,5	85,8					20,0	
22,0	80,0	86,6	35 700	30 700	27 000	24 100				32 200	27 500	24 500		22,0	
24,0	78,6	86,1	34 800	30 000	26 500	23 700		81,1	85,2	29 500	27 000	24 100	21 700	24,0	
26,0	77,2	85,6	34 000	29 400	26 000	23 300		79,7	84,7	28 200	26 600	23 700	21 400	26,0	
28,0	75,8	84,9	33 200	28 800	25 500	22 900		78,3	84,0	27 100	26 100	23 300	21 100	28,0	
30,0	74,4	84,3	32 400	28 200	25 000	22 500		76,8	83,4	26 000	25 600	23 000	20 800	30,0	
32,0	73,0	83,5	31 700	27 700	24 600	22 200		75,4	82,6	25 000	24 800	22 600	20 500	32,0	
34,0	71,6	82,7	31 000	27 100	24 200	21 800		74,0	81,8	24 100	23 900	22 300	20 300	34,0	
36,0	70,1	81,9	30 300	26 600	23 800	21 500		72,5	81,0	23 200	23 100	22 000	20 000	36,0	
38,0	68,7	81,0	29 600	26 100	23 400	21 100		71,0	80,1	22 400	22 300	21 700	19 700	38,0	
40,0	67,2	80,0	28 400	25 600	23 000	20 700		69,5	79,1	21 700	21 600	21 300	19 500	40,0	
42,0	65,7	79,0	27 300	25 200	22 600	20 500		68,0	78,0	21 000	20 900	20 700	19 300	42,0	
44,0	64,2	77,9	26 300	24 800	22 300	20 200		66,5	76,9	20 400	20 300	20 100	19 100	44,0	
46,0	62,6	76,7	25 300	24 300	21 900	20 000		64,9	75,7	19 800	19 700	19 500	18 800	46,0	
48,0	61,1	75,5	24 500	23 900	21 600	19 700		63,3	74,5	19 200	19 100	19 000	18 600	48,0	
50,0	59,5	74,2	23 600	23 400	21 300	19 400		61,7	73,1	18 700	18 600	18 500	18 200	50,0	
52,0	57,8	72,7	22 900	22 700	21 000	19 200		60,0	71,7	18 200	18 100	18 000	17 700	52,0	
54,0	56,2	71,2	22 100	22 000	20 700	18 900		58,3	70,2	17 700	17 600	17 600	17 300	54,0	
56,0	54,5	69,7	21 500	21 300	20 400	18 700		56,6	68,6	17 300	17 200	17 100	16 900	56,0	
58,0	52,7	68,0	20 800	20 700	20 100	18 500		54,8	66,8	16 900	16 800	16 700	16 500	58,0	
60,0	50,9	66,2	20 200	19 900	18 700	17 500		53,0	65,0	16 500	16 400	16 300	16 200	60,0	
62,0	49,1	64,3	19 700	18 400	17 200	16 100		51,1	63,1	16 100	16 000	16 000	15 800	62,0	
64,0	47,2	62,2	19 100	16 900	15 800	14 700		49,2	61,0	15 800	15 700	15 600	15 500	64,0	
66,0	45,2	60,0	18 600	15 500	14 500	13 500		47,2	58,7	15 400	15 400	15 100	14 300	66,0	
68,0	43,2	57,7	18 000	14 200	13 200	12 300		45,1	56,3	15 100	14 800	13 900	13 000	68,0	
70,0	41,0	55,1	16 700	12 900	12 000	11 200		42,9	53,7	14 900	13 600	12 700	11 800	70,0	
72,0	38,7	52,4	15 300	11 700	10 900	10 100		40,5	50,9	14 600	12 300	11 500	10 700	72,0	
74,0	36,3	49,4	14 000	10 500	9 800	9 100		38,0	47,8	14 300	11 100	10 300	9 600	74,0	
76,0	33,8	46,1	12 700	9 500	8 800	8 100		35,4	44,4	13 200	9 900	9 200	8 500	76,0	
78,0	31,0	42,5	11 500	8 400	7 800	7 100		32,5	40,6	11 900	8 800	8 100	7 500	78,0	
80,0	27,9	38,3	10 400	7 400	6 800	6 200		29,2	36,2	10 700	7 700	7 100	6 500	80,0	
82,0	24,4	33,4	9 200	6 400	5 900	5 400								82,0	

MLC650 S-1





	10°							20°						
														
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	85,0	94,1	39 200											15,2
16,0	84,5	94,0	38 800											16,0
18,0	83,2	93,6	37 800	32 200										18,0
20,0	81,9	93,2	36 900	31 500	27 600									20,0
22,0	80,7	92,8	36 000	30 900	27 100	24 200	84,3	92,3	32 300					22,0
24,0	79,4	92,3	35 200	30 300	26 600	23 800	81,7	91,4	30 000	27 100	24 100			24,0
26,0	78,1	91,8	34 400	29 600	26 200	23 400	80,4	90,9	28 800	26 700	23 800	21 400		26,0
28,0	76,8	91,2	33 600	29 100	25 700	23 000	79,1	90,3	27 700	26 200	23 400	21 200		28,0
30,0	75,5	90,6	32 900	28 500	25 300	22 700	77,7	89,7	26 700	25 800	23 100	20 900		30,0
32,0	74,2	89,9	32 200	28 000	24 900	22 300	76,4	89,0	25 700	25 400	22 800	20 600		32,0
34,0	72,9	89,2	31 500	27 500	24 400	22 000	75,1	88,3	24 800	24 600	22 500	20 400		34,0
36,0	71,5	88,4	30 900	27 000	24 100	21 700	73,7	87,5	24 000	23 800	22 200	20 200		36,0
38,0	70,2	87,6	30 200	26 500	23 700	21 400	72,4	86,6	23 200	23 000	21 900	19 900		38,0
40,0	68,8	86,7	29 600	26 100	23 300	21 100	71,0	85,7	22 400	22 300	21 600	19 700		40,0
42,0	67,4	85,7	28 600	25 600	23 000	20 800	69,6	84,8	21 800	21 600	21 300	19 500		42,0
44,0	66,0	84,7	27 600	25 200	22 600	20 500	68,2	83,7	21 100	21 000	20 800	19 300		44,0
46,0	64,6	83,6	26 600	24 800	22 300	20 200	66,7	82,6	20 500	20 400	20 200	19 000		46,0
48,0	63,2	82,5	25 700	24 400	22 000	20 000	65,3	81,5	19 900	19 800	19 700	18 900		48,0
50,0	61,7	81,3	24 800	24 100	21 700	19 700	63,8	80,3	19 400	19 300	19 200	18 700		50,0
52,0	60,3	80,0	24 000	23 700	21 400	19 500	62,3	79,0	18 900	18 800	18 700	18 400		52,0
54,0	58,8	78,7	23 300	23 100	21 100	19 300	60,8	77,6	18 400	18 300	18 200	17 900		54,0
56,0	57,2	77,2	22 600	22 400	20 800	19 000	59,2	76,2	18 000	17 900	17 800	17 500		56,0
58,0	55,7	75,7	21 900	20 800	19 300	17 900	57,7	74,6	17 600	17 500	17 400	17 100		58,0
60,0	54,1	74,1	21 300	19 100	17 800	16 400	56,0	73,0	17 100	17 100	17 000	16 800		60,0
62,0	52,4	72,4	20 700	17 500	16 300	15 000	54,4	71,3	16 800	16 700	16 600	16 000		62,0
64,0	50,8	70,6	20 200	16 100	14 900	13 700	52,7	69,5	16 400	16 400	15 800	14 700		64,0
66,0	49,0	68,7	19 100	14 700	13 500	12 500	50,9	67,5	16 100	15 600	14 400	13 300		66,0
68,0	47,3	66,7	17 600	13 300	12 300	11 300	49,1	65,4	15 800	14 200	13 100	12 100		68,0
70,0	45,4	64,5	16 100	12 100	11 100	10 200	47,2	63,2	15 500	12 900	11 900	10 900		70,0
72,0	43,5	62,2	14 700	10 900	10 000	9 100	45,3	60,9	15 100	11 600	10 700	9 800		72,0
74,0	41,5	59,8	13 400	9 800	8 900	8 100	43,3	58,4	14 100	10 400	9 600	8 700		74,0
76,0	39,5	57,1	12 200	8 700	7 900	7 100	41,1	55,6	12 800	9 300	8 500	7 700		76,0
78,0	37,3	54,2	10 900	7 700	6 900	6 200	38,9	52,7	11 500	8 200	7 500	6 700		78,0
80,0	35,0	51,1	9 600	6 700	6 000	5 300	36,5	49,4	10 300	7 200	6 500	5 800		80,0
82,0	32,5	47,7	8 400	5 700	5 100	4 500	33,9	45,9	8 900	6 200	5 500	4 900		82,0
84,0	29,8	43,9	7 100	4 800	4 200	3 700	31,1	41,9	7 600	5 200	4 600	4 000		84,0
86,0	26,9	39,5	5 900	4 000	3 400									86,0
88,0	23,5	34,5	4 700	3 100										88,0







MLC650 S-1






	10°							20°							
			0°	1°	2°	3°			0°	1°	2°	3°			
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
16,8	84,4	99,9	38 500										16,8		
18,0	83,6	99,7	38 000										18,0		
20,0	82,4	99,3	37 100	31 600	27 600		84,6	98,4	32 400				20,0		
22,0	81,3	98,9	36 300	31 000	27 100	24 200	83,4	98,0	31 700	27 600			22,0		
24,0	80,1	98,5	35 500	30 400	26 700	23 800	82,2	97,6	30 500	27 200	24 200		24,0		
26,0	78,9	98,0	34 700	29 900	26 300	23 500	81,0	97,1	29 400	26 800	23 800	21 500	26,0		
28,0	77,6	97,5	34 000	29 300	25 800	23 100	79,8	96,5	28 300	26 400	23 500	21 200	28,0		
30,0	76,4	96,9	33 300	28 800	25 400	22 800	78,5	95,9	27 300	26 000	23 200	21 000	30,0		
32,0	75,2	96,2	32 600	28 300	25 000	22 500	77,3	95,3	26 300	25 600	22 900	20 700	32,0		
34,0	74,0	95,6	32 000	27 800	24 700	22 200	76,1	94,6	25 400	25 200	22 600	20 500	34,0		
36,0	72,7	94,8	31 400	27 400	24 300	21 900	74,8	93,9	24 600	24 400	22 300	20 300	36,0		
38,0	71,5	94,1	30 800	26 900	23 900	21 600	73,5	93,1	23 800	23 700	22 100	20 000	38,0		
40,0	70,2	93,2	30 200	26 500	23 600	21 300	72,2	92,3	23 100	23 000	21 800	19 800	40,0		
42,0	68,9	92,4	29 600	26 000	23 200	21 000	71,0	91,4	22 400	22 300	21 600	19 600	42,0		
44,0	67,6	91,4	28 800	25 600	22 900	20 700	69,6	90,4	21 800	21 700	21 300	19 400	44,0		
46,0	66,3	90,4	27 800	25 200	22 600	20 500	68,3	89,4	21 200	21 100	20 800	19 200	46,0		
48,0	65,0	89,4	26 900	24 900	22 300	20 200	67,0	88,4	20 600	20 500	20 300	19 000	48,0		
50,0	63,7	88,3	26 000	24 500	22 000	20 000	65,6	87,2	20 100	20 000	19 800	18 800	50,0		
52,0	62,3	87,1	25 200	24 100	21 700	19 800	64,3	86,1	19 600	19 500	19 300	18 700	52,0		
54,0	60,9	85,9	24 400	22 800	21 000	19 100	62,9	84,8	19 100	19 000	18 800	18 500	54,0		
56,0	59,5	84,6	23 700	20 900	19 200	17 500	61,5	83,5	18 600	18 600	18 400	18 100	56,0		
58,0	58,1	83,2	23 000	19 100	17 500	16 000	60,0	82,1	18 200	18 100	18 000	17 200	58,0		
60,0	56,7	81,7	22 400	17 400	15 900	14 500	58,6	80,6	17 800	17 700	17 100	15 700	60,0		
62,0	55,2	80,2	21 000	15 800	14 400	13 100	57,1	79,1	17 400	16 900	15 600	14 200	62,0		
64,0	53,7	78,6	19 300	14 300	13 000	11 800	55,5	77,4	17 100	15 400	14 100	12 800	64,0		
66,0	52,2	76,9	17 600	12 900	11 700	10 500	54,0	75,7	16 700	14 000	12 700	11 600	66,0		
68,0	50,6	75,1	16 000	11 600	10 500	9 400	52,4	73,9	16 400	12 600	11 400	10 300	68,0		
70,0	49,0	73,2	14 600	10 400	9 300	8 300	50,7	72,0	15 500	11 300	10 200	9 100	70,0		
72,0	47,3	71,2	13 100	9 200	8 200	7 200	49,1	69,9	14 100	10 000	9 000	8 000	72,0		
74,0	45,6	69,1	11 600	8 100	7 100	6 200	47,3	67,7	12 700	8 900	7 900	7 000	74,0		
76,0	43,8	66,8	10 200	7 000	6 100	5 300	45,5	65,4	11 200	7 700	6 800	6 000	76,0		
78,0	42,0	64,4	8 800	6 000	5 200	4 400	43,6	62,9	9 700	6 700	5 800	5 000	78,0		
80,0	40,1	61,8	7 500	5 000	4 200	3 500	41,7	60,3	8 300	5 600	4 800	4 100	80,0		
82,0	38,1	59,0	6 200	4 100	3 400		39,6	57,4	7 000	4 600	3 900	3 200	82,0		
84,0	36,0	56,0	5 000				37,4	54,4	5 700	3 700			84,0		
86,0	33,8	52,8	3 800				35,1	51,0	4 400				86,0		
88,0							32,6	47,3	3 200				88,0		

MLC650 S-1





	 10°							 20°							
	 m	 o	 m					 o	 m					 m	
				 0° kg	 1° kg	 2° kg	 3° kg			 0° kg	 1° kg	 2° kg	 3° kg		
13,7	84,3	64,1	31 100c											13,7	
14,0	84,1	64,0	31 000c											14,0	
16,0	82,2	63,6	29 800b	25 100c	21 700d									16,0	
18,0	80,3	63,1	28 600	24 200b	21 100c	18 700c								18,0	
20,0	78,3	62,5	27 500	23 400	20 500b	18 200c	82,7	61,8	24 500	21 500c	19 000c			20,0	
22,0	76,4	61,8	26 400	22 700	19 900	17 700b	80,7	61,1	23 500	20 900b	18 500c	16 500c		22,0	
24,0	74,4	61,1	25 200	22 000	19 400	17 300	78,8	60,4	22 500	20 300	18 000	16 200b		24,0	
26,0	72,5	60,3	24 200	21 300	18 800	16 800	76,7	59,5	21 200	19 600	17 600	15 800		26,0	
28,0	70,4	59,4	23 200	20 700	18 300	16 400	74,7	58,6	19 900	18 900	17 100	15 500		28,0	
30,0	68,4	58,4	22 200	20 000	17 800	16 000	72,6	57,6	18 800	18 300	16 700	15 100		30,0	
32,0	66,3	57,3	21 400	19 300	17 400	15 600	70,5	56,5	17 800	17 600	16 300	14 800		32,0	
34,0	64,1	56,1	20 600	18 600	16 900	15 300	68,3	55,3	16 900	16 800	15 800	14 500		34,0	
36,0	62,0	54,8	19 800	18 000	16 500	14 900	66,1	54,0	16 100	15 900	15 400	14 200		36,0	
38,0	59,7	53,4	19 000	17 400	16 000	14 600	63,8	52,6	15 300	15 200	15 000	13 900		38,0	
40,0	57,4	51,9	18 100	16 900	15 500	14 300	61,5	51,1	14 600	14 500	14 400	13 600		40,0	
42,0	55,0	50,3	17 200	16 300	15 100	13 900	59,0	49,4	14 000	13 900	13 800	13 200		42,0	
44,0	52,5	48,5	16 400	15 800	14 700	13 600	56,5	47,6	13 400	13 300	13 200	12 900		44,0	
46,0	50,0	46,5	15 700	15 400	14 300	13 300	53,9	45,6	12 900	12 800	12 700	12 600		46,0	
48,0	47,3	44,4	15 000	14 800	13 900	13 000	51,1	43,4	12 400	12 300	12 300	12 200		48,0	
50,0	44,4	42,0	14 400	14 200	13 500	12 600	48,2	40,9	12 000	11 900	11 800	11 800		50,0	
52,0	41,3	39,4	13 800	13 600	13 200	12 400	45,0	38,2	11 500	11 500	11 400	11 400		52,0	
54,0	38,1	36,4	13 200	13 100	12 900	12 100	41,6	35,2	11 200	11 100	11 000	11 000		54,0	
56,0	34,4	33,1	12 700	12 600	12 500	11 800	37,8	31,6	10 800	10 800	10 700	10 700		56,0	
58,0	30,3	29,1	12 300	12 200	12 100	11 600	33,5	27,4	10 500	10 500	10 400	10 400		58,0	
60,0	25,5	24,2	11 900	11 800	11 700	11 500								60,0	
62,0	19,0	17,5	11 500	11 400	11 400	11 300								62,0	

MLC650 S-1






			10°				20°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,8	70,2	31 400c										13,7
14,0	84,6	70,1	31 200c										14,0
16,0	82,9	69,7	30 100	25 300c									16,0
18,0	81,2	69,2	29 000	24 600	21 300b								18,0
20,0	79,4	68,7	28 100	23 800	20 800	18 400c	83,4	67,9	24 800	21 700c			20,0
22,0	77,7	68,1	27 000	23 100	20 200	18 000	81,6	67,3	23 900	21 100	18 600c		22,0
24,0	75,9	67,4	26 000	22 500	19 700	17 500	79,8	66,7	23 100	20 600	18 200	16 300	24,0
26,0	74,1	66,7	25 000	21 900	19 200	17 100	78,0	65,9	22 000	20 000	17 800	16 000	26,0
28,0	72,3	65,9	24 000	21 200	18 700	16 800	76,2	65,1	20 800	19 400	17 400	15 700	28,0
30,0	70,4	65,0	23 100	20 600	18 300	16 400	74,3	64,2	19 700	18 800	17 000	15 400	30,0
32,0	68,6	64,1	22 300	20 000	17 800	16 000	72,4	63,2	18 700	18 200	16 600	15 100	32,0
34,0	66,7	63,0	21 500	19 400	17 400	15 700	70,5	62,2	17 800	17 600	16 300	14 800	34,0
36,0	64,7	61,9	20 800	18 800	17 000	15 400	68,5	61,0	17 000	16 800	15 800	14 500	36,0
38,0	62,8	60,7	20 000	18 200	16 600	15 000	66,5	59,8	16 200	16 100	15 500	14 200	38,0
40,0	60,8	59,4	19 400	17 700	16 200	14 700	64,5	58,5	15 500	15 400	15 100	14 000	40,0
42,0	58,7	57,9	18 600	17 100	15 800	14 400	62,4	57,0	14 900	14 800	14 600	13 700	42,0
44,0	56,6	56,4	17 800	16 700	15 300	14 100	60,2	55,5	14 300	14 200	14 100	13 400	44,0
46,0	54,4	54,7	17 000	16 200	15 000	13 800	58,0	53,8	13 700	13 700	13 600	13 100	46,0
48,0	52,1	52,9	16 300	15 800	14 600	13 500	55,7	51,9	13 200	13 200	13 100	12 900	48,0
50,0	49,8	51,0	15 600	15 300	14 200	13 200	53,3	50,0	12 800	12 700	12 600	12 500	50,0
52,0	47,3	48,9	15 000	14 800	13 900	12 900	50,8	47,8	12 400	12 300	12 200	12 100	52,0
54,0	44,8	46,6	14 400	14 300	13 600	12 700	48,2	45,4	12 000	11 900	11 800	11 800	54,0
56,0	42,1	44,0	13 900	13 800	13 300	12 400	45,4	42,8	11 600	11 500	11 500	11 400	56,0
58,0	39,2	41,2	13 400	13 300	13 000	12 200	42,4	39,9	11 200	11 200	11 100	11 100	58,0
60,0	36,0	38,1	12 900	12 800	12 700	11 900	39,1	36,7	10 900	10 900	10 800	10 800	60,0
62,0	32,6	34,5	12 500	12 400	12 300	11 700	35,5	32,9	10 700	10 600	10 500	10 500	62,0
64,0	28,7	30,3	12 100	12 000	11 900	11 600	31,4	28,4	10 400	10 300	10 300	10 300	64,0
66,0	24,0	25,2	11 800	11 700	11 600	11 400							66,0




MLC650 S-1





	10°							20°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	84,1	76,0	30 800											15,2
16,0	83,5	75,8	30 400											16,0
18,0	81,9	75,4	29 400	24 800	21 500 ^b									18,0
20,0	80,3	74,9	28 500	24 100	21 000	18 600 ^c	83,9	74,1	25 100					20,0
22,0	78,7	74,4	27 600	23 500	20 500	18 200	82,3	73,5	24 200	21 300	18 800 ^c			22,0
24,0	77,1	73,7	26 700	22 900	20 000	17 800	80,7	72,9	23 400	20 800	18 400	16 500		24,0
26,0	75,4	73,1	25 700	22 300	19 500	17 400	79,0	72,3	22 600	20 300	18 000	16 100		26,0
28,0	73,8	72,3	24 800	21 700	19 100	17 000	77,4	71,5	21 600	19 800	17 700	15 900		28,0
30,0	72,1	71,5	23 900	21 100	18 700	16 700	75,7	70,7	20 500	19 200	17 300	15 600		30,0
32,0	70,4	70,7	23 100	20 600	18 200	16 300	74,0	69,8	19 500	18 700	16 900	15 300		32,0
34,0	68,7	69,7	22 300	20 000	17 800	16 000	72,3	68,9	18 600	18 200	16 600	15 000		34,0
36,0	67,0	68,7	21 600	19 500	17 500	15 700	70,5	67,8	17 800	17 600	16 200	14 800		36,0
38,0	65,2	67,6	20 900	18 900	17 100	15 400	68,7	66,7	17 000	16 900	15 900	14 500		38,0
40,0	63,5	66,5	20 300	18 400	16 700	15 100	66,9	65,6	16 300	16 200	15 500	14 300		40,0
42,0	61,6	65,2	19 600	17 900	16 300	14 800	65,0	64,3	15 700	15 600	15 200	14 000		42,0
44,0	59,8	63,9	19 000	17 400	16 000	14 600	63,1	62,9	15 100	15 000	14 800	13 800		44,0
46,0	57,9	62,4	18 200	16 900	15 600	14 300	61,2	61,4	14 600	14 400	14 300	13 500		46,0
48,0	55,9	60,9	17 500	16 500	15 200	14 000	59,2	59,9	14 000	13 900	13 900	13 300		48,0
50,0	53,9	59,2	16 800	16 100	14 900	13 800	57,2	58,2	13 600	13 500	13 400	13 000		50,0
52,0	51,8	57,4	16 200	15 700	14 500	13 500	55,0	56,3	13 100	13 000	13 000	12 800		52,0
54,0	49,7	55,5	15 600	15 300	14 200	13 200	52,9	54,4	12 700	12 600	12 600	12 500		54,0
56,0	47,4	53,4	15 000	14 900	13 900	13 000	50,6	52,2	12 300	12 200	12 200	12 100		56,0
58,0	45,1	51,1	14 500	14 400	13 600	12 700	48,2	49,9	11 900	11 900	11 800	11 800		58,0
60,0	42,6	48,7	14 000	13 900	13 300	12 500	45,7	47,4	11 600	11 500	11 500	11 400		60,0
62,0	40,0	46,0	13 500	13 400	13 100	12 200	43,0	44,6	11 300	11 200	11 200	11 100		62,0
64,0	37,3	43,0	13 100	13 000	12 800	12 000	40,1	41,5	11 000	11 000	10 900	10 900		64,0
66,0	34,3	39,7	12 700	12 600	12 500	11 800	37,0	38,1	10 800	10 700	10 600	10 600		66,0
68,0	31,0	35,9	12 300	12 300	12 200	11 600	33,5	34,1	10 500	10 500	10 400	10 400		68,0
70,0	27,2	31,5	12 000	11 900	11 800	11 500	29,5	29,4	10 300	10 300	10 200	10 200		70,0
72,0	22,8	26,1	11 700	11 600	11 500	11 400								72,0

MLC650 S-1






	 10°							 20°							
															
															
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
15,2	84,5	82,0	31 000										15,2		
16,0	84,0	81,9	30 600										16,0		
18,0	82,5	81,5	29 700	25 000									18,0		
20,0	81,0	81,0	28 800	24 400	21 100	18 700b	84,4	80,2	25 300				20,0		
22,0	79,6	80,5	28 000	23 800	20 700	18 300	82,9	79,7	24 500	21 500			22,0		
24,0	78,1	80,0	27 200	23 200	20 200	18 000	81,4	79,1	23 700	21 000	18 500		24,0		
26,0	76,6	79,4	26 300	22 600	19 800	17 600	79,9	78,5	23 000	20 500	18 200	16 300	26,0		
28,0	75,1	78,7	25 400	22 100	19 400	17 300	78,4	77,8	22 200	20 100	17 800	16 000	28,0		
30,0	73,5	78,0	24 600	21 600	19 000	16 900	76,8	77,1	21 200	19 500	17 500	15 700	30,0		
32,0	72,0	77,2	23 800	21 100	18 600	16 600	75,3	76,3	20 200	19 000	17 200	15 500	32,0		
34,0	70,4	76,3	23 100	20 500	18 200	16 300	73,7	75,4	19 300	18 600	16 800	15 200	34,0		
36,0	68,9	75,4	22 400	20 100	17 800	16 000	72,1	74,5	18 500	18 100	16 500	15 000	36,0		
38,0	67,3	74,4	21 700	19 500	17 500	15 700	70,5	73,5	17 800	17 600	16 200	14 700	38,0		
40,0	65,7	73,3	21 100	19 000	17 100	15 400	68,9	72,4	17 100	16 900	15 900	14 500	40,0		
42,0	64,0	72,2	20 500	18 500	16 800	15 200	67,2	71,3	16 400	16 300	15 600	14 300	42,0		
44,0	62,3	71,0	19 900	18 000	16 500	14 900	65,5	70,0	15 800	15 700	15 200	14 000	44,0		
46,0	60,6	69,7	19 300	17 600	16 100	14 700	63,8	68,7	15 300	15 200	14 900	13 800	46,0		
48,0	58,9	68,3	18 700	17 200	15 800	14 400	62,0	67,3	14 800	14 700	14 600	13 600	48,0		
50,0	57,1	66,9	18 000	16 700	15 400	14 200	60,2	65,8	14 300	14 200	14 100	13 400	50,0		
52,0	55,3	65,3	17 300	16 400	15 100	13 900	58,3	64,2	13 800	13 700	13 600	13 100	52,0		
54,0	53,4	63,6	16 700	16 000	14 800	13 700	56,4	62,5	13 400	13 300	13 200	12 900	54,0		
56,0	51,5	61,8	16 100	15 600	14 500	13 400	54,5	60,7	13 000	12 900	12 800	12 700	56,0		
58,0	49,5	59,9	15 500	15 300	14 200	13 200	52,5	58,7	12 600	12 600	12 500	12 400	58,0		
60,0	47,5	57,8	15 000	14 900	13 900	12 900	50,3	56,6	12 300	12 200	12 100	12 100	60,0		
62,0	45,3	55,6	14 500	14 400	13 600	12 700	48,2	54,3	12 000	11 900	11 800	11 800	62,0		
64,0	43,1	53,2	14 100	14 000	13 400	12 500	45,9	51,9	11 700	11 600	11 500	11 500	64,0		
66,0	40,7	50,6	13 700	13 500	13 100	12 300	43,5	49,2	11 400	11 300	11 200	11 200	66,0		
68,0	38,3	47,8	13 300	13 100	12 900	12 100	40,9	46,3	11 100	11 000	11 000	10 900	68,0		
70,0	35,6	44,6	12 900	12 800	12 700	11 900	38,1	43,0	10 800	10 800	10 700	10 700	70,0		
72,0	32,7	41,1	12 500	12 400	12 300	11 700	35,1	39,4	10 600	10 600	10 500	10 500	72,0		
74,0	29,5	37,2	12 200	12 100	12 000	11 600	31,8	35,2	10 400	10 400	10 300	10 300	74,0		
76,0	25,9	32,5	11 900	11 800	11 700	11 500	27,9	30,2	10 300	10 200	10 200	10 100	76,0		
78,0	21,6	26,9	11 600	11 600	11 500	11 400							78,0		





MLC650 S-1






	10°							20°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	84,9	88,1	31 200											15,2
16,0	84,4	88,0	30 800											16,0
18,0	83,0	87,6	30 000	25 200										18,0
20,0	81,7	87,2	29 100	24 500	21 300	18 800b	84,8	86,3	25 500					20,0
22,0	80,3	86,7	28 300	24 000	20 900	18 400	83,4	85,8	24 700	21 600				22,0
24,0	78,9	86,2	27 600	23 500	20 400	18 100	82,0	85,3	24 000	21 100	18 600			24,0
26,0	77,5	85,6	26 800	22 900	20 000	17 800	80,6	84,7	23 300	20 700	18 300	16 300		26,0
28,0	76,2	85,0	26 100	22 400	19 600	17 400	79,2	84,1	22 700	20 300	18 000	16 100		28,0
30,0	74,7	84,3	25 300	21 900	19 200	17 100	77,8	83,4	21 800	19 800	17 700	15 800		30,0
32,0	73,3	83,6	24 500	21 400	18 800	16 800	76,4	82,7	20 900	19 400	17 400	15 600		32,0
34,0	71,9	82,8	23 800	21 000	18 500	16 500	74,9	81,9	20 000	18 900	17 100	15 400		34,0
36,0	70,5	82,0	23 100	20 500	18 200	16 300	73,5	81,0	19 200	18 500	16 800	15 100		36,0
38,0	69,0	81,1	22 400	20 000	17 800	16 000	72,0	80,1	18 500	18 100	16 500	14 900		38,0
40,0	67,5	80,1	21 800	19 600	17 500	15 700	70,5	79,1	17 800	17 600	16 200	14 700		40,0
42,0	66,0	79,1	21 200	19 100	17 200	15 500	69,0	78,1	17 100	17 000	15 900	14 500		42,0
44,0	64,5	78,0	20 600	18 600	16 900	15 200	67,4	77,0	16 500	16 400	15 600	14 300		44,0
46,0	63,0	76,8	20 100	18 200	16 500	15 000	65,9	75,8	16 000	15 800	15 300	14 100		46,0
48,0	61,4	75,6	19 500	17 800	16 200	14 700	64,3	74,5	15 500	15 300	15 000	13 900		48,0
50,0	59,8	74,2	19 000	17 400	15 900	14 500	62,7	73,2	15 000	14 900	14 700	13 700		50,0
52,0	58,2	72,8	18 400	17 000	15 600	14 300	61,0	71,8	14 500	14 400	14 300	13 500		52,0
54,0	56,5	71,3	17 700	16 600	15 300	14 100	59,3	70,2	14 100	14 000	13 900	13 300		54,0
56,0	54,8	69,7	17 100	16 200	15 000	13 800	57,6	68,6	13 700	13 600	13 500	13 000		56,0
58,0	53,1	68,1	16 500	15 900	14 700	13 600	55,8	66,9	13 300	13 200	13 100	12 800		58,0
60,0	51,3	66,3	16 000	15 600	14 400	13 400	54,0	65,1	12 900	12 800	12 800	12 600		60,0
62,0	49,4	64,4	15 500	15 300	14 100	13 200	52,1	63,1	12 600	12 500	12 400	12 400		62,0
64,0	47,5	62,3	15 000	14 900	13 900	12 900	50,2	61,1	12 300	12 200	12 100	12 100		64,0
66,0	45,6	60,1	14 600	14 400	13 600	12 700	48,2	58,8	12 000	11 900	11 800	11 800		66,0
68,0	43,5	57,8	14 200	14 000	13 400	12 500	46,1	56,4	11 700	11 600	11 600	11 500		68,0
70,0	41,4	55,3	13 800	13 700	13 200	12 300	43,9	53,8	11 400	11 400	11 300	11 200		70,0
72,0	39,1	52,5	13 400	13 300	13 000	12 100	41,5	51,0	11 200	11 100	11 000	11 000		72,0
74,0	36,7	49,5	13 000	12 900	12 700	11 900	39,1	47,9	10 900	10 900	10 800	10 800		74,0
76,0	34,1	46,3	12 700	12 500	11 800	11 200	36,4	44,5	10 700	10 700	10 600	10 600		76,0
78,0	31,4	42,6	12 400	11 500	10 900	10 200	33,5	40,7	10 500	10 500	10 400	10 300		78,0
80,0	28,3	38,5	12 100	10 500	9 900	9 300	30,3	36,3	10 400	10 300	10 100	9 700		80,0
82,0	24,8	33,6	11 800	9 500	9 000	8 500								82,0
84,0	20,7	27,7	11 200	8 600	8 100	7 600								84,0




MLC650 S-1













	 10°							 20°							
															
															
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
16,8	84,3	93,9	30 600										16,8		
18,0	83,5	93,7	30 100										18,0		
20,0	82,2	93,3	29 400	24 700	21 300								20,0		
22,0	81,0	92,9	28 600	24 200	21 000	18 500	83,9	92,0	24 900				22,0		
24,0	79,7	92,4	27 900	23 600	20 600	18 200	82,6	91,5	24 200	21 200			24,0		
26,0	78,4	91,9	27 200	23 100	20 200	17 900	81,3	90,9	23 600	20 800	18 400	16 400	26,0		
28,0	77,1	91,3	26 500	22 700	19 800	17 600	80,0	90,4	23 000	20 500	18 100	16 200	28,0		
30,0	75,8	90,7	25 800	22 200	19 400	17 300	78,7	89,7	22 400	20 100	17 800	15 900	30,0		
32,0	74,5	90,0	25 000	21 800	19 100	17 000	77,3	89,0	21 500	19 600	17 500	15 700	32,0		
34,0	73,1	89,3	24 300	21 300	18 800	16 700	76,0	88,3	20 600	19 200	17 300	15 500	34,0		
36,0	71,8	88,5	23 700	20 900	18 400	16 500	74,6	87,5	19 900	18 800	17 000	15 300	36,0		
38,0	70,5	87,6	23 000	20 500	18 100	16 200	73,3	86,7	19 100	18 400	16 700	15 100	38,0		
40,0	69,1	86,7	22 400	20 000	17 800	15 900	71,9	85,8	18 400	18 000	16 400	14 900	40,0		
42,0	67,7	85,8	21 800	19 600	17 500	15 700	70,5	84,8	17 800	17 600	16 200	14 700	42,0		
44,0	66,3	84,8	21 300	19 200	17 200	15 400	69,1	83,8	17 200	17 100	15 900	14 500	44,0		
46,0	64,9	83,7	20 800	18 700	16 900	15 200	67,7	82,7	16 600	16 500	15 600	14 300	46,0		
48,0	63,5	82,6	20 200	18 300	16 600	15 000	66,2	81,5	16 100	16 000	15 300	14 100	48,0		
50,0	62,0	81,4	19 700	17 900	16 300	14 800	64,7	80,3	15 600	15 500	15 100	13 900	50,0		
52,0	60,6	80,1	19 200	17 500	16 000	14 600	63,2	79,0	15 100	15 000	14 800	13 700	52,0		
54,0	59,1	78,7	18 700	17 200	15 800	14 400	61,7	77,7	14 700	14 600	14 500	13 500	54,0		
56,0	57,5	77,3	18 100	16 800	15 500	14 200	60,2	76,2	14 300	14 200	14 100	13 300	56,0		
58,0	56,0	75,8	17 500	16 500	15 200	14 000	58,6	74,7	13 900	13 800	13 700	13 100	58,0		
60,0	54,4	74,2	17 000	16 100	14 900	13 800	57,0	73,1	13 500	13 400	13 300	13 000	60,0		
62,0	52,7	72,5	16 400	15 800	14 600	13 600	55,3	71,3	13 200	13 100	13 000	12 800	62,0		
64,0	51,1	70,7	16 000	15 500	14 400	13 400	53,6	69,5	12 800	12 800	12 700	12 600	64,0		
66,0	49,3	68,8	15 500	15 200	14 100	13 100	51,8	67,6	12 500	12 500	12 400	12 300	66,0		
68,0	47,6	66,8	15 100	14 900	13 900	12 900	50,0	65,5	12 200	12 200	12 100	12 000	68,0		
70,0	45,7	64,6	14 600	14 300	13 300	12 300	48,2	63,3	12 000	11 900	11 800	11 800	70,0		
72,0	43,8	62,3	14 200	13 100	12 200	11 300	46,2	60,9	11 700	11 600	11 600	11 500	72,0		
74,0	41,9	59,9	13 900	12 000	11 100	10 300	44,2	58,4	11 500	11 400	11 300	11 000	74,0		
76,0	39,8	57,2	13 500	10 900	10 100	9 300	42,1	55,7	11 200	11 200	10 800	10 100	76,0		
78,0	37,6	54,4	13 100	9 900	9 100	8 400	39,8	52,7	11 000	10 600	9 800	9 100	78,0		
80,0	35,3	51,2	12 100	8 900	8 200	7 600	37,5	49,5	10 800	9 500	8 800	8 100	80,0		
82,0	32,9	47,8	11 000	8 000	7 300	6 700	34,9	45,9	10 600	8 500	7 900	7 200	82,0		
84,0	30,2	44,0	9 900	7 100	6 500	5 900	32,1	42,0	10 400	7 500	6 900	6 300	84,0		
86,0	27,2	39,7	8 900	6 200	5 700	5 100	28,9	37,4	9 300	6 600	6 000	5 500	86,0		
88,0	23,9	34,7	7 700	5 300	4 900	4 400							88,0		

MLC650 S-1











	 10°							 20°							
															
															
m	°	m	0° kg	1° kg	2° kg	3° kg	°	m	0° kg	1° kg	2° kg	3° kg	m		
16,8	84,6	100,0	30 700											16,8	
18,0	83,9	99,8	30 200											18,0	
20,0	82,7	99,4	29 500	24 800	21 400									20,0	
22,0	81,5	99,0	28 800	24 200	21 000	18 500	84,3	98,1	25 000					22,0	
24,0	80,3	98,6	28 100	23 800	20 600	18 200	83,1	97,6	24 400	21 300				24,0	
26,0	79,1	98,1	27 500	23 300	20 300	17 900	81,8	97,1	23 800	21 000	18 400	16 400		26,0	
28,0	77,9	97,5	26 900	22 800	19 900	17 700	80,6	96,6	23 200	20 600	18 100	16 200		28,0	
30,0	76,7	96,9	26 200	22 400	19 600	17 400	79,4	96,0	22 700	20 200	17 900	16 000		30,0	
32,0	75,5	96,3	25 500	22 000	19 200	17 100	78,1	95,3	22 000	19 800	17 600	15 800		32,0	
34,0	74,2	95,6	24 800	21 600	18 900	16 800	76,9	94,7	21 200	19 400	17 400	15 600		34,0	
36,0	73,0	94,9	24 200	21 200	18 600	16 600	75,6	93,9	20 400	19 100	17 100	15 400		36,0	
38,0	71,7	94,1	23 600	20 800	18 300	16 400	74,4	93,1	19 700	18 700	16 900	15 200		38,0	
40,0	70,5	93,3	23 000	20 400	18 000	16 100	73,1	92,3	19 000	18 300	16 600	15 000		40,0	
42,0	69,2	92,4	22 400	20 000	17 700	15 900	71,8	91,4	18 400	18 000	16 400	14 800		42,0	
44,0	67,9	91,5	21 900	19 600	17 500	15 700	70,5	90,5	17 800	17 600	16 100	14 600		44,0	
46,0	66,6	90,5	21 400	19 200	17 200	15 400	69,2	89,5	17 200	17 100	15 900	14 400		46,0	
48,0	65,3	89,4	20 900	18 800	16 900	15 200	67,8	88,4	16 700	16 600	15 600	14 300		48,0	
50,0	63,9	88,3	20 400	18 400	16 700	15 000	66,5	87,3	16 200	16 100	15 400	14 100		50,0	
52,0	62,6	87,2	19 900	18 000	16 400	14 800	65,1	86,1	15 700	15 600	15 100	13 900		52,0	
54,0	61,2	85,9	19 400	17 700	16 100	14 600	63,7	84,8	15 300	15 200	14 900	13 800		54,0	
56,0	59,8	84,6	19 000	17 300	15 900	14 400	62,3	83,5	14 900	14 800	14 600	13 600		56,0	
58,0	58,4	83,3	18 500	17 000	15 600	14 200	60,9	82,1	14 500	14 400	14 300	13 400		58,0	
60,0	57,0	81,8	17 900	16 700	15 300	14 000	59,4	80,7	14 100	14 000	13 900	13 200		60,0	
62,0	55,5	80,3	17 400	16 300	15 100	13 900	57,9	79,1	13 800	13 600	13 600	13 100		62,0	
64,0	54,0	78,7	16 900	16 100	14 800	13 700	56,4	77,5	13 400	13 300	13 200	12 900		64,0	
66,0	52,5	77,0	16 400	15 600	14 400	13 400	54,8	75,8	13 100	13 000	12 900	12 700		66,0	
68,0	50,9	75,2	15 900	14 600	13 500	12 400	53,2	73,9	12 800	12 700	12 600	12 500		68,0	
70,0	49,3	73,3	15 500	13 400	12 300	11 300	51,6	72,0	12 500	12 400	12 300	12 300		70,0	
72,0	47,6	71,3	15 100	12 200	11 200	10 300	49,9	70,0	12 200	12 100	12 000	11 200		72,0	
74,0	45,9	69,2	14 600	11 100	10 200	9 300	48,2	67,8	12 000	11 800	11 100	10 200		74,0	
76,0	44,1	66,9	13 700	10 000	9 200	8 300	46,4	65,5	11 700	10 900	10 000	9 200		76,0	
78,0	42,3	64,5	12 500	9 000	8 200	7 400	44,5	63,0	11 500	9 900	9 000	8 200		78,0	
80,0	40,4	61,9	11 400	8 100	7 300	6 600	42,5	60,3	11 300	8 800	8 000	7 300		80,0	
82,0	38,4	59,1	10 200	7 100	6 400	5 700	40,5	57,5	10 900	7 800	7 100	6 400		82,0	
84,0	36,3	56,1	9 100	6 300	5 600	4 900	38,3	54,4	9 900	6 900	6 200	5 500		84,0	
86,0	34,1	52,9	7 900	5 400	4 800	4 200	36,0	51,1	8 700	6 000	5 300	4 700		86,0	
88,0	31,7	49,3	6 800	4 600	4 000	3 500	33,5	47,3	7 400	5 100	4 500	3 900		88,0	
90,0	29,1	45,4	5 700	3 800			30,8	43,2	6 300	4 200	3 700			90,0	
92,0	26,2	40,9	4 600											92,0	
94,0	23,0	35,7	3 600											94,0	






	 10°				 20°					
	 m	 °	 m			 °	 m			
				 kg	 kg			 kg		 kg
16,8	84,9	106,0	30 700							16,8
18,0	84,3	105,8	30 300							18,0
20,0	83,1	105,5	29 600	24 800						20,0
22,0	82,0	105,1	29 000	24 300	84,6	104,2	25 200			22,0
24,0	80,9	104,7	28 300	23 900	83,5	103,7	24 600			24,0
26,0	79,8	104,2	27 800	23 400	82,3	103,3	24 000	21 000		26,0
28,0	78,6	103,7	27 200	23 000	81,2	102,8	23 500	20 600		28,0
30,0	77,5	103,2	26 500	22 600	80,0	102,2	22 900	20 300		30,0
32,0	76,3	102,6	25 900	22 200	78,9	101,6	22 400	20 000		32,0
34,0	75,2	102,0	25 300	21 800	77,7	101,0	21 700	19 600		34,0
36,0	74,0	101,3	24 700	21 400	76,5	100,3	21 000	19 300		36,0
38,0	72,8	100,6	24 100	21 100	75,3	99,5	20 300	18 900		38,0
40,0	71,7	99,8	23 500	20 700	74,1	98,8	19 600	18 600		40,0
42,0	70,5	99,0	23 000	20 300	72,9	97,9	18 900	18 300		42,0
44,0	69,3	98,1	22 400	20 000	71,7	97,1	18 300	17 900		44,0
46,0	68,1	97,2	21 900	19 600	70,5	96,1	17 800	17 600		46,0
48,0	66,8	96,2	21 400	19 300	69,3	95,1	17 300	17 100		48,0
50,0	65,6	95,2	20 900	18 900	68,0	94,1	16 800	16 600		50,0
52,0	64,3	94,1	20 500	18 500	66,7	93,0	16 300	16 200		52,0
54,0	63,1	93,0	20 100	18 100	65,5	91,9	15 900	15 700		54,0
56,0	61,8	91,8	19 600	17 800	64,2	90,6	15 400	15 300		56,0
58,0	60,5	90,5	19 200	17 500	62,8	89,4	15 000	14 900		58,0
60,0	59,2	89,2	18 800	17 200	61,5	88,0	14 700	14 600		60,0
62,0	57,8	87,8	18 300	16 800	60,1	86,6	14 300	14 200		62,0
64,0	56,5	86,3	17 700	15 600	58,8	85,1	14 000	13 900		64,0
66,0	55,1	84,8	17 200	14 200	57,4	83,6	13 600	13 500		66,0
68,0	53,7	83,2	16 800	12 900	55,9	81,9	13 300	13 200		68,0
70,0	52,2	81,4	16 000	11 700	54,4	80,2	13 000	12 900		70,0
72,0	50,7	79,7	14 700	10 500	52,9	78,4	12 700	11 700		72,0
74,0	49,2	77,8	13 300	9 400	51,4	76,4	12 500	10 500		74,0
76,0	47,7	75,8	12 000	8 300	49,8	74,4	12 200	9 400		76,0
78,0	46,1	73,7	10 600	7 300	48,2	72,3	11 800	8 300		78,0
80,0	44,4	71,4	9 300	6 400	46,5	70,0	10 500	7 300		80,0
82,0	42,7	69,1	8 000	5 500	44,7	67,6	9 200	6 300		82,0
84,0	40,9	66,5	6 900	4 600	42,9	65,0	7 900	5 400		84,0
86,0	39,1	63,8	5 700	3 700	41,0	62,2	6 700	4 500		86,0
88,0	37,1	61,0	4 600		39,1	59,3	5 500	3 600		88,0
90,0	35,1	57,9	3 600		37,0	56,0	4 400			90,0

MLC650 S-1






	 10°							 20°							
															
				 0° kg	 1° kg	 2° kg	 3° kg			 0° kg	 1° kg	 2° kg	 3° kg		
15,2	84,9	69,8	24 300c											15,2	
16,0	84,2	69,7	23 900c											16,0	
18,0	82,5	69,2	22 900	19 300c										18,0	
20,0	80,8	68,7	21 900	18 700b	16 200c	14 200c								20,0	
22,0	79,0	68,1	20 900	18 100	15 700b	13 900c	83,8	67,3	18 500b					22,0	
24,0	77,2	67,4	20 000	17 400	15 300	13 500	82,0	66,6	17 700	15 800	14 000b			24,0	
26,0	75,4	66,7	19 100	16 800	14 800	13 200	80,2	65,8	17 000	15 200	13 600b	12 300b		26,0	
28,0	73,6	65,9	18 300	16 200	14 400	12 800	78,3	65,0	16 300	14 700	13 200	12 000b		28,0	
30,0	71,8	65,0	17 400	15 600	13 900	12 500	76,5	64,1	15 600	14 100	12 800	11 600		30,0	
32,0	69,9	64,0	16 700	15 000	13 500	12 100	74,6	63,2	15 000	13 600	12 400	11 300		32,0	
34,0	68,0	63,0	16 000	14 500	13 100	11 800	72,7	62,1	14 400	13 200	12 000	11 000		34,0	
36,0	66,1	61,8	15 300	13 900	12 600	11 500	70,7	61,0	13 700	12 700	11 700	10 700		36,0	
38,0	64,1	60,6	14 700	13 400	12 200	11 200	68,7	59,7	13 100	12 300	11 300	10 400		38,0	
40,0	62,1	59,3	14 100	12 900	11 800	10 800	66,6	58,4	12 500	11 900	11 000	10 100		40,0	
42,0	60,0	57,9	13 500	12 400	11 400	10 500	64,5	56,9	11 900	11 500	10 700	9 900		42,0	
44,0	57,9	56,3	13 000	12 000	11 100	10 200	62,4	55,4	11 400	11 100	10 300	9 600		44,0	
46,0	55,7	54,7	12 500	11 600	10 700	9 900	60,2	53,7	10 900	10 800	10 000	9 300		46,0	
48,0	53,5	52,9	12 000	11 200	10 400	9 700	57,9	51,8	10 500	10 400	9 700	9 100		48,0	
50,0	51,1	50,9	11 600	10 800	10 100	9 400	55,4	49,8	10 100	10 000	9 500	8 900		50,0	
52,0	48,7	48,8	11 200	10 500	9 800	9 100	52,9	47,7	9 700	9 600	9 200	8 600		52,0	
54,0	46,1	46,5	10 800	10 100	9 500	8 900	50,3	45,3	9 300	9 300	9 000	8 400		54,0	
56,0	43,4	44,0	10 400	9 800	9 200	8 600	47,5	42,7	9 000	8 900	8 700	8 300		56,0	
58,0	40,5	41,2	10 100	9 500	8 900	8 400	44,5	39,8	8 700	8 600	8 500	8 100		58,0	
60,0	37,3	38,0	9 800	9 200	8 700	8 200	41,2	36,5	8 400	8 400	8 300	7 900		60,0	
62,0	33,9	34,4	9 500	8 900	8 500	8 000	37,6	32,7	8 200	8 100	8 100	7 800		62,0	
64,0	30,0	30,2	9 200	8 700	8 300	7 800	33,4	28,2	8 000	7 900	7 800	7 700		64,0	
66,0	25,3	25,0	9 000	8 500	8 100	7 700								66,0	

MLC650 S-1






		10°						20°						
		m	°	m	kg	kg	kg	kg	kg	kg	kg	kg	m	
16,8	84,1	75,6	23 800										16,8	
18,0	83,1	75,3	23 200										18,0	
20,0	81,5	74,8	22 300	18 900	16 300c	14 400c							20,0	
22,0	79,9	74,3	21 400	18 300	15 900b	14 000c	84,3	73,4	18 700				22,0	
24,0	78,3	73,7	20 500	17 800	15 500	13 700	82,7	72,8	18 000	16 000			24,0	
26,0	76,7	73,0	19 700	17 200	15 100	13 400	81,0	72,1	17 300	15 400	13 800	12 400b	26,0	
28,0	75,0	72,3	18 900	16 600	14 700	13 100	79,4	71,4	16 600	14 900	13 400	12 100	28,0	
30,0	73,4	71,5	18 100	16 000	14 300	12 800	77,7	70,6	16 000	14 400	13 100	11 800	30,0	
32,0	71,7	70,6	17 400	15 500	13 900	12 500	76,0	69,7	15 400	14 000	12 700	11 500	32,0	
34,0	70,0	69,7	16 700	15 000	13 500	12 100	74,2	68,7	14 900	13 600	12 300	11 200	34,0	
36,0	68,2	68,7	16 100	14 500	13 100	11 800	72,5	67,7	14 300	13 100	12 000	11 000	36,0	
38,0	66,5	67,6	15 400	14 000	12 700	11 500	70,7	66,6	13 700	12 700	11 700	10 700	38,0	
40,0	64,7	66,4	14 900	13 500	12 300	11 200	68,9	65,4	13 100	12 300	11 300	10 400	40,0	
42,0	62,9	65,1	14 300	13 100	12 000	10 900	67,0	64,1	12 600	11 900	11 000	10 200	42,0	
44,0	61,0	63,8	13 800	12 700	11 600	10 700	65,1	62,8	12 000	11 600	10 700	9 900	44,0	
46,0	59,1	62,3	13 300	12 200	11 300	10 400	63,2	61,3	11 600	11 200	10 400	9 700	46,0	
48,0	57,1	60,8	12 800	11 900	10 900	10 100	61,2	59,7	11 100	10 900	10 200	9 500	48,0	
50,0	55,1	59,1	12 400	11 500	10 600	9 900	59,1	58,0	10 700	10 600	9 900	9 200	50,0	
52,0	53,0	57,3	11 900	11 100	10 300	9 600	57,0	56,2	10 300	10 200	9 700	9 000	52,0	
54,0	50,9	55,4	11 500	10 800	10 000	9 400	54,8	54,2	10 000	9 900	9 400	8 800	54,0	
56,0	48,6	53,3	11 200	10 400	9 800	9 100	52,5	52,0	9 600	9 500	9 200	8 600	56,0	
58,0	46,3	51,0	10 800	10 100	9 500	8 900	50,1	49,7	9 300	9 200	9 000	8 400	58,0	
60,0	43,8	48,6	10 500	9 800	9 200	8 700	47,6	47,2	9 000	9 000	8 800	8 300	60,0	
62,0	41,2	45,9	10 200	9 600	9 000	8 500	44,9	44,4	8 700	8 700	8 600	8 100	62,0	
64,0	38,5	42,9	9 900	9 300	8 800	8 300	42,0	41,3	8 500	8 400	8 400	8 000	64,0	
66,0	35,5	39,6	9 600	9 100	8 600	8 100	38,9	37,8	8 300	8 200	8 200	7 800	66,0	
68,0	32,1	35,8	9 400	8 800	8 400	7 900	35,4	33,8	8 000	8 000	7 900	7 700	68,0	
70,0	28,4	31,4	9 100	8 600	8 200	7 800	31,3	29,1	7 900	7 800	7 800	7 600	70,0	
72,0	23,9	25,9	9 000	8 500	8 000	7 700							72,0	




MLC650 S-1





	10°							20°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,6	81,7	24 000											16,8
18,0	83,7	81,4	23 400											18,0
20,0	82,2	81,0	22 600	19 100	16 500c									20,0
22,0	80,7	80,5	21 800	18 600	16 100	14 200c								22,0
24,0	79,2	79,9	21 000	18 100	15 700	13 800	83,3	79,0	18 200					24,0
26,0	77,7	79,3	20 200	17 500	15 300	13 500	81,8	78,4	17 600	15 600	14 000	12 500b		26,0
28,0	76,2	78,7	19 400	17 000	14 900	13 300	80,2	77,7	17 000	15 200	13 600	12 200		28,0
30,0	74,7	77,9	18 700	16 500	14 600	13 000	78,7	76,9	16 400	14 700	13 200	12 000		30,0
32,0	73,1	77,1	18 000	16 000	14 200	12 700	77,1	76,1	15 800	14 300	12 900	11 700		32,0
34,0	71,6	76,3	17 300	15 500	13 800	12 400	75,5	75,3	15 300	13 900	12 600	11 400		34,0
36,0	70,0	75,4	16 700	15 000	13 500	12 100	73,9	74,3	14 800	13 500	12 300	11 200		36,0
38,0	68,4	74,4	16 100	14 500	13 100	11 800	72,3	73,3	14 300	13 100	12 000	10 900		38,0
40,0	66,8	73,3	15 500	14 100	12 800	11 600	70,7	72,3	13 700	12 700	11 600	10 700		40,0
42,0	65,2	72,2	15 000	13 600	12 400	11 300	69,0	71,1	13 200	12 300	11 300	10 400		42,0
44,0	63,5	71,0	14 500	13 200	12 000	11 000	67,3	69,9	12 600	12 000	11 000	10 200		44,0
46,0	61,8	69,7	14 000	12 800	11 700	10 800	65,6	68,6	12 200	11 700	10 800	10 000		46,0
48,0	60,0	68,3	13 500	12 400	11 400	10 500	63,8	67,2	11 700	11 400	10 500	9 700		48,0
50,0	58,3	66,8	13 100	12 000	11 100	10 300	62,0	65,7	11 300	11 000	10 300	9 500		50,0
52,0	56,4	65,2	12 600	11 700	10 800	10 000	60,1	64,1	10 900	10 700	10 000	9 300		52,0
54,0	54,6	63,6	12 200	11 400	10 600	9 800	58,2	62,3	10 500	10 400	9 800	9 100		54,0
56,0	52,6	61,8	11 900	11 100	10 300	9 500	56,3	60,5	10 200	10 100	9 600	8 900		56,0
58,0	50,7	59,8	11 500	10 700	10 000	9 300	54,2	58,5	9 900	9 800	9 300	8 800		58,0
60,0	48,6	57,8	11 100	10 400	9 800	9 100	52,1	56,4	9 600	9 500	9 200	8 600		60,0
62,0	46,5	55,6	10 800	10 100	9 500	8 900	49,9	54,2	9 300	9 200	8 900	8 400		62,0
64,0	44,2	53,2	10 500	9 900	9 300	8 700	47,6	51,7	9 000	9 000	8 800	8 300		64,0
66,0	41,9	50,5	10 200	9 600	9 100	8 500	45,2	49,0	8 800	8 700	8 600	8 100		66,0
68,0	39,4	47,7	10 000	9 400	8 900	8 300	42,6	46,0	8 500	8 500	8 400	8 000		68,0
70,0	36,7	44,6	9 700	9 200	8 700	8 200	39,9	42,8	8 300	8 300	8 200	7 900		70,0
72,0	33,8	41,1	9 500	8 900	8 500	8 000	36,8	39,1	8 100	8 100	8 000	7 800		72,0
74,0	30,6	37,1	9 300	8 800	8 300	7 800	33,4	34,9	8 000	7 900	7 800	7 700		74,0
76,0	27,0	32,5	9 100	8 600	8 100	7 700	29,5	29,9	7 800	7 800	7 700	7 600		76,0
78,0	22,7	26,8	8 900	8 500	8 000	7 600								78,0

MLC650 S-1






	 10°							 20°							
															
				0°	1°	2°	3°			0°	1°	2°	3°		
				kg	kg	kg	kg			kg	kg	kg	kg		
16,8	84,9	87,8	24 100											16,8	
18,0	84,1	87,5	23 700											18,0	
20,0	82,7	87,1	22 900	19 300	16 600c									20,0	
22,0	81,4	86,6	22 100	18 800	16 200	14 300c								22,0	
24,0	80,0	86,1	21 300	18 300	15 800	14 000	83,8	85,1	18 400					24,0	
26,0	78,6	85,6	20 600	17 800	15 500	13 700	82,4	84,5	17 800	15 800	14 100			26,0	
28,0	77,2	84,9	19 900	17 300	15 200	13 400	80,9	83,9	17 200	15 400	13 700	12 300		28,0	
30,0	75,8	84,3	19 200	16 800	14 800	13 100	79,5	83,2	16 700	14 900	13 400	12 100	30,0		
32,0	74,4	83,5	18 500	16 300	14 500	12 900	78,1	82,5	16 200	14 500	13 100	11 800	32,0		
34,0	73,0	82,7	17 900	15 900	14 100	12 600	76,6	81,7	15 600	14 100	12 800	11 600	34,0		
36,0	71,5	81,9	17 300	15 400	13 800	12 400	75,2	80,8	15 100	13 700	12 500	11 400	36,0		
38,0	70,0	81,0	16 700	15 000	13 400	12 100	73,7	79,9	14 700	13 400	12 200	11 100	38,0		
40,0	68,6	80,0	16 200	14 500	13 100	11 800	72,2	78,9	14 200	13 000	11 900	10 900	40,0		
42,0	67,1	79,0	15 600	14 100	12 800	11 600	70,7	77,9	13 700	12 700	11 600	10 700	42,0		
44,0	65,5	77,9	15 100	13 700	12 400	11 300	69,1	76,8	13 200	12 400	11 300	10 400	44,0		
46,0	64,0	76,7	14 600	13 300	12 200	11 100	67,5	75,6	12 700	12 000	11 100	10 200	46,0		
48,0	62,4	75,5	14 200	13 000	11 900	10 800	66,0	74,3	12 300	11 700	10 800	10 000	48,0		
50,0	60,8	74,1	13 700	12 600	11 600	10 600	64,3	73,0	11 900	11 400	10 600	9 800	50,0		
52,0	59,2	72,7	13 300	12 300	11 300	10 400	62,7	71,5	11 500	11 100	10 400	9 600	52,0		
54,0	57,5	71,2	12 900	11 900	11 000	10 200	61,0	70,0	11 100	10 900	10 100	9 400	54,0		
56,0	55,8	69,7	12 500	11 600	10 700	9 900	59,2	68,4	10 700	10 600	9 900	9 200	56,0		
58,0	54,1	68,0	12 100	11 300	10 500	9 700	57,5	66,7	10 400	10 300	9 700	9 000	58,0		
60,0	52,3	66,2	11 800	11 000	10 200	9 500	55,6	64,8	10 100	10 000	9 500	8 900	60,0		
62,0	50,5	64,2	11 500	10 700	10 000	9 300	53,8	62,9	9 800	9 700	9 300	8 700	62,0		
64,0	48,5	62,2	11 100	10 400	9 700	9 100	51,8	60,8	9 500	9 400	9 100	8 500	64,0		
66,0	46,6	60,0	10 800	10 200	9 500	8 900	49,8	58,5	9 300	9 200	8 900	8 400	66,0		
68,0	44,5	57,7	10 600	9 900	9 300	8 700	47,7	56,1	9 000	9 000	8 800	8 300	68,0		
70,0	42,4	55,1	10 300	9 700	9 100	8 500	45,4	53,5	8 800	8 700	8 600	8 100	70,0		
72,0	40,1	52,4	10 000	9 400	8 900	8 400	43,1	50,7	8 600	8 500	8 400	8 000	72,0		
74,0	37,7	49,4	9 800	9 200	8 700	8 200	40,6	47,6	8 400	8 300	8 300	7 900	74,0		
76,0	35,1	46,1	9 600	9 000	8 500	8 100	37,9	44,1	8 200	8 100	8 100	7 800	76,0		
78,0	32,4	42,4	9 400	8 800	8 400	7 900	35,0	40,3	8 000	8 000	7 900	7 700	78,0		
80,0	29,3	38,3	9 200	8 700	8 200	7 800	31,7	35,8	7 900	7 800	7 800	7 600	80,0		
82,0	25,8	33,4	9 100	8 600	8 100	7 700	27,9	30,6	7 800	7 700	7 700	7 600	82,0		
84,0	21,6	27,5	8 900	8 400	8 000	7 600							84,0		






MLC650 S-1






	10°							20°						
	m	°	m	0°	1°	2°	3°	°	m	0°	1°	2°	3°	m
18,3	84,3	93,6	23 700		19 400									18,3
20,0	83,2	93,2	23 100		18 900									20,0
22,0	81,9	92,8	22 400		18 500	16 300								22,0
24,0	80,7	92,3	21 700		18 000	16 000	14 000	84,2	91,3	18 600				24,0
26,0	79,4	91,8	21 000		17 600	15 600	13 800	82,9	90,7	18 000	15 900	14 100		26,0
28,0	78,1	91,2	20 300		17 100	15 300	13 500	81,6	90,1	17 500	15 500	13 800	12 400	28,0
30,0	76,8	90,6	19 600		16 700	15 000	13 300	80,2	89,5	16 900	15 100	13 600	12 200	30,0
32,0	75,5	89,9	19 000		16 200	14 700	13 000	78,9	88,8	16 400	14 700	13 300	11 900	32,0
34,0	74,1	89,2	18 400		16 000	14 400	12 800	77,6	88,1	16 000	14 400	13 000	11 700	34,0
36,0	72,8	88,4	17 800		15 800	14 000	12 600	76,2	87,3	15 500	14 000	12 700	11 500	36,0
38,0	71,4	87,5	17 200		15 400	13 700	12 300	74,8	86,4	15 000	13 700	12 400	11 300	38,0
40,0	70,1	86,7	16 700		14 900	13 400	12 100	73,5	85,5	14 600	13 300	12 100	11 100	40,0
42,0	68,7	85,7	16 200		14 600	13 100	11 800	72,1	84,6	14 200	13 000	11 900	10 900	42,0
44,0	67,3	84,7	15 700		14 200	12 800	11 600	70,6	83,6	13 700	12 700	11 600	10 600	44,0
46,0	65,9	83,6	15 200		13 800	12 500	11 400	69,2	82,5	13 200	12 300	11 300	10 400	46,0
48,0	64,5	82,5	14 800		13 400	12 200	11 100	67,8	81,3	12 800	12 100	11 100	10 200	48,0
50,0	63,0	81,3	14 300		13 100	11 900	10 900	66,3	80,1	12 400	11 800	10 900	10 100	50,0
52,0	61,5	80,0	13 900		12 800	11 700	10 700	64,8	78,8	12 000	11 500	10 600	9 900	52,0
54,0	60,0	78,7	13 500		12 400	11 400	10 500	63,3	77,4	11 600	11 200	10 400	9 700	54,0
56,0	58,5	77,2	13 100		12 100	11 100	10 200	61,7	76,0	11 200	11 000	10 200	9 500	56,0
58,0	56,9	75,7	12 700		11 800	10 900	10 000	60,1	74,4	10 900	10 700	10 000	9 300	58,0
60,0	55,3	74,1	12 400		11 500	10 600	9 800	58,5	72,8	10 600	10 500	9 800	9 100	60,0
62,0	53,7	72,4	12 000		11 200	10 400	9 600	56,8	71,1	10 300	10 200	9 600	9 000	62,0
64,0	52,0	70,6	11 700		11 000	10 200	9 400	55,1	69,2	10 000	9 900	9 400	8 800	64,0
66,0	50,3	68,7	11 400		10 700	9 900	9 300	53,3	67,3	9 800	9 700	9 300	8 700	66,0
68,0	48,5	66,7	11 100		10 400	9 700	9 100	51,5	65,2	9 500	9 400	9 100	8 500	68,0
70,0	46,7	64,5	10 900		10 200	9 500	8 900	49,7	63,0	9 200	9 200	8 900	8 400	70,0
72,0	44,8	62,2	10 600		9 900	9 300	8 700	47,7	60,6	9 000	9 000	8 800	8 300	72,0
74,0	42,8	59,7	10 300		9 700	9 100	8 600	45,7	58,1	8 800	8 800	8 600	8 100	74,0
76,0	40,7	57,1	10 100		9 500	9 000	8 400	43,5	55,3	8 600	8 600	8 500	8 000	76,0
78,0	38,6	54,2	9 900		9 300	8 800	8 200	41,3	52,4	8 400	8 400	8 300	7 900	78,0
80,0	36,2	51,1	9 700		9 100	8 600	8 100	38,9	49,1	8 300	8 200	8 200	7 800	80,0
82,0	33,8	47,6	9 500		8 900	8 500	8 000	36,3	45,5	8 100	8 100	8 000	7 700	82,0
84,0	31,1	43,8	9 300		8 800	8 300	7 900	33,4	41,5	8 000	7 900	7 800	7 700	84,0
86,0	28,1	39,5	9 200		8 600	8 200	7 800	30,3	36,9	7 800	7 800	7 700	7 600	86,0
88,0	24,7	34,4	9 000		8 300	7 900	7 400							88,0






MLC650 S-1






	 10°							 20°							
															
															
m	o	m	kg	kg	kg	kg	o	m	kg	kg	kg	kg	m		
18,3	84,7	99,6	23 800											18,3	
20,0	83,6	99,3	23 300	19 500										20,0	
22,0	82,4	98,9	22 600	19 000										22,0	
24,0	81,3	98,5	21 900	18 600	16 400	14 100								24,0	
26,0	80,0	98,0	21 300	18 200	15 800	13 900								26,0	
28,0	78,8	97,4	20 600	17 800	15 500	13 600	82,1	96,3	17 700	15 700				28,0	
30,0	77,6	96,8	20 000	17 400	15 200	13 400	80,9	95,7	17 200	15 300	13 900		12 200	30,0	
32,0	76,4	96,2	19 400	16 900	14 900	13 100	79,6	95,1	16 700	14 900	13 400	12 000		32,0	
34,0	75,2	95,5	18 800	16 500	14 600	12 900	78,4	94,4	16 200	14 600	13 100	11 800		34,0	
36,0	73,9	94,8	18 300	16 100	14 300	12 700	77,1	93,7	15 800	14 200	12 800	11 600		36,0	
38,0	72,7	94,0	17 700	15 700	14 000	12 500	75,9	92,9	15 400	13 900	12 600	11 400		38,0	
40,0	71,4	93,2	17 200	15 300	13 700	12 300	74,6	92,1	14 900	13 600	12 300	11 200		40,0	
42,0	70,1	92,3	16 700	14 900	13 400	12 000	73,3	91,2	14 500	13 300	12 100	11 000		42,0	
44,0	68,8	91,4	16 200	14 600	13 100	11 800	72,0	90,2	14 100	12 900	11 800	10 800		44,0	
46,0	67,5	90,4	15 800	14 200	12 800	11 600	70,6	89,2	13 700	12 600	11 600	10 600		46,0	
48,0	66,2	89,3	15 300	13 800	12 600	11 400	69,3	88,1	13 300	12 400	11 300	10 400		48,0	
50,0	64,9	88,2	14 900	13 500	12 300	11 200	67,9	87,0	12 800	12 100	11 100	10 200		50,0	
52,0	63,5	87,1	14 400	13 200	12 000	10 900	66,6	85,8	12 400	11 800	10 900	10 100		52,0	
54,0	62,1	85,8	14 000	12 900	11 800	10 700	65,2	84,6	12 100	11 600	10 700	9 900		54,0	
56,0	60,7	84,5	13 700	12 500	11 500	10 600	63,8	83,3	11 700	11 300	10 500	9 700		56,0	
58,0	59,3	83,2	13 300	12 200	11 300	10 300	62,3	81,9	11 400	11 100	10 300	9 500		58,0	
60,0	57,9	81,7	13 000	12 000	11 000	10 200	60,8	80,4	11 100	10 800	10 100	9 400		60,0	
62,0	56,4	80,2	12 600	11 700	10 800	10 000	59,3	78,8	10 800	10 600	9 900	9 200		62,0	
64,0	54,9	78,6	12 300	11 400	10 500	9 800	57,8	77,2	10 500	10 400	9 700	9 100		64,0	
66,0	53,4	76,9	12 000	11 200	10 300	9 600	56,3	75,5	10 200	10 100	9 500	8 900		66,0	
68,0	51,8	75,1	11 700	10 900	10 100	9 400	54,6	73,6	9 900	9 900	9 400	8 800		68,0	
70,0	50,2	73,2	11 400	10 700	9 900	9 200	53,0	71,7	9 700	9 600	9 200	8 600		70,0	
72,0	48,5	71,2	11 100	10 400	9 700	9 100	51,3	69,6	9 500	9 400	9 100	8 500		72,0	
74,0	46,8	69,0	10 900	10 200	9 500	8 900	49,6	67,4	9 300	9 200	8 900	8 400		74,0	
76,0	45,0	66,8	10 600	10 000	9 300	8 700	47,7	65,1	9 000	9 000	8 800	8 300		76,0	
78,0	43,2	64,3	10 400	9 700	9 200	8 600	45,9	62,6	8 800	8 800	8 600	8 100		78,0	
80,0	41,3	61,7	10 200	9 600	9 000	8 400	43,9	60,0	8 700	8 600	8 500	8 000		80,0	
82,0	39,3	59,0	10 000	9 400	8 700	8 000	41,8	57,1	8 500	8 400	8 400	8 000		82,0	
84,0	37,2	56,0	9 700	8 600	7 900	7 300	39,6	54,0	8 300	8 300	8 200	7 800		84,0	
86,0	34,9	52,7	9 600	7 700	7 100	6 500	37,3	50,6	8 200	8 100	7 700	7 100		86,0	
88,0	32,5	49,1	9 400	6 900	6 300	5 800	34,8	46,9	8 000	7 500	6 900	6 300		88,0	
90,0	29,9	45,2	8 700	6 100	5 600	5 000	32,0	42,6	7 900	6 600	6 000	5 500		90,0	
92,0	27,1	40,7	7 700	5 300	4 800	4 300	29,0	37,8	7 800	5 700	5 200	4 700		92,0	
94,0	23,8	35,4	6 600	4 600	4 100	3 700								94,0	




MLC650 S-1






	 10°							 20°							
	 m	 °	 m					 °	 m						
				 0° kg	 1° kg	 2° kg	 3° kg			 0° kg	 1° kg	 2° kg	 3° kg		
18,3	85,0	105,7	23 900							18 300	16 100			18,3	
20,0	84,0	105,4	23 400											20,0	
22,0	82,9	105,0	22 700	19 100										22,0	
24,0	81,8	104,6	22 100	18 700	16 100									24,0	
26,0	80,6	104,1	21 500	18 300	15 800	13 900	83,7	103,0	18 300	16 100				26,0	
28,0	79,5	103,6	20 900	17 900	15 500	13 700	82,6	102,5	17 800	15 700	14 000			28,0	
30,0	78,4	103,1	20 300	17 500	15 200	13 400	81,4	102,0	17 300	15 400	13 700	12 300		30,0	
32,0	77,2	102,5	19 800	17 100	15 000	13 200	80,3	101,4	16 900	15 100	13 500	12 100		32,0	
34,0	76,0	101,9	19 200	16 800	14 700	13 000	79,1	100,7	16 500	14 700	13 200	11 900		34,0	
36,0	74,9	101,2	18 700	16 400	14 400	12 800	77,9	100,0	16 000	14 400	13 000	11 700		36,0	
38,0	73,7	100,5	18 200	16 000	14 200	12 600	76,7	99,3	15 600	14 100	12 700	11 500		38,0	
40,0	72,5	99,7	17 600	15 600	13 900	12 400	75,5	98,5	15 200	13 800	12 500	11 300		40,0	
42,0	71,3	98,9	17 100	15 300	13 600	12 200	74,3	97,7	14 800	13 500	12 200	11 100		42,0	
44,0	70,1	98,0	16 700	14 900	13 300	12 000	73,1	96,8	14 500	13 200	12 000	10 900		44,0	
46,0	68,9	97,1	16 200	14 600	13 100	11 800	71,9	95,9	14 100	12 900	11 800	10 800		46,0	
48,0	67,7	96,1	15 800	14 200	12 800	11 600	70,6	94,9	13 700	12 600	11 600	10 600		48,0	
50,0	66,5	95,1	15 400	13 900	12 600	11 400	69,4	93,8	13 300	12 400	11 300	10 400		50,0	
52,0	65,2	94,0	15 000	13 600	12 300	11 200	68,1	92,7	12 900	12 100	11 100	10 200		52,0	
54,0	63,9	92,8	14 600	13 300	12 100	11 000	66,8	91,6	12 500	11 900	10 900	10 100		54,0	
56,0	62,6	91,6	14 200	13 000	11 800	10 800	65,5	90,4	12 200	11 600	10 700	9 900		56,0	
58,0	61,3	90,4	13 800	12 700	11 600	10 600	64,2	89,1	11 800	11 400	10 500	9 800		58,0	
60,0	60,0	89,1	13 500	12 400	11 300	10 400	62,9	87,7	11 500	11 200	10 300	9 600		60,0	
62,0	58,7	87,7	13 100	12 100	11 100	10 200	61,5	86,3	11 200	10 900	10 200	9 400		62,0	
64,0	57,3	86,2	12 800	11 800	10 900	10 100	60,1	84,8	10 900	10 700	10 000	9 300		64,0	
66,0	55,9	84,6	12 500	11 600	10 700	9 900	58,7	83,3	10 600	10 500	9 800	9 200		66,0	
68,0	54,5	83,0	12 200	11 400	10 500	9 700	57,2	81,6	10 400	10 300	9 600	9 000		68,0	
70,0	53,0	81,3	11 900	11 100	10 300	9 500	55,8	79,9	10 100	10 000	9 500	8 900		70,0	
72,0	51,6	79,5	11 700	10 900	10 100	9 400	54,2	78,0	9 900	9 800	9 300	8 700		72,0	
74,0	50,0	77,6	11 400	10 600	9 900	9 200	52,7	76,1	9 700	9 600	9 200	8 600		74,0	
76,0	48,5	75,6	11 100	10 400	9 700	9 100	51,1	74,1	9 500	9 400	9 100	8 500		76,0	
78,0	46,9	73,5	10 900	10 200	9 500	8 800	49,5	71,9	9 200	9 200	8 900	8 400		78,0	
80,0	45,2	71,3	10 700	9 500	8 700	7 900	47,8	69,6	9 100	9 000	8 800	8 300		80,0	
82,0	43,5	68,9	10 400	8 600	7 800	7 100	46,0	67,2	8 800	8 800	8 600	7 900		82,0	
84,0	41,7	66,4	10 200	7 700	7 000	6 300	44,2	64,6	8 700	8 600	7 800	7 100		84,0	
86,0	39,9	63,7	9 800	6 900	6 200	5 500	42,3	61,8	8 500	7 700	7 000	6 300		86,0	
88,0	38,0	60,8	8 800	6 100	5 400	4 800	40,3	58,8	8 400	6 800	6 100	5 500		88,0	
90,0	35,9	57,7	7 700	5 300	4 700	4 100	38,2	55,6	8 200	6 000	5 300	4 700		90,0	
92,0	33,7	54,3	6 700	4 500	4 000	3 400	35,9	52,0	7 500	5 100	4 500	4 000		92,0	
94,0	31,4	50,6	5 700	3 800	3 300		33,5	48,1	6 400	4 300	3 800	3 200		94,0	
98,0	26,1	41,8	3 800											98,0	







MLC650 S-1






	 10°						 20°						
													
													
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	84,7	76,1	20 500c										15,2
16,0	84,1	75,9	20 100c										16,0
18,0	82,5	75,5	19 200	16 300c									18,0
20,0	81,0	75,0	18 300	15 600b	13 600c	11 800c							20,0
22,0	79,4	74,5	17 400	15 000	13 100b	11 500c							22,0
24,0	77,7	73,9	16 500	14 300	12 600	11 200b	83,2	73,3	13 300				24,0
26,0	76,1	73,2	15 700	13 700	12 100	10 800	81,6	72,6	12 700	11 400	10 300b	9 400c	26,0
28,0	74,5	72,5	14 900	13 200	11 700	10 500	79,9	71,9	12 100	11 000	10 000	9 100b	28,0
30,0	72,8	71,7	14 200	12 600	11 200	10 100	78,3	71,1	11 600	10 500	9 600	8 800	30,0
32,0	71,1	70,8	13 500	12 100	10 800	9 800	76,6	70,2	11 000	10 100	9 200	8 500	32,0
34,0	69,4	69,9	12 800	11 500	10 400	9 400	74,8	69,3	10 600	9 700	8 900	8 200	34,0
36,0	67,7	68,9	12 200	11 000	10 000	9 100	73,1	68,3	10 100	9 300	8 600	7 900	36,0
38,0	65,9	67,8	11 600	10 600	9 600	8 800	71,3	67,2	9 700	8 900	8 200	7 600	38,0
40,0	64,1	66,6	11 100	10 100	9 200	8 400	69,5	66,0	9 200	8 600	7 900	7 400	40,0
42,0	62,3	65,3	10 500	9 600	8 800	8 100	67,7	64,8	8 800	8 200	7 600	7 100	42,0
44,0	60,5	64,0	10 100	9 200	8 500	7 800	65,8	63,4	8 500	7 900	7 300	6 800	44,0
46,0	58,6	62,5	9 600	8 800	8 200	7 500	63,9	62,0	8 100	7 600	7 100	6 600	46,0
48,0	56,6	61,0	9 200	8 500	7 900	7 300	61,9	60,4	7 800	7 300	6 800	6 400	48,0
50,0	54,6	59,3	8 700	8 100	7 500	7 000	59,9	58,7	7 500	7 000	6 600	6 100	50,0
52,0	52,5	57,5	8 400	7 800	7 200	6 700	57,8	56,9	7 200	6 700	6 300	5 900	52,0
54,0	50,4	55,6	8 000	7 400	6 900	6 500	55,6	55,0	6 900	6 500	6 100	5 700	54,0
56,0	48,2	53,5	7 600	7 100	6 700	6 200	53,4	52,9	6 600	6 300	5 900	5 500	56,0
58,0	45,8	51,3	7 300	6 800	6 400	6 000	51,0	50,7	6 400	6 000	5 700	5 400	58,0
60,0	43,4	48,8	7 000	6 600	6 200	5 800	48,5	48,2	6 200	5 800	5 500	5 200	60,0
62,0	40,8	46,2	6 700	6 300	5 900	5 600	45,9	45,5	5 900	5 600	5 300	5 000	62,0
64,0	38,1	43,2	6 500	6 100	5 700	5 400	43,1	42,5	5 700	5 400	5 200	4 800	64,0
66,0	35,1	39,9	6 200	5 900	5 500	5 200	40,1	39,1	5 600	5 300	5 000	4 700	66,0
68,0	31,8	36,1	6 000	5 700	5 300	5 000	36,7	35,3	5 400	5 100	4 800	4 600	68,0
70,0	28,1	31,8	5 800	5 400	5 100	4 900	32,9	30,9	5 300	5 000	4 700	4 500	70,0
72,0	23,7	26,4	5 600	5 300	5 000	4 700							72,0



MLC650 S-1






	 10°							 20°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
16,8	84,0	81,9	20 000b											16,8	
18,0	83,1	81,6	19 500											18,0	
20,0	81,6	81,2	18 600	15 800b	13 700c									20,0	
22,0	80,2	80,7	17 800	15 200	13 300b	11 700c								22,0	
24,0	78,7	80,1	17 000	14 700	12 900	11 400	83,8	79,4	13 500					24,0	
26,0	77,2	79,5	16 200	14 100	12 400	11 100	82,3	78,8	13 000	11 700	10 500b			26,0	
28,0	75,7	78,8	15 500	13 600	12 000	10 700	80,7	78,2	12 400	11 200	10 100	9 200b		28,0	
30,0	74,2	78,1	14 800	13 000	11 600	10 400	79,2	77,4	11 900	10 800	9 800	8 900		30,0	
32,0	72,6	77,3	14 100	12 500	11 200	10 000	77,7	76,6	11 400	10 400	9 400	8 600		32,0	
34,0	71,1	76,5	13 400	12 000	10 800	9 700	76,1	75,8	10 900	10 000	9 100	8 400		34,0	
36,0	69,5	75,5	12 800	11 500	10 400	9 400	74,5	74,9	10 500	9 600	8 800	8 100		36,0	
38,0	67,9	74,6	12 300	11 100	10 000	9 100	72,9	73,9	10 000	9 200	8 500	7 800		38,0	
40,0	66,3	73,5	11 700	10 600	9 700	8 800	71,3	72,8	9 600	8 900	8 200	7 600		40,0	
42,0	64,7	72,4	11 200	10 200	9 300	8 500	69,6	71,7	9 300	8 500	7 900	7 400		42,0	
44,0	63,0	71,2	10 700	9 800	9 000	8 200	67,9	70,5	8 900	8 200	7 600	7 100		44,0	
46,0	61,3	69,9	10 200	9 400	8 600	8 000	66,2	69,2	8 500	7 900	7 400	6 900		46,0	
48,0	59,6	68,5	9 800	9 000	8 300	7 700	64,5	67,8	8 200	7 700	7 100	6 700		48,0	
50,0	57,8	67,0	9 400	8 700	8 000	7 400	62,7	66,3	7 900	7 400	6 900	6 400		50,0	
52,0	56,0	65,5	9 000	8 300	7 700	7 200	60,8	64,8	7 600	7 100	6 700	6 300		52,0	
54,0	54,1	63,8	8 700	8 000	7 400	6 900	58,9	63,1	7 300	6 900	6 500	6 000		54,0	
56,0	52,2	62,0	8 300	7 700	7 200	6 700	57,0	61,3	7 100	6 600	6 200	5 900		56,0	
58,0	50,2	60,1	8 000	7 400	6 900	6 500	55,0	59,4	6 800	6 400	6 000	5 700		58,0	
60,0	48,2	58,0	7 600	7 100	6 700	6 200	52,9	57,3	6 600	6 200	5 800	5 500		60,0	
62,0	46,0	55,8	7 300	6 900	6 400	6 000	50,8	55,1	6 400	6 000	5 700	5 300		62,0	
64,0	43,8	53,4	7 100	6 600	6 200	5 800	48,5	52,7	6 200	5 800	5 500	5 200		64,0	
66,0	41,5	50,8	6 800	6 400	6 000	5 600	46,1	50,0	6 000	5 600	5 300	5 000		66,0	
68,0	39,0	48,0	6 500	6 100	5 800	5 400	43,6	47,2	5 800	5 500	5 200	4 900		68,0	
70,0	36,3	44,9	6 300	5 900	5 600	5 300	40,9	44,0	5 600	5 300	5 000	4 800		70,0	
72,0	33,5	41,4	6 100	5 700	5 400	5 100	38,0	40,5	5 500	5 200	4 900	4 600		72,0	
74,0	30,3	37,5	5 900	5 600	5 200	4 900	34,7	36,5	5 300	5 000	4 800	4 500		74,0	
76,0	26,8	32,9	5 700	5 400	5 100	4 800	31,1	31,7	5 200	4 900	4 700	4 400		76,0	
78,0	22,5	27,3	5 500	5 200	5 000	4 700								78,0	






MLC650 S-1






	 10°							 20°							
															
				 0° kg	 1° kg	 2° kg	 3° kg			 0° kg	 1° kg	 2° kg	 3° kg		
m	°	m						°	m					m	
16,8	84,4	87,9	20 200											16,8	
18,0	83,6	87,7	19 700											18,0	
20,0	82,2	87,3	18 900	16 100	13 800c									20,0	
22,0	80,9	86,8	18 100	15 500	13 400b	11 700c								22,0	
24,0	79,5	86,3	17 400	14 900	13 100	11 500	84,2	85,6	13 700					24,0	
26,0	78,1	85,8	16 700	14 400	12 700	11 200	82,8	85,0	13 200	11 800	10 600b			26,0	
28,0	76,7	85,1	15 900	13 900	12 300	10 900	81,4	84,4	12 600	11 400	10 300	9 300b		28,0	
30,0	75,3	84,5	15 300	13 400	11 900	10 600	80,0	83,7	12 100	11 000	10 000	9 000		30,0	
32,0	73,9	83,7	14 600	12 900	11 500	10 300	78,6	83,0	11 700	10 600	9 600	8 800		32,0	
34,0	72,5	83,0	14 000	12 400	11 100	10 000	77,1	82,2	11 200	10 200	9 300	8 500		34,0	
36,0	71,0	82,1	13 400	12 000	10 800	9 700	75,7	81,4	10 800	9 900	9 000	8 300		36,0	
38,0	69,6	81,2	12 900	11 500	10 400	9 400	74,2	80,5	10 400	9 500	8 800	8 000		38,0	
40,0	68,1	80,2	12 300	11 100	10 000	9 100	72,7	79,5	10 000	9 200	8 500	7 800		40,0	
42,0	66,6	79,2	11 800	10 700	9 700	8 800	71,2	78,5	9 600	8 900	8 200	7 600		42,0	
44,0	65,1	78,1	11 300	10 300	9 400	8 600	69,7	77,4	9 300	8 600	7 900	7 400		44,0	
46,0	63,6	76,9	10 900	9 900	9 100	8 300	68,1	76,2	8 900	8 300	7 700	7 100		46,0	
48,0	62,0	75,7	10 400	9 600	8 800	8 000	66,5	75,0	8 600	8 000	7 400	6 900		48,0	
50,0	60,4	74,4	10 000	9 200	8 500	7 800	64,9	73,6	8 300	7 700	7 200	6 700		50,0	
52,0	58,8	73,0	9 600	8 900	8 200	7 500	63,3	72,2	8 000	7 500	7 000	6 500		52,0	
54,0	57,1	71,5	9 200	8 500	7 900	7 300	61,6	70,7	7 700	7 200	6 800	6 300		54,0	
56,0	55,4	69,9	8 900	8 200	7 600	7 100	59,9	69,1	7 500	7 000	6 600	6 100		56,0	
58,0	53,7	68,2	8 500	7 900	7 400	6 800	58,1	67,5	7 200	6 800	6 400	5 900		58,0	
60,0	51,9	66,4	8 200	7 700	7 100	6 600	56,3	65,7	7 000	6 600	6 200	5 800		60,0	
62,0	50,1	64,5	7 900	7 400	6 900	6 400	54,5	63,7	6 800	6 400	6 000	5 600		62,0	
64,0	48,2	62,5	7 600	7 100	6 600	6 200	52,6	61,7	6 500	6 200	5 800	5 500		64,0	
66,0	46,2	60,3	7 400	6 900	6 400	6 000	50,6	59,5	6 300	6 000	5 600	5 300		66,0	
68,0	44,2	58,0	7 100	6 600	6 200	5 800	48,5	57,1	6 200	5 800	5 500	5 200		68,0	
70,0	42,0	55,5	6 900	6 400	6 000	5 600	46,3	54,6	6 000	5 600	5 300	5 000		70,0	
72,0	39,8	52,7	6 600	6 200	5 800	5 500	44,0	51,8	5 800	5 500	5 200	4 900		72,0	
74,0	37,4	49,8	6 400	6 000	5 700	5 300	41,6	48,8	5 700	5 400	5 100	4 800		74,0	
76,0	34,8	46,5	6 200	5 800	5 500	5 200	39,0	45,5	5 500	5 200	4 900	4 700		76,0	
78,0	32,1	42,9	6 000	5 600	5 300	5 000	36,2	41,8	5 400	5 100	4 800	4 600		78,0	
80,0	29,1	38,8	5 800	5 500	5 200	4 900	33,0	37,6	5 300	5 000	4 700	4 500		80,0	
82,0	25,6	34,0	5 600	5 300	5 000	4 800	29,4	32,6	5 200	4 900	4 700	4 400		82,0	
84,0	21,5	28,2	5 500	5 200	4 900	4 700								84,0	







MLC650 S-1






	 10°							 20°							
	 m	 °	 m					 °	 m						
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg	 m	
16,8	84,8	94,0	20 400											16,8	
18,0	84,0	93,8	19 900											18,0	
20,0	82,8	93,4	19 200	16 200										20,0	
22,0	81,5	93,0	18 400	15 700	13 600									22,0	
24,0	80,2	92,5	17 700	15 200	13 200	11 600								24,0	
26,0	78,9	92,0	17 000	14 700	12 900	11 300	83,3	91,1	13 300	11 900				26,0	
28,0	77,6	91,4	16 400	14 200	12 500	11 100	82,0	90,6	12 800	11 500	10 400			28,0	
30,0	76,3	90,8	15 700	13 700	12 100	10 800	80,7	90,0	12 400	11 200	10 100	9 100		30,0	
32,0	75,0	90,1	15 100	13 300	11 800	10 500	79,4	89,3	11 900	10 800	9 800	8 900		32,0	
34,0	73,7	89,4	14 500	12 800	11 400	10 200	78,0	88,6	11 500	10 400	9 500	8 700		34,0	
36,0	72,4	88,6	13 900	12 400	11 100	9 900	76,7	87,8	11 100	10 100	9 200	8 400		36,0	
38,0	71,0	87,7	13 400	11 900	10 700	9 600	75,3	86,9	10 700	9 800	9 000	8 200		38,0	
40,0	69,6	86,8	12 900	11 500	10 400	9 400	74,0	86,1	10 300	9 400	8 700	8 000		40,0	
42,0	68,3	85,9	12 400	11 100	10 100	9 100	72,6	85,1	9 900	9 200	8 400	7 800		42,0	
44,0	66,9	84,9	11 900	10 700	9 800	8 900	71,2	84,1	9 600	8 900	8 200	7 600		44,0	
46,0	65,5	83,8	11 400	10 400	9 400	8 600	69,7	83,0	9 300	8 600	7 900	7 400		46,0	
48,0	64,0	82,7	11 000	10 000	9 200	8 400	68,3	81,9	8 900	8 300	7 700	7 100		48,0	
50,0	62,6	81,5	10 600	9 700	8 900	8 100	66,8	80,7	8 700	8 000	7 500	6 900		50,0	
52,0	61,1	80,2	10 200	9 300	8 600	7 900	65,3	79,4	8 400	7 800	7 300	6 800		52,0	
54,0	59,6	78,9	9 800	9 000	8 300	7 700	63,8	78,0	8 100	7 600	7 000	6 600		54,0	
56,0	58,1	77,4	9 400	8 700	8 000	7 400	62,3	76,6	7 800	7 300	6 800	6 400		56,0	
58,0	56,5	75,9	9 100	8 400	7 800	7 200	60,7	75,1	7 600	7 100	6 600	6 200		58,0	
60,0	54,9	74,3	8 800	8 200	7 600	7 000	59,1	73,5	7 300	6 900	6 500	6 100		60,0	
62,0	53,3	72,6	8 500	7 900	7 300	6 800	57,4	71,8	7 100	6 700	6 300	5 900		62,0	
64,0	51,6	70,9	8 200	7 600	7 100	6 600	55,7	70,0	6 900	6 500	6 100	5 700		64,0	
66,0	49,9	69,0	7 900	7 400	6 900	6 400	54,0	68,1	6 700	6 300	5 900	5 600		66,0	
68,0	48,2	66,9	7 600	7 100	6 700	6 200	52,2	66,0	6 500	6 200	5 800	5 400		68,0	
70,0	46,3	64,8	7 400	6 900	6 500	6 000	50,4	63,9	6 300	6 000	5 600	5 300		70,0	
72,0	44,4	62,5	7 100	6 700	6 300	5 900	48,4	61,6	6 100	5 800	5 500	5 200		72,0	
74,0	42,5	60,0	6 900	6 500	6 100	5 700	46,4	59,1	6 000	5 700	5 300	5 100		74,0	
76,0	40,4	57,4	6 700	6 300	5 900	5 500	44,3	56,4	5 800	5 500	5 200	4 900		76,0	
78,0	38,2	54,5	6 500	6 100	5 700	5 400	42,1	53,5	5 700	5 400	5 100	4 800		78,0	
80,0	35,9	51,4	6 300	5 900	5 600	5 200	39,8	50,3	5 500	5 300	5 000	4 700		80,0	
82,0	33,5	48,0	6 100	5 700	5 400	5 100	37,3	46,8	5 400	5 200	4 900	4 600		82,0	
84,0	30,8	44,2	5 900	5 600	5 300	5 000	34,5	43,0	5 300	5 000	4 800	4 500		84,0	
86,0	27,9	39,9	5 700	5 400	5 100	4 900	31,5	38,6	5 200	4 900	4 700	4 500		86,0	
88,0	24,5	34,9	5 600	5 300	5 000	4 800	28,0	33,4	5 100	4 900	4 600	4 400		88,0	
90,0	20,6	28,9	5 500	5 200	4 900	4 600								90,0	







MLC650 S-1






	 10°							 20°							
															
															
m	o	m	kg	kg	kg	kg	o	m	kg	kg	kg	kg	m		
18,3	84,2	99,8	20 000											18,3	
20,0	83,2	99,5	19 400	16 300										20,0	
22,0	82,0	99,1	18 700	15 900	13 700									22,0	
24,0	80,8	98,6	18 000	15 400	13 400	11 600								24,0	
26,0	79,6	98,2	17 400	14 900	13 000	11 400	83,7	97,3	13 500	12 000				26,0	
28,0	78,4	97,6	16 700	14 500	12 700	11 200	82,5	96,8	13 000	11 700				28,0	
30,0	77,2	97,0	16 100	14 000	12 300	11 000	81,3	96,2	12 600	11 300	10 500		9 200	30,0	
32,0	76,0	96,4	15 500	13 600	12 000	10 700	80,1	95,5	12 100	11 000	9 900	9 000	9 000	32,0	
34,0	74,7	95,7	15 000	13 200	11 600	10 400	78,8	94,9	11 700	10 600	9 700	8 800	8 800	34,0	
36,0	73,5	95,0	14 400	12 700	11 300	10 200	77,6	94,1	11 300	10 300	9 400	8 600	8 600	36,0	
38,0	72,2	94,2	13 800	12 300	11 000	9 900	76,3	93,4	10 900	10 000	9 100	8 400	8 400	38,0	
40,0	71,0	93,4	13 300	11 900	10 700	9 600	75,0	92,5	10 600	9 700	8 900	8 100	8 100	40,0	
42,0	69,7	92,5	12 900	11 500	10 400	9 400	73,7	91,7	10 200	9 400	8 600	7 900	7 900	42,0	
44,0	68,4	91,6	12 400	11 200	10 100	9 100	72,4	90,7	9 900	9 100	8 400	7 700	7 700	44,0	
46,0	67,1	90,6	12 000	10 800	9 800	8 900	71,1	89,7	9 600	8 800	8 200	7 600	7 600	46,0	
48,0	65,8	89,5	11 500	10 500	9 500	8 600	69,8	88,7	9 300	8 600	8 000	7 300	7 300	48,0	
50,0	64,5	88,4	11 100	10 100	9 200	8 400	68,4	87,6	9 000	8 300	7 700	7 100	7 100	50,0	
52,0	63,1	87,3	10 700	9 800	9 000	8 200	67,1	86,4	8 700	8 100	7 500	7 000	7 000	52,0	
54,0	61,7	86,0	10 400	9 500	8 700	8 000	65,7	85,2	8 400	7 900	7 300	6 800	6 800	54,0	
56,0	60,3	84,7	10 000	9 200	8 400	7 800	64,3	83,9	8 200	7 600	7 100	6 600	6 600	56,0	
58,0	58,9	83,4	9 600	8 900	8 200	7 500	62,8	82,5	7 900	7 400	6 900	6 400	6 400	58,0	
60,0	57,5	81,9	9 300	8 600	7 900	7 400	61,4	81,0	7 700	7 200	6 700	6 300	6 300	60,0	
62,0	56,0	80,4	9 000	8 300	7 700	7 200	59,9	79,5	7 500	7 000	6 600	6 100	6 100	62,0	
64,0	54,5	78,8	8 700	8 100	7 500	6 900	58,4	77,9	7 200	6 800	6 400	6 000	6 000	64,0	
66,0	53,0	77,1	8 400	7 800	7 300	6 700	56,8	76,2	7 000	6 600	6 200	5 800	5 800	66,0	
68,0	51,4	75,3	8 100	7 600	7 100	6 600	55,3	74,4	6 900	6 400	6 100	5 700	5 700	68,0	
70,0	49,8	73,4	7 900	7 300	6 800	6 400	53,6	72,5	6 700	6 300	5 900	5 500	5 500	70,0	
72,0	48,2	71,4	7 600	7 100	6 700	6 200	51,9	70,5	6 500	6 100	5 800	5 400	5 400	72,0	
74,0	46,5	69,3	7 400	6 900	6 500	6 100	50,2	68,3	6 300	6 000	5 600	5 300	5 300	74,0	
76,0	44,7	67,0	7 200	6 700	6 300	5 900	48,4	66,0	6 200	5 800	5 500	5 200	5 200	76,0	
78,0	42,9	64,6	6 900	6 500	6 100	5 700	46,6	63,6	6 000	5 700	5 400	5 100	5 100	78,0	
80,0	41,0	62,0	6 700	6 300	5 900	5 600	44,6	61,0	5 900	5 500	5 200	4 900	4 900	80,0	
82,0	39,0	59,3	6 500	6 100	5 800	5 400	42,6	58,2	5 700	5 400	5 100	4 800	4 800	82,0	
84,0	36,9	56,3	6 300	6 000	5 600	5 300	40,5	55,2	5 600	5 300	5 000	4 700	4 700	84,0	
86,0	34,7	53,1	6 200	5 800	5 500	5 200	38,2	51,9	5 500	5 200	4 900	4 700	4 700	86,0	
88,0	32,3	49,5	6 000	5 700	5 400	5 000	35,8	48,2	5 400	5 100	4 800	4 600	4 600	88,0	
90,0	29,7	45,6	5 800	5 500	5 200	4 900	33,1	44,2	5 300	5 000	4 700	4 500	4 500	90,0	
92,0	26,8	41,1	5 700	5 400	5 100	4 800	30,1	39,6	5 200	4 900	4 700	4 400	4 400	92,0	
94,0	23,6	36,0	5 600	5 300	5 000	4 700	26,7	34,2	5 100	4 900	4 600	4 400	4 400	94,0	







MLC650 S-1



	 10°							 20°							
	 m	 °	 m					 °	 m					 m	
				 0°	 1°	 2°	 3°			 0°	 1°	 2°	 3°		
18,3	84,6	105,9	20 100											18,3	
20,0	83,6	105,6	19 600		16 400									20,0	
22,0	82,5	105,2	18 900		16 000									22,0	
24,0	81,4	104,8	18 300		15 500	13 400								24,0	
26,0	80,2	104,3	17 700		15 100	13 200	11 500	84,1	103,4	13 600				26,0	
28,0	79,1	103,8	17 100	14 700	12 800	11 300	83,0	102,9	13 200	11 800				28,0	
30,0	78,0	103,3	16 500	14 200	12 500	11 000	81,8	102,4	12 700	11 500	10 300			30,0	
32,0	76,8	102,7	15 900	13 800	12 200	10 800	80,7	101,8	12 300	11 100	10 000	9 100		32,0	
34,0	75,7	102,0	15 300	13 400	11 800	10 600	79,5	101,2	11 900	10 800	9 800	8 900		34,0	
36,0	74,5	101,4	14 800	13 000	11 500	10 300	78,3	100,5	11 500	10 500	9 500	8 700		36,0	
38,0	73,3	100,6	14 300	12 600	11 200	10 100	77,1	99,8	11 200	10 200	9 300	8 500		38,0	
40,0	72,1	99,9	13 800	12 200	10 900	9 800	75,9	99,0	10 800	9 900	9 000	8 300		40,0	
42,0	70,9	99,1	13 300	11 900	10 600	9 600	74,7	98,2	10 500	9 600	8 800	8 100		42,0	
44,0	69,7	98,2	12 900	11 500	10 400	9 400	73,5	97,3	10 200	9 400	8 600	7 900		44,0	
46,0	68,5	97,3	12 400	11 200	10 100	9 100	72,3	96,4	9 900	9 100	8 400	7 700		46,0	
48,0	67,3	96,3	12 000	10 800	9 800	8 900	71,1	95,4	9 600	8 800	8 200	7 500		48,0	
50,0	66,1	95,3	11 600	10 500	9 500	8 700	69,8	94,4	9 300	8 600	7 900	7 300		50,0	
52,0	64,8	94,2	11 200	10 200	9 300	8 500	68,6	93,3	9 000	8 300	7 700	7 100		52,0	
54,0	63,6	93,1	10 800	9 900	9 000	8 300	67,3	92,1	8 700	8 100	7 500	7 000		54,0	
56,0	62,3	91,9	10 500	9 600	8 800	8 100	66,0	90,9	8 500	7 900	7 300	6 800		56,0	
58,0	61,0	90,6	10 100	9 300	8 500	7 800	64,7	89,7	8 200	7 700	7 200	6 700		58,0	
60,0	59,7	89,3	9 800	9 000	8 300	7 600	63,3	88,4	8 000	7 500	7 000	6 500		60,0	
62,0	58,3	87,9	9 500	8 700	8 100	7 400	62,0	87,0	7 800	7 300	6 800	6 400		62,0	
64,0	57,0	86,4	9 200	8 500	7 800	7 200	60,6	85,5	7 600	7 100	6 600	6 200		64,0	
66,0	55,6	84,9	8 900	8 200	7 600	7 100	59,2	83,9	7 400	6 900	6 500	6 100		66,0	
68,0	54,2	83,3	8 600	8 000	7 400	6 900	57,8	82,3	7 200	6 700	6 300	5 900		68,0	
70,0	52,7	81,6	8 400	7 800	7 200	6 700	56,3	80,6	7 000	6 600	6 200	5 800		70,0	
72,0	51,2	79,8	8 100	7 500	7 000	6 500	54,8	78,8	6 800	6 400	6 000	5 700		72,0	
74,0	49,7	77,9	7 900	7 300	6 800	6 400	53,3	76,9	6 600	6 200	5 900	5 500		74,0	
76,0	48,2	75,9	7 600	7 100	6 700	6 200	51,7	74,9	6 500	6 100	5 700	5 400		76,0	
78,0	46,6	73,8	7 400	6 900	6 500	6 000	50,1	72,8	6 300	6 000	5 600	5 300		78,0	
80,0	44,9	71,6	7 200	6 700	6 300	5 900	48,4	70,5	6 200	5 800	5 500	5 200		80,0	
82,0	43,2	69,2	7 000	6 500	6 200	5 700	46,7	68,1	6 000	5 700	5 400	5 100		82,0	
84,0	41,4	66,7	6 800	6 400	6 000	5 600	44,9	65,6	5 900	5 600	5 300	5 000		84,0	
86,0	39,6	64,0	6 600	6 200	5 800	5 500	43,0	62,8	5 700	5 400	5 100	4 900		86,0	
88,0	37,7	61,1	6 400	6 000	5 700	5 300	41,0	59,9	5 600	5 300	5 000	4 800		88,0	
90,0	35,6	58,0	6 200	5 900	5 500	5 200	39,0	56,8	5 500	5 200	4 900	4 700		90,0	
92,0	33,5	54,7	6 100	5 700	5 400	5 000	36,8	53,3	5 400	5 100	4 900	4 600		92,0	
94,0	31,2	51,0	5 900	5 500	5 100	4 600	34,4	49,6	5 300	5 000	4 800	4 500		94,0	
98,0	25,9	42,3	5 600	4 300	3 800	3 400	28,9	40,6	5 200	4 700	4 300	3 800		98,0	
102,0	19,0	30,5	4 400	3 000										102,0	

MLC650 S-1



	 10°							 20°							
	 m	 °	 m					 °	 m					 m	
				0°  kg	1°  kg	2°  kg	3°  kg			0°  kg	1°  kg	2°  kg	3°  kg		
18,3	84,9	111,9	20 200											18,3	
20,0	84,0	111,7	19 700											20,0	
22,0	82,9	111,3	19 100	16 100										22,0	
24,0	81,8	110,9	18 500	15 600	13 400									24,0	
26,0	80,8	110,5	17 900	15 200	13 200	11 400		84,4	109,5	13 700				26,0	
28,0	79,7	110,0	17 300	14 800	12 900	11 300	83,4	109,1	13 300	11 900				28,0	
30,0	78,6	109,5	16 800	14 400	12 600	11 100	82,3	108,6	12 900	11 600	10 400			30,0	
32,0	77,5	108,9	16 200	14 000	12 300	10 900	81,2	108,0	12 500	11 200	10 100	9 100		32,0	
34,0	76,5	108,3	15 700	13 700	12 000	10 700	80,1	107,4	12 100	10 900	9 900	9 000		34,0	
36,0	75,4	107,7	15 200	13 300	11 700	10 500	79,0	106,8	11 700	10 600	9 600	8 800		36,0	
38,0	74,3	107,0	14 700	12 900	11 400	10 200	77,9	106,1	11 400	10 400	9 400	8 600		38,0	
40,0	73,2	106,3	14 200	12 500	11 100	10 000	76,8	105,4	11 100	10 100	9 200	8 400		40,0	
42,0	72,0	105,5	13 700	12 200	10 900	9 800	75,6	104,6	10 700	9 800	9 000	8 200		42,0	
44,0	70,9	104,7	13 300	11 900	10 600	9 500	74,5	103,8	10 400	9 500	8 800	8 000		44,0	
46,0	69,8	103,9	12 900	11 500	10 300	9 300	73,4	102,9	10 100	9 300	8 500	7 800		46,0	
48,0	68,7	102,9	12 500	11 200	10 100	9 100	72,2	102,0	9 800	9 100	8 300	7 700		48,0	
50,0	67,5	102,0	12 100	10 900	9 800	8 900	71,0	101,1	9 600	8 800	8 100	7 500		50,0	
52,0	66,3	101,0	11 700	10 600	9 600	8 700	69,9	100,0	9 300	8 600	7 900	7 300		52,0	
54,0	65,2	99,9	11 300	10 300	9 300	8 500	68,7	99,0	9 000	8 400	7 700	7 200		54,0	
56,0	64,0	98,8	11 000	10 000	9 100	8 300	67,5	97,9	8 800	8 100	7 600	7 000		56,0	
58,0	62,8	97,6	10 600	9 700	8 800	8 100	66,3	96,7	8 500	8 000	7 400	6 800		58,0	
60,0	61,5	96,4	10 300	9 400	8 600	7 900	65,0	95,5	8 300	7 700	7 200	6 700		60,0	
62,0	60,3	95,1	10 000	9 100	8 400	7 700	63,8	94,2	8 100	7 500	7 000	6 500		62,0	
64,0	59,1	93,8	9 700	8 900	8 200	7 500	62,5	92,8	7 900	7 400	6 900	6 400		64,0	
66,0	57,8	92,4	9 400	8 600	8 000	7 300	61,2	91,4	7 700	7 200	6 700	6 200		66,0	
68,0	56,5	90,9	9 100	8 400	7 800	7 200	59,9	89,9	7 500	7 000	6 500	6 100		68,0	
70,0	55,2	89,4	8 800	8 200	7 600	7 000	58,6	88,4	7 300	6 800	6 400	6 000		70,0	
72,0	53,8	87,7	8 600	7 900	7 400	6 800	57,2	86,7	7 100	6 700	6 300	5 900		72,0	
74,0	52,5	86,0	8 300	7 700	7 200	6 700	55,8	85,0	6 900	6 500	6 100	5 700		74,0	
76,0	51,1	84,2	8 100	7 500	7 000	6 500	54,4	83,2	6 800	6 400	6 000	5 600		76,0	
78,0	49,6	82,3	7 900	7 300	6 800	6 300	53,0	81,3	6 600	6 200	5 800	5 500		78,0	
80,0	48,2	80,4	7 600	7 100	6 600	6 200	51,5	79,3	6 500	6 100	5 700	5 400		80,0	
82,0	46,7	78,3	7 400	6 900	6 500	6 100	50,0	77,2	6 300	5 900	5 600	5 300		82,0	
84,0	45,1	76,1	7 200	6 800	6 300	5 900	48,4	75,0	6 200	5 800	5 500	5 200		84,0	
86,0	43,5	73,8	7 000	6 600	6 200	5 800	46,8	72,6	6 000	5 700	5 400	5 100		86,0	
88,0	41,9	71,3	6 800	6 400	6 000	5 500	45,1	70,1	5 900	5 600	5 200	5 000		88,0	
90,0	40,2	68,7	6 700	6 200	5 600	4 900	43,4	67,5	5 800	5 500	5 200	4 900		90,0	
92,0	38,4	65,9	6 500	5 500	4 900	4 200	41,5	64,6	5 700	5 400	5 100	4 800		92,0	
94,0	36,5	62,9	6 300	4 800	4 200	3 600	39,6	61,6	5 600	5 300	4 900	4 300		94,0	
98,0	32,4	56,2	5 200	3 500			35,5	54,8	5 400	4 100	3 600			98,0	
102,0	27,8	48,2	3 500				30,6	46,5	4 100					102,0	