

# Liftcrane Jib Capacities

**Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating**

European Standards	
14 m/s	Maximum Wind thru 54.5m Boom
12 m/s	with 57.5m and 60.5m Boom
10 m/s	with 63.5m Boom

## 15000 SERIES 1

**LIFTING CAPACITIES:** Chart supplements boom capacity chart **No. 8607-AM**. Lifting capacities for various boom lengths, jib lengths and jib operating radii are for freely suspended loads and are calculated to comply with EN 13000, ISO 4305 and include factors based on a 4.0 degree tipping angle. Capacities based on structural competence are denoted by an asterisk (\*).

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves, is considered part of jib load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

**OPERATING CONDITIONS:** Machine to operate in a level position on a firm uniformly supporting surface with gantry up. Refer to boom rigging **No. A07850**, jib assembly **No. A10098** and Wire Rope Specification chart **No. 8608-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, travel, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to Operator's Manual for operating guidelines.

**WIND CONDITIONS:** Machine may be operated in winds stated in maximum wind speed table provided crane operator judgment is used to allow for wind effect on lifted load and other considerations noted on capacity chart are followed. Wind will have a considerable effect on load. Loads must be compensated for accordingly by reducing load ratings, reducing operating speeds, or by a combination of both. Recommend stopping operation and lowering boom and jib to no higher than 70 degree boom angle when wind exceeds conditions stated. Lower boom and jib to ground when wind is above 22 m/s.

**MACHINE TRAVEL:** Machine to travel on a firm, level [up to 1 percent (0.5 degrees) grade] and uniformly supporting surface. *Travel with 100 percent of rated load prohibited.* Travel restricted to 90 percent of rated capacity with speed not to exceed 0.4 m/s. Boom must be within boom angle range shown in capacity chart. Refer to Maximum Allowable Travel Specification chart **No. 8615-A**.

**OPERATING RADIUS:** Operating radius is horizontal distance from axis of rotation to center of vertical hoist line or load block. Boom angle is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.


**JIB POINT ELEVATION:** Jib point elevation is vertical distance from ground level to centerline of jib point shaft.

**MACHINE EQUIPMENT:** Machine equipped with 8 585 mm crawlers, 1 219 mm treads, 3 124 mm retractable gantry, 9 144 mm live mast, 20 part boom hoist reeving, boom support straps and 67 990 kg counterweight.

Maximum capacity on 26 mm wire rope is 13 380 kg per line (9 070 kg when auxiliary drum is used).

Maximum Wind Speeds		
Boom Lengths	Working Wind	Lower To Ground
27.5m - 54.5m	14 m/s	22 m/s
57.5m - 60.5m	12 m/s	22 m/s
63.5m	10 m/s	22 m/s
Wind speed to be measured at jib point elevation.		

Maximum Boom and Jib Length Raising			
Over End of Blocked Crawlers		Over Side of Crawlers	
Boom Length	Jib No. 134	Boom Length	Jib No. 134
66.5m	—	60.5m	—
63.5m	12.2m	57.5m	12.2m
60.5m	21.3m	54.5m	24.4m
57.5m	24.4m		
Load block, hook and weight ball on ground at start.			



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 9.1m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>27.5m Boom</b>										
9.1	79.2	38.3	26 700 *							9.1
10.0	77.8	38.1	26 700 *							10.0
12.0	74.6	37.6	26 700 *	77.1	37.4	26 700*				12.0
14.0	71.3	36.9	26 700 *	73.8	36.7	26 100*	76.2	36.2	20 500*	14.0
16.0	67.9	36.1	26 600 *	70.4	35.9	25 400*	72.8	35.4	19 100*	16.0
18.0	64.5	35.2	26 100 *	66.9	35.0	24 900*	69.3	34.4	18 000*	18.0
20.0	60.9	34.1	25 400 *	63.3	33.9	24 400*	65.6	33.3	17 000*	20.0
22.0	57.2	32.9	24 800 *	59.6	32.6	23 800*	61.8	32.0	16 100*	22.0
24.0	53.4	31.4	23 600	55.7	31.1	22 400*	57.8	30.5	15 400*	24.0
26.0	49.3	29.8	21 100	51.6	29.5	21 100	53.6	28.8	14 800*	26.0
28.0	44.9	27.8	18 800	47.2	27.5	19 100	49.1	26.8	14 200*	28.0
30.0	40.2	25.5	16 800	42.4	25.2	17 100	44.1	24.4	13 800*	30.0
32.0	34.9	22.8	15 200	37.0	22.4	15 400				32.0
34.0	28.8	19.5	13 700							34.0
<b>30.5m Boom</b>										
9.1	80.0	41.4	26 700 *							9.1
10.0	78.8	41.2	26 700 *							10.0
12.0	75.8	40.7	26 700 *	78.1	40.5	26 700*				12.0
14.0	72.8	40.1	26 700 *	75.1	39.9	26 300*	77.4	39.3	21 000*	14.0
16.0	69.7	39.4	26 700 *	72.0	39.2	25 700*	74.2	38.6	19 700*	16.0
18.0	66.6	38.5	26 400 *	68.8	38.3	25 200*	71.0	37.7	18 600*	18.0
20.0	63.3	37.6	25 800 *	65.6	37.3	24 700*	67.7	36.7	17 600*	20.0
22.0	60.0	36.4	25 200 *	62.2	36.2	24 300*	64.3	35.6	16 700*	22.0
24.0	56.6	35.1	23 700	58.7	34.9	23 500*	60.8	34.3	16 000*	24.0
26.0	53.0	33.7	20 900	55.1	33.4	21 200	57.1	32.7	15 300*	26.0
28.0	49.2	32.0	18 700	51.3	31.7	19 000	53.2	31.0	14 700*	28.0
30.0	45.2	30.1	16 800	47.3	29.7	17 000	49.0	29.0	14 200*	30.0
32.0	40.9	27.8	15 100	42.9	27.5	15 300	44.5	26.7	13 800*	32.0
34.0	36.1	25.2	13 600	38.0	24.8	13 800				34.0
36.0	30.7	22.1	12 300	32.5	21.6	12 500				36.0
38.0	24.2	18.0	11 200							38.0



# Liftcrane Jib Capacities

**Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating**


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 9.1m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>33.5m Boom</b>										
9.1	80.7	44.4	26 700 *							9.1
10.0	79.6	44.3	26 700 *							10.0
12.0	76.8	43.8	26 700 *	79.0	43.6	26 700*				12.0
14.0	74.0	43.3	26 700 *	76.2	43.0	26 400*	78.3	42.5	21 400*	14.0
16.0	71.2	42.6	26 700 *	73.3	42.4	25 900*	75.4	41.8	20 200*	16.0
18.0	68.3	41.8	26 700 *	70.4	41.6	25 300*	72.5	41.0	19 100*	18.0
20.0	65.4	40.9	26 100 *	67.4	40.7	24 900*	69.5	40.1	18 100*	20.0
22.0	62.3	39.9	25 500	64.4	39.6	24 500*	66.4	39.0	17 200*	22.0
24.0	59.2	38.7	23 500	61.3	38.5	23 500	63.2	37.8	16 500*	24.0
26.0	56.0	37.4	20 700	58.0	37.1	21 000	59.9	36.5	15 800*	26.0
28.0	52.6	35.9	18 400	54.6	35.6	18 700	56.4	35.0	15 200*	28.0
30.0	49.1	34.2	16 500	51.1	33.9	16 700	52.8	33.2	14 700*	30.0
32.0	45.4	32.3	14 800	47.3	32.0	15 100	49.0	31.2	14 200*	32.0
34.0	41.4	30.1	13 300	43.3	29.8	13 500	44.8	29.0	13 700	34.0
36.0	37.1	27.6	12 100	38.9	27.2	12 200				36.0
38.0	32.2	24.6	10 900	33.9	24.1	11 000				38.0
40.0	26.6	20.9	9 900							40.0
<b>36.5m Boom</b>										
10.7	79.4	47.2	26 700 *							10.7
12.0	77.7	46.9	26 700 *							12.0
14.0	75.1	46.4	26 700 *	77.1	46.1	26 600*	79.1	45.6	21 900*	14.0
16.0	72.5	45.8	26 700 *	74.5	45.5	26 000*	76.4	45.0	20 600*	16.0
18.0	69.8	45.1	26 700 *	71.8	44.8	25 500*	73.7	44.2	19 500*	18.0
20.0	67.1	44.2	26 400 *	69.0	44.0	25 100*	70.9	43.4	18 600*	20.0
22.0	64.3	43.3	25 600	66.2	43.0	24 700*	68.1	42.4	17 700*	22.0
24.0	61.5	42.2	23 300	63.4	41.9	23 500	65.2	41.3	16 900*	24.0
26.0	58.5	41.0	20 500	60.4	40.7	20 900	62.2	40.1	16 300*	26.0
28.0	55.5	39.7	18 200	57.4	39.4	18 600	59.1	38.7	15 700*	28.0
30.0	52.4	38.2	16 300	54.2	37.9	16 600	55.9	37.2	15 100*	30.0
32.0	49.1	36.5	14 600	50.9	36.1	14 900	52.5	35.4	14 600*	32.0
34.0	45.6	34.6	13 200	47.4	34.2	13 400	48.9	33.5	13 700	34.0
36.0	41.9	32.4	11 900	43.6	32.0	12 100	45.1	31.2	12 300	36.0
38.0	37.9	29.9	10 800	39.6	29.5	10 900				38.0
40.0	33.5	27.0	9 700	35.1	26.6	9 900				40.0
44.0	22.4	19.2	8 000							44.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 9.1m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>39.5m Boom</b>										
10.7	80.1	50.3	26 700 *							10.7
12.0	78.5	50.0	26 700 *							12.0
14.0	76.0	49.5	26 700 *	77.9	49.3	26 600*	79.8	48.7	22 200*	14.0
16.0	73.6	48.9	26 700 *	75.5	48.7	26 200*	77.3	48.1	21 000*	16.0
18.0	71.1	48.3	26 700 *	73.0	48.0	25 700*	74.8	47.4	19 900*	18.0
20.0	68.6	47.5	26 700 *	70.4	47.2	25 200*	72.2	46.6	19 000*	20.0
22.0	66.0	46.6	25 800	67.8	46.3	24 800*	69.6	45.8	18 100*	22.0
24.0	63.4	45.6	23 100	65.2	45.4	23 500	66.9	44.8	17 400*	24.0
26.0	60.7	44.5	20 300	62.5	44.2	20 700	64.2	43.6	16 700*	26.0
28.0	57.9	43.3	18 000	59.7	43.0	18 400	61.3	42.4	16 100*	28.0
30.0	55.1	41.9	16 100	56.8	41.6	16 400	58.4	41.0	15 500*	30.0
32.0	52.1	40.4	14 500	53.8	40.1	14 700	55.4	39.4	15 000*	32.0
34.0	49.0	38.7	13 000	50.7	38.4	13 300	52.2	37.7	13 500	34.0
36.0	45.8	36.8	11 700	47.4	36.5	12 000	48.9	35.7	12 100	36.0
38.0	42.3	34.7	10 600	44.0	34.3	10 800	45.3	33.5	10 900	38.0
40.0	38.6	32.2	9 600	40.2	31.9	9 700				40.0
44.0	30.1	26.2	7 800	31.5	25.7	7 900				44.0
<b>42.5m Boom</b>										
10.7	80.7	53.3	26 700 *							10.7
12.0	79.1	53.1	26 700 *							12.0
14.0	76.9	52.6	26 700 *	78.6	52.4	26 700*	80.4	51.8	22 500*	14.0
16.0	74.6	52.1	26 700 *	76.3	51.8	26 300*	78.1	51.2	21 300*	16.0
18.0	72.2	51.4	26 700 *	74.0	51.2	25 800*	75.7	50.6	20 300*	18.0
20.0	69.9	50.7	26 700 *	71.6	50.5	25 400*	73.3	49.9	19 400*	20.0
22.0	67.5	49.9	25 900	69.2	49.6	25 000*	70.9	49.0	18 500*	22.0
24.0	65.1	49.0	22 800	66.8	48.7	23 400	68.4	48.1	17 800*	24.0
26.0	62.6	48.0	20 100	64.3	47.7	20 600	65.9	47.1	17 100*	26.0
28.0	60.0	46.8	17 900	61.7	46.5	18 200	63.3	45.9	16 500*	28.0
30.0	57.4	45.6	15 900	59.1	45.3	16 300	60.6	44.6	15 900*	30.0
32.0	54.7	44.2	14 300	56.3	43.9	14 600	57.8	43.2	14 900	32.0
34.0	51.9	42.6	12 800	53.5	42.3	13 100	55.0	41.6	13 400	34.0
36.0	49.0	40.9	11 600	50.6	40.6	11 800	52.0	39.9	12 000	36.0
38.0	45.9	39.0	10 400	47.5	38.7	10 600	48.8	37.9	10 800	38.0
40.0	42.7	36.9	9 400	44.2	36.6	9 600	45.5	35.7	9 700	40.0
44.0	35.5	31.9	7 600	37.0	31.4	7 800				44.0
48.0	26.7	25.0	6 200							48.0



# Liftcrane Jib Capacities

**Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating**


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 9.1m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>45.5m Boom</b>										
12.2	79.5	56.1	26 700 *							12.2
14.0	77.6	55.7	26 700 *	79.3	55.4	26 700*				14.0
16.0	75.4	55.2	26 700 *	77.1	54.9	26 300*	78.8	54.4	21 700*	16.0
18.0	73.3	54.6	26 700 *	74.9	54.3	25 900*	76.6	53.8	20 600*	18.0
20.0	71.0	53.9	26 600	72.7	53.7	25 500*	74.3	53.1	19 700*	20.0
22.0	68.8	53.1	25 300	70.4	52.9	24 900	72.0	52.3	18 900*	22.0
24.0	66.5	52.3	22 300	68.1	52.0	23 000	69.7	51.4	18 100*	24.0
26.0	64.2	51.3	19 800	65.8	51.1	20 300	67.3	50.5	17 500*	26.0
28.0	61.8	50.3	17 600	63.4	50.0	18 000	64.9	49.4	16 800*	28.0
30.0	59.4	49.1	15 600	61.0	48.8	16 000	62.5	48.2	16 200	30.0
32.0	56.9	47.8	14 000	58.5	47.5	14 300	59.9	46.9	14 600	32.0
34.0	54.3	46.4	12 500	55.9	46.1	12 800	57.3	45.4	13 100	34.0
36.0	51.7	44.9	11 200	53.2	44.6	11 500	54.6	43.9	11 800	36.0
38.0	48.9	43.2	10 100	50.4	42.8	10 300	51.7	42.1	10 600	38.0
40.0	46.0	41.3	9 100	47.5	40.9	9 300	48.8	40.2	9 500	40.0
44.0	39.8	36.9	7 400	41.2	36.5	7 500	42.3	35.6	7 600	44.0
48.0	32.5	31.2	5 900	33.9	30.8	6 000				48.0
<b>48.5m Boom</b>										
12.2	80.1	59.1	26 700 *							12.2
14.0	78.3	58.8	26 700 *	79.9	58.5	26 700*				14.0
16.0	76.2	58.3	26 700 *	77.8	58.0	26 400*	79.4	57.5	22 000*	16.0
18.0	74.2	57.7	26 700 *	75.7	57.5	26 000*	77.3	56.9	21 000*	18.0
20.0	72.1	57.1	26 600	73.6	56.8	25 500*	75.2	56.2	20 100*	20.0
22.0	70.0	56.4	24 700	71.5	56.1	24 800	73.0	55.5	19 200*	22.0
24.0	67.8	55.6	21 800	69.4	55.3	22 400	70.9	54.7	18 500*	24.0
26.0	65.6	54.7	19 500	67.2	54.4	20 000	68.6	53.8	17 800*	26.0
28.0	63.4	53.7	17 400	64.9	53.4	17 800	66.4	52.8	17 200*	28.0
30.0	61.2	52.6	15 400	62.7	52.3	15 800	64.1	51.7	16 200	30.0
32.0	58.8	51.4	13 800	60.3	51.1	14 200	61.7	50.5	14 500	32.0
34.0	56.5	50.1	12 300	57.9	49.8	12 600	59.3	49.1	12 900	34.0
36.0	54.0	48.7	11 000	55.5	48.4	11 300	56.8	47.7	11 600	36.0
38.0	51.5	47.1	9 900	53.0	46.8	10 200	54.2	46.1	10 400	38.0
40.0	48.9	45.4	8 900	50.3	45.1	9 100	51.5	44.3	9 300	40.0
44.0	43.3	41.5	7 200	44.7	41.1	7 300	45.8	40.3	7 500	44.0
48.0	37.0	36.6	5 700	38.3	36.2	5 900				48.0
52.0	29.6	30.3	4 500							52.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 9.1m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>51.5m Boom</b>										
12.2	80.6	62.2	26 700 *							12.2
14.0	78.9	61.8	26 700 *	80.4	61.6	26 700*				14.0
16.0	76.9	61.4	26 700 *	78.4	61.1	26 400*	79.9	60.5	22 200*	16.0
18.0	75.0	60.8	26 700 *	76.5	60.6	26 000*	78.0	60.0	21 300*	18.0
20.0	73.0	60.2	26 500	74.5	60.0	25 600*	76.0	59.4	20 400*	20.0
22.0	71.0	59.6	24 000	72.5	59.3	24 700	73.9	58.7	19 600*	22.0
24.0	69.0	58.8	21 300	70.4	58.5	21 800	71.9	57.9	18 800*	24.0
26.0	66.9	58.0	19 000	68.4	57.7	19 500	69.8	57.1	18 200*	26.0
28.0	64.8	57.0	17 100	66.3	56.8	17 500	67.7	56.1	17 500	28.0
30.0	62.7	56.0	15 200	64.2	55.7	15 600	65.5	55.1	16 100	30.0
32.0	60.6	54.9	13 600	62.0	54.6	13 900	63.3	54.0	14 300	32.0
34.0	58.3	53.7	12 100	59.8	53.4	12 500	61.1	52.7	12 800	34.0
36.0	56.1	52.4	10 800	57.5	52.1	11 100	58.8	51.4	11 400	36.0
38.0	53.7	50.9	9 700	55.1	50.6	10 000	56.4	49.9	10 200	38.0
40.0	51.3	49.4	8 700	52.7	49.0	8 900	53.9	48.3	9 200	40.0
44.0	46.3	45.8	6 900	47.6	45.4	7 200	48.7	44.6	7 300	44.0
48.0	40.7	41.4	5 500	42.0	41.0	5 700	43.0	40.2	5 800	48.0
52.0	34.4	36.1	4 300	35.6	35.6	4 400				52.0
56.0	26.8	29.1	3 300							56.0
<b>54.5m Boom</b>										
13.7	79.6	64.9	26 700 *							13.7
14.0	79.4	64.9	26 700 *							14.0
16.0	77.5	64.5	26 700 *	79.0	64.2	26 400*				16.0
18.0	75.7	64.0	26 700 *	77.1	63.7	26 000*	78.5	63.1	21 500*	18.0
20.0	73.8	63.4	26 400	75.2	63.1	25 600	76.6	62.5	20 700*	20.0
22.0	71.9	62.7	23 400	73.3	62.5	24 200	74.7	61.9	19 900*	22.0
24.0	70.0	62.0	20 800	71.4	61.8	21 400	72.8	61.2	19 100*	24.0
26.0	68.1	61.2	18 500	69.5	61.0	19 100	70.8	60.4	18 500*	26.0
28.0	66.1	60.4	16 600	67.5	60.1	17 100	68.8	59.5	17 600	28.0
30.0	64.1	59.4	15 000	65.5	59.1	15 400	66.8	58.5	15 800	30.0
32.0	62.1	58.4	13 300	63.4	58.1	13 700	64.7	57.4	14 100	32.0
34.0	60.0	57.2	11 900	61.4	56.9	12 300	62.6	56.3	12 600	34.0
36.0	57.9	56.0	10 600	59.2	55.7	11 000	60.5	55.0	11 300	36.0
38.0	55.7	54.6	9 500	57.1	54.3	9 800	58.3	53.6	10 000	38.0
40.0	53.5	53.2	8 500	54.8	52.9	8 700	56.0	52.2	9 000	40.0
44.0	48.8	49.9	6 700	50.1	49.5	7 000	51.2	48.8	7 100	44.0
48.0	43.8	46.0	5 300	45.0	45.6	5 500	46.0	44.8	5 600	48.0
52.0	38.2	41.2	4 100	39.4	40.8	4 200				52.0
56.0	31.8	35.4	3 100	32.9	34.9	3 200				56.0
60.0	23.9	27.6	2 100							60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating

**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom


## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 9.1m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>57.5m Boom</b>										
13.7	80.1	68.0	26 700 *							13.7
14.0	79.9	67.9	26 700 *							14.0
16.0	78.1	67.5	26 700 *	79.5	67.3	26 300*				16.0
18.0	76.3	67.1	26 700 *	77.7	66.8	26 000*	79.1	66.2	21 800*	18.0
20.0	74.6	66.5	25 900	75.9	66.3	25 600	77.3	65.7	21 000*	20.0
22.0	72.8	65.9	22 800	74.1	65.6	23 600	75.5	65.0	20 200*	22.0
24.0	70.9	65.2	20 200	72.3	65.0	20 800	73.6	64.4	19 500*	24.0
26.0	69.1	64.5	18 000	70.4	64.2	18 500	71.7	63.6	18 800	26.0
28.0	67.2	63.6	16 100	68.6	63.4	16 600	69.9	62.7	17 100	28.0
30.0	65.4	62.7	14 400	66.7	62.5	14 900	67.9	61.8	15 300	30.0
32.0	63.4	61.8	13 000	64.8	61.5	13 400	66.0	60.8	13 800	32.0
34.0	61.5	60.7	11 600	62.8	60.4	12 000	64.0	59.7	12 400	34.0
36.0	59.5	59.5	10 300	60.8	59.2	10 700	62.0	58.6	11 000	36.0
38.0	57.5	58.3	9 200	58.8	58.0	9 500	59.9	57.3	9 800	38.0
40.0	55.4	56.9	8 200	56.7	56.6	8 500	57.8	55.9	8 700	40.0
44.0	51.1	53.8	6 400	52.3	53.5	6 700	53.4	52.8	6 900	44.0
48.0	46.4	50.2	5 000	47.7	49.9	5 200	48.7	49.1	5 400	48.0
52.0	41.4	46.0	3 800	42.6	45.6	4 000				52.0
56.0	35.8	40.9	2 800	36.9	40.4	2 900				56.0
<b>60.5m Boom</b>										
13.7	80.5	71.0	26 700 *							13.7
14.0	80.3	71.0	26 700 *							14.0
16.0	78.6	70.6	26 700 *	80.0	70.3	26 300*				16.0
18.0	76.9	70.1	26 700 *	78.3	69.9	25 900*	79.6	69.3	22 100*	18.0
20.0	75.2	69.6	25 300	76.6	69.4	25 500	77.8	68.8	21 200*	20.0
22.0	73.5	69.0	22 200	74.8	68.8	22 900	76.1	68.2	20 400*	22.0
24.0	71.8	68.4	19 700	73.1	68.1	20 300	74.4	67.5	19 700*	24.0
26.0	70.1	67.7	17 500	71.3	67.4	18 000	72.6	66.8	18 700	26.0
28.0	68.3	66.9	15 600	69.6	66.6	16 100	70.8	66.0	16 600	28.0
30.0	66.5	66.0	14 000	67.8	65.8	14 500	69.0	65.1	14 900	30.0
32.0	64.7	65.1	12 600	65.9	64.8	13 000	67.1	64.2	13 400	32.0
34.0	62.8	64.1	11 300	64.1	63.8	11 600	65.3	63.2	12 000	34.0
36.0	61.0	63.0	10 100	62.2	62.7	10 500	63.4	62.0	10 800	36.0
38.0	59.0	61.8	8 900	60.3	61.5	9 300	61.4	60.8	9 600	38.0
40.0	57.1	60.5	7 900	58.3	60.2	8 200	59.4	59.5	8 500	40.0
44.0	53.0	57.7	6 200	54.2	57.4	6 500	55.3	56.6	6 700	44.0
48.0	48.8	54.3	4 800	49.9	54.0	5 000	50.9	53.2	5 200	48.0
52.0	44.2	50.5	3 600	45.3	50.1	3 800	46.2	49.3	3 900	52.0
56.0	39.2	45.9	2 500	40.3	45.5	2 700				56.0





# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating

**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom


## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 9.1m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>63.5m Boom</b>										
13.7	80.9	74.1	26 700 *							13.7
14.0	80.7	74.0	26 700 *							14.0
16.0	79.1	73.7	26 700 *	80.4	73.4	26 200*				16.0
18.0	77.5	73.2	26 700 *	78.8	73.0	25 900*	80.0	72.4	22 300*	18.0
20.0	75.9	72.7	24 600	77.1	72.5	25 400	78.4	71.9	21 500*	20.0
22.0	74.2	72.2	21 700	75.5	71.9	22 300	76.7	71.3	20 700*	22.0
24.0	72.6	71.6	19 200	73.8	71.3	19 800	75.0	70.7	20 000*	24.0
26.0	70.9	70.9	17 000	72.1	70.6	17 600	73.4	70.0	18 200	26.0
28.0	69.2	70.1	15 200	70.5	69.9	15 700	71.6	69.2	16 200	28.0
30.0	67.5	69.3	13 600	68.7	69.0	14 000	69.9	68.4	14 500	30.0
32.0	65.8	68.4	12 100	67.0	68.1	12 600	68.2	67.5	13 000	32.0
34.0	64.0	67.5	10 900	65.3	67.2	11 300	66.4	66.5	11 600	34.0
36.0	62.3	66.4	9 700	63.5	66.1	10 100	64.6	65.5	10 400	36.0
38.0	60.5	65.3	8 700	61.7	65.0	9 000	62.8	64.3	9 300	38.0
40.0	58.6	64.1	7 700	59.8	63.8	8 000	60.9	63.1	8 300	40.0
44.0	54.8	61.4	6 000	56.0	61.1	6 200	57.0	60.4	6 500	44.0
48.0	50.8	58.3	4 600	52.0	58.0	4 800	52.9	57.2	5 000	48.0
52.0	46.6	54.7	3 300	47.7	54.4	3 500	48.6	53.6	3 700	52.0
56.0	42.0	50.5	2 300	43.1	50.1	2 500	43.9	49.3	2 600	56.0





# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 12.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>27.5m Boom</b>										
9.1	80.7	41.4	25 000 *							9.1
10.0	79.5	41.2	24 600 *							10.0
12.0	76.5	40.7	23 700 *							12.0
14.0	73.5	40.1	22 800 *	76.5	39.8	21 200*	79.7	39.1	17 500*	14.0
16.0	70.4	39.4	22 100 *	73.4	39.1	20 700*	76.5	38.4	16 300*	16.0
18.0	67.3	38.6	21 400 *	70.2	38.2	20 200*	73.3	37.5	15 300*	18.0
20.0	64.1	37.6	20 800 *	67.0	37.3	19 800*	69.9	36.5	14 500*	20.0
22.0	60.7	36.5	20 200 *	63.7	36.1	18 900*	66.5	35.4	13 700*	22.0
24.0	57.3	35.2	19 700 *	60.2	34.8	17 600*	63.0	34.0	13 000*	24.0
26.0	53.7	33.7	19 300 *	56.6	33.3	16 500*	59.2	32.5	12 500*	26.0
28.0	49.9	32.0	18 700 *	52.7	31.6	15 500*	55.3	30.8	12 000*	28.0
30.0	45.9	30.1	17 400	48.7	29.7	14 700*	51.1	28.7	11 500*	30.0
32.0	41.6	27.9	15 600	44.3	27.4	13 900*	46.5	26.4	11 200*	32.0
34.0	36.9	25.3	14 200	39.4	24.7	13 300*				34.0
36.0	31.5	22.1	12 900	33.9	21.5	12 800*				36.0
38.0	25.0	18.1	11 700							38.0
<b>30.5m Boom</b>										
10.7	79.3	44.2	24 400 *							10.7
12.0	77.5	43.9	23 900 *							12.0
14.0	74.7	43.3	23 100 *	77.5	43.0	21 400*	80.4	42.3	17 800*	14.0
16.0	71.9	42.6	22 400 *	74.7	42.3	20 900*	77.5	41.6	16 700*	16.0
18.0	69.0	41.8	21 700 *	71.7	41.5	20 400*	74.6	40.8	15 700*	18.0
20.0	66.0	41.0	21 100 *	68.8	40.6	20 100*	71.5	39.9	14 900*	20.0
22.0	63.0	39.9	20 600 *	65.7	39.6	19 500*	68.4	38.8	14 100*	22.0
24.0	59.9	38.8	20 100 *	62.6	38.4	18 500*	65.2	37.6	13 500*	24.0
26.0	56.7	37.4	19 600 *	59.3	37.1	17 300*	61.9	36.2	12 900*	26.0
28.0	53.3	36.0	19 000	56.0	35.6	16 300*	58.4	34.7	12 400*	28.0
30.0	49.8	34.3	17 200	52.4	33.9	15 400*	54.8	32.9	11 900*	30.0
32.0	46.1	32.4	15 500	48.6	31.9	14 600*	50.9	30.9	11 500*	32.0
34.0	42.1	30.2	14 000	44.6	29.7	14 000	46.7	28.6	11 200*	34.0
36.0	37.8	27.6	12 800	40.2	27.1	13 000				36.0
38.0	32.9	24.6	11 600	35.2	24.0	11 800				38.0
40.0	27.3	20.9	10 600							40.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 12.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>33.5m Boom</b>										
10.7	80.0	47.2	24 600 *							10.7
12.0	78.3	46.9	24 100 *							12.0
14.0	75.7	46.4	23 300 *	78.4	46.1	21 500*				14.0
16.0	73.1	45.8	22 600 *	75.7	45.5	21 000*	78.4	44.7	17 000*	16.0
18.0	70.4	45.1	22 000 *	73.0	44.7	20 600*	75.7	44.0	16 100*	18.0
20.0	67.7	44.3	21 400 *	70.3	43.9	20 200*	72.9	43.2	15 200*	20.0
22.0	64.9	43.3	20 900 *	67.5	43.0	19 900*	70.0	42.2	14 500*	22.0
24.0	62.1	42.2	20 400 *	64.6	41.9	19 200*	67.1	41.1	13 800*	24.0
26.0	59.2	41.0	19 900	61.7	40.7	18 100*	64.1	39.9	13 300*	26.0
28.0	56.1	39.7	18 900	58.6	39.3	17 000*	61.0	38.5	12 700*	28.0
30.0	53.0	38.2	16 900	55.4	37.8	16 200*	57.7	36.9	12 300*	30.0
32.0	49.7	36.5	15 200	52.1	36.1	15 400*	54.3	35.1	11 900*	32.0
34.0	46.2	34.6	13 700	48.6	34.1	14 000	50.7	33.2	11 500*	34.0
36.0	42.6	32.4	12 500	44.9	32.0	12 700	46.8	30.9	11 200*	36.0
38.0	38.6	30.0	11 300	40.8	29.4	11 500				38.0
40.0	34.2	27.1	10 300	36.3	26.5	10 500				40.0
44.0	23.1	19.3	8 500							44.0
<b>36.5m Boom</b>										
10.7	80.6	50.3	24 700 *							10.7
12.0	79.0	50.0	24 200 *							12.0
14.0	76.6	49.5	23 500 *	79.1	49.2	21 600*				14.0
16.0	74.2	49.0	22 800 *	76.6	48.6	21 200*	79.2	47.9	17 300*	16.0
18.0	71.7	48.3	22 200 *	74.1	47.9	20 800*	76.6	47.2	16 400*	18.0
20.0	69.2	47.5	21 700 *	71.6	47.2	20 400*	74.0	46.4	15 600*	20.0
22.0	66.6	46.6	21 100 *	69.0	46.3	20 000*	71.4	45.5	14 800*	22.0
24.0	64.0	45.7	20 600 *	66.4	45.3	19 700*	68.7	44.5	14 200*	24.0
26.0	61.3	44.6	20 200	63.6	44.2	18 900*	65.9	43.4	13 600*	26.0
28.0	58.5	43.3	18 700	60.9	42.9	17 800*	63.1	42.1	13 100*	28.0
30.0	55.7	42.0	16 700	58.0	41.6	16 800*	60.2	40.7	12 600*	30.0
32.0	52.7	40.4	15 000	55.0	40.0	15 400	57.1	39.1	12 200*	32.0
34.0	49.6	38.7	13 600	51.9	38.3	13 900	53.9	37.4	11 800*	34.0
36.0	46.4	36.8	12 300	48.6	36.4	12 500	50.5	35.4	11 500*	36.0
38.0	42.9	34.7	11 200	45.1	34.2	11 400	46.9	33.1	11 200*	38.0
40.0	39.2	32.3	10 100	41.3	31.8	10 300				40.0
44.0	30.7	26.2	8 400	32.6	25.6	8 500				44.0



# Liftcrane Jib Capacities

**Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating**


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 12.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>39.5m Boom</b>										
12.2	79.5	53.0	24 200 *							12.2
14.0	77.4	52.6	23 600 *	79.8	52.3	21 700*				14.0
16.0	75.1	52.1	23 000 *	77.4	51.7	21 300*	79.8	51.0	17 600*	16.0
18.0	72.8	51.5	22 400 *	75.1	51.1	20 900*	77.5	50.4	16 700*	18.0
20.0	70.4	50.7	21 900 *	72.7	50.4	20 500*	75.0	49.6	15 800*	20.0
22.0	68.0	49.9	21 400 *	70.3	49.6	20 200*	72.6	48.8	15 100*	22.0
24.0	65.6	49.0	20 900 *	67.9	48.6	19 900*	70.1	47.9	14 500*	24.0
26.0	63.1	48.0	20 400	65.3	47.6	19 600*	67.5	46.8	13 900*	26.0
28.0	60.6	46.9	18 500	62.8	46.5	18 500	64.9	45.6	13 400*	28.0
30.0	57.9	45.6	16 500	60.1	45.2	17 000	62.2	44.3	12 900*	30.0
32.0	55.2	44.2	14 800	57.4	43.8	15 200	59.4	42.9	12 500*	32.0
34.0	52.4	42.7	13 400	54.6	42.2	13 700	56.5	41.3	12 100*	34.0
36.0	49.5	41.0	12 100	51.6	40.5	12 400	53.5	39.6	11 800*	36.0
38.0	46.5	39.1	10 900	48.5	38.6	11 200	50.4	37.6	11 400	38.0
40.0	43.3	37.0	9 900	45.3	36.5	10 100	47.0	35.4	10 400	40.0
44.0	36.1	31.9	8 200	38.0	31.3	8 300				44.0
48.0	27.3	25.1	6 700							48.0
<b>42.5m Boom</b>										
12.2	80.1	56.1	24 300 *							12.2
14.0	78.1	55.7	23 800 *	80.3	55.4	21 800*				14.0
16.0	76.0	55.2	23 100 *	78.2	54.9	21 300*				16.0
18.0	73.8	54.6	22 600 *	76.0	54.3	21 000*	78.2	53.5	16 900*	18.0
20.0	71.6	53.9	22 000 *	73.7	53.6	20 600*	75.9	52.8	16 200*	20.0
22.0	69.3	53.2	21 600 *	71.5	52.8	20 300*	73.6	52.0	15 400*	22.0
24.0	67.0	52.3	21 100 *	69.2	52.0	20 000*	71.3	51.2	14 800*	24.0
26.0	64.7	51.4	20 600	66.8	51.0	19 700	68.9	50.2	14 200*	26.0
28.0	62.3	50.3	18 300	64.5	49.9	18 900	66.5	49.1	13 700*	28.0
30.0	59.9	49.2	16 300	62.0	48.8	16 800	64.0	47.9	13 200*	30.0
32.0	57.4	47.9	14 600	59.5	47.5	15 100	61.4	46.6	12 800*	32.0
34.0	54.9	46.5	13 200	56.9	46.0	13 500	58.8	45.1	12 400*	34.0
36.0	52.2	44.9	11 900	54.2	44.5	12 200	56.1	43.5	12 100*	36.0
38.0	49.5	43.2	10 800	51.4	42.8	11 100	53.2	41.8	11 300	38.0
40.0	46.6	41.3	9 700	48.5	40.9	10 000	50.2	39.8	10 200	40.0
44.0	40.3	36.9	8 000	42.2	36.4	8 200	43.7	35.2	8 400	44.0
48.0	33.1	31.3	6 500	34.8	30.6	6 700				48.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 12.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>45.5m Boom</b>										
12.2	80.6	59.2	24 400 *							12.2
14.0	78.8	58.8	23 800 *							14.0
16.0	76.7	58.3	23 200 *	78.8	58.0	21 400*				16.0
18.0	74.6	57.7	22 700 *	76.7	57.4	21 000*	78.8	56.6	17 200*	18.0
20.0	72.6	57.1	22 200 *	74.6	56.8	20 700*	76.7	56.0	16 400*	20.0
22.0	70.4	56.4	21 700 *	72.5	56.0	20 400*	74.6	55.2	15 700*	22.0
24.0	68.3	55.6	21 300 *	70.3	55.2	20 100*	72.4	54.4	15 100*	24.0
26.0	66.1	54.7	20 200	68.1	54.3	19 800	70.1	53.5	14 500*	26.0
28.0	63.9	53.7	18 000	65.9	53.3	18 600	67.9	52.5	14 000*	28.0
30.0	61.7	52.6	16 000	63.6	52.2	16 500	65.6	51.4	13 500*	30.0
32.0	59.3	51.4	14 300	61.3	51.0	14 800	63.2	50.2	13 100*	32.0
34.0	57.0	50.1	12 900	58.9	49.7	13 300	60.7	48.8	12 700*	34.0
36.0	54.5	48.7	11 600	56.5	48.3	12 000	58.2	47.4	12 200	36.0
38.0	52.0	47.2	10 400	53.9	46.7	10 800	55.6	45.8	11 100	38.0
40.0	49.4	45.4	9 400	51.3	45.0	9 700	52.9	44.0	10 000	40.0
44.0	43.8	41.5	7 700	45.6	41.0	7 900	47.1	39.9	8 100	44.0
48.0	37.5	36.6	6 200	39.3	36.1	6 400				48.0
52.0	30.2	30.4	5 000							52.0
<b>48.5m Boom</b>										
13.7	79.6	61.9	23 900 *							13.7
14.0	79.3	61.9	23 900 *							14.0
16.0	77.4	61.4	23 300 *	79.4	61.0	21 500*				16.0
18.0	75.4	60.9	22 800 *	77.4	60.5	21 100*	79.4	59.7	17 400*	18.0
20.0	73.5	60.3	22 300 *	75.4	59.9	20 800*	77.4	59.1	16 700*	20.0
22.0	71.5	59.6	21 900 *	73.4	59.2	20 500*	75.4	58.4	16 000*	22.0
24.0	69.4	58.8	21 400 *	71.4	58.5	20 200*	73.3	57.7	15 300*	24.0
26.0	67.4	58.0	19 700	69.3	57.6	19 900	71.2	56.8	14 800*	26.0
28.0	65.3	57.1	17 700	67.2	56.7	18 300	69.1	55.9	14 300*	28.0
30.0	63.2	56.1	15 800	65.1	55.7	16 300	66.9	54.8	13 800*	30.0
32.0	61.0	54.9	14 200	62.9	54.5	14 600	64.7	53.7	13 400*	32.0
34.0	58.8	53.7	12 700	60.7	53.3	13 100	62.4	52.4	13 000	34.0
36.0	56.6	52.4	11 400	58.4	52.0	11 800	60.1	51.1	12 200	36.0
38.0	54.2	51.0	10 300	56.0	50.5	10 600	57.7	49.6	10 900	38.0
40.0	51.8	49.4	9 200	53.6	48.9	9 600	55.3	48.0	9 800	40.0
44.0	46.7	45.8	7 500	48.5	45.3	7 700	50.0	44.3	8 000	44.0
48.0	41.2	41.5	6 000	42.9	40.9	6 200	44.2	39.8	6 400	48.0
52.0	34.9	36.1	4 800	36.5	35.5	5 000				52.0
56.0	27.3	29.2	3 800							56.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 12.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>51.5m Boom</b>										
13.7	80.1	65.0	23 900 *							13.7
14.0	79.8	64.9	23 900 *							14.0
16.0	78.0	64.5	23 400 *	79.9	64.1	21 500*				16.0
18.0	76.1	64.0	22 900 *	78.0	63.6	21 100*				18.0
20.0	74.3	63.4	22 400 *	76.1	63.0	20 800*	78.0	62.3	16 800*	20.0
22.0	72.4	62.8	22 000 *	74.2	62.4	20 500*	76.1	61.6	16 200*	22.0
24.0	70.5	62.0	21 200	72.3	61.7	20 300*	74.2	60.9	15 600*	24.0
26.0	68.5	61.3	19 200	70.4	60.9	19 900	72.2	60.1	15 000*	26.0
28.0	66.6	60.4	17 200	68.4	60.0	17 900	70.2	59.2	14 500*	28.0
30.0	64.6	59.4	15 500	66.4	59.0	16 100	68.1	58.2	14 100*	30.0
32.0	62.5	58.4	13 900	64.3	58.0	14 400	66.1	57.1	13 600*	32.0
34.0	60.5	57.2	12 500	62.2	56.8	12 900	63.9	56.0	13 100	34.0
36.0	58.3	56.0	11 200	60.1	55.6	11 600	61.8	54.7	12 000	36.0
38.0	56.2	54.7	10 000	57.9	54.2	10 400	59.6	53.3	10 800	38.0
40.0	53.9	53.2	9 000	55.7	52.8	9 300	57.3	51.8	9 600	40.0
44.0	49.3	49.9	7 200	51.0	49.4	7 500	52.5	48.4	7 800	44.0
48.0	44.2	46.0	5 800	45.9	45.5	6 000	47.2	44.4	6 300	48.0
52.0	38.7	41.3	4 600	40.2	40.7	4 800				52.0
56.0	32.3	35.4	3 600	33.7	34.8	3 700				56.0
60.0	24.4	27.7	2 600							60.0
<b>54.5m Boom</b>										
13.7	80.5	68.0	23 900 *							13.7
14.0	80.3	68.0	23 900 *							14.0
16.0	78.5	67.6	23 400 *	80.3	67.2	21 400*				16.0
18.0	76.8	67.1	22 900 *	78.6	66.7	21 100*				18.0
20.0	75.0	66.5	22 500 *	76.8	66.2	20 800*	78.6	65.4	17 100*	20.0
22.0	73.2	65.9	22 000 *	75.0	65.6	20 600*	76.8	64.8	16 400*	22.0
24.0	71.4	65.2	20 900	73.1	64.9	20 400*	74.9	64.1	15 800*	24.0
26.0	69.5	64.5	18 700	71.3	64.1	19 400	73.1	63.3	15 300*	26.0
28.0	67.7	63.7	16 800	69.4	63.3	17 400	71.2	62.5	14 800*	28.0
30.0	65.8	62.8	15 200	67.5	62.4	15 700	69.2	61.5	14 300*	30.0
32.0	63.9	61.8	13 700	65.6	61.4	14 200	67.3	60.5	13 900*	32.0
34.0	61.9	60.7	12 200	63.6	60.3	12 700	65.3	59.4	13 300	34.0
36.0	59.9	59.5	10 900	61.6	59.1	11 400	63.2	58.2	11 800	36.0
38.0	57.9	58.3	9 800	59.6	57.9	10 200	61.2	57.0	10 600	38.0
40.0	55.8	56.9	8 800	57.5	56.5	9 200	59.0	55.6	9 500	40.0
44.0	51.5	53.9	7 100	53.1	53.4	7 300	54.6	52.4	7 600	44.0
48.0	46.9	50.3	5 600	48.5	49.8	5 800	49.8	48.7	6 100	48.0
52.0	41.9	46.0	4 400	43.4	45.5	4 600				52.0
56.0	36.3	40.9	3 300	37.7	40.3	3 500				56.0
60.0	29.8	34.5	2 500							60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 12.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>57.5m Boom</b>										
13.7	81.0	71.1	23 900 *							13.7
14.0	80.7	71.0	23 800 *							14.0
16.0	79.0	70.6	23 400 *							16.0
18.0	77.4	70.2	22 900 *	79.1	69.8	21 100*				18.0
20.0	75.7	69.7	22 500 *	77.4	69.3	20 800*	79.1	68.5	17 300*	20.0
22.0	73.9	69.1	22 000	75.6	68.7	20 600*	77.4	67.9	16 600*	22.0
24.0	72.2	68.4	20 500	73.9	68.1	20 400*	75.6	67.2	16 000*	24.0
26.0	70.5	67.7	18 200	72.2	67.3	18 900	73.8	66.5	15 500*	26.0
28.0	68.7	66.9	16 300	70.4	66.5	16 900	72.0	65.7	15 000*	28.0
30.0	66.9	66.1	14 600	68.6	65.7	15 200	70.2	64.8	14 500*	30.0
32.0	65.1	65.1	13 200	66.7	64.7	13 700	68.4	63.9	14 100*	32.0
34.0	63.2	64.1	11 900	64.9	63.7	12 300	66.5	62.9	12 800	34.0
36.0	61.4	63.0	10 700	63.0	62.6	11 100	64.6	61.7	11 500	36.0
38.0	59.5	61.8	9 500	61.1	61.4	9 900	62.6	60.5	10 300	38.0
40.0	57.5	60.6	8 500	59.1	60.1	8 900	60.6	59.2	9 200	40.0
44.0	53.5	57.7	6 700	55.0	57.3	7 100	56.5	56.3	7 400	44.0
48.0	49.2	54.4	5 300	50.7	53.9	5 600	52.1	52.9	5 800	48.0
52.0	44.6	50.5	4 100	46.1	50.0	4 300	47.3	48.9	4 500	52.0
56.0	39.6	45.9	3 000	41.0	45.3	3 200				56.0
60.0	34.0	40.3	2 100	35.3	39.7	2 300				60.0
<b>60.5m Boom</b>										
15.2	80.1	73.8	23 500 *							15.2
16.0	79.5	73.7	23 300 *							16.0
18.0	77.9	73.3	22 900 *	79.5	72.9	21 100*				18.0
20.0	76.3	72.8	22 500 *	77.9	72.4	20 800*	79.6	71.6	17 400*	20.0
22.0	74.6	72.2	21 900	76.3	71.8	20 600*	77.9	71.0	16 800*	22.0
24.0	73.0	71.6	19 900	74.6	71.2	20 300	76.2	70.4	16 200*	24.0
26.0	71.3	70.9	17 700	72.9	70.5	18 400	74.6	69.7	15 700*	26.0
28.0	69.6	70.2	15 800	71.2	69.8	16 500	72.8	68.9	15 200*	28.0
30.0	67.9	69.3	14 200	69.5	68.9	14 800	71.1	68.1	14 800*	30.0
32.0	66.2	68.4	12 700	67.8	68.1	13 300	69.3	67.2	13 900	32.0
34.0	64.4	67.5	11 500	66.0	67.1	12 000	67.6	66.2	12 500	34.0
36.0	62.7	66.4	10 300	64.2	66.0	10 800	65.7	65.2	11 300	36.0
38.0	60.9	65.3	9 300	62.4	64.9	9 700	63.9	64.0	10 100	38.0
40.0	59.0	64.1	8 200	60.6	63.7	8 700	62.0	62.8	9 100	40.0
44.0	55.2	61.4	6 500	56.7	61.0	6 800	58.1	60.0	7 200	44.0
48.0	51.2	58.3	5 000	52.7	57.9	5 400	54.0	56.9	5 600	48.0
52.0	47.0	54.8	3 800	48.4	54.3	4 100	49.7	53.2	4 300	52.0
56.0	42.4	50.6	2 800	43.8	50.0	3 000	45.0	48.9	3 200	56.0
60.0				38.7	45.0	2 100				60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating

**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom


## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 12.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>63.5m Boom</b>										
15.2	80.5	76.9	23 400 *							15.2
16.0	79.9	76.7	23 200 *							16.0
18.0	78.4	76.3	22 900 *	80.0	76.0	21 100*				18.0
20.0	76.8	75.9	22 500 *	78.4	75.5	20 800*	80.0	74.7	17 600*	20.0
22.0	75.2	75.3	21 700	76.8	75.0	20 600*	78.4	74.1	17 000*	22.0
24.0	73.7	74.7	19 400	75.2	74.4	19 900	76.8	73.5	16 400*	24.0
26.0	72.1	74.1	17 200	73.6	73.7	18 000	75.2	72.9	15 900*	26.0
28.0	70.5	73.4	15 400	72.0	73.0	16 000	73.6	72.1	15 400*	28.0
30.0	68.8	72.6	13 800	70.4	72.2	14 400	71.9	71.4	14 800	30.0
32.0	67.2	71.7	12 300	68.7	71.3	12 900	70.2	70.5	13 500	32.0
34.0	65.5	70.8	11 000	67.1	70.4	11 600	68.5	69.6	12 100	34.0
36.0	63.8	69.8	9 900	65.4	69.4	10 400	66.8	68.6	10 900	36.0
38.0	62.1	68.8	8 900	63.6	68.4	9 300	65.1	67.5	9 800	38.0
40.0	60.4	67.6	7 900	61.9	67.2	8 400	63.3	66.3	8 800	40.0
44.0	56.8	65.1	6 300	58.3	64.7	6 700	59.6	63.7	7 000	44.0
48.0	53.1	62.2	4 800	54.5	61.7	5 100	55.8	60.7	5 400	48.0
52.0	49.1	58.8	3 600	50.5	58.4	3 900	51.7	57.3	4 100	52.0
56.0	44.9	55.0	2 600	46.3	54.5	2 800	47.4	53.3	3 000	56.0





# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>27.5m Boom</b>										
10.7	79.6	44.2	20 500 *							10.7
12.0	77.8	43.9	20 000 *							12.0
14.0	75.0	43.3	19 300 *	78.6	43.0	17 900*				14.0
16.0	72.2	42.7	18 600 *	75.7	42.3	17 300*	79.4	41.5	14 400*	16.0
18.0	69.3	41.9	18 000 *	72.8	41.5	16 800*	76.4	40.7	13 400*	18.0
20.0	66.4	41.0	17 400 *	69.9	40.6	16 300*	73.4	39.8	12 500*	20.0
22.0	63.4	40.0	16 800 *	66.8	39.6	15 700*	70.3	38.7	11 700*	22.0
24.0	60.2	38.8	16 200 *	63.7	38.4	14 600*	67.1	37.5	11 100*	24.0
26.0	57.0	37.5	15 700 *	60.4	37.1	13 700*	63.7	36.2	10 500*	26.0
28.0	53.7	36.0	15 200 *	57.1	35.6	12 800*	60.2	34.6	10 000*	28.0
30.0	50.2	34.3	14 700 *	53.5	33.9	12 100*	56.6	32.9	9 600*	30.0
32.0	46.5	32.4	13 800 *	49.7	31.9	11 500*	52.7	30.9	9 200*	32.0
34.0	42.5	30.2	13 000 *	45.7	29.7	10 900*	48.5	28.5	8 900*	34.0
36.0	38.2	27.7	12 200 *	41.3	27.1	10 400*				36.0
38.0	33.4	24.7	11 500 *	36.3	24.1	10 000*				38.0
40.0	27.7	21.0	10 900							40.0
<b>30.5m Boom</b>										
10.7	80.3	47.3	20 600 *							10.7
12.0	78.6	47.0	20 200 *							12.0
14.0	76.0	46.5	19 500 *	79.4	46.1	18 000*				14.0
16.0	73.4	45.9	18 800 *	76.7	45.5	17 500*				16.0
18.0	70.7	45.1	18 300 *	74.0	44.8	16 900*	77.4	43.9	13 600*	18.0
20.0	68.0	44.3	17 700 *	71.3	43.9	16 500*	74.6	43.1	12 800*	20.0
22.0	65.3	43.4	17 100 *	68.5	43.0	16 100*	71.8	42.1	12 100*	22.0
24.0	62.4	42.3	16 600 *	65.6	41.9	15 300*	68.8	41.0	11 400*	24.0
26.0	59.5	41.1	16 100 *	62.7	40.7	14 300*	65.8	39.8	10 900*	26.0
28.0	56.5	39.8	15 600 *	59.6	39.3	13 500*	62.7	38.4	10 400*	28.0
30.0	53.3	38.3	15 200 *	56.5	37.8	12 700*	59.4	36.8	9 900*	30.0
32.0	50.1	36.6	14 700 *	53.1	36.1	12 100*	56.0	35.1	9 500*	32.0
34.0	46.6	34.7	13 900 *	49.6	34.2	11 500*	52.3	33.1	9 200*	34.0
36.0	42.9	32.5	13 000	45.9	32.0	10 900*	48.5	30.8	8 900*	36.0
38.0	38.9	30.0	11 900	41.8	29.5	10 500*	44.2	28.2	8 600*	38.0
40.0	34.6	27.2	10 900	37.3	26.5	10 100*				40.0
44.0	23.6	19.4	9 100							44.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>33.5m Boom</b>										
10.7	80.9	50.3	20 800 *							10.7
12.0	79.3	50.1	20 300 *							12.0
14.0	76.9	49.6	19 600 *	80.1	49.2	18 100*				14.0
16.0	74.5	49.0	19 000 *	77.6	48.6	17 600*				16.0
18.0	72.0	48.3	18 500 *	75.1	47.9	17 100*	78.2	47.1	14 000*	18.0
20.0	69.5	47.6	18 000 *	72.6	47.2	16 600*	75.7	46.3	13 100*	20.0
22.0	66.9	46.7	17 400 *	70.0	46.3	16 200*	73.0	45.4	12 400*	22.0
24.0	64.3	45.7	16 900 *	67.3	45.3	15 800*	70.3	44.4	11 800*	24.0
26.0	61.6	44.6	16 400 *	64.6	44.2	14 900*	67.5	43.3	11 200*	26.0
28.0	58.8	43.4	15 900 *	61.8	42.9	14 000*	64.7	42.0	10 700*	28.0
30.0	56.0	42.0	15 500 *	58.9	41.6	13 300*	61.7	40.6	10 300*	30.0
32.0	53.0	40.5	15 100 *	55.9	40.0	12 600*	58.7	39.0	9 800*	32.0
34.0	49.9	38.8	14 100	52.8	38.3	12 000*	55.4	37.2	9 500*	34.0
36.0	46.7	36.9	12 800	49.5	36.4	11 400*	52.1	35.3	9 100*	36.0
38.0	43.3	34.8	11 600	46.0	34.2	10 900*	48.4	33.0	8 900*	38.0
40.0	39.6	32.4	10 600	42.3	31.8	10 500*				40.0
44.0	31.1	26.3	8 800	33.6	25.6	9 000				44.0
<b>36.5m Boom</b>										
12.2	79.7	53.1	20 300 *							12.2
14.0	77.7	52.7	19 800 *	80.7	52.3	18 200*				14.0
16.0	75.4	52.1	19 200 *	78.3	51.7	17 700*				16.0
18.0	73.1	51.5	18 700 *	76.0	51.1	17 300*	79.0	50.3	14 200*	18.0
20.0	70.7	50.8	18 100 *	73.6	50.4	16 800*	76.6	49.5	13 400*	20.0
22.0	68.3	50.0	17 700 *	71.2	49.6	16 400*	74.1	48.7	12 700*	22.0
24.0	65.9	49.1	17 200 *	68.8	48.6	16 000*	71.6	47.7	12 100*	24.0
26.0	63.4	48.0	16 700 *	66.2	47.6	15 500*	69.0	46.7	11 500*	26.0
28.0	60.9	46.9	16 200 *	63.7	46.5	14 600*	66.4	45.5	11 000*	28.0
30.0	58.2	45.7	15 800 *	61.0	45.2	13 800*	63.7	44.2	10 500*	30.0
32.0	55.5	44.3	15 300	58.3	43.8	13 100*	60.9	42.8	10 100*	32.0
34.0	52.7	42.7	13 900	55.5	42.3	12 500*	58.0	41.2	9 800*	34.0
36.0	49.8	41.0	12 600	52.5	40.5	11 900*	55.0	39.4	9 400*	36.0
38.0	46.8	39.1	11 400	49.4	38.6	11 400*	51.8	37.5	9 100*	38.0
40.0	43.6	37.0	10 400	46.2	36.5	10 700	48.4	35.2	8 900*	40.0
44.0	36.4	32.0	8 600	38.9	31.3	8 900				44.0
48.0	27.7	25.2	7 200							48.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>39.5m Boom</b>										
12.2	80.3	56.1	20 400 *							12.2
14.0	78.4	55.8	19 900 *							14.0
16.0	76.2	55.2	19 300 *	79.0	54.9	17 800*				16.0
18.0	74.0	54.7	18 800 *	76.8	54.3	17 400*	79.6	53.4	14 400*	18.0
20.0	71.8	54.0	18 300 *	74.6	53.6	17 000*	77.4	52.7	13 600*	20.0
22.0	69.6	53.2	17 900 *	72.3	52.8	16 600*	75.1	51.9	12 900*	22.0
24.0	67.3	52.4	17 400 *	70.0	51.9	16 200*	72.7	51.0	12 300*	24.0
26.0	65.0	51.4	16 900 *	67.7	51.0	15 800*	70.3	50.1	11 800*	26.0
28.0	62.6	50.4	16 500 *	65.3	49.9	15 200*	67.9	49.0	11 300*	28.0
30.0	60.2	49.2	16 100 *	62.9	48.8	14 300*	65.4	47.8	10 800*	30.0
32.0	57.7	47.9	15 100	60.3	47.5	13 600*	62.8	46.5	10 400*	32.0
34.0	55.1	46.5	13 600	57.8	46.0	13 000*	60.2	45.0	10 000*	34.0
36.0	52.5	45.0	12 400	55.1	44.5	12 400*	57.4	43.4	9 700*	36.0
38.0	49.7	43.3	11 200	52.3	42.8	11 600	54.6	41.6	9 400*	38.0
40.0	46.9	41.4	10 200	49.4	40.8	10 500	51.6	39.7	9 100*	40.0
44.0	40.6	37.0	8 500	43.0	36.4	8 700	45.0	35.0	8 700*	44.0
48.0	33.4	31.4	7 000	35.7	30.6	7 200				48.0
<b>42.5m Boom</b>										
12.2	80.8	59.2	20 500 *							12.2
14.0	79.0	58.8	20 000 *							14.0
16.0	77.0	58.4	19 400 *	79.6	58.0	17 900*				16.0
18.0	74.9	57.8	18 900 *	77.5	57.4	17 500*				18.0
20.0	72.8	57.2	18 500 *	75.4	56.8	17 100*	78.1	55.9	13 900*	20.0
22.0	70.7	56.4	18 000 *	73.3	56.0	16 700*	75.9	55.1	13 200*	22.0
24.0	68.6	55.6	17 600 *	71.1	55.2	16 300*	73.7	54.3	12 600*	24.0
26.0	66.4	54.8	17 200 *	69.0	54.3	16 000*	71.5	53.4	12 000*	26.0
28.0	64.2	53.8	16 700 *	66.7	53.3	15 600*	69.2	52.4	11 500*	28.0
30.0	61.9	52.7	16 300	64.4	52.2	14 900*	66.9	51.3	11 100*	30.0
32.0	59.6	51.5	14 900	62.1	51.0	14 100*	64.5	50.0	10 700*	32.0
34.0	57.2	50.2	13 500	59.7	49.7	13 500*	62.1	48.7	10 300*	34.0
36.0	54.8	48.8	12 200	57.3	48.3	12 600	59.5	47.2	9 900*	36.0
38.0	52.3	47.2	11 000	54.7	46.7	11 400	56.9	45.6	9 600*	38.0
40.0	49.7	45.5	10 000	52.1	45.0	10 300	54.2	43.8	9 400*	40.0
44.0	44.1	41.6	8 200	46.4	41.0	8 600	48.4	39.7	8 800	44.0
48.0	37.8	36.7	6 800	40.1	36.0	7 000				48.0
52.0	30.5	30.5	5 600							52.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>45.5m Boom</b>										
13.7	79.8	62.0	20 100 *							13.7
14.0	79.5	61.9	20 000 *							14.0
16.0	77.6	61.4	19 500 *	80.1	61.0	17 900*				16.0
18.0	75.7	60.9	19 000 *	78.2	60.5	17 600*				18.0
20.0	73.7	60.3	18 600 *	76.2	59.9	17 200*	78.7	59.0	14 100*	20.0
22.0	71.7	59.6	18 100 *	74.2	59.2	16 800*	76.7	58.3	13 400*	22.0
24.0	69.7	58.9	17 700 *	72.1	58.5	16 500*	74.6	57.5	12 800*	24.0
26.0	67.6	58.0	17 400 *	70.1	57.6	16 200*	72.5	56.7	12 300*	26.0
28.0	65.5	57.1	17 000 *	68.0	56.7	15 900*	70.4	55.7	11 800*	28.0
30.0	63.4	56.1	16 200	65.8	55.7	15 400*	68.2	54.7	11 300*	30.0
32.0	61.3	55.0	14 600	63.7	54.5	14 600*	66.0	53.5	10 900*	32.0
34.0	59.1	53.8	13 100	61.4	53.3	13 700	63.7	52.3	10 500*	34.0
36.0	56.8	52.5	11 900	59.2	52.0	12 300	61.4	50.9	10 200*	36.0
38.0	54.5	51.0	10 700	56.8	50.5	11 100	59.0	49.4	9 900*	38.0
40.0	52.1	49.4	9 700	54.4	48.9	10 100	56.5	47.8	9 600*	40.0
44.0	47.0	45.9	8 000	49.3	45.3	8 200	51.2	44.1	8 500	44.0
48.0	41.5	41.5	6 500	43.6	40.9	6 800	45.4	39.6	7 000	48.0
52.0	35.2	36.2	5 300	37.2	35.5	5 500				52.0
56.0	27.6	29.3	4 200							56.0
<b>48.5m Boom</b>										
13.7	80.3	65.0	20 100 *							13.7
14.0	80.0	65.0	20 100 *							14.0
16.0	78.2	64.5	19 600 *							16.0
18.0	76.3	64.0	19 100 *	78.7	63.6	17 600*				18.0
20.0	74.5	63.5	18 700 *	76.9	63.0	17 300*	79.3	62.1	14 300*	20.0
22.0	72.6	62.8	18 300 *	75.0	62.4	16 900*	77.3	61.5	13 600*	22.0
24.0	70.7	62.1	17 900 *	73.0	61.7	16 600*	75.4	60.7	13 000*	24.0
26.0	68.7	61.3	17 500 *	71.1	60.9	16 300*	73.4	59.9	12 500*	26.0
28.0	66.8	60.4	17 200 *	69.1	60.0	16 000*	71.4	59.0	12 000*	28.0
30.0	64.8	59.5	16 200	67.1	59.0	15 700*	69.3	58.1	11 600*	30.0
32.0	62.8	58.4	14 400	65.1	58.0	15 000	67.3	57.0	11 200*	32.0
34.0	60.7	57.3	13 000	63.0	56.8	13 400	65.1	55.8	10 700*	34.0
36.0	58.6	56.1	11 600	60.8	55.6	12 100	63.0	54.5	10 400*	36.0
38.0	56.4	54.7	10 500	58.6	54.2	10 900	60.7	53.2	10 100*	38.0
40.0	54.2	53.3	9 500	56.4	52.8	9 900	58.4	51.7	9 800*	40.0
44.0	49.5	50.0	7 700	51.7	49.4	8 100	53.6	48.3	8 400	44.0
48.0	44.5	46.1	6 300	46.6	45.5	6 600	48.4	44.2	6 800	48.0
52.0	38.9	41.4	5 100	41.0	40.7	5 300				52.0
56.0	32.6	35.5	4 000	34.5	34.7	4 200				56.0
60.0	24.7	27.8	3 100							60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>51.5m Boom</b>										
13.7	80.7	68.1	20 100 *							13.7
14.0	80.5	68.0	20 100 *							14.0
16.0	78.7	67.6	19 600 *							16.0
18.0	77.0	67.1	19 100 *	79.3	66.7	17 700*				18.0
20.0	75.2	66.6	18 700 *	77.5	66.2	17 400*	79.8	65.2	14 500*	20.0
22.0	73.4	66.0	18 400 *	75.7	65.5	17 000*	77.9	64.6	13 800*	22.0
24.0	71.6	65.3	18 000 *	73.8	64.9	16 700*	76.1	63.9	13 200*	24.0
26.0	69.8	64.5	17 600 *	72.0	64.1	16 400*	74.2	63.2	12 700*	26.0
28.0	67.9	63.7	17 100	70.1	63.3	16 100*	72.3	62.3	12 200*	28.0
30.0	66.0	62.8	15 800	68.2	62.4	15 900*	70.4	61.4	11 800*	30.0
32.0	64.1	61.8	14 200	66.3	61.4	14 800	68.4	60.4	11 400*	32.0
34.0	62.1	60.8	12 700	64.3	60.3	13 300	66.4	59.3	11 000*	34.0
36.0	60.2	59.6	11 400	62.3	59.1	11 900	64.4	58.1	10 600*	36.0
38.0	58.1	58.3	10 300	60.3	57.9	10 800	62.3	56.8	10 300*	38.0
40.0	56.1	57.0	9 200	58.2	56.5	9 700	60.2	55.4	10 000	40.0
44.0	51.7	53.9	7 500	53.8	53.4	7 900	55.7	52.2	8 200	44.0
48.0	47.1	50.3	6 000	49.1	49.8	6 400	50.9	48.5	6 600	48.0
52.0	42.1	46.1	4 800	44.1	45.5	5 100	45.7	44.1	5 300	52.0
56.0	36.5	41.0	3 800	38.4	40.3	4 000				56.0
60.0	30.0	34.6	2 900							60.0
64.0	21.8	25.9	2 100							64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>54.5m Boom</b>										
15.2	79.9	70.8	19 800 *							15.2
16.0	79.2	70.7	19 600 *							16.0
18.0	77.6	70.2	19 200 *	79.7	69.8	17 700*				18.0
20.0	75.9	69.7	18 800 *	78.0	69.3	17 400*	80.2	68.4	14 700*	20.0
22.0	74.1	69.1	18 400 *	76.3	68.7	17 100*	78.5	67.8	14 000*	22.0
24.0	72.4	68.5	18 100 *	74.6	68.0	16 800*	76.7	67.1	13 400*	24.0
26.0	70.7	67.8	17 700	72.8	67.3	16 500*	74.9	66.4	12 900*	26.0
28.0	68.9	67.0	17 000	71.0	66.5	16 200*	73.1	65.6	12 400*	28.0
30.0	67.1	66.1	15 200	69.2	65.7	15 800	71.3	64.7	12 000*	30.0
32.0	65.3	65.2	13 800	67.4	64.7	14 400	69.4	63.7	11 600*	32.0
34.0	63.5	64.2	12 500	65.6	63.7	13 100	67.6	62.7	11 200*	34.0
36.0	61.6	63.1	11 200	63.7	62.6	11 700	65.6	61.6	10 800*	36.0
38.0	59.7	61.9	10 100	61.7	61.4	10 500	63.7	60.4	10 500*	38.0
40.0	57.7	60.6	9 000	59.8	60.1	9 500	61.7	59.0	10 000	40.0
44.0	53.7	57.8	7 300	55.7	57.2	7 700	57.5	56.1	8 000	44.0
48.0	49.4	54.4	5 800	51.4	53.9	6 200	53.1	52.7	6 500	48.0
52.0	44.8	50.6	4 600	46.7	50.0	4 900	48.4	48.7	5 100	52.0
56.0	39.8	46.0	3 600	41.7	45.3	3 800	43.1	43.9	4 000	56.0
60.0	34.2	40.4	2 700	35.9	39.7	2 900				60.0
64.0	27.6	33.4	1 900							64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating

**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom


## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>57.5m Boom</b>										
15.2	80.3	73.9	19 800 *							15.2
16.0	79.7	73.7	19 600 *							16.0
18.0	78.1	73.3	19 200 *							18.0
20.0	76.5	72.8	18 800 *	78.5	72.4	17 400*	80.7	71.4	14 800*	20.0
22.0	74.8	72.3	18 500 *	76.9	71.8	17 200*	79.0	70.9	14 200*	22.0
24.0	73.2	71.6	18 100 *	75.2	71.2	16 800*	77.3	70.2	13 600*	24.0
26.0	71.5	70.9	17 800	73.6	70.5	16 600*	75.6	69.5	13 100*	26.0
28.0	69.8	70.2	16 400	71.9	69.8	16 300*	73.9	68.8	12 600*	28.0
30.0	68.1	69.4	14 700	70.2	68.9	15 500	72.1	68.0	12 200*	30.0
32.0	66.4	68.5	13 300	68.4	68.0	14 000	70.4	67.0	11 800*	32.0
34.0	64.6	67.5	12 000	66.7	67.1	12 600	68.6	66.1	11 400*	34.0
36.0	62.9	66.5	10 900	64.9	66.0	11 400	66.8	65.0	11 100*	36.0
38.0	61.1	65.4	9 800	63.0	64.9	10 300	64.9	63.9	10 700*	38.0
40.0	59.2	64.2	8 700	61.2	63.7	9 200	63.0	62.6	9 700	40.0
44.0	55.4	61.5	7 000	57.4	61.0	7 400	59.1	59.9	7 800	44.0
48.0	51.4	58.4	5 500	53.3	57.9	5 900	55.0	56.7	6 200	48.0
52.0	47.2	54.8	4 300	49.1	54.2	4 600	50.7	53.0	4 900	52.0
56.0	42.6	50.6	3 300	44.5	50.0	3 500	45.9	48.6	3 700	56.0
60.0	37.6	45.7	2 400	39.4	45.0	2 600				60.0
64.0				33.6	38.9	1 800				64.0





# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 15.2m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>60.5m Boom</b>										
15.2	80.7	76.9	19 700 *							15.2
16.0	80.1	76.8	19 600 *							16.0
18.0	78.6	76.4	19 200 *							18.0
20.0	77.0	75.9	18 800 *	79.0	75.5	17 400*				20.0
22.0	75.4	75.4	18 500 *	77.4	74.9	17 200*	79.4	74.0	14 400*	22.0
24.0	73.9	74.8	18 200 *	75.8	74.3	16 900*	77.8	73.4	13 800*	24.0
26.0	72.3	74.1	17 800	74.2	73.7	16 600*	76.2	72.7	13 300*	26.0
28.0	70.7	73.4	15 900	72.6	73.0	16 300	74.6	72.0	12 800*	28.0
30.0	69.0	72.6	14 300	71.0	72.2	15 100	72.9	71.2	12 400*	30.0
32.0	67.4	71.8	12 900	69.3	71.3	13 600	71.2	70.3	12 000*	32.0
34.0	65.7	70.9	11 600	67.7	70.4	12 200	69.5	69.4	11 600*	34.0
36.0	64.0	69.9	10 500	66.0	69.4	11 100	67.8	68.4	11 300*	36.0
38.0	62.3	68.8	9 400	64.2	68.3	10 000	66.1	67.3	10 500	38.0
40.0	60.6	67.7	8 500	62.5	67.2	9 000	64.3	66.1	9 500	40.0
44.0	57.0	65.2	6 700	58.9	64.6	7 200	60.6	63.5	7 600	44.0
48.0	53.3	62.2	5 300	55.1	61.7	5 700	56.8	60.6	6 000	48.0
52.0	49.3	58.9	4 100	51.1	58.3	4 400	52.7	57.1	4 700	52.0
56.0	45.1	55.1	3 100	46.9	54.4	3 300	48.3	53.1	3 500	56.0
60.0	40.6	50.6	2 100	42.3	49.9	2 400				60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>27.5m Boom</b>										
10.7	80.4	47.3	17 600 *							10.7
12.0	78.7	47.0	17 200 *							12.0
14.0	76.1	46.5	16 600 *	80.5	46.2	13 300*				14.0
16.0	73.5	45.9	15 900 *	77.9	45.6	13 300*				16.0
18.0	70.8	45.2	15 300 *	75.2	44.9	13 300*	79.3	44.1	12 200*	18.0
20.0	68.1	44.4	14 700 *	72.5	44.1	13 300*	76.5	43.2	11 400*	20.0
22.0	65.3	43.4	14 200 *	69.7	43.2	13 100*	73.7	42.3	10 600*	22.0
24.0	62.5	42.4	13 700 *	66.8	42.1	12 800*	70.8	41.2	10 000*	24.0
26.0	59.6	41.2	13 200 *	63.9	40.9	12 400*	67.8	40.0	9 500*	26.0
28.0	56.6	39.8	12 800 *	60.9	39.6	11 700*	64.7	38.6	8 900*	28.0
30.0	53.4	38.3	12 400 *	57.7	38.1	11 000*	61.4	37.1	8 500*	30.0
32.0	50.2	36.6	12 000 *	54.4	36.4	10 300*	58.0	35.3	8 100*	32.0
34.0	46.7	34.7	11 400 *	51.0	34.5	9 800*	54.4	33.4	7 800*	34.0
36.0	43.0	32.6	10 700 *	47.3	32.4	9 300*	50.6	31.2	7 400*	36.0
38.0	39.1	30.1	10 000 *	43.3	29.9	8 800*	46.4	28.6	7 200*	38.0
40.0	34.7	27.3	9 500 *	38.9	27.1	8 500*				40.0
44.0	23.8	19.5	8 600 *							44.0
<b>30.5m Boom</b>										
10.7	81.0	50.4	17 700 *							10.7
12.0	79.4	50.1	17 300 *							12.0
14.0	77.0	49.6	16 700 *							14.0
16.0	74.5	49.1	16 100 *	78.7	48.8	13 300*				16.0
18.0	72.1	48.4	15 500 *	76.2	48.1	13 300*				18.0
20.0	69.5	47.6	15 000 *	73.6	47.3	13 300*	77.5	46.4	11 700*	20.0
22.0	67.0	46.8	14 500 *	71.1	46.5	13 300*	74.8	45.6	10 900*	22.0
24.0	64.4	45.8	14 000 *	68.4	45.5	13 000*	72.1	44.6	10 300*	24.0
26.0	61.7	44.7	13 500 *	65.7	44.4	12 600*	69.4	43.5	9 700*	26.0
28.0	58.9	43.4	13 100 *	63.0	43.2	12 200*	66.5	42.2	9 200*	28.0
30.0	56.1	42.1	12 700 *	60.1	41.8	11 500*	63.6	40.8	8 800*	30.0
32.0	53.1	40.6	12 300 *	57.1	40.3	10 800*	60.6	39.3	8 400*	32.0
34.0	50.1	38.9	12 000 *	54.0	38.6	10 300*	57.4	37.5	8 000*	34.0
36.0	46.8	37.0	11 400 *	50.8	36.7	9 700*	54.0	35.6	7 700*	36.0
38.0	43.4	34.9	10 700 *	47.3	34.6	9 300*	50.4	33.4	7 400*	38.0
40.0	39.7	32.5	10 100 *	43.6	32.2	8 900*	46.5	30.9	7 200*	40.0
44.0	31.2	26.5	9 100 *	35.1	26.2	8 200*				44.0



# Liftcrane Jib Capacities

**Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating**


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>33.5m Boom</b>										
12.2	79.8	53.1	17 400 *							12.2
14.0	77.7	52.7	16 800 *							14.0
16.0	75.5	52.2	16 300 *	79.4	51.9	13 300*				16.0
18.0	73.1	51.6	15 700 *	77.0	51.3	13 300*				18.0
20.0	70.8	50.8	15 200 *	74.7	50.5	13 300*	78.3	49.6	11 900*	20.0
22.0	68.4	50.0	14 700 *	72.2	49.7	13 300*	75.8	48.8	11 200*	22.0
24.0	66.0	49.1	14 200 *	69.8	48.8	13 100*	73.3	47.9	10 500*	24.0
26.0	63.5	48.1	13 800 *	67.3	47.8	12 800*	70.8	46.9	10 000*	26.0
28.0	60.9	47.0	13 400 *	64.7	46.7	12 500*	68.1	45.7	9 500*	28.0
30.0	58.3	45.7	13 000 *	62.1	45.5	12 000*	65.4	44.4	9 100*	30.0
32.0	55.6	44.3	12 600 *	59.4	44.1	11 300*	62.7	43.0	8 700*	32.0
34.0	52.8	42.8	12 200 *	56.6	42.5	10 800*	59.8	41.4	8 300*	34.0
36.0	49.9	41.1	11 900 *	53.7	40.8	10 200*	56.8	39.7	8 000*	36.0
38.0	46.9	39.2	11 400 *	50.6	39.0	9 700*	53.6	37.8	7 700*	38.0
40.0	43.7	37.1	10 700	47.4	36.9	9 300*	50.3	35.6	7 400*	40.0
44.0	36.6	32.1	9 100	40.2	31.8	8 600*	42.7	30.3	7 000*	44.0
48.0	27.8	25.3	7 600							48.0
<b>36.5m Boom</b>										
12.2	80.4	56.2	17 500 *							12.2
14.0	78.4	55.8	17 000 *							14.0
16.0	76.3	55.3	16 500 *	80.0	55.0	13 300*				16.0
18.0	74.1	54.7	16 000 *	77.8	54.4	13 300*				18.0
20.0	71.9	54.0	15 400 *	75.5	53.7	13 300*	79.0	52.8	12 100*	20.0
22.0	69.6	53.3	14 900 *	73.3	53.0	13 300*	76.7	52.0	11 400*	22.0
24.0	67.4	52.4	14 500 *	71.0	52.1	13 200*	74.3	51.2	10 800*	24.0
26.0	65.1	51.5	14 000 *	68.7	51.2	13 000*	71.9	50.2	10 200*	26.0
28.0	62.7	50.4	13 600 *	66.3	50.1	12 700*	69.5	49.1	9 700*	28.0
30.0	60.3	49.3	13 200 *	63.9	49.0	12 400*	67.0	47.9	9 300*	30.0
32.0	57.8	48.0	12 900 *	61.4	47.7	11 800*	64.5	46.6	8 900*	32.0
34.0	55.2	46.6	12 600 *	58.8	46.3	11 200*	61.8	45.2	8 500*	34.0
36.0	52.6	45.0	12 200 *	56.1	44.8	10 600*	59.1	43.6	8 200*	36.0
38.0	49.8	43.3	11 600	53.4	43.1	10 100*	56.3	41.9	7 900*	38.0
40.0	47.0	41.5	10 700	50.5	41.2	9 700*	53.3	39.9	7 700*	40.0
44.0	40.7	37.1	8 900	44.2	36.8	8 900*	46.8	35.4	7 200*	44.0
48.0	33.5	31.5	7 400	36.9	31.2	7 700				48.0
52.0	24.4	23.7	6 200							52.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>39.5m Boom</b>										
12.2	80.9	59.3	17 500 *							12.2
14.0	79.0	58.9	17 000 *							14.0
16.0	77.0	58.4	16 600 *							16.0
18.0	74.9	57.9	16 100 *	78.4	57.5	13 300*				18.0
20.0	72.9	57.2	15 600 *	76.3	56.9	13 300*	79.6	55.9	12 300*	20.0
22.0	70.8	56.5	15 100 *	74.2	56.2	13 300*	77.4	55.2	11 700*	22.0
24.0	68.6	55.7	14 600 *	72.1	55.4	13 300*	75.2	54.4	11 000*	24.0
26.0	66.5	54.8	14 200 *	69.9	54.5	13 100*	73.0	53.5	10 500*	26.0
28.0	64.2	53.8	13 900 *	67.7	53.5	12 800*	70.7	52.5	10 000*	28.0
30.0	62.0	52.7	13 500 *	65.4	52.4	12 500*	68.4	51.4	9 500*	30.0
32.0	59.7	51.6	13 100 *	63.1	51.3	12 300*	66.0	50.2	9 200*	32.0
34.0	57.3	50.3	12 800 *	60.7	50.0	11 600*	63.6	48.9	8 800*	34.0
36.0	54.9	48.8	12 400	58.2	48.5	11 100*	61.1	47.4	8 400*	36.0
38.0	52.4	47.3	11 500	55.7	47.0	10 600*	58.5	45.8	8 100*	38.0
40.0	49.8	45.6	10 400	53.1	45.3	10 100*	55.8	44.1	7 900*	40.0
44.0	44.2	41.6	8 600	47.5	41.4	9 100	50.0	40.0	7 400*	44.0
48.0	38.0	36.8	7 200	41.2	36.5	7 500	43.5	35.0	7 000*	48.0
52.0	30.6	30.6	6 000	33.8	30.3	6 200				52.0
<b>42.5m Boom</b>										
13.7	79.9	62.0	17 200 *							13.7
14.0	79.6	62.0	17 100 *							14.0
16.0	77.7	61.5	16 600 *							16.0
18.0	75.7	61.0	16 200 *	79.0	60.6	13 300*				18.0
20.0	73.7	60.4	15 700 *	77.0	60.0	13 300*	80.1	59.1	12 500*	20.0
22.0	71.8	59.7	15 300 *	75.0	59.4	13 300*	78.1	58.4	11 800*	22.0
24.0	69.7	58.9	14 900 *	73.0	58.6	13 300*	76.0	57.6	11 200*	24.0
26.0	67.7	58.1	14 400 *	71.0	57.8	13 200*	73.9	56.8	10 700*	26.0
28.0	65.6	57.2	14 000 *	68.9	56.9	12 900*	71.8	55.8	10 200*	28.0
30.0	63.5	56.2	13 700 *	66.7	55.9	12 700*	69.6	54.8	9 800*	30.0
32.0	61.3	55.1	13 300 *	64.6	54.7	12 400*	67.4	53.7	9 400*	32.0
34.0	59.1	53.8	13 000 *	62.3	53.5	12 100*	65.1	52.4	9 000*	34.0
36.0	56.9	52.5	12 400	60.1	52.2	11 500*	62.8	51.1	8 700*	36.0
38.0	54.6	51.1	11 200	57.7	50.8	11 000*	60.4	49.6	8 400*	38.0
40.0	52.2	49.5	10 200	55.3	49.2	10 500	58.0	48.0	8 100*	40.0
44.0	47.1	45.9	8 500	50.2	45.6	8 900	52.7	44.3	7 600*	44.0
48.0	41.6	41.6	7 000	44.6	41.3	7 300	46.9	39.9	7 200*	48.0
52.0	35.3	36.3	5 800	38.3	36.0	6 100				52.0
56.0	27.8	29.4	4 800							56.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>45.5m Boom</b>										
13.7	80.4	65.1	17 200 *							13.7
14.0	80.1	65.0	17 100 *							14.0
16.0	78.3	64.6	16 700 *							16.0
18.0	76.4	64.1	16 300 *	79.6	63.7	13 300*				18.0
20.0	74.5	63.5	15 900 *	77.7	63.2	13 300*	80.6	62.2	12 700*	20.0
22.0	72.6	62.9	15 400 *	75.8	62.5	13 300*	78.7	61.5	12 000*	22.0
24.0	70.7	62.2	15 000 *	73.9	61.8	13 300*	76.7	60.8	11 400*	24.0
26.0	68.8	61.4	14 600 *	71.9	61.0	13 300*	74.8	60.0	10 900*	26.0
28.0	66.8	60.5	14 200 *	69.9	60.2	13 100*	72.7	59.1	10 400*	28.0
30.0	64.9	59.5	13 900 *	67.9	59.2	12 800*	70.7	58.2	10 000*	30.0
32.0	62.8	58.5	13 500 *	65.9	58.2	12 600*	68.6	57.1	9 600*	32.0
34.0	60.8	57.4	13 100	63.8	57.0	12 300*	66.5	55.9	9 200*	34.0
36.0	58.6	56.1	12 100	61.7	55.8	11 900*	64.3	54.7	8 900*	36.0
38.0	56.5	54.8	10 900	59.5	54.5	11 400*	62.1	53.3	8 600*	38.0
40.0	54.3	53.3	9 900	57.3	53.0	10 400	59.8	51.8	8 300*	40.0
44.0	49.6	50.0	8 200	52.6	49.7	8 600	55.0	48.5	7 800*	44.0
48.0	44.6	46.1	6 700	47.5	45.8	7 100	49.8	44.4	7 300	48.0
52.0	39.0	41.5	5 500	42.0	41.1	5 800	44.0	39.6	6 000	52.0
56.0	32.7	35.6	4 400	35.6	35.3	4 700				56.0
60.0	24.9	27.9	3 600							60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>48.5m Boom</b>										
13.7	80.8	68.1	17 200 *							13.7
14.0	80.5	68.1	17 200 *							14.0
16.0	78.8	67.7	16 800 *							16.0
18.0	77.0	67.2	16 300 *							18.0
20.0	75.2	66.6	16 000 *	78.3	66.3	13 300*				20.0
22.0	73.5	66.0	15 600 *	76.4	65.7	13 300*	79.2	64.7	12 200*	22.0
24.0	71.6	65.4	15 100 *	74.6	65.0	13 300*	77.4	64.0	11 600*	24.0
26.0	69.8	64.6	14 800 *	72.8	64.3	13 300*	75.5	63.2	11 100*	26.0
28.0	68.0	63.8	14 400 *	70.9	63.4	13 200*	73.6	62.4	10 600*	28.0
30.0	66.1	62.9	14 100 *	69.0	62.5	12 900*	71.7	61.5	10 200*	30.0
32.0	64.2	61.9	13 700 *	67.1	61.6	12 700*	69.7	60.5	9 800*	32.0
34.0	62.2	60.8	13 200	65.1	60.5	12 500*	67.7	59.4	9 400*	34.0
36.0	60.2	59.7	11 800	63.1	59.3	12 200	65.7	58.2	9 100*	36.0
38.0	58.2	58.4	10 700	61.1	58.1	11 300	63.6	56.9	8 800*	38.0
40.0	56.1	57.1	9 700	59.0	56.7	10 200	61.5	55.5	8 500*	40.0
44.0	51.8	54.0	7 900	54.7	53.7	8 400	57.0	52.4	8 000*	44.0
48.0	47.2	50.4	6 500	50.0	50.1	6 900	52.3	48.8	7 200	48.0
52.0	42.2	46.2	5 300	45.0	45.9	5 600	47.1	44.4	5 900	52.0
56.0	36.6	41.1	4 200	39.4	40.7	4 500				56.0
60.0	30.2	34.7	3 300	32.9	34.3	3 500				60.0
64.0	22.0	26.0	2 500							64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating

**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom


## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>51.5m Boom</b>										
15.2	79.9	70.9	16 900 *							15.2
16.0	79.3	70.7	16 800 *							16.0
18.0	77.6	70.3	16 400 *							18.0
20.0	75.9	69.8	16 000 *	78.8	69.4	13 300*				20.0
22.0	74.2	69.2	15 700 *	77.1	68.8	13 300*	79.7	67.8	12 400*	22.0
24.0	72.5	68.5	15 300 *	75.3	68.2	13 300*	78.0	67.1	11 800*	24.0
26.0	70.7	67.8	14 900 *	73.6	67.5	13 300*	76.2	66.4	11 300*	26.0
28.0	69.0	67.0	14 500 *	71.8	66.7	13 300*	74.4	65.6	10 800*	28.0
30.0	67.2	66.2	14 200 *	70.0	65.8	13 000*	72.5	64.8	10 400*	30.0
32.0	65.4	65.2	13 900 *	68.2	64.9	12 800*	70.7	63.8	10 000*	32.0
34.0	63.5	64.2	13 000	66.3	63.9	12 500*	68.8	62.8	9 600*	34.0
36.0	61.6	63.1	11 600	64.4	62.8	12 200	66.9	61.7	9 300*	36.0
38.0	59.7	62.0	10 500	62.5	61.6	11 100	64.9	60.5	9 000*	38.0
40.0	57.8	60.7	9 400	60.6	60.3	10 000	62.9	59.2	8 700*	40.0
44.0	53.8	57.8	7 700	56.5	57.5	8 200	58.8	56.3	8 200*	44.0
48.0	49.5	54.5	6 200	52.2	54.2	6 700	54.4	52.9	7 000	48.0
52.0	44.9	50.6	5 000	47.6	50.3	5 400	49.7	48.9	5 700	52.0
56.0	39.9	46.1	4 000	42.6	45.7	4 300	44.5	44.1	4 500	56.0
60.0	34.3	40.5	3 100	36.9	40.2	3 400				60.0
64.0	27.7	33.5	2 300							64.0





# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>54.5m Boom</b>										
15.2	80.3	73.9	16 900 *							15.2
16.0	79.7	73.8	16 800 *							16.0
18.0	78.1	73.4	16 400 *							18.0
20.0	76.5	72.9	16 100 *	79.3	72.5	13 300*				20.0
22.0	74.9	72.3	15 700 *	77.6	71.9	13 300*	80.2	70.9	12 500*	22.0
24.0	73.2	71.7	15 400 *	76.0	71.3	13 300*	78.5	70.3	12 000*	24.0
26.0	71.5	71.0	15 000 *	74.3	70.6	13 300*	76.8	69.6	11 400*	26.0
28.0	69.9	70.3	14 600 *	72.6	69.9	13 300*	75.1	68.8	11 000*	28.0
30.0	68.2	69.4	14 300 *	70.9	69.1	13 100*	73.3	68.0	10 600*	30.0
32.0	66.4	68.6	13 800	69.1	68.2	12 900*	71.6	67.1	10 200*	32.0
34.0	64.7	67.6	12 500	67.4	67.3	12 600*	69.8	66.1	9 800*	34.0
36.0	62.9	66.6	11 400	65.6	66.2	12 100	68.0	65.1	9 500*	36.0
38.0	61.1	65.4	10 300	63.8	65.1	10 900	66.1	64.0	9 200*	38.0
40.0	59.3	64.2	9 200	61.9	63.9	9 800	64.2	62.7	8 900*	40.0
44.0	55.5	61.6	7 500	58.1	61.2	8 000	60.4	60.0	8 400*	44.0
48.0	51.5	58.5	6 000	54.1	58.1	6 500	56.3	56.8	6 800	48.0
52.0	47.3	54.9	4 800	49.9	54.6	5 200	51.9	53.2	5 500	52.0
56.0	42.7	50.7	3 800	45.3	50.4	4 100	47.2	48.9	4 400	56.0
60.0	37.7	45.8	2 900	40.3	45.4	3 200				60.0
64.0	32.0	39.8	2 100	34.5	39.4	2 300				64.0



# Liftcrane Jib Capacities

**Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating**


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 18.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>57.5m Boom</b>										
15.2	80.7	77.0	16 900 *							15.2
16.0	80.1	76.9	16 700 *							16.0
18.0	78.6	76.4	16 400 *							18.0
20.0	77.0	76.0	16 100 *	79.7	75.6	13 300*				20.0
22.0	75.5	75.4	15 800 *	78.1	75.0	13 300*				22.0
24.0	73.9	74.8	15 400 *	76.5	74.5	13 300*	79.0	73.4	12 100*	24.0
26.0	72.3	74.2	15 100 *	74.9	73.8	13 300*	77.3	72.8	11 600*	26.0
28.0	70.7	73.5	14 700 *	73.3	73.1	13 300*	75.7	72.0	11 200*	28.0
30.0	69.1	72.7	14 400 *	71.7	72.3	13 200*	74.1	71.2	10 700*	30.0
32.0	67.4	71.9	13 300	70.0	71.5	13 000*	72.4	70.4	10 300*	32.0
34.0	65.8	70.9	12 100	68.4	70.6	12 600	70.7	69.5	10 000*	34.0
36.0	64.1	70.0	10 900	66.7	69.6	11 700	69.0	68.5	9 600*	36.0
38.0	62.4	68.9	9 900	65.0	68.5	10 600	67.2	67.4	9 400*	38.0
40.0	60.6	67.8	8 900	63.2	67.4	9 600	65.4	66.2	9 100*	40.0
44.0	57.1	65.2	7 200	59.6	64.9	7 700	61.8	63.7	8 200	44.0
48.0	53.3	62.3	5 700	55.8	62.0	6 200	57.9	60.7	6 600	48.0
52.0	49.4	59.0	4 500	51.9	58.6	4 900	53.9	57.3	5 300	52.0
56.0	45.2	55.1	3 500	47.7	54.8	3 800	49.5	53.3	4 100	56.0
60.0	40.6	50.7	2 500	43.1	50.3	2 900	44.8	48.7	3 100	60.0
64.0	35.6	45.3	1 800	38.0	45.0	2 000				64.0
<b>60.5m Boom</b>										
16.8	80.0	79.8	16 600 *							16.8
18.0	79.0	79.5	16 400 *							18.0
20.0	77.5	79.1	16 100 *	80.1	78.7	13 300*				20.0
22.0	76.0	78.5	15 800 *	78.6	78.1	13 300*				22.0
24.0	74.5	78.0	15 500 *	77.1	77.6	13 300*	79.4	76.5	12 300*	24.0
26.0	73.0	77.3	15 200 *	75.5	77.0	13 300*	77.9	75.9	11 800*	26.0
28.0	71.5	76.7	14 800 *	74.0	76.3	13 300*	76.3	75.2	11 300*	28.0
30.0	69.9	75.9	14 200	72.4	75.5	13 200*	74.7	74.5	10 900*	30.0
32.0	68.3	75.1	12 900	70.9	74.7	13 000*	73.1	73.6	10 500*	32.0
34.0	66.8	74.2	11 600	69.3	73.9	12 600	71.5	72.8	10 200*	34.0
36.0	65.2	73.3	10 500	67.6	72.9	11 300	69.8	71.8	9 800*	36.0
38.0	63.5	72.3	9 500	66.0	71.9	10 200	68.2	70.8	9 500*	38.0
40.0	61.9	71.2	8 600	64.3	70.9	9 300	66.5	69.7	9 200*	40.0
44.0	58.5	68.8	6 900	60.9	68.5	7 500	63.0	67.3	8 000	44.0
48.0	55.0	66.1	5 500	57.4	65.7	6 000	59.4	64.5	6 400	48.0
52.0	51.3	62.9	4 300	53.7	62.6	4 700	55.6	61.3	5 100	52.0
56.0	47.4	59.4	3 200	49.7	59.0	3 600	51.6	57.6	3 900	56.0
60.0	43.2	55.3	2 300	45.5	54.9	2 700	47.3	53.4	2 900	60.0
64.0				41.0	50.1	1 900	42.5	48.4	2 000	64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>27.5m Boom</b>										
12.2	79.3	50.2	13 300 *							12.2
14.0	77.1	49.8	13 100 *							14.0
16.0	74.7	49.2	12 700 *	79.1	48.9	12 200*				16.0
18.0	72.2	48.6	12 400 *	76.6	48.2	11 800*				18.0
20.0	69.7	47.8	12 000 *	74.1	47.4	11 400*	78.7	46.6	10 200*	20.0
22.0	67.1	46.9	11 700 *	71.5	46.6	11 100*	76.0	45.7	9 500*	22.0
24.0	64.5	46.0	11 300 *	68.9	45.6	10 700*	73.4	44.7	8 900*	24.0
26.0	61.9	44.9	10 900 *	66.2	44.5	10 400*	70.6	43.6	8 400*	26.0
28.0	59.1	43.7	10 600 *	63.5	43.3	10 100*	67.8	42.3	7 900*	28.0
30.0	56.3	42.4	10 200 *	60.6	41.9	9 800*	64.9	40.9	7 500*	30.0
32.0	53.4	40.9	9 900 *	57.6	40.4	9 200*	61.8	39.4	7 100*	32.0
34.0	50.3	39.2	9 600 *	54.6	38.8	8 700*	58.6	37.6	6 800*	34.0
36.0	47.1	37.4	9 300 *	51.3	36.9	8 200*	55.3	35.7	6 500*	36.0
38.0	43.7	35.3	9 000 *	47.9	34.8	7 800*	51.7	33.5	6 200*	38.0
40.0	40.1	32.9	8 800 *	44.2	32.4	7 400*	47.9	31.0	5 900*	40.0
44.0	31.8	27.1	7 800 *	35.7	26.4	6 800*				44.0
<b>30.5m Boom</b>										
12.2	79.9	53.3	13 300 *							12.2
14.0	77.9	52.9	13 200 *							14.0
16.0	75.6	52.3	12 800 *	79.8	52.0	12 300*				16.0
18.0	73.3	51.7	12 500 *	77.5	51.4	11 900*				18.0
20.0	70.9	51.0	12 100 *	75.1	50.6	11 500*	79.4	49.7	10 500*	20.0
22.0	68.6	50.2	11 800 *	72.7	49.8	11 200*	76.9	48.9	9 800*	22.0
24.0	66.1	49.3	11 400 *	70.3	48.9	10 900*	74.4	48.0	9 100*	24.0
26.0	63.7	48.3	11 100 *	67.8	47.9	10 600*	71.9	47.0	8 600*	26.0
28.0	61.1	47.2	10 800 *	65.2	46.8	10 300*	69.3	45.8	8 100*	28.0
30.0	58.5	46.0	10 500 *	62.6	45.6	10 000*	66.6	44.5	7 700*	30.0
32.0	55.9	44.6	10 200 *	59.9	44.2	9 700*	63.8	43.1	7 300*	32.0
34.0	53.1	43.1	9 900 *	57.1	42.7	9 100*	61.0	41.6	7 000*	34.0
36.0	50.2	41.4	9 600 *	54.2	41.0	8 600*	58.0	39.8	6 700*	36.0
38.0	47.2	39.6	9 300 *	51.1	39.1	8 200*	54.8	37.9	6 400*	38.0
40.0	44.0	37.5	9 100 *	47.9	37.0	7 800*	51.5	35.7	6 200*	40.0
44.0	37.0	32.6	8 400 *	40.7	32.0	7 100*	44.0	30.5	5 800*	44.0
48.0	28.5	26.0	7 600 *	32.0	25.2	6 600*				48.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>33.5m Boom</b>										
12.2	80.5	56.3	13 300 *							12.2
14.0	78.5	55.9	13 200 *							14.0
16.0	76.4	55.5	12 800 *							16.0
18.0	74.2	54.9	12 500 *	78.2	54.5	12 000*				18.0
20.0	72.0	54.2	12 200 *	76.0	53.8	11 700*	80.0	52.9	10 600*	20.0
22.0	69.8	53.5	11 900 *	73.7	53.1	11 300*	77.7	52.1	9 900*	22.0
24.0	67.5	52.6	11 500 *	71.4	52.2	11 000*	75.4	51.2	9 400*	24.0
26.0	65.2	51.7	11 200 *	69.1	51.3	10 700*	73.0	50.3	8 800*	26.0
28.0	62.9	50.7	10 900 *	66.7	50.2	10 400*	70.6	49.2	8 400*	28.0
30.0	60.5	49.5	10 600 *	64.3	49.1	10 200*	68.1	48.0	7 900*	30.0
32.0	58.0	48.3	10 300 *	61.8	47.8	9 900*	65.6	46.7	7 600*	32.0
34.0	55.4	46.9	10 100 *	59.2	46.4	9 500*	62.9	45.3	7 200*	34.0
36.0	52.8	45.4	9 800 *	56.6	44.9	9 000*	60.2	43.7	6 900*	36.0
38.0	50.1	43.7	9 500 *	53.8	43.2	8 500*	57.4	42.0	6 600*	38.0
40.0	47.2	41.8	9 300 *	50.9	41.3	8 200*	54.4	40.1	6 400*	40.0
44.0	41.1	37.5	8 800 *	44.7	36.9	7 500*	47.9	35.5	6 000*	44.0
48.0	34.0	32.0	7 900	37.5	31.3	6 900*				48.0
52.0	25.1	24.6	6 600							52.0
<b>36.5m Boom</b>										
12.2	81.0	59.4	13 300 *							12.2
14.0	79.2	59.0	13 200 *							14.0
16.0	77.1	58.6	12 800 *							16.0
18.0	75.1	58.0	12 500 *	78.8	57.6	12 100*				18.0
20.0	73.0	57.4	12 200 *	76.7	57.0	11 800*	80.6	56.0	10 800*	20.0
22.0	70.9	56.7	12 000 *	74.6	56.3	11 400*	78.4	55.3	10 100*	22.0
24.0	68.8	55.9	11 600 *	72.5	55.5	11 100*	76.2	54.5	9 600*	24.0
26.0	66.6	55.0	11 300 *	70.3	54.6	10 900*	74.0	53.6	9 000*	26.0
28.0	64.4	54.0	11 000 *	68.1	53.6	10 600*	71.7	52.6	8 600*	28.0
30.0	62.1	53.0	10 800 *	65.8	52.5	10 300*	69.4	51.5	8 200*	30.0
32.0	59.9	51.8	10 500 *	63.5	51.4	10 100*	67.1	50.3	7 800*	32.0
34.0	57.5	50.5	10 200 *	61.1	50.1	9 800*	64.6	49.0	7 400*	34.0
36.0	55.1	49.1	10 000 *	58.7	48.7	9 400*	62.1	47.5	7 200*	36.0
38.0	52.6	47.6	9 800 *	56.1	47.1	8 900*	59.5	45.9	6 900*	38.0
40.0	50.0	45.9	9 500 *	53.5	45.4	8 500*	56.8	44.2	6 600*	40.0
44.0	44.5	42.0	9 000 *	47.9	41.5	7 800*	51.1	40.1	6 100*	44.0
48.0	38.3	37.3	7 700	41.7	36.6	7 200*	44.6	35.1	5 800*	48.0
52.0	31.1	31.2	6 400	34.3	30.4	6 700				52.0
56.0	21.8	22.7	5 400							56.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>39.5m Boom</b>										
13.7	80.0	62.1	13 200 *							13.7
14.0	79.7	62.1	13 200 *							14.0
16.0	77.8	61.6	12 800 *							16.0
18.0	75.8	61.1	12 500 *	79.4	60.7	12 100*				18.0
20.0	73.9	60.5	12 300 *	77.4	60.1	11 800*				20.0
22.0	71.9	59.9	12 000 *	75.4	59.5	11 500*	79.0	58.4	10 300*	22.0
24.0	69.9	59.1	11 700 *	73.4	58.7	11 300*	77.0	57.7	9 800*	24.0
26.0	67.8	58.3	11 400 *	71.3	57.9	11 000*	74.9	56.8	9 200*	26.0
28.0	65.8	57.4	11 100 *	69.2	57.0	10 700*	72.8	55.9	8 800*	28.0
30.0	63.6	56.4	10 800 *	67.1	55.9	10 500*	70.6	54.9	8 400*	30.0
32.0	61.5	55.3	10 600 *	65.0	54.8	10 200*	68.4	53.7	8 000*	32.0
34.0	59.3	54.1	10 300 *	62.7	53.6	10 000*	66.1	52.5	7 600*	34.0
36.0	57.1	52.8	10 100 *	60.5	52.3	9 700*	63.8	51.2	7 300*	36.0
38.0	54.7	51.4	9 900 *	58.1	50.9	9 300*	61.4	49.7	7 000*	38.0
40.0	52.4	49.8	9 700 *	55.7	49.3	8 900*	58.9	48.1	6 800*	40.0
44.0	47.3	46.3	8 900	50.7	45.8	8 100*	53.7	44.4	6 300*	44.0
48.0	41.9	42.1	7 500	45.1	41.5	7 500*	47.9	40.0	6 000*	48.0
52.0	35.7	36.9	6 200	38.8	36.2	6 500				52.0
56.0	28.3	30.1	5 200	31.2	29.2	5 400				56.0
<b>42.5m Boom</b>										
13.7	80.4	65.2	13 100 *							13.7
14.0	80.2	65.1	13 100 *							14.0
16.0	78.4	64.7	12 800 *							16.0
18.0	76.5	64.2	12 500 *							18.0
20.0	74.6	63.7	12 300 *	78.0	63.3	11 900*				20.0
22.0	72.8	63.0	12 000 *	76.1	62.6	11 600*	79.6	61.6	10 500*	22.0
24.0	70.9	62.3	11 800 *	74.2	61.9	11 300*	77.6	60.9	9 900*	24.0
26.0	68.9	61.6	11 500 *	72.3	61.1	11 100*	75.7	60.1	9 400*	26.0
28.0	67.0	60.7	11 200 *	70.3	60.3	10 800*	73.7	59.2	9 000*	28.0
30.0	65.0	59.8	10 900 *	68.3	59.3	10 600*	71.6	58.2	8 600*	30.0
32.0	63.0	58.7	10 700 *	66.3	58.3	10 400*	69.5	57.2	8 200*	32.0
34.0	60.9	57.6	10 400 *	64.2	57.1	10 100*	67.4	56.0	7 900*	34.0
36.0	58.8	56.4	10 200 *	62.1	55.9	9 900*	65.3	54.8	7 500*	36.0
38.0	56.7	55.1	10 000 *	59.9	54.6	9 700*	63.0	53.4	7 300*	38.0
40.0	54.4	53.6	9 800 *	57.7	53.1	9 200*	60.8	51.9	7 000*	40.0
44.0	49.8	50.4	8 700	53.0	49.8	8 400*	56.0	48.5	6 500*	44.0
48.0	44.8	46.5	7 200	48.0	46.0	7 600	50.8	44.5	6 100*	48.0
52.0	39.4	41.9	6 000	42.4	41.3	6 300	45.0	39.7	5 800*	52.0
56.0	33.1	36.2	5 000	36.0	35.4	5 200				56.0
60.0	25.5	28.7	4 000							60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>45.5m Boom</b>										
13.7	80.9	68.2	13 100 *							13.7
14.0	80.6	68.2	13 100 *							14.0
16.0	78.9	67.8	12 800 *							16.0
18.0	77.1	67.3	12 500 *							18.0
20.0	75.3	66.8	12 300 *	78.6	66.4	12 000*				20.0
22.0	73.6	66.2	12 000 *	76.8	65.8	11 700*	80.1	64.7	10 600*	22.0
24.0	71.8	65.5	11 700 *	75.0	65.1	11 400*	78.2	64.0	10 100*	24.0
26.0	69.9	64.8	11 500 *	73.1	64.3	11 100*	76.4	63.3	9 600*	26.0
28.0	68.1	64.0	11 200 *	71.3	63.5	10 900*	74.5	62.4	9 100*	28.0
30.0	66.2	63.1	11 000 *	69.4	62.6	10 700*	72.5	61.5	8 700*	30.0
32.0	64.3	62.1	10 700 *	67.4	61.6	10 500*	70.6	60.5	8 300*	32.0
34.0	62.3	61.1	10 500 *	65.5	60.6	10 200*	68.6	59.4	8 000*	34.0
36.0	60.4	59.9	10 300 *	63.5	59.4	10 000*	66.6	58.3	7 700*	36.0
38.0	58.4	58.7	10 000 *	61.5	58.2	9 800*	64.5	57.0	7 400*	38.0
40.0	56.3	57.3	9 800	59.4	56.8	9 500*	62.4	55.6	7 200*	40.0
44.0	52.0	54.3	8 300	55.0	53.8	8 700*	57.9	52.5	6 700*	44.0
48.0	47.4	50.8	6 900	50.4	50.2	7 300	53.2	48.8	6 300*	48.0
52.0	42.5	46.6	5 700	45.4	46.0	6 000	48.0	44.5	6 000*	52.0
56.0	37.0	41.6	4 700	39.8	40.9	4 900	42.1	39.1	5 200	56.0
60.0	30.6	35.3	3 800	33.3	34.5	4 000				60.0
64.0	22.6	26.9	2 900							64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating

**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom


## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>48.5m Boom</b>										
15.2	80.0	71.0	12 900 *							15.2
16.0	79.4	70.9	12 800 *							16.0
18.0	77.7	70.4	12 500 *							18.0
20.0	76.0	69.9	12 300 *	79.1	69.5	11 900*				20.0
22.0	74.3	69.3	12 000 *	77.4	68.9	11 700*				22.0
24.0	72.6	68.7	11 800 *	75.6	68.3	11 500*	78.8	67.2	10 300*	24.0
26.0	70.8	68.0	11 600 *	73.9	67.5	11 200*	77.0	66.5	9 800*	26.0
28.0	69.1	67.2	11 300 *	72.1	66.8	11 000*	75.2	65.7	9 300*	28.0
30.0	67.3	66.4	11 000 *	70.3	65.9	10 800*	73.4	64.8	8 900*	30.0
32.0	65.5	65.5	10 800 *	68.5	65.0	10 600*	71.5	63.9	8 500*	32.0
34.0	63.6	64.5	10 600 *	66.7	64.0	10 400*	69.6	62.8	8 200*	34.0
36.0	61.8	63.4	10 300 *	64.8	62.9	10 200*	67.7	61.7	7 900*	36.0
38.0	59.9	62.2	10 100 *	62.9	61.7	10 000*	65.8	60.5	7 600*	38.0
40.0	57.9	60.9	9 900	60.9	60.4	9 800*	63.8	59.2	7 300*	40.0
44.0	53.9	58.1	8 100	56.9	57.6	8 600	59.6	56.3	6 900*	44.0
48.0	49.7	54.9	6 700	52.6	54.3	7 100	55.2	52.9	6 500*	48.0
52.0	45.1	51.0	5 500	48.0	50.4	5 800	50.5	49.0	6 100	52.0
56.0	40.2	46.5	4 400	43.0	45.9	4 700	45.3	44.2	5 000	56.0
60.0	34.7	41.1	3 600	37.3	40.3	3 800				60.0
64.0	28.1	34.2	2 800	30.7	33.3	2 900				64.0





# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>51.5m Boom</b>										
15.2	80.4	74.1	12 800 *							15.2
16.0	79.8	73.9	12 700 *							16.0
18.0	78.2	73.5	12 400 *							18.0
20.0	76.6	73.0	12 200 *	79.6	72.6	11 900*				20.0
22.0	75.0	72.5	12 000 *	77.9	72.0	11 700*				22.0
24.0	73.3	71.9	11 700 *	76.3	71.4	11 500*	79.3	70.3	10 400*	24.0
26.0	71.7	71.2	11 500 *	74.6	70.7	11 300*	77.6	69.6	9 900*	26.0
28.0	70.0	70.4	11 300 *	72.9	70.0	11 100*	75.9	68.9	9 500*	28.0
30.0	68.3	69.6	11 000 *	71.2	69.2	10 900*	74.1	68.1	9 100*	30.0
32.0	66.6	68.8	10 800 *	69.5	68.3	10 700*	72.4	67.2	8 700*	32.0
34.0	64.8	67.8	10 600 *	67.7	67.3	10 500*	70.6	66.2	8 400*	34.0
36.0	63.1	66.8	10 400 *	65.9	66.3	10 300*	68.8	65.1	8 100*	36.0
38.0	61.3	65.7	10 200 *	64.1	65.2	10 100*	66.9	64.0	7 800*	38.0
40.0	59.4	64.5	9 600	62.3	64.0	9 900	65.0	62.8	7 500*	40.0
44.0	55.6	61.8	7 900	58.5	61.3	8 400	61.2	60.1	7 000*	44.0
48.0	51.7	58.8	6 500	54.5	58.2	6 900	57.1	56.9	6 600*	48.0
52.0	47.5	55.3	5 200	50.2	54.7	5 600	52.7	53.2	6 000	52.0
56.0	43.0	51.1	4 200	45.7	50.5	4 500	48.0	48.9	4 800	56.0
60.0	38.0	46.3	3 300	40.6	45.6	3 600	42.8	43.8	3 800	60.0
64.0	32.4	40.4	2 500	34.9	39.6	2 700				64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>54.5m Boom</b>										
15.2	80.8	77.1	12 700 *							15.2
16.0	80.2	77.0	12 700 *							16.0
18.0	78.7	76.6	12 400 *							18.0
20.0	77.1	76.1	12 200 *	80.0	75.7	11 800*				20.0
22.0	75.6	75.6	11 900 *	78.4	75.1	11 600*				22.0
24.0	74.0	75.0	11 700 *	76.8	74.5	11 500*	79.7	73.4	10 500*	24.0
26.0	72.4	74.4	11 500 *	75.2	73.9	11 200*	78.1	72.8	10 000*	26.0
28.0	70.8	73.6	11 300 *	73.6	73.2	11 100*	76.5	72.1	9 600*	28.0
30.0	69.2	72.9	11 100 *	72.0	72.4	10 900*	74.8	71.3	9 200*	30.0
32.0	67.5	72.0	10 800 *	70.3	71.6	10 700*	73.1	70.4	8 800*	32.0
34.0	65.9	71.1	10 600 *	68.7	70.7	10 600*	71.4	69.5	8 500*	34.0
36.0	64.2	70.2	10 400 *	67.0	69.7	10 400*	69.7	68.5	8 200*	36.0
38.0	62.5	69.1	10 200 *	65.3	68.6	10 200*	68.0	67.4	7 900*	38.0
40.0	60.8	68.0	9 400	63.5	67.5	9 900	66.2	66.3	7 700*	40.0
44.0	57.2	65.5	7 700	59.9	65.0	8 200	62.5	63.7	7 200*	44.0
48.0	53.5	62.6	6 200	56.2	62.1	6 700	58.7	60.7	6 800*	48.0
52.0	49.6	59.3	5 000	52.2	58.7	5 400	54.6	57.3	5 800	52.0
56.0	45.4	55.5	4 000	48.0	54.9	4 300	50.3	53.4	4 600	56.0
60.0	40.9	51.1	3 100	43.4	50.4	3 400	45.6	48.8	3 600	60.0
64.0	35.9	45.9	2 300	38.4	45.1	2 500				64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>57.5m Boom</b>										
16.8	80.0	79.9	12 500 *							16.8
18.0	79.1	79.6	12 300 *							18.0
20.0	77.6	79.2	12 100 *	80.4	78.7	11 700*				20.0
22.0	76.1	78.7	11 900 *	78.9	78.2	11 500*				22.0
24.0	74.6	78.1	11 700 *	77.4	77.7	11 400*	80.1	76.6	10 600*	24.0
26.0	73.1	77.5	11 500 *	75.8	77.0	11 200*	78.6	75.9	10 200*	26.0
28.0	71.6	76.8	11 300 *	74.3	76.4	11 000*	77.0	75.2	9 800*	28.0
30.0	70.0	76.1	11 100 *	72.7	75.6	10 900*	75.4	74.5	9 400*	30.0
32.0	68.5	75.3	10 800 *	71.1	74.8	10 700*	73.8	73.7	9 000*	32.0
34.0	66.9	74.4	10 600 *	69.6	74.0	10 500*	72.2	72.8	8 700*	34.0
36.0	65.3	73.5	10 400 *	67.9	73.0	10 400*	70.6	71.8	8 400*	36.0
38.0	63.6	72.5	10 000	66.3	72.0	10 300*	68.9	70.8	8 100*	38.0
40.0	62.0	71.4	9 100	64.6	70.9	9 800	67.2	69.7	7 800*	40.0
44.0	58.6	69.1	7 300	61.2	68.6	7 900	63.8	67.3	7 300*	44.0
48.0	55.1	66.4	5 900	57.7	65.8	6 400	60.1	64.5	6 800	48.0
52.0	51.4	63.3	4 700	54.0	62.7	5 100	56.3	61.3	5 600	52.0
56.0	47.5	59.7	3 700	50.1	59.1	4 000	52.3	57.6	4 400	56.0
60.0	43.4	55.7	2 800	45.9	55.0	3 100	48.0	53.4	3 400	60.0
64.0	38.9	50.9	2 000	41.3	50.2	2 300	43.3	48.4	2 500	64.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 21.3m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>60.5m Boom</b>										
16.8	80.4	82.9	12 400 *							16.8
18.0	79.5	82.7	12 200 *							18.0
20.0	78.1	82.3	12 000 *	80.7	81.8	11 700*				20.0
22.0	76.6	81.8	11 800 *	79.3	81.3	11 500*				22.0
24.0	75.2	81.2	11 600 *	77.8	80.8	11 300*				24.0
26.0	73.7	80.7	11 400 *	76.4	80.2	11 100*	79.0	79.1	10 300*	26.0
28.0	72.3	80.0	11 200 *	74.9	79.5	11 000*	77.5	78.4	9 900*	28.0
30.0	70.8	79.3	11 100 *	73.4	78.8	10 800*	76.0	77.7	9 500*	30.0
32.0	69.3	78.5	10 800 *	71.9	78.1	10 700*	74.5	76.9	9 200*	32.0
34.0	67.8	77.7	10 600 *	70.4	77.2	10 500*	72.9	76.1	8 800*	34.0
36.0	66.2	76.8	10 400	68.8	76.3	10 400*	71.4	75.2	8 500*	36.0
38.0	64.7	75.9	9 600	67.3	75.4	10 300*	69.8	74.2	8 200*	38.0
40.0	63.1	74.9	8 700	65.7	74.3	9 400	68.2	73.1	8 000*	40.0
44.0	59.9	72.6	7 100	62.4	72.1	7 700	64.9	70.8	7 500*	44.0
48.0	56.6	70.0	5 600	59.1	69.5	6 200	61.5	68.2	6 800	48.0
52.0	53.1	67.1	4 400	55.6	66.5	4 900	57.9	65.2	5 400	52.0
56.0	49.5	63.8	3 400	51.9	63.2	3 800	54.1	61.8	4 200	56.0
60.0	45.6	60.0	2 500	48.0	59.4	2 900	50.1	57.8	3 200	60.0
64.0				43.8	55.0	2 000	45.8	53.3	2 300	64.0



# Liftcrane Jib Capacities

**Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating**


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>27.5m Boom</b>										
12.2	79.5	53.3	10 600 *							12.2
14.0	77.4	52.9	10 300 *							14.0
16.0	75.2	52.4	10 000 *	80.0	52.1	9 900*				16.0
18.0	72.8	51.8	9 700 *	77.7	51.5	9 600*				18.0
20.0	70.5	51.1	9 400 *	75.3	50.8	9 300*	80.3	49.9	8 900*	20.0
22.0	68.1	50.3	9 100 *	72.9	50.0	9 000*	77.9	49.1	8 600*	22.0
24.0	65.7	49.4	8 900 *	70.5	49.1	8 700*	75.4	48.1	8 200*	24.0
26.0	63.2	48.4	8 600 *	68.0	48.1	8 500*	72.8	47.1	7 600*	26.0
28.0	60.7	47.3	8 300 *	65.4	46.9	8 200*	70.2	46.0	7 200*	28.0
30.0	58.1	46.1	8 100 *	62.8	45.7	8 000*	67.6	44.7	6 700*	30.0
32.0	55.5	44.7	7 800 *	60.1	44.3	7 700*	64.8	43.3	6 400*	32.0
34.0	52.7	43.2	7 600 *	57.4	42.8	7 500*	62.0	41.7	6 000*	34.0
36.0	49.8	41.5	7 300 *	54.4	41.1	7 300*	59.0	40.0	5 800*	36.0
38.0	46.8	39.7	7 100 *	51.4	39.2	7 000*	55.8	38.1	5 500*	38.0
40.0	43.6	37.6	6 900 *	48.2	37.2	6 600*	52.5	35.9	5 300*	40.0
44.0	36.6	32.7	6 500 *	41.1	32.2	6 000*	45.1	30.7	4 900*	44.0
48.0	28.1	26.1	6 200 *	32.4	25.5	5 500*				48.0
<b>30.5m Boom</b>										
12.2	80.1	56.4	10 600 *							12.2
14.0	78.1	56.0	10 300 *							14.0
16.0	76.0	55.5	10 100 *							16.0
18.0	73.8	54.9	9 800 *	78.4	54.6	9 600*				18.0
20.0	71.6	54.3	9 500 *	76.2	53.9	9 300*				20.0
22.0	69.4	53.5	9 200 *	73.9	53.2	9 100*	78.6	52.3	8 700*	22.0
24.0	67.1	52.7	9 000 *	71.6	52.3	8 800*	76.3	51.4	8 300*	24.0
26.0	64.8	51.8	8 700 *	69.3	51.4	8 600*	73.9	50.4	7 800*	26.0
28.0	62.5	50.7	8 500 *	67.0	50.4	8 300*	71.5	49.4	7 400*	28.0
30.0	60.1	49.6	8 200 *	64.5	49.2	8 100*	69.0	48.2	6 900*	30.0
32.0	57.6	48.3	8 000 *	62.0	47.9	7 800*	66.5	46.9	6 600*	32.0
34.0	55.1	47.0	7 700 *	59.5	46.6	7 700*	63.9	45.5	6 300*	34.0
36.0	52.5	45.4	7 500 *	56.8	45.0	7 400*	61.1	43.9	6 000*	36.0
38.0	49.7	43.8	7 300 *	54.1	43.3	7 200*	58.3	42.2	5 700*	38.0
40.0	46.9	41.9	7 100 *	51.2	41.5	7 000*	55.4	40.3	5 400*	40.0
44.0	40.7	37.6	6 700 *	45.0	37.1	6 300*	48.9	35.7	5 000*	44.0
48.0	33.7	32.1	6 400 *	37.8	31.5	5 800*	41.4	29.9	4 700*	48.0
52.0	24.9	24.7	6 100 *							52.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>33.5m Boom</b>										
12.2	80.6	59.4	10 600 *							12.2
14.0	78.8	59.1	10 300 *							14.0
16.0	76.7	58.6	10 100 *							16.0
18.0	74.7	58.1	9 800 *	79.0	57.7	9 600*				18.0
20.0	72.6	57.5	9 500 *	76.9	57.1	9 400*				20.0
22.0	70.5	56.7	9 300 *	74.8	56.4	9 100*	79.2	55.4	8 700*	22.0
24.0	68.4	56.0	9 000 *	72.7	55.6	8 900*	77.1	54.6	8 500*	24.0
26.0	66.2	55.1	8 800 *	70.5	54.7	8 600*	74.8	53.7	8 000*	26.0
28.0	64.0	54.1	8 600 *	68.3	53.7	8 400*	72.6	52.7	7 500*	28.0
30.0	61.8	53.1	8 300 *	66.0	52.7	8 200*	70.3	51.6	7 200*	30.0
32.0	59.5	51.9	8 100 *	63.7	51.5	8 000*	67.9	50.4	6 800*	32.0
34.0	57.1	50.6	7 800 *	61.3	50.2	7 800*	65.5	49.1	6 500*	34.0
36.0	54.7	49.2	7 600 *	58.9	48.8	7 600*	63.0	47.7	6 200*	36.0
38.0	52.2	47.7	7 400 *	56.4	47.2	7 400*	60.4	46.1	5 900*	38.0
40.0	49.6	46.0	7 200 *	53.8	45.6	7 200*	57.7	44.3	5 700*	40.0
44.0	44.1	42.1	6 800 *	48.2	41.6	6 700*	52.0	40.3	5 200*	44.0
48.0	38.0	37.4	6 500 *	42.0	36.8	6 100*	45.5	35.3	4 900*	48.0
52.0	30.8	31.3	6 200 *	34.6	30.7	5 600*				52.0
56.0	21.5	22.9	5 800							56.0
<b>36.5m Boom</b>										
13.7	79.6	62.2	10 400 *							13.7
14.0	79.3	62.1	10 400 *							14.0
16.0	77.4	61.7	10 100 *							16.0
18.0	75.5	61.2	10 000 *	79.6	60.8	9 700*				18.0
20.0	73.5	60.6	9 600 *	77.6	60.2	9 400*				20.0
22.0	71.5	59.9	9 300 *	75.6	59.6	9 200*	79.8	58.6	8 700*	22.0
24.0	69.5	59.2	9 200 *	73.6	58.8	8 900*	77.8	57.8	8 600*	24.0
26.0	67.5	58.4	8 900 *	71.5	58.0	8 700*	75.7	57.0	8 200*	26.0
28.0	65.4	57.5	8 600 *	69.4	57.1	8 500*	73.5	56.0	7 800*	28.0
30.0	63.3	56.5	8 400 *	67.3	56.1	8 300*	71.4	55.0	7 300*	30.0
32.0	61.2	55.4	8 200 *	65.2	55.0	8 100*	69.2	53.9	7 000*	32.0
34.0	59.0	54.2	8 000 *	63.0	53.8	7 900*	66.9	52.7	6 600*	34.0
36.0	56.7	52.9	7 800 *	60.7	52.5	7 700*	64.6	51.3	6 300*	36.0
38.0	54.4	51.5	7 500 *	58.4	51.0	7 500*	62.2	49.9	6 100*	38.0
40.0	52.0	49.9	7 300 *	56.0	49.5	7 300*	59.8	48.3	5 800*	40.0
44.0	47.0	46.4	7 000 *	50.9	45.9	7 000*	54.6	44.6	5 400*	44.0
48.0	41.5	42.2	6 600 *	45.4	41.6	6 400*	48.8	40.2	5 000*	48.0
52.0	35.4	37.0	6 300	39.1	36.3	5 900*	42.3	34.7	4 700*	52.0
56.0	28.0	30.3	5 500	31.6	29.5	5 500*				56.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>39.5m Boom</b>										
13.7	80.1	65.3	10 400 *							13.7
14.0	79.8	65.2	10 400 *							14.0
16.0	78.0	64.8	10 200 *							16.0
18.0	76.2	64.3	9 900 *							18.0
20.0	74.3	63.7	9 800 *	78.2	63.4	9 500*				20.0
22.0	72.4	63.1	9 400 *	76.3	62.7	9 200*	80.3	61.7	8 700*	22.0
24.0	70.5	62.4	9 200 *	74.4	62.0	9 000*	78.4	61.0	8 600*	24.0
26.0	68.6	61.6	8 900 *	72.5	61.2	8 700*	76.4	60.2	8 400*	26.0
28.0	66.6	60.8	8 700 *	70.5	60.4	8 600*	74.4	59.3	7 900*	28.0
30.0	64.7	59.8	8 500 *	68.5	59.4	8 400*	72.4	58.4	7 500*	30.0
32.0	62.6	58.8	8 300 *	66.5	58.4	8 200*	70.3	57.3	7 200*	32.0
34.0	60.6	57.7	8 100 *	64.4	57.3	8 000*	68.2	56.1	6 800*	34.0
36.0	58.5	56.5	7 800 *	62.3	56.0	7 800*	66.0	54.9	6 500*	36.0
38.0	56.3	55.1	7 600 *	60.1	54.7	7 600*	63.8	53.5	6 300*	38.0
40.0	54.1	53.7	7 400 *	57.9	53.3	7 400*	61.5	52.1	6 000*	40.0
44.0	49.5	50.5	7 100 *	53.2	50.0	7 100*	56.8	48.7	5 600*	44.0
48.0	44.5	46.6	6 700 *	48.2	46.1	6 700*	51.6	44.7	5 200*	48.0
52.0	39.1	42.0	6 400	42.7	41.4	6 100*	45.8	39.9	4 900*	52.0
56.0	32.8	36.3	5 300	36.3	35.6	5 600				56.0
60.0	25.2	28.9	4 400							60.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating

**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom


## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>42.5m Boom</b>										
13.7	80.5	68.3	10 400 *							13.7
14.0	80.3	68.3	10 400 *							14.0
16.0	78.6	67.9	10 200 *							16.0
18.0	76.8	67.4	9 900 *							18.0
20.0	75.0	66.9	9 700 *	78.7	66.5	9 500*				20.0
22.0	73.2	66.3	9 400 *	76.9	65.9	9 200*				22.0
24.0	71.4	65.6	9 200 *	75.1	65.2	9 000*	78.9	64.2	8 600*	24.0
26.0	69.6	64.9	9 000 *	73.3	64.5	8 800*	77.1	63.4	8 400*	26.0
28.0	67.7	64.0	8 800 *	71.4	63.6	8 600*	75.2	62.6	8 100*	28.0
30.0	65.9	63.2	8 600 *	69.5	62.7	8 400*	73.3	61.7	7 700*	30.0
32.0	64.0	62.2	8 300 *	67.6	61.8	8 300*	71.3	60.7	7 300*	32.0
34.0	62.0	61.1	8 200 *	65.7	60.7	8 100*	69.3	59.6	7 000*	34.0
36.0	60.1	60.0	8 000 *	63.7	59.6	7 800*	67.3	58.4	6 700*	36.0
38.0	58.0	58.7	7 800 *	61.7	58.3	7 700*	65.2	57.1	6 400*	38.0
40.0	56.0	57.4	7 600 *	59.6	57.0	7 500*	63.1	55.8	6 200*	40.0
44.0	51.7	54.4	7 200 *	55.3	53.9	7 200*	58.7	52.6	5 700*	44.0
48.0	47.1	50.9	6 900 *	50.6	50.4	6 900*	53.9	49.0	5 400*	48.0
52.0	42.2	46.7	6 100	45.6	46.1	6 400	48.8	44.6	5 000*	52.0
56.0	36.7	41.7	5 100	40.1	41.1	5 400	43.0	39.3	4 800*	56.0
60.0	30.4	35.5	4 200	33.6	34.7	4 400				60.0
64.0	22.4	27.1	3 400							64.0





# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>45.5m Boom</b>										
13.7	81.0	71.4	10 300 *							13.7
14.0	80.7	71.3	10 300 *							14.0
16.0	79.0	70.9	10 100 *							16.0
18.0	77.4	70.5	9 900 *							18.0
20.0	75.7	70.0	9 700 *	79.2	69.6	9 500*				20.0
22.0	74.0	69.4	9 500 *	77.5	69.0	9 200*				22.0
24.0	72.3	68.8	9 300 *	75.8	68.4	9 000*	79.5	67.3	8 600*	24.0
26.0	70.5	68.1	9 100 *	74.1	67.7	8 800*	77.7	66.6	8 400*	26.0
28.0	68.8	67.3	8 800 *	72.3	66.9	8 700*	75.9	65.8	8 200*	28.0
30.0	67.0	66.4	8 600 *	70.5	66.0	8 500*	74.1	64.9	7 800*	30.0
32.0	65.2	65.5	8 400 *	68.7	65.1	8 300*	72.2	64.0	7 500*	32.0
34.0	63.3	64.5	8 200 *	66.8	64.1	8 100*	70.3	63.0	7 200*	34.0
36.0	61.5	63.4	8 000 *	65.0	63.0	7 900*	68.4	61.9	6 900*	36.0
38.0	59.6	62.3	7 900 *	63.0	61.8	7 800*	66.5	60.7	6 600*	38.0
40.0	57.6	61.0	7 700 *	61.1	60.6	7 600*	64.5	59.4	6 300*	40.0
44.0	53.6	58.2	7 300 *	57.1	57.7	7 300*	60.3	56.5	5 900*	44.0
48.0	49.4	54.9	6 900	52.8	54.4	7 000*	56.0	53.1	5 500*	48.0
52.0	44.9	51.1	5 800	48.2	50.6	6 200	51.2	49.1	5 200*	52.0
56.0	39.9	46.6	4 800	43.2	46.0	5 100	46.1	44.4	4 900*	56.0
60.0	34.4	41.2	3 900	37.6	40.5	4 100				60.0
64.0	27.9	34.4	3 100	31.0	33.5	3 300				64.0
68.0	19.5	24.9	2 400							68.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>48.5m Boom</b>										
15.2	80.1	74.1	10 200 *							15.2
16.0	79.5	74.0	10 100 *							16.0
18.0	77.9	73.6	10 000 *							18.0
20.0	76.3	73.1	9 700 *	79.7	72.7	9 500*				20.0
22.0	74.7	72.5	9 500 *	78.1	72.1	9 300*				22.0
24.0	73.0	71.9	9 300 *	76.4	71.5	9 100*	79.9	70.4	8 600*	24.0
26.0	71.4	71.2	9 100 *	74.7	70.8	8 900*	78.2	69.7	8 500*	26.0
28.0	69.7	70.5	8 900 *	73.1	70.1	8 600*	76.5	69.0	8 300*	28.0
30.0	68.0	69.7	8 700 *	71.4	69.3	8 500*	74.8	68.2	8 000*	30.0
32.0	66.3	68.8	8 500 *	69.6	68.4	8 300*	73.0	67.3	7 700*	32.0
34.0	64.5	67.9	8 300 *	67.9	67.5	8 200*	71.2	66.3	7 300*	34.0
36.0	62.8	66.9	8 100 *	66.1	66.4	8 000*	69.4	65.3	7 000*	36.0
38.0	61.0	65.8	7 900 *	64.3	65.3	7 900*	67.6	64.1	6 700*	38.0
40.0	59.1	64.6	7 700 *	62.5	64.1	7 700*	65.7	62.9	6 500*	40.0
44.0	55.4	61.9	7 400 *	58.7	61.5	7 400*	61.8	60.2	6 000*	44.0
48.0	51.4	58.9	6 800	54.7	58.4	7 000	57.7	57.0	5 600*	48.0
52.0	47.2	55.3	5 600	50.4	54.8	6 000	53.4	53.4	5 300*	52.0
56.0	42.7	51.2	4 500	45.9	50.7	4 900	48.7	49.1	5 000*	56.0
60.0	37.8	46.4	3 600	40.9	45.7	4 000	43.5	44.0	4 200	60.0
64.0	32.2	40.5	2 900	35.2	39.8	3 100				64.0
68.0	25.5	33.0	2 200							68.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
Boom No. 57  
67 990 kg Counterweight  
360 Degree Rating


**European Standards**  
14 m/s Maximum Wind thru 54.5m Boom  
12 m/s with 57.5m and 60.5m Boom  
10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>51.5m Boom</b>										
15.2	80.5	77.2	10 200 *							15.2
16.0	79.9	77.0	10 100 *							16.0
18.0	78.4	76.6	10 000 *							18.0
20.0	76.8	76.2	9 700 *	80.1	75.8	9 400*				20.0
22.0	75.3	75.6	9 500 *	78.6	75.2	9 200*				22.0
24.0	73.7	75.1	9 300 *	77.0	74.7	9 100*				24.0
26.0	72.1	74.4	9 100 *	75.4	74.0	8 900*	78.7	72.9	8 400*	26.0
28.0	70.5	73.7	8 900 *	73.8	73.3	8 700*	77.1	72.2	8 300*	28.0
30.0	68.9	72.9	8 700 *	72.1	72.5	8 500*	75.4	71.4	8 100*	30.0
32.0	67.3	72.1	8 500 *	70.5	71.7	8 300*	73.8	70.5	7 800*	32.0
34.0	65.6	71.2	8 300 *	68.8	70.8	8 200*	72.1	69.6	7 400*	34.0
36.0	63.9	70.2	8 100 *	67.1	69.8	8 000*	70.3	68.6	7 200*	36.0
38.0	62.2	69.2	7 900 *	65.4	68.7	7 900*	68.6	67.5	6 900*	38.0
40.0	60.5	68.1	7 800 *	63.7	67.6	7 700*	66.8	66.4	6 600*	40.0
44.0	56.9	65.6	7 500 *	60.1	65.1	7 400*	63.2	63.8	6 200*	44.0
48.0	53.2	62.7	6 500	56.3	62.2	7 000	59.3	60.9	5 800*	48.0
52.0	49.3	59.4	5 300	52.4	58.9	5 800	55.3	57.5	5 500*	52.0
56.0	45.1	55.6	4 300	48.2	55.1	4 700	51.0	53.5	5 000	56.0
60.0	40.6	51.2	3 400	43.6	50.6	3 700	46.3	48.9	4 000	60.0
64.0	35.7	46.0	2 600	38.6	45.3	2 900	41.0	43.4	3 100	64.0
68.0	30.0	39.6	2 000	32.8	38.8	2 200				68.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating


**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>54.5m Boom</b>										
15.2	80.9	80.2	10 100 *							15.2
16.0	80.3	80.1	10 100 *							16.0
18.0	78.8	79.7	9 900 *							18.0
20.0	77.3	79.3	9 700 *	80.5	78.8	9 400*				20.0
22.0	75.8	78.8	9 500 *	79.0	78.3	9 200*				22.0
24.0	74.3	78.2	9 300 *	77.5	77.8	9 100*				24.0
26.0	72.8	77.6	9 100 *	76.0	77.2	8 900*	79.2	76.0	8 400*	26.0
28.0	71.3	76.9	8 900 *	74.4	76.5	8 700*	77.6	75.3	8 300*	28.0
30.0	69.7	76.2	8 700 *	72.9	75.7	8 500*	76.0	74.6	8 200*	30.0
32.0	68.2	75.4	8 500 *	71.3	74.9	8 400*	74.4	73.8	7 900*	32.0
34.0	66.6	74.5	8 300 *	69.7	74.1	8 200*	72.8	72.9	7 600*	34.0
36.0	65.0	73.6	8 200 *	68.1	73.1	8 100*	71.2	72.0	7 300*	36.0
38.0	63.4	72.6	8 000 *	66.5	72.1	7 900*	69.5	70.9	7 000*	38.0
40.0	61.7	71.5	7 900 *	64.8	71.1	7 800*	67.8	69.8	6 800*	40.0
44.0	58.3	69.2	7 500 *	61.4	68.7	7 500*	64.4	67.4	6 300*	44.0
48.0	54.8	66.4	6 300	57.9	65.9	6 900	60.8	64.6	5 900*	48.0
52.0	51.2	63.4	5 100	54.2	62.8	5 600	57.0	61.4	5 600*	52.0
56.0	47.3	59.8	4 100	50.3	59.3	4 500	53.0	57.8	4 900	56.0
60.0	43.2	55.8	3 200	46.1	55.2	3 500	48.7	53.6	3 900	60.0
64.0	38.7	51.0	2 400	41.5	50.4	2 700	43.9	48.6	3 000	64.0
68.0				36.4	44.7	2 000				68.0



# Liftcrane Jib Capacities

Jib No. 134 With 3 810 mm Strut On  
 Boom No. 57  
 67 990 kg Counterweight  
 360 Degree Rating

**European Standards**  
 14 m/s Maximum Wind thru 54.5m Boom  
 12 m/s with 57.5m and 60.5m Boom  
 10 m/s with 63.5m Boom

## 15000 SERIES 1

Capacities based on structural competence are denoted by an asterisk (\*).

### 24.4m Fixed Jib

Jib Oper. Rad. Meters	5 Degree Offset			15 Degree Offset			25 Degree Offset			Jib Oper. Rad. Meters
	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	Boom Ang. Deg.	Jib Point Elev. Meters	Jib Capacity Kilograms	
<b>57.5m Boom</b>										
16.8	80.1	83.0	10 000 *							16.8
18.0	79.2	82.8	9 900 *							18.0
20.0	77.8	82.3	9 700 *	80.9	81.9	9 400*				20.0
22.0	76.4	81.9	9 500 *	79.4	81.4	9 200*				22.0
24.0	74.9	81.3	9 300 *	78.0	80.9	9 000*				24.0
26.0	73.5	80.7	9 100 *	76.5	80.3	8 800*	79.6	79.2	8 400*	26.0
28.0	72.0	80.1	8 900 *	75.0	79.6	8 700*	78.1	78.5	8 300*	28.0
30.0	70.5	79.4	8 700 *	73.5	78.9	8 500*	76.6	77.8	8 200*	30.0
32.0	69.0	78.6	8 600 *	72.0	78.2	8 400*	75.1	77.0	8 100*	32.0
34.0	67.5	77.8	8 400 *	70.5	77.3	8 200*	73.5	76.2	7 700*	34.0
36.0	66.0	76.9	8 200 *	69.0	76.5	8 100*	71.9	75.3	7 400*	36.0
38.0	64.4	75.9	8 000 *	67.4	75.5	7 900*	70.4	74.3	7 200*	38.0
40.0	62.9	74.9	7 900 *	65.8	74.5	7 800*	68.8	73.2	6 900*	40.0
44.0	59.6	72.7	7 400	62.6	72.2	7 600*	65.5	70.9	6 500*	44.0
48.0	56.3	70.1	6 000	59.2	69.6	6 600	62.0	68.3	6 000*	48.0
52.0	52.9	67.2	4 800	55.7	66.7	5 300	58.5	65.3	5 700	52.0
56.0	49.2	63.9	3 800	52.1	63.3	4 200	54.7	61.9	4 600	56.0
60.0	45.4	60.1	2 900	48.2	59.5	3 300	50.7	58.0	3 600	60.0
64.0	41.2	55.8	2 100	44.0	55.1	2 400	46.4	53.4	2 700	64.0
68.0							41.7	48.1	1 900	68.0