

Liftcrane Jib Capacities

Jib No. 117 on
 Boom No. B10:290
 33 120 kg Crane Counterweight
 10 500 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating

MLC100-1 SERIES 2



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. 9718-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with machine list not to exceed degrees noted. Refer to Boom Rigging **No. 84054317**, Jib Rigging **No. 84054323**, Wire Rope Specifications chart **No. 9714-A**, Counterweight Arrangements chart **No. 9703-A**, and Wind Conditions chart **No. 9713-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, travel, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 6 480 mm crawlers, 900 mm treads, 4 390 mm gantry, 8 part boom hoist reeving, two 32 mm boom pendants, 33 120 kg crane counterweight, and 10 500 kg carbody counterweight.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with # or (a), load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. For block weights shown with (a), optional 3rd sheave in boom top wire rope guide and 2nd anti-two-block on boom top must be removed, and boom must be rigged with a maximum of 2 load hoist lead lines. Raising is not permitted in shaded areas of table.

Caution: Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 325 kg.

Table 1

Over End or Side of Crawlers								
Boom Length (m)	Jib No. 117							
	9,1 m		12,2 m		15,2 m		18,3 m	
	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
	Block Weight (kg)							
13,0 - 43,0	1 725	1 725	1 725	1 725	1 725	1 725	1 725	1 725
46,0	1 725	1 725	1 200	1 200	1 200	1 200	1 200	1 200
49,0	1 200	1 200	325	325	325	325	325	325
52,0	325	325	325	325	325	325	#	#
55,0	325	a	325	a	a	a	a	
58,0	a	a	a	a	Raising Not Permitted			




Table 2

Over End of Blocked Crawlers								
Boom Length (m)	Jib No. 117							
	9,1 m		12,2 m		15,2 m		18,3 m	
	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
	Block Weight (kg)							
13,0 - 43,0	1 725	1 725	1 725	1 725	1 725	1 725	1 725	1 725
46,0	1 725	1 725	1 200	1 200	1 200	1 200	1 200	1 200
49,0	1 200	1 200	325	325	325	325	325	325
52,0	325	325	325	325	325	325	#	#
55,0	325	a	325	a	a	a	a	
58,0	a	a	a	a	a	a	a	
Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.								

Explanation of Symbols



	Jib No. 117 + Boom No. B10:290
	Crane Counterweight + Carbody Counterweight
	360 Degree Rating
	Boom Length
	Jib Length
	Jib Offset Angle
	Operating Radius (see page 1)
	Boom Angle (see page 1)
	Jib Point Elevation (see page 1)
	Machine List
	Lifting Capacities (see page 1)

MLC100-1 S-2




		10°						30°					
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
7,3	79,8	23,7	12 500	12 500									7,3
8,0	77,9	23,6	12 500	12 500	11 400								8,0
10,0	72,5	22,8	12 500	12 400	11 100	10 100	79,1	22,2	9 200	9 100			10,0
12,0	66,9	21,9	12 500	12 100	10 900	9 900	73,2	21,2	8 300	8 200	8 100	8 000	12,0
14,0	60,9	20,7	12 500	11 800	10 700	9 700	67,0	19,9	7 600	7 500	7 400	7 400	14,0
16,0	54,5	19,2	11 800	11 400	10 500	9 600	60,3	18,3	7 100	7 000	6 900	6 900	16,0
18,0	47,3	17,2	10 600	10 400	10 200	9 500	52,8	16,3	6 600	6 600	6 500	6 500	18,0
20,0	39,1	14,7	9 600	9 500	9 500	9 400	43,8	13,5	6 300	6 200	6 200	6 200	20,0
22,0	28,4	11,0	8 900	8 800	8 800	8 700							22,0

MLC100-1 S-2





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
7,3	81,0	26,8	12 500	12 500							7,3		
8,0	79,4	26,7	12 500	12 500							8,0		
10,0	74,7	26,0	12 500	12 500	11 200	10 200					10,0		
12,0	69,8	25,2	12 500	12 300	11 000	10 000	75,5	24,5	8 600	8 500	8 300	7 700	12,0
14,0	64,7	24,2	12 500	12 000	10 800	9 800	70,2	23,4	7 900	7 800	7 700	7 200	14,0
16,0	59,4	22,9	12 200	11 700	10 600	9 700	64,7	22,1	7 400	7 300	7 200	6 800	16,0
18,0	53,7	21,4	11 100	10 700	10 300	9 600	58,7	20,5	6 900	6 900	6 800	6 500	18,0
20,0	47,4	19,4	10 100	9 800	9 400	9 100	52,1	18,4	6 600	6 500	6 500	6 200	20,0
22,0	40,3	17,0	9 300	9 000	8 800	8 500	44,5	15,8	6 300	6 200	6 200	6 100	22,0
24,0	31,7	13,8	8 800	8 500	8 300	8 000	34,9	12,2	6 100	6 100	6 100	6 000	24,0

MLC100-1 S-2




33 120 kg
+
10 500 kg





			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
7,9	80,7	29,8	12 500										7,9
8,0	80,5	29,7	12 500										8,0
10,0	76,4	29,2	12 500	12 500	11 300	10 200							10,0
12,0	72,1	28,5	12 500	12 300	11 100	10 000	77,1	27,7	8 900	8 700	8 600		12,0
14,0	67,6	27,6	12 500	12 100	10 900	9 900	72,6	26,8	8 200	8 100	8 000	7 900	14,0
16,0	63,0	26,5	12 500	11 900	10 700	9 800	67,8	25,6	7 700	7 600	7 500	7 400	16,0
18,0	58,2	25,2	12 400	11 800	10 600	9 700	62,8	24,3	7 200	7 200	7 100	7 000	18,0
20,0	53,1	23,6	11 400	11 200	10 500	9 600	57,5	22,6	6 900	6 800	6 700	6 700	20,0
22,0	47,5	21,7	10 400	10 200	9 800	9 400	51,6	20,6	6 500	6 500	6 500	6 400	22,0
24,0	41,3	19,3	9 300	9 100	8 800	8 600	44,9	18,1	6 300	6 300	6 200	6 200	24,0
26,0	34,0	16,3	8 300	8 100	7 900	7 700							26,0



MLC100-1 S-2



			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
8,5	80,5	32,7	12 500	12 500	11 300						8,5		
10,0	77,7	32,3	12 500	12 500	11 300						10,0		
12,0	73,9	31,7	12 500	12 400	11 100	10 100	78,5	30,9	9 100	8 900			12,0
14,0	70,0	30,9	12 500	12 200	11 000	9 900	74,4	30,1	8 400	8 300	8 200	8 100	14,0
16,0	65,9	29,9	12 500	12 100	10 800	9 800	70,3	29,1	7 900	7 800	7 700	7 600	16,0
18,0	61,7	28,8	12 500	11 900	10 700	9 700	65,9	27,9	7 500	7 400	7 300	7 200	18,0
20,0	57,3	27,4	11 800	11 300	10 500	9 600	61,4	26,5	7 100	7 000	7 000	6 900	20,0
22,0	52,6	25,8	10 400	10 000	9 700	9 300	56,5	24,8	6 800	6 700	6 700	6 600	22,0
24,0	47,6	23,9	9 200	8 900	8 600	8 400	51,2	22,9	6 500	6 500	6 400	6 400	24,0
26,0	42,0	21,6	8 300	8 000	7 800	7 500	45,4	20,4	6 300	6 300	6 200	6 200	26,0
28,0	35,7	18,8	7 400	7 200	7 100	6 900	38,6	17,4	6 100	6 100	6 100	6 100	28,0
30,0	28,0	15,1	6 700	6 600	6 400	6 300							30,0




33 120 kg
+
10 500 kg




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,1	80,3	35,6	12 500	12 500					9 200				9,1
10,0	78,8	35,4	12 500	12 500					8 600	8 500	8 400	8 000	10,0
12,0	75,3	34,8	12 500	12 500	11 200	10 100	79,6	34,0					12,0
14,0	71,8	34,1	12 500	12 300	11 000	10 000	75,9	33,3	8 600	8 500	8 400	8 000	14,0
16,0	68,2	33,3	12 500	12 100	10 900	9 900	72,2	32,4	8 200	8 000	7 900	7 800	16,0
18,0	64,4	32,2	12 500	12 000	10 800	9 800	68,4	31,4	7 700	7 600	7 500	7 400	18,0
20,0	60,5	31,0	11 700	11 200	10 600	9 700	64,4	30,1	7 300	7 300	7 200	7 100	20,0
22,0	56,5	29,7	10 300	9 900	9 500	9 100	60,2	28,7	7 000	6 900	6 900	6 800	22,0
24,0	52,2	28,0	9 100	8 800	8 400	8 100	55,7	27,0	6 700	6 700	6 600	6 600	24,0
26,0	47,6	26,2	8 100	7 900	7 600	7 300	50,9	25,0	6 500	6 500	6 400	6 400	26,0
28,0	42,6	23,9	7 300	7 100	6 900	6 700	45,7	22,7	6 300	6 300	6 200	6 200	28,0
30,0	37,0	21,2	6 600	6 400	6 200	6 100	39,7	19,8	6 100	6 100	6 100	6 000	30,0
32,0	30,4	17,8	6 000	5 800	5 700	5 600	32,4	16,1	6 000	5 900	5 700	5 600	32,0

MLC100-1 S-2





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
9,8	80,1	38,6	12 500								9,8		
10,0	79,7	38,5	12 500								10,0		
12,0	76,6	38,0	12 500	12 500	11 200	10 100					12,0		
14,0	73,3	37,3	12 500	12 400	11 000	10 000	77,2	36,5	8 800	8 700	8 500	7 800	14,0
16,0	70,0	36,6	12 500	12 200	10 900	9 900	73,8	35,7	8 300	8 200	8 100	7 800	16,0
18,0	66,7	35,6	12 500	12 100	10 800	9 800	70,3	34,8	7 900	7 800	7 700	7 600	18,0
20,0	63,2	34,6	11 600	11 000	10 500	9 700	66,8	33,7	7 600	7 500	7 400	7 300	20,0
22,0	59,6	33,3	10 200	9 700	9 300	8 900	63,0	32,4	7 200	7 200	7 100	7 000	22,0
24,0	55,9	31,9	9 000	8 700	8 300	8 000	59,2	30,9	6 900	6 900	6 800	6 800	24,0
26,0	51,9	30,3	8 100	7 800	7 500	7 200	55,1	29,2	6 700	6 700	6 600	6 500	26,0
28,0	47,7	28,4	7 300	7 000	6 800	6 500	50,7	27,3	6 500	6 400	6 400	6 400	28,0
30,0	43,2	26,2	6 600	6 300	6 100	5 900	45,9	25,0	6 300	6 300	6 100	6 000	30,0
32,0	38,1	23,6	5 900	5 800	5 600	5 400	40,6	22,2	6 000	5 800	5 600	5 500	32,0
34,0	32,4	20,5	5 400	5 300	5 100	5 000	34,4	18,8	5 400	5 300	5 200	5 000	34,0
36,0	25,4	16,3	4 900	4 800	4 700	4 600							36,0

MLC100-1 S-2





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
			m	°	m		°	m					
10,4	80,7	44,6	12 500	12 500			79,0	42,8	9 100	9 000			10,4
12,0	78,5	44,2	12 500	12 400	11 000	9 900	76,2	42,1	8 700	8 500	8 400	7 500	12,0
14,0	75,7	43,6	12 500	12 300	10 900	9 900	73,3	41,3	8 300	8 100	8 000	7 500	14,0
16,0	72,9	43,0	12 500	12 100	10 800	9 800	70,3	40,4	7 900	7 800	7 700	7 400	16,0
18,0	70,1	42,2	12 500	10 700	10 100	9 600	67,3	39,3	7 600	7 500	7 400	7 300	18,0
20,0	67,2	41,3	11 400	9 400	9 000	8 500	64,2	38,2	7 300	7 200	7 200	7 100	20,0
22,0	64,2	40,3	10 000	8 400	8 000	7 600	60,9	36,8	7 100	7 000	6 900	6 800	22,0
24,0	61,2	39,1	8 800	7 500	7 100	6 800	57,6	35,3	6 800	6 700	6 600	6 300	24,0
26,0	58,1	37,8	7 800	6 700	6 400	6 200	54,0	33,6	6 400	6 200	5 900	5 700	26,0
28,0	54,8	36,4	7 000	6 100	5 800	5 600	50,3	31,7	5 800	5 600	5 400	5 200	28,0
30,0	51,3	34,7	6 300	5 500	5 300	5 100	46,3	29,5	5 300	5 100	4 900	4 700	30,0
32,0	47,7	32,9	5 700	5 000	4 800	4 600	41,9	26,9	4 800	4 600	4 500	4 300	32,0
34,0	43,9	30,7	5 200	4 700	4 600	4 400	36,9	23,8	4 300	4 200	4 100	3 900	34,0
36,0	39,7	28,3	4 700	4 200	4 000	3 900							36,0
38,0	35,1	25,4	4 300	3 800	3 700	3 600							38,0
40,0	29,7	21,9	3 900	3 500	3 400	3 300							40,0
42,0	23,2	17,4	3 600										42,0

MLC100-1 S-2



33 120 kg
+
10 500 kg





			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,0	80,5	47,5	12 500	12 500									11,0
12,0	79,2	47,3	12 500	12 400	11 000	9 900	79,8	45,9	9 200	9 100			12,0
14,0	76,7	46,8	12 500	12 200	10 900	9 800	77,2	45,3	8 800	8 700	8 500		14,0
16,0	74,1	46,1	12 500	12 000	10 800	9 800	74,5	44,5	8 400	8 300	8 200	7 300	16,0
18,0	71,5	45,4	12 500	12 000	10 800	9 800	71,7	43,7	8 100	8 000	7 800	7 300	18,0
20,0	68,8	44,6	11 300	10 600	9 900	9 300	69,0	42,7	7 800	7 700	7 600	7 300	20,0
22,0	66,1	43,7	9 900	9 300	8 800	8 300	66,1	41,7	7 500	7 400	7 300	7 200	22,0
24,0	63,3	42,6	8 700	8 200	7 800	7 400	63,2	40,5	7 200	7 100	7 100	6 800	24,0
26,0	60,4	41,4	7 700	7 300	7 000	6 600	60,1	39,1	6 900	6 700	6 400	6 100	26,0
28,0	57,4	40,1	6 900	6 600	6 300	6 000	57,0	37,6	6 400	6 100	5 800	5 500	28,0
30,0	54,4	38,6	6 200	5 900	5 700	5 400	53,6	35,9	5 700	5 500	5 200	5 000	30,0
32,0	51,2	37,0	5 600	5 400	5 100	4 900	50,1	33,9	5 200	5 000	4 800	4 600	32,0
34,0	47,8	35,1	5 100	4 900	4 700	4 500	46,4	31,7	4 700	4 500	4 300	4 200	34,0
36,0	44,2	33,0	4 600	4 400	4 200	4 100	42,4	29,2	4 200	4 100	3 900	3 800	36,0
38,0	40,3	30,6	4 200	4 000	3 900	3 700	37,9	26,3	3 900	3 700	3 600	3 500	38,0
40,0	36,1	27,8	3 800	3 700	3 500	3 400	32,8	22,8	3 500	3 400	3 300	3 100	40,0
42,0	31,4	24,6	3 500	3 400	3 200	3 100							42,0
44,0	25,7	20,5	3 200	3 100	3 000	2 900							44,0

MLC100-1 S-2












33 120 kg
+
10 500 kg





			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,6	80,4	50,4	12 500										11,6
12,0	79,9	50,3	12 500										12,0
14,0	77,5	49,8	12 500	12 300	10 900	9 800	80,4	49,0	9 300	8 800	8 500		14,0
16,0	75,1	49,3	12 500	12 200	10 800	9 800	78,0	48,4	8 900	8 400	8 100		16,0
18,0	72,6	48,6	12 500	11 800	10 800	9 700	75,5	47,7	8 600	8 100	7 800	7 100	18,0
20,0	70,2	47,8	11 200	10 400	9 800	9 100	72,9	46,9	8 200	7 800	7 400	6 900	20,0
22,0	67,6	47,0	9 800	9 200	8 600	8 100	70,4	46,0	7 900	7 500	7 100	6 700	22,0
24,0	65,0	46,0	8 600	8 100	7 600	7 200	67,7	45,1	7 600	7 200	6 800	6 400	24,0
26,0	62,4	44,9	7 600	7 200	6 800	6 500	65,0	43,9	7 400	7 000	6 600	6 200	26,0
28,0	59,7	43,7	6 800	6 500	6 100	5 800	62,2	42,7	7 000	6 600	6 200	5 800	28,0
30,0	56,9	42,4	6 100	5 800	5 500	5 300	59,4	41,3	6 300	6 000	5 700	5 400	30,0
32,0	54,0	40,9	5 500	5 300	5 000	4 800	56,4	39,8	5 600	5 400	5 100	4 900	32,0
34,0	51,0	39,2	5 000	4 800	4 500	4 300	53,3	38,1	5 100	4 900	4 700	4 400	34,0
36,0	47,8	37,3	4 500	4 300	4 100	4 000	50,0	36,1	4 600	4 400	4 200	4 000	36,0
38,0	44,4	35,3	4 100	3 900	3 800	3 600	46,5	34,0	4 200	4 000	3 800	3 700	38,0
40,0	40,9	32,9	3 700	3 600	3 400	3 300	42,8	31,5	3 800	3 600	3 500	3 300	40,0
42,0	37,0	30,2	3 400	3 300	3 100	3 000	38,7	28,7	3 400	3 300	3 200	3 000	42,0
44,0	32,7	27,1	3 100	3 000	2 900	2 700	34,1	25,4	3 100	3 000	2 900	2 800	44,0
46,0	27,7	23,3	2 800	2 700	2 600	2 500							46,0

MLC100-1 S-2





	 10°						 30°							
	 m		 m						 m					
				0°  kg	1°  kg	2°  kg	3°  kg			0°  kg	1°  kg	2°  kg		3°  kg
12,2	80,8	56,4	12 500					79,3	54,6	9 200				12,2
14,0	78,9	56,0	12 500	12 100	10 700			77,2	54,0	8 800	8 600	8 100		14,0
16,0	76,8	55,5	12 500	12 000	10 600	8 700		74,9	53,3	8 500	8 300	8 100	6 800	16,0
18,0	74,6	54,9	12 400	11 500	10 600	8 700								18,0
20,0	72,4	54,3	10 900	10 100	9 400	8 600								20,0
22,0	70,2	53,5	9 500	8 900	8 300	7 700		72,7	52,6	8 200	8 100	7 900	6 800	22,0
24,0	68,0	52,7	8 400	7 800	7 300	6 800		70,4	51,7	7 900	7 800	7 500	6 800	24,0
26,0	65,7	51,7	7 400	6 900	6 500	6 100		68,1	50,8	7 600	7 200	6 700	6 300	26,0
28,0	63,3	50,7	6 600	6 200	5 800	5 500		65,7	49,7	6 800	6 400	6 000	5 700	28,0
30,0	60,9	49,5	5 900	5 600	5 200	4 900		63,2	48,5	6 100	5 700	5 400	5 100	30,0
32,0	58,5	48,3	5 300	5 000	4 700	4 500		60,7	47,2	5 500	5 200	4 900	4 600	32,0
34,0	56,0	46,9	4 800	4 500	4 300	4 000		58,1	45,8	4 900	4 600	4 400	4 200	34,0
36,0	53,4	45,3	4 300	4 100	3 900	3 600		55,5	44,2	4 400	4 200	4 000	3 800	36,0
38,0	50,7	43,7	3 900	3 700	3 500	3 300		52,7	42,5	4 000	3 800	3 600	3 400	38,0
40,0	47,8	41,8	3 500	3 300	3 200	3 000		49,8	40,6	3 600	3 400	3 200	3 100	40,0
42,0	44,9	39,8	3 200	3 000	2 900	2 700		46,7	38,5	3 200	3 100	2 900	2 800	42,0
44,0	41,7	37,5	2 900	2 700	2 600	2 500		43,5	36,1	2 900	2 800	2 600	2 500	44,0
46,0	38,4	34,9	2 600	2 500	2 300	2 200		40,0	33,4	2 600	2 500	2 400	2 300	46,0
48,0	34,7	32,0	2 300	2 200	2 100	2 000		36,1	30,4	2 400	2 300	2 100	2 000	48,0
50,0	30,7	28,7	2 100	2 000	1 900	1 800		31,8	26,8	2 100	2 000	1 900	1 800	50,0
52,0	26,0	24,6	1 900	1 800	1 700	1 600								52,0

MLC100-1 S-2




33 120 kg
+
10 500 kg





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
12,8	80,7	59,4	12 500	12 000			79,9	57,7	9 300			12,8	
14,0	79,5	59,1	12 500	11 900	9 900		77,9	57,2	8 900	8 700		14,0	
16,0	77,5	58,6	12 500	11 400	9 800	7 700	75,8	56,5	8 600	8 400	7 900	16,0	
18,0	75,4	58,1	12 300	11 400	9 800	7 700	75,8	56,5	8 600	8 400	7 900	18,0	
20,0	73,4	57,5	10 800	10 000	9 200	7 600	73,6	55,8	8 300	8 200	7 900	20,0	
22,0	71,3	56,7	9 400	8 700	8 100	7 400	71,5	55,0	8 000	7 800	7 400	22,0	
24,0	69,2	55,9	8 300	7 700	7 100	6 700	69,3	54,1	7 500	7 000	6 600	24,0	
26,0	67,0	55,1	7 300	6 800	6 300	5 900	67,1	53,1	6 700	6 300	5 900	26,0	
28,0	64,8	54,1	6 500	6 100	5 700	5 300	64,8	52,0	6 000	5 600	5 300	28,0	
30,0	62,6	53,0	5 800	5 400	5 100	4 800	62,5	50,8	5 300	5 000	4 700	30,0	
32,0	60,3	51,8	5 200	4 900	4 600	4 300	60,1	49,5	4 800	4 500	4 300	32,0	
34,0	58,0	50,6	4 700	4 400	4 100	3 900	57,6	48,1	4 300	4 100	3 800	34,0	
36,0	55,6	49,1	4 200	3 900	3 700	3 500	55,1	46,5	3 900	3 700	3 500	36,0	
38,0	53,1	47,6	3 800	3 500	3 300	3 100	52,5	44,8	3 500	3 300	3 100	38,0	
40,0	50,6	45,9	3 400	3 200	3 000	2 800	49,7	42,9	3 100	3 000	2 800	40,0	
42,0	47,9	44,1	3 100	2 900	2 700	2 600	46,8	40,8	2 800	2 700	2 500	42,0	
44,0	45,1	42,0	2 700	2 600	2 400	2 300	43,8	38,4	2 500	2 400	2 300	44,0	
46,0	42,1	39,8	2 500	2 300	2 200	2 100	40,5	35,8	2 300	2 100	2 000	46,0	
48,0	39,0	37,3	2 200	2 100	2 000	1 900	37,0	32,9	2 000	1 900	1 800	48,0	
50,0	35,6	34,5	2 000	1 900	1 800	1 700						50,0	
52,0	31,9	31,3	1 800	1 700	1 600	1 500						52,0	
54,0	27,7	27,5	1 500	1 400	1 400	1 300						54,0	
56,0	22,7	22,8	1 200	1 100	1 100	1 100						56,0	

MLC100-1 S-2





33 120 kg
+
10 500 kg





			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	80,6	62,3	12 500	11 800			78,5	60,3	9 000	8 800			13,4
14,0	80,0	62,2	12 500	11 700			76,5	59,7	8 700	8 500			14,0
16,0	78,1	61,7	12 500	11 200	8 800	6 700	74,5	59,0	8 400	8 300	7 700	5 900	16,0
18,0	76,1	61,2	12 200	11 200	8 700	6 700	72,5	58,2	8 100	7 800	7 200	5 900	18,0
20,0	74,2	60,6	10 700	9 800	8 600	6 700	70,4	57,4	7 400	6 900	6 400	5 800	20,0
22,0	72,2	59,9	9 300	8 600	7 900	6 600	68,3	56,4	6 600	6 200	5 800	5 400	22,0
24,0	70,2	59,2	8 200	7 600	7 000	6 400	66,2	55,4	5 900	5 500	5 100	4 800	24,0
26,0	68,2	58,3	7 200	6 700	6 200	5 800	64,0	54,3	5 300	4 900	4 600	4 300	26,0
28,0	66,2	57,4	6 400	5 900	5 500	5 200	61,8	53,1	4 700	4 400	4 100	3 900	28,0
30,0	64,1	56,4	5 700	5 300	5 000	4 600	59,5	51,7	4 200	4 000	3 700	3 500	30,0
32,0	61,9	55,3	5 100	4 700	4 400	4 100	57,2	50,3	3 800	3 600	3 300	3 100	32,0
34,0	59,8	54,1	4 600	4 300	4 000	3 700	54,7	48,7	3 400	3 200	3 000	2 800	34,0
36,0	57,5	52,8	4 100	3 800	3 600	3 400	52,2	47,0	3 100	2 900	2 700	2 500	36,0
38,0	55,2	51,4	3 700	3 400	3 200	3 000	49,6	45,1	2 700	2 600	2 400	2 300	38,0
40,0	52,9	49,8	3 300	3 100	2 900	2 700	46,9	43,0	2 500	2 300	2 200	2 000	40,0
42,0	50,4	48,1	3 000	2 800	2 600	2 400	44,0	40,7	2 200	2 100	1 900	1 800	42,0
44,0	47,9	46,3	2 700	2 500	2 300	2 200	40,9	38,1	1 900	1 800	1 700	1 600	44,0
46,0	45,2	44,3	2 400	2 200	2 100	2 000	37,6	35,3	1 700	1 600	1 500	1 400	46,0
48,0	42,4	42,1	2 100	2 000	1 900	1 700	34,0	32,0	1 500	1 400	1 300	1 200	48,0
50,0	39,5	39,6	1 900	1 800	1 700	1 500							50,0
52,0	36,3	36,8	1 700	1 600	1 500	1 400							52,0
54,0	32,9	33,7	1 400	1 400	1 300	1 200							54,0
56,0	29,0	30,1	1 200	1 100	1 100	1 000							56,0

MLC100-1 S-2






33 120 kg
+
10 500 kg





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
14,0	80,4	65,2	12 500	10 400							14,0		
16,0	78,6	64,8	12 500	10 300	7 700	5 900	79,0	63,4	9 100	8 600	6 900	5 200	16,0
18,0	76,8	64,3	12 100	10 300	7 700	5 800	77,2	62,8	8 800	8 400	6 900	5 200	18,0
20,0	75,0	63,7	10 600	9 700	7 700	5 800	75,3	62,1	8 500	8 400	6 900	5 200	20,0
22,0	73,1	63,1	9 200	8 400	7 500	5 800	73,3	61,4	8 200	7 700	6 800	5 200	22,0
24,0	71,2	62,4	8 000	7 400	6 800	5 800	71,4	60,6	7 300	6 800	6 300	5 100	24,0
26,0	69,3	61,6	7 100	6 500	6 000	5 600	69,4	59,7	6 500	6 000	5 600	5 000	26,0
28,0	67,3	60,7	6 300	5 800	5 400	5 000	67,4	58,8	5 800	5 400	5 000	4 700	28,0
30,0	65,4	59,8	5 600	5 200	4 800	4 500	65,4	57,7	5 200	4 800	4 500	4 200	30,0
32,0	63,4	58,7	5 000	4 600	4 300	4 000	63,3	56,6	4 600	4 300	4 000	3 700	32,0
34,0	61,3	57,6	4 400	4 100	3 800	3 600	61,2	55,3	4 100	3 800	3 600	3 300	34,0
36,0	59,2	56,4	4 000	3 700	3 400	3 200	59,0	54,0	3 700	3 400	3 200	3 000	36,0
38,0	57,1	55,1	3 500	3 300	3 100	2 900	56,7	52,5	3 300	3 100	2 900	2 700	38,0
40,0	54,9	53,6	3 200	3 000	2 800	2 600	54,4	50,9	3 000	2 800	2 600	2 400	40,0
42,0	52,6	52,1	2 800	2 700	2 500	2 300	52,0	49,2	2 600	2 500	2 300	2 100	42,0
44,0	50,3	50,4	2 500	2 400	2 200	2 000	49,5	47,3	2 300	2 200	2 000	1 900	44,0
46,0	47,9	48,5	2 300	2 100	2 000	1 800	47,0	45,2	2 100	1 900	1 800	1 700	46,0
48,0	45,4	46,5	2 000	1 900	1 700	1 600	44,2	42,9	1 800	1 700	1 600	1 500	48,0
50,0	42,7	44,3	1 800	1 600	1 500	1 400	41,3	40,4	1 600	1 500	1 400	1 300	50,0
52,0	39,9	41,9	1 600	1 400	1 300	1 200	38,2	37,6	1 400	1 300	1 200	1 100	52,0
54,0	36,9	39,2	1 300	1 300	1 200	1 100	34,8	34,5	1 100	1 100	1 000	900	54,0
56,0	33,7	36,2	1 100	1 000	900								56,0

MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
14,0	80,9	68,3	12 500	9 200							14,0		
16,0	79,2	67,9	12 400	9 200	6 900		79,5	66,5	9 200		16,0		
18,0	77,4	67,4	11 900	9 200	6 800	5 100	77,8	65,9	8 900	8 200	18,0		
20,0	75,7	66,9	10 500	9 000	6 800	5 100	76,0	65,3	8 600	8 200	20,0		
22,0	73,9	66,3	9 100	8 300	6 800	5 100	74,1	64,6	8 100	7 600	22,0		
24,0	72,1	65,6	7 900	7 300	6 600	5 100	72,3	63,9	7 200	6 700	24,0		
26,0	70,3	64,8	6 900	6 400	5 900	5 100	70,4	63,0	6 400	5 900	26,0		
28,0	68,4	64,0	6 100	5 700	5 200	4 800	68,5	62,1	5 700	5 200	28,0		
30,0	66,6	63,1	5 400	5 000	4 600	4 300	66,6	61,1	5 000	4 700	30,0		
32,0	64,7	62,1	4 800	4 500	4 100	3 800					32,0		
34,0	62,7	61,1	4 300	4 000	3 700	3 400	64,6	60,1	4 500	4 200	34,0		
36,0	60,8	59,9	3 800	3 600	3 300	3 000	62,6	58,9	4 000	3 700	36,0		
38,0	58,8	58,7	3 400	3 200	2 900	2 700	60,6	57,6	3 600	3 300	38,0		
40,0	56,7	57,3	3 000	2 800	2 600	2 400	58,5	56,2	3 200	3 000	40,0		
42,0	54,6	55,9	2 700	2 500	2 300	2 100	56,4	54,8	2 800	2 600	42,0		
44,0	52,5	54,3	2 400	2 200	2 000	1 900	54,1	53,2	2 500	2 300	44,0		
46,0	50,2	52,6	2 100	2 000	1 800	1 700	51,9	51,4	2 200	2 100	46,0		
48,0	47,9	50,8	1 900	1 700	1 600	1 400	49,5	49,5	2 000	1 800	48,0		
50,0	45,5	48,8	1 600	1 500	1 400	1 300	47,0	47,5	1 700	1 600	50,0		
52,0	43,0	46,6	1 400	1 300	1 200	1 100	44,4	45,2	1 500	1 400	52,0		
54,0	40,4	44,2	1 200	1 100	1 000		41,7	42,8	1 300	1 200	54,0		
56,0	37,5	41,6	1 000				38,8	40,0	1 000	900	56,0		


MLC100-1 S-2



33 120 kg
+
10 500 kg





13,0 m



12,2 m



			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
8,5	80,1	26,5	11 900										8,5
10,0	76,6	26,1	11 600	10 200	9 000	8 000							10,0
12,0	71,7	25,2	11 100	9 900	8 700	7 800	79,5	24,4	7 400				12,0
14,0	66,7	24,2	10 700	9 600	8 500	7 600	74,2	23,3	6 700	6 600	6 500	6 400	14,0
16,0	61,3	23,0	10 400	9 300	8 300	7 500	68,6	22,0	6 200	6 100	6 000	6 000	16,0
18,0	55,6	21,4	9 600	9 100	8 100	7 300	62,6	20,4	5 700	5 700	5 600	5 600	18,0
20,0	49,4	19,5	8 700	8 600	8 000	7 200	56,0	18,4	5 400	5 300	5 300	5 300	20,0
22,0	42,3	17,1	8 000	7 900	7 800	7 100	48,3	15,7	5 100	5 100	5 000	5 000	22,0
24,0	33,7	13,8	7 400	7 300	7 300	7 100	38,6	12,1	4 900	4 900	4 900	4 900	24,0

MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
9,1	79,9	29,5	11 900	10 400							9,1		
10,0	78,1	29,2	11 700	10 300	9 100						10,0		
12,0	73,8	28,5	11 300	10 000	8 800	7 900					12,0		
14,0	69,4	27,6	10 900	9 700	8 600	7 700	76,1	26,7	6 900	6 700	6 000	5 400	14,0
16,0	64,8	26,5	9 700	9 200	8 400	7 600	71,3	25,5	6 400	6 200	5 600	5 100	16,0
18,0	59,9	25,2	8 700	8 300	7 900	7 400	66,3	24,1	6 000	5 800	5 300	4 900	18,0
20,0	54,8	23,6	7 800	7 600	7 300	7 000	60,9	22,5	5 600	5 500	5 000	4 600	20,0
22,0	49,2	21,7	7 100	6 900	6 700	6 500	55,0	20,5	5 300	5 200	4 800	4 400	22,0
24,0	43,0	19,3	6 600	6 400	6 200	6 000	48,3	17,9	5 100	5 000	4 600	4 300	24,0
26,0	35,7	16,3	6 200	6 100	5 900	5 700	40,2	14,6	4 900	4 900	4 500	4 200	26,0


MLC100-1 S-2



33 120 kg
+
10 500 kg




19,0 m



12,2 m




			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
9,1	80,9	32,5	12 000	10 400	8 900	8 000	77,6	29,9	7 100	7 000	6 900	6 200	9,1
10,0	79,2	32,3	11 800	10 100	8 700	7 800	73,4	28,9	6 600	6 500	6 400	5 900	10,0
12,0	75,4	31,7	11 400	9 900	8 500	7 600	69,0	27,7	6 200	6 100	6 000	5 700	12,0
14,0	71,5	30,9	11 100	9 600	8 200	7 300	59,5	24,6	5 800	5 800	5 700	5 500	14,0
16,0	67,4	29,9	10 800	9 300	7 800	7 200	54,2	22,6	5 500	5 500	5 400	5 300	16,0
18,0	63,2	28,8	10 600	9 000	7 500	6 900	48,2	20,2	5 300	5 200	5 200	5 100	18,0
20,0	58,8	27,4	10 100	8 400	7 200	6 600	41,3	17,0	4 900	4 900	4 900	4 900	20,0
22,0	54,1	25,8	9 300	7 800	6 600	6 100							22,0
24,0	49,1	23,9	8 700	7 200	6 000	5 500							24,0
26,0	43,5	21,6	8 100	6 600	5 400	5 000							26,0
28,0	37,2	18,8	7 600	6 000	4 900	4 500							28,0
30,0	29,5	15,1	7 000	5 400	4 400	4 000							30,0

MLC100-1 S-2




			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
9,8	80,6	35,5	11 900										9,8
10,0	80,2	35,4	11 900										10,0
12,0	76,7	34,8	11 500	10 200	8 900	8 000							12,0
14,0	73,2	34,1	11 200	9 900	8 800	7 800	78,8	33,1	7 200	7 100	7 000		14,0
16,0	69,6	33,3	11 000	9 700	8 600	7 700	75,1	32,2	6 800	6 700	6 600	6 000	16,0
18,0	65,8	32,2	10 700	9 500	8 400	7 600	71,2	31,2	6 400	6 300	6 200	6 000	18,0
20,0	61,9	31,1	10 500	9 400	8 300	7 500	67,2	29,9	6 000	6 000	5 900	5 800	20,0
22,0	57,9	29,7	9 900	9 200	8 200	7 400	62,9	28,5	5 700	5 700	5 600	5 600	22,0
24,0	53,6	28,0	9 200	8 900	8 100	7 300	58,4	26,8	5 500	5 400	5 400	5 300	24,0
26,0	49,0	26,2	8 400	8 100	7 800	7 300	53,6	24,8	5 300	5 200	5 200	5 100	26,0
28,0	44,0	23,9	7 600	7 400	7 100	6 900	48,3	22,4	5 100	5 000	5 000	5 000	28,0
30,0	38,4	21,2	6 900	6 700	6 500	6 300	42,2	19,5	4 900	4 900	4 900	4 900	30,0
32,0	31,9	17,8	6 300	6 100	5 900	5 800	34,8	15,7	4 800	4 800	4 800	4 800	32,0

MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,4	80,4	38,4	11 900										10,4
12,0	77,8	38,0	11 600	10 200	9 000								12,0
14,0	74,6	37,3	11 300	10 000	8 800	7 900	79,8	36,3	7 400	7 200			14,0
16,0	71,3	36,5	11 100	9 800	8 700	7 800	76,4	35,5	6 900	6 800	6 700	5 800	16,0
18,0	67,9	35,6	10 900	9 600	8 500	7 600	72,9	34,5	6 500	6 400	6 400	5 800	18,0
20,0	64,5	34,5	10 700	9 500	8 400	7 600	69,3	33,4	6 200	6 100	6 000	5 800	20,0
22,0	60,9	33,3	10 300	9 400	8 300	7 500	65,6	32,1	5 900	5 800	5 800	5 700	22,0
24,0	57,1	31,9	9 300	8 800	8 200	7 400	61,6	30,6	5 700	5 600	5 500	5 500	24,0
26,0	53,1	30,3	8 300	8 000	7 700	7 300	57,5	28,9	5 400	5 400	5 300	5 300	26,0
28,0	48,9	28,4	7 500	7 200	7 000	6 700	53,1	27,0	5 200	5 200	5 200	5 100	28,0
30,0	44,4	26,2	6 800	6 500	6 300	6 100	48,2	24,6	5 100	5 000	5 000	5 000	30,0
32,0	39,4	23,6	6 100	6 000	5 800	5 600	42,8	21,8	4 900	4 900	4 900	4 900	32,0
34,0	33,6	20,4	5 600	5 500	5 300	5 200	36,4	18,3	4 800	4 800	4 800	4 800	34,0
36,0	26,5	16,3	5 100	5 000	4 900	4 800							36,0

MLC100-1 S-2



			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
11,0	80,3	41,3	11 800	10 200	8 800	7 900	80,6	39,4	7 500	6 900	6 800	5 600	11,0
12,0	78,8	41,1	11 700	10 000	8 700	7 800	77,5	38,7	7 100	6 600	6 500	5 600	12,0
14,0	75,8	40,5	11 400	9 900	8 600	7 700	74,3	37,8	6 700	6 300	6 200	5 600	14,0
16,0	72,8	39,8	11 200	9 700	8 400	7 500	71,1	36,8	6 400	6 000	5 900	5 600	16,0
18,0	69,7	38,9	11 000	9 600	8 200	7 400	67,7	35,7	6 100	5 800	5 700	5 600	18,0
20,0	66,6	38,0	10 800	9 400	8 000	7 200	64,2	34,4	5 800	5 500	5 400	5 300	20,0
22,0	63,3	36,9	10 300	9 200	7 900	7 100	60,6	32,9	5 600	5 300	5 200	5 100	22,0
24,0	60,0	35,6	9 200	8 800	7 600	6 800	56,8	31,1	5 400	5 100	5 000	4 900	24,0
26,0	56,5	34,1	8 200	7 900	6 800	6 000	52,7	29,2	5 200	4 900	4 800	4 700	26,0
28,0	52,8	32,5	7 400	7 100	6 200	5 500	48,3	26,9	5 100	4 800	4 700	4 600	28,0
30,0	48,9	30,6	6 700	6 400	5 500	4 800	43,4	24,2	4 900	4 600	4 500	4 400	30,0
32,0	44,7	28,5	6 100	5 900	5 000	4 300	37,8	20,9	4 900	4 600	4 500	4 400	32,0
34,0	40,2	26,0	5 500	5 400	4 600	4 000							34,0
36,0	35,0	22,9	5 100	4 900	4 200	3 600							36,0
38,0	29,0	19,2	4 600	4 500	3 800	3 200							38,0




33 120 kg
+
10 500 kg



360°



31,0 m




12,2 m

			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
11,0	81,0	44,4	11 800								11,0		
12,0	79,6	44,2	11 700								12,0		
14,0	76,8	43,6	11 500	10 100	8 800	7 900					14,0		
16,0	74,0	42,9	11 300	9 900	8 700	7 800	78,4	41,8	7 200	7 000	16,0		
18,0	71,2	42,2	11 100	9 800	8 600	7 700	75,5	41,0	6 800	6 700	18,0		
20,0	68,3	41,3	10 900	9 600	8 500	7 600	72,5	40,1	6 500	6 400	20,0		
22,0	65,4	40,3	10 200	9 400	8 400	7 500	69,5	39,1	6 200	6 100	22,0		
24,0	62,3	39,1	9 100	8 600	8 100	7 500	66,3	37,9	6 000	5 900	24,0		
26,0	59,2	37,8	8 100	7 700	7 400	7 000	63,1	36,6	5 700	5 700	26,0		
28,0	55,9	36,4	7 300	7 000	6 700	6 400	59,7	35,0	5 500	5 500	28,0		
30,0	52,4	34,7	6 600	6 300	6 100	5 800	56,1	33,3	5 400	5 300	30,0		
32,0	48,8	32,8	6 000	5 700	5 500	5 300	52,3	31,4	5 200	5 200	32,0		
34,0	45,0	30,7	5 400	5 200	5 000	4 900	48,2	29,1	5 100	5 000	34,0		
36,0	40,8	28,3	4 900	4 800	4 600	4 500	43,8	26,5	4 900	4 800	36,0		
38,0	36,2	25,4	4 500	4 400	4 200	4 100	38,8	23,4	4 600	4 400	38,0		
40,0	30,8	21,9	4 100	4 000	3 900	3 800					40,0		
42,0	24,3	17,4	3 800	3 700	3 600	3 500					42,0		

MLC100-1 S-2




33 120 kg
+
10 500 kg




			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,6	80,8	47,3	11 800										11,6
12,0	80,3	47,2	11 700										12,0
14,0	77,7	46,7	11 500	10 100	8 800	7 800							14,0
16,0	75,1	46,1	11 300	9 900	8 700	7 800	79,2	45,0	7 300				16,0
18,0	72,5	45,4	11 200	9 800	8 600	7 700	76,5	44,2	6 900	6 800	6 500		18,0
20,0	69,8	44,6	11 000	9 700	8 500	7 600	73,8	43,4	6 600	6 500	6 400	5 400	20,0
22,0	67,1	43,6	10 100	9 400	8 400	7 600	71,0	42,4	6 300	6 300	6 200	5 400	22,0
24,0	64,3	42,6	9 000	8 500	8 000	7 500	68,1	41,3	6 100	6 000	5 900	5 400	24,0
26,0	61,4	41,4	8 000	7 600	7 200	6 900	65,1	40,1	5 900	5 800	5 700	5 400	26,0
28,0	58,5	40,1	7 200	6 800	6 500	6 200	62,1	38,8	5 700	5 600	5 600	5 400	28,0
30,0	55,4	38,6	6 500	6 200	5 900	5 700	58,9	37,2	5 500	5 400	5 400	5 300	30,0
32,0	52,2	36,9	5 900	5 600	5 400	5 100	55,5	35,5	5 300	5 300	5 200	5 200	32,0
34,0	48,8	35,1	5 300	5 100	4 900	4 700	52,0	33,5	5 200	5 100	5 000	4 800	34,0
36,0	45,2	33,0	4 800	4 700	4 500	4 300	48,2	31,3	4 900	4 800	4 600	4 400	36,0
38,0	41,3	30,6	4 400	4 300	4 100	4 000	44,1	28,8	4 500	4 300	4 200	4 000	38,0
40,0	37,1	27,8	4 000	3 900	3 800	3 600	39,6	25,8	4 100	4 000	3 800	3 700	40,0
42,0	32,3	24,5	3 700	3 600	3 500	3 400	34,3	22,2	3 700	3 600	3 500	3 400	42,0
44,0	26,7	20,4	3 400	3 300	3 200	3 100							44,0

MLC100-1 S-2




33 120 kg
+
10 500 kg




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,6	50,3	11 700										12,2
14,0	78,5	49,8	11 500	10 000	8 800								14,0
16,0	76,1	49,3	11 400	9 900	8 700	7 700	79,9	48,1	7 400				16,0
18,0	73,6	48,6	11 200	9 800	8 600	7 700	77,4	47,4	7 000	6 900	6 400		18,0
20,0	71,1	47,8	11 000	9 700	8 500	7 600	74,9	46,7	6 700	6 600	6 400	5 300	20,0
22,0	68,6	47,0	10 000	9 300	8 400	7 500	72,3	45,8	6 500	6 400	6 300	5 300	22,0
24,0	66,0	46,0	8 800	8 300	7 900	7 300	69,6	44,8	6 200	6 100	6 100	5 300	24,0
26,0	63,4	44,9	7 900	7 400	7 100	6 700	66,9	43,6	6 000	5 900	5 900	5 300	26,0
28,0	60,7	43,7	7 100	6 700	6 400	6 000	64,1	42,4	5 800	5 700	5 700	5 300	28,0
30,0	57,9	42,3	6 400	6 000	5 800	5 500	61,2	41,0	5 600	5 600	5 500	5 300	30,0
32,0	54,9	40,8	5 700	5 500	5 200	5 000	58,2	39,4	5 500	5 400	5 400	5 100	32,0
34,0	51,9	39,2	5 200	5 000	4 800	4 500	55,1	37,7	5 300	5 100	4 900	4 700	34,0
36,0	48,8	37,3	4 700	4 500	4 300	4 100	51,8	35,8	4 900	4 700	4 500	4 300	36,0
38,0	45,4	35,2	4 300	4 100	4 000	3 800	48,2	33,6	4 400	4 200	4 100	3 900	38,0
40,0	41,8	32,9	3 900	3 800	3 600	3 500	44,4	31,1	4 000	3 900	3 700	3 600	40,0
42,0	37,9	30,2	3 600	3 500	3 300	3 200	40,3	28,2	3 600	3 500	3 400	3 300	42,0
44,0	33,6	27,1	3 300	3 200	3 000	2 900	35,6	24,8	3 300	3 200	3 100	3 000	44,0
46,0	28,6	23,3	3 000	2 900	2 800	2 700							46,0

MLC100-1 S-2




33 120 kg
+
10 500 kg





			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,8	80,5	53,2	11 600										12,8
14,0	79,1	52,9	11 500	10 000									14,0
16,0	76,9	52,4	11 400	9 900	8 700	7 700							16,0
18,0	74,6	51,8	11 200	9 800	8 600	7 600	78,2	50,6	7 100	7 000			18,0
20,0	72,3	51,0	11 000	9 700	8 500	7 600	75,8	49,8	6 800	6 700	6 200	5 200	20,0
22,0	69,9	50,2	9 900	9 300	8 400	7 500	73,4	49,0	6 600	6 500	6 200	5 200	22,0
24,0	67,5	49,3	8 700	8 200	7 700	7 200	70,9	48,1	6 300	6 200	6 100	5 200	24,0
26,0	65,0	48,3	7 800	7 300	6 900	6 500	68,4	47,1	6 100	6 000	6 000	5 200	26,0
28,0	62,5	47,2	7 000	6 600	6 200	5 900	65,8	45,9	5 900	5 800	5 800	5 200	28,0
30,0	60,0	46,0	6 300	5 900	5 600	5 300	63,2	44,6	5 700	5 700	5 600	5 200	30,0
32,0	57,3	44,6	5 600	5 400	5 100	4 800	60,4	43,2	5 600	5 500	5 300	5 000	32,0
34,0	54,6	43,1	5 100	4 900	4 600	4 400	57,6	41,6	5 300	5 000	4 800	4 600	34,0
36,0	51,7	41,4	4 600	4 400	4 200	4 000	54,6	39,9	4 800	4 600	4 400	4 200	36,0
38,0	48,7	39,5	4 200	4 000	3 900	3 700	51,5	38,0	4 300	4 100	4 000	3 800	38,0
40,0	45,6	37,5	3 800	3 700	3 500	3 400	48,2	35,8	3 900	3 800	3 600	3 500	40,0
42,0	42,2	35,2	3 500	3 400	3 200	3 100	44,7	33,4	3 600	3 400	3 300	3 200	42,0
44,0	38,6	32,5	3 200	3 100	2 900	2 800	40,9	30,6	3 300	3 100	3 000	2 900	44,0
46,0	34,6	29,5	2 900	2 800	2 700	2 600	36,6	27,3	3 000	2 800	2 700	2 600	46,0
48,0	30,2	26,0	2 700	2 600	2 500	2 400							48,0
50,0	24,9	21,6	2 400	2 300	2 200	2 200							50,0

MLC100-1 S-2



33 120 kg
+
10 500 kg





			10°				30°						
			0°	1°	2°	3°							
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	80,4	56,1	11 500										13,4
14,0	79,8	56,0	11 500	10 000									14,0
16,0	77,6	55,5	11 400	9 900	8 600								16,0
18,0	75,5	54,9	11 200	9 800	8 500	7 600	78,9	53,7	7 200				18,0
20,0	73,3	54,3	11 000	9 700	8 500	7 500	76,7	53,1	6 900	6 800	6 100	5 100	20,0
22,0	71,1	53,5	9 800	9 100	8 300	7 500	74,4	52,3	6 700	6 600	6 100	5 100	22,0
24,0	68,8	52,6	8 600	8 100	7 600	7 100	72,1	51,4	6 400	6 300	6 100	5 100	24,0
26,0	66,5	51,7	7 700	7 200	6 800	6 400	69,7	50,4	6 200	6 100	6 000	5 100	26,0
28,0	64,2	50,7	6 800	6 400	6 100	5 700	67,3	49,4	6 000	6 000	5 900	5 100	28,0
30,0	61,8	49,5	6 100	5 800	5 500	5 200	64,9	48,2	5 900	5 800	5 600	5 100	30,0
32,0	59,3	48,2	5 500	5 200	4 900	4 700	62,4	46,9	5 700	5 400	5 100	4 900	32,0
34,0	56,8	46,9	5 000	4 700	4 500	4 300	59,8	45,4	5 200	4 900	4 700	4 400	34,0
36,0	54,2	45,3	4 500	4 300	4 100	3 900	57,1	43,9	4 700	4 500	4 200	4 000	36,0
38,0	51,5	43,6	4 100	3 900	3 700	3 500	54,3	42,1	4 200	4 000	3 800	3 600	38,0
40,0	48,7	41,8	3 700	3 600	3 400	3 200	51,3	40,2	3 800	3 700	3 500	3 300	40,0
42,0	45,7	39,7	3 400	3 200	3 100	2 900	48,2	38,1	3 500	3 300	3 200	3 000	42,0
44,0	42,6	37,5	3 100	2 900	2 800	2 700	44,9	35,7	3 200	3 000	2 900	2 700	44,0
46,0	39,2	34,9	2 800	2 700	2 600	2 400	41,4	33,0	2 900	2 700	2 600	2 500	46,0
48,0	35,6	32,0	2 500	2 400	2 300	2 200	37,5	29,8	2 600	2 500	2 400	2 300	48,0
50,0	31,5	28,6	2 300	2 200	2 100	2 000	33,0	26,2	2 300	2 200	2 100	2 000	50,0
52,0	26,8	24,6	2 100	2 000	1 900	1 800							52,0

MLC100-1 S-2





33 120 kg
+
10 500 kg






			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	80,9	59,2	11 500										13,4
14,0	80,3	59,1	11 400										14,0
16,0	78,3	58,6	11 300	9 800									16,0
18,0	76,2	58,0	11 200	9 700	8 500	7 200	79,5	56,8	7 300				18,0
20,0	74,2	57,4	11 000	9 600	8 400	7 200	77,4	56,2	7 000	6 900	6 000	5 000	20,0
22,0	72,1	56,7	9 700	9 000	8 200	7 100	75,3	55,5	6 800	6 700	6 000	5 000	22,0
24,0	70,0	55,9	8 500	7 900	7 400	6 900	73,1	54,7	6 500	6 400	6 000	5 000	24,0
26,0	67,8	55,0	7 600	7 100	6 600	6 200	70,9	53,7	6 300	6 200	5 900	5 000	26,0
28,0	65,6	54,0	6 700	6 300	5 900	5 600	68,6	52,7	6 100	6 100	5 900	5 000	28,0
30,0	63,4	53,0	6 000	5 700	5 300	5 000	66,4	51,6	6 000	5 800	5 600	5 000	30,0
32,0	61,1	51,8	5 400	5 100	4 800	4 500	64,0	50,4	5 600	5 300	5 000	4 700	32,0
34,0	58,8	50,5	4 900	4 600	4 400	4 100	61,6	49,1	5 100	4 800	4 500	4 300	34,0
36,0	56,4	49,1	4 400	4 200	3 900	3 700	59,1	47,7	4 600	4 300	4 100	3 900	36,0
38,0	53,9	47,5	4 000	3 800	3 600	3 400	56,6	46,1	4 100	3 900	3 700	3 500	38,0
40,0	51,3	45,9	3 600	3 400	3 200	3 100	53,9	44,3	3 800	3 600	3 400	3 200	40,0
42,0	48,7	44,0	3 300	3 100	2 900	2 800	51,1	42,4	3 400	3 200	3 100	2 900	42,0
44,0	45,9	42,0	3 000	2 800	2 700	2 500	48,2	40,3	3 100	2 900	2 800	2 600	44,0
46,0	42,9	39,7	2 700	2 600	2 400	2 300	45,1	37,9	2 800	2 600	2 500	2 400	46,0
48,0	39,7	37,2	2 400	2 300	2 200	2 100	41,8	35,3	2 500	2 400	2 300	2 100	48,0
50,0	36,3	34,4	2 200	2 100	2 000	1 900	38,2	32,3	2 200	2 100	2 000	1 900	50,0
52,0	32,6	31,2	2 000	1 900	1 800	1 700	34,2	28,8	2 000	1 900	1 800	1 700	52,0
54,0	28,4	27,4	1 800	1 700	1 600	1 500							54,0
56,0	23,4	22,7	1 500	1 400	1 400	1 300							56,0

MLC100-1 S-2





		10°						30°					
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,0	80,8	62,1	11 300										14,0
16,0	78,9	61,7	11 200	9 700									16,0
18,0	76,9	61,2	11 100	9 600	8 300								18,0
20,0	75,0	60,6	10 900	9 500	8 200	6 300	78,0	59,4	7 100	7 000	5 900		20,0
22,0	73,0	59,9	9 600	8 800	8 000	6 300	76,0	58,7	6 900	6 700	5 800	4 900	22,0
24,0	71,0	59,2	8 400	7 800	7 200	6 300	74,0	57,9	6 600	6 500	5 800	4 900	24,0
26,0	69,0	58,3	7 400	6 900	6 400	6 000	71,9	57,1	6 400	6 300	5 800	4 900	26,0
28,0	66,9	57,4	6 600	6 200	5 800	5 400	69,8	56,1	6 200	6 100	5 800	4 900	28,0
30,0	64,8	56,4	5 900	5 500	5 200	4 800	67,7	55,1	6 100	5 800	5 400	4 900	30,0
32,0	62,7	55,3	5 300	5 000	4 700	4 400	65,5	54,0	5 500	5 200	4 900	4 600	32,0
34,0	60,5	54,1	4 800	4 500	4 200	3 900	63,3	52,7	5 000	4 700	4 400	4 100	34,0
36,0	58,3	52,8	4 300	4 000	3 800	3 600	61,0	51,4	4 500	4 200	4 000	3 700	36,0
38,0	56,0	51,4	3 900	3 700	3 400	3 200	58,6	49,9	4 000	3 800	3 600	3 400	38,0
40,0	53,6	49,8	3 500	3 300	3 100	2 900	56,2	48,3	3 700	3 400	3 200	3 100	40,0
42,0	51,2	48,1	3 200	3 000	2 800	2 600	53,6	46,6	3 300	3 100	2 900	2 800	42,0
44,0	48,6	46,3	2 900	2 700	2 500	2 400	51,0	44,6	3 000	2 800	2 600	2 500	44,0
46,0	46,0	44,2	2 600	2 400	2 300	2 100	48,2	42,5	2 700	2 500	2 400	2 200	46,0
48,0	43,2	42,0	2 300	2 200	2 100	1 900	45,3	40,2	2 400	2 300	2 100	2 000	48,0
50,0	40,2	39,6	2 100	2 000	1 800	1 700	42,2	37,6	2 100	2 000	1 900	1 800	50,0
52,0	37,1	36,8	1 900	1 800	1 700	1 600	38,8	34,7	1 900	1 800	1 700	1 600	52,0
54,0	33,6	33,7	1 700	1 600	1 500	1 400	35,1	31,4	1 700	1 600	1 500	1 400	54,0
56,0	29,8	30,1	1 400	1 400	1 300	1 200							56,0
58,0	25,3	25,8	1 100	1 100	1 100								58,0

MLC100-1 S-2





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
14,6	80,6	65,1	11 200								14,6		
16,0	79,4	64,8	11 100								16,0		
18,0	77,5	64,3	11 000	9 500	7 400						18,0		
20,0	75,7	63,7	10 800	9 400	7 400	5 600	78,6	62,5	7 200	7 000	5 700		
22,0	73,8	63,1	9 500	8 700	7 300	5 600	76,7	61,8	6 900	6 800	5 700	4 700	22,0
24,0	71,9	62,4	8 300	7 700	7 000	5 600	74,8	61,1	6 700	6 600	5 700	4 700	24,0
26,0	70,0	61,6	7 300	6 800	6 300	5 600	72,8	60,3	6 500	6 400	5 700	4 700	26,0
28,0	68,1	60,7	6 500	6 100	5 600	5 200	70,9	59,4	6 300	6 200	5 700	4 700	28,0
30,0	66,1	59,7	5 800	5 400	5 000	4 700	68,8	58,4	6 000	5 700	5 300	4 700	30,0
32,0	64,1	58,7	5 200	4 900	4 500	4 200	66,8	57,4	5 500	5 100	4 800	4 500	32,0
34,0	62,1	57,6	4 700	4 400	4 100	3 800	64,7	56,2	4 900	4 600	4 300	4 000	34,0
36,0	60,0	56,4	4 200	3 900	3 700	3 400	62,5	55,0	4 400	4 100	3 900	3 600	36,0
38,0	57,8	55,0	3 800	3 500	3 300	3 100	60,3	53,6	4 000	3 700	3 500	3 300	38,0
40,0	55,6	53,6	3 400	3 200	3 000	2 800	58,1	52,1	3 600	3 400	3 100	2 900	40,0
42,0	53,4	52,0	3 100	2 900	2 700	2 500	55,8	50,5	3 200	3 000	2 800	2 600	42,0
44,0	51,0	50,3	2 800	2 600	2 400	2 300	53,4	48,8	2 900	2 700	2 500	2 400	44,0
46,0	48,6	48,5	2 500	2 300	2 200	2 000	50,8	46,8	2 600	2 400	2 300	2 100	46,0
48,0	46,1	46,5	2 200	2 100	2 000	1 800	48,2	44,8	2 300	2 200	2 000	1 900	48,0
50,0	43,4	44,3	2 000	1 900	1 700	1 600	45,5	42,5	2 100	1 900	1 800	1 700	50,0
52,0	40,6	41,9	1 800	1 700	1 500	1 400	42,5	39,9	1 800	1 700	1 600	1 500	52,0
54,0	37,7	39,2	1 600	1 500	1 400	1 300	39,4	37,1	1 600	1 500	1 400	1 300	54,0
56,0	34,4	36,2	1 400	1 300	1 200	1 100	35,9	33,9	1 400	1 300	1 200	1 100	56,0
58,0	30,9	32,7	1 100	1 100									58,0

MLC100-1 S-2





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,5	68,0	11 000										15,2
16,0	79,9	67,8	11 000										16,0
18,0	78,1	67,4	10 900	8 800									18,0
20,0	76,4	66,8	10 700	8 800	6 600	5 000	79,2	65,6	7 300	6 800			20,0
22,0	74,6	66,2	9 400	8 500	6 500	4 900	77,4	65,0	7 000	6 800	5 600	4 200	22,0
24,0	72,8	65,5	8 200	7 500	6 500	4 900	75,5	64,3	6 800	6 700	5 500	4 200	24,0
26,0	71,0	64,8	7 200	6 700	6 100	4 900	73,7	63,5	6 600	6 500	5 500	4 100	26,0
28,0	69,1	64,0	6 400	5 900	5 500	4 800	71,8	62,7	6 400	6 200	5 500	4 100	28,0
30,0	67,3	63,1	5 700	5 300	4 900	4 500	69,9	61,7	6 000	5 600	5 200	4 100	30,0
32,0	65,4	62,1	5 100	4 700	4 400	4 100	67,9	60,7	5 400	5 000	4 600	4 100	32,0
34,0	63,4	61,0	4 600	4 200	3 900	3 700	66,0	59,7	4 800	4 500	4 200	3 900	34,0
36,0	61,5	59,9	4 100	3 800	3 500	3 300	64,0	58,5	4 300	4 000	3 700	3 500	36,0
38,0	59,5	58,6	3 700	3 400	3 200	2 900	61,9	57,2	3 900	3 600	3 400	3 100	38,0
40,0	57,4	57,3	3 300	3 100	2 900	2 600	59,8	55,8	3 500	3 200	3 000	2 800	40,0
42,0	55,3	55,8	3 000	2 800	2 600	2 400	57,6	54,3	3 100	2 900	2 700	2 500	42,0
44,0	53,1	54,2	2 600	2 500	2 300	2 100	55,4	52,7	2 800	2 600	2 400	2 200	44,0
46,0	50,9	52,5	2 400	2 200	2 000	1 900	53,1	51,0	2 500	2 300	2 200	2 000	46,0
48,0	48,6	50,7	2 100	2 000	1 800	1 700	50,7	49,0	2 200	2 100	1 900	1 800	48,0
50,0	46,2	48,7	1 900	1 700	1 600	1 500	48,2	47,0	2 000	1 800	1 700	1 600	50,0
52,0	43,7	46,5	1 700	1 500	1 400	1 300	45,6	44,7	1 700	1 600	1 500	1 400	52,0
54,0	41,0	44,1	1 500	1 300	1 200	1 100	42,8	42,2	1 500	1 400	1 300	1 200	54,0
56,0	38,2	41,5	1 300	1 200	1 100	1 000	39,9	39,4	1 300	1 200	1 100	1 000	56,0
58,0							36,7	36,3	1 100				58,0


MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
15,2	80,9	71,1	10 800								15,2		
16,0	80,3	70,9	10 800								16,0		
18,0	78,6	70,5	10 700	7 900							18,0		
20,0	77,0	69,9	10 400	7 900	5 800	4 400	79,7	68,7	7 300	6 700	20,0		
22,0	75,3	69,4	9 200	7 800	5 800	4 300	77,9	68,1	7 100	6 600	22,0		
24,0	73,5	68,7	8 100	7 400	5 800	4 300	76,2	67,5	6 900	6 500	24,0		
26,0	71,8	68,0	7 100	6 500	5 700	4 300	74,4	66,7	6 700	6 300	26,0		
28,0	70,1	67,2	6 300	5 800	5 300	4 300	72,6	65,9	6 400	6 100	28,0		
30,0	68,3	66,4	5 600	5 100	4 700	4 300	70,8	65,1	5 900	5 400	30,0		
32,0	66,5	65,4	5 000	4 600	4 200	3 900	69,0	64,1	5 200	4 900	32,0		
34,0	64,7	64,4	4 400	4 100	3 800	3 500	67,1	63,1	4 700	4 300	34,0		
36,0	62,8	63,4	4 000	3 700	3 400	3 100	65,2	62,0	4 200	3 900	36,0		
38,0	60,9	62,2	3 500	3 300	3 000	2 800	63,3	60,8	3 700	3 500	38,0		
40,0	59,0	60,9	3 200	2 900	2 700	2 500	61,3	59,5	3 400	3 100	40,0		
42,0	57,0	59,6	2 800	2 600	2 400	2 200	59,3	58,1	3 000	2 800	42,0		
44,0	55,0	58,1	2 500	2 300	2 100	2 000	57,2	56,6	2 700	2 500	44,0		
46,0	52,9	56,5	2 200	2 100	1 900	1 700	55,1	55,0	2 400	2 200	46,0		
48,0	50,8	54,8	2 000	1 800	1 700	1 500	52,9	53,2	2 100	1 900	48,0		
50,0	48,6	53,0	1 700	1 600	1 500	1 300	50,6	51,3	1 900	1 700	50,0		
52,0	46,3	51,0	1 500	1 400	1 300	1 100	48,2	49,2	1 600	1 500	52,0		
54,0	43,9	48,8	1 300	1 200	1 100	1 000	45,7	47,0	1 400	1 300	54,0		
56,0	41,4	46,5	1 100	1 000	900		43,1	44,5	1 200	1 100	56,0		



33 120 kg
+
10 500 kg





13,0 m



15,2 m



			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
9,1	80,9	29,5	10 500	8 900	7 500	6 600	79,2	26,7	6 300	6 200	5 600	5 500	9,1
10,0	79,2	29,3	10 300	8 600	7 300	6 400	74,5	25,6	5 800	5 700	5 200	5 100	10,0
12,0	74,9	28,6	9 900	8 300	7 100	6 300	69,5	24,3	5 300	5 200	4 800	4 800	12,0
14,0	70,5	27,7	9 500	8 100	6 900	6 100	64,1	22,6	4 900	4 900	4 500	4 500	14,0
16,0	65,9	26,6	9 200	7 900	6 700	6 000	58,2	20,6	4 600	4 600	4 300	4 300	16,0
18,0	61,1	25,3	8 900	7 600	6 500	5 800	51,6	18,1	4 400	4 300	4 100	4 100	18,0
20,0	56,0	23,7	8 400	7 400	6 400	5 800	43,6	14,8	4 200	4 100			20,0
22,0	50,4	21,8	7 600	7 000	6 100	5 600							22,0
24,0	44,2	19,5	7 000	6 500	5 800	5 400							24,0
26,0	37,0	16,5	6 500	6 100	5 400	5 000							26,0
28,0	27,7	12,3	6 100	5 800	5 000	4 600							28,0

MLC100-1 S-2





			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
9,8	80,7	32,4	10 400										9,8
10,0	80,2	32,4	10 400										10,0
12,0	76,4	31,7	10 000	8 700	7 500	6 600							12,0
14,0	72,5	30,9	9 600	8 400	7 300	6 500	80,3	29,9	6 200				14,0
16,0	68,4	30,0	8 400	8 000	7 200	6 400	76,2	28,9	5 700	5 200	4 700	4 200	16,0
18,0	64,2	28,8	7 500	7 200	6 900	6 200	71,8	27,8	5 300	4 800	4 400	4 000	18,0
20,0	59,8	27,5	6 700	6 500	6 300	6 000	67,2	26,3	5 000	4 600	4 200	3 800	20,0
22,0	55,2	25,9	6 100	5 900	5 700	5 600	62,3	24,7	4 600	4 300	3 900	3 600	22,0
24,0	50,2	24,0	5 600	5 400	5 300	5 100	57,0	22,7	4 400	4 100	3 700	3 500	24,0
26,0	44,7	21,7	5 200	5 000	4 900	4 800	51,1	20,2	4 200	3 900	3 600	3 300	26,0
28,0	38,4	18,9	4 800	4 700	4 600	4 500	44,2	17,1	4 000	3 700	3 500	3 200	28,0
30,0	30,7	15,2	4 600	4 500	4 400	4 300	35,3	12,9	3 900	3 700	3 400	3 200	30,0

MLC100-1 S-2




33 120 kg
+
10 500 kg





			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,4	80,5	35,4	10 400	8 800	7 600								10,4
12,0	77,6	34,9	10 100	8 500	7 400								12,0
14,0	74,1	34,2	9 800	8 300	7 200	6 500							14,0
16,0	70,5	33,3	9 500	8 100	7 100	6 400	77,6	32,2	6 100	6 000	5 500		16,0
18,0	66,7	32,3	9 300	8 100	7 100	6 300	73,7	31,2	5 700	5 600	5 200	4 700	18,0
20,0	62,9	31,1	8 800	7 900	7 000	6 200	69,7	29,9	5 300	5 200	5 000	4 500	20,0
22,0	58,8	29,7	8 000	7 700	6 800	6 100	65,4	28,5	5 000	5 000	4 700	4 300	22,0
24,0	54,5	28,1	7 400	7 100	6 700	6 000	60,9	26,8	4 800	4 700	4 500	4 200	24,0
26,0	50,0	26,2	6 800	6 600	6 400	5 900	56,1	24,8	4 500	4 500	4 400	4 000	26,0
28,0	45,0	24,0	6 300	6 200	6 000	5 800	50,8	22,4	4 300	4 300	4 200	3 900	28,0
30,0	39,4	21,3	5 900	5 800	5 700	5 500	44,7	19,5	4 200	4 200	4 100	3 800	30,0
32,0	32,9	17,9	5 600	5 500	5 400	5 300	37,2	15,6	4 100	4 000	4 000	3 700	32,0

MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
11,0	80,3	38,3	10 300	8 800							11,0		
12,0	78,7	38,0	10 200	8 800							12,0		
14,0	75,4	37,4	9 900	8 600	7 400	6 600					14,0		
16,0	72,2	36,6	9 700	8 400	7 300	6 400	78,7	35,4	6 200	6 100	16,0		
18,0	68,8	35,7	9 400	8 200	7 200	6 300	75,2	34,5	5 800	5 700	18,0		
20,0	65,3	34,6	9 200	8 100	7 000	6 200	71,6	33,4	5 500	5 400	20,0		
22,0	61,7	33,4	9 000	7 900	6 900	6 200	67,9	32,1	5 200	5 100	22,0		
24,0	58,0	32,0	8 600	7 800	6 800	6 100	63,9	30,6	4 900	4 900	24,0		
26,0	54,0	30,3	8 100	7 600	6 700	6 000	59,8	28,9	4 700	4 600	26,0		
28,0	49,8	28,5	7 600	7 400	6 700	5 900	55,4	26,9	4 500	4 500	28,0		
30,0	45,3	26,3	7 000	6 800	6 500	5 900	50,5	24,6	4 300	4 300	30,0		
32,0	40,3	23,7	6 400	6 200	6 000	5 800	45,1	21,8	4 200	4 200	32,0		
34,0	34,6	20,5	5 800	5 700	5 500	5 400	38,7	18,3	4 100	4 100	34,0		
36,0	27,6	16,4	5 300	5 200	5 100	5 000					36,0		





MLC100-1 S-2





			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,6	80,2	41,2	10 300										11,6
12,0	79,5	41,1	10 200										12,0
14,0	76,6	40,5	10 000	8 600	7 400	6 600							14,0
16,0	73,6	39,8	9 700	8 500	7 300	6 500	79,6	38,6	6 300				16,0
18,0	70,5	39,0	9 500	8 300	7 200	6 400	76,4	37,7	5 900	5 800	5 700		18,0
20,0	67,3	38,0	9 300	8 100	7 100	6 300	73,2	36,7	5 600	5 500	5 400	4 600	20,0
22,0	64,1	36,9	9 100	8 000	7 000	6 200	69,8	35,6	5 300	5 200	5 200	4 600	22,0
24,0	60,7	35,6	9 000	7 900	6 900	6 100	66,3	34,3	5 100	5 000	4 900	4 600	24,0
26,0	57,2	34,2	8 400	7 700	6 800	6 100	62,7	32,8	4 800	4 800	4 700	4 600	26,0
28,0	53,6	32,5	7 600	7 300	6 700	6 000	58,8	31,1	4 600	4 600	4 600	4 500	28,0
30,0	49,7	30,7	6 900	6 600	6 400	6 000	54,7	29,1	4 500	4 400	4 400	4 400	30,0
32,0	45,5	28,5	6 200	6 000	5 800	5 600	50,3	26,8	4 300	4 300	4 300	4 200	32,0
34,0	41,0	26,0	5 700	5 500	5 400	5 200	45,4	24,1	4 200	4 200	4 100	4 100	34,0
36,0	35,9	23,0	5 200	5 100	4 900	4 800	39,7	20,8	4 100	4 100	4 100	4 000	36,0
38,0	29,8	19,3	4 800	4 700	4 600	4 400	32,8	16,5	4 000	4 000	4 000	4 000	38,0

MLC100-1 S-2





	 10°							 30°							
	 m	 °	 m					 °	 m						
				0°	1°	2°	3°			0°	1°	2°	3°		
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
11,6	80,9	44,3	10 300											11,6	
12,0	80,3	44,2	10 300											12,0	
14,0	77,5	43,7	10 100	8 700	7 500	6 600								14,0	
16,0	74,8	43,0	9 800	8 500	7 300	6 500								16,0	
18,0	71,9	42,2	9 600	8 300	7 200	6 400	77,5	41,0	6 100	5 900				18,0	
20,0	69,0	41,4	9 500	8 200	7 100	6 300	74,5	40,1	5 700	5 600	5 500	4 500		20,0	
22,0	66,1	40,3	9 300	8 100	7 000	6 300	71,4	39,0	5 500	5 400	5 300	4 500		22,0	
24,0	63,0	39,2	9 100	8 000	6 900	6 200	68,3	37,8	5 200	5 100	5 100	4 500		24,0	
26,0	59,9	37,9	8 300	7 800	6 900	6 100	65,0	36,5	5 000	4 900	4 900	4 500		26,0	
28,0	56,6	36,4	7 500	7 200	6 700	6 000	61,6	35,0	4 800	4 700	4 700	4 500		28,0	
30,0	53,2	34,8	6 800	6 500	6 300	5 900	58,0	33,2	4 600	4 600	4 500	4 500		30,0	
32,0	49,6	32,9	6 200	5 900	5 700	5 500	54,2	31,3	4 400	4 400	4 400	4 300		32,0	
34,0	45,8	30,8	5 600	5 400	5 200	5 100	50,1	29,0	4 300	4 300	4 200	4 200		34,0	
36,0	41,6	28,4	5 200	5 000	4 800	4 700	45,7	26,4	4 200	4 200	4 100	4 100		36,0	
38,0	37,0	25,5	4 700	4 600	4 400	4 300	40,6	23,3	4 100	4 100	4 100	4 100		38,0	
40,0	31,7	22,0	4 300	4 200	4 100	4 000	34,7	19,4	4 000	4 000	4 000	4 000		40,0	
42,0	25,2	17,5	4 000	3 900	3 800	3 700								42,0	

MLC100-1 S-2




33 120 kg
+
10 500 kg




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,7	47,2	10 300	8 700	7 500								12,2
14,0	78,4	46,8	10 100	8 500	7 300	6 500							14,0
16,0	75,8	46,2	9 900	8 400	7 200	6 400							16,0
18,0	73,2	45,4	9 700	8 300	7 100	6 300	78,4	44,2	6 200				18,0
20,0	70,5	44,6	9 500	8 100	6 900	6 100	75,6	43,3	5 800	5 700	5 300	4 400	20,0
22,0	67,8	43,7	9 400	8 000	6 800	6 000	72,8	42,4	5 600	5 500	5 300	4 400	22,0
24,0	65,0	42,6	9 000	7 800	6 700	5 900	69,9	41,3	5 300	5 200	5 200	4 400	24,0
26,0	62,1	41,5	8 200	7 000	6 100	5 300	66,9	40,1	5 100	5 000	5 000	4 400	26,0
28,0	59,1	40,1	7 400	6 400	5 500	4 700	63,9	38,7	4 900	4 800	4 800	4 400	28,0
30,0	56,1	38,7	6 700	5 800	4 900	4 100	60,7	37,1	4 700	4 700	4 600	4 400	30,0
32,0	52,9	37,0	6 000	5 100	4 200	3 400	57,3	35,4	4 600	4 500	4 500	4 400	32,0
34,0	49,5	35,1	5 500	4 600	3 700	3 000	53,8	33,4	4 400	4 400	4 400	4 300	34,0
36,0	45,9	33,0	5 000	4 100	3 200	2 600	50,0	31,2	4 300	4 300	4 200	4 200	36,0
38,0	42,1	30,6	4 600	3 700	2 800	2 300	45,9	28,7	4 200	4 200	4 100	4 100	38,0
40,0	37,8	27,9	4 200	3 300	2 400	2 000	41,3	25,7	4 100	4 100	4 000	3 900	40,0
42,0	33,1	24,6	3 900	3 000	2 100	1 800	36,0	22,0	3 900	3 800	3 700	3 600	42,0
44,0	27,5	20,5	3 600	2 700	1 800	1 600							44,0

MLC100-1 S-2





33 120 kg
+
10 500 kg



			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,8	80,5	50,2	10 200										12,8
14,0	79,1	49,9	10 100	8 600									14,0
16,0	76,7	49,3	9 900	8 500	7 400	6 500							16,0
18,0	74,2	48,6	9 800	8 400	7 300	6 400	79,1	47,3	6 200				18,0
20,0	71,7	47,9	9 600	8 300	7 200	6 300	76,6	46,5	5 900	5 800	5 200	4 300	20,0
22,0	69,2	47,0	9 400	8 200	7 100	6 300	74,0	45,6	5 700	5 600	5 200	4 300	22,0
24,0	66,6	46,0	9 000	8 100	7 000	6 200	71,3	44,6	5 400	5 400	5 200	4 300	24,0
26,0	64,0	44,9	8 100	7 700	6 900	6 200	68,6	43,5	5 200	5 100	5 100	4 300	26,0
28,0	61,3	43,7	7 300	6 900	6 600	6 100	65,8	42,3	5 000	5 000	4 900	4 300	28,0
30,0	58,5	42,4	6 600	6 300	6 000	5 700	62,9	40,9	4 800	4 800	4 700	4 300	30,0
32,0	55,6	40,9	5 900	5 700	5 400	5 200	59,8	39,3	4 700	4 600	4 600	4 300	32,0
34,0	52,6	39,2	5 400	5 200	5 000	4 700	56,7	37,6	4 500	4 500	4 500	4 300	34,0
36,0	49,4	37,3	4 900	4 700	4 500	4 400	53,4	35,6	4 400	4 400	4 300	4 300	36,0
38,0	46,0	35,3	4 500	4 300	4 200	4 000	49,8	33,4	4 300	4 300	4 200	4 100	38,0
40,0	42,5	32,9	4 100	4 000	3 800	3 700	46,0	30,9	4 200	4 100	3 900	3 800	40,0
42,0	38,6	30,2	3 800	3 700	3 500	3 400	41,8	28,0	3 900	3 700	3 600	3 500	42,0
44,0	34,3	27,1	3 500	3 400	3 200	3 100	37,1	24,6	3 500	3 400	3 300	3 200	44,0
46,0	29,3	23,3	3 200	3 100	3 000	2 900							46,0
48,0	23,2	18,5	2 900	2 800	2 700	2 700							48,0


MLC100-1 S-2




33 120 kg
+
10 500 kg



360°




37,0 m



15,2 m



			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
13,4	80,4	53,1	10 100	8 600	7 300	6 400	77,4	49,8	6 000	5 900	5 100	4 200	13,4
14,0	79,7	53,0	10 100	8 500	7 200	6 300	75,0	48,9	5 800	5 700	5 100	4 200	14,0
16,0	77,5	52,4	9 900	8 400	7 200	6 400	72,5	48,0	5 500	5 500	5 100	4 200	16,0
18,0	75,2	51,8	9 800	8 400	7 200	6 400	70,0	46,9	5 300	5 200	5 100	4 200	18,0
20,0	72,9	51,1	9 600	8 300	7 200	6 300	67,4	45,8	5 100	5 100	5 000	4 200	20,0
22,0	70,5	50,3	9 500	8 200	7 100	6 300	64,7	44,5	5 000	4 900	4 800	4 200	22,0
24,0	68,1	49,4	8 900	8 100	7 000	6 200	62,0	43,1	4 800	4 700	4 700	4 200	24,0
26,0	65,6	48,4	8 000	7 500	6 900	6 200	59,1	41,5	4 600	4 600	4 600	4 200	26,0
28,0	63,1	47,3	7 200	6 800	6 400	6 000	56,2	39,8	4 500	4 500	4 400	4 200	28,0
30,0	60,6	46,0	6 400	6 100	5 800	5 500	53,0	37,8	4 400	4 300	4 200	4 000	30,0
32,0	57,9	44,6	5 800	5 500	5 300	5 000	49,7	35,7	4 100	4 000	3 800	3 700	32,0
34,0	55,2	43,1	5 300	5 000	4 800	4 600	46,2	33,2	3 800	3 600	3 500	3 300	34,0
36,0	52,3	41,5	4 800	4 600	4 400	4 200	42,3	30,4	3 400	3 300	3 200	3 100	36,0
38,0	49,3	39,6	4 400	4 200	4 000	3 800	38,0	27,1	3 100	3 000	2 900	2 800	38,0
40,0	46,2	37,5	4 000	3 900	3 700	3 500	33,1	23,2	2 900	2 800	2 700	2 600	40,0
42,0	42,9	35,2	3 700	3 500	3 400	3 200							42,0
44,0	39,3	32,6	3 400	3 200	3 100	3 000							44,0
46,0	35,3	29,6	3 100	3 000	2 900	2 700							46,0
48,0	30,8	26,1	2 800	2 700	2 600	2 500							48,0
50,0	25,6	21,7	2 600	2 500	2 400	2 300							50,0

MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	80,9	56,2	10 100										13,4
14,0	80,3	56,0	10 100										14,0
16,0	78,2	55,5	9 900	8 500	7 300								16,0
18,0	76,0	54,9	9 800	8 400	7 200	6 300							18,0
20,0	73,8	54,3	9 700	8 300	7 200	6 300	78,2	52,9	6 100	6 000	5 000		20,0
22,0	71,6	53,5	9 500	8 200	7 100	6 200	75,9	52,1	5 900	5 800	5 000	4 200	22,0
24,0	69,4	52,7	8 800	8 100	7 000	6 200	73,6	51,3	5 600	5 500	5 000	4 200	24,0
26,0	67,1	51,7	7 900	7 400	6 900	6 200	71,2	50,3	5 400	5 300	5 000	4 200	26,0
28,0	64,7	50,7	7 100	6 700	6 300	5 900	68,8	49,2	5 200	5 200	5 000	4 200	28,0
30,0	62,4	49,5	6 400	6 000	5 700	5 400	66,3	48,0	5 100	5 000	4 900	4 200	30,0
32,0	59,9	48,3	5 700	5 400	5 200	4 900	63,8	46,7	4 900	4 800	4 800	4 200	32,0
34,0	57,4	46,9	5 200	4 900	4 700	4 500	61,2	45,3	4 800	4 700	4 600	4 200	34,0
36,0	54,8	45,3	4 700	4 500	4 300	4 100	58,5	43,7	4 600	4 600	4 400	4 100	36,0
38,0	52,1	43,7	4 300	4 100	3 900	3 700	55,7	41,9	4 500	4 300	4 100	3 900	38,0
40,0	49,3	41,8	3 900	3 800	3 600	3 400	52,7	40,0	4 100	3 900	3 700	3 600	40,0
42,0	46,3	39,8	3 600	3 400	3 300	3 100	49,6	37,9	3 700	3 600	3 400	3 200	42,0
44,0	43,2	37,5	3 300	3 100	3 000	2 900	46,3	35,5	3 400	3 200	3 100	3 000	44,0
46,0	39,8	34,9	3 000	2 900	2 800	2 600	42,7	32,7	3 100	3 000	2 800	2 700	46,0
48,0	36,1	32,0	2 700	2 600	2 500	2 400	38,8	29,6	2 800	2 700	2 600	2 500	48,0
50,0	32,1	28,7	2 500	2 400	2 300	2 200	34,3	25,9	2 500	2 400	2 300	2 300	50,0
52,0	27,4	24,6	2 300	2 200	2 100	2 000							52,0


MLC100-1 S-2



33 120 kg
+
10 500 kg





43,0 m



15,2 m



			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
14,0	80,8	59,1	10 000								14,0		
16,0	78,8	58,6	9 900	8 400							16,0		
18,0	76,8	58,1	9 800	8 300	7 200						18,0		
20,0	74,7	57,5	9 700	8 300	7 100	6 300	78,8	56,1	6 200	6 100	20,0		
22,0	72,6	56,7	9 500	8 200	7 000	6 200	76,7	55,3	5 900	5 800	22,0		
24,0	70,5	55,9	8 700	8 000	7 000	6 200	74,5	54,5	5 700	5 600	24,0		
26,0	68,4	55,1	7 800	7 300	6 800	6 100	72,3	53,6	5 500	5 400	26,0		
28,0	66,2	54,1	6 900	6 500	6 100	5 800	70,1	52,6	5 300	5 200	28,0		
30,0	63,9	53,0	6 200	5 900	5 500	5 200	67,8	51,5	5 200	5 100	30,0		
32,0	61,7	51,8	5 600	5 300	5 000	4 700	65,4	50,3	5 000	4 900	32,0		
34,0	59,3	50,6	5 100	4 800	4 500	4 300	63,0	49,0	4 800	4 800	34,0		
36,0	56,9	49,1	4 600	4 400	4 100	3 900	60,5	47,5	4 700	4 600	36,0		
38,0	54,5	47,6	4 200	4 000	3 800	3 600	57,9	45,9	4 400	4 200	38,0		
40,0	51,9	45,9	3 800	3 600	3 400	3 300	55,3	44,2	4 000	3 800	40,0		
42,0	49,2	44,1	3 500	3 300	3 100	3 000	52,5	42,2	3 600	3 400	42,0		
44,0	46,4	42,0	3 200	3 000	2 900	2 700	49,6	40,1	3 300	3 100	44,0		
46,0	43,5	39,8	2 900	2 700	2 600	2 500	46,4	37,7	3 000	2 900	46,0		
48,0	40,3	37,3	2 600	2 500	2 400	2 300	43,1	35,1	2 700	2 600	48,0		
50,0	36,9	34,5	2 400	2 300	2 200	2 100	39,5	32,1	2 500	2 300	50,0		
52,0	33,2	31,2	2 200	2 100	2 000	1 900	35,4	28,5	2 200	2 100	52,0		
54,0	29,0	27,5	2 000	1 900	1 800	1 700					54,0		
56,0	24,0	22,8	1 700	1 700	1 600	1 500					56,0		

MLC100-1 S-2



			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,6	80,7	62,0	9 900										14,6
16,0	79,4	61,7	9 800										16,0
18,0	77,4	61,2	9 700	8 300	7 100								18,0
20,0	75,5	60,6	9 600	8 200	7 100	5 900	79,4	59,2	6 300	6 000			20,0
22,0	73,5	59,9	9 400	8 100	7 000	5 900	77,4	58,5	6 000	5 900	4 800		22,0
24,0	71,5	59,2	8 600	7 900	7 000	5 900	75,3	57,7	5 800	5 700	4 800	4 000	24,0
26,0	69,5	58,3	7 700	7 100	6 700	5 900	73,3	56,9	5 600	5 500	4 800	4 000	26,0
28,0	67,4	57,4	6 800	6 400	6 000	5 600	71,1	55,9	5 400	5 300	4 800	4 000	28,0
30,0	65,3	56,4	6 100	5 700	5 400	5 100	69,0	54,9	5 200	5 200	4 800	4 000	30,0
32,0	63,2	55,3	5 500	5 200	4 900	4 600	66,8	53,8	5 100	5 000	4 800	4 000	32,0
34,0	61,0	54,1	5 000	4 700	4 400	4 200	64,6	52,5	4 900	4 800	4 700	4 000	34,0
36,0	58,8	52,8	4 500	4 300	4 000	3 800	62,2	51,2	4 700	4 500	4 200	3 900	36,0
38,0	56,5	51,4	4 100	3 900	3 600	3 400	59,9	49,7	4 300	4 100	3 800	3 600	38,0
40,0	54,1	49,8	3 700	3 500	3 300	3 100	57,4	48,1	3 900	3 700	3 500	3 300	40,0
42,0	51,7	48,1	3 400	3 200	3 000	2 800	54,9	46,4	3 500	3 300	3 200	3 000	42,0
44,0	49,2	46,3	3 100	2 900	2 700	2 600	52,2	44,4	3 200	3 000	2 900	2 700	44,0
46,0	46,5	44,3	2 800	2 600	2 500	2 400	49,5	42,3	2 900	2 800	2 600	2 500	46,0
48,0	43,7	42,0	2 500	2 400	2 300	2 100	46,5	40,0	2 600	2 500	2 400	2 200	48,0
50,0	40,7	39,6	2 300	2 200	2 000	1 900	43,4	37,4	2 400	2 300	2 100	2 000	50,0
52,0	37,6	36,8	2 100	2 000	1 900	1 800	40,0	34,4	2 100	2 000	1 900	1 800	52,0
54,0	34,1	33,7	1 900	1 800	1 700	1 600	36,3	31,1	1 900	1 800	1 700	1 600	54,0
56,0	30,3	30,1	1 700	1 600	1 500	1 400	32,0	27,1	1 700	1 600	1 500	1 500	56,0
58,0	25,9	25,8	1 400	1 400	1 300	1 300							58,0

MLC100-1 S-2











			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
15,2	80,6	65,0	9 800								15,2		
16,0	79,9	64,8	9 800								16,0		
18,0	78,0	64,3	9 600	8 200							18,0		
20,0	76,2	63,7	9 600	8 100	6 900	5 300	79,9	62,3	6 300		20,0		
22,0	74,3	63,1	9 300	8 100	6 900	5 300	78,0	61,7	6 100	5 800	22,0		
24,0	72,4	62,4	8 500	7 800	6 900	5 300	76,1	61,0	5 900	5 700	24,0		
26,0	70,5	61,6	7 500	7 000	6 500	5 300	74,1	60,2	5 700	5 600	26,0		
28,0	68,6	60,7	6 700	6 300	5 800	5 200	72,1	59,3	5 500	5 400	28,0		
30,0	66,6	59,8	6 000	5 600	5 200	4 900	70,1	58,3	5 300	5 200	30,0		
32,0	64,6	58,8	5 400	5 000	4 700	4 400	68,0	57,2	5 200	5 100	32,0		
34,0	62,6	57,6	4 900	4 600	4 300	4 000	65,9	56,1	5 000	4 800	34,0		
36,0	60,5	56,4	4 400	4 100	3 900	3 600	63,8	54,8	4 600	4 400	36,0		
38,0	58,3	55,1	4 000	3 700	3 500	3 300	61,6	53,4	4 200	3 900	38,0		
40,0	56,1	53,6	3 600	3 400	3 200	3 000	59,3	51,9	3 800	3 600	40,0		
42,0	53,9	52,1	3 300	3 100	2 900	2 700	57,0	50,3	3 400	3 200	42,0		
44,0	51,5	50,4	2 900	2 800	2 600	2 400	54,6	48,6	3 100	2 900	44,0		
46,0	49,1	48,5	2 700	2 500	2 400	2 200	52,0	46,7	2 800	2 600	46,0		
48,0	46,6	46,5	2 400	2 300	2 100	2 000	49,4	44,6	2 500	2 400	48,0		
50,0	44,0	44,3	2 200	2 000	1 900	1 800	46,6	42,3	2 300	2 100	50,0		
52,0	41,2	41,9	1 900	1 800	1 700	1 600	43,7	39,7	2 000	1 900	52,0		
54,0	38,2	39,2	1 700	1 600	1 500	1 400	40,5	36,9	1 800	1 700	54,0		
56,0	35,0	36,2	1 600	1 500	1 400	1 300	37,1	33,6	1 600	1 500	56,0		
58,0	31,4	32,8	1 300	1 300	1 200	1 100					58,0		
60,0	27,4	28,8	1 100	1 000	1 000						60,0		

MLC100-1 S-2




33 120 kg
+
10 500 kg




	 10°							 30°							
	 m	 °	 m					 °	 m					 m	
				0°	1°	2°	3°			0°	1°	2°	3°		
				kg	kg	kg	kg			kg	kg	kg	kg		
15,2	81,0	68,0	9 700											15,2	
16,0	80,3	67,9	9 700											16,0	
18,0	78,6	67,4	9 600	8 100										18,0	
20,0	76,8	66,9	9 500	8 100	6 300	4 800	80,4	65,4	6 400					20,0	
22,0	75,0	66,3	9 300	8 000	6 200	4 700	78,6	64,8	6 200	5 700				22,0	
24,0	73,2	65,6	8 400	7 700	6 200	4 700	76,7	64,1	6 000	5 600	4 600	3 800		24,0	
26,0	71,4	64,8	7 400	6 900	6 200	4 700	74,9	63,4	5 800	5 600	4 600	3 800		26,0	
28,0	69,6	64,0	6 600	6 100	5 700	4 700	73,0	62,5	5 600	5 500	4 600	3 800		28,0	
30,0	67,7	63,1	5 900	5 500	5 100	4 600	71,1	61,6	5 400	5 300	4 600	3 800		30,0	
32,0	65,8	62,1	5 300	4 900	4 600	4 300	69,1	60,6	5 300	5 200	4 600	3 800		32,0	
34,0	63,9	61,1	4 800	4 400	4 100	3 900	67,2	59,5	5 000	4 700	4 400	3 800		34,0	
36,0	61,9	59,9	4 300	4 000	3 700	3 500	65,1	58,3	4 600	4 300	4 000	3 700		36,0	
38,0	59,9	58,7	3 900	3 600	3 400	3 100	63,1	57,0	4 100	3 900	3 600	3 400		38,0	
40,0	57,9	57,3	3 500	3 300	3 100	2 800	61,0	55,7	3 700	3 500	3 300	3 000		40,0	
42,0	55,8	55,9	3 200	3 000	2 800	2 600	58,8	54,2	3 400	3 100	2 900	2 800		42,0	
44,0	53,6	54,3	2 800	2 700	2 500	2 300	56,6	52,5	3 000	2 800	2 700	2 500		44,0	
46,0	51,4	52,6	2 600	2 400	2 200	2 100	54,3	50,8	2 700	2 600	2 400	2 200		46,0	
48,0	49,1	50,8	2 300	2 200	2 000	1 900	51,8	48,9	2 500	2 300	2 100	2 000		48,0	
50,0	46,7	48,8	2 100	1 900	1 800	1 700	49,3	46,8	2 200	2 100	1 900	1 800		50,0	
52,0	44,2	46,6	1 900	1 700	1 600	1 500	46,7	44,5	2 000	1 800	1 700	1 600		52,0	
54,0	41,5	44,2	1 700	1 500	1 400	1 300	43,9	42,0	1 700	1 600	1 500	1 400		54,0	
56,0	38,7	41,6	1 500	1 400	1 300	1 200	40,9	39,2	1 500	1 400	1 300	1 200		56,0	
58,0	35,7	38,6	1 300	1 200	1 100	1 000	37,7	36,1	1 300	1 300	1 200	1 100		58,0	
60,0	32,4	35,3	1 000	1 000			34,2	32,5	1 100	1 100	1 000			60,0	


MLC100-1 S-2



33 120 kg
+
10 500 kg





55,0 m



15,2 m



			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
16,8	80,1	70,8	9 500				80,8	68,5	6 400			16,8	
18,0	79,1	70,5	9 500				79,1	67,9	6 200	5 500		18,0	
20,0	77,4	70,0	9 400	7 500	5 600	4 200	77,3	67,3	6 000	5 500	4 500	20,0	
22,0	75,7	69,4	9 200	7 500	5 600	4 200						22,0	
24,0	74,0	68,7	8 300	7 400	5 600	4 200						24,0	
26,0	72,3	68,0	7 300	6 700	5 500	4 100	75,6	66,5	5 800	5 500	4 500	26,0	
28,0	70,5	67,2	6 500	6 000	5 400	4 100	73,8	65,7	5 600	5 400	4 500	28,0	
30,0	68,7	66,4	5 800	5 400	5 000	4 100	72,0	64,9	5 500	5 400	4 500	30,0	
32,0	66,9	65,5	5 200	4 800	4 400	4 100	70,1	63,9	5 300	5 100	4 500	32,0	
34,0	65,1	64,5	4 700	4 300	4 000	3 700	68,3	62,9	5 000	4 600	4 300	34,0	
36,0	63,3	63,4	4 200	3 900	3 600	3 300	66,4	61,8	4 500	4 200	3 900	36,0	
38,0	61,4	62,2	3 800	3 500	3 200	3 000	64,4	60,6	4 000	3 700	3 500	38,0	
40,0	59,4	60,9	3 400	3 100	2 900	2 700	62,4	59,3	3 600	3 400	3 100	40,0	
42,0	57,5	59,6	3 000	2 800	2 600	2 400	60,4	57,9	3 300	3 000	2 800	42,0	
44,0	55,5	58,1	2 700	2 500	2 400	2 200	58,3	56,4	2 900	2 700	2 500	44,0	
46,0	53,4	56,5	2 500	2 300	2 100	1 900	56,2	54,7	2 600	2 400	2 300	46,0	
48,0	51,2	54,8	2 200	2 000	1 900	1 700	54,0	53,0	2 300	2 200	2 000	48,0	
50,0	49,0	53,0	2 000	1 800	1 700	1 500	51,7	51,1	2 100	1 900	1 800	50,0	
52,0	46,7	51,0	1 700	1 600	1 500	1 400	49,3	49,0	1 900	1 700	1 600	52,0	
54,0	44,3	48,8	1 500	1 400	1 300	1 200	46,8	46,7	1 600	1 500	1 400	54,0	
56,0	41,8	46,5	1 400	1 200	1 100	1 000	44,1	44,3	1 400	1 300	1 200	56,0	
58,0	39,2	43,9	1 200	1 100	1 000		41,3	41,5	1 300	1 100	1 100	58,0	
60,0							38,3	38,5	1 000			60,0	

MLC100-1 S-2





			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	80,5	73,8	9 300										16,8
18,0	79,5	73,6	9 200										18,0
20,0	77,9	73,1	9 100	6 700	4 900								20,0
22,0	76,3	72,5	8 900	6 700	4 900	3 700	79,6	71,1	6 300				22,0
24,0	74,7	71,9	8 200	6 700	4 900	3 700	77,9	70,4	6 100	5 400	4 000		24,0
26,0	73,0	71,2	7 200	6 600	4 900	3 600	76,2	69,7	5 900	5 300	4 000	2 900	26,0
28,0	71,3	70,5	6 400	5 900	4 900	3 600	74,5	69,0	5 700	5 200	4 000	2 900	28,0
30,0	69,7	69,7	5 700	5 200	4 700	3 600	72,8	68,2	5 600	5 100	4 000	2 900	30,0
32,0	68,0	68,8	5 100	4 700	4 300	3 600	71,0	67,3	5 400	5 000	4 000	2 900	32,0
34,0	66,2	67,8	4 500	4 200	3 900	3 500	69,3	66,3	4 900	4 500	4 000	2 900	34,0
36,0	64,5	66,8	4 100	3 700	3 500	3 200	67,5	65,2	4 400	4 000	3 700	2 900	36,0
38,0	62,7	65,7	3 600	3 400	3 100	2 800	65,6	64,1	3 900	3 600	3 300	2 900	38,0
40,0	60,9	64,5	3 300	3 000	2 800	2 500	63,8	62,9	3 500	3 200	3 000	2 800	40,0
42,0	59,0	63,2	2 900	2 700	2 500	2 300	61,9	61,5	3 100	2 900	2 700	2 500	42,0
44,0	57,1	61,8	2 600	2 400	2 200	2 000	59,9	60,1	2 800	2 600	2 400	2 200	44,0
46,0	55,2	60,4	2 300	2 100	2 000	1 800	57,9	58,6	2 500	2 300	2 100	2 000	46,0
48,0	53,2	58,8	2 100	1 900	1 700	1 600	55,8	57,0	2 200	2 100	1 900	1 700	48,0
50,0	51,1	57,1	1 800	1 700	1 500	1 400	53,7	55,2	2 000	1 800	1 700	1 500	50,0
52,0	49,0	55,2	1 600	1 500	1 300	1 200	51,5	53,3	1 800	1 600	1 500	1 300	52,0
54,0	46,8	53,3	1 400	1 300	1 200	1 000	49,2	51,2	1 500	1 400	1 300	1 200	54,0
56,0	44,5	51,1	1 200	1 100	1 000		46,9	49,0	1 300	1 200	1 100	1 000	56,0
58,0	42,1	48,8	1 000				44,3	46,6	1 100	1 000			58,0

MLC100-1 S-2





33 120 kg
+
10 500 kg




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,4	80,0	32,4	9 300	7 900									10,4
12,0	76,9	31,8	9 000	7 700									12,0
14,0	73,0	31,1	8 700	7 400	6 600	5 700							14,0
16,0	68,9	30,1	8 400	7 200	6 400	5 600							16,0
18,0	64,8	29,0	8 100	7 000	6 200	5 500	78,5	29,2	5 600				18,0
					6 100	5 300	74,2	28,0	5 100	5 000	4 900	4 900	
20,0	60,4	27,6	7 800	6 800	5 900	5 200	69,7	26,6	4 700	4 700	4 600	4 500	20,0
22,0	55,7	26,0	7 400	6 600	5 800	5 100	64,8	24,9	4 400	4 300	4 300	4 200	22,0
24,0	50,8	24,2	6 900	6 500	5 700	5 000	59,6	22,9	4 100	4 100	4 000	4 000	24,0
26,0	45,3	21,9	6 300	6 200	5 600	5 000	53,7	20,5	3 900	3 800	3 800	3 800	26,0
28,0	39,1	19,1	5 800	5 800	5 500	4 900	47,0	17,5	3 700	3 600	3 600	3 600	28,0
30,0	31,5	15,5	5 400	5 400	5 300	4 900	38,4	13,4	3 500	3 500	3 500	3 500	30,0
32,0	20,7	9,9	5 100	5 100	5 100	4 900							32,0

MLC100-1 S-2





			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
10,4	80,9	35,5	9 400	7 700	6 600						10,4		
12,0	78,1	35,0	9 100	7 500	6 400						12,0		
14,0	74,5	34,3	8 800	7 300	6 300	5 600					14,0		
16,0	70,9	33,4	7 800	7 300	6 300	5 500					16,0		
18,0	67,2	32,4	6 900	6 700	6 100	5 400					18,0		
20,0	63,3	31,2	6 100	6 000	5 800	5 300	75,8	31,3	4 700	4 300	3 800		
22,0	59,3	29,8	5 600	5 400	5 300	5 100	71,8	30,1	4 400	4 000	3 600	3 300	20,0
24,0	55,0	28,2	5 000	4 900	4 800	4 700	67,6	28,7	4 100	3 700	3 400	3 100	22,0
26,0	50,5	26,4	4 600	4 500	4 400	4 400	63,2	27,0	3 800	3 500	3 200	3 000	24,0
28,0	45,5	24,1	4 300	4 200	4 100	4 100	58,4	25,0	3 600	3 300	3 100	2 900	26,0
30,0	40,0	21,5	4 000	3 900	3 900	3 800	53,1	22,6	3 400	3 200	2 900	2 700	28,0
32,0	33,5	18,1	3 700	3 700	3 600	3 600	47,1	19,8	3 200	3 000	2 800	2 600	30,0
							39,8	16,0	3 100	2 900	2 700	2 600	32,0

MLC100-1 S-2



33 120 kg
+
10 500 kg




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,0	80,7	38,4	9 300	7 800									11,0
12,0	79,0	38,1	9 200	7 600	6 500	5 700							12,0
14,0	75,8	37,4	8 900	7 400	6 300	5 500							14,0
16,0	72,5	36,7	8 600	7 200	6 200	5 500							16,0
18,0	69,2	35,7	8 300	7 000	6 100	5 400	77,1	34,6	5 400	5 200			18,0
20,0	65,7	34,7	8 100	6 900	6 000	5 300	73,5	33,5	5 000	4 900	4 300	3 900	20,0
22,0	62,1	33,5	7 300	6 700	5 900	5 200	69,8	32,2	4 700	4 600	4 100	3 700	22,0
24,0	58,4	32,0	6 700	6 500	5 700	5 100	65,9	30,8	4 500	4 400	3 900	3 600	24,0
26,0	54,5	30,4	6 100	6 000	5 500	5 000	61,8	29,1	4 200	4 100	3 800	3 400	26,0
28,0	50,3	28,6	5 700	5 600	5 500	5 000	57,4	27,1	4 000	4 000	3 600	3 300	28,0
30,0	45,8	26,4	5 300	5 200	5 100	5 000	52,6	24,8	3 800	3 800	3 500	3 200	30,0
32,0	40,8	23,8	4 900	4 900	4 800	4 800	47,2	22,0	3 700	3 600	3 400	3 100	32,0
34,0	35,1	20,7	4 700	4 600	4 600	4 500	40,9	18,5	3 500	3 500	3 300	3 000	34,0
36,0	28,2	16,6	4 500	4 400	4 400	4 300	32,7	13,7	3 500	3 500	3 300	3 000	36,0

MLC100-1 S-2





33 120 kg
+
10 500 kg





			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
11,6	80,5	41,3	9 300										11,6
12,0	79,9	41,2	9 200										12,0
14,0	76,9	40,6	8 900	7 600	6 500	5 700							14,0
16,0	73,9	39,9	8 700	7 400	6 400	5 600							16,0
18,0	70,9	39,1	8 500	7 300	6 200	5 500	78,2	37,9	5 500				18,0
20,0	67,7	38,1	8 200	7 100	6 100	5 400	74,9	36,9	5 200	5 100	4 800	4 100	20,0
22,0	64,5	37,0	8 000	7 000	6 000	5 300	71,6	35,7	4 900	4 800	4 700	4 100	22,0
24,0	61,1	35,7	7 800	6 800	5 900	5 200	68,1	34,4	4 600	4 500	4 500	4 000	24,0
26,0	57,7	34,3	7 600	6 700	5 800	5 200	64,5	32,9	4 400	4 300	4 200	3 900	26,0
28,0	54,0	32,7	7 100	6 600	5 700	5 100	60,7	31,2	4 200	4 100	4 100	3 800	28,0
30,0	50,1	30,8	6 600	6 400	5 700	5 000	56,6	29,2	4 000	3 900	3 900	3 600	30,0
32,0	46,0	28,7	6 200	6 100	5 600	5 000	52,2	27,0	3 800	3 800	3 700	3 600	32,0
34,0	41,5	26,2	5 800	5 700	5 500	4 900	47,3	24,3	3 700	3 600	3 600	3 500	34,0
36,0	36,4	23,2	5 400	5 300	5 100	4 900	41,7	21,0	3 600	3 500	3 500	3 400	36,0
38,0	30,4	19,5	5 000	4 900	4 700	4 600	34,9	16,8	3 500	3 500	3 500	3 400	38,0

MLC100-1 S-2






33 120 kg
+
10 500 kg




			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,3	44,2	9 200	7 600	6 500	5 700							12,2
14,0	77,9	43,7	9 000	7 500	6 400	5 600							14,0
16,0	75,1	43,1	8 800	7 300	6 300	5 500							16,0
18,0	72,3	42,3	8 600	7 200	6 200	5 400	79,1	41,1	5 600				18,0
20,0	69,4	41,4	8 300	7 000	6 100	5 300	76,1	40,1	5 300	5 200	4 800	4 000	20,0
22,0	66,4	40,4	8 200	6 900	6 000	5 300	73,1	39,1	5 000	4 900	4 800	4 000	22,0
24,0	63,4	39,3	7 900	6 800	5 900	5 200	69,9	37,9	4 700	4 700	4 600	4 000	24,0
26,0	60,2	38,0	7 700	6 700	5 800	5 100	66,7	36,6	4 500	4 400	4 400	4 000	26,0
28,0	57,0	36,5	7 500	6 500	5 700	5 100	63,3	35,1	4 300	4 200	4 200	4 000	28,0
30,0	53,6	34,9	6 900	6 100	5 400	5 000	59,7	33,3	4 100	4 100	4 000	3 900	30,0
32,0	50,0	33,0	6 300	5 600	5 000	4 800	55,9	31,4	3 900	3 900	3 900	3 800	32,0
34,0	46,1	30,9	5 800	5 100	4 600	4 500	51,8	29,1	3 800	3 800	3 700	3 700	34,0
36,0	42,0	28,5	5 300	4 700	4 300	4 100	47,4	26,5	3 700	3 600	3 600	3 600	36,0
38,0	37,4	25,6	4 900	4 400	4 100	3 900	42,4	23,4	3 600	3 500	3 500	3 500	38,0
40,0	32,1	22,2	4 500	4 100	3 900	3 800	36,4	19,5	3 500	3 500	3 500	3 500	40,0
42,0	25,7	17,7	4 100	4 000	3 900	3 800							42,0

MLC100-1 S-2




			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	m
12,2	81,0	47,3	9 200	7 600	6 500								12,2
14,0	78,7	46,9	9 000	7 500	6 400								14,0
16,0	76,1	46,3	8 800	7 400	6 300	5 600							16,0
18,0	73,5	45,5	8 600	7 200	6 200	5 500							18,0
20,0	70,8	44,7	8 400	7 100	6 100	5 400	77,1	43,4	5 400	5 300	4 700	3 900	20,0
22,0	68,1	43,8	8 300	7 000	6 000	5 300	74,3	42,4	5 100	5 000	4 700	3 900	22,0
24,0	65,3	42,7	8 100	6 900	6 000	5 200	71,4	41,4	4 800	4 800	4 600	3 900	24,0
26,0	62,5	41,6	7 900	6 800	5 900	5 200	68,5	40,1	4 600	4 500	4 500	3 900	26,0
28,0	59,5	40,3	7 500	6 800	5 900	5 200	65,4	38,8	4 400	4 400	4 300	3 900	28,0
30,0	56,4	38,8	6 800	6 500	5 800	5 100	62,2	37,2	4 200	4 200	4 100	3 900	30,0
32,0	53,2	37,1	6 200	6 000	5 700	5 100	58,9	35,5	4 100	4 000	4 000	3 900	32,0
34,0	49,9	35,3	5 700	5 500	5 300	5 000	55,3	33,6	3 900	3 900	3 800	3 800	34,0
36,0	46,3	33,2	5 200	5 000	4 900	4 700	51,6	31,3	3 800	3 800	3 700	3 700	36,0
38,0	42,5	30,8	4 800	4 600	4 500	4 300	47,5	28,8	3 700	3 600	3 600	3 600	38,0
40,0	38,3	28,0	4 400	4 300	4 100	4 000	42,9	25,8	3 600	3 600	3 500	3 500	40,0
42,0	33,6	24,8	4 100	4 000	3 800	3 700	37,7	22,2	3 500	3 500	3 500	3 500	42,0
44,0	28,0	20,8	3 800	3 700	3 600	3 500	31,2	17,5	3 400	3 400	3 400	3 400	44,0


MLC100-1 S-2



33 120 kg
+
10 500 kg



31,0 m




18,3 m

			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
12,8	80,8	50,3	9 100	7 600	6 400	5 600	78,0	46,6	5 500	5 400	4 600	12,8	
14,0	79,4	50,0	9 000	7 500	6 300	5 500	75,4	45,7	5 200	5 100	4 600	14,0	
16,0	77,0	49,4	8 800	7 400	6 200	5 400	72,7	44,7	5 000	4 900	4 500	16,0	
18,0	74,5	48,7	8 700	7 300	6 100	5 300	70,0	43,6	4 700	4 700	4 500	18,0	
20,0	72,0	48,0	8 500	7 200	6 000	5 200	67,2	42,3	4 500	4 500	4 400	20,0	
22,0	69,5	47,1	8 300	7 100	5 900	5 100	64,3	40,9	4 300	4 300	4 200	22,0	
24,0	67,0	46,1	8 200	7 000	5 800	5 000	61,3	39,4	4 200	4 100	4 100	24,0	
26,0	64,3	45,0	8 000	6 900	5 700	4 900	58,1	37,6	4 000	4 000	3 900	26,0	
28,0	61,6	43,8	7 400	6 800	5 600	4 800	54,8	35,7	3 900	3 900	3 800	28,0	
30,0	58,8	42,5	6 700	6 400	5 500	4 700	51,3	33,5	3 800	3 700	3 700	30,0	
32,0	55,9	41,0	6 100	5 800	5 400	4 600	47,5	31,0	3 700	3 600	3 600	32,0	
34,0	52,9	39,3	5 600	5 300	5 100	4 500	43,3	28,1	3 600	3 600	3 500	34,0	
36,0	49,8	37,5	5 100	4 900	4 700	4 400	38,6	24,7	3 500	3 500	3 500	36,0	
38,0	46,4	35,4	4 700	4 500	4 300	4 200						38,0	
40,0	42,9	33,1	4 300	4 200	4 000	3 900						40,0	
42,0	39,0	30,4	4 000	3 800	3 700	3 600						42,0	
44,0	34,7	27,3	3 700	3 500	3 400	3 300						44,0	
46,0	29,8	23,5	3 400	3 300	3 200	3 100						46,0	
48,0	23,8	18,7	3 000	3 000	2 900	2 800						48,0	

MLC100-1 S-2





33 120 kg
+
10 500 kg




			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	80,7	53,2	9 100										13,4
14,0	80,0	53,0	9 000	7 600									14,0
16,0	77,7	52,5	8 900	7 500	6 400								16,0
18,0	75,4	51,9	8 700	7 400	6 300	5 500							18,0
20,0	73,1	51,2	8 500	7 300	6 200	5 400	78,7	49,8	5 600	5 500	4 500		20,0
22,0	70,8	50,4	8 400	7 200	6 100	5 400	76,3	48,9	5 300	5 200	4 400	3 700	22,0
24,0	68,4	49,5	8 200	7 100	6 100	5 300	73,8	48,0	5 100	5 000	4 400	3 700	24,0
26,0	65,9	48,4	8 000	7 000	6 000	5 300	71,3	47,0	4 800	4 800	4 400	3 700	26,0
28,0	63,4	47,3	7 300	6 800	5 900	5 200	68,7	45,8	4 600	4 600	4 400	3 700	28,0
30,0	60,9	46,1	6 600	6 300	5 900	5 200	66,1	44,5	4 500	4 400	4 300	3 700	30,0
32,0	58,2	44,7	6 000	5 700	5 500	5 100	63,3	43,1	4 300	4 200	4 200	3 700	32,0
34,0	55,5	43,2	5 500	5 200	5 000	4 800	60,5	41,5	4 100	4 100	4 000	3 700	34,0
36,0	52,6	41,5	5 000	4 800	4 600	4 400	57,5	39,8	4 000	4 000	3 900	3 700	36,0
38,0	49,6	39,7	4 600	4 400	4 200	4 000	54,4	37,9	3 900	3 800	3 800	3 700	38,0
40,0	46,5	37,6	4 200	4 000	3 900	3 700	51,1	35,7	3 800	3 700	3 700	3 600	40,0
42,0	43,2	35,3	3 900	3 700	3 600	3 400	47,5	33,2	3 700	3 600	3 600	3 500	42,0
44,0	39,6	32,7	3 600	3 400	3 300	3 200	43,7	30,4	3 600	3 500	3 400	3 300	44,0
46,0	35,7	29,7	3 300	3 200	3 000	2 900	39,4	27,2	3 400	3 200	3 100	3 000	46,0
48,0	31,2	26,2	3 000	2 900	2 800	2 700	34,4	23,2	3 100	3 000	2 900	2 800	48,0
50,0	26,0	21,9	2 800	2 700	2 600	2 500							50,0


MLC100-1 S-2



33 120 kg
+
10 500 kg




37,0 m



18,3 m



			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
14,0	80,5	56,1	9 000	7 500							14,0		
16,0	78,4	55,6	8 900	7 400							16,0		
18,0	76,3	55,0	8 700	7 300	6 300	5 500					18,0		
20,0	74,1	54,4	8 500	7 200	6 200	5 400	79,4	53,0	5 600	5 500	20,0		
22,0	71,9	53,6	8 400	7 100	6 100	5 400	77,1	52,2	5 400	5 300	22,0		
24,0	69,6	52,8	8 300	7 100	6 100	5 300	74,8	51,3	5 100	5 100	24,0		
26,0	67,4	51,8	8 000	7 000	6 000	5 300	72,5	50,3	4 900	4 800	26,0		
28,0	65,0	50,8	7 200	6 800	6 000	5 200	70,1	49,3	4 700	4 700	28,0		
30,0	62,6	49,6	6 500	6 200	5 800	5 200	67,6	48,1	4 600	4 500	30,0		
32,0	60,2	48,4	5 900	5 600	5 300	5 000	65,1	46,8	4 400	4 300	32,0		
34,0	57,7	47,0	5 400	5 100	4 800	4 600	62,5	45,3	4 200	4 200	34,0		
36,0	55,1	45,5	4 900	4 700	4 400	4 200	59,8	43,8	4 100	4 100	36,0		
38,0	52,4	43,8	4 500	4 300	4 100	3 900	57,0	42,0	4 000	3 900	38,0		
40,0	49,6	41,9	4 100	3 900	3 700	3 600	54,0	40,1	3 900	3 800	40,0		
42,0	46,6	39,9	3 700	3 600	3 400	3 300	50,9	37,9	3 800	3 700	42,0		
44,0	43,5	37,6	3 400	3 300	3 200	3 000	47,6	35,5	3 600	3 400	44,0		
46,0	40,2	35,1	3 200	3 000	2 900	2 800	44,0	32,8	3 300	3 100	46,0		
48,0	36,5	32,2	2 900	2 800	2 700	2 600	40,1	29,7	3 000	2 900	48,0		
50,0	32,5	28,9	2 700	2 600	2 500	2 400	35,6	26,0	2 700	2 600	50,0		
52,0	27,9	24,8	2 400	2 300	2 300	2 200					52,0		

MLC100-1 S-2




			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,6	80,4	59,1	8 900										14,6
16,0	79,0	58,7	8 800	7 400									16,0
18,0	77,0	58,2	8 700	7 300	6 200								18,0
20,0	74,9	57,5	8 500	7 300	6 200	5 400	80,0	56,1	5 700				20,0
22,0	72,9	56,8	8 400	7 200	6 100	5 300	77,9	55,3	5 500	5 300	4 200		22,0
24,0	70,7	56,0	8 300	7 100	6 100	5 300	75,7	54,5	5 200	5 100	4 200	3 500	24,0
26,0	68,6	55,1	7 900	7 000	6 000	5 300	73,5	53,6	5 000	4 900	4 200	3 500	26,0
28,0	66,4	54,2	7 100	6 700	6 000	5 200	71,2	52,6	4 800	4 700	4 200	3 500	28,0
30,0	64,2	53,1	6 400	6 000	5 700	5 200	68,9	51,5	4 600	4 600	4 200	3 500	30,0
32,0	61,9	51,9	5 800	5 500	5 200	4 900	66,6	50,3	4 500	4 400	4 200	3 500	32,0
34,0	59,6	50,6	5 300	5 000	4 700	4 500	64,2	49,0	4 300	4 300	4 200	3 500	34,0
36,0	57,2	49,2	4 800	4 500	4 300	4 100	61,7	47,5	4 200	4 100	4 100	3 500	36,0
38,0	54,7	47,7	4 400	4 200	3 900	3 700	59,1	45,9	4 100	4 000	4 000	3 500	38,0
40,0	52,2	46,0	4 000	3 800	3 600	3 400	56,5	44,2	4 000	3 900	3 800	3 500	40,0
42,0	49,5	44,2	3 700	3 500	3 300	3 200	53,7	42,2	3 800	3 700	3 500	3 300	42,0
44,0	46,7	42,1	3 300	3 200	3 000	2 900	50,7	40,1	3 500	3 300	3 200	3 000	44,0
46,0	43,8	39,9	3 100	2 900	2 800	2 700	47,6	37,7	3 200	3 100	2 900	2 800	46,0
48,0	40,6	37,4	2 800	2 700	2 600	2 400	44,3	35,1	2 900	2 800	2 700	2 600	48,0
50,0	37,2	34,6	2 600	2 500	2 400	2 200	40,6	32,1	2 700	2 500	2 400	2 300	50,0
52,0	33,5	31,4	2 300	2 300	2 200	2 100	36,6	28,5	2 400	2 300	2 200	2 100	52,0
54,0	29,3	27,6	2 100	2 100	2 000	1 900	31,9	24,3	2 200	2 100	2 000	1 900	54,0
56,0	24,4	23,0	1 900	1 900	1 800	1 700							56,0

MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
14,6	80,9	62,1	8 900								14,6		
16,0	79,6	61,8	8 800								16,0		
18,0	77,7	61,3	8 700	7 300	6 200						18,0		
20,0	75,7	60,7	8 500	7 200	6 100	5 300	80,5	59,2	5 800		20,0		
22,0	73,7	60,0	8 400	7 100	6 100	5 300	78,5	58,5	5 500	5 200	22,0		
24,0	71,7	59,3	8 300	7 100	6 000	5 300	76,5	57,8	5 300	5 100	24,0		
26,0	69,7	58,4	7 800	7 000	6 000	5 200	74,4	56,9	5 100	5 000	26,0		
28,0	67,7	57,5	7 000	6 600	5 900	5 200	72,3	56,0	4 900	4 800	28,0		
30,0	65,6	56,5	6 300	5 900	5 600	5 100	70,1	54,9	4 700	4 700	30,0		
32,0	63,5	55,4	5 700	5 300	5 000	4 700	67,9	53,8	4 600	4 500	32,0		
34,0	61,3	54,2	5 100	4 900	4 600	4 300	65,7	52,6	4 400	4 400	34,0		
36,0	59,1	52,9	4 700	4 400	4 200	3 900	63,4	51,2	4 300	4 200	36,0		
38,0	56,8	51,5	4 300	4 000	3 800	3 600	61,0	49,7	4 200	4 100	38,0		
40,0	54,4	49,9	3 900	3 700	3 500	3 300	58,6	48,1	4 000	3 900	40,0		
42,0	52,0	48,3	3 500	3 400	3 200	3 000	56,0	46,4	3 700	3 500	42,0		
44,0	49,4	46,4	3 200	3 100	2 900	2 800	53,4	44,5	3 400	3 200	44,0		
46,0	46,8	44,4	2 900	2 800	2 700	2 500	50,6	42,3	3 100	2 900	46,0		
48,0	44,0	42,2	2 700	2 600	2 400	2 300	47,7	40,0	2 800	2 700	48,0		
50,0	41,1	39,7	2 500	2 300	2 200	2 100	44,5	37,4	2 600	2 400	50,0		
52,0	37,9	37,0	2 200	2 100	2 000	1 900	41,2	34,5	2 300	2 200	52,0		
54,0	34,5	33,9	2 000	1 900	1 800	1 700	37,4	31,1	2 100	2 000	54,0		
56,0	30,7	30,3	1 800	1 800	1 700	1 600	33,2	27,2	1 900	1 800	56,0		
58,0	26,3	26,1	1 600	1 500	1 500	1 400					58,0		

MLC100-1 S-2






33 120 kg
+
10 500 kg






			10°				30°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,8	65,1	8 800										15,2
16,0	80,1	64,9	8 700										16,0
18,0	78,2	64,4	8 600	7 300									18,0
20,0	76,4	63,8	8 500	7 200	6 100	4 800							20,0
22,0	74,5	63,2	8 400	7 100	6 100	4 800	79,1	61,7	5 600	5 100			22,0
24,0	72,6	62,5	8 300	7 000	6 000	4 800	77,1	60,9	5 400	5 000	4 100		24,0
26,0	70,7	61,7	7 700	6 900	5 900	4 800	75,2	60,1	5 200	5 000	4 100	3 400	26,0
28,0	68,8	60,8	6 900	6 400	5 800	4 800	73,2	59,2	5 000	4 900	4 100	3 400	28,0
30,0	66,8	59,9	6 200	5 800	5 400	4 800	71,2	58,3	4 800	4 700	4 000	3 400	30,0
32,0	64,8	58,8	5 600	5 200	4 900	4 600	69,1	57,2	4 700	4 600	4 000	3 400	32,0
34,0	62,8	57,7	5 000	4 700	4 400	4 200	67,0	56,0	4 500	4 400	4 000	3 400	34,0
36,0	60,7	56,5	4 600	4 300	4 000	3 800	64,8	54,8	4 400	4 300	4 000	3 400	36,0
38,0	58,6	55,2	4 100	3 900	3 700	3 500	62,6	53,4	4 200	4 100	3 900	3 400	38,0
40,0	56,4	53,7	3 800	3 600	3 300	3 200	60,4	51,9	4 000	3 800	3 600	3 300	40,0
42,0	54,1	52,2	3 400	3 200	3 100	2 900	58,0	50,3	3 600	3 400	3 300	3 100	42,0
44,0	51,8	50,5	3 100	2 900	2 800	2 600	55,6	48,6	3 300	3 100	3 000	2 800	44,0
46,0	49,4	48,6	2 800	2 700	2 500	2 400	53,1	46,6	3 000	2 900	2 700	2 500	46,0
48,0	46,9	46,6	2 600	2 400	2 300	2 200	50,5	44,5	2 700	2 600	2 500	2 300	48,0
50,0	44,2	44,4	2 300	2 200	2 100	2 000	47,7	42,2	2 500	2 300	2 200	2 100	50,0
52,0	41,4	42,0	2 100	2 000	1 900	1 800	44,7	39,7	2 200	2 100	2 000	1 900	52,0
54,0	38,5	39,3	1 900	1 800	1 700	1 600	41,6	36,8	2 000	1 900	1 800	1 700	54,0
56,0	35,3	36,3	1 700	1 600	1 600	1 500	38,1	33,6	1 800	1 700	1 600	1 500	56,0
58,0	31,7	32,9	1 500	1 500	1 400	1 300	34,2	29,8	1 600	1 500	1 400	1 400	58,0
60,0	27,8	28,9	1 300	1 300	1 200	1 200							60,0
62,0	23,1	24,0	1 000	1 000	900								62,0

MLC100-1 S-2




			10°				30°						
			0°	1°	2°	3°	0°	1°	2°	3°			
			kg	kg	kg	kg	kg	kg	kg	kg			
16,8	79,9	67,8	8 600	7 200							16,8		
18,0	78,8	67,5	8 500	7 200							18,0		
20,0	77,0	67,0	8 400	7 100	5 700	4 400					20,0		
22,0	75,2	66,3	8 300	7 100	5 700	4 400	79,6	64,8	5 700		22,0		
24,0	73,5	65,7	8 100	7 000	5 700	4 400	77,8	64,1	5 400	4 900	24,0		
26,0	71,6	64,9	7 600	6 900	5 700	4 400	75,9	63,4	5 200	4 900	26,0		
28,0	69,8	64,1	6 800	6 300	5 700	4 400	74,0	62,5	5 100	4 800	28,0		
30,0	67,9	63,2	6 100	5 700	5 300	4 400	72,1	61,6	4 900	4 800	30,0		
32,0	66,0	62,2	5 500	5 100	4 700	4 400	70,2	60,6	4 700	4 700	32,0		
34,0	64,1	61,2	4 900	4 600	4 300	4 000	68,2	59,5	4 600	4 500	34,0		
36,0	62,2	60,0	4 500	4 200	3 900	3 600	66,2	58,3	4 500	4 400	36,0		
38,0	60,2	58,8	4 000	3 800	3 500	3 300	64,1	57,0	4 300	4 100	38,0		
40,0	58,1	57,4	3 700	3 400	3 200	3 000	62,0	55,7	3 900	3 700	40,0		
42,0	56,0	56,0	3 300	3 100	2 900	2 700	59,8	54,2	3 500	3 300	42,0		
44,0	53,9	54,4	3 000	2 800	2 600	2 500	57,6	52,5	3 200	3 000	44,0		
46,0	51,6	52,7	2 700	2 600	2 400	2 200	55,3	50,8	2 900	2 700	46,0		
48,0	49,3	50,9	2 500	2 300	2 200	2 000	52,9	48,9	2 600	2 500	48,0		
50,0	46,9	48,9	2 200	2 100	2 000	1 800	50,4	46,8	2 400	2 200	50,0		
52,0	44,4	46,7	2 000	1 900	1 800	1 600	47,7	44,5	2 100	2 000	52,0		
54,0	41,8	44,3	1 800	1 700	1 600	1 500	44,9	42,0	1 900	1 800	54,0		
56,0	39,0	41,7	1 600	1 500	1 400	1 300	42,0	39,2	1 700	1 600	56,0		
58,0	36,0	38,8	1 400	1 300	1 300	1 200	38,7	36,1	1 500	1 400	58,0		
60,0	32,7	35,5	1 200	1 100	1 100	1 000	35,2	32,5	1 300	1 200	60,0		
62,0	29,1	31,7	1 000	900			31,1	28,3	1 000	1 000	62,0		

MLC100-1 S-2



			10°				30°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	80,3	70,9	8 400										16,8
18,0	79,3	70,6	8 300										18,0
20,0	77,6	70,1	8 200	7 000	5 300	4 000							20,0
22,0	75,9	69,5	8 000	7 000	5 300	3 900	80,1	67,9	5 700				22,0
24,0	74,2	68,8	7 900	6 900	5 200	3 900	78,3	67,3	5 500	4 800			24,0
26,0	72,5	68,1	7 500	6 800	5 200	3 900	76,5	66,5	5 300	4 800	3 900	3 100	26,0
28,0	70,7	67,3	6 700	6 200	5 200	3 900	74,8	65,7	5 100	4 800	3 900	3 100	28,0
30,0	68,9	66,5	6 000	5 500	5 100	3 900	72,9	64,9	5 000	4 700	3 900	3 100	30,0
32,0	67,1	65,6	5 400	5 000	4 600	3 900	71,1	63,9	4 800	4 700	3 900	3 100	32,0
34,0	65,3	64,6	4 800	4 500	4 200	3 800	69,2	62,9	4 700	4 600	3 900	3 100	34,0
36,0	63,5	63,5	4 400	4 100	3 800	3 500	67,3	61,8	4 500	4 400	3 900	3 100	36,0
38,0	61,6	62,3	3 900	3 700	3 400	3 200	65,4	60,6	4 200	4 000	3 700	3 100	38,0
40,0	59,7	61,0	3 600	3 300	3 100	2 900	63,4	59,3	3 800	3 600	3 400	3 000	40,0
42,0	57,7	59,7	3 200	3 000	2 800	2 600	61,4	57,9	3 500	3 200	3 000	2 800	42,0
44,0	55,7	58,2	2 900	2 700	2 500	2 400	59,3	56,4	3 100	2 900	2 700	2 600	44,0
46,0	53,6	56,6	2 600	2 500	2 300	2 100	57,2	54,7	2 800	2 700	2 500	2 300	46,0
48,0	51,5	54,9	2 400	2 200	2 100	1 900	54,9	53,0	2 600	2 400	2 200	2 100	48,0
50,0	49,3	53,1	2 100	2 000	1 800	1 700	52,6	51,1	2 300	2 200	2 000	1 900	50,0
52,0	47,0	51,1	1 900	1 800	1 700	1 500	50,2	49,0	2 100	1 900	1 800	1 700	52,0
54,0	44,6	49,0	1 700	1 600	1 500	1 400	47,7	46,7	1 800	1 700	1 600	1 500	54,0
56,0	42,1	46,6	1 500	1 400	1 300	1 200	45,1	44,3	1 600	1 500	1 400	1 300	56,0
58,0	39,4	44,0	1 400	1 300	1 200	1 100	42,3	41,5	1 500	1 300	1 200	1 200	58,0
60,0	36,6	41,2	1 200	1 100	1 000	900	39,3	38,5	1 300	1 200	1 100	1 000	60,0
62,0	33,5	38,0	900				36,0	35,0	1 000	1 000	900		62,0



	10°			30°			
	m	°	m	kg	°	m	kg
16,8	80,7	73,9	8 000	78,8	70,4	5 600	16,8
18,0	79,7	73,6	7 900	77,1	69,7	5 400	18,0
20,0	78,1	73,1	7 800	75,4	68,9	5 200	20,0
22,0	76,5	72,6	7 700	73,7	68,1	5 000	22,0
24,0	74,9	72,0	7 600	72,0	67,2	4 900	24,0
26,0	73,2	71,3	7 400	70,2	66,2	4 700	26,0
28,0	71,5	70,5	6 600	68,4	65,2	4 500	28,0
30,0	69,9	69,7	5 900	66,5	64,0	4 100	30,0
32,0	68,2	68,9	5 200	64,7	62,8	3 700	32,0
34,0	66,4	67,9	4 700	62,8	61,5	3 400	34,0
36,0	64,7	66,9	4 200	60,8	60,1	3 000	36,0
38,0	62,9	65,8	3 800	58,8	58,6	2 700	38,0
40,0	61,1	64,6	3 400	56,8	56,9	2 500	40,0
42,0	59,2	63,3	3 100	54,6	55,1	2 200	42,0
44,0	57,3	61,9	2 800	52,4	53,2	2 000	44,0
46,0	55,4	60,4	2 500	50,1	51,2	1 700	46,0
48,0	53,4	58,9	2 300	47,8	48,9	1 500	48,0
50,0	51,3	57,2	2 000	45,2	46,5	1 400	50,0
52,0	49,2	55,3	1 800	42,6	43,8	1 200	52,0
54,0	47,0	53,3	1 600	39,7	40,9	1 000	54,0
56,0	44,7	51,2	1 400				56,0
58,0	42,3	48,9	1 200				58,0
60,0	39,8	46,4	1 000				60,0
62,0							62,0

MLC100-1 S-2



117
+
B10

33 120 kg
+
10 500 kg



58,0 m

18,3 m

	10°			30°			
	m	°	m	kg	°	m	kg
18,3	79,9	76,7	7 500			18,3	
20,0	78,6	76,3	7 500			20,0	
22,0	77,0	75,7	7 400			22,0	
24,0	75,5	75,1	7 300	79,3	73,6	5 600	24,0
26,0	73,9	74,5	7 100	77,7	72,9	5 400	26,0
28,0	72,3	73,8	6 400	76,1	72,2	5 300	28,0
30,0	70,7	73,0	5 700	74,4	71,4	5 100	30,0
32,0	69,1	72,2	5 100	72,7	70,5	4 900	32,0
34,0	67,4	71,2	4 600	71,1	69,6	4 800	34,0
36,0	65,8	70,3	4 100	69,3	68,6	4 500	36,0
38,0	64,1	69,2	3 700	67,6	67,5	4 000	38,0
40,0	62,3	68,1	3 300	65,8	66,3	3 600	40,0
42,0	60,6	66,9	3 000	64,0	65,1	3 300	42,0
44,0	58,8	65,6	2 700	62,2	63,8	2 900	44,0
46,0	57,0	64,2	2 400	60,3	62,3	2 600	46,0
48,0	55,1	62,7	2 100	58,4	60,8	2 400	48,0
50,0	53,2	61,1	1 900	56,4	59,1	2 100	50,0
52,0	51,2	59,4	1 700	54,4	57,4	1 900	52,0
54,0	49,2	57,6	1 500	52,3	55,5	1 600	54,0
56,0	47,1	55,6	1 300	50,1	53,4	1 400	56,0
58,0	44,9	53,5	1 100	47,8	51,2	1 200	58,0
60,0				45,4	48,8	1 100	60,0