

Liftcrane Jib Capacities

Jib No. 134 on
 Boom No. B10:76A
 51 980 kg Crane Counterweight
 0 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating

MLC200 SERIES 1



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. A005-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with gantry up and machine list not to exceed degrees noted. Refer to Boom Rigging **No. 80149429**, Jib Rigging **No. 80117860**, Wire Rope Specifications chart **No. A025-A**, Counterweight Arrangements chart **No. A004-A**, and Wind Conditions chart **No. A026-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 8 280 mm crawlers, 1 200 mm treads, 3 124 mm retractable gantry, 8 250 mm live mast, 20 part boom hoist reeving, and boom support straps.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Caution: Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 1 360 kg.

Table 1

Over End or Side of Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
32,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 925	4 750	4 375	4 300	3 925
35,0	7	4 975	4 975	4 975	4 975	4 975	4 575	4 475	4 075	3 975	3 625	3 575	3 250
38,0	7	4 975	4 575	4 625	4 150	4 200	3 800	3 700	3 350	3 300	2 975	2 900	2 575
41,0	7	4 125	3 700	3 750	3 350	3 350	2 975	2 975	2 625	2 625	2 300	2 250	1 975
44,0	7	3 400	2 975	3 075	2 700	2 700	2 350	2 400	2 025	2 025	1 700	1 625	#
47,0	7	2 400	2 075	2 025	1 700	1 675	1 350	#	#	#	#	#	#
50,0	7	1 400	#	#	#	#	#	#	#	#	#	#	#
53,0	7	#	#	#	#	#	#	#	#	#	#	#	#
56,0	7	#	#	#	Raising Not Permitted								
59,0	7												
62,0	7												

Raising Not Permitted







Table 2

Over End of Blocked Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
32,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 925	4 750	4 375	4 300	3 925
35,0	7	4 975	4 975	4 975	4 975	4 975	4 575	4 475	4 075	3 975	3 625	3 575	3 250
38,0	7	4 975	4 575	4 625	4 150	4 200	3 800	3 700	3 350	3 300	2 975	2 900	2 575
41,0	7	4 125	3 700	3 750	3 350	3 350	2 975	2 975	2 625	2 625	2 300	2 250	1 975
44,0	7	3 400	2 975	3 075	2 700	2 700	2 350	2 400	2 025	2 075	1 850	1 975	1 800
47,0	7	2 575	2 200	2 350	1 975	2 025	1 800	1 850	1 800	1 850	1 800	1 850	1 800
50,0	7	1 900	1 800	1 900	1 800	1 975	1 800	1 800	1 800	1 800	1 525	1 400	#
53,0	7	1 850	1 800	1 800	1 525	1 450	#	#	#	#	#	#	#
56,0	7	#	#	#	#	#	#	#	#	#	#	#	#
59,0	7	#	#	#	#	#	#	#	#	#	#	#	#
62,0	7	#	#	#	Raising Not Permitted								


Raising Not Permitted

Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.

Explanation of Symbols


	Jib No. 134 + Boom No. B10:76A
	Crane Counterweight + Carbody Counterweight
	360 Degree Rating
	Boom Length
	Jib Length
	Jib Offset Angle
	Operating Radius (see page 1)
	Boom Angle (see page 1)
	Jib Point Elevation (see page 1)
	Machine List
	Lifting Capacities (see page 1)

MLC200 S-1





25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
8,8							8,8
9,4							9,4
10,0							10,0
10,4							10,4
11,0							11,0
11,9	81,0	41,5	23 000				11,9
12,0	80,8	41,4	23 000				12,0
12,5	80,1	41,3	22 600				12,5
12,8	79,6	41,2	22 300	21 800			12,8
13,4	78,7	41,0	21 900	21 400	19 900		13,4
14,0	77,8	40,9	21 400	21 000	19 800	18 100	14,0
16,0	74,8	40,1	20 100	19 800	19 300	17 900	16,0
18,0	71,8	39,3	19 000	18 700	18 400	17 700	18,0
20,0	68,6	38,4	18 000	17 700	17 500	17 200	20,0
22,0	65,4	37,3	17 200	16 900	16 700	16 500	22,0
24,0	62,0	36,0	16 400	16 200	16 000	15 500	24,0
26,0	58,5	34,6	15 700	15 200	14 600	14 000	26,0
28,0	54,9	32,9	14 200	13 600	13 100	12 500	28,0
30,0	51,0	31,1	12 600	12 200	11 700	11 300	30,0
32,0	46,9	28,9	11 300	10 900	10 500	10 200	32,0
34,0	42,3	26,5	10 200	9 800	9 500	9 200	34,0
34,1	42,0	26,3	10 100	9 800	9 400	9 100	34,1
36,0							36,0
37,8							37,8
38,0							38,0
40,0							40,0
40,2							40,2

MLC200 S-1




 25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
9,4							9,4
10,0							10,0
10,1							10,1
11,0							11,0
11,6							11,6
12,0							12,0
12,5	80,8	44,4	22 900				12,5
13,1	80,0	44,2	22 500	22 000			13,1
14,0	78,7	44,0	21 900	21 400	19 800		14,0
14,6	77,9	43,8	21 500	21 000	19 700	18 000	14,6
16,0	75,9	43,3	20 600	20 200	19 500	17 900	16,0
18,0	73,1	42,5	19 500	19 100	18 800	17 700	18,0
20,0	70,2	41,7	18 500	18 200	17 900	17 600	20,0
22,0	67,3	40,7	17 700	17 400	17 100	16 800	22,0
24,0	64,2	39,5	16 900	16 700	16 000	15 300	24,0
26,0	61,1	38,2	15 800	15 000	14 300	13 700	26,0
28,0	57,8	36,8	14 000	13 400	12 800	12 200	28,0
30,0	54,4	35,1	12 500	12 000	11 500	11 000	30,0
32,0	50,8	33,3	11 200	10 700	10 300	9 900	32,0
34,0	46,9	31,2	10 000	9 600	9 300	8 900	34,0
36,0	42,8	28,7	9 000	8 700	8 400	8 100	36,0
36,3	42,2	28,4	8 900	8 500	8 200	7 900	36,3
38,0							38,0
40,0							40,0
40,5							40,5
42,0							42,0
43,3							43,3

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1




51 980 kg
+
0 kg



360°




44,0 m



9,1 m


		5°						15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
10,7	80,9	54,8	28 500	25 300									10,7	
11,6	79,9	54,6	28 500	25 200									11,6	
12,0	79,5	54,5	28 500	25 100									12,0	
12,2	79,2	54,5	28 500	25 100			81,0	54,2	27 000				12,2	
12,5	78,9	54,4	28 500	25 000	22 000		80,6	54,2	26 900				12,5	
13,1	78,2	54,3	28 500	24 900	21 900		80,0	54,0	26 800	23 300			13,1	
13,4	77,9	54,2	28 500	24 800	21 900	19 600	79,6	54,0	26 700	23 300			13,4	
13,7	77,6	54,2	28 500	24 700	21 800	19 500	79,3	53,9	26 600	23 200			13,7	
14,0	77,2	54,1	28 500	24 700	21 700	19 500	79,0	53,8	26 500	23 200	20 600		14,0	
14,6	76,6	53,9	28 300	24 500	21 600	19 400	78,3	53,7	26 400	23 100	20 600		14,6	
14,9	76,2	53,9	28 300	24 500	21 600	19 400	78,0	53,6	26 300	23 000	20 500	18 500	14,9	
15,5	75,6	53,7	28 100	24 300	21 500	19 300	77,3	53,4	26 200	22 900	20 400	18 500	15,5	
16,0	75,0	53,6	28 000	24 200	21 400	19 200	76,7	53,3	26 100	22 900	20 400	18 400	16,0	
16,5	74,4	53,4	27 500	24 000	21 300	19 100	76,2	53,2	26 000	22 800	20 300	18 400	16,5	
18,0	72,8	53,0	25 800	23 500	21 000	18 900	74,5	52,7	25 600	22 500	20 200	18 300	18,0	
20,0	70,5	52,3	22 200	20 600	19 100	17 800	72,2	52,0	22 700	21 000	19 600	17 900	20,0	
22,0	68,2	51,5	19 200	17 900	16 700	15 600	69,8	51,2	19 600	18 300	17 100	16 000	22,0	
24,0	65,8	50,6	16 700	15 700	14 700	13 800	67,5	50,3	17 100	16 000	15 000	14 100	24,0	
26,0	63,4	49,6	14 700	13 800	13 000	12 200	65,1	49,3	15 000	14 100	13 300	12 500	26,0	
28,0	60,9	48,5	13 000	12 300	11 600	10 900	62,6	48,2	13 300	12 600	11 900	11 200	28,0	
30,0	58,4	47,3	11 600	10 900	10 300	9 700	60,0	47,0	11 800	11 200	10 600	10 000	30,0	
32,0	55,8	46,0	10 300	9 700	9 200	8 700	57,4	45,7	10 500	10 000	9 500	9 000	32,0	
34,0	53,2	44,5	9 200	8 700	8 300	7 900	54,7	44,2	9 400	9 000	8 500	8 100	34,0	
36,0	50,4	42,9	8 300	7 800	7 400	7 100	51,9	42,6	8 400	8 000	7 600	7 200	36,0	
38,0	47,5	41,1	7 400	7 000	6 700	6 300	49,0	40,7	7 600	7 200	6 800	6 500	38,0	
40,0	44,4	39,1	6 600	6 300	6 000	5 700	46,0	38,7	6 800	6 500	6 200	5 800	40,0	
42,0	41,2	36,9	5 900	5 700	5 400	5 100	42,7	36,5	6 100	5 800	5 500	5 300	42,0	
43,0	39,5	35,6	5 600	5 400	5 100	4 900	41,0	35,3	5 800	5 500	5 200	5 000	43,0	
44,0	37,8	34,4	5 300	5 100	4 800	4 600	39,2	34,0	5 400	5 200	4 900	4 700	44,0	
46,0	34,0	31,5	4 700	4 500	4 300	4 100	35,4	31,1	4 800	4 600	4 400	4 200	46,0	
48,0	29,8	28,2	4 200	4 000	3 900	3 700	31,2	27,7	4 300	4 100	3 900	3 700	48,0	
48,2	29,5	27,9	4 200	4 000	3 800	3 600	30,8	27,4	4 200	4 100	3 900	3 700	48,2	
50,0	25,0	24,2	3 700	3 600	3 400	3 300							50,0	
51,5	20,7	20,5	3 400	3 200	3 100	3 000							51,5	




MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$




 m	 o	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
10,7							10,7
11,6							11,6
12,0							12,0
12,2							12,2
12,5							12,5
13,1							13,1
13,4							13,4
13,7	81,0	53,3	23 100				13,7
14,0	80,7	53,3	22 900				14,0
14,6	80,0	53,1	22 600	21 800			14,6
14,9	79,7	53,0	22 400	21 700			14,9
15,5	79,0	52,9	22 000	21 500	19 500		15,5
16,0	78,5	52,7	21 700	21 300	19 500		16,0
16,5	77,9	52,6	21 500	21 000	19 500	17 700	16,5
18,0	76,2	52,1	20 700	20 300	19 400	17 600	18,0
20,0	73,8	51,4	19 700	19 400	19 000	17 500	20,0
22,0	71,5	50,6	18 900	18 300	17 500	16 400	22,0
24,0	69,1	49,7	17 400	16 400	15 400	14 500	24,0
26,0	66,6	48,7	15 400	14 500	13 600	12 800	26,0
28,0	64,1	47,6	13 600	12 900	12 100	11 500	28,0
30,0	61,6	46,4	12 100	11 400	10 800	10 200	30,0
32,0	58,9	45,0	10 800	10 200	9 700	9 200	32,0
34,0	56,2	43,5	9 600	9 200	8 700	8 200	34,0
36,0	53,3	41,8	8 600	8 200	7 800	7 400	36,0
38,0	50,3	40,0	7 700	7 300	7 000	6 600	38,0
40,0	47,2	37,9	6 900	6 600	6 300	6 000	40,0
42,0	43,9	35,6	6 200	5 900	5 600	5 400	42,0
43,0	42,2	34,4	5 800	5 600	5 300	5 100	43,0
44,0							44,0
46,0							46,0
48,0							48,0
48,2							48,2
50,0							50,0
51,5							51,5




MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°						 m	
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
11,3							11,3	
12,0							12,0	
12,2							12,2	
12,8							12,8	
13,1							13,1	
13,7							13,7	
14,0							14,0	
14,3	80,9	56,3	23 000				14,3	
14,6	80,6	56,2	22 800				14,6	
15,2	79,9	56,0	22 500	21 700			15,2	
15,5	79,6	56,0	22 300	21 600			15,5	
16,0	79,1	55,8	22 100	21 400			16,0	
16,2	78,9	55,8	21 900	21 400	19 400		16,2	
17,1	77,9	55,5	21 500	21 000	19 400	17 600	17,1	
18,0	76,9	55,3	21 000	20 600	19 300	17 600	18,0	
20,0	74,8	54,6	20 100	19 700	19 000	17 400	20,0	
22,0	72,5	53,8	19 200	18 400	17 200	16 100	22,0	
24,0	70,3	53,0	17 400	16 200	15 100	14 200	24,0	
26,0	68,0	52,1	15 200	14 300	13 400	12 500	26,0	
28,0	65,7	51,0	13 500	12 600	11 900	11 200	28,0	
30,0	63,3	49,9	11 900	11 200	10 600	10 000	30,0	
32,0	60,8	48,6	10 600	10 000	9 400	8 900	32,0	
34,0	58,3	47,2	9 500	8 900	8 400	8 000	34,0	
36,0	55,7	45,7	8 400	8 000	7 600	7 100	36,0	
38,0	53,0	44,0	7 500	7 100	6 800	6 400	38,0	
40,0	50,2	42,2	6 700	6 400	6 000	5 700	40,0	
42,0	47,3	40,2	6 000	5 700	5 400	5 100	42,0	
44,0	44,1	37,9	5 300	5 100	4 800	4 500	44,0	
45,4	41,8	36,1	4 900	4 700	4 400	4 200	45,4	
46,0							46,0	
48,0							48,0	
50,0							50,0	
50,9							50,9	
52,0							52,0	
54,0							54,0	
54,6							54,6	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$




	 25°							 m
	 °	 m						
			 0° kg	 1° kg	 2° kg	 3° kg		
11,6							11,6	
12,0							12,0	
12,8							12,8	
13,1							13,1	
13,7							13,7	
14,0							14,0	
14,3							14,3	
14,6							14,6	
14,9	80,8	59,2	22 900				14,9	
15,2	80,5	59,1	22 800				15,2	
15,8	79,9	59,0	22 400	21 600			15,8	
16,0	79,7	58,9	22 300	21 600			16,0	
16,2	79,5	58,9	22 200	21 500			16,2	
16,8	78,8	58,7	21 900	21 300	19 300		16,8	
17,7	77,9	58,5	21 500	21 000	19 200	17 500	17,7	
18,0	77,6	58,4	21 300	20 900	19 200	17 500	18,0	
20,0	75,6	57,7	20 400	20 000	18 900	17 300	20,0	
22,0	73,5	57,0	19 300	18 300	17 000	15 700	22,0	
24,0	71,4	56,2	17 200	16 000	14 900	13 900	24,0	
26,0	69,2	55,4	15 100	14 100	13 100	12 300	26,0	
28,0	67,0	54,4	13 300	12 500	11 600	10 900	28,0	
30,0	64,8	53,3	11 800	11 000	10 400	9 700	30,0	
32,0	62,5	52,1	10 500	9 800	9 200	8 700	32,0	
34,0	60,2	50,9	9 300	8 800	8 200	7 700	34,0	
36,0	57,8	49,5	8 300	7 800	7 400	6 900	36,0	
38,0	55,3	47,9	7 400	7 000	6 600	6 200	38,0	
40,0	52,8	46,3	6 600	6 200	5 800	5 500	40,0	
42,0	50,1	44,4	5 900	5 500	5 200	4 900	42,0	
44,0	47,3	42,4	5 200	4 900	4 600	4 300	44,0	
46,0	44,3	40,1	4 600	4 300	4 100	3 800	46,0	
47,6	41,9	38,2	4 200	3 900	3 700	3 500	47,6	
48,0							48,0	
50,0							50,0	
52,0							52,0	
53,3							53,3	
54,0							54,0	
54,9							54,9	
56,0							56,0	
56,4							56,4	
57,3							57,3	





Manitowoc®
$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


Diagram of a cable-stayed bridge. A cable is shown extending from a support point to a deck. The length of the cable is indicated as 53,0 m.



				
 kg	 kg	 kg	 kg	
23 000				12,2
22 700				13,1
22 600				13,7
22 400				14,0
				14,3
	21 400			14,6
				15,2
				15,8
				16,0
				16,5
22 200	21 300			16,8
21 900	21 200	19 200		17,4
21 600	21 100	19 100		18,0
21 500	21 000	19 100	17 400	18,3
20 700	20 200	18 800	17 200	20,0
19 400	18 100	16 700	15 400	22,0
17 100	15 800	14 600	13 500	24,0
14 900	13 800	12 900	12 000	26,0
12 100	12 200	12 400	12 600	28,0

MLC200 S-1




$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$




	 25°								
	 m	 °	 m						 m
				0°  kg	1°  kg	2°  kg	3°  kg		
12,5								12,5	
13,7								13,7	
14,0								14,0	
14,9								14,9	
15,2								15,2	
15,8	80,8	65,1	22 900					15,8	
16,0	80,7	65,1	22 900					16,0	
16,5	80,2	65,0	22 600					16,5	
16,8	79,9	64,9	22 500	21 300				16,8	
17,4	79,4	64,7	22 200	21 200				17,4	
18,0	78,8	64,6	21 900	21 200	19 000			18,0	
18,9	78,0	64,3	21 500	20 800	18 900	17 200		18,9	
20,0	77,0	64,0	21 000	20 400	18 700	17 000		20,0	
22,0	75,1	63,4	19 500	17 900	16 400	15 100		22,0	
24,0	73,2	62,7	17 000	15 600	14 400	13 300		24,0	
26,0	71,3	61,9	14 800	13 700	12 700	11 700		26,0	
28,0	69,4	61,0	13 000	12 100	11 200	10 400		28,0	
30,0	67,4	60,1	11 500	10 700	9 900	9 200		30,0	
32,0	65,4	59,1	10 200	9 500	8 800	8 200		32,0	
34,0	63,3	57,9	9 000	8 400	7 800	7 300		34,0	
36,0	61,2	56,7	8 000	7 500	6 900	6 500		36,0	
38,0	59,1	55,4	7 100	6 600	6 200	5 700		38,0	
40,0	56,9	54,0	6 300	5 900	5 500	5 100		40,0	
42,0	54,7	52,4	5 600	5 200	4 800	4 500		42,0	
44,0	52,3	50,7	4 900	4 600	4 200	3 900		44,0	
46,0	49,9	48,9	4 300	4 000	3 700	3 400		46,0	
48,0	47,4	46,9	3 700	3 500	3 200	3 000		48,0	
50,0	44,7	44,7	3 200	3 000	2 800	2 500		50,0	
51,8	42,2	42,5	2 800	2 600	2 400	2 200		51,8	
52,0	42,0	42,3	2 800	2 500	2 300	2 100		52,0	
52,1	41,8	42,1	2 700	2 500	2 300	2 100		52,1	
53,3								53,3	
54,0								54,0	
54,9								54,9	
56,0								56,0	
56,4								56,4	

MLC200 S-1




$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$



	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
13,4							13,4	
14,0							14,0	
14,6							14,6	
15,2							15,2	
15,8							15,8	
16,0							16,0	
16,5							16,5	
16,8	80,8	71,1	23 000				16,8	
17,1	80,6	71,0	22 800				17,1	
17,4	80,3	70,9	22 700				17,4	
18,0	79,8	70,8	22 400	20 900			18,0	
18,6	79,3	70,6	22 100	20 700			18,6	
19,2	78,8	70,5	21 800	20 500	18 700		19,2	
20,0	78,1	70,3	21 500	20 200	18 300		20,0	
20,1	78,0	70,2	21 400	20 100	18 200	16 500	20,1	
22,0	76,4	69,7	19 300	17 500	15 900	14 500	22,0	
24,0	74,7	69,0	16 700	15 200	13 900	12 700	24,0	
26,0	73,0	68,3	14 500	13 300	12 200	11 100	26,0	
28,0	71,2	67,6	12 700	11 700	10 700	9 800	28,0	
30,0	69,5	66,7	11 200	10 300	9 400	8 700	30,0	
32,0	67,7	65,8	9 800	9 100	8 300	7 700	32,0	
34,0	65,8	64,8	8 700	8 000	7 400	6 800	34,0	
36,0	64,0	63,7	7 700	7 100	6 500	6 000	36,0	
38,0	62,1	62,5	6 700	6 200	5 700	5 200	38,0	
40,0	60,2	61,3	5 900	5 500	5 000	4 600	40,0	
42,0	58,2	59,9	5 200	4 800	4 400	4 000	42,0	
44,0	56,2	58,4	4 500	4 200	3 800	3 500	44,0	
46,0	54,1	56,9	3 900	3 600	3 300	3 000	46,0	
48,0	52,0	55,2	3 400	3 100	2 800	2 500	48,0	
50,0	49,8	53,3	2 900	2 600	2 300	2 100	50,0	
50,3	49,4	53,1	2 800	2 500	2 300	2 000	50,3	
51,8	47,7	51,5	2 500	2 200	2 000		51,8	
52,0	47,5	51,4	2 400	2 200			52,0	
53,3	45,9	49,9	2 100	1 900			53,3	
54,0	45,1	49,2	2 000				54,0	
54,9	44,0	48,2	1 800				54,9	




MLC200 S-1



25°							
m		°		m		kg	
0°		1°		2°		3°	
kg		kg		kg		kg	
9,8							9,8
10,0							10,0
10,7							10,7
11,3							11,3
11,9							11,9
12,0							12,0
12,2							12,2
12,5							12,5
13,4							13,4
14,0	80,7	43,8	18 200				14,0
14,6	79,9	43,6	17 800	17 200			14,6
15,2	79,1	43,4	17 500	17 000	15 200		15,2
16,0	78,0	43,1	17 100	16 700	15 200		16,0
16,2	77,7	43,0	17 000	16 600	15 100	13 600	16,2
18,0	75,1	42,4	16 100	15 800	15 000	13 500	18,0
20,0	72,2	41,5	15 300	15 000	14 700	13 400	20,0
22,0	69,2	40,5	14 500	14 300	14 100	13 400	22,0
24,0	66,2	39,3	13 800	13 600	13 500	13 200	24,0
26,0	63,0	38,0	13 300	13 100	12 900	12 800	26,0
28,0	59,7	36,6	12 700	12 600	12 500	12 300	28,0
30,0	56,3	34,9	12 300	12 200	11 900	11 600	30,0
32,0	52,7	33,0	11 800	11 300	10 900	10 500	32,0
34,0	48,8	30,9	10 600	10 200	9 900	9 500	34,0
36,0	44,6	28,4	9 600	9 300	8 900	8 600	36,0
36,6	43,3	27,7	9 300	9 000	8 700	8 400	36,6
38,0							38,0
40,0							40,0
40,5							40,5
42,0							42,0
43,0							43,0

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							 m
	 °	 m						
			 0° kg	 1° kg	 2° kg	 3° kg		
10,4							10,4	
11,0							11,0	
11,9							11,9	
12,0							12,0	
12,5							12,5	
12,8							12,8	
13,1							13,1	
14,0							14,0	
14,3	80,9	46,8	18 300				14,3	
14,6	80,6	46,7	18 100				14,6	
15,2	79,8	46,5	17 800	17 200			15,2	
15,8	79,0	46,3	17 500	17 000	15 200		15,8	
16,0	78,8	46,3	17 400	16 900	15 100		16,0	
16,8	77,7	46,0	17 000	16 600	15 100	13 600	16,8	
18,0	76,1	45,5	16 400	16 100	15 000	13 500	18,0	
20,0	73,5	44,7	15 600	15 300	14 900	13 400	20,0	
22,0	70,7	43,8	14 900	14 600	14 400	13 400	22,0	
24,0	67,9	42,7	14 200	14 000	13 800	13 300	24,0	
26,0	65,0	41,6	13 600	13 400	13 300	13 100	26,0	
28,0	62,0	40,2	13 100	12 900	12 800	12 500	28,0	
30,0	59,0	38,7	12 600	12 300	11 800	11 300	30,0	
32,0	55,7	37,1	11 600	11 100	10 700	10 200	32,0	
34,0	52,3	35,2	10 500	10 000	9 600	9 200	34,0	
36,0	48,7	33,1	9 400	9 100	8 700	8 400	36,0	
38,0	44,8	30,7	8 500	8 200	7 900	7 600	38,0	
38,7	43,4	29,8	8 200	7 900	7 600	7 300	38,7	
40,0							40,0	
42,0							42,0	
43,0							43,0	
44,0							44,0	
45,7							45,7	

MLC200 S-1




51 980 kg
+
0 kg



360°






38,0 m



12,2 m


		5°						15°						
m	°	m	kg	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,7	80,9	51,7	24 600	20 400										10,7
11,6	79,9	51,6	24 300	20 300										11,6
12,0	79,4	51,5	24 100	20 200	17 500									12,0
12,5	78,8	51,4	24 000	20 200	17 500									12,5
12,8	78,4	51,3	23 900	20 100	17 500									12,8
13,4	77,7	51,2	23 700	20 000	17 300	15 400		80,9	51,0	21 800				13,4
13,7	77,4	51,1	23 600	19 900	17 300	15 300		79,8	50,8	21 600	18 500			13,7
14,0	77,0	51,0	23 500	19 800	17 200	15 300		79,4	50,7	21 600	18 500			14,0
14,6	76,3	50,9	23 300	19 700	17 100	15 200		78,7	50,5	21 400	18 400	16 100		14,6
14,9	76,0	50,8	23 200	19 600	17 100	15 200		78,4	50,4	21 400	18 300	16 100		14,9
15,2	75,6	50,7	23 100	19 600	17 100	15 100		78,0	50,3	21 300	18 300	16 100	14 300	15,2
15,8	74,9	50,5	22 900	19 400	17 000	15 100		77,3	50,2	21 200	18 200	16 000	14 300	15,8
16,0	74,7	50,5	22 800	19 400	16 900	15 000		77,1	50,1	21 100	18 200	16 000	14 300	16,0
16,5	74,1	50,3	22 700	19 300	16 800	15 000		76,4	50,0	21 000	18 100	15 900	14 200	16,5
17,4	73,0	50,0	22 400	19 100	16 700	14 900		75,4	49,7	20 800	17 900	15 800	14 200	17,4
18,0	72,3	49,8	22 300	19 000	16 600	14 800		74,6	49,5	20 700	17 900	15 800	14 100	18,0
20,0	69,8	49,1	21 700	18 600	16 300	14 500		72,2	48,7	20 400	17 600	15 500	13 900	20,0
22,0	67,3	48,2	19 900	18 000	16 000	14 300		69,7	47,9	19 700	17 400	15 300	13 800	22,0
24,0	64,8	47,3	17 400	16 400	15 300	14 100		67,1	46,9	17 900	16 600	15 200	13 600	24,0
26,0	62,2	46,2	15 300	14 500	13 700	13 000		64,5	45,9	15 800	14 900	14 100	13 400	26,0
28,0	59,6	45,0	13 700	12 900	12 300	11 600		61,9	44,7	14 000	13 300	12 600	12 000	28,0
30,0	56,8	43,7	12 200	11 600	11 000	10 500		59,1	43,3	12 500	11 900	11 300	10 800	30,0
32,0	54,0	42,3	10 900	10 400	9 900	9 500		56,2	41,9	11 200	10 700	10 200	9 700	32,0
34,0	51,1	40,7	9 800	9 400	9 000	8 600		53,3	40,2	10 100	9 600	9 200	8 800	34,0
36,0	48,0	38,9	8 900	8 500	8 100	7 800		50,2	38,4	9 100	8 700	8 300	8 000	36,0
38,0	44,8	36,9	8 000	7 700	7 300	7 000		46,9	36,4	8 200	7 900	7 500	7 200	38,0
40,0	41,4	34,6	7 200	6 900	6 700	6 400		43,4	34,1	7 400	7 100	6 800	6 500	40,0
41,2	39,2	33,1	6 800	6 600	6 300	6 000		41,2	32,6	7 000	6 700	6 500	6 200	41,2
42,0	37,6	32,1	6 500	6 300	6 000	5 800		39,6	31,5	6 700	6 400	6 200	5 900	42,0
44,0	33,6	29,1	5 900	5 700	5 500	5 300		35,5	28,5	6 000	5 800	5 600	5 400	44,0
45,7	29,6	26,1	5 400	5 200	5 000	4 800		31,5	25,5	5 500	5 300	5 100	4 900	45,7
46,0	29,0	25,6	5 300	5 100	5 000	4 800								46,0
48,0	23,5	21,3	4 800	4 600	4 500	4 300								48,0
48,8	21,1	19,3	4 600	4 400	4 300	4 200								48,8


MLC200 S-1




				0°	1°	2°	3°
				kg	kg	kg	kg
10,7							10,7
11,6							11,6
12,0							12,0
12,5							12,5
12,8							12,8
13,4							13,4
13,7							13,7
14,0							14,0
14,6							14,6
14,9	80,8	49,7	18 200				14,9
15,2	80,4	49,6	18 000				15,2
15,8	79,7	49,4	17 700	17 100			15,8
16,0	79,5	49,4	17 700	17 100			16,0
16,5	78,9	49,2	17 400	16 900	15 100		16,5
17,4	77,8	48,9	17 000	16 600	15 100	13 500	17,4
18,0	77,0	48,7	16 700	16 400	15 000	13 500	18,0
20,0	74,5	48,0	15 900	15 600	14 900	13 400	20,0
22,0	72,0	47,1	15 200	14 900	14 700	13 400	22,0
24,0	69,4	46,1	14 500	14 300	14 100	13 300	24,0
26,0	66,8	45,0	14 000	13 800	13 600	13 200	26,0
28,0	64,0	43,8	13 400	13 200	12 900	12 300	28,0
30,0	61,2	42,5	12 700	12 200	11 600	11 100	30,0
32,0	58,3	41,0	11 500	11 000	10 500	10 000	32,0
34,0	55,3	39,3	10 300	9 900	9 400	9 000	34,0
36,0	52,1	37,5	9 300	8 900	8 500	8 200	36,0
38,0	48,7	35,4	8 400	8 000	7 700	7 400	38,0
40,0	45,1	33,0	7 500	7 300	7 000	6 700	40,0
41,2	42,9	31,5	7 100	6 800	6 600	6 300	41,2
42,0							42,0
44,0							44,0
45,7							45,7
46,0							46,0
48,0							48,0
48,8							48,8





MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°						
	 o	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
11,3 12,0 12,2 13,1 13,4							11,3 12,0 12,2 13,1 13,4
14,0 14,3 14,9 15,2 15,8	81,0 80,3	52,7 52,5	18 300 18 000				14,0 14,3 14,9 15,2 15,8
16,0 16,2 17,1 18,0 20,0	80,1 79,9 78,8 77,8 75,5	52,5 52,4 52,1 51,9 51,2	17 900 17 800 17 400 17 000 16 200				16,0 16,2 17,1 18,0 20,0
22,0 24,0 26,0 28,0 30,0	73,1 70,7 68,2 65,7 63,1	50,4 49,4 48,4 47,3 46,1	15 500 14 900 14 300 13 700 12 700	15 200 14 600 14 100 13 300 12 000	14 800 14 400 13 800 12 700 11 400	13 400 13 300 13 200 12 000 10 800	22,0 24,0 26,0 28,0 30,0
32,0 34,0 36,0 38,0 40,0	60,5 57,7 54,8 51,8 48,7	44,7 43,2 41,5 39,7 37,6	11 300 10 200 9 100 8 200 7 400	10 800 9 700 8 700 7 800 7 100	10 200 9 200 8 300 7 500 6 700	9 700 8 700 7 900 7 100 6 400	32,0 34,0 36,0 38,0 40,0
42,0 43,3 44,0 46,0 48,0	45,3 43,0	35,3 33,6	6 600 6 200	6 300 5 900	6 100 5 700	5 800 5 400	42,0 43,3 44,0 46,0 48,0
48,2 50,0 51,5							48,2 50,0 51,5

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
11,6							11,6	
12,0							12,0	
12,5							12,5	
13,7							13,7	
14,0							14,0	
14,6							14,6	
15,5							15,5	
15,8	80,8	55,6	18 200				15,8	
16,0	80,7	55,6	18 100				16,0	
16,5	80,1	55,5	17 900				16,5	
16,8	79,8	55,4	17 800	17 000			16,8	
17,7	78,8	55,1	17 400	16 900	15 000		17,7	
18,0	78,5	55,0	17 300	16 800	15 000		18,0	
18,6	77,8	54,8	17 000	16 600	15 000	13 400	18,6	
20,0	76,3	54,4	16 500	16 200	14 900	13 400	20,0	
22,0	74,1	53,6	15 800	15 500	14 800	13 300	22,0	
24,0	71,8	52,8	15 100	14 900	14 600	13 300	24,0	
26,0	69,5	51,8	14 600	14 300	14 000	13 200	26,0	
28,0	67,2	50,8	13 900	13 300	12 500	11 800	28,0	
30,0	64,8	49,6	12 600	11 900	11 200	10 600	30,0	
32,0	62,3	48,4	11 200	10 600	10 100	9 500	32,0	
34,0	59,8	47,0	10 100	9 500	9 000	8 600	34,0	
36,0	57,2	45,4	9 000	8 600	8 100	7 700	36,0	
38,0	54,5	43,7	8 100	7 700	7 300	7 000	38,0	
40,0	51,6	41,9	7 300	6 900	6 600	6 300	40,0	
42,0	48,6	39,8	6 600	6 200	5 900	5 600	42,0	
44,0	45,5	37,6	5 900	5 600	5 300	5 100	44,0	
45,4	43,1	35,8	5 400	5 200	4 900	4 700	45,4	
46,0							46,0	
48,0							48,0	
50,0							50,0	
50,6							50,6	
52,0							52,0	
54,0							54,0	
54,3							54,3	

MLC200 S-1




$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


47,0 m



12,2 m

	25°						
m	°	m	kg 	kg 	kg 	kg 	m
12,2							12,2
13,1							13,1
14,0							14,0
14,3							14,3
15,2							15,2
16,0							16,0
16,2	81,0	58,6	18 300				16,2
17,1	80,1	58,4	17 900				17,1
17,4	79,8	58,3	17 800	17 000			17,4
18,0	79,1	58,1	17 500	16 900			18,0
18,3	78,8	58,0	17 400	16 800	14 900		18,3
19,2	77,9	57,8	17 000	16 600	14 900	13 400	19,2
20,0	77,1	57,5	16 700	16 400	14 900	13 300	20,0
22,0	75,0	56,8	16 000	15 700	14 800	13 300	22,0
24,0	72,8	56,0	15 400	15 100	14 700	13 300	24,0
26,0	70,7	55,1	14 800	14 600	13 800	12 900	26,0
28,0	68,5	54,1	14 000	13 100	12 300	11 500	28,0
30,0	66,2	53,1	12 400	11 700	11 000	10 300	30,0
32,0	64,0	51,9	11 100	10 400	9 800	9 200	32,0
34,0	61,6	50,6	9 900	9 300	8 800	8 300	34,0
36,0	59,2	49,2	8 900	8 400	7 900	7 500	36,0
38,0	56,7	47,6	7 900	7 500	7 100	6 700	38,0
40,0	54,1	45,9	7 100	6 700	6 400	6 000	40,0
42,0	51,4	44,1	6 400	6 000	5 700	5 400	42,0
44,0	48,6	42,1	5 700	5 400	5 100	4 800	44,0
46,0	45,6	39,8	5 100	4 800	4 600	4 300	46,0
47,6	43,2	37,9	4 600	4 400	4 200	3 900	47,6
48,0							48,0
50,0							50,0
52,0							52,0
53,3							53,3
54,0							54,0
56,0							56,0
57,0							57,0

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1




$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1




$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$



56,0 m

12,2 m



	 25°						 m
	 o	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
13,4							13,4
14,0							14,0
14,6							14,6
15,5							15,5
15,8							15,8
16,0							16,0
16,8							16,8
17,1							17,1
17,7	80,9	67,5	18 200				17,7
18,0	80,6	67,4	18 100				18,0
18,9	79,8	67,2	17 800	16 700			18,9
19,2	79,6	67,1	17 700	16 700			19,2
19,8	79,0	66,9	17 500	16 700	14 700		19,8
20,0	78,9	66,9	17 400	16 700	14 700		20,0
21,0	78,0	66,6	17 100	16 500	14 700	13 200	21,0
22,0	77,1	66,3	16 700	16 400	14 600	13 100	22,0
24,0	75,3	65,6	16 100	15 800	14 500	13 100	24,0
26,0	73,4	64,8	15 400	14 200	13 100	12 100	26,0
28,0	71,6	64,0	13 600	12 600	11 600	10 800	28,0
30,0	69,7	63,1	12 000	11 100	10 300	9 600	30,0
32,0	67,8	62,1	10 600	9 900	9 200	8 500	32,0
34,0	65,9	61,1	9 500	8 800	8 200	7 600	34,0
36,0	63,9	59,9	8 400	7 900	7 300	6 800	36,0
38,0	61,9	58,7	7 500	7 000	6 500	6 000	38,0
40,0	59,8	57,3	6 700	6 200	5 800	5 400	40,0
42,0	57,7	55,9	5 900	5 500	5 100	4 800	42,0
44,0	55,5	54,3	5 300	4 900	4 500	4 200	44,0
46,0	53,3	52,6	4 700	4 300	4 000	3 700	46,0
48,0	51,0	50,7	4 100	3 800	3 500	3 200	48,0
50,0	48,5	48,7	3 600	3 300	3 000	2 800	50,0
52,0	46,0	46,6	3 100	2 900	2 600	2 400	52,0
53,3	44,2	44,9	2 800	2 600	2 400	2 100	53,3
54,0	43,3	44,2	2 600	2 400	2 200	2 000	54,0
54,3	43,0	43,8	2 600	2 400	2 200	2 000	54,3
54,9							54,9
56,0							56,0
56,4							56,4
57,9							57,9

MLC200 S-1




$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							
	 m	 °	 m	 kg				
				 kg	 kg	 kg	 kg	
14,0 15,2 16,0 16,2 16,5								14,0 15,2 16,0 16,2 16,5
17,4 17,7 18,0 18,3 18,6	80,8 80,5	70,4 70,4	18 200 18 100					17,4 17,7 18,0 18,3 18,6
19,2 19,8 20,0 20,4 21,6	80,0 79,5 79,3 79,0 78,0	70,2 70,0 70,0 69,9 69,5	17 900 17 700 17 600 17 500 17 100	16 600 16 600 16 600 16 600 16 500		14 600 14 600		19,2 19,8 20,0 20,4 21,6
22,0 24,0 26,0 28,0 30,0	77,6 75,9 74,2 72,4 70,7	69,4 68,8 68,1 67,3 66,4	16 900 16 400 15 200 13 400 11 800	16 500 15 700 14 000 12 300 10 900	14 600 14 300 12 900 11 400 10 100		13 100 13 000 11 800 10 500 9 300	22,0 24,0 26,0 28,0 30,0
32,0 34,0 36,0 38,0 40,0	68,9 67,0 65,2 63,3 61,3	65,5 64,5 63,4 62,2 61,0	10 500 9 300 8 300 7 300 6 500	9 700 8 600 7 600 6 800 6 000	8 900 8 000 7 100 6 300 5 600		8 300 7 400 6 500 5 800 5 100	32,0 34,0 36,0 38,0 40,0
42,0 44,0 46,0 48,0 50,0	59,3 57,3 55,2 53,1 50,9	59,6 58,1 56,5 54,8 53,0	5 800 5 100 4 500 3 900 3 400	5 300 4 700 4 100 3 600 3 100	4 900 4 300 3 800 3 300 2 800		4 500 4 000 3 500 3 000 2 600	42,0 44,0 46,0 48,0 50,0
51,8 52,0 53,3 54,0 54,9	48,7 48,5 46,9 46,1 45,0	51,2 51,0 49,5 48,8 47,8	3 000 2 900 2 600 2 500 2 300	2 700 2 700 2 400 2 200 2 100	2 400 2 400 2 100 2 000 1 800		2 200 2 200 1 900	51,8 52,0 53,3 54,0 54,9
56,0 56,4	43,6 43,1	46,5 46,0	2 100 2 000	1 800 1 800				56,0 56,4

MLC200 S-1




51 980 kg
+
0 kg



	5°			15°			
	m	°	m	kg	°	m	kg
14,3	81,0	75,5	23 100				14,3
16,0	79,7	75,2	22 800				16,0
16,5	79,3	75,0	22 700	81,0	74,7	20 900	16,5
18,0	78,1	74,7	22 400	79,8	74,4	20 700	18,0
18,6	77,7	74,6	22 100	79,3	74,2	20 600	18,6
20,0	76,5	74,2	21 500	78,2	73,9	20 400	20,0
22,0	74,9	73,7	18 500	76,5	73,3	19 200	22,0
24,0	73,3	73,1	16 000	74,9	72,7	16 600	24,0
26,0	71,7	72,4	13 900	73,3	72,0	14 500	26,0
28,0	70,0	71,7	12 200	71,6	71,3	12 700	28,0
30,0	68,4	70,9	10 700	70,0	70,5	11 200	30,0
32,0	66,7	70,0	9 400	68,3	69,6	9 900	32,0
34,0	65,0	69,1	8 300	66,5	68,7	8 700	34,0
36,0	63,3	68,1	7 400	64,8	67,7	7 700	36,0
38,0	61,5	67,0	6 500	63,0	66,6	6 800	38,0
40,0	59,7	65,8	5 700	61,2	65,4	6 000	40,0
42,0	57,9	64,6	5 000	59,4	64,1	5 300	42,0
44,0	56,0	63,2	4 400	57,5	62,8	4 700	44,0
46,0	54,1	61,8	3 800	55,6	61,3	4 100	46,0
48,0	52,2	60,2	3 300	53,6	59,7	3 500	48,0
50,0	50,1	58,5	2 800	51,6	58,1	3 000	50,0
52,0	48,1	56,7	2 400	49,5	56,3	2 600	52,0
54,0	45,9	54,8	2 000	47,3	54,3	2 200	54,0
54,9	45,0	53,9	1 800	46,4	53,4	2 000	54,9
56,0							56,0
56,4							56,4


MLC200 S-1



51 980 kg
+
0 kg




62,0 m



12,2 m


 25°				
 0°				
m	°	m	kg	m
14,3				14,3
16,0				16,0
16,5				16,5
18,0				18,0
18,6	80,9	73,4	18 200	18,6
20,0	79,8	73,1	17 800	20,0
22,0	78,2	72,5	17 100	22,0
24,0	76,5	71,9	16 600	24,0
26,0	74,9	71,2	15 100	26,0
28,0	73,2	70,5	13 300	28,0
30,0	71,5	69,7	11 700	30,0
32,0	69,8	68,8	10 300	32,0
34,0	68,0	67,8	9 100	34,0
36,0	66,3	66,8	8 100	36,0
38,0	64,5	65,7	7 200	38,0
40,0	62,7	64,5	6 300	40,0
42,0	60,8	63,2	5 600	42,0
44,0	58,9	61,8	4 900	44,0
46,0	56,9	60,4	4 300	46,0
48,0	54,9	58,8	3 700	48,0
50,0	52,9	57,0	3 200	50,0
52,0	50,7	55,2	2 800	52,0
54,0	48,5	53,2	2 300	54,0
54,9	47,5	52,3	2 100	54,9
56,0	46,2	51,1	1 900	56,0
56,4	45,7	50,6	1 800	56,4




MLC200 S-1




25°							
m		°		m		kg	
m		°		m		kg	
10,7							10,7
11,3							11,3
12,0							12,0
12,2							12,2
12,8							12,8
13,1							13,1
14,0							14,0
14,6							14,6
15,5							15,5
15,8	80,7	46,2	14 700				15,8
16,0	80,5	46,2	14 600				16,0
16,5	79,8	46,0	14 400	14 100			16,5
17,4	78,6	45,7	13 900	13 800	12 300		17,4
18,0	77,8	45,5	13 700	13 600	12 200	10 900	18,0
20,0	75,1	44,6	12 900	12 800	12 100	10 800	20,0
22,0	72,4	43,7	12 200	12 100	11 900	10 800	22,0
24,0	69,6	42,7	11 600	11 500	11 400	10 700	24,0
26,0	66,7	41,5	11 000	11 000	10 800	10 600	26,0
28,0	63,7	40,1	10 500	10 500	10 400	10 200	28,0
30,0	60,6	38,7	10 100	10 100	10 000	9 900	30,0
32,0	57,4	37,0	9 700	9 700	9 600	9 500	32,0
34,0	54,0	35,1	9 400	9 400	9 300	9 200	34,0
36,0	50,3	33,0	9 100	9 100	9 000	8 800	36,0
38,0	46,4	30,6	8 800	8 700	8 400	8 100	38,0
39,6	43,0	28,3	8 300	8 000	7 800	7 500	39,6
40,0							40,0
42,0							42,0
43,6							43,6
44,0							44,0
46,0							46,0

MLC200 S-1



$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°						 m	
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
11,0							11,0	
11,9							11,9	
12,0							12,0	
12,8							12,8	
13,4							13,4	
13,7							13,7	
14,0							14,0	
14,3							14,3	
15,2							15,2	
16,0							16,0	
16,2	80,9	49,2	14 700				16,2	
17,1	79,8	48,9	14 300	14 000			17,1	
17,7	79,0	48,7	14 100	13 900	12 300		17,7	
18,0	78,6	48,6	13 900	13 800	12 200		18,0	
18,6	77,9	48,4	13 700	13 600	12 200	10 900	18,6	
20,0	76,1	47,8	13 200	13 100	12 100	10 900	20,0	
22,0	73,6	47,0	12 500	12 400	12 000	10 800	22,0	
24,0	71,0	46,0	11 900	11 800	11 600	10 700	24,0	
26,0	68,3	44,9	11 300	11 300	11 100	10 600	26,0	
28,0	65,6	43,7	10 800	10 800	10 700	10 500	28,0	
30,0	62,7	42,3	10 400	10 400	10 200	10 100	30,0	
32,0	59,8	40,8	10 000	10 000	9 900	9 800	32,0	
34,0	56,8	39,2	9 700	9 600	9 600	9 400	34,0	
36,0	53,6	37,3	9 400	9 300	9 000	8 600	36,0	
38,0	50,2	35,2	8 800	8 500	8 200	7 900	38,0	
40,0	46,6	32,8	8 000	7 700	7 400	7 200	40,0	
41,8	43,1	30,5	7 300	7 100	6 800	6 600	41,8	
42,0							42,0	
44,0							44,0	
46,0							46,0	
48,0							48,0	
48,8							48,8	

MLC200 S-1



$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1





 25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
11,9							11,9
12,0							12,0
12,8							12,8
13,7							13,7
14,0							14,0
14,6							14,6
14,9							14,9
15,5							15,5
16,0							16,0
16,5							16,5
17,1	80,9	55,2	14 700				17,1
17,4	80,6	55,1	14 600				17,4
18,0	79,9	54,9	14 400	14 000			18,0
18,9	78,9	54,6	14 000	13 800	12 200		18,9
19,8	77,9	54,3	13 700	13 600	12 200	10 800	19,8
20,0	77,7	54,2	13 600	13 600	12 100	10 800	20,0
22,0	75,5	53,5	13 000	12 900	12 000	10 800	22,0
24,0	73,2	52,6	12 400	12 300	12 000	10 700	24,0
26,0	70,9	51,7	11 800	11 800	11 600	10 700	26,0
28,0	68,6	50,6	11 400	11 300	11 200	10 600	28,0
30,0	66,2	49,5	10 900	10 900	10 800	10 500	30,0
32,0	63,7	48,2	10 500	10 500	10 400	10 000	32,0
34,0	61,1	46,8	10 200	10 000	9 500	9 000	34,0
36,0	58,5	45,3	9 500	9 000	8 600	8 200	36,0
38,0	55,8	43,6	8 600	8 200	7 800	7 400	38,0
40,0	52,9	41,7	7 700	7 400	7 000	6 700	40,0
42,0	49,9	39,6	7 000	6 700	6 400	6 100	42,0
44,0	46,8	37,3	6 300	6 000	5 700	5 500	44,0
46,0	43,4	34,8	5 700	5 400	5 200	4 900	46,0
46,3	42,8	34,3	5 600	5 300	5 100	4 900	46,3
48,0							48,0
50,0							50,0
51,2							51,2
52,0							52,0
54,0							54,0
54,6							54,6



MLC200 S-1



$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1



$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


		 25°						 m
		 °	 m					
				0°  kg	1°  kg	2°  kg	3°  kg	
13,7							13,7	
14,0							14,0	
14,9							14,9	
16,0							16,0	
16,2							16,2	
16,5							16,5	
17,4							17,4	
17,7							17,7	
18,0							18,0	
18,6							18,6	
18,9	81,0	67,0	14 700				18,9	
19,8	80,2	66,8	14 400				19,8	
20,0	80,0	66,7	14 400				20,0	
20,1	79,9	66,7	14 300	13 700			20,1	
21,3	78,8	66,3	14 000	13 600	12 000		21,3	
22,0	78,2	66,1	13 800	13 600	12 000		22,0	
22,3	77,9	66,0	13 700	13 500	12 000	10 700	22,3	
24,0	76,4	65,5	13 200	13 200	11 900	10 600	24,0	
26,0	74,6	64,7	12 700	12 700	11 800	10 600	26,0	
28,0	72,7	63,9	12 200	12 200	11 700	10 500	28,0	
30,0	70,8	63,0	11 800	11 500	10 800	10 000	30,0	
32,0	68,9	62,0	11 200	10 400	9 700	9 000	32,0	
34,0	67,0	60,9	10 000	9 300	8 700	8 100	34,0	
36,0	65,0	59,8	8 900	8 300	7 800	7 300	36,0	
38,0	63,0	58,5	8 000	7 500	7 000	6 500	38,0	
40,0	60,9	57,2	7 100	6 700	6 200	5 800	40,0	
42,0	58,8	55,7	6 400	6 000	5 600	5 200	42,0	
44,0	56,6	54,1	5 700	5 300	5 000	4 600	44,0	
46,0	54,4	52,4	5 100	4 700	4 400	4 100	46,0	
48,0	52,0	50,6	4 500	4 200	3 900	3 600	48,0	
50,0	49,6	48,5	4 000	3 700	3 500	3 200	50,0	
52,0	47,1	46,4	3 500	3 300	3 000	2 800	52,0	
54,0	44,4	43,9	3 000	2 800	2 600	2 400	54,0	
54,9	43,2	42,8	2 900	2 600	2 400	2 200	54,9	
55,2	42,7	42,4	2 800	2 600	2 400	2 200	55,2	
56,0							56,0	
56,4							56,4	
57,9							57,9	
58,0							58,0	
59,4							59,4	

MLC200 S-1




$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$






A diagram of a cable-stayed bridge. A black cable is shown extending from a support point on the left to a deck point on the right. The cable is divided into two segments by a horizontal line. A dimension line with arrows at both ends indicates the total length of the cable, labeled as 56,0 m.




	 25°						
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
14,3							14,3
15,5							15,5
16,0							16,0
16,8							16,8
18,0							18,0
19,2							19,2
19,5	80,9	70,0	14 700				19,5
20,0	80,4	69,8	14 500				20,0
20,4	80,1	69,7	14 400				20,4
20,7	79,8	69,6	14 300	13 700			20,7
21,9	78,8	69,3	13 900	13 600	11 900		21,9
22,0	78,7	69,2	13 900	13 600	11 900		22,0
22,9	78,0	68,9	13 700	13 500	11 900	10 600	22,9
24,0	77,0	68,6	13 400	13 300	11 900	10 600	24,0
26,0	75,3	67,9	12 900	12 800	11 800	10 500	26,0
28,0	73,5	67,1	12 400	12 400	11 600	10 500	28,0
30,0	71,7	66,2	12 000	11 500	10 700	9 900	30,0
32,0	69,9	65,3	11 000	10 300	9 500	8 800	32,0
34,0	68,1	64,3	9 900	9 200	8 500	7 900	34,0
36,0	66,2	63,2	8 800	8 200	7 600	7 100	36,0
38,0	64,3	62,0	7 900	7 300	6 800	6 300	38,0
40,0	62,4	60,8	7 000	6 500	6 100	5 700	40,0
42,0	60,4	59,4	6 300	5 800	5 400	5 000	42,0
44,0	58,3	57,9	5 600	5 200	4 800	4 500	44,0
46,0	56,3	56,3	5 000	4 600	4 300	4 000	46,0
48,0	54,1	54,6	4 400	4 100	3 800	3 500	48,0
50,0	51,9	52,8	3 900	3 600	3 300	3 000	50,0
52,0	49,5	50,8	3 400	3 100	2 900	2 600	52,0
54,0	47,1	48,6	2 900	2 700	2 500	2 300	54,0
54,9	46,0	47,5	2 800	2 500	2 300	2 100	54,9
56,0	44,6	46,2	2 500	2 300	2 100	1 900	56,0
56,4	44,0	45,7	2 400	2 200	2 000	1 800	56,4
57,3	42,8	44,5	2 300	2 100	1 900		57,3
57,9							57,9

MLC200 S-1



$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							 m
	 °	 m						
			0°  kg	1°  kg	2°  kg	3°  kg		
14,6								14,6
15,8								15,8
16,0								16,0
17,4								17,4
18,0								18,0
18,6								18,6
19,8	81,0	73,0	14 700					19,8
20,0	80,9	72,9	14 700					20,0
21,0	80,0	72,7	14 400	13 600				21,0
22,0	79,2	72,4	14 100	13 600				22,0
22,3	79,0	72,3	14 000	13 500	11 800			22,3
23,5	78,0	71,9	13 700	13 500	11 800	10 500		23,5
24,0	77,6	71,8	13 500	13 400	11 800	10 500		24,0
26,0	75,9	71,1	13 100	13 000	11 800	10 500		26,0
28,0	74,2	70,3	12 600	12 400	11 500	10 400		28,0
30,0	72,5	69,5	12 100	11 300	10 400	9 600		30,0
32,0	70,8	68,6	10 900	10 100	9 300	8 600		32,0
34,0	69,1	67,7	9 700	9 000	8 300	7 700		34,0
36,0	67,3	66,6	8 600	8 000	7 400	6 800		36,0
38,0	65,5	65,5	7 700	7 100	6 600	6 100		38,0
40,0	63,7	64,3	6 900	6 300	5 900	5 400		40,0
42,0	61,8	63,0	6 100	5 600	5 200	4 800		42,0
44,0	59,9	61,7	5 400	5 000	4 600	4 200		44,0
46,0	57,9	60,2	4 800	4 400	4 100	3 700		46,0
48,0	55,9	58,6	4 200	3 900	3 600	3 300		48,0
50,0	53,8	56,9	3 700	3 400	3 100	2 800		50,0
52,0	51,7	55,0	3 200	2 900	2 700	2 400		52,0
53,3	50,2	53,7	2 900	2 600	2 400	2 200		53,3
54,0	49,5	53,0	2 800	2 500	2 300	2 000		54,0
54,9	48,5	52,1	2 600	2 300	2 100	1 900		54,9
56,0	47,2	50,8	2 300	2 100	1 900			56,0
56,4	46,7	50,4	2 300	2 000	1 800			56,4
57,9	44,9	48,6	2 000					57,9

MLC200 S-1



$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]


MLC200 S-1






25°							
			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	m
11,6							11,6
12,0							12,0
12,5							12,5
13,4							13,4
14,0							14,0
14,3							14,3
14,9							14,9
15,8							15,8
16,0							16,0
16,8							16,8
17,7							17,7
18,0	81,0	51,9	12 500				18,0
18,9	79,9	51,5	12 300	10 900			18,9
19,8	78,8	51,2	12 100	10 800	9 600		19,8
20,0	78,6	51,1	12 100	10 800	9 600		20,0
20,7	77,8	50,9	11 800	10 700	9 600	8 600	20,7
22,0	76,2	50,3	11 400	10 600	9 500	8 600	22,0
24,0	73,8	49,5	10 800	10 400	9 400	8 500	24,0
26,0	71,4	48,5	10 200	10 100	9 300	8 400	26,0
28,0	68,8	47,3	9 700	9 600	9 100	8 300	28,0
30,0	66,3	46,1	9 300	9 200	9 000	8 300	30,0
32,0	63,6	44,8	8 900	8 800	8 700	8 200	32,0
34,0	60,8	43,3	8 600	8 400	8 300	8 100	34,0
36,0	58,0	41,6	8 200	8 100	8 000	7 900	36,0
38,0	55,0	39,8	7 900	7 900	7 800	7 700	38,0
40,0	51,8	37,7	7 700	7 600	7 500	7 400	40,0
42,0	48,5	35,4	7 400	7 300	7 000	6 800	42,0
44,0	44,9	32,8	6 900	6 700	6 400	6 200	44,0
45,4	42,1	30,7	6 500	6 200	6 000	5 800	45,4
46,0							46,0
48,0							48,0
49,7							49,7
50,0							50,0
51,8							51,8

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$



	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
11,9								11,9
12,0								12,0
12,8								12,8
14,0								14,0
14,9								14,9
15,5								15,5
16,0								16,0
16,5								16,5
17,4								17,4
18,0								18,0
18,3								18,3
18,6	80,8	54,8	12 500					18,6
19,5	79,8	54,5	12 300	10 900				19,5
20,0	79,3	54,3	12 300	10 800				20,0
20,4	78,8	54,2	12 100	10 800	9 600			20,4
21,3	77,8	53,8	11 800	10 700	9 600	8 600	21,3	
22,0	77,0	53,6	11 600	10 600	9 500	8 600	22,0	
24,0	74,8	52,7	11 000	10 500	9 400	8 500	24,0	
26,0	72,5	51,8	10 400	10 300	9 300	8 400	26,0	
28,0	70,1	50,8	10 000	9 800	9 200	8 300	28,0	
30,0	67,7	49,6	9 600	9 400	9 100	8 300	30,0	
32,0	65,3	48,4	9 200	9 000	8 900	8 200	32,0	
34,0	62,8	47,0	8 800	8 700	8 500	8 200	34,0	
36,0	60,1	45,5	8 500	8 400	8 300	8 100	36,0	
38,0	57,4	43,8	8 200	8 100	8 000	7 900	38,0	
40,0	54,6	42,0	7 900	7 800	7 500	7 200	40,0	
42,0	51,6	39,9	7 500	7 200	6 900	6 600	42,0	
44,0	48,5	37,7	6 800	6 500	6 200	6 000	44,0	
46,0	45,1	35,1	6 200	5 900	5 700	5 400	46,0	
47,6	42,3	32,9	5 700	5 500	5 300	5 000	47,6	
48,0							48,0	
50,0							50,0	
52,0							52,0	
52,1							52,1	
54,0							54,0	
54,9							54,9	



MLC200 S-1





 25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
12,5							12,5
13,4							13,4
14,0							14,0
14,3							14,3
15,5							15,5
15,8							15,8
16,0							16,0
16,8							16,8
18,0							18,0
18,9	81,0	57,8	12 500				18,9
20,0	79,8	57,4	12 300				20,0
20,1	79,7	57,4	12 300	10 800			20,1
21,0	78,8	57,1	12 100	10 800	9 600		21,0
21,9	77,9	56,8	11 800	10 700	9 600	8 500	21,9
22,0	77,8	56,7	11 800	10 700	9 500	8 500	22,0
24,0	75,6	55,9	11 200	10 500	9 500	8 500	24,0
26,0	73,5	55,1	10 700	10 400	9 300	8 400	26,0
28,0	71,3	54,1	10 200	10 000	9 200	8 400	28,0
30,0	69,0	53,0	9 800	9 600	9 100	8 300	30,0
32,0	66,7	51,9	9 400	9 200	9 000	8 200	32,0
34,0	64,4	50,6	9 000	8 900	8 800	8 200	34,0
36,0	62,0	49,2	8 700	8 600	8 500	8 100	36,0
38,0	59,5	47,7	8 400	8 300	8 000	7 700	38,0
40,0	56,9	46,0	8 000	7 700	7 300	7 000	40,0
42,0	54,2	44,2	7 300	7 000	6 600	6 300	42,0
44,0	51,4	42,1	6 600	6 300	6 000	5 700	44,0
46,0	48,4	39,9	6 000	5 700	5 500	5 200	46,0
48,0	45,3	37,4	5 400	5 200	4 900	4 700	48,0
50,0	41,9	34,6	4 900	4 700	4 500	4 200	50,0
50,0							50,0
52,0							52,0
54,0							54,0
54,9							54,9
56,0							56,0
57,6							57,6




MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$




	 25°						 m	
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
12,8							12,8	
14,0							14,0	
14,9							14,9	
16,0							16,0	
16,2							16,2	
16,5							16,5	
17,4							17,4	
18,0							18,0	
18,3							18,3	
19,5	80,9	60,7	12 400				19,5	
20,0	80,4	60,6	12 400				20,0	
20,4	80,0	60,4	12 300	10 800			20,4	
21,6	78,8	60,0	12 100	10 700	9 600		21,6	
22,0	78,4	59,9	12 000	10 700	9 500		22,0	
22,6	77,8	59,7	11 800	10 700	9 500	8 500	22,6	
24,0	76,4	59,2	11 400	10 600	9 500	8 500	24,0	
26,0	74,4	58,3	10 900	10 400	9 300	8 400	26,0	
28,0	72,3	57,4	10 400	10 200	9 300	8 400	28,0	
30,0	70,2	56,4	10 000	9 800	9 200	8 300	30,0	
32,0	68,0	55,3	9 600	9 400	9 100	8 200	32,0	
34,0	65,8	54,2	9 200	9 100	8 900	8 200	34,0	
36,0	63,6	52,9	8 900	8 800	8 600	8 100	36,0	
38,0	61,3	51,4	8 600	8 300	7 900	7 500	38,0	
40,0	58,9	49,9	8 000	7 600	7 200	6 800	40,0	
42,0	56,5	48,2	7 200	6 900	6 500	6 200	42,0	
44,0	53,9	46,4	6 500	6 200	5 900	5 600	44,0	
46,0	51,2	44,4	5 900	5 600	5 300	5 100	46,0	
48,0	48,4	42,1	5 300	5 100	4 800	4 600	48,0	
50,0	45,5	39,7	4 800	4 600	4 300	4 100	50,0	
52,0	42,3	37,0	4 300	4 100	3 900	3 700	52,0	
52,1	42,1	36,8	4 300	4 100	3 900	3 700	52,1	
54,0							54,0	
56,0							56,0	
57,3							57,3	
58,0							58,0	
60,0							60,0	
60,4							60,4	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$




	25°							m
	m	°	m					
				0° kg	1° kg	2° kg	3° kg	
13,4							13,4	
14,0							14,0	
14,6							14,6	
15,5							15,5	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,9							18,9	
19,8	81,0	63,7	12 400				19,8	
20,0	80,8	63,7	12 400				20,0	
20,1	80,7	63,6	12 400				20,1	
21,0	79,9	63,3	12 300	10 800			21,0	
21,9	79,1	63,1	12 100	10 700	9 500		21,9	
22,0	79,0	63,0	12 100	10 700	9 500		22,0	
23,2	77,8	62,6	11 800	10 600	9 500	8 500	23,2	
24,0	77,1	62,3	11 600	10 600	9 500	8 500	24,0	
26,0	75,1	61,6	11 100	10 400	9 400	8 400	26,0	
28,0	73,2	60,7	10 600	10 300	9 300	8 400	28,0	
30,0	71,2	59,8	10 200	10 000	9 200	8 300	30,0	
32,0	69,2	58,7	9 800	9 600	9 100	8 300	32,0	
34,0	67,1	57,6	9 400	9 300	9 000	8 200	34,0	
36,0	65,0	56,4	9 100	8 900	8 500	7 900	36,0	
38,0	62,9	55,1	8 600	8 200	7 700	7 200	38,0	
40,0	60,7	53,6	7 800	7 400	7 000	6 600	40,0	
42,0	58,4	52,1	7 100	6 700	6 300	5 900	42,0	
44,0	56,1	50,4	6 400	6 000	5 700	5 300	44,0	
46,0	53,6	48,6	5 700	5 400	5 100	4 800	46,0	
48,0	51,1	46,6	5 200	4 900	4 600	4 300	48,0	
50,0	48,4	44,4	4 600	4 400	4 100	3 900	50,0	
52,0	45,6	41,9	4 100	3 900	3 700	3 500	52,0	
54,0	42,6	39,3	3 700	3 500	3 300	3 100	54,0	
54,6	41,7	38,5	3 500	3 300	3 100	3 000	54,6	
56,0							56,0	
58,0							58,0	
59,4							59,4	
60,0							60,0	
61,0							61,0	
62,0							62,0	
62,5							62,5	


MLC200 S-1





25°							
m	°	m					m
			0°	1°	2°	3°	
			kg	kg	kg	kg	
13,7							13,7
14,0							14,0
14,9							14,9
16,0							16,0
16,2							16,2
17,4							17,4
18,0							18,0
18,3							18,3
19,5							19,5
20,0							20,0
20,4	80,9	66,6	12 400				20,4
20,7	80,6	66,5	12 300				20,7
21,6	79,8	66,3	12 200	10 800			21,6
22,0	79,5	66,2	12 200	10 700			22,0
22,6	78,9	65,9	12 100	10 700	9 500		22,6
23,8	77,8	65,5	11 800	10 600	9 400	8 500	23,8
24,0	77,7	65,5	11 800	10 600	9 400	8 400	24,0
26,0	75,8	64,7	11 300	10 500	9 400	8 400	26,0
28,0	74,0	63,9	10 800	10 300	9 300	8 400	28,0
30,0	72,1	63,0	10 400	10 200	9 200	8 300	30,0
32,0	70,2	62,1	10 000	9 800	9 100	8 300	32,0
34,0	68,3	61,0	9 600	9 500	9 000	8 200	34,0
36,0	66,3	59,9	9 300	8 900	8 300	7 800	36,0
38,0	64,3	58,6	8 500	8 000	7 500	7 000	38,0
40,0	62,2	57,3	7 700	7 200	6 800	6 300	40,0
42,0	60,1	55,8	6 900	6 500	6 100	5 700	42,0
44,0	57,9	54,3	6 200	5 800	5 500	5 100	44,0
46,0	55,7	52,6	5 600	5 300	4 900	4 600	46,0
48,0	53,3	50,7	5 000	4 700	4 400	4 100	48,0
50,0	50,9	48,8	4 500	4 200	3 900	3 700	50,0
52,0	48,4	46,6	4 000	3 700	3 500	3 300	52,0
54,0	45,7	44,2	3 500	3 300	3 100	2 900	54,0
56,0	42,9	41,6	3 100	2 900	2 700	2 500	56,0
56,7	41,9	40,6	3 000	2 800	2 600	2 400	56,7
57,9							57,9
58,0							58,0
59,4							59,4
60,0							60,0
61,0							61,0
62,0							62,0
62,5							62,5



MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$




	 25°							 m
	 m	 °	 m					
				 0°	 1°	 2°	 3°	
14,3								14,3
15,5								15,5
16,0								16,0
16,8								16,8
17,7								17,7
18,0								18,0
18,9								18,9
20,0								20,0
20,1								20,1
21,0	80,8	69,6	12 300					21,0
21,3	80,5	69,5	12 300					21,3
21,9	80,0	69,3	12 300	10 700				21,9
22,0	79,9	69,3	12 300	10 700				22,0
23,2	78,9	68,9	12 000	10 700	9 500			23,2
24,0	78,2	68,7	11 900	10 600	9 500			24,0
24,4	77,9	68,5	11 800	10 600	9 400	8 400		24,4
26,0	76,5	67,9	11 400	10 500	9 400	8 400		26,0
28,0	74,7	67,2	11 000	10 400	9 300	8 300		28,0
30,0	72,9	66,3	10 500	10 200	9 200	8 300		30,0
32,0	71,1	65,4	10 200	10 000	9 100	8 200		32,0
34,0	69,3	64,4	9 800	9 600	8 900	8 100		34,0
36,0	67,4	63,3	9 300	8 700	8 100	7 500		36,0
38,0	65,5	62,2	8 300	7 800	7 300	6 800		38,0
40,0	63,6	60,9	7 500	7 000	6 500	6 100		40,0
42,0	61,6	59,5	6 700	6 300	5 900	5 500		42,0
44,0	59,6	58,1	6 000	5 600	5 300	4 900		44,0
46,0	57,5	56,5	5 400	5 100	4 700	4 400		46,0
48,0	55,3	54,8	4 800	4 500	4 200	3 900		48,0
50,0	53,1	53,0	4 300	4 000	3 700	3 500		50,0
52,0	50,8	51,0	3 800	3 500	3 300	3 000		52,0
54,0	48,4	48,8	3 400	3 100	2 900	2 700		54,0
56,0	45,9	46,5	2 900	2 700	2 500	2 300		56,0
56,4	45,3	46,0	2 800	2 600	2 400	2 200		56,4
57,9	43,3	44,0	2 500	2 300	2 100	2 000		57,9
58,0	43,2	43,9	2 500	2 300	2 100	1 900		58,0
58,8	42,0	42,8	2 400	2 200	2 000	1 800		58,8
59,4								59,4
60,0								60,0
61,0								61,0


MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$



	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
14,6							14,6	
16,0							16,0	
16,2							16,2	
17,4							17,4	
18,0							18,0	
18,3							18,3	
18,6							18,6	
19,5							19,5	
20,0							20,0	
20,7							20,7	
21,3	80,9	72,6	12 300				21,3	
21,9	80,4	72,4	12 300				21,9	
22,0	80,4	72,4	12 300				22,0	
22,6	79,9	72,2	12 200	10 700			22,6	
23,8	78,9	71,8	12 000	10 600	9 400		23,8	
24,0	78,7	71,8	12 000	10 600	9 400		24,0	
25,0	77,9	71,4	11 800	10 500	9 400	8 400	25,0	
26,0	77,1	71,1	11 600	10 500	9 400	8 300	26,0	
28,0	75,4	70,4	11 100	10 400	9 300	8 300	28,0	
30,0	73,7	69,6	10 700	10 300	9 200	8 300	30,0	
32,0	72,0	68,7	10 300	10 200	9 100	8 200	32,0	
34,0	70,2	67,7	9 900	9 500	8 800	8 100	34,0	
36,0	68,5	66,7	9 200	8 500	7 900	7 400	36,0	
38,0	66,7	65,6	8 200	7 700	7 100	6 600	38,0	
40,0	64,8	64,4	7 400	6 900	6 400	5 900	40,0	
42,0	63,0	63,1	6 600	6 200	5 700	5 300	42,0	
44,0	61,1	61,8	5 900	5 500	5 100	4 700	44,0	
46,0	59,1	60,3	5 300	4 900	4 600	4 200	46,0	
48,0	57,1	58,7	4 700	4 400	4 100	3 700	48,0	
50,0	55,0	57,0	4 200	3 900	3 600	3 300	50,0	
52,0	52,9	55,2	3 700	3 400	3 100	2 900	52,0	
54,0	50,7	53,2	3 200	3 000	2 700	2 500	54,0	
54,9	49,7	52,3	3 100	2 800	2 600	2 300	54,9	
56,0	48,4	51,1	2 800	2 600	2 400	2 100	56,0	
56,4	47,9	50,6	2 700	2 500	2 300	2 100	56,4	
57,9	46,1	48,8	2 400	2 200	2 000	1 800	57,9	
58,0	46,0	48,7	2 400	2 200			58,0	
59,4	44,1	46,9	2 100	1 900			59,4	
60,0	43,4	46,2	2 000				60,0	
61,3	41,7	44,5	1 800				61,3	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$



	 25°							
	 m	 α	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
15,2								15,2
16,0								16,0
16,5								16,5
18,0								18,0
18,6								18,6
19,2								19,2
20,0								20,0
20,1								20,1
21,3								21,3
21,9	80,8	75,5	12 300					21,9
22,0	80,8	75,5	12 300					22,0
22,6	80,3	75,3	12 200					22,6
23,2	79,8	75,1	12 200	10 600				23,2
24,0	79,2	74,9	12 100	10 600				24,0
24,4	78,9	74,8	12 000	10 600	9 400			24,4
25,6	77,9	74,4	11 800	10 500	9 300	8 300		25,6
26,0	77,6	74,3	11 700	10 500	9 300	8 300		26,0
28,0	76,0	73,6	11 300	10 400	9 300	8 300		28,0
30,0	74,4	72,8	10 900	10 300	9 200	8 300		30,0
32,0	72,7	72,0	10 500	10 200	9 100	8 200		32,0
34,0	71,1	71,1	10 000	9 300	8 600	8 000		34,0
36,0	69,4	70,1	9 000	8 400	7 700	7 100		36,0
38,0	67,7	69,0	8 100	7 500	6 900	6 400		38,0
40,0	66,0	67,9	7 200	6 700	6 200	5 700		40,0
42,0	64,2	66,7	6 500	6 000	5 500	5 100		42,0
44,0	62,4	65,4	5 800	5 300	4 900	4 500		44,0
46,0	60,6	64,0	5 100	4 700	4 300	4 000		46,0
48,0	58,7	62,5	4 500	4 200	3 800	3 500		48,0
50,0	56,7	60,9	4 000	3 700	3 400	3 100		50,0
52,0	54,8	59,2	3 500	3 200	2 900	2 700		52,0
53,3	53,4	58,0	3 200	2 900	2 700	2 400		53,3
54,0	52,7	57,4	3 100	2 800	2 500	2 300		54,0
54,9	51,8	56,6	2 900	2 600	2 400	2 100		54,9
56,0	50,6	55,4	2 600	2 400	2 100	1 900		56,0
56,4	50,2	55,0	2 600	2 300	2 100	1 800		56,4
57,9	48,5	53,4	2 300	2 000	1 800			57,9
58,0	48,4	53,3	2 200					58,0
59,4	46,7	51,7	2 000					59,4

MLC200 S-1




 25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
11,6							11,6
12,0							12,0
12,5							12,5
13,4							13,4
14,0							14,0
14,3							14,3
15,2							15,2
16,0							16,0
16,2							16,2
17,1							17,1
18,0							18,0
18,9	81,0	51,6	10 500				18,9
19,8	79,9	51,3	10 400	9 100			19,8
20,0	79,7	51,2	10 300	9 100			20,0
20,7	78,9	51,0	10 200	9 000	8 000		20,7
21,6	77,8	50,6	10 000	8 900	7 900	7 200	21,6
22,0	77,3	50,4	9 900	8 900	7 900	7 100	22,0
24,0	74,9	49,6	9 400	8 700	7 800	7 000	24,0
26,0	72,5	48,6	8 900	8 500	7 700	6 900	26,0
28,0	70,0	47,5	8 400	8 300	7 500	6 800	28,0
30,0	67,4	46,2	8 000	7 900	7 400	6 700	30,0
32,0	64,7	44,9	7 600	7 500	7 300	6 700	32,0
34,0	62,0	43,4	7 300	7 200	7 100	6 600	34,0
36,0	59,1	41,7	7 000	6 900	6 800	6 500	36,0
38,0	56,1	39,9	6 700	6 600	6 500	6 500	38,0
40,0	53,0	37,9	6 500	6 400	6 300	6 300	40,0
42,0	49,7	35,6	6 200	6 200	6 100	6 100	42,0
44,0	46,1	33,0	6 000	6 000	5 900	5 900	44,0
46,0	42,1	30,0	5 900	5 800	5 800	5 800	46,0
46,6	40,8	29,0	5 800	5 800	5 700	5 700	46,6
48,0							48,0
50,0							50,0
50,3							50,3
52,0							52,0
52,7							52,7

MLC200 S-1



 25°							
				 0°		 3°	
 m	 °	 m	 kg	 kg	 kg	 kg	 m
12,2							12,2
13,1							13,1
14,0							14,0
14,9							14,9
15,8							15,8
16,0							16,0
16,8							16,8
17,7							17,7
18,0							18,0
18,6							18,6
19,5	80,9	54,6	10 400				19,5
20,0	80,3	54,4	10 400				20,0
20,4	79,9	54,2	10 300	9 100			20,4
21,3	78,9	53,9	10 200	9 000	8 000		21,3
22,0	78,1	53,6	10 100	8 900	7 900		22,0
22,3	77,7	53,5	10 000	8 900	7 900	7 200	22,3
24,0	75,8	52,8	9 600	8 700	7 800	7 100	24,0
26,0	73,5	51,9	9 100	8 600	7 700	7 000	26,0
28,0	71,2	50,8	8 600	8 400	7 600	6 900	28,0
30,0	68,8	49,7	8 200	8 100	7 500	6 800	30,0
32,0	66,3	48,4	7 800	7 700	7 400	6 700	32,0
34,0	63,8	47,1	7 500	7 400	7 200	6 600	34,0
36,0	61,2	45,6	7 200	7 100	7 000	6 600	36,0
38,0	58,5	43,9	6 900	6 800	6 700	6 500	38,0
40,0	55,7	42,1	6 700	6 600	6 500	6 400	40,0
42,0	52,7	40,0	6 400	6 400	6 300	6 200	42,0
44,0	49,5	37,8	6 200	6 200	6 100	6 100	44,0
46,0	46,2	35,2	6 000	6 000	5 900	5 900	46,0
48,0	42,5	32,3	5 900	5 700	5 600	5 400	48,0
48,8	41,0	31,1	5 800	5 600	5 400	5 200	48,8
50,0							50,0
52,0							52,0
52,7							52,7
54,0							54,0
55,5							55,5

MLC200 S-1




51 980 kg
+
0 kg



360°






38,0 m



21,3 m

		5°						15°						
		m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	m
12,5	80,9	60,8	14 000	11 000										12,5
13,7	79,8	60,5	13 700	11 000										13,7
14,0	79,5	60,5	13 700	11 000										14,0
14,6	78,9	60,4	13 500	11 000	8 800									14,6
15,5	78,0	60,1	13 300	11 000	8 800	7 400								15,5
16,0	77,5	60,0	13 200	11 000	8 800	7 400								16,0
16,2	77,3	60,0	13 200	10 900	8 800	7 400	81,0	59,6	12 000					16,2
17,4	76,1	59,7	12 900	10 900	8 800	7 300	79,7	59,3	11 800	10 100				17,4
18,0	75,5	59,5	12 800	10 800	8 800	7 300	79,1	59,1	11 700	10 100				18,0
18,3	75,2	59,4	12 700	10 800	8 800	7 300	78,8	59,0	11 700	10 000	8 800			18,3
19,2	74,3	59,1	12 600	10 700	8 800	7 300	77,9	58,7	11 500	9 900	8 700	7 300		19,2
19,8	73,7	59,0	12 500	10 600	8 700	7 300	77,3	58,6	11 500	9 800	8 700	7 300		19,8
20,0	73,5	58,9	12 400	10 600	8 700	7 300	77,1	58,5	11 400	9 800	8 700	7 300		20,0
21,0	72,4	58,6	12 200	10 400	8 700	7 300	76,0	58,1	11 300	9 700	8 600	7 300		21,0
21,9	71,5	58,2	12 100	10 300	8 700	7 300	75,1	57,8	11 100	9 600	8 500	7 300		21,9
22,0	71,4	58,2	12 100	10 300	8 700	7 300	75,0	57,8	11 100	9 600	8 500	7 300		22,0
22,9	70,5	57,9	11 900	10 200	8 700	7 300	74,1	57,5	11 000	9 500	8 400	7 300		22,9
24,0	69,4	57,5	11 700	10 000	8 700	7 300	72,9	57,0	10 800	9 400	8 300	7 300		24,0
26,0	67,3	56,6	11 400	9 800	8 600	7 200	70,8	56,2	10 600	9 200	8 200	7 300		26,0
28,0	65,1	55,7	11 100	9 500	8 400	7 200	68,7	55,2	10 300	9 000	8 000	7 200		28,0
30,0	63,0	54,6	10 700	9 300	8 200	7 200	66,5	54,2	10 000	8 800	7 800	7 100		30,0
32,0	60,7	53,5	10 400	9 100	8 100	7 200	64,2	53,1	9 800	8 600	7 700	7 000		32,0
34,0	58,5	52,3	10 100	8 900	7 900	7 100	62,0	51,8	9 500	8 500	7 600	6 900		34,0
36,0	56,1	50,9	9 500	8 700	7 700	7 000	59,6	50,4	9 300	8 300	7 500	6 800		36,0
38,0	53,7	49,4	8 600	8 200	7 600	6 900	57,2	49,0	9 000	8 200	7 300	6 700		38,0
40,0	51,3	47,8	7 800	7 500	7 100	6 700	54,7	47,3	8 200	7 800	7 200	6 600		40,0
42,0	48,7	46,1	7 100	6 800	6 500	6 200	52,1	45,5	7 500	7 100	6 800	6 400		42,0
44,0	46,0	44,1	6 500	6 200	5 900	5 700	49,3	43,6	6 800	6 500	6 200	5 900		44,0
46,0	43,2	42,0	5 900	5 700	5 400	5 200	46,5	41,4	6 200	5 900	5 700	5 400		46,0
48,0	40,2	39,7	5 400	5 200	5 000	4 700	43,5	39,0	5 700	5 400	5 200	5 000		48,0
50,0	37,0	37,0	4 900	4 700	4 500	4 300	40,2	36,4	5 100	4 900	4 700	4 500		50,0
51,2	34,9	35,2	4 700	4 500	4 300	4 100	38,1	34,5	4 900	4 700	4 500	4 300		51,2
52,0	33,5	34,1	4 500	4 300	4 100	4 000	36,7	33,3	4 700	4 500	4 300	4 100		52,0
54,0	29,7	30,6	4 100	3 900	3 800	3 600	32,7	29,8	4 200	4 100	3 900	3 800		54,0
55,5	26,5	27,6	3 800	3 700	3 500	3 400	29,5	26,8	3 900	3 800	3 600	3 500		55,5
56,0	25,3	26,6	3 700	3 600	3 400	3 300								56,0
58,0	20,0	21,5	3 300	3 200	3 100	3 000								58,0
58,2	19,4	20,8	3 300	3 200	3 100	3 000								58,2

MLC200 S-1



25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
12,5							12,5
13,7							13,7
14,0							14,0
14,6							14,6
15,5							15,5
16,0							16,0
16,2							16,2
17,4							17,4
18,0							18,0
18,3							18,3
19,2							19,2
19,8	81,0	57,6	10 400				19,8
20,0	80,8	57,5	10 400				20,0
21,0	79,8	57,2	10 300	9 000			21,0
21,9	78,8	56,8	10 200	9 000	8 000		21,9
22,0	78,7	56,8	10 200	8 900	7 900		22,0
22,9	77,8	56,5	10 000	8 900	7 900	7 100	22,9
24,0	76,6	56,0	9 800	8 800	7 800	7 100	24,0
26,0	74,5	55,2	9 300	8 600	7 700	7 000	26,0
28,0	72,3	54,2	8 800	8 500	7 600	6 900	28,0
30,0	70,0	53,1	8 400	8 300	7 500	6 800	30,0
32,0	67,7	52,0	8 000	7 900	7 400	6 700	32,0
34,0	65,4	50,7	7 700	7 600	7 300	6 700	34,0
36,0	63,0	49,3	7 400	7 300	7 200	6 600	36,0
38,0	60,5	47,8	7 100	7 000	6 900	6 500	38,0
40,0	57,9	46,1	6 900	6 800	6 700	6 500	40,0
42,0	55,3	44,3	6 600	6 600	6 500	6 400	42,0
44,0	52,4	42,2	6 400	6 400	6 300	6 200	44,0
46,0	49,5	40,0	6 200	6 100	5 900	5 700	46,0
48,0	46,3	37,5	5 900	5 600	5 400	5 200	48,0
50,0	42,9	34,7	5 300	5 100	4 900	4 700	50,0
51,2	40,7	32,8	5 000	4 800	4 600	4 400	51,2
52,0							52,0
54,0							54,0
55,5							55,5
56,0							56,0
58,0							58,0
58,2							58,2

MLC200 S-1




51 980 kg
+
0 kg







360°




41,0 m






21,3 m


		 5°						 15°									
																	


MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°						 m	
	 m	 o	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
13,1							13,1	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,2							16,2	
16,8							16,8	
17,7							17,7	
18,0							18,0	
18,9							18,9	
19,8							19,8	
20,0							20,0	
20,4	80,9	60,5	10 400				20,4	
21,3	80,0	60,2	10 300	9 000			21,3	
22,0	79,3	60,0	10 200	9 000			22,0	
22,6	78,7	59,7	10 100	8 900	7 900		22,6	
23,5	77,8	59,4	10 000	8 900	7 900	7 100	23,5	
24,0	77,3	59,2	9 900	8 800	7 900	7 100	24,0	
26,0	75,3	58,4	9 400	8 700	7 800	7 000	26,0	
28,0	73,2	57,5	9 000	8 500	7 700	6 900	28,0	
30,0	71,1	56,5	8 600	8 400	7 600	6 800	30,0	
32,0	69,0	55,4	8 200	8 100	7 500	6 800	32,0	
34,0	66,8	54,2	7 900	7 800	7 400	6 700	34,0	
36,0	64,5	52,9	7 600	7 500	7 300	6 600	36,0	
38,0	62,2	51,5	7 300	7 200	7 100	6 600	38,0	
40,0	59,9	49,9	7 000	7 000	6 900	6 500	40,0	
42,0	57,4	48,3	6 800	6 700	6 700	6 400	42,0	
44,0	54,9	46,4	6 600	6 500	6 300	6 000	44,0	
46,0	52,2	44,4	6 300	6 000	5 700	5 400	46,0	
48,0	49,4	42,2	5 700	5 400	5 200	4 900	48,0	
50,0	46,4	39,8	5 200	4 900	4 700	4 500	50,0	
52,0	43,2	37,0	4 700	4 500	4 200	4 000	52,0	
53,3	41,0	35,0	4 300	4 200	4 000	3 800	53,3	
54,0							54,0	
56,0							56,0	
58,0							58,0	
58,2							58,2	
60,0							60,0	
61,0							61,0	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$




	 25°							
								
			0°  kg	1°  kg	2°  kg	3°  kg		
m	°	m					m	
13,4							13,4	
14,0							14,0	
14,6							14,6	
15,8							15,8	
16,0							16,0	
16,8							16,8	
17,1							17,1	
18,0							18,0	
18,3							18,3	
19,5							19,5	
20,0							20,0	
20,4							20,4	
21,0	80,8	63,4	10 400				21,0	
21,9	79,9	63,1	10 300	9 000			21,9	
22,0	79,8	63,1	10 300	9 000			22,0	
23,2	78,7	62,7	10 100	8 900	7 900		23,2	
24,0	77,9	62,4	10 100	8 800	7 900		24,0	
24,1	77,8	62,4	10 000	8 800	7 900	7 100	24,1	
26,0	76,0	61,6	9 600	8 700	7 800	7 000	26,0	
28,0	74,1	60,8	9 200	8 600	7 700	6 900	28,0	
30,0	72,1	59,8	8 800	8 500	7 600	6 900	30,0	
32,0	70,1	58,8	8 400	8 300	7 500	6 800	32,0	
34,0	68,0	57,7	8 100	8 000	7 400	6 700	34,0	
36,0	65,9	56,5	7 800	7 700	7 300	6 700	36,0	
38,0	63,8	55,1	7 500	7 400	7 200	6 600	38,0	
40,0	61,6	53,7	7 200	7 100	7 000	6 500	40,0	
42,0	59,3	52,2	7 000	6 900	6 700	6 300	42,0	
44,0	57,0	50,5	6 800	6 500	6 100	5 800	44,0	
46,0	54,5	48,6	6 200	5 900	5 600	5 300	46,0	
48,0	52,0	46,7	5 600	5 300	5 000	4 800	48,0	
50,0	49,3	44,5	5 100	4 800	4 600	4 300	50,0	
52,0	46,5	42,1	4 600	4 300	4 100	3 900	52,0	
54,0	43,6	39,4	4 100	3 900	3 700	3 500	54,0	
55,8	40,7	36,7	3 700	3 500	3 400	3 200	55,8	
56,0							56,0	
58,0							58,0	
60,0							60,0	
60,7							60,7	
62,0							62,0	
62,5							62,5	
64,0							64,0	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


47,0 m

21,3 m

	25°							
	m	°	m					
				0° kg	1° kg	2° kg	3° kg	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,2							16,2	
17,4							17,4	
17,7							17,7	
18,0							18,0	
18,9							18,9	
19,8							19,8	
20,0							20,0	
21,0							21,0	
21,3	80,9	66,4	10 400				21,3	
22,0	80,3	66,2	10 300				22,0	
22,6	79,8	66,0	10 300	9 000			22,6	
23,5	79,0	65,7	10 200	8 900	7 900		23,5	
24,0	78,5	65,5	10 100	8 900	7 900		24,0	
24,7	77,9	65,3	10 000	8 800	7 800	7 100	24,7	
26,0	76,7	64,8	9 800	8 700	7 800	7 000	26,0	
28,0	74,8	64,0	9 300	8 600	7 700	6 900	28,0	
30,0	73,0	63,1	8 900	8 500	7 600	6 900	30,0	
32,0	71,1	62,1	8 600	8 400	7 500	6 800	32,0	
34,0	69,1	61,1	8 300	8 100	7 500	6 700	34,0	
36,0	67,2	59,9	8 000	7 800	7 400	6 700	36,0	
38,0	65,1	58,7	7 700	7 600	7 300	6 600	38,0	
40,0	63,1	57,4	7 400	7 300	7 100	6 500	40,0	
42,0	61,0	55,9	7 200	6 900	6 500	6 100	42,0	
44,0	58,8	54,4	6 600	6 300	5 900	5 600	44,0	
46,0	56,5	52,7	6 000	5 700	5 300	5 000	46,0	
48,0	54,2	50,8	5 400	5 100	4 800	4 600	48,0	
50,0	51,8	48,8	4 900	4 600	4 400	4 100	50,0	
52,0	49,3	46,7	4 400	4 200	3 900	3 700	52,0	
54,0	46,6	44,3	3 900	3 700	3 500	3 300	54,0	
56,0	43,8	41,7	3 500	3 300	3 100	2 900	56,0	
57,9	40,9	38,9	3 100	2 900	2 800	2 600	57,9	
58,0							58,0	
60,0							60,0	
61,0							61,0	
62,0							62,0	
62,5							62,5	
63,4							63,4	
64,0							64,0	


MLC200 S-1




51 980 kg
+
0 kg







360°





50,0 m




21,3 m


	 5°						 15°							
	 m	 °	 m					 °	 m					
				 0°	 1°	 2°	 3°			 0°	 1°	 2°		 3°
14,3	81,0	72,6	13 500					81,0	71,5	11 900			14,3	
15,5	80,0	72,4	13 400	10 700				80,0	71,1	11 700	10 000		15,5	
16,0	79,6	72,3	13 400	10 700				79,3	70,9	11 600	9 900		16,0	
16,8	79,0	72,1	13 300	10 600	8 600			79,0	70,8	11 600	9 900	8 600	16,8	
18,0	78,0	71,9	13 100	10 600	8 600	7 100		77,7	70,4	11 400	9 700	8 500	18,0	
19,2	77,0	71,6	12 900	10 600	8 500	7 100		77,7	70,4	11 400	9 700	8 500	19,2	
20,0	76,3	71,4	12 700	10 600	8 500	7 100		76,9	70,1	11 300	9 700	8 500	20,0	
20,4	76,0	71,3	12 700	10 500	8 500	7 100		76,0	69,8	11 100	9 600	8 400	20,4	
21,6	75,0	70,9	12 500	10 500	8 500	7 100		78,0	70,5	11 400	9 800	8 500	21,6	
21,9	74,7	70,8	12 400	10 500	8 500	7 100		77,7	70,4	11 400	9 700	8 500	21,9	
22,0	74,7	70,8	12 400	10 500	8 500	7 100		77,7	70,4	11 400	9 700	8 500	22,0	
22,9	73,9	70,5	12 300	10 400	8 500	7 100		76,9	70,1	11 300	9 700	8 500	22,9	
24,0	73,0	70,2	12 100	10 300	8 500	7 100		76,0	69,8	11 100	9 600	8 400	24,0	
24,1	72,9	70,2	12 100	10 300	8 500	7 100		75,9	69,7	11 100	9 600	8 400	24,1	
25,3	71,9	69,7	11 900	10 200	8 500	7 100		74,8	69,3	11 000	9 500	8 300	25,3	
26,0	71,3	69,5	11 800	10 100	8 400	7 100		74,2	69,1	10 900	9 400	8 300	26,0	
28,0	69,6	68,8	11 600	9 900	8 400	7 100		72,5	68,3	10 700	9 200	8 200	28,0	
30,0	67,8	67,9	11 300	9 700	8 400	7 000		70,8	67,5	10 400	9 100	8 100	30,0	
32,0	66,1	67,0	10 700	9 500	8 300	7 000		69,0	66,6	10 300	9 000	7 900	32,0	
34,0	64,3	66,1	9 600	9 000	8 100	7 000		67,2	65,6	10 000	8 800	7 800	34,0	
36,0	62,4	65,0	8 700	8 100	7 500	6 900		65,4	64,5	9 200	8 500	7 700	36,0	
38,0	60,6	63,9	7 800	7 300	6 800	6 300		63,5	63,4	8 300	7 800	7 200	38,0	
40,0	58,7	62,6	7 000	6 600	6 100	5 700		61,6	62,1	7 500	7 000	6 600	40,0	
42,0	56,8	61,3	6 300	5 900	5 500	5 100		59,7	60,8	6 800	6 300	5 900	42,0	
44,0	54,8	59,9	5 700	5 300	5 000	4 600		57,7	59,4	6 100	5 700	5 300	44,0	
46,0	52,8	58,4	5 100	4 800	4 500	4 200		55,6	57,9	5 500	5 200	4 800	46,0	
48,0	50,7	56,8	4 600	4 300	4 000	3 700		53,5	56,2	5 000	4 600	4 300	48,0	
50,0	48,6	55,0	4 100	3 900	3 600	3 300		51,4	54,4	4 500	4 200	3 900	50,0	
52,0	46,4	53,1	3 700	3 400	3 200	3 000		49,1	52,5	4 000	3 700	3 500	52,0	
54,0	44,1	51,0	3 300	3 100	2 800	2 600		46,8	50,4	3 600	3 300	3 100	54,0	
56,0	41,6	48,8	2 900	2 700	2 500	2 300		44,3	48,1	3 200	2 900	2 700	56,0	
58,0	39,1	46,3	2 600	2 400	2 200	2 000		41,8	45,6	2 800	2 600	2 400	58,0	
59,4	37,2	44,4	2 300	2 200	2 000	1 800		39,8	43,7	2 500	2 300	2 200	59,4	
60,0	36,4	43,6	2 200	2 100	1 900			39,0	42,9	2 400	2 300	2 100	60,0	
60,4	35,9	43,1	2 200	2 000	1 900			38,5	42,4	2 400	2 200	2 000	60,4	
61,0	35,0	42,2	2 100	1 900	1 800			37,6	41,4	2 300	2 100	1 900	61,0	
62,0	33,5	40,7	1 900					36,1	39,9	2 100	1 900		62,0	
62,5	32,8	39,9	1 900					35,3	39,0	2 000	1 900		62,5	
64,0								32,9	36,4	1 800			64,0	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
14,3								14,3
15,5								15,5
16,0								16,0
16,8								16,8
18,0								18,0
19,2								19,2
20,0								20,0
20,4								20,4
21,6								21,6
21,9	80,8	69,3	10 300					21,9
22,0	80,8	69,3	10 300					22,0
22,9	80,0	69,0	10 200	9 000				22,9
24,0	79,0	68,7	10 100	8 900				24,0
24,1	78,9	68,6	10 100	8 900	7 900			24,1
25,3	77,9	68,2	10 000	8 800	7 800	7 000		25,3
26,0	77,3	68,0	9 900	8 800	7 800	7 000		26,0
28,0	75,5	67,2	9 500	8 600	7 700	7 000		28,0
30,0	73,8	66,4	9 100	8 500	7 600	6 900		30,0
32,0	71,9	65,4	8 700	8 400	7 600	6 800		32,0
34,0	70,1	64,4	8 400	8 300	7 500	6 800		34,0
36,0	68,3	63,4	8 100	8 000	7 400	6 700		36,0
38,0	66,4	62,2	7 800	7 700	7 300	6 700		38,0
40,0	64,4	60,9	7 600	7 400	7 000	6 500		40,0
42,0	62,4	59,6	7 200	6 800	6 300	5 900		42,0
44,0	60,4	58,1	6 500	6 100	5 700	5 400		44,0
46,0	58,3	56,5	5 900	5 500	5 200	4 800		46,0
48,0	56,2	54,8	5 300	5 000	4 700	4 400		48,0
50,0	53,9	53,0	4 700	4 500	4 200	3 900		50,0
52,0	51,6	51,0	4 300	4 000	3 700	3 500		52,0
54,0	49,2	48,9	3 800	3 600	3 300	3 100		54,0
56,0	46,7	46,5	3 400	3 200	2 900	2 700		56,0
58,0	44,0	43,9	3 000	2 800	2 600	2 400		58,0
59,4	41,9	41,9	2 700	2 500	2 300	2 200		59,4
60,0	41,2	41,1	2 600	2 400	2 200	2 100		60,0
60,4	40,6	40,6	2 500	2 400	2 200	2 000		60,4
61,0								61,0
62,0								62,0
62,5								62,5
64,0								64,0


MLC200 S-1




51 980 kg
+
0 kg








360°





53,0 m



21,3 m


	 5°						 15°								
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg			 kg
14,9	80,9	75,6	13 300					80,9	74,4	11 800				14,9	
16,0	80,1	75,4	13 300					79,9	74,1	11 600				16,0	
16,2	79,9	75,3	13 300	10 600				79,8	74,1	11 600	9 900			16,2	
17,4	78,9	75,1	13 100	10 500	8 500			79,0	73,8	11 500	9 800	8 500		17,4	
18,0	78,5	75,0	13 100	10 500	8 500			78,2	73,5	11 400	9 700	8 500		18,0	
18,6	78,0	74,8	13 000	10 500	8 500	7 100		77,9	74,1	11 600				18,6	
19,8	77,0	74,5	12 800	10 500	8 500	7 100		79,9	74,1	11 600	9 900			19,8	
20,0	76,9	74,5	12 800	10 500	8 500	7 100		79,8	74,1	11 600	9 900			20,0	
21,0	76,1	74,2	12 600	10 500	8 400	7 000		79,0	73,8	11 500	9 800	8 500		21,0	
22,0	75,3	74,0	12 500	10 400	8 400	7 000		78,2	73,5	11 400	9 700	8 500		22,0	
22,3	75,0	73,9	12 400	10 400	8 400	7 000		77,9	73,4	11 400	9 700	8 500	7 100	22,3	
23,5	74,1	73,5	12 300	10 300	8 400	7 000		77,0	73,1	11 200	9 600	8 400	7 100	23,5	
24,0	73,7	73,4	12 200	10 300	8 400	7 000		76,6	72,9	11 200	9 600	8 400	7 100	24,0	
24,7	73,1	73,1	12 100	10 300	8 400	7 000		76,0	72,7	11 100	9 500	8 400	7 100	24,7	
25,9	72,1	72,7	11 900	10 100	8 400	7 000		75,0	72,3	11 000	9 400	8 300	7 100	25,9	
26,0	72,1	72,7	11 900	10 100	8 400	7 000		74,9	72,3	11 000	9 400	8 300	7 100	26,0	
28,0	70,4	72,0	11 600	9 900	8 400	7 000		73,3	71,5	10 700	9 300	8 200	7 100	28,0	
30,0	68,8	71,2	11 400	9 700	8 300	7 000		71,6	70,7	10 500	9 100	8 100	7 100	30,0	
32,0	67,1	70,3	10 500	9 500	8 300	7 000		69,9	69,9	10 300	9 000	7 900	7 100	32,0	
34,0	65,4	69,4	9 400	8 700	8 100	6 900		68,2	68,9	10 000	8 800	7 900	7 100	34,0	
36,0	63,7	68,4	8 400	7 800	7 200	6 700		66,5	67,9	9 000	8 400	7 600	7 000	36,0	
38,0	61,9	67,3	7 600	7 000	6 500	6 000		64,7	66,9	8 100	7 500	7 000	6 500	38,0	
40,0	60,1	66,2	6 800	6 300	5 900	5 400		62,9	65,7	7 300	6 800	6 300	5 900	40,0	
42,0	58,3	64,9	6 100	5 700	5 300	4 900		61,1	64,4	6 600	6 100	5 700	5 300	42,0	
44,0	56,5	63,6	5 500	5 100	4 700	4 400		59,2	63,1	5 900	5 500	5 100	4 700	44,0	
46,0	54,6	62,2	4 900	4 500	4 200	3 900		57,3	61,7	5 300	4 900	4 600	4 200	46,0	
48,0	52,6	60,7	4 400	4 100	3 800	3 500		55,3	60,1	4 800	4 400	4 100	3 800	48,0	
50,0	50,6	59,0	3 900	3 600	3 300	3 100		53,3	58,4	4 200	3 900	3 700	3 400	50,0	
52,0	48,6	57,2	3 500	3 200	2 900	2 700		51,2	56,7	3 800	3 500	3 200	3 000	52,0	
54,0	46,5	55,3	3 100	2 800	2 600	2 400		49,1	54,7	3 300	3 100	2 900	2 600	54,0	
56,0	44,2	53,3	2 700	2 500	2 300	2 000		46,9	52,7	2 900	2 700	2 500	2 300	56,0	
56,4	43,8	52,9	2 600	2 400	2 200	2 000		46,4	52,2	2 900	2 700	2 400	2 200	56,4	
57,9	42,0	51,2	2 300	2 100	2 000			44,6	50,5	2 600	2 400	2 200	2 000	57,9	
58,0	41,9	51,1	2 300	2 100				44,5	50,4	2 600	2 400	2 200		58,0	
59,4	40,2	49,3	2 100	1 900				42,8	48,7	2 300	2 100	1 900		59,4	
60,0	39,5	48,7	2 000					42,1	48,0	2 200	2 000			60,0	
61,0	38,3	47,4	1 900					40,8	46,7	2 100	1 900			61,0	
62,0								39,5	45,3	1 900				62,0	
62,5								38,8	44,6	1 800				62,5	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
14,9								14,9
16,0								16,0
16,2								16,2
17,4								17,4
18,0								18,0
18,6								18,6
19,8								19,8
20,0								20,0
21,0								21,0
22,0								22,0
22,3	80,9	72,4	10 300					22,3
23,5	79,9	72,0	10 200	8 900				23,5
24,0	79,5	71,8	10 200	8 900				24,0
24,7	78,9	71,6	10 100	8 800	7 800			24,7
25,9	77,9	71,2	10 000	8 800	7 800	7 000		25,9
26,0	77,8	71,2	10 000	8 800	7 800	7 000		26,0
28,0	76,2	70,4	9 600	8 700	7 700	7 000		28,0
30,0	74,5	69,6	9 300	8 600	7 600	6 900		30,0
32,0	72,8	68,7	8 900	8 400	7 500	6 800		32,0
34,0	71,0	67,8	8 600	8 300	7 500	6 800		34,0
36,0	69,3	66,8	8 300	8 100	7 400	6 700		36,0
38,0	67,5	65,7	8 000	7 900	7 400	6 600		38,0
40,0	65,6	64,5	7 700	7 300	6 800	6 300		40,0
42,0	63,8	63,2	7 000	6 600	6 100	5 700		42,0
44,0	61,9	61,8	6 300	5 900	5 500	5 100		44,0
46,0	59,9	60,4	5 700	5 300	4 900	4 600		46,0
48,0	57,9	58,8	5 100	4 800	4 400	4 100		48,0
50,0	55,8	57,1	4 600	4 300	4 000	3 700		50,0
52,0	53,7	55,2	4 100	3 800	3 500	3 300		52,0
54,0	51,5	53,3	3 600	3 400	3 100	2 900		54,0
56,0	49,2	51,1	3 200	3 000	2 700	2 500		56,0
56,4	48,7	50,7	3 100	2 900	2 700	2 400		56,4
57,9	46,9	48,9	2 800	2 600	2 400	2 200		57,9
58,0	46,8	48,8	2 800	2 600	2 400	2 200		58,0
59,4	44,9	47,0	2 500	2 300	2 100	1 900		59,4
60,0	44,2	46,3	2 400	2 200	2 000			60,0
61,0	42,9	44,9	2 200	2 100	1 900			61,0
62,0	41,5	43,5	2 100	1 900				62,0
62,5	40,9	42,8	2 000	1 800				62,5


MLC200 S-1




51 980 kg
+
0 kg









360°





56,0 m



21,3 m


	 5°							 15°							
															
															
														0°	
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	m		
15,2	81,0	78,6	13 200										15,2		
16,0	80,4	78,4	13 200										16,0		
16,8	79,8	78,3	13 100	10 500									16,8		
18,0	78,9	78,0	13 100	10 400	8 400								18,0		
19,2	78,0	77,7	12 900	10 400	8 400	7 000							19,2		
20,0	77,4	77,6	12 800	10 400	8 400	7 000	80,8	77,3	11 700				20,0		
20,4	77,1	77,5	12 700	10 400	8 400	7 000	79,9	77,0	11 600	9 900			20,4		
21,6	76,2	77,2	12 600	10 300	8 300	7 000	78,9	76,7	11 500	9 800	8 400		21,6		
22,0	75,9	77,1	12 500	10 300	8 300	7 000	78,6	76,6	11 400	9 700	8 400		22,0		
22,9	75,2	76,8	12 400	10 300	8 300	7 000	77,9	76,3	11 300	9 700	8 400	7 000	22,9		
24,0	74,3	76,5	12 200	10 300	8 300	7 000	77,1	76,0	11 200	9 600	8 400	7 000	24,0		
24,1	74,3	76,4	12 200	10 300	8 300	7 000	77,0	76,0	11 200	9 600	8 400	7 000	24,1		
25,3	73,3	76,1	12 000	10 200	8 300	6 900	76,1	75,6	11 100	9 500	8 300	7 000	25,3		
26,0	72,8	75,9	12 000	10 200	8 300	6 900	75,5	75,4	11 000	9 400	8 300	7 000	26,0		
26,5	72,4	75,7	11 900	10 100	8 300	6 900	75,1	75,2	11 000	9 400	8 300	7 000	26,5		
28,0	71,2	75,2	11 700	9 900	8 300	6 900	74,0	74,7	10 800	9 300	8 200	7 000	28,0		
30,0	69,6	74,4	11 400	9 800	8 300	6 900	72,4	73,9	10 600	9 100	8 100	7 000	30,0		
32,0	68,0	73,6	10 400	9 500	8 200	6 900	70,7	73,1	10 400	9 000	8 000	7 000	32,0		
34,0	66,4	72,7	9 300	8 500	7 900	6 900	69,1	72,2	9 900	8 800	7 900	7 000	34,0		
36,0	64,8	71,8	8 300	7 600	7 000	6 500	67,5	71,3	8 900	8 200	7 500	6 900	36,0		
38,0	63,1	70,7	7 400	6 800	6 300	5 800	65,8	70,3	8 000	7 400	6 800	6 300	38,0		
40,0	61,4	69,6	6 600	6 100	5 700	5 200	64,1	69,1	7 200	6 600	6 100	5 700	40,0		
42,0	59,7	68,5	5 900	5 500	5 100	4 700	62,4	68,0	6 400	6 000	5 500	5 100	42,0		
44,0	57,9	67,2	5 300	4 900	4 500	4 100	60,6	66,7	5 800	5 300	4 900	4 600	44,0		
46,0	56,2	65,9	4 700	4 400	4 000	3 700	58,8	65,3	5 200	4 800	4 400	4 100	46,0		
48,0	54,3	64,4	4 200	3 900	3 600	3 300	56,9	63,9	4 600	4 300	3 900	3 600	48,0		
50,0	52,5	62,9	3 700	3 400	3 100	2 900	55,1	62,3	4 100	3 800	3 500	3 200	50,0		
52,0	50,5	61,2	3 300	3 000	2 800	2 500	53,1	60,7	3 600	3 400	3 100	2 800	52,0		
54,0	48,6	59,5	2 900	2 600	2 400	2 200	51,1	58,9	3 200	2 900	2 700	2 400	54,0		
56,0	46,5	57,6	2 500	2 300	2 100	1 900	49,0	57,0	2 800	2 600	2 300	2 100	56,0		
56,4	46,1	57,2	2 500	2 200	2 000	1 800	48,6	56,5	2 700	2 500	2 300	2 100	56,4		
57,9	44,5	55,6	2 200	2 000	1 800		47,0	55,0	2 500	2 200	2 000	1 800	57,9		
58,0	44,4	55,5	2 200				46,9	54,9	2 400	2 200	2 000		58,0		
59,4	42,8	54,0	1 900				45,3	53,3	2 200	2 000	1 800		59,4		
60,0							44,7	52,7	2 100				60,0		
61,0							43,6	51,5	1 900				61,0		
62,0													62,0		
62,5													62,5		

MLC200 S-1











25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
19,2							19,2
20,0							20,0
20,4							20,4
21,6							21,6
22,0							22,0
22,9	80,8	75,3	10 300				22,9
24,0	79,9	74,9	10 200				24,0
24,1	79,9	74,9	10 200	8 900			24,1
25,3	78,9	74,5	10 100	8 800	7 800		25,3
26,0	78,3	74,3	10 000	8 800	7 800		26,0
26,5	77,9	74,1	10 000	8 700	7 800	7 000	26,5
28,0	76,7	73,6	9 800	8 700	7 700	6 900	28,0
30,0	75,1	72,8	9 400	8 600	7 600	6 900	30,0
32,0	73,5	72,0	9 000	8 500	7 600	6 800	32,0
34,0	71,8	71,1	8 700	8 400	7 500	6 800	34,0
36,0	70,2	70,1	8 400	8 300	7 400	6 700	36,0
38,0	68,4	69,1	8 200	7 900	7 300	6 700	38,0
40,0	66,7	67,9	7 700	7 100	6 600	6 100	40,0
42,0	64,9	66,7	6 900	6 400	6 000	5 500	42,0
44,0	63,1	65,4	6 200	5 800	5 300	5 000	44,0
46,0	61,3	64,0	5 600	5 200	4 800	4 400	46,0
48,0	59,4	62,6	5 000	4 600	4 300	4 000	48,0
50,0	57,5	61,0	4 500	4 100	3 800	3 500	50,0
52,0	55,5	59,3	4 000	3 700	3 400	3 100	52,0
54,0	53,5	57,4	3 500	3 200	3 000	2 700	54,0
56,0	51,3	55,5	3 100	2 800	2 600	2 400	56,0
56,4	50,9	55,0	3 000	2 800	2 500	2 300	56,4
57,9	49,2	53,4	2 700	2 500	2 200	2 000	57,9
58,0	49,1	53,3	2 700	2 500	2 200	2 000	58,0
59,4	47,5	51,7	2 400	2 200	2 000	1 800	59,4
60,0	46,8	51,0	2 300	2 100			60,0
61,0	45,7	49,8	2 100	1 900			61,0
62,0	44,4	48,5	2 000				62,0
62,5	43,8	47,9	1 900				62,5

MLC200 S-1



51 980 kg
+
0 kg



	 5°			 15°				
								
			 0°			 0°		
	m	°	m	kg	°	m	kg	m
15,8	80,9	81,5	13 000					15,8
16,0	80,8	81,5	13 000					16,0
18,0	79,4	81,1	12 900					18,0
19,5	78,2	80,8	12 800	80,9	80,3	11 700		19,5
20,0	77,9	80,7	12 800	80,6	80,2	11 600		20,0
22,0	76,4	80,2	12 500	79,1	79,7	11 400		22,0
23,2	75,5	79,8	12 400	78,2	79,4	11 300		23,2
24,0	74,9	79,6	12 300	77,6	79,2	11 200		24,0
26,0	73,5	79,0	12 000	76,1	78,6	11 000		26,0
28,0	71,9	78,4	11 800	74,6	77,9	10 800		28,0
30,0	70,4	77,6	11 300	73,1	77,2	10 600		30,0
32,0	68,9	76,9	10 100	71,5	76,4	10 400		32,0
34,0	67,4	76,0	9 000	70,0	75,5	9 700		34,0
36,0	65,8	75,1	8 100	68,4	74,6	8 700		36,0
38,0	64,2	74,1	7 200	66,8	73,6	7 800		38,0
40,0	62,6	73,1	6 400	65,2	72,6	7 000		40,0
42,0	61,0	72,0	5 700	63,5	71,5	6 200		42,0
44,0	59,3	70,8	5 100	61,8	70,3	5 600		44,0
46,0	57,6	69,5	4 500	60,1	69,0	5 000		46,0
48,0	55,9	68,1	4 000	58,4	67,6	4 400		48,0
50,0	54,1	66,7	3 500	56,6	66,1	3 900		50,0
52,0	52,3	65,1	3 100	54,8	64,6	3 400		52,0
54,0	50,5	63,5	2 700	52,9	62,9	3 000		54,0
56,0	48,6	61,7	2 300	51,0	61,1	2 600		56,0
57,9	46,7	59,9	2 000	49,1	59,3	2 300		57,9
58,0				49,0	59,2	2 200		58,0
59,4				47,6	57,8	2 000		59,4
60,0								60,0
61,0								61,0


MLC200 S-1



51 980 kg
+
0 kg



59,0 m



21,3 m

25°				
0°				
m	°	m	kg	m
15,8				15,8
16,0				16,0
18,0				18,0
19,5				19,5
20,0				20,0
22,0				22,0
23,2	81,0	78,3	10 300	23,2
24,0	80,3	78,1	10 200	24,0
26,0	78,8	77,4	10 000	26,0
28,0	77,3	76,8	9 900	28,0
30,0	75,7	76,0	9 500	30,0
32,0	74,2	75,2	9 200	32,0
34,0	72,6	74,4	8 900	34,0
36,0	71,0	73,4	8 600	36,0
38,0	69,4	72,4	8 300	38,0
40,0	67,7	71,4	7 500	40,0
42,0	66,0	70,2	6 700	42,0
44,0	64,3	69,0	6 000	44,0
46,0	62,6	67,7	5 400	46,0
48,0	60,8	66,3	4 800	48,0
50,0	59,0	64,8	4 300	50,0
52,0	57,1	63,2	3 800	52,0
54,0	55,2	61,5	3 300	54,0
56,0	53,3	59,7	2 900	56,0
57,9	51,3	57,8	2 500	57,9
58,0	51,2	57,7	2 500	58,0
59,4	49,7	56,2	2 200	59,4
60,0	49,1	55,6	2 100	60,0
61,0	48,1	54,5	2 000	61,0

MLC200 S-1



51 980 kg
+
0 kg









360°




32,0 m



24,4 m


	 5°							 15°							
	 m	 °	 m					 °	 m					 m	
				 0°	 1°	 2°	 3°			 0°	 1°	 2°	 3°		
11,6	81,0	58,0	10 700											11,6	
12,0	80,6	57,9	10 700											12,0	
12,8	79,7	57,7	10 700	8 500										12,8	
13,7	78,8	57,5	10 600	8 400	6 700									13,7	
14,0	78,5	57,5	10 600	8 400	6 700									14,0	
14,6	77,9	57,3	10 500	8 400	6 700	5 500								14,6	
15,8	76,6	57,0	10 400	8 300	6 700	5 500	81,0	56,7	10 200					15,8	
16,0	76,4	57,0	10 400	8 300	6 700	5 500	80,8	56,7	10 100					16,0	
16,8	75,6	56,8	10 300	8 300	6 700	5 500	80,0	56,4	10 100	8 300				16,8	
18,0	74,3	56,4	10 100	8 300	6 600	5 500	78,7	56,1	9 900	8 200	6 600			18,0	
18,9	73,3	56,2	10 000	8 200	6 600	5 500	77,7	55,8	9 800	8 200	6 600	5 500		18,9	
20,0	72,2	55,8	9 900	8 200	6 600	5 500	76,5	55,5	9 700	8 200	6 600	5 500		20,0	
20,1	72,1	55,8	9 900	8 200	6 600	5 500	76,4	55,4	9 600	8 200	6 600	5 500		20,1	
21,0	71,1	55,4	9 800	8 200	6 600	5 400	75,5	55,1	9 500	8 200	6 600	5 500		21,0	
21,9	70,1	55,1	9 700	8 100	6 600	5 400	74,5	54,8	9 400	8 100	6 600	5 500		21,9	
22,0	70,0	55,1	9 600	8 100	6 600	5 400	74,4	54,7	9 400	8 100	6 600	5 500		22,0	
22,9	69,0	54,7	9 500	8 100	6 500	5 400	73,4	54,4	9 200	8 000	6 600	5 400		22,9	
24,0	67,8	54,3	9 400	8 100	6 500	5 400	72,2	53,9	9 000	7 900	6 600	5 400		24,0	
26,0	65,6	53,4	9 200	8 000	6 500	5 400	69,9	53,0	8 800	7 700	6 500	5 400		26,0	
28,0	63,3	52,4	9 000	7 900	6 500	5 400	67,6	52,0	8 500	7 500	6 500	5 400		28,0	
30,0	61,0	51,3	8 800	7 700	6 400	5 300	65,3	50,9	8 200	7 300	6 500	5 400		30,0	
32,0	58,6	50,1	8 500	7 400	6 400	5 300	62,9	49,7	7 900	7 100	6 400	5 400		32,0	
34,0	56,2	48,7	8 200	7 200	6 400	5 300	60,4	48,3	7 700	6 900	6 200	5 400		34,0	
36,0	53,7	47,3	7 900	7 000	6 300	5 300	57,9	46,9	7 500	6 700	6 100	5 400		36,0	
38,0	51,1	45,7	7 700	6 800	6 200	5 300	55,3	45,2	7 300	6 500	5 900	5 400		38,0	
40,0	48,4	43,9	7 400	6 600	6 000	5 300	52,5	43,5	7 100	6 400	5 800	5 300		40,0	
42,0	45,5	42,0	7 200	6 500	5 800	5 300	49,7	41,5	6 900	6 200	5 700	5 200		42,0	
44,0	42,6	39,8	7 000	6 300	5 700	5 200	46,7	39,3	6 600	6 100	5 600	5 100		44,0	
46,0	39,4	37,5	6 500	6 100	5 600	5 100	43,5	36,9	6 400	6 000	5 500	5 000		46,0	
48,0	36,0	34,8	5 900	5 700	5 400	5 000	40,0	34,2	6 100	5 800	5 400	5 000		48,0	
50,0	32,3	31,7	5 500	5 300	5 100	4 900	36,2	31,1	5 700	5 500	5 200	4 900		50,0	
50,0	32,3	31,7	5 500	5 300	5 100	4 900	36,2	31,1	5 700	5 500	5 200	4 900		50,0	
52,0	28,1	28,1	5 000	4 900	4 700	4 600	31,9	27,4	5 200	5 000	4 900	4 700		52,0	
53,6	24,1	24,6	4 700	4 500	4 400	4 300	27,9	23,8	4 800	4 700	4 500	4 400		53,6	
54,0	23,2	23,8	4 600	4 500	4 300	4 200								54,0	
55,8	17,8	18,8	4 300	4 100	4 000	3 900								55,8	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
11,6							11,6
12,0							12,0
12,8							12,8
13,7							13,7
14,0							14,0
14,6							14,6
15,8							15,8
16,0							16,0
16,8							16,8
18,0							18,0
18,9							18,9
20,0							20,0
20,1	81,0	54,5	8 800				20,1
21,0	80,0	54,1	8 700	7 600			21,0
21,9	79,0	53,8	8 600	7 500	6 600		21,9
22,0	78,9	53,8	8 500	7 500	6 600		22,0
22,9	77,9	53,4	8 400	7 400	6 600	5 500	22,9
24,0	76,7	53,0	8 300	7 300	6 600	5 500	24,0
26,0	74,4	52,0	8 100	7 200	6 400	5 500	26,0
28,0	72,1	51,0	7 600	7 000	6 300	5 500	28,0
30,0	69,7	49,9	7 200	6 900	6 200	5 500	30,0
32,0	67,2	48,6	6 800	6 700	6 100	5 500	32,0
34,0	64,7	47,2	6 500	6 400	6 000	5 400	34,0
36,0	62,1	45,7	6 200	6 100	5 800	5 400	36,0
38,0	59,4	44,1	6 000	5 900	5 800	5 300	38,0
40,0	56,6	42,3	5 700	5 700	5 600	5 200	40,0
42,0	53,6	40,2	5 500	5 400	5 400	5 100	42,0
44,0	50,5	38,0	5 300	5 200	5 200	5 100	44,0
46,0	47,2	35,5	5 100	5 100	5 000	5 000	46,0
48,0	43,6	32,6	5 000	4 900	4 900	4 900	48,0
50,0	39,6	29,3	4 800	4 800	4 800	4 700	50,0
50,0							50,0
52,0							52,0
53,6							53,6
54,0							54,0
55,8							55,8

MLC200 S-1



51 980 kg
+
0 kg







360°



35,0 m





24,4 m


	 5°							 15°							
															
															
m	o	m	kg	kg	kg	kg	o	m	kg	kg	kg	kg	m		
12,2	80,9	60,9	10 700										12,2		
13,1	80,0	60,7	10 600	8 400									13,1		
14,0	79,1	60,5	10 600	8 400									14,0		
14,3	78,8	60,5	10 500	8 400	6 700								14,3		
15,2	77,9	60,3	10 400	8 300	6 700	5 500							15,2		
16,0	77,1	60,1	10 400	8 300	6 600	5 500							16,0		
16,5	76,6	59,9	10 300	8 300	6 600	5 500	80,8	59,6	10 100				16,5		
17,4	75,7	59,7	10 200	8 300	6 600	5 500	79,9	59,4	10 000	8 200			17,4		
18,0	75,1	59,6	10 100	8 300	6 600	5 500	79,3	59,2	9 900	8 200			18,0		
18,3	74,8	59,5	10 100	8 200	6 600	5 500	79,0	59,1	9 900	8 200	6 600		18,3		
19,5	73,6	59,1	10 000	8 200	6 600	5 500	77,8	58,7	9 800	8 200	6 600	5 500	19,5		
20,0	73,1	59,0	9 900	8 200	6 600	5 500	77,3	58,6	9 700	8 200	6 600	5 400	20,0		
20,7	72,4	58,7	9 800	8 200	6 600	5 400	76,5	58,3	9 600	8 200	6 600	5 400	20,7		
21,6	71,5	58,4	9 700	8 100	6 500	5 400	75,6	58,0	9 500	8 100	6 600	5 400	21,6		
22,0	71,1	58,3	9 700	8 100	6 500	5 400	75,2	57,9	9 500	8 100	6 600	5 400	22,0		
22,6	70,4	58,0	9 600	8 100	6 500	5 400	74,6	57,7	9 400	8 100	6 600	5 400	22,6		
23,5	69,5	57,7	9 500	8 100	6 500	5 400	73,6	57,3	9 200	8 000	6 500	5 400	23,5		
24,0	69,0	57,5	9 500	8 100	6 500	5 400	73,1	57,1	9 200	8 000	6 500	5 400	24,0		
26,0	66,9	56,7	9 200	8 000	6 400	5 400	71,0	56,3	8 900	7 800	6 500	5 400	26,0		
28,0	64,8	55,7	9 000	8 000	6 400	5 400	68,9	55,3	8 600	7 600	6 500	5 400	28,0		
30,0	62,6	54,7	8 800	7 800	6 400	5 300	66,7	54,3	8 400	7 400	6 500	5 400	30,0		
32,0	60,4	53,6	8 700	7 600	6 400	5 300	64,4	53,2	8 100	7 200	6 400	5 400	32,0		
34,0	58,1	52,3	8 400	7 400	6 300	5 300	62,2	51,9	7 900	7 000	6 300	5 400	34,0		
36,0	55,8	51,0	8 100	7 200	6 300	5 300	59,8	50,6	7 700	6 800	6 200	5 400	36,0		
38,0	53,4	49,5	7 900	7 000	6 300	5 300	57,4	49,1	7 400	6 700	6 000	5 400	38,0		
40,0	50,9	47,9	7 600	6 800	6 100	5 300	54,9	47,4	7 300	6 500	5 900	5 400	40,0		
42,0	48,3	46,1	7 300	6 600	6 000	5 200	52,3	45,7	7 100	6 400	5 800	5 300	42,0		
44,0	45,7	44,2	6 800	6 500	5 800	5 200	49,6	43,7	6 900	6 200	5 700	5 200	44,0		
46,0	42,8	42,1	6 200	6 000	5 700	5 200	46,7	41,6	6 500	6 100	5 600	5 100	46,0		
48,0	39,9	39,7	5 700	5 500	5 300	5 000	43,7	39,2	6 000	5 700	5 400	5 000	48,0		
50,0	36,7	37,1	5 200	5 000	4 800	4 600	40,5	36,5	5 500	5 200	5 000	4 800	50,0		
52,0	33,2	34,2	4 800	4 600	4 400	4 300	37,0	33,5	5 000	4 800	4 600	4 400	52,0		
52,4	32,4	33,4	4 700	4 500	4 400	4 200	36,1	32,7	4 900	4 700	4 500	4 400	52,4		
54,0	29,4	30,7	4 400	4 200	4 100	3 900	33,1	30,0	4 600	4 400	4 200	4 100	54,0		
56,0	25,1	26,7	4 000	3 900	3 700	3 600	28,6	25,8	4 100	4 000	3 900	3 700	56,0		
56,1	24,8	26,5	4 000	3 900	3 700	3 600	28,4	25,7	4 100	4 000	3 800	3 700	56,1		
58,0	19,8	21,6	3 600	3 500	3 400	3 300							58,0		
58,5	18,2	20,0	3 600	3 400	3 300	3 200							58,5		

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \end{array}$$


	 25°						 m
	 o	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
12,2							12,2
13,1							13,1
14,0							14,0
14,3							14,3
15,2							15,2
16,0							16,0
16,5							16,5
17,4							17,4
18,0							18,0
18,3							18,3
19,5							19,5
20,0							20,0
20,7	80,9	57,4	8 700				20,7
21,6	79,9	57,1	8 600	7 600			21,6
22,0	79,5	56,9	8 600	7 600			22,0
22,6	78,9	56,7	8 500	7 500	6 600		22,6
23,5	77,9	56,3	8 400	7 400	6 600	5 400	23,5
24,0	77,4	56,1	8 400	7 400	6 600	5 400	24,0
26,0	75,3	55,3	8 100	7 200	6 500	5 400	26,0
28,0	73,1	54,3	7 800	7 100	6 400	5 400	28,0
30,0	70,8	53,3	7 400	6 900	6 200	5 400	30,0
32,0	68,6	52,1	7 000	6 800	6 100	5 400	32,0
34,0	66,2	50,8	6 700	6 600	6 000	5 400	34,0
36,0	63,8	49,4	6 400	6 300	5 900	5 400	36,0
38,0	61,3	47,9	6 200	6 100	5 800	5 300	38,0
40,0	58,8	46,2	5 900	5 800	5 700	5 200	40,0
42,0	56,1	44,4	5 700	5 600	5 500	5 200	42,0
44,0	53,3	42,4	5 500	5 400	5 400	5 100	44,0
46,0	50,4	40,2	5 300	5 200	5 200	5 100	46,0
48,0	47,2	37,7	5 100	5 100	5 000	5 000	48,0
50,0	43,8	34,9	5 000	4 900	4 900	4 900	50,0
52,0	40,1	31,7	4 800	4 800	4 800	4 600	52,0
52,4	39,3	31,0	4 800	4 800	4 700	4 500	52,4
54,0							54,0
56,0							56,0
56,1							56,1
58,0							58,0
58,5							58,5


MLC200 S-1



51 980 kg
+
0 kg







360°




38,0 m



24,4 m

	 5°						 15°						
													
													
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,5	81,0	63,9	10 800										12,5
13,7	79,9	63,7	10 600	8 300									13,7
14,0	79,6	63,6	10 500	8 300									14,0
14,6	79,1	63,5	10 500	8 300	6 700								14,6
15,8	77,9	63,2	10 400	8 300	6 600	5 500							15,8
16,0	77,7	63,2	10 400	8 300	6 600	5 500							16,0
16,8	77,0	63,0	10 300	8 300	6 600	5 500	81,0	62,6	10 100				16,8
18,0	75,9	62,7	10 200	8 200	6 600	5 500	79,8	62,3	9 900	8 200			18,0
18,9	75,0	62,4	10 100	8 200	6 600	5 400	79,0	62,1	9 900	8 200	6 600		18,9
20,0	73,9	62,1	9 900	8 200	6 500	5 400	77,9	61,7	9 700	8 200	6 600		20,0
20,1	73,8	62,1	9 900	8 200	6 500	5 400	77,8	61,7	9 700	8 200	6 500	5 400	20,1
21,3	72,7	61,7	9 800	8 100	6 500	5 400	76,6	61,3	9 600	8 100	6 500	5 400	21,3
22,0	72,0	61,5	9 700	8 100	6 500	5 400	76,0	61,1	9 500	8 100	6 500	5 400	22,0
22,3	71,7	61,4	9 700	8 100	6 500	5 400	75,7	61,0	9 500	8 100	6 500	5 400	22,3
23,2	70,8	61,0	9 600	8 100	6 500	5 400	74,8	60,7	9 400	8 100	6 500	5 400	23,2
24,0	70,1	60,7	9 500	8 100	6 500	5 400	74,0	60,4	9 300	8 000	6 500	5 400	24,0
24,1	70,0	60,7	9 500	8 000	6 500	5 400	73,9	60,3	9 300	8 000	6 500	5 400	24,1
26,0	68,1	59,9	9 300	8 000	6 500	5 400	72,0	59,6	9 000	7 800	6 500	5 400	26,0
28,0	66,1	59,1	9 100	8 000	6 400	5 300	70,0	58,7	8 700	7 600	6 500	5 400	28,0
30,0	64,0	58,1	8 900	7 900	6 400	5 300	67,9	57,7	8 500	7 500	6 500	5 400	30,0
32,0	62,0	57,0	8 700	7 700	6 300	5 300	65,8	56,6	8 200	7 300	6 500	5 400	32,0
34,0	59,8	55,9	8 500	7 500	6 300	5 300	63,7	55,5	8 000	7 100	6 400	5 400	34,0
36,0	57,7	54,6	8 300	7 300	6 300	5 300	61,5	54,2	7 800	6 900	6 300	5 400	36,0
38,0	55,4	53,3	8 100	7 100	6 300	5 300	59,3	52,8	7 600	6 800	6 100	5 400	38,0
40,0	53,2	51,8	7 800	6 900	6 200	5 200	57,0	51,3	7 400	6 600	6 000	5 400	40,0
42,0	50,8	50,2	7 200	6 700	6 100	5 200	54,6	49,7	7 200	6 500	5 900	5 400	42,0
44,0	48,3	48,4	6 600	6 300	5 900	5 200	52,1	47,9	6 900	6 300	5 800	5 300	44,0
46,0	45,8	46,5	6 000	5 700	5 500	5 200	49,5	46,0	6 300	6 100	5 600	5 200	46,0
48,0	43,1	44,4	5 500	5 300	5 000	4 800	46,8	43,8	5 800	5 500	5 300	5 000	48,0
50,0	40,3	42,1	5 000	4 800	4 600	4 400	44,0	41,5	5 300	5 100	4 800	4 600	50,0
52,0	37,3	39,5	4 600	4 400	4 200	4 000	41,0	38,9	4 800	4 600	4 400	4 200	52,0
54,0	34,1	36,6	4 200	4 000	3 800	3 700	37,7	36,0	4 400	4 200	4 000	3 900	54,0
54,6	33,1	35,7	4 100	3 900	3 700	3 600	36,7	35,0	4 300	4 100	3 900	3 800	54,6
56,0	30,6	33,4	3 800	3 700	3 500	3 400	34,1	32,6	4 000	3 800	3 700	3 500	56,0
58,0	26,7	29,5	3 500	3 300	3 200	3 100	30,0	28,7	3 600	3 500	3 300	3 200	58,0
58,8	24,7	27,6	3 300	3 200	3 100	2 900	28,2	26,9	3 500	3 300	3 200	3 100	58,8
60,0	22,0	24,9	3 100	3 000	2 900	2 800							60,0
61,6	17,6	20,4	2 900	2 800	2 700	2 600							61,6

MLC200 S-1



25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
12,5							12,5
13,7							13,7
14,0							14,0
14,6							14,6
15,8							15,8
16,0							16,0
16,8							16,8
18,0							18,0
18,9							18,9
20,0							20,0
20,1							20,1
21,3	80,7	60,3	8 700				21,3
22,0	80,1	60,1	8 700				22,0
22,3	79,8	60,0	8 600	7 600			22,3
23,2	78,9	59,6	8 500	7 500	6 500		23,2
24,0	78,1	59,4	8 400	7 400	6 500		24,0
24,1	78,0	59,3	8 400	7 400	6 500	5 400	24,1
26,0	76,0	58,5	8 200	7 300	6 500	5 400	26,0
28,0	74,0	57,6	8 000	7 100	6 400	5 400	28,0
30,0	71,9	56,6	7 600	7 000	6 300	5 400	30,0
32,0	69,8	55,5	7 200	6 800	6 200	5 400	32,0
34,0	67,6	54,4	6 900	6 700	6 100	5 400	34,0
36,0	65,3	53,1	6 600	6 500	6 000	5 400	36,0
38,0	63,1	51,7	6 300	6 200	5 900	5 400	38,0
40,0	60,7	50,1	6 100	6 000	5 800	5 300	40,0
42,0	58,2	48,4	5 900	5 800	5 700	5 200	42,0
44,0	55,7	46,6	5 700	5 600	5 500	5 200	44,0
46,0	53,0	44,6	5 500	5 400	5 300	5 100	46,0
48,0	50,3	42,4	5 300	5 200	5 200	5 100	48,0
50,0	47,3	40,0	5 100	5 100	5 000	4 800	50,0
52,0	44,1	37,3	5 000	4 800	4 600	4 400	52,0
54,0	40,7	34,2	4 600	4 400	4 200	4 000	54,0
54,6	39,7	33,3	4 500	4 300	4 100	3 900	54,6
56,0							56,0
58,0							58,0
58,8							58,8
60,0							60,0
61,6							61,6

MLC200 S-1




51 980 kg
+
0 kg







360°



41,0 m




24,4 m

	 5°							 15°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
13,1	80,9	66,8	10 800											13,1	
14,0	80,1	66,7	10 500											14,0	
14,3	79,8	66,6	10 400	8 300										14,3	
15,2	79,0	66,4	10 400	8 300	6 600									15,2	
16,0	78,3	66,3	10 300	8 200	6 600									16,0	
16,5	77,9	66,1	10 300	8 200	6 600	5 500								16,5	
17,4	77,1	65,9	10 200	8 200	6 600	5 400	80,9	65,6	10 000					17,4	
18,0	76,5	65,8	10 200	8 200	6 600	5 400	80,3	65,4	9 900					18,0	
18,6	76,0	65,6	10 100	8 200	6 500	5 400	79,8	65,2	9 900	8 100				18,6	
19,5	75,1	65,4	10 000	8 100	6 500	5 400	78,9	65,0	9 800	8 100	6 500			19,5	
20,0	74,7	65,2	9 900	8 100	6 500	5 400	78,5	64,9	9 800	8 100	6 500			20,0	
20,7	74,0	65,0	9 900	8 100	6 500	5 400	77,8	64,6	9 700	8 100	6 500	5 400		20,7	
21,6	73,2	64,7	9 800	8 100	6 500	5 400	77,0	64,4	9 600	8 100	6 500	5 400	5 400	21,6	
22,0	72,9	64,6	9 700	8 100	6 500	5 400	76,6	64,2	9 600	8 100	6 500	5 400	5 400	22,0	
22,9	72,0	64,3	9 600	8 100	6 500	5 400	75,8	63,9	9 500	8 100	6 500	5 400	5 400	22,9	
23,8	71,2	64,0	9 500	8 000	6 400	5 300	74,9	63,6	9 300	8 100	6 500	5 400	5 400	23,8	
24,0	71,0	63,9	9 500	8 000	6 400	5 300	74,8	63,5	9 300	8 100	6 500	5 400	5 400	24,0	
24,7	70,4	63,7	9 500	8 000	6 400	5 300	74,1	63,3	9 200	8 000	6 500	5 400	5 400	24,7	
26,0	69,1	63,2	9 300	8 000	6 400	5 300	72,9	62,8	9 100	7 900	6 500	5 400	5 400	26,0	
28,0	67,2	62,3	9 100	7 900	6 400	5 300	71,0	61,9	8 800	7 700	6 500	5 400	5 400	28,0	
30,0	65,3	61,4	8 900	7 900	6 300	5 300	69,0	61,0	8 600	7 500	6 400	5 400	5 400	30,0	
32,0	63,4	60,4	8 700	7 800	6 300	5 300	67,1	60,0	8 400	7 400	6 400	5 400	5 400	32,0	
34,0	61,4	59,3	8 600	7 600	6 300	5 300	65,0	58,9	8 100	7 200	6 400	5 400	5 400	34,0	
36,0	59,3	58,2	8 400	7 400	6 300	5 200	63,0	57,7	7 900	7 000	6 300	5 400	5 400	36,0	
38,0	57,2	56,9	8 300	7 300	6 200	5 200	60,9	56,4	7 700	6 900	6 200	5 400	5 400	38,0	
40,0	55,1	55,5	7 700	7 000	6 200	5 200	58,8	55,0	7 600	6 700	6 100	5 400	5 400	40,0	
42,0	52,9	54,0	7 000	6 600	6 100	5 200	56,5	53,5	7 300	6 600	6 000	5 400	5 400	42,0	
44,0	50,7	52,4	6 400	6 000	5 700	5 200	54,3	51,9	6 700	6 400	5 900	5 400	5 400	44,0	
46,0	48,3	50,6	5 800	5 500	5 200	4 900	51,9	50,1	6 100	5 800	5 500	5 200	5 200	46,0	
48,0	45,9	48,7	5 300	5 000	4 700	4 500	49,5	48,2	5 600	5 300	5 000	4 800	4 800	48,0	
50,0	43,4	46,6	4 800	4 600	4 300	4 100	46,9	46,1	5 100	4 800	4 600	4 400	4 400	50,0	
52,0	40,7	44,3	4 400	4 100	3 900	3 700	44,2	43,8	4 600	4 400	4 200	4 000	4 000	52,0	
54,0	37,9	41,8	4 000	3 800	3 600	3 400	41,3	41,2	4 200	4 000	3 800	3 600	3 600	54,0	
56,0	34,9	39,0	3 600	3 400	3 200	3 100	38,3	38,4	3 800	3 600	3 400	3 300	3 300	56,0	
57,0	33,2	37,4	3 400	3 200	3 100	2 900	36,6	36,7	3 600	3 400	3 300	3 100	3 100	57,0	
58,0	31,6	35,9	3 200	3 100	2 900	2 800	34,9	35,1	3 400	3 200	3 100	2 900	2 900	58,0	
60,0	28,0	32,2	2 900	2 800	2 600	2 500	31,2	31,4	3 100	2 900	2 800	2 600	2 600	60,0	
61,6	24,7	28,9	2 700	2 500	2 400	2 300	27,9	28,0	2 800	2 700	2 500	2 400	2 400	61,6	
62,0	23,8	28,0	2 600	2 500	2 400	2 200								62,0	
64,0	18,8	22,6	2 300	2 200	2 100	2 000								64,0	
64,3	17,9	21,6	2 200	2 100	2 000	2 000								64,3	

MLC200 S-1






$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]

MLC200 S-1



51 980 kg
+
0 kg












	 5°							 15°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
13,7	80,8	69,8	10 400											13,7	
14,0	80,5	69,7	10 400											14,0	
14,6	80,0	69,6	10 400	8 200										14,6	
15,8	79,0	69,4	10 300	8 200	6 500									15,8	
16,0	78,8	69,3	10 300	8 200	6 500									16,0	
17,1	77,9	69,1	10 200	8 200	6 500	5 400								17,1	
18,0	77,1	68,9	10 100	8 100	6 500	5 400	80,8	68,5	9 900					18,0	
18,9	76,3	68,6	10 100	8 100	6 500	5 400	80,0	68,3	9 900	8 100				18,9	
20,0	75,4	68,4	9 900	8 100	6 500	5 400	79,0	68,0	9 800	8 100				20,0	
20,1	75,3	68,3	9 900	8 100	6 500	5 400	78,9	67,9	9 700	8 100	6 500			20,1	
21,3	74,3	68,0	9 800	8 100	6 500	5 400	77,9	67,6	9 600	8 100	6 500	5 400		21,3	
22,0	73,6	67,8	9 700	8 000	6 400	5 400	77,2	67,4	9 600	8 000	6 500	5 400		22,0	
22,3	73,4	67,7	9 700	8 000	6 400	5 300	77,0	67,3	9 600	8 000	6 500	5 400		22,3	
23,2	72,6	67,4	9 600	8 000	6 400	5 300	76,2	67,0	9 500	8 000	6 500	5 400		23,2	
24,0	71,9	67,1	9 500	8 000	6 400	5 300	75,5	66,7	9 400	8 000	6 500	5 300		24,0	
24,4	71,5	67,0	9 500	8 000	6 400	5 300	75,1	66,6	9 300	8 000	6 500	5 300		24,4	
25,3	70,7	66,7	9 400	8 000	6 400	5 300	74,3	66,3	9 200	8 000	6 500	5 300		25,3	
26,0	70,1	66,4	9 400	7 900	6 400	5 300	73,7	66,0	9 100	8 000	6 400	5 300		26,0	
28,0	68,3	65,6	9 200	7 900	6 400	5 300	71,9	65,2	8 900	7 800	6 400	5 300		28,0	
30,0	66,5	64,7	9 000	7 800	6 300	5 300	70,0	64,3	8 700	7 600	6 400	5 300		30,0	
32,0	64,6	63,8	8 800	7 800	6 300	5 200	68,2	63,4	8 500	7 400	6 400	5 300		32,0	
34,0	62,7	62,8	8 600	7 700	6 300	5 200	66,3	62,4	8 300	7 300	6 400	5 300		34,0	
36,0	60,8	61,7	8 500	7 600	6 300	5 200	64,3	61,2	8 000	7 100	6 400	5 300		36,0	
38,0	58,9	60,5	8 200	7 400	6 200	5 200	62,4	60,0	7 900	7 000	6 300	5 300		38,0	
40,0	56,9	59,2	7 500	7 100	6 200	5 200	60,4	58,7	7 700	6 800	6 200	5 300		40,0	
42,0	54,8	57,8	6 800	6 400	6 000	5 200	58,3	57,3	7 300	6 700	6 000	5 300		42,0	
44,0	52,7	56,3	6 200	5 800	5 500	5 100	56,2	55,8	6 600	6 200	5 900	5 300		44,0	
46,0	50,6	54,6	5 600	5 300	5 000	4 700	54,0	54,1	6 000	5 700	5 400	5 100		46,0	
48,0	48,3	52,9	5 100	4 800	4 600	4 300	51,7	52,4	5 500	5 200	4 900	4 600		48,0	
50,0	46,0	51,0	4 600	4 400	4 100	3 900	49,4	50,4	5 000	4 700	4 400	4 200		50,0	
52,0	43,6	48,9	4 200	4 000	3 700	3 500	47,0	48,3	4 500	4 300	4 000	3 800		52,0	
54,0	41,1	46,6	3 800	3 600	3 400	3 200	44,4	46,1	4 100	3 800	3 600	3 400		54,0	
56,0	38,4	44,2	3 400	3 200	3 100	2 900	41,7	43,5	3 700	3 500	3 300	3 100		56,0	
58,0	35,6	41,4	3 100	2 900	2 700	2 600	38,8	40,8	3 300	3 100	2 900	2 800		58,0	
59,4	33,4	39,2	2 800	2 700	2 500	2 400	36,6	38,5	3 000	2 900	2 700	2 600		59,4	
60,0	32,5	38,4	2 800	2 600	2 500	2 300	35,7	37,7	2 900	2 800	2 600	2 500		60,0	
62,0	29,2	34,9	2 500	2 300	2 200	2 000	32,3	34,1	2 600	2 500	2 300	2 200		62,0	
64,0	25,4	30,9	2 200	2 000	1 900	1 800	28,4	30,0	2 300	2 200	2 000	1 900		64,0	
65,5	22,1	27,3	1 900	1 800										65,5	

MLC200 S-1



$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$
[illegible]



MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$



	 5°						 15°								
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg			 kg
14,0	80,9	72,8	10 300											14,0	
15,2	80,0	72,5	10 300	8 200										15,2	
16,0	79,3	72,4	10 300	8 200										16,0	
16,5	78,9	72,3	10 200	8 100	6 500									16,5	
17,7	77,9	72,0	10 100	8 100	6 500	5 400								17,7	
18,0	77,7	72,0	10 100	8 100	6 500	5 400								18,0	
18,3	77,4	71,9	10 100	8 100	6 500	5 400	80,9	71,5	9 900					18,3	
19,5	76,4	71,6	10 000	8 100	6 500	5 300	79,9	71,2	9 800	8 000				19,5	
20,0	76,0	71,5	9 900	8 100	6 500	5 300	79,5	71,1	9 800	8 000				20,0	
20,7	75,4	71,3	9 900	8 000	6 400	5 300	78,9	70,9	9 700	8 000	6 400			20,7	
21,9	74,4	70,9	9 800	8 000	6 400	5 300	77,9	70,5	9 600	8 000	6 400	5 300		21,9	
22,0	74,4	70,9	9 700	8 000	6 400	5 300	77,8	70,5	9 600	8 000	6 400	5 300		22,0	
22,6	73,8	70,7	9 700	8 000	6 400	5 300	77,3	70,3	9 500	8 000	6 400	5 300		22,6	
23,8	72,8	70,3	9 600	8 000	6 400	5 300	76,3	69,9	9 400	8 000	6 400	5 300		23,8	
24,0	72,7	70,3	9 600	8 000	6 400	5 300	76,1	69,9	9 400	8 000	6 400	5 300		24,0	
25,0	71,8	69,9	9 500	7 900	6 400	5 300	75,3	69,5	9 300	8 000	6 400	5 300		25,0	
26,0	71,0	69,6	9 400	7 900	6 300	5 300	74,4	69,2	9 200	8 000	6 400	5 300		26,0	
26,2	70,8	69,5	9 300	7 900	6 300	5 300	74,2	69,1	9 200	8 000	6 400	5 300		26,2	
28,0	69,3	68,8	9 200	7 900	6 300	5 300	72,7	68,4	9 000	7 800	6 400	5 300		28,0	
30,0	67,5	68,0	9 000	7 800	6 300	5 200	70,9	67,6	8 800	7 700	6 400	5 300		30,0	
32,0	65,8	67,1	8 800	7 800	6 300	5 200	69,2	66,7	8 600	7 500	6 400	5 300		32,0	
34,0	64,0	66,1	8 600	7 700	6 300	5 200	67,4	65,7	8 400	7 300	6 400	5 300		34,0	
36,0	62,2	65,1	8 500	7 700	6 200	5 200	65,5	64,7	8 200	7 200	6 400	5 300		36,0	
38,0	60,3	64,0	8 000	7 500	6 200	5 200	63,7	63,5	8 000	7 000	6 300	5 300		38,0	
40,0	58,4	62,7	7 300	6 800	6 100	5 200	61,8	62,3	7 700	6 900	6 200	5 300		40,0	
42,0	56,5	61,4	6 600	6 200	5 800	5 200	59,9	61,0	7 100	6 600	6 100	5 300		42,0	
44,0	54,6	60,0	6 000	5 600	5 200	4 900	57,9	59,5	6 400	6 000	5 600	5 300		44,0	
46,0	52,5	58,5	5 400	5 100	4 700	4 400	55,8	58,0	5 800	5 500	5 100	4 800		46,0	
48,0	50,5	56,9	4 900	4 600	4 300	4 000	53,7	56,4	5 300	4 900	4 600	4 400		48,0	
50,0	48,3	55,1	4 400	4 100	3 900	3 600	51,6	54,6	4 800	4 500	4 200	3 900		50,0	
52,0	46,1	53,2	4 000	3 700	3 500	3 300	49,3	52,7	4 300	4 000	3 800	3 500		52,0	
54,0	43,8	51,1	3 600	3 300	3 100	2 900	47,0	50,6	3 900	3 600	3 400	3 200		54,0	
56,0	41,4	48,9	3 200	3 000	2 800	2 600	44,6	48,3	3 500	3 300	3 000	2 800		56,0	
58,0	38,9	46,5	2 800	2 700	2 500	2 300	42,0	45,8	3 100	2 900	2 700	2 500		58,0	
60,0	36,2	43,8	2 500	2 400	2 200	2 000	39,3	43,1	2 700	2 600	2 400	2 200		60,0	
61,0	34,8	42,3	2 400	2 200	2 100	1 900	37,9	41,7	2 600	2 400	2 300	2 100		61,0	
61,6	33,9	41,4	2 300	2 100	2 000		37,0	40,7	2 500	2 300	2 200	2 000		61,6	
62,0	33,3	40,8	2 200	2 100	1 900		36,4	40,1	2 400	2 300	2 100	1 900		62,0	
62,5	32,6	40,0	2 200	2 000	1 900		35,6	39,3	2 300	2 200	2 000	1 900		62,5	
64,0	30,2	37,5	1 900	1 800			33,2	36,7	2 100	2 000	1 800			64,0	
65,5							30,5	33,7	1 900					65,5	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							
								
			0°	1°	2°	3°		
							kg	
m	°	m	kg	kg	kg	kg	m	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,5							16,5	
17,7							17,7	
18,0							18,0	
18,3							18,3	
19,5							19,5	
20,0							20,0	
20,7							20,7	
21,9							21,9	
22,0							22,0	
22,6	80,9	69,3	8 700				22,6	
23,8	79,9	68,9	8 600	7 500			23,8	
24,0	79,7	68,8	8 600	7 500			24,0	
25,0	78,8	68,5	8 500	7 400	6 400		25,0	
26,0	78,0	68,1	8 400	7 400	6 400		26,0	
26,2	77,8	68,0	8 400	7 300	6 400	5 300	26,2	
28,0	76,2	67,3	8 200	7 200	6 400	5 300	28,0	
30,0	74,4	66,5	8 000	7 100	6 400	5 300	30,0	
32,0	72,6	65,6	7 700	7 000	6 300	5 300	32,0	
34,0	70,8	64,6	7 400	6 900	6 200	5 300	34,0	
36,0	68,9	63,5	7 100	6 800	6 100	5 300	36,0	
38,0	67,0	62,3	6 800	6 600	6 000	5 300	38,0	
40,0	65,1	61,1	6 600	6 500	5 900	5 300	40,0	
42,0	63,1	59,7	6 400	6 300	5 900	5 300	42,0	
44,0	61,1	58,3	6 100	6 000	5 800	5 300	44,0	
46,0	59,0	56,7	5 900	5 800	5 500	5 200	46,0	
48,0	56,9	55,0	5 600	5 300	5 000	4 700	48,0	
50,0	54,7	53,2	5 100	4 800	4 500	4 200	50,0	
52,0	52,4	51,2	4 600	4 300	4 100	3 800	52,0	
54,0	50,0	49,1	4 100	3 900	3 700	3 400	54,0	
56,0	47,4	46,7	3 700	3 500	3 300	3 100	56,0	
58,0	44,8	44,1	3 300	3 100	2 900	2 700	58,0	
60,0	41,9	41,3	2 900	2 800	2 600	2 400	60,0	
61,0	40,5	39,8	2 800	2 600	2 400	2 300	61,0	
61,6	39,5	38,8	2 700	2 500	2 300	2 200	61,6	
62,0							62,0	
62,5							62,5	
64,0							64,0	
65,5							65,5	


MLC200 S-1




51 980 kg
+
0 kg










360°




50,0 m



24,4 m


	 5°						 15°								
															
															
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
14,6	80,8	75,7	10 500										14,6		
15,8	79,9	75,5	10 200	8 100									15,8		
16,0	79,7	75,4	10 200	8 100									16,0		
17,1	78,9	75,2	10 100	8 100	6 500								17,1		
18,0	78,2	75,0	10 100	8 100	6 400								18,0		
18,3	77,9	74,9	10 100	8 100	6 400	5 300							18,3		
18,9	77,5	74,8	10 000	8 000	6 400	5 300	80,8	74,4	9 800				18,9		
20,0	76,6	74,5	9 900	8 000	6 400	5 300	79,9	74,1	9 700				20,0		
20,1	76,5	74,5	9 900	8 000	6 400	5 300	79,8	74,1	9 700	8 000			20,1		
21,3	75,5	74,2	9 800	8 000	6 400	5 300	78,9	73,8	9 600	8 000	6 400		21,3		
22,0	75,0	74,0	9 700	8 000	6 400	5 300	78,3	73,6	9 600	8 000	6 400		22,0		
22,6	74,5	73,8	9 700	7 900	6 400	5 300	77,8	73,4	9 500	7 900	6 400	5 300	22,6		
23,2	74,0	73,6	9 600	7 900	6 400	5 300	77,3	73,2	9 500	7 900	6 400	5 300	23,2		
24,0	73,4	73,4	9 600	7 900	6 300	5 300	76,7	73,0	9 400	7 900	6 400	5 300	24,0		
24,4	73,1	73,3	9 500	7 900	6 300	5 300	76,4	72,9	9 400	7 900	6 400	5 300	24,4		
25,6	72,1	72,9	9 400	7 900	6 300	5 300	75,4	72,5	9 300	7 900	6 400	5 300	25,6		
26,0	71,8	72,8	9 400	7 900	6 300	5 200	75,1	72,3	9 300	7 900	6 400	5 300	26,0		
26,8	71,1	72,5	9 300	7 900	6 300	5 200	74,4	72,1	9 200	7 900	6 400	5 300	26,8		
28,0	70,1	72,0	9 200	7 800	6 300	5 200	73,4	71,6	9 100	7 900	6 400	5 300	28,0		
30,0	68,5	71,3	9 000	7 800	6 300	5 200	71,8	70,8	8 900	7 700	6 300	5 300	30,0		
32,0	66,8	70,4	8 800	7 700	6 300	5 200	70,1	70,0	8 700	7 600	6 300	5 300	32,0		
34,0	65,1	69,5	8 700	7 700	6 200	5 200	68,4	69,0	8 500	7 400	6 300	5 300	34,0		
36,0	63,4	68,5	8 500	7 700	6 200	5 200	66,6	68,0	8 300	7 300	6 300	5 300	36,0		
38,0	61,6	67,4	7 800	7 300	6 200	5 100	64,9	67,0	8 100	7 100	6 300	5 300	38,0		
40,0	59,9	66,2	7 100	6 600	6 100	5 100	63,1	65,8	7 600	6 900	6 300	5 300	40,0		
42,0	58,0	65,0	6 400	6 000	5 500	5 000	61,2	64,5	6 900	6 400	6 000	5 300	42,0		
44,0	56,2	63,7	5 800	5 400	5 000	4 600	59,4	63,2	6 200	5 800	5 400	5 000	44,0		
46,0	54,3	62,2	5 200	4 800	4 500	4 200	57,5	61,8	5 600	5 300	4 900	4 600	46,0		
48,0	52,4	60,7	4 700	4 400	4 100	3 800	55,5	60,2	5 100	4 700	4 400	4 100	48,0		
50,0	50,4	59,1	4 200	3 900	3 600	3 400	53,5	58,6	4 600	4 300	4 000	3 700	50,0		
52,0	48,3	57,3	3 800	3 500	3 300	3 000	51,4	56,8	4 100	3 800	3 600	3 300	52,0		
54,0	46,2	55,4	3 400	3 100	2 900	2 700	49,3	54,9	3 700	3 400	3 200	3 000	54,0		
56,0	44,0	53,4	3 000	2 800	2 600	2 400	47,1	52,8	3 300	3 100	2 800	2 600	56,0		
58,0	41,7	51,1	2 600	2 400	2 300	2 100	44,7	50,6	2 900	2 700	2 500	2 300	58,0		
59,4	39,9	49,4	2 400	2 200	2 000	1 900	43,0	48,8	2 700	2 500	2 300	2 100	59,4		
60,0	39,3	48,7	2 300	2 100	2 000		42,3	48,1	2 600	2 400	2 200	2 000	60,0		
61,0	38,0	47,5	2 200	2 000	1 800		41,0	46,8	2 400	2 200	2 100	1 900	61,0		
62,0	36,7	46,1	2 000	1 900			39,7	45,4	2 200	2 100	1 900		62,0		
62,5	36,1	45,4	1 900	1 800			39,0	44,7	2 200	2 000	1 800		62,5		
64,0							36,9	42,5	1 900	1 800			64,0		

MLC200 S-1







25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
14,6							14,6
15,8							15,8
16,0							16,0
17,1							17,1
18,0							18,0
18,3							18,3
18,9							18,9
20,0							20,0
20,1							20,1
21,3							21,3
22,0							22,0
22,6							22,6
23,2	80,8	72,2	8 700				23,2
24,0	80,1	71,9	8 600				24,0
24,4	79,8	71,8	8 600	7 500			24,4
25,6	78,8	71,4	8 400	7 400	6 400		25,6
26,0	78,5	71,2	8 400	7 400	6 400		26,0
26,8	77,8	70,9	8 300	7 300	6 400	5 300	26,8
28,0	76,8	70,5	8 300	7 300	6 400	5 300	28,0
30,0	75,1	69,7	8 100	7 200	6 400	5 300	30,0
32,0	73,4	68,8	7 800	7 000	6 300	5 300	32,0
34,0	71,7	67,9	7 500	6 900	6 200	5 300	34,0
36,0	69,9	66,9	7 200	6 800	6 100	5 300	36,0
38,0	68,1	65,8	7 000	6 700	6 000	5 300	38,0
40,0	66,3	64,6	6 700	6 600	6 000	5 300	40,0
42,0	64,4	63,3	6 500	6 400	5 900	5 300	42,0
44,0	62,5	61,9	6 300	6 200	5 800	5 300	44,0
46,0	60,6	60,5	6 000	5 700	5 300	5 000	46,0
48,0	58,6	58,9	5 500	5 100	4 800	4 500	48,0
50,0	56,5	57,2	4 900	4 600	4 300	4 000	50,0
52,0	54,4	55,4	4 400	4 200	3 900	3 600	52,0
54,0	52,2	53,4	4 000	3 700	3 500	3 200	54,0
56,0	49,9	51,3	3 600	3 300	3 100	2 900	56,0
58,0	47,5	48,9	3 200	3 000	2 700	2 500	58,0
59,4	45,6	47,1	2 900	2 700	2 500	2 300	59,4
60,0	44,9	46,4	2 800	2 600	2 400	2 200	60,0
61,0	43,6	45,1	2 600	2 400	2 300	2 100	61,0
62,0	42,2	43,6	2 400	2 300	2 100	1 900	62,0
62,5	41,5	42,9	2 400	2 200	2 000	1 800	62,5
64,0	39,3	40,5	2 100	1 900	1 800		64,0

MLC200 S-1







51 980 kg
+
0 kg




	 5°							 15°							
	 m	 °	 m					 °	 m					 m	
				 kg	 kg	 kg	 kg			 kg	 kg	 kg	 kg		
14,9	80,9	78,7	10 400											14,9	
16,0	80,2	78,5	10 200											16,0	
16,2	80,0	78,5	10 200	8 000										16,2	
17,7	78,9	78,2	10 100	8 000	6 400									17,7	
18,0	78,6	78,1	10 000	8 000	6 400									18,0	
18,9	78,0	77,9	10 000	8 000	6 400	5 300								18,9	
19,2	77,7	77,8	10 000	8 000	6 400	5 300	80,9	77,4	9 800					19,2	
20,0	77,1	77,7	9 900	7 900	6 300	5 300	80,3	77,2	9 700					20,0	
20,4	76,8	77,5	9 900	7 900	6 300	5 300	80,0	77,1	9 700	7 900				20,4	
21,9	75,7	77,2	9 700	7 900	6 300	5 300	78,9	76,7	9 600	7 900	6 400			21,9	
22,0	75,6	77,1	9 700	7 900	6 300	5 300	78,8	76,7	9 600	7 900	6 400			22,0	
23,2	74,7	76,8	9 600	7 900	6 300	5 200	77,9	76,4	9 500	7 900	6 300	5 300		23,2	
23,5	74,4	76,7	9 600	7 900	6 300	5 200	77,6	76,3	9 400	7 900	6 300	5 300		23,5	
24,0	74,1	76,6	9 500	7 800	6 300	5 200	77,2	76,2	9 400	7 900	6 300	5 300		24,0	
24,7	73,5	76,3	9 500	7 800	6 300	5 200	76,7	75,9	9 400	7 900	6 300	5 300		24,7	
26,0	72,5	75,9	9 400	7 800	6 300	5 200	75,7	75,5	9 300	7 900	6 300	5 300		26,0	
26,2	72,3	75,9	9 400	7 800	6 300	5 200	75,5	75,5	9 200	7 900	6 300	5 300		26,2	
27,4	71,4	75,5	9 200	7 800	6 300	5 200	74,6	75,0	9 100	7 800	6 300	5 200		27,4	
28,0	70,9	75,3	9 200	7 800	6 300	5 200	74,1	74,8	9 100	7 800	6 300	5 200		28,0	
30,0	69,4	74,5	9 000	7 700	6 200	5 200	72,5	74,1	8 900	7 800	6 300	5 200		30,0	
32,0	67,8	73,7	8 900	7 700	6 200	5 200	70,9	73,3	8 700	7 600	6 300	5 200		32,0	
34,0	66,1	72,8	8 700	7 700	6 200	5 100	69,3	72,4	8 500	7 500	6 300	5 200		34,0	
36,0	64,5	71,9	8 400	7 600	6 200	5 100	67,6	71,4	8 300	7 300	6 300	5 200		36,0	
38,0	62,8	70,8	7 600	7 000	6 100	5 100	66,0	70,4	8 200	7 200	6 300	5 200		38,0	
40,0	61,2	69,7	6 800	6 300	5 900	5 100	64,3	69,3	7 400	6 900	6 200	5 200		40,0	
42,0	59,4	68,6	6 200	5 700	5 300	4 900	62,5	68,1	6 700	6 200	5 800	5 200		42,0	
44,0	57,7	67,3	5 500	5 100	4 700	4 400	60,8	66,8	6 000	5 600	5 200	4 800		44,0	
46,0	55,9	66,0	5 000	4 600	4 200	3 900	59,0	65,5	5 400	5 000	4 700	4 300		46,0	
48,0	54,1	64,5	4 400	4 100	3 800	3 500	57,1	64,0	4 900	4 500	4 200	3 900		48,0	
50,0	52,2	63,0	4 000	3 700	3 400	3 100	55,2	62,5	4 400	4 100	3 700	3 500		50,0	
52,0	50,3	61,3	3 500	3 300	3 000	2 700	53,3	60,8	3 900	3 600	3 300	3 100		52,0	
54,0	48,3	59,6	3 100	2 900	2 600	2 400	51,3	59,0	3 500	3 200	3 000	2 700		54,0	
56,0	46,3	57,7	2 800	2 500	2 300	2 100	49,3	57,1	3 100	2 800	2 600	2 400		56,0	
57,9	44,3	55,7	2 400	2 200	2 000	1 800	47,2	55,2	2 700	2 500	2 300	2 100		57,9	
58,0	44,2	55,6	2 400	2 200	2 000		47,1	55,1	2 700	2 500	2 300	2 100		58,0	
59,4	42,6	54,1	2 200	2 000	1 800		45,5	53,5	2 500	2 200	2 000	1 900		59,4	
60,0	42,0	53,4	2 100				44,9	52,8	2 400	2 200	2 000			60,0	
61,0	40,9	52,3	1 900				43,8	51,7	2 200	2 000	1 800			61,0	
62,0							42,6	50,4	2 000	1 800				62,0	
62,5							42,0	49,8	2 000	1 800				62,5	
64,0														64,0	

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							
								
				0°  kg	1°  kg	2°  kg		3°  kg
14,9							14,9	
16,0							16,0	
16,2							16,2	
17,7							17,7	
18,0							18,0	
18,9							18,9	
19,2							19,2	
20,0							20,0	
20,4							20,4	
21,9							21,9	
22,0							22,0	
23,2							23,2	
23,5	81,0	75,2	8 700				23,5	
24,0	80,5	75,0	8 600				24,0	
24,7	80,0	74,8	8 600	7 500			24,7	
26,0	79,0	74,4	8 500	7 400			26,0	
26,2	78,8	74,3	8 400	7 400			26,2	
27,4	77,8	73,9	8 300	7 300	6 300	5 300	27,4	
28,0	77,4	73,7	8 300	7 300	6 300	5 300	28,0	
30,0	75,7	72,9	8 100	7 200	6 300	5 300	30,0	
32,0	74,1	72,1	8 000	7 000	6 300	5 300	32,0	
34,0	72,4	71,2	7 700	6 900	6 300	5 300	34,0	
36,0	70,8	70,2	7 400	6 900	6 200	5 300	36,0	
38,0	69,1	69,2	7 100	6 800	6 100	5 300	38,0	
40,0	67,3	68,1	6 900	6 700	6 000	5 300	40,0	
42,0	65,6	66,9	6 600	6 500	5 900	5 300	42,0	
44,0	63,8	65,6	6 400	6 100	5 600	5 200	44,0	
46,0	61,9	64,2	5 900	5 500	5 100	4 700	46,0	
48,0	60,1	62,7	5 300	4 900	4 600	4 300	48,0	
50,0	58,1	61,1	4 800	4 400	4 100	3 800	50,0	
52,0	56,2	59,4	4 300	4 000	3 700	3 400	52,0	
54,0	54,1	57,6	3 800	3 500	3 300	3 000	54,0	
56,0	52,0	55,6	3 400	3 100	2 900	2 700	56,0	
57,9	49,9	53,6	3 000	2 800	2 600	2 300	57,9	
58,0	49,8	53,5	3 000	2 800	2 500	2 300	58,0	
59,4	48,1	51,8	2 700	2 500	2 300	2 100	59,4	
60,0	47,5	51,2	2 600	2 400	2 200	2 000	60,0	
61,0	46,3	50,0	2 400	2 200	2 000	1 900	61,0	
62,0	45,1	48,7	2 300	2 100	1 900		62,0	
62,5	44,5	48,1	2 200	2 000	1 800		62,5	
64,0	42,5	46,0	1 900				64,0	


MLC200 S-1



51 980 kg
+
0 kg








360°




56,0 m




24,4 m

	5°						15°								
															
															
				0°	1°	2°	3°			0°	1°	2°			3°
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
15,5	80,9	81,6	10 400										15,5		
16,0	80,5	81,5	10 200										16,0		
16,8	79,9	81,4	10 100	8 000									16,8		
18,0	79,1	81,2	10 000	7 900									18,0		
18,3	78,9	81,1	10 000	7 900	6 300								18,3		
19,5	78,0	80,8	9 900	7 900	6 300	5 200							19,5		
19,8	77,8	80,8	9 900	7 900	6 300	5 200	80,8	80,4	9 700				19,8		
20,0	77,6	80,7	9 900	7 900	6 300	5 200	80,7	80,3	9 700				20,0		
21,0	76,9	80,5	9 800	7 900	6 300	5 200	80,0	80,1	9 600	7 800			21,0		
22,0	76,1	80,2	9 700	7 800	6 300	5 200	79,2	79,8	9 500	7 800			22,0		
22,6	75,7	80,1	9 700	7 800	6 300	5 200	78,8	79,6	9 500	7 800	6 300		22,6		
23,8	74,8	79,7	9 600	7 800	6 300	5 200	77,9	79,3	9 400	7 800	6 300	5 200	23,8		
24,0	74,7	79,7	9 600	7 800	6 300	5 200	77,7	79,3	9 400	7 800	6 300	5 200	24,0		
24,1	74,6	79,6	9 600	7 800	6 300	5 200	77,6	79,2	9 400	7 800	6 300	5 200	24,1		
25,3	73,7	79,3	9 500	7 800	6 200	5 200	76,8	78,9	9 300	7 800	6 300	5 200	25,3		
26,0	73,2	79,1	9 400	7 800	6 200	5 200	76,2	78,7	9 200	7 800	6 300	5 200	26,0		
26,5	72,8	78,9	9 300	7 800	6 200	5 200	75,9	78,5	9 200	7 800	6 300	5 200	26,5		
28,0	71,7	78,4	9 200	7 700	6 200	5 100	74,7	78,0	9 100	7 800	6 300	5 200	28,0		
30,0	70,2	77,7	9 000	7 700	6 200	5 100	73,2	77,3	9 000	7 800	6 300	5 200	30,0		
32,0	68,6	76,9	8 900	7 600	6 200	5 100	71,7	76,5	8 800	7 700	6 300	5 200	32,0		
34,0	67,1	76,1	8 700	7 600	6 100	5 100	70,1	75,6	8 600	7 500	6 300	5 200	34,0		
36,0	65,5	75,2	8 300	7 500	6 100	5 100	68,5	74,7	8 400	7 400	6 200	5 200	36,0		
38,0	63,9	74,2	7 400	6 900	6 100	5 100	66,9	73,7	8 100	7 200	6 200	5 200	38,0		
40,0	62,3	73,2	6 700	6 200	5 700	5 000	65,3	72,7	7 300	6 700	6 100	5 200	40,0		
42,0	60,7	72,0	6 000	5 500	5 100	4 700	63,7	71,6	6 500	6 100	5 600	5 100	42,0		
44,0	59,0	70,8	5 400	4 900	4 500	4 200	62,0	70,4	5 900	5 400	5 000	4 600	44,0		
46,0	57,3	69,6	4 800	4 400	4 000	3 700	60,3	69,1	5 300	4 900	4 500	4 100	46,0		
48,0	55,6	68,2	4 300	3 900	3 600	3 300	58,6	67,7	4 700	4 400	4 000	3 700	48,0		
50,0	53,9	66,8	3 800	3 500	3 200	2 900	56,8	66,3	4 200	3 900	3 600	3 300	50,0		
52,0	52,1	65,2	3 400	3 100	2 800	2 500	55,0	64,7	3 800	3 500	3 200	2 900	52,0		
54,0	50,2	63,6	3 000	2 700	2 400	2 200	53,1	63,0	3 300	3 100	2 800	2 500	54,0		
56,0	48,3	61,8	2 600	2 400	2 100	1 900	51,2	61,2	2 900	2 700	2 400	2 200	56,0		
56,4	47,9	61,4	2 500	2 300	2 100	1 800	50,8	60,9	2 900	2 600	2 400	2 100	56,4		
57,9	46,4	60,0	2 300	2 000	1 800		49,3	59,4	2 600	2 300	2 100	1 900	57,9		
58,0	46,3	59,9	2 200	2 000			49,2	59,3	2 600	2 300	2 100		58,0		
59,4	44,9	58,4	2 000	1 800			47,7	57,9	2 300	2 100	1 900		59,4		
60,0	44,3	57,9	1 900				47,2	57,3	2 200	2 000			60,0		
61,0	43,3	56,8	1 800				46,1	56,2	2 100	1 900			61,0		
62,0							45,0	55,1	1 900				62,0		
62,5							44,5	54,5	1 800				62,5		
64,0													64,0		

MLC200 S-1


$$\begin{array}{r} 51\,980\text{ kg} \\ + \\ 0\text{ kg} \\ \hline \end{array}$$


	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
15,5								15,5
16,0								16,0
16,8								16,8
18,0								18,0
18,3								18,3
19,5								19,5
19,8								19,8
20,0								20,0
21,0								21,0
22,0								22,0
22,6								22,6
23,8								23,8
24,0								24,0
24,1	80,9	78,1	8 600					24,1
25,3	79,9	77,7	8 500	7 400				25,3
26,0	79,4	77,5	8 500	7 400				26,0
26,5	79,0	77,4	8 400	7 400				26,5
28,0	77,9	76,9	8 300	7 300	6 300		5 200	28,0
30,0	76,3	76,1	8 200	7 200	6 300		5 200	30,0
32,0	74,7	75,3	8 000	7 100	6 300		5 200	32,0
34,0	73,2	74,5	7 800	7 000	6 300		5 200	34,0
36,0	71,6	73,5	7 500	6 900	6 200		5 200	36,0
38,0	69,9	72,5	7 200	6 800	6 100		5 200	38,0
40,0	68,3	71,5	7 000	6 700	6 000		5 200	40,0
42,0	66,6	70,3	6 800	6 500	5 900		5 200	42,0
44,0	64,9	69,1	6 400	5 900	5 500		5 100	44,0
46,0	63,2	67,8	5 800	5 300	4 900		4 600	46,0
48,0	61,4	66,4	5 200	4 800	4 400		4 100	48,0
50,0	59,6	64,9	4 600	4 300	4 000		3 700	50,0
52,0	57,7	63,3	4 100	3 800	3 500		3 200	52,0
54,0	55,8	61,6	3 700	3 400	3 100		2 900	54,0
56,0	53,9	59,8	3 300	3 000	2 700		2 500	56,0
56,4	53,5	59,4	3 200	2 900	2 700		2 400	56,4
57,9	51,9	57,9	2 900	2 600	2 400		2 200	57,9
58,0	51,8	57,8	2 900	2 600	2 400		2 200	58,0
59,4	50,3	56,3	2 600	2 400	2 100		1 900	59,4
60,0	49,7	55,7	2 500	2 300	2 100			60,0
61,0	48,7	54,6	2 300	2 100	1 900			61,0
62,0	47,5	53,4	2 100	1 900				62,0
62,5	47,0	52,8	2 100	1 900				62,5
64,0	45,2	51,0	1 800					64,0