

Liftcrane Jib Capacities

Jib No. 134 on
 Boom No. B10:76A
 83 730 kg Crane Counterweight
 27 400 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating

MLC200 SERIES 3



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. A007-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with gantry up and machine list not to exceed degrees noted. Refer to Boom Rigging **No. 80149429**, Jib Rigging **No. 80117860**, Wire Rope Specifications chart **No. A025-A**, Counterweight Arrangements chart **No. A004-A**, and Wind Conditions chart **No. A026-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 8 280 mm crawlers, 1 200 mm treads, 3 124 mm retractable gantry, 8 250 mm live mast, 20 part boom hoist reeving, and boom support straps.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Caution: Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 1 360 kg.

Table 1


Over End or Side of Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°
32,0 - 38,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 850	4 700
41,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 850	4 700
44,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 850	4 700
47,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 700	4 650
50,0	7	4 975	4 975	4 975	4 975	4 975	4 875	4 875	4 425	4 475	4 075	4 025	3 650
53,0	7	4 975	4 850	4 975	4 475	4 625	4 125	4 150	3 700	3 750	3 350	3 350	2 975
56,0	7	4 625	4 150	4 300	3 800	3 900	3 475	3 525	3 125	3 175	2 800	2 800	2 425
59,0	7	3 800	3 350	3 575	3 125	3 200	2 800	2 850	2 425	2 575	2 200	2 200	1 850
62,0	7	3 025	2 675	2 700	2 350	2 350	2 025	2 025	1 675	1 700	1 400	1 350	#
65,0	7	2 075	1 700	1 700	1 400	1 400	#	#	#	#	#	#	#
68,0	7	#	#	#	#	#	#	#	#	#	#	#	#
71,0	2	#	#	#	#	#	#	#	#	#	#	#	#
74,0	2	#	#	#	#	#	Raising Not Permitted						
77,0	2												
80,0	2												

Table 2

Over End of Blocked Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°	0 °	1° - 3°
32,0 - 38,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 850	4 700
41,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 850	4 700
44,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 850	4 700
47,0	7	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 975	4 700	4 650
50,0	7	4 975	4 975	4 975	4 975	4 975	4 875	4 875	4 425	4 475	4 075	4 025	3 650
53,0	7	4 975	4 850	4 975	4 475	4 625	4 125	4 150	3 700	3 750	3 350	3 350	2 975
56,0	7	4 625	4 150	4 300	3 800	3 900	3 475	3 525	3 125	3 175	2 800	2 800	2 425
59,0	7	3 800	3 350	3 575	3 125	3 200	2 800	2 850	2 425	2 575	2 200	2 200	1 850
62,0	7	3 125	2 675	2 900	2 475	2 625	2 175	2 250	1 900	1 975	1 800	1 950	1 800
65,0	7	2 425	2 025	2 250	1 850	1 975	1 800	1 800	1 800	1 800	1 800	1 800	1 800
68,0	7	1 800	1 800	1 800	1 800	1 900	1 800	1 800	1 750	1 800	1 475	1 450	#
71,0	2	1 800	1 800	1 800	1 800	1 900	1 575	1 575	#	#	#	#	#
74,0	2	1 675	1 400	1 400	#	#	#	#	#	#	#	#	#
77,0	2	#	#	#	#	#	#	#	#	#	#	#	#
80,0	2	#	#	#	#	Raising Not Permitted							

Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.

Explanation of Symbols



Jib No. 134
+
Boom No. B10:76A




Crane Counterweight
+
Carbody Counterweight



360 Degree Rating



Boom Length



Jib Length




Jib Offset Angle




Operating Radius
(see page 1)



Boom Angle
(see page 1)



Jib Point Elevation
(see page 1)




Machine List





Lifting Capacities
(see page 1)

MLC200 S-3




83 730 kg
+
27 400 kg





		5°						15°					
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
8,8	80,8	42,9	28 500	25 900									8,8
9,4	80,0	42,8	28 500	25 700									9,4
10,0	79,2	42,7	28 500	25 600	22 600	20 100	80,9	42,4	27 500	23 800			10,0
10,4	78,6	42,6	28 500	25 400	22 400		80,0	42,2	27 300				10,4
11,0	77,7	42,4	28 500	25 100	22 200	19 900							11,0
11,9	76,5	42,2	28 500	25 100	22 200	19 900	78,7	42,0	27 000	23 600	21 000		11,9
12,0	76,3	42,2	28 500	25 100	22 200	19 900	78,5	42,0	26 900	23 600	21 000		12,0
12,5	75,6	42,1	28 400	24 900	22 000	19 800	77,8	41,8	26 800	23 500	20 900	18 900	12,5
12,8	75,2	42,0	28 400	24 800	22 000	19 700	77,4	41,7	26 700	23 400	20 900	18 900	12,8
13,4	74,3	41,8	28 200	24 600	21 800	19 600	76,5	41,6	26 500	23 300	20 800	18 800	13,4
14,0	73,4	41,6	28 100	24 400	21 700	19 500	75,6	41,4	26 300	23 100	20 700	18 700	14,0
16,0	70,5	40,9	27 300	23 900	21 200	19 200	72,7	40,7	25 700	22 700	20 400	18 500	16,0
18,0	67,5	40,1	26 600	23 300	20 800	18 800	69,6	39,9	25 200	22 300	20 100	18 300	18,0
20,0	64,4	39,2	25 900	22 800	20 400	18 500	66,5	38,9	24 700	22 000	19 800	18 000	20,0
22,0	61,2	38,1	25 400	22 400	20 100	18 300	63,3	37,8	24 300	21 700	19 600	17 900	22,0
24,0	57,9	36,9	24 800	22 000	19 800	18 000	60,1	36,6	23 900	21 400	19 400	17 700	24,0
26,0	54,6	35,5	24 300	21 700	19 500	17 800	56,6	35,2	22 800	21 200	19 200	17 600	26,0
28,0	51,0	33,9	23 100	21 300	19 300	17 600	53,1	33,6	21 500	21 000	19 100	17 500	28,0
30,0	47,3	32,1	21 000	20 300	19 100	17 400	49,3	31,8	20 400	20 300	19 000	17 400	30,0
32,0	43,3	30,1	19 100	18 500	17 900	17 300	45,2	29,7	19 300	18 700	18 100	17 400	32,0
34,0	38,9	27,7	17 500	17 000	16 500	16 000	40,8	27,3	17 600	17 100	16 700	16 200	34,0
34,1	38,6	27,5	17 400	16 900	16 400	16 000	40,5	27,1	17 500	17 000	16 600	16 100	34,1
36,0	34,1	24,9	16 100	15 700	15 200	14 800	36,0	24,5	16 200	15 800	15 400	15 000	36,0
37,8	29,2	21,8	14 900	14 600	14 200	13 900	30,9	21,4	15 000	14 600	14 300	14 000	37,8
38,0	28,6	21,5	14 800	14 400	14 100	13 800							38,0
40,0	21,8	17,0	13 600	13 400	13 100	12 800							40,0
40,2	20,9	16,4	13 500	13 200	13 000	12 700							40,2

MLC200 S-3





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
8,8							8,8
9,4							9,4
10,0							10,0
10,4							10,4
11,0							11,0
11,9	81,0	41,5	23 000				11,9
12,0	80,8	41,4	23 000				12,0
12,5	80,1	41,3	22 600				12,5
12,8	79,6	41,2	22 300	21 800			12,8
13,4	78,7	41,0	21 900	21 400	19 900		13,4
14,0	77,8	40,9	21 400	21 000	19 800	18 100	14,0
16,0	74,8	40,1	20 100	19 800	19 300	17 900	16,0
18,0	71,8	39,3	19 000	18 700	18 400	17 700	18,0
20,0	68,6	38,4	18 000	17 700	17 500	17 200	20,0
22,0	65,4	37,3	17 200	16 900	16 700	16 500	22,0
24,0	62,0	36,0	16 400	16 200	16 000	15 800	24,0
26,0	58,5	34,6	15 700	15 600	15 400	15 200	26,0
28,0	54,9	32,9	15 100	15 000	14 900	14 700	28,0
30,0	51,0	31,1	14 600	14 500	14 400	14 300	30,0
32,0	46,9	28,9	14 200	14 100	14 000	13 900	32,0
34,0	42,3	26,5	13 800	13 700	13 700	13 600	34,0
34,1	42,0	26,3	13 800	13 700	13 600	13 600	34,1
36,0							36,0
37,8							37,8
38,0							38,0
40,0							40,0
40,2							40,2

MLC200 S-3





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
9,4							9,4
10,0							10,0
10,1							10,1
11,0							11,0
11,6							11,6
12,0							12,0
12,5	80,8	44,4	22 900				12,5
13,1	80,0	44,2	22 500	22 000			13,1
14,0	78,7	44,0	21 900	21 400	19 800		14,0
14,6	77,9	43,8	21 500	21 000	19 700	18 000	14,6
16,0	75,9	43,3	20 600	20 200	19 500	17 900	16,0
18,0	73,1	42,5	19 500	19 100	18 800	17 700	18,0
20,0	70,2	41,7	18 500	18 200	17 900	17 600	20,0
22,0	67,3	40,7	17 700	17 400	17 100	16 900	22,0
24,0	64,2	39,5	16 900	16 700	16 400	16 200	24,0
26,0	61,1	38,2	16 200	16 000	15 800	15 600	26,0
28,0	57,8	36,8	15 600	15 400	15 300	15 100	28,0
30,0	54,4	35,1	15 100	14 900	14 800	14 700	30,0
32,0	50,8	33,3	14 600	14 500	14 400	14 300	32,0
34,0	46,9	31,2	14 200	14 100	14 000	13 900	34,0
36,0	42,8	28,7	13 800	13 800	13 700	13 600	36,0
36,3	42,2	28,4	13 800	13 700	13 700	13 600	36,3
38,0							38,0
40,0							40,0
40,5							40,5
42,0							42,0
43,3							43,3

MLC200 S-3




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,8	80,9	48,8	28 500										9,8
10,0	80,6	48,8	28 500										10,0
10,7	79,7	48,7	28 500	25 600									10,7
11,3	79,0	48,5	28 500	25 400	22 400		80,9	48,3	27 300				11,3
12,0	78,1	48,4	28 500	25 200	22 200		80,0	48,2	27 100				12,0
12,2	77,8	48,3	28 500	25 100	22 200	19 800	79,8	48,1	27 000	23 600			12,2
12,8	77,1	48,2	28 500	25 000	22 000	19 700	79,0	47,9	26 800	23 500			12,8
13,1	76,7	48,1	28 500	24 900	22 000	19 700	78,7	47,9	26 700	23 400	20 800		13,1
13,7	76,0	48,0	28 400	24 700	21 800	19 600	77,9	47,7	26 600	23 300	20 800	18 700	13,7
14,0	75,6	47,9	28 400	24 600	21 800	19 600	77,5	47,6	26 500	23 200	20 700	18 700	14,0
14,6	74,8	47,7	28 200	24 500	21 600	19 500	76,8	47,5	26 300	23 100	20 600	18 600	14,6
15,2	74,1	47,5	28 000	24 300	21 500	19 400	76,0	47,3	26 200	23 000	20 500	18 600	15,2
16,0	73,0	47,3	27 800	24 100	21 400	19 200	75,0	47,0	26 000	22 800	20 400	18 500	16,0
18,0	70,5	46,6	27 100	23 600	21 000	19 000	72,4	46,3	25 500	22 500	20 200	18 300	18,0
20,0	67,9	45,8	26 500	23 200	20 700	18 700	69,8	45,5	25 000	22 200	19 900	18 100	20,0
22,0	65,2	44,9	25 900	22 800	20 300	18 400	67,1	44,6	24 600	21 900	19 700	17 900	22,0
24,0	62,5	43,9	25 400	22 400	20 100	18 200	64,3	43,6	24 300	21 600	19 500	17 800	24,0
26,0	59,7	42,7	24 900	22 000	19 800	18 000	61,5	42,4	23 900	21 400	19 300	17 600	26,0
28,0	56,8	41,4	22 700	21 400	19 500	17 800	58,6	41,1	23 000	21 100	19 200	17 500	28,0
30,0	53,8	40,0	20 600	19 800	18 800	17 600	55,6	39,7	20 800	20 000	18 900	17 400	30,0
32,0	50,7	38,4	18 700	18 000	17 300	16 700	52,4	38,1	18 900	18 200	17 500	16 900	32,0
34,0	47,4	36,6	17 100	16 500	15 900	15 400	49,1	36,3	17 300	16 700	16 100	15 500	34,0
36,0	43,9	34,6	15 700	15 200	14 700	14 200	45,6	34,2	15 900	15 300	14 800	14 300	36,0
38,0	40,2	32,3	14 400	14 000	13 500	13 100	41,9	31,9	14 600	14 100	13 700	13 200	38,0
38,7	38,8	31,4	14 000	13 600	13 200	12 800	40,5	31,0	14 200	13 700	13 300	12 900	38,7
40,0	36,2	29,7	13 300	12 900	12 500	12 200	37,8	29,3	13 400	13 000	12 700	12 300	40,0
42,0	31,8	26,6	12 300	12 000	11 600	11 300	33,3	26,1	12 400	12 000	11 700	11 400	42,0
43,0	29,3	24,8	11 800	11 500	11 200	10 900	30,9	24,4	11 900	11 600	11 300	11 000	43,0
44,0	26,6	22,9	11 400	11 100	10 800	10 500							44,0
46,0	20,3	18,1	10 500	10 300	10 000	9 800							46,0


MLC200 S-3




$$\begin{array}{r} 83\,730\text{ kg} \\ + \\ 27\,400\text{ kg} \end{array}$$
[illegible]

MLC200 S-3



[illegible]




MLC200 S-3






	 25°						
							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
10,7							10,7
11,6							11,6
12,0							12,0
12,2							12,2
12,5							12,5
13,1							13,1
13,4							13,4
13,7	81,0	53,3	23 100				13,7
14,0	80,7	53,3	22 900				14,0
14,6	80,0	53,1	22 600	21 800			14,6
14,9	79,7	53,0	22 400	21 700			14,9
15,5	79,0	52,9	22 000	21 500	19 500		15,5
16,0	78,5	52,7	21 700	21 300	19 500		16,0
16,5	77,9	52,6	21 500	21 000	19 500	17 700	16,5
18,0	76,2	52,1	20 700	20 300	19 400	17 600	18,0
20,0	73,8	51,4	19 700	19 400	19 000	17 500	20,0
22,0	71,5	50,6	18 900	18 600	18 300	17 500	22,0
24,0	69,1	49,7	18 200	17 900	17 600	17 300	24,0
26,0	66,6	48,7	17 500	17 200	17 000	16 700	26,0
28,0	64,1	47,6	16 900	16 600	16 400	16 200	28,0
30,0	61,6	46,4	16 300	16 100	15 900	15 700	30,0
32,0	58,9	45,0	15 800	15 600	15 400	15 300	32,0
34,0	56,2	43,5	15 300	15 200	15 000	14 800	34,0
36,0	53,3	41,8	14 900	14 800	14 400	14 000	36,0
38,0	50,3	40,0	14 400	13 900	13 400	12 900	38,0
40,0	47,2	37,9	13 300	12 800	12 300	11 900	40,0
42,0	43,9	35,6	12 200	11 800	11 400	11 000	42,0
43,0	42,2	34,4	11 700	11 300	11 000	10 600	43,0
44,0							44,0
46,0							46,0
48,0							48,0
48,2							48,2
50,0							50,0
51,5							51,5

MLC200 S-3



**Manitowoc®**


	 25°						 m	
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
11,3							11,3	
12,0							12,0	
12,2							12,2	
12,8							12,8	
13,1							13,1	
13,7							13,7	
14,0							14,0	
14,3	80,9	56,3	23 000				14,3	
14,6	80,6	56,2	22 800				14,6	
15,2	79,9	56,0	22 500	21 700			15,2	
15,5	79,6	56,0	22 300	21 600			15,5	
16,0	79,1	55,8	22 100	21 400			16,0	
16,2	78,9	55,8	21 900	21 400	19 400		16,2	
17,1	77,9	55,5	21 500	21 000	19 400	17 600	17,1	
18,0	76,9	55,3	21 000	20 600	19 300	17 600	18,0	
20,0	74,8	54,6	20 100	19 700	19 100	17 500	20,0	
22,0	72,5	53,8	19 300	18 900	18 600	17 400	22,0	
24,0	70,3	53,0	18 500	18 200	17 900	17 300	24,0	
26,0	68,0	52,1	17 800	17 600	17 300	17 100	26,0	
28,0	65,7	51,0	17 200	17 000	16 800	16 500	28,0	
30,0	63,3	49,9	16 700	16 500	16 200	16 100	30,0	
32,0	60,8	48,6	16 200	16 000	15 800	15 600	32,0	
34,0	58,3	47,2	15 700	15 500	15 300	14 900	34,0	
36,0	55,7	45,7	15 300	14 800	14 300	13 700	36,0	
38,0	53,0	44,0	14 300	13 700	13 100	12 600	38,0	
40,0	50,2	42,2	13 100	12 600	12 100	11 600	40,0	
42,0	47,3	40,2	12 000	11 600	11 100	10 700	42,0	
44,0	44,1	37,9	11 100	10 700	10 300	9 900	44,0	
45,4	41,8	36,1	10 400	10 100	9 700	9 400	45,4	
46,0							46,0	
48,0							48,0	
50,0							50,0	
50,9							50,9	
52,0							52,0	
54,0							54,0	
54,6							54,6	

MLC200 S-3





$$\begin{array}{r} 83\,730\text{ kg} \\ + \\ 27\,400\text{ kg} \end{array}$$


MLC200 S-3





	 25°						 m
	 o	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
11,6 12,0 12,8 13,1 13,7							11,6 12,0 12,8 13,1 13,7
14,0 14,3 14,6 14,9 15,2	80,8 80,5	59,2 59,1	22 900 22 800				14,0 14,3 14,6 14,9 15,2
15,8 16,0 16,2 16,8 17,7	79,9 79,7 79,5 78,8 77,9	59,0 58,9 58,9 58,7 58,5	22 400 22 300 22 200 21 900 21 500	21 600 21 600 21 500 21 300 21 000	19 300 19 200	17 500	15,8 16,0 16,2 16,8 17,7
18,0 20,0 22,0 24,0 26,0	77,6 75,6 73,5 71,4 69,2	58,4 57,7 57,0 56,2 55,4	21 300 20 400 19 600 18 900 18 200	20 900 20 000 19 300 18 600 17 900	19 200 19 100 18 800 18 200 17 600	17 500 17 400 17 300 17 300 17 200	18,0 20,0 22,0 24,0 26,0
28,0 30,0 32,0 34,0 36,0	67,0 64,8 62,5 60,2 57,8	54,4 53,3 52,1 50,9 49,5	17 600 17 000 16 500 16 000 15 300	17 300 16 800 16 300 15 800 14 700	17 100 16 600 16 100 15 300 14 000	16 800 16 400 15 900 14 600 13 400	28,0 30,0 32,0 34,0 36,0
38,0 40,0 42,0 44,0 46,0	55,3 52,8 50,1 47,3 44,3	47,9 46,3 44,4 42,4 40,1	14 100 12 900 11 900 10 900 10 100	13 500 12 400 11 400 10 500 9 700	12 900 11 900 10 900 10 100 9 300	12 300 11 300 10 500 9 700 8 900	38,0 40,0 42,0 44,0 46,0
47,6 48,0 50,0 52,0 53,3	41,9	38,2	9 400	9 100	8 700	8 400	47,6 48,0 50,0 52,0 53,3
54,0 56,0 57,3							54,0 56,0 57,3

MLC200 S-3








	 25°						
	m	m	0° 	1° 	2° 	3° 	m
12,2							12,2
13,1							13,1
13,7							13,7
14,0							14,0
14,3							14,3
14,6							14,6
15,2	80,9	62,2	23 000				15,2
15,8	80,4	62,1	22 700				15,8
16,0	80,2	62,0	22 600				16,0
16,5	79,7	61,9	22 400	21 400			16,5
16,8	79,4	61,8	22 200	21 300			16,8
17,4	78,8	61,7	21 900	21 200	19 200		17,4
18,0	78,3	61,5	21 600	21 100	19 100		18,0
18,3	78,0	61,4	21 500	21 000	19 100	17 400	18,3
20,0	76,3	60,9	20 700	20 300	19 000	17 300	20,0
22,0	74,3	60,2	19 900	19 600	18 900	17 200	22,0
24,0	72,3	59,5	19 200	18 900	18 500	17 200	24,0
26,0	70,3	58,7	18 500	18 200	17 900	17 100	26,0
28,0	68,3	57,7	17 900	17 600	17 400	17 000	28,0
30,0	66,2	56,7	17 400	17 100	16 900	16 600	30,0
32,0	64,0	55,6	16 800	16 600	16 400	15 600	32,0
34,0	61,9	54,5	16 300	15 900	15 000	14 300	34,0
36,0	59,6	53,1	15 200	14 500	13 800	13 100	36,0
38,0	57,3	51,7	13 900	13 300	12 600	12 000	38,0
40,0	55,0	50,2	12 800	12 200	11 600	11 100	40,0
42,0	52,5	48,5	11 700	11 200	10 700	10 200	42,0
44,0	50,0	46,7	10 700	10 300	9 800	9 400	44,0
46,0	47,4	44,7	9 900	9 500	9 100	8 700	46,0
48,0	44,6	42,4	9 100	8 700	8 300	8 000	48,0
49,7	42,1	40,4	8 500	8 100	7 800	7 500	49,7
50,0							50,0
52,0							52,0
54,0							54,0
56,0							56,0
56,1							56,1
58,0							58,0
60,0							60,0

MLC200 S-3



[illegible]

MLC200 S-3






	 25°							 m
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg	3°  kg	
13,1 14,0 14,3 14,6 15,2							13,1 14,0 14,3 14,6 15,2	
15,8 16,0 16,2 16,5 17,1							15,8 16,0 16,2 16,5 17,1	
	80,9	68,1	23 000					
	80,7	68,1	22 900					
	80,1	67,9	22 600					
17,4	79,9	67,8	22 500	21 100			17,4	
18,0	79,3	67,7	22 200	21 100			18,0	
18,6	78,8	67,5	21 900	21 000	18 800		18,6	
19,5	78,0	67,3	21 500	20 900	18 800	17 100	19,5	
20,0	77,6	67,2	21 300	20 900	18 800	17 100	20,0	
22,0	75,8	66,6	20 500	20 100	18 700	17 000	22,0	
24,0	74,0	65,9	19 800	19 400	18 600	17 000	24,0	
26,0	72,2	65,1	19 100	18 800	18 500	16 900	26,0	
28,0	70,3	64,3	18 500	18 200	17 900	16 900	28,0	
30,0	68,5	63,4	18 000	17 700	17 300	16 400	30,0	
32,0	66,6	62,5	17 500	17 000	16 000	15 000	32,0	
34,0	64,7	61,4	16 400	15 500	14 600	13 700	34,0	
36,0	62,7	60,3	14 900	14 100	13 300	12 600	36,0	
38,0	60,7	59,0	13 600	12 900	12 200	11 500	38,0	
40,0	58,6	57,7	12 500	11 800	11 200	10 600	40,0	
42,0	56,5	56,2	11 400	10 800	10 300	9 700	42,0	
44,0	54,4	54,7	10 400	9 900	9 400	8 900	44,0	
46,0	52,1	53,0	9 600	9 100	8 600	8 200	46,0	
48,0	49,8	51,1	8 800	8 400	7 900	7 600	48,0	
50,0	47,4	49,1	8 100	7 700	7 300	6 900	50,0	
52,0	44,9	47,0	7 400	7 000	6 700	6 400	52,0	
54,0	42,3	44,6	6 800	6 500	6 100	5 800	54,0	
54,3	41,9	44,3	6 700	6 400	6 100	5 800	54,3	
56,0							56,0	
58,0							58,0	
60,0							60,0	
61,3							61,3	
62,0							62,0	
64,0							64,0	
65,8							65,8	

MLC200 S-3





	25°						
	m	m	0° 	1° 	2° 	3° 	m
13,4							13,4
14,0							14,0
14,6							14,6
15,2							15,2
15,8							15,8
16,0							16,0
16,5							16,5
16,8	80,8	71,1	23 000				16,8
17,1	80,6	71,0	22 800				17,1
17,4	80,3	70,9	22 700				17,4
18,0	79,8	70,8	22 400	20 900			18,0
18,6	79,3	70,6	22 200	20 900			18,6
19,2	78,8	70,5	21 900	20 800	18 700		19,2
20,0	78,1	70,3	21 600	20 800	18 600		20,0
20,1	78,0	70,2	21 500	20 700	18 600	16 900	20,1
22,0	76,4	69,7	20 800	20 400	18 600	16 900	22,0
24,0	74,7	69,0	20 100	19 700	18 500	16 800	24,0
26,0	73,0	68,3	19 400	19 100	18 400	16 800	26,0
28,0	71,2	67,6	18 800	18 500	18 200	16 700	28,0
30,0	69,5	66,7	18 300	18 000	17 300	16 100	30,0
32,0	67,7	65,8	17 800	16 800	15 700	14 800	32,0
34,0	65,8	64,8	16 300	15 300	14 300	13 500	34,0
36,0	64,0	63,7	14 800	13 900	13 100	12 300	36,0
38,0	62,1	62,5	13 500	12 700	12 000	11 300	38,0
40,0	60,2	61,3	12 300	11 600	10 900	10 300	40,0
42,0	58,2	59,9	11 200	10 600	10 000	9 500	42,0
44,0	56,2	58,4	10 300	9 700	9 200	8 700	44,0
46,0	54,1	56,9	9 400	8 900	8 400	8 000	46,0
48,0	52,0	55,2	8 600	8 200	7 700	7 300	48,0
50,0	49,8	53,3	7 900	7 500	7 100	6 700	50,0
52,0	47,5	51,4	7 200	6 900	6 500	6 100	52,0
54,0	45,1	49,2	6 600	6 300	5 900	5 600	54,0
56,0	42,6	46,9	6 000	5 700	5 400	5 100	56,0
56,4	42,1	46,4	5 900	5 600	5 300	5 000	56,4
58,0							58,0
60,0							60,0
62,0							62,0
63,7							63,7
64,0							64,0
66,0							66,0
68,0							68,0
68,6							68,6

MLC200 S-3





	 25°						
	 m	 o	 m	 kg	 kg	 kg	 m
14,0							14,0
15,2							15,2
15,5							15,5
16,0							16,0
16,5							16,5
16,8							16,8
17,1	81,0	74,1	23 000				17,1
17,7	80,5	73,9	22 800				17,7
18,0	80,2	73,9	22 600				18,0
18,3	80,0	73,8	22 500	20 700			18,3
19,2	79,3	73,6	22 100	20 700			19,2
19,5	79,0	73,5	22 000	20 700	18 500		19,5
20,0	78,6	73,4	21 800	20 600	18 500		20,0
20,7	78,0	73,2	21 500	20 600	18 500	15 500	20,7
22,0	77,0	72,8	21 000	20 400	18 400	15 400	22,0
24,0	75,4	72,2	20 300	19 900	18 300	15 400	24,0
26,0	73,7	71,5	19 700	19 300	18 300	15 300	26,0
28,0	72,0	70,8	19 100	18 800	18 100	15 300	28,0
30,0	70,4	70,0	18 500	18 100	17 100	15 300	30,0
32,0	68,6	69,1	17 800	16 600	15 500	14 400	32,0
34,0	66,9	68,2	16 100	15 000	14 100	13 200	34,0
36,0	65,2	67,1	14 600	13 700	12 800	12 000	36,0
38,0	63,4	66,0	13 300	12 500	11 700	11 000	38,0
40,0	61,6	64,8	12 100	11 400	10 700	10 000	40,0
42,0	59,7	63,6	11 100	10 400	9 800	9 200	42,0
44,0	57,8	62,2	10 100	9 500	8 900	8 400	44,0
46,0	55,9	60,7	9 200	8 700	8 200	7 700	46,0
48,0	53,9	59,1	8 400	8 000	7 500	7 100	48,0
50,0	51,8	57,4	7 700	7 300	6 900	6 400	50,0
52,0	49,7	55,6	7 000	6 600	6 300	5 900	52,0
54,0	47,5	53,6	6 400	6 100	5 700	5 400	54,0
56,0	45,2	51,5	5 800	5 500	5 200	4 900	56,0
58,0	42,8	49,2	5 300	5 000	4 700	4 400	58,0
58,8	41,8	48,2	5 100	4 800	4 500	4 300	58,8
60,0							60,0
62,0							62,0
64,0							64,0
66,0							66,0
66,5							66,5
68,0							68,0
70,0							70,0
71,3							71,3



MLC200 S-3





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
14,3							14,3
15,8							15,8
16,0							16,0
16,2							16,2
17,1							17,1
17,4							17,4
17,7	80,9	77,0	23 000				17,7
18,0	80,6	76,9	22 800				18,0
18,3	80,4	76,8	22 700				18,3
18,6	80,1	76,8	22 600				18,6
18,9	79,9	76,7	22 500	20 500			18,9
20,0	79,1	76,5	22 000	20 500			20,0
20,1	79,0	76,4	22 000	20 400	18 300		20,1
21,3	78,1	76,1	21 500	20 400	18 300	14 800	21,3
22,0	77,5	75,9	21 300	20 300	18 200	14 800	22,0
24,0	76,0	75,3	20 600	20 100	18 100	14 800	24,0
26,0	74,4	74,7	20 000	19 600	18 100	14 800	26,0
28,0	72,8	74,0	19 400	19 000	17 900	14 800	28,0
30,0	71,2	73,2	18 800	18 000	16 800	14 800	30,0
32,0	69,5	72,4	17 600	16 300	15 200	14 100	32,0
34,0	67,9	71,5	15 900	14 800	13 800	12 900	34,0
36,0	66,2	70,5	14 400	13 500	12 600	11 700	36,0
38,0	64,5	69,4	13 100	12 200	11 400	10 700	38,0
40,0	62,8	68,3	11 900	11 200	10 400	9 800	40,0
42,0	61,0	67,1	10 900	10 200	9 500	8 900	42,0
44,0	59,3	65,8	9 900	9 300	8 700	8 200	44,0
46,0	57,4	64,4	9 000	8 500	8 000	7 500	46,0
48,0	55,6	62,9	8 200	7 700	7 300	6 800	48,0
50,0	53,6	61,3	7 500	7 100	6 600	6 200	50,0
52,0	51,7	59,6	6 800	6 400	6 000	5 600	52,0
54,0	49,6	57,8	6 200	5 900	5 500	5 100	54,0
56,0	47,5	55,8	5 700	5 300	5 000	4 600	56,0
60,0	43,1	51,4	4 600	4 300	4 100	3 800	60,0
61,0	41,9	50,3	4 400	4 100	3 800	3 600	61,0
64,0							64,0
68,0							68,0
68,9							68,9
70,1							70,1
71,6							71,6
72,0							72,0
73,2							73,2
74,1							74,1



MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
14,9							14,9	
16,0							16,0	
16,2							16,2	
16,5							16,5	
17,7							17,7	
18,0	81,0	80,0	23 100				18,0	
18,9	80,3	79,8	22 700				18,9	
19,2	80,1	79,7	22 600				19,2	
19,5	79,9	79,6	22 400	20 400			19,5	
20,0	79,5	79,5	22 200	20 300			20,0	
20,7	79,0	79,3	22 000	20 300	17 600		20,7	
22,0	78,0	79,0	21 500	20 200	17 600		22,0	
22,3	77,8	78,9	21 400	20 200	17 600	13 500	22,3	
24,0	76,5	78,5	20 800	20 100	17 600	13 500	24,0	
26,0	75,0	77,8	20 200	19 800	17 600	13 500	26,0	
28,0	73,5	77,2	19 600	19 300	17 600	13 500	28,0	
30,0	71,9	76,4	19 100	18 100	16 800	13 500	30,0	
32,0	70,4	75,6	17 600	16 400	15 200	13 500	32,0	
34,0	68,8	74,8	16 000	14 800	13 800	12 800	34,0	
36,0	67,2	73,8	14 500	13 500	12 600	11 700	36,0	
38,0	65,6	72,8	13 200	12 300	11 400	10 700	38,0	
40,0	63,9	71,7	12 000	11 200	10 400	9 700	40,0	
42,0	62,3	70,6	10 900	10 200	9 500	8 900	42,0	
44,0	60,6	69,4	10 000	9 300	8 700	8 100	44,0	
46,0	58,8	68,1	9 100	8 500	8 000	7 400	46,0	
48,0	57,1	66,7	8 300	7 800	7 300	6 800	48,0	
50,0	55,3	65,2	7 600	7 100	6 600	6 200	50,0	
52,0	53,4	63,6	6 900	6 500	6 100	5 600	52,0	
54,0	51,5	61,9	6 300	5 900	5 500	5 100	54,0	
56,0	49,6	60,0	5 700	5 400	5 000	4 700	56,0	
58,0	47,5	58,1	5 200	4 800	4 500	4 200	58,0	
60,0	45,4	56,0	4 700	4 400	4 100	3 800	60,0	
62,0	43,3	53,7	4 200	3 900	3 700	3 400	62,0	
63,1	42,0	52,4	4 000	3 700	3 400	3 200	63,1	
64,0							64,0	
66,0							66,0	
68,0							68,0	
70,1							70,1	
71,6							71,6	
72,0							72,0	
73,2							73,2	
74,7							74,7	

MLC200 S-3





	 25°							
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg		3°  kg
15,2							15,2	
16,0							16,0	
16,8							16,8	
17,1							17,1	
18,0							18,0	
18,3							18,3	
18,6	80,9	82,9	23 000				18,6	
19,8	80,0	82,7	22 500	20 200			19,8	
20,0	79,9	82,6	22 500	20 100			20,0	
21,3	79,0	82,3	22 000	20 100	16 000		21,3	
22,0	78,5	82,1	21 700	20 000	16 000		22,0	
22,9	77,8	81,9	21 400	20 000	16 000	12 100	22,9	
24,0	77,0	81,6	21 100	19 900	16 000	12 100	24,0	
26,0	75,6	81,0	20 400	19 800	16 000	12 100	26,0	
28,0	74,1	80,3	19 800	19 400	16 000	12 100	28,0	
30,0	72,6	79,6	19 100	17 900	16 000	12 100	30,0	
32,0	71,1	78,9	17 500	16 100	14 900	12 100	32,0	
34,0	69,6	78,0	15 800	14 600	13 600	12 000	34,0	
36,0	68,1	77,2	14 300	13 300	12 300	11 400	36,0	
38,0	66,6	76,2	13 000	12 100	11 200	10 400	38,0	
40,0	65,0	75,2	11 800	11 000	10 200	9 500	40,0	
42,0	63,4	74,1	10 800	10 000	9 300	8 700	42,0	
44,0	61,8	72,9	9 800	9 100	8 500	7 900	44,0	
46,0	60,1	71,7	8 900	8 300	7 700	7 200	46,0	
48,0	58,5	70,3	8 100	7 600	7 100	6 600	48,0	
50,0	56,8	68,9	7 400	6 900	6 400	6 000	50,0	
52,0	55,0	67,4	6 700	6 300	5 800	5 400	52,0	
54,0	53,2	65,8	6 100	5 700	5 300	4 900	54,0	
56,0	51,4	64,1	5 500	5 200	4 800	4 400	56,0	
58,0	49,5	62,3	5 000	4 700	4 300	4 000	58,0	
60,0	47,6	60,3	4 500	4 200	3 900	3 600	60,0	
62,0	45,6	58,2	4 100	3 800	3 500	3 200	62,0	
64,0	43,5	56,0	3 600	3 300	3 100	2 800	64,0	
65,5	41,8	54,2	3 300	3 000	2 800	2 500	65,5	
66,0							66,0	
68,0							68,0	
68,6							68,6	
70,0							70,0	
70,1							70,1	
71,6							71,6	
72,0							72,0	
73,2							73,2	


MLC200 S-3




				0° 	1° 	2° 	3°
	m	α	m	kg	kg	kg	kg
15,8							
16,0							
17,4							
18,0							
18,9	81,0	85,9	22 900				
20,0	80,2	85,7	22 600				
20,4	80,0	85,6	22 500				
21,9	78,9	85,2	22 000	19 300			
22,0	78,9	85,2	21 900	19 300	14 400		
23,5	77,8	84,8	21 400	19 200	14 400	10 800	
24,0	77,5	84,7	21 300	19 200	14 400	10 800	
26,0	76,1	84,1	20 600	19 200	14 400	10 800	
28,0	74,7	83,5	20 100	19 000	14 400	10 800	
30,0	73,3	82,8	19 100	17 700	14 400	10 800	
32,0	71,8	82,1	17 300	15 900	14 400	10 800	
34,0	70,4	81,3	15 600	14 400	13 300	10 800	
36,0	68,9	80,4	14 100	13 100	12 100	10 800	
38,0	67,4	79,5	12 800	11 800	11 000	10 100	
40,0	65,9	78,5	11 600	10 800	10 000	9 200	
42,0	64,4	77,5	10 600	9 800	9 100	8 400	
44,0	62,9	76,4	9 600	8 900	8 300	7 600	
46,0	61,3	75,2	8 700	8 100	7 500	6 900	
48,0	59,7	73,9	7 900	7 400	6 800	6 300	
50,0	58,1	72,6	7 200	6 700	6 200	5 700	
52,0	56,5	71,2	6 500	6 100	5 600	5 200	
54,0	54,8	69,6	5 900	5 500	5 100	4 700	
56,0	53,1	68,0	5 300	4 900	4 600	4 200	
58,0	51,3	66,3	4 800	4 400	4 100	3 700	
60,0	49,5	64,5	4 300	4 000	3 600	3 300	
62,0	47,6	62,6	3 900	3 500	3 200	2 900	
64,0	45,7	60,5	3 400	3 100	2 800	2 600	
66,0	43,6	58,2	3 000	2 700	2 500	2 200	
67,1	42,5	57,0	2 800	2 500	2 300	2 000	
67,7	41,9	56,3	2 700	2 400	2 200	1 900	
68,0							
68,6							
70,0							
70,1							
71,6							

MLC200 S-3

[illegible]




83 730 kg
+
27 400 kg




			5°				15°						
			0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,8	80,9	45,8	24 800										9,8
10,0	80,6	45,8	24 700										10,0
10,7	79,6	45,6	24 400	20 600									10,7
11,3	78,8	45,5	24 200	20 400	17 700								11,3
11,9	78,0	45,4	24 000	20 300	17 600								11,9
12,0	77,9	45,3	23 900	20 200	17 600		80,8	45,0	22 000				12,0
12,2	77,6	45,3	23 900	20 200	17 500	15 500	80,7	45,0	21 900				12,2
12,5	77,2	45,2	23 700	20 100	17 500	15 500	80,4	45,0	21 900				12,5
13,4	76,0	45,0	23 400	19 800	17 300	15 300	80,0	44,9	21 800	18 700			13,4
14,0	75,2	44,8	23 200	19 700	17 200	15 200	78,8	44,6	21 600	18 500	16 300		14,0
14,6	74,4	44,6	23 000	19 500	17 100	15 200	77,9	44,5	21 400	18 400	16 200	14 400	14,6
15,2	73,6	44,4	22 800	19 400	16 900	15 100	77,1	44,3	21 300	18 300	16 100	14 400	15,2
16,0	72,5	44,2	22 500	19 200	16 800	15 000	76,3	44,1	21 100	18 200	16 000	14 300	16,0
16,2	72,2	44,1	22 400	19 100	16 700	14 900	75,2	43,8	20 900	18 000	15 900	14 200	16,2
18,0	69,7	43,4	21 900	18 700	16 400	14 700	74,9	43,7	20 900	18 000	15 900	14 200	18,0
20,0	66,9	42,5	21 300	18 300	16 100	14 400	72,4	43,1	20 500	17 700	15 700	14 100	20,0
22,0	64,0	41,6	20 800	17 900	15 800	14 200	69,6	42,2	20 100	17 400	15 400	13 900	22,0
24,0	61,0	40,4	20 300	17 600	15 500	13 900	66,6	41,2	19 500	17 200	15 200	13 700	24,0
26,0	58,0	39,2	19 800	17 200	15 300	13 700	63,6	40,1	18 400	16 900	15 100	13 600	26,0
28,0	54,8	37,8	19 400	16 900	15 000	13 500	60,6	38,8	17 300	16 700	14 900	13 400	28,0
30,0	51,5	36,2	18 700	16 700	14 800	13 400	57,3	37,4	16 400	16 300	14 800	13 300	30,0
32,0	48,0	34,4	17 600	16 400	14 600	13 200	54,0	35,8	15 500	15 500	14 600	13 200	32,0
34,0	44,3	32,4	16 600	16 200	14 500	13 100	50,5	34,0	14 800	14 700	14 500	13 200	34,0
36,0	40,3	30,0	15 700	15 500	14 400	13 000	46,7	31,9	14 100	14 100	14 000	13 100	36,0
36,6	39,0	29,2	15 500	15 300	14 300	13 000	42,7	29,5	13 600	13 500	13 500	13 100	36,6
38,0	35,9	27,3	14 900	14 700	14 200	12 900	41,4	28,7	13 400	13 400	13 300	13 100	38,0
40,0	31,0	24,1	14 000	13 600	13 300	12 800	38,2	26,8	13 100	13 000	13 000	12 900	40,0
40,5	29,5	23,0	13 700	13 400	13 000	12 600	33,2	23,5	12 600	12 600	12 500	12 500	40,5
42,0	25,2	20,1	12 900	12 600	12 400	12 100	31,7	22,5	12 500	12 500	12 400	12 400	42,0
43,0	21,8	17,7	12 500	12 200	11 900	11 700							43,0

MLC200 S-3





25°							
m		°		m		kg	
0°		1°		2°		3°	
9,8							9,8
10,0							10,0
10,7							10,7
11,3							11,3
11,9							11,9
12,0							12,0
12,2							12,2
12,5							12,5
13,4							13,4
14,0	80,7	43,8	18 200				14,0
14,6	79,9	43,6	17 800	17 200			14,6
15,2	79,1	43,4	17 500	17 000	15 200		15,2
16,0	78,0	43,1	17 100	16 700	15 200		16,0
16,2	77,7	43,0	17 000	16 600	15 100	13 600	16,2
18,0	75,1	42,4	16 100	15 800	15 000	13 500	18,0
20,0	72,2	41,5	15 300	15 000	14 700	13 400	20,0
22,0	69,2	40,5	14 500	14 300	14 100	13 400	22,0
24,0	66,2	39,3	13 800	13 600	13 500	13 200	24,0
26,0	63,0	38,0	13 300	13 100	12 900	12 800	26,0
28,0	59,7	36,6	12 700	12 600	12 500	12 300	28,0
30,0	56,3	34,9	12 300	12 200	12 000	11 900	30,0
32,0	52,7	33,0	11 900	11 800	11 700	11 600	32,0
34,0	48,8	30,9	11 500	11 400	11 400	11 300	34,0
36,0	44,6	28,4	11 200	11 100	11 100	11 000	36,0
36,6	43,3	27,7	11 100	11 100	11 000	11 000	36,6
38,0							38,0
40,0							40,0
40,5							40,5
42,0							42,0
43,0							43,0


MLC200 S-3

[illegible]

MLC200 S-3


[illegible]



MLC200 S-3





	 25°						
	m	kg	m	kg	kg	kg	m
11,3							11,3
12,0							12,0
12,2							12,2
13,1							13,1
13,4							13,4
14,0							14,0
14,3							14,3
14,9							14,9
15,2	81,0	52,7	18 300				15,2
15,8	80,3	52,5	18 000				15,8
16,0	80,1	52,5	17 900				16,0
16,2	79,9	52,4	17 800	17 100			16,2
17,1	78,8	52,1	17 400	16 900	15 100		17,1
18,0	77,8	51,9	17 000	16 600	15 000	13 500	18,0
20,0	75,5	51,2	16 200	15 900	14 900	13 400	20,0
22,0	73,1	50,4	15 500	15 200	14 800	13 400	22,0
24,0	70,7	49,4	14 900	14 600	14 400	13 300	24,0
26,0	68,2	48,4	14 300	14 100	13 900	13 300	26,0
28,0	65,7	47,3	13 800	13 600	13 400	13 200	28,0
30,0	63,1	46,1	13 300	13 100	12 900	12 800	30,0
32,0	60,5	44,7	12 800	12 700	12 600	12 400	32,0
34,0	57,7	43,2	12 500	12 300	12 200	12 100	34,0
36,0	54,8	41,5	12 100	12 000	11 900	11 800	36,0
38,0	51,8	39,7	11 800	11 700	11 600	11 500	38,0
40,0	48,7	37,6	11 500	11 400	11 300	11 300	40,0
42,0	45,3	35,3	11 200	11 200	11 100	11 100	42,0
43,3	43,0	33,6	11 100	11 000	11 000	10 900	43,3
44,0							44,0
46,0							46,0
48,0							48,0
48,2							48,2
50,0							50,0
51,5							51,5

MLC200 S-3






	25°						m
	°	m					
			0° kg	1° kg	2° kg	3° kg	
11,6							11,6
12,0							12,0
12,5							12,5
13,7							13,7
14,0							14,0
14,6							14,6
15,5							15,5
15,8	80,8	55,6	18 200				15,8
16,0	80,7	55,6	18 100				16,0
16,5	80,1	55,5	17 900				16,5
16,8	79,8	55,4	17 800	17 000			16,8
17,7	78,8	55,1	17 400	16 900	15 000		17,7
18,0	78,5	55,0	17 300	16 800	15 000		18,0
18,6	77,8	54,8	17 000	16 600	15 000	13 400	18,6
20,0	76,3	54,4	16 500	16 200	14 900	13 400	20,0
22,0	74,1	53,6	15 800	15 500	14 800	13 300	22,0
24,0	71,8	52,8	15 100	14 900	14 600	13 300	24,0
26,0	69,5	51,8	14 600	14 300	14 100	13 200	26,0
28,0	67,2	50,8	14 100	13 800	13 600	13 200	28,0
30,0	64,8	49,6	13 600	13 400	13 200	13 000	30,0
32,0	62,3	48,4	13 100	13 000	12 800	12 700	32,0
34,0	59,8	47,0	12 700	12 600	12 500	12 300	34,0
36,0	57,2	45,4	12 400	12 300	12 100	12 000	36,0
38,0	54,5	43,7	12 100	11 900	11 800	11 700	38,0
40,0	51,6	41,9	11 800	11 700	11 600	11 500	40,0
42,0	48,6	39,8	11 500	11 400	11 300	11 100	42,0
44,0	45,5	37,6	11 300	11 200	11 000	10 400	44,0
45,4	43,1	35,8	11 000	10 600	10 300	9 900	45,4
46,0							46,0
48,0							48,0
50,0							50,0
50,6							50,6
52,0							52,0
54,0							54,0
54,3							54,3


MLC200 S-3





 25°							
				 0°		 3°	
 m	 °	 m	 kg	 kg	 kg	 kg	 m
12,2							12,2
13,1							13,1
14,0							14,0
14,3							14,3
15,2							15,2
16,0							16,0
16,2	81,0	58,6	18 300				16,2
17,1	80,1	58,4	17 900				17,1
17,4	79,8	58,3	17 800	17 000			17,4
18,0	79,1	58,1	17 500	16 900			18,0
18,3	78,8	58,0	17 400	16 800	14 900		18,3
19,2	77,9	57,8	17 000	16 600	14 900	13 400	19,2
20,0	77,1	57,5	16 700	16 400	14 900	13 300	20,0
22,0	75,0	56,8	16 000	15 700	14 800	13 300	22,0
24,0	72,8	56,0	15 400	15 100	14 700	13 300	24,0
26,0	70,7	55,1	14 800	14 600	14 400	13 200	26,0
28,0	68,5	54,1	14 300	14 100	13 900	13 200	28,0
30,0	66,2	53,1	13 900	13 700	13 500	13 200	30,0
32,0	64,0	51,9	13 400	13 200	13 100	12 900	32,0
34,0	61,6	50,6	13 000	12 900	12 700	12 600	34,0
36,0	59,2	49,2	12 700	12 500	12 400	12 300	36,0
38,0	56,7	47,6	12 300	12 200	12 100	12 000	38,0
40,0	54,1	45,9	12 000	11 900	11 800	11 700	40,0
42,0	51,4	44,1	11 700	11 600	11 400	11 000	42,0
44,0	48,6	42,1	11 400	11 000	10 600	10 200	44,0
46,0	45,6	39,8	10 600	10 200	9 800	9 400	46,0
47,6	43,2	37,9	9 900	9 600	9 200	8 900	47,6
48,0							48,0
50,0							50,0
52,0							52,0
53,3							53,3
54,0							54,0
56,0							56,0
57,0							57,0



MLC200 S-3






	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
12,5								12,5
13,7								13,7
14,0								14,0
14,6								14,6
15,8								15,8
16,0								16,0
16,8	80,9	61,6	18 200					16,8
17,7	80,0	61,3	17 800	16 900				17,7
18,0	79,7	61,2	17 700	16 900				18,0
18,9	78,8	61,0	17 400	16 800	14 900			18,9
19,8	77,9	60,7	17 000	16 600	14 800	13 300	19,8	
20,0	77,7	60,6	17 000	16 600	14 800	13 300	20,0	
22,0	75,7	60,0	16 300	16 000	14 800	13 200	22,0	
24,0	73,7	59,2	15 700	15 400	14 700	13 200	24,0	
26,0	71,7	58,4	15 100	14 900	14 600	13 200	26,0	
28,0	69,6	57,5	14 600	14 400	14 100	13 100	28,0	
30,0	67,5	56,4	14 100	13 900	13 700	13 100	30,0	
32,0	65,4	55,3	13 700	13 500	13 300	13 100	32,0	
34,0	63,2	54,1	13 300	13 100	13 000	12 800	34,0	
36,0	61,0	52,8	12 900	12 800	12 600	12 500	36,0	
38,0	58,6	51,4	12 600	12 400	12 300	12 200	38,0	
40,0	56,3	49,8	12 300	12 100	12 000	11 600	40,0	
42,0	53,8	48,1	12 000	11 700	11 200	10 700	42,0	
44,0	51,2	46,3	11 300	10 800	10 400	9 900	44,0	
46,0	48,6	44,3	10 400	10 000	9 600	9 200	46,0	
48,0	45,8	42,0	9 600	9 200	8 900	8 500	48,0	
50,0	42,8	39,6	8 900	8 500	8 200	7 900	50,0	
50,0							50,0	
52,0							52,0	
54,0							54,0	
55,8							55,8	
56,0							56,0	
58,0							58,0	
59,7							59,7	



MLC200 S-3





	 25°						 m
	 o	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
13,1							13,1
14,0							14,0
14,3							14,3
15,2							15,2
16,0							16,0
16,2							16,2
16,5							16,5
17,4	80,8	64,5	18 200				17,4
18,0	80,2	64,3	17 900				18,0
18,3	79,9	64,3	17 800	16 800			18,3
18,6	79,6	64,2	17 700	16 800			18,6
19,5	78,8	63,9	17 400	16 700	14 800		19,5
20,0	78,3	63,8	17 200	16 700	14 800		20,0
20,4	77,9	63,6	17 100	16 600	14 700	13 200	20,4
22,0	76,4	63,1	16 500	16 200	14 700	13 200	22,0
24,0	74,5	62,4	15 900	15 600	14 700	13 100	24,0
26,0	72,6	61,6	15 400	15 100	14 600	13 100	26,0
28,0	70,7	60,8	14 800	14 600	14 400	13 100	28,0
30,0	68,7	59,8	14 400	14 200	13 900	13 100	30,0
32,0	66,7	58,8	13 900	13 700	13 500	13 100	32,0
34,0	64,6	57,7	13 500	13 400	13 200	13 000	34,0
36,0	62,5	56,4	13 200	13 000	12 900	12 700	36,0
38,0	60,4	55,1	12 800	12 700	12 500	12 300	38,0
40,0	58,2	53,7	12 500	12 300	11 900	11 300	40,0
42,0	55,9	52,1	12 000	11 500	11 000	10 500	42,0
44,0	53,5	50,4	11 100	10 600	10 100	9 700	44,0
46,0	51,1	48,5	10 200	9 800	9 400	8 900	46,0
48,0	48,6	46,5	9 400	9 000	8 600	8 300	48,0
50,0	45,9	44,3	8 700	8 300	8 000	7 600	50,0
52,0	43,1	41,9	8 000	7 700	7 400	7 000	52,0
52,1	42,9	41,7	8 000	7 600	7 300	7 000	52,1
54,0							54,0
56,0							56,0
58,0							58,0
58,5							58,5
60,0							60,0
62,0							62,0
62,8							62,8

MLC200 S-3





	25°							 m
	 m	 °	 m					
				0°  kg	1°  kg	2°  kg	3°  kg	
13,4							13,4	
14,0							14,0	
14,6							14,6	
15,5							15,5	
15,8							15,8	
16,0							16,0	
16,8							16,8	
17,1							17,1	
17,7	80,9	67,5	18 200				17,7	
18,0	80,6	67,4	18 100				18,0	
18,9	79,8	67,2	17 800	16 700			18,9	
19,2	79,6	67,1	17 700	16 700			19,2	
19,8	79,0	66,9	17 500	16 700	14 700		19,8	
20,0	78,9	66,9	17 400	16 700	14 700		20,0	
21,0	78,0	66,6	17 100	16 500	14 700	13 200	21,0	
22,0	77,1	66,3	16 700	16 400	14 600	13 100	22,0	
24,0	75,3	65,6	16 100	15 800	14 600	13 100	24,0	
26,0	73,4	64,8	15 600	15 300	14 600	13 100	26,0	
28,0	71,6	64,0	15 100	14 800	14 500	13 000	28,0	
30,0	69,7	63,1	14 600	14 400	14 200	13 000	30,0	
32,0	67,8	62,1	14 200	14 000	13 800	13 000	32,0	
34,0	65,9	61,1	13 800	13 600	13 400	13 000	34,0	
36,0	63,9	59,9	13 400	13 200	13 100	12 900	36,0	
38,0	61,9	58,7	13 100	12 900	12 700	12 100	38,0	
40,0	59,8	57,3	12 700	12 400	11 700	11 100	40,0	
42,0	57,7	55,9	12 000	11 400	10 800	10 300	42,0	
44,0	55,5	54,3	11 000	10 500	10 000	9 500	44,0	
46,0	53,3	52,6	10 100	9 600	9 200	8 700	46,0	
48,0	51,0	50,7	9 300	8 900	8 500	8 100	48,0	
50,0	48,5	48,7	8 600	8 200	7 800	7 500	50,0	
52,0	46,0	46,6	7 900	7 500	7 200	6 900	52,0	
54,0	43,3	44,2	7 300	6 900	6 600	6 300	54,0	
54,3	43,0	43,8	7 200	6 900	6 600	6 300	54,3	
56,0							56,0	
58,0							58,0	
60,0							60,0	
61,0							61,0	
62,0							62,0	
64,0							64,0	
65,5							65,5	



MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,2							16,2	
16,5							16,5	
17,4							17,4	
17,7							17,7	
18,0							18,0	
18,3	80,8	70,4	18 200				18,3	
18,6	80,5	70,4	18 100				18,6	
19,2	80,0	70,2	17 900	16 600			19,2	
19,8	79,5	70,0	17 700	16 600			19,8	
20,0	79,3	70,0	17 600	16 600			20,0	
20,4	79,0	69,9	17 500	16 600	14 600		20,4	
21,6	78,0	69,5	17 100	16 500	14 600	13 100	21,6	
22,0	77,6	69,4	16 900	16 500	14 600	13 100	22,0	
24,0	75,9	68,8	16 400	16 000	14 500	13 000	24,0	
26,0	74,2	68,1	15 800	15 500	14 500	13 000	26,0	
28,0	72,4	67,3	15 300	15 000	14 500	13 000	28,0	
30,0	70,7	66,4	14 800	14 600	14 300	13 000	30,0	
32,0	68,9	65,5	14 400	14 200	14 000	13 000	32,0	
34,0	67,0	64,5	14 000	13 800	13 600	12 900	34,0	
36,0	65,2	63,4	13 600	13 500	13 300	12 700	36,0	
38,0	63,3	62,2	13 300	13 100	12 500	11 800	38,0	
40,0	61,3	61,0	12 800	12 200	11 500	10 900	40,0	
42,0	59,3	59,6	11 800	11 200	10 600	10 000	42,0	
44,0	57,3	58,1	10 800	10 300	9 700	9 200	44,0	
46,0	55,2	56,5	9 900	9 400	8 900	8 500	46,0	
48,0	53,1	54,8	9 100	8 700	8 200	7 800	48,0	
50,0	50,9	53,0	8 400	8 000	7 600	7 200	50,0	
52,0	48,5	51,0	7 700	7 300	7 000	6 600	52,0	
54,0	46,1	48,8	7 100	6 700	6 400	6 100	54,0	
56,0	43,6	46,5	6 500	6 200	5 900	5 600	56,0	
56,4	43,1	46,0	6 400	6 100	5 800	5 500	56,4	
58,0							58,0	
60,0							60,0	
62,0							62,0	
63,4							63,4	
64,0							64,0	
66,0							66,0	
68,0							68,0	
68,3							68,3	



MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
14,3							14,3	
15,8							15,8	
16,0							16,0	
16,5							16,5	
17,1							17,1	
17,7							17,7	
18,0							18,0	
18,3							18,3	
18,6	80,9	73,4	18 200				18,6	
19,2	80,4	73,3	18 000				19,2	
19,8	80,0	73,1	17 800	16 500			19,8	
20,0	79,8	73,1	17 800	16 500			20,0	
20,4	79,5	73,0	17 600	16 500			20,4	
21,0	79,0	72,8	17 500	16 500	14 500		21,0	
22,0	78,2	72,5	17 100	16 400	14 500		22,0	
22,3	77,9	72,4	17 000	16 400	14 500	13 000	22,3	
24,0	76,5	71,9	16 600	16 200	14 400	12 900	24,0	
26,0	74,9	71,2	16 000	15 700	14 400	12 900	26,0	
28,0	73,2	70,5	15 500	15 200	14 400	12 900	28,0	
30,0	71,5	69,7	15 100	14 800	14 300	12 900	30,0	
32,0	69,8	68,8	14 600	14 400	14 200	12 900	32,0	
34,0	68,0	67,8	14 200	14 000	13 800	12 800	34,0	
36,0	66,3	66,8	13 900	13 700	13 300	12 500	36,0	
38,0	64,5	65,7	13 500	13 000	12 300	11 600	38,0	
40,0	62,7	64,5	12 700	12 000	11 300	10 600	40,0	
42,0	60,8	63,2	11 600	11 000	10 400	9 800	42,0	
44,0	58,9	61,8	10 700	10 100	9 500	9 000	44,0	
46,0	56,9	60,4	9 800	9 200	8 700	8 300	46,0	
48,0	54,9	58,8	9 000	8 500	8 000	7 600	48,0	
50,0	52,9	57,0	8 200	7 800	7 400	7 000	50,0	
52,0	50,7	55,2	7 600	7 200	6 800	6 400	52,0	
54,0	48,5	53,2	6 900	6 600	6 200	5 900	54,0	
56,0	46,2	51,1	6 300	6 000	5 700	5 400	56,0	
58,0	43,8	48,7	5 800	5 500	5 200	4 900	58,0	
58,5	43,1	48,1	5 700	5 400	5 100	4 800	58,5	
60,0							60,0	
62,0							62,0	
64,0							64,0	
66,0							66,0	
66,1							66,1	
68,0							68,0	
71,0							71,0	

MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
14,9							14,9	
16,0							16,0	
16,2							16,2	
17,1							17,1	
17,7							17,7	
18,0							18,0	
18,3							18,3	
18,9							18,9	
19,2	80,8	76,4	18 200				19,2	
19,5	80,6	76,3	18 100				19,5	
20,0	80,2	76,2	17 900				20,0	
20,4	79,9	76,1	17 800	16 400			20,4	
21,0	79,4	75,9	17 600	16 400			21,0	
21,6	79,0	75,8	17 400	16 300	14 400		21,6	
22,0	78,7	75,7	17 300	16 300	14 400		22,0	
22,9	77,9	75,4	17 100	16 300	14 300	12 800	22,9	
24,0	77,1	75,1	16 700	16 300	14 300	12 800	24,0	
26,0	75,5	74,4	16 200	15 900	14 300	12 800	26,0	
28,0	73,9	73,7	15 700	15 400	14 300	12 800	28,0	
30,0	72,3	72,9	15 300	15 000	14 200	12 800	30,0	
32,0	70,6	72,1	14 800	14 600	14 200	12 800	32,0	
34,0	69,0	71,2	14 400	14 200	14 000	12 800	34,0	
36,0	67,3	70,2	14 100	13 800	13 200	12 300	36,0	
38,0	65,6	69,1	13 700	12 900	12 000	11 300	38,0	
40,0	63,9	68,0	12 500	11 800	11 000	10 400	40,0	
42,0	62,1	66,8	11 400	10 800	10 100	9 500	42,0	
44,0	60,3	65,5	10 500	9 900	9 300	8 700	44,0	
46,0	58,5	64,1	9 600	9 000	8 500	8 000	46,0	
48,0	56,6	62,6	8 800	8 300	7 800	7 300	48,0	
50,0	54,7	61,0	8 000	7 600	7 100	6 700	50,0	
52,0	52,7	59,3	7 400	6 900	6 500	6 200	52,0	
54,0	50,6	57,5	6 700	6 400	6 000	5 600	54,0	
56,0	48,5	55,5	6 200	5 800	5 500	5 100	56,0	
58,0	46,3	53,3	5 600	5 300	5 000	4 700	58,0	
60,0	44,0	51,0	5 100	4 800	4 500	4 200	60,0	
61,0	42,9	49,9	4 900	4 600	4 300	4 000	61,0	
62,0							62,0	
64,0							64,0	
66,0							66,0	
68,6							68,6	
70,0							70,0	
73,8							73,8	

MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
15,5							15,5	
16,0							16,0	
16,8							16,8	
17,4							17,4	
18,0							18,0	
18,3							18,3	
18,9							18,9	
19,5	81,0	79,4	18 300				19,5	
20,0	80,6	79,3	18 100				20,0	
20,1	80,5	79,2	18 100				20,1	
21,0	79,8	79,0	17 800	16 300			21,0	
21,6	79,4	78,8	17 600	16 300			21,6	
22,0	79,1	78,7	17 500	16 300			22,0	
22,3	78,9	78,7	17 400	16 300	14 300		22,3	
23,5	78,0	78,3	17 100	16 200	14 300	12 400	23,5	
24,0	77,6	78,2	16 900	16 200	14 200	12 400	24,0	
26,0	76,1	77,6	16 400	16 100	14 200	12 400	26,0	
28,0	74,5	76,9	15 900	15 600	14 200	12 400	28,0	
30,0	73,0	76,1	15 500	15 200	14 200	12 400	30,0	
32,0	71,4	75,3	15 000	14 800	14 100	12 400	32,0	
34,0	69,8	74,5	14 600	14 400	13 900	12 400	34,0	
36,0	68,2	73,5	14 300	13 800	12 900	12 000	36,0	
38,0	66,6	72,5	13 500	12 600	11 800	11 000	38,0	
40,0	65,0	71,4	12 300	11 500	10 800	10 100	40,0	
42,0	63,3	70,3	11 300	10 500	9 900	9 200	42,0	
44,0	61,6	69,1	10 300	9 600	9 000	8 500	44,0	
46,0	59,9	67,7	9 400	8 800	8 300	7 700	46,0	
48,0	58,1	66,3	8 600	8 100	7 600	7 100	48,0	
50,0	56,3	64,8	7 900	7 400	6 900	6 500	50,0	
52,0	54,4	63,2	7 200	6 700	6 300	5 900	52,0	
54,0	52,5	61,5	6 600	6 200	5 800	5 400	54,0	
56,0	50,5	59,7	6 000	5 600	5 200	4 900	56,0	
58,0	48,5	57,7	5 400	5 100	4 800	4 400	58,0	
60,0	46,4	55,6	4 900	4 600	4 300	4 000	60,0	
63,1	42,9	52,0	4 200	3 900	3 700	3 400	63,1	
64,0							64,0	
68,0							68,0	
71,3							71,3	
71,6							71,6	
72,0							72,0	
73,2							73,2	
74,7							74,7	




MLC200 S-3




[illegible]

MLC200 S-3



[illegible]

MLC200 S-3


$$\begin{array}{r} 83\,730 \text{ kg} \\ + \\ 27\,400 \text{ kg} \end{array}$$



		5°						15°							
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
16,8	81,0	90,3	21 700											16,8	
18,0	80,2	90,0	21 600											18,0	
18,3	80,0	90,0	21 500	17 300										18,3	
18,9	79,6	89,9	21 400	17 300				80,9	89,5	20 000				18,9	
19,8	79,0	89,7	21 300	17 200	12 900			80,3	89,3	19 900				19,8	
20,0	78,8	89,6	21 300	17 200	12 900			80,2	89,3	19 900				20,0	
20,4	78,6	89,5	21 200	17 200	12 900			79,9	89,2	19 800	16 700			20,4	
21,0	78,2	89,4	21 100	17 200	12 800			79,5	89,0	19 800	16 700			21,0	
21,3	78,0	89,3	21 100	17 200	12 800	9 600		79,3	89,0	19 700	16 700			21,3	
21,9	77,6	89,2	21 000	17 200	12 800	9 600		78,9	88,8	19 700	16 600	12 700		21,9	
22,0	77,5	89,2	21 000	17 200	12 800	9 600		78,9	88,8	19 700	16 600	12 700		22,0	
22,6	77,1	89,0	20 900	17 200	12 800	9 600		78,5	88,7	19 600	16 600	12 700		22,6	
23,5	76,5	88,8	20 800	17 100	12 800	9 600		77,9	88,4	19 500	16 500	12 700	9 500	23,5	
24,0	76,2	88,7	20 700	17 100	12 800	9 600		77,5</							

MLC200 S-3




	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
16,8							16,8	
18,0							18,0	
18,3							18,3	
18,9							18,9	
19,8							19,8	
20,0							20,0	
20,4							20,4	
21,0	80,9	88,2	18 200				21,0	
21,3	80,7	88,2	18 100				21,3	
21,9	80,3	88,0	18 000				21,9	
22,0	80,2	88,0	17 900				22,0	
22,6	79,8	87,8	17 800	15 800			22,6	
23,5	79,2	87,6	17 500	15 800			23,5	
24,0	78,9	87,5	17 400	15 800			24,0	
24,1	78,8	87,5	17 400	15 800	12 400		24,1	
25,3	78,0	87,1	17 100	15 800	12 400	9 300	25,3	
26,0	77,5	86,9	16 900	15 800	12 300	9 300	26,0	
28,0	76,2	86,3	16 400	15 700	12 300	9 300	28,0	
30,0	74,8	85,7	16 000	15 600	12 300	9 300	30,0	
32,0	73,4	85,0	15 600	15 300	12 300	9 300	32,0	
34,0	72,0	84,2	15 200	14 700	12 300	9 300	34,0	
36,0	70,6	83,4	14 500	13 500	12 200	9 300	36,0	
38,0	69,2	82,5	13 200	12 200	11 300	9 300	38,0	
40,0	67,8	81,6	12 100	11 200	10 300	9 200	40,0	
42,0	66,3	80,6	11 000	10 200	9 400	8 700	42,0	
44,0	64,8	79,5	10 000	9 300	8 600	7 900	44,0	
46,0	63,3	78,3	9 100	8 400	7 800	7 200	46,0	
48,0	61,8	77,1	8 300	7 700	7 100	6 600	48,0	
50,0	60,3	75,9	7 600	7 000	6 500	6 000	50,0	
52,0	58,7	74,5	6 900	6 400	5 900	5 400	52,0	
54,0	57,1	73,1	6 200	5 800	5 300	4 900	54,0	
56,0	55,4	71,5	5 700	5 200	4 800	4 400	56,0	
58,0	53,8	69,9	5 100	4 700	4 300	4 000	58,0	
60,0	52,0	68,2	4 600	4 200	3 900	3 600	60,0	
62,0	50,3	66,3	4 100	3 800	3 500	3 200	62,0	
66,0	46,6	62,3	3 300	3 000	2 700	2 400	66,0	
68,6	44,0	59,3	2 800	2 500	2 300	2 000	68,6	
69,8	42,8	57,9	2 500	2 300	2 100	1 800	69,8	
70,0							70,0	
70,1							70,1	
71,6							71,6	
73,2							73,2	

MLC200 S-3





25°							
m		°		m		kg	
0°		1°		2°		3°	
10,7							10,7
11,3							11,3
12,0							12,0
12,2							12,2
12,8							12,8
13,1							13,1
14,0							14,0
14,6							14,6
15,5							15,5
15,8	80,7	46,2	14 700				15,8
16,0	80,5	46,2	14 600				16,0
16,5	79,8	46,0	14 400	14 100			16,5
17,4	78,6	45,7	13 900	13 800	12 300		17,4
18,0	77,8	45,5	13 700	13 600	12 200	10 900	18,0
20,0	75,1	44,6	12 900	12 800	12 100	10 800	20,0
22,0	72,4	43,7	12 200	12 100	11 900	10 800	22,0
24,0	69,6	42,7	11 600	11 500	11 400	10 700	24,0
26,0	66,7	41,5	11 000	11 000	10 800	10 600	26,0
28,0	63,7	40,1	10 500	10 500	10 400	10 200	28,0
30,0	60,6	38,7	10 100	10 100	10 000	9 900	30,0
32,0	57,4	37,0	9 700	9 700	9 600	9 500	32,0
34,0	54,0	35,1	9 400	9 400	9 300	9 200	34,0
36,0	50,3	33,0	9 100	9 100	9 000	8 900	36,0
38,0	46,4	30,6	8 800	8 800	8 800	8 700	38,0
39,6	43,0	28,3	8 600	8 600	8 600	8 600	39,6
40,0							40,0
42,0							42,0
43,6							43,6
44,0							44,0
46,0							46,0

MLC200 S-3




[illegible]





MLC200 S-3




25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
11,6							11,6
12,0							12,0
12,5							12,5
13,4							13,4
14,0							14,0
14,3							14,3
14,9							14,9
15,8							15,8
16,0							16,0
16,8	80,7	52,2	14 700				16,8
17,7	79,7	51,9	14 300	14 000			17,7
18,0	79,3	51,8	14 200	14 000			18,0
18,3	79,0	51,7	14 000	13 900	12 200		18,3
19,2	77,9	51,3	13 700	13 600	12 200	10 900	19,2
20,0	77,0	51,1	13 400	13 300	12 100	10 800	20,0
22,0	74,6	50,3	12 700	12 700	12 100	10 800	22,0
24,0	72,2	49,3	12 100	12 100	11 800	10 700	24,0
26,0	69,7	48,3	11 600	11 500	11 400	10 700	26,0
28,0	67,2	47,2	11 100	11 100	10 900	10 600	28,0
30,0	64,6	46,0	10 700	10 700	10 500	10 400	30,0
32,0	61,9	44,6	10 300	10 200	10 100	10 000	32,0
34,0	59,1	43,1	9 900	9 900	9 800	9 700	34,0
36,0	56,3	41,4	9 600	9 600	9 500	9 400	36,0
38,0	53,3	39,5	9 300	9 300	9 200	9 100	38,0
40,0	50,1	37,4	9 100	9 000	9 000	8 900	40,0
42,0	46,7	35,1	8 800	8 800	8 800	8 700	42,0
44,0	43,0	32,5	8 600	8 600	8 600	8 600	44,0
44,2	42,7	32,2	8 600	8 600	8 600	8 500	44,2
46,0							46,0
48,0							48,0
48,8							48,8
50,0							50,0
51,5							51,5

MLC200 S-3









	25°							
	m	°	m					
				0° kg	1° kg	2° kg	3° kg	
11,9							11,9	
12,0							12,0	
12,8							12,8	
13,7							13,7	
14,0							14,0	
14,6							14,6	
14,9							14,9	
15,5							15,5	
16,0							16,0	
16,5							16,5	
17,1	80,9	55,2	14 700				17,1	
17,4	80,6	55,1	14 600				17,4	
18,0	79,9	54,9	14 400	14 000			18,0	
18,9	78,9	54,6	14 000	13 800	12 200		18,9	
19,8	77,9	54,3	13 700	13 600	12 200	10 800	19,8	
20,0	77,7	54,2	13 600	13 600	12 100	10 800	20,0	
22,0	75,5	53,5	13 000	12 900	12 000	10 800	22,0	
24,0	73,2	52,6	12 400	12 300	12 000	10 700	24,0	
26,0	70,9	51,7	11 800	11 800	11 600	10 700	26,0	
28,0	68,6	50,6	11 400	11 300	11 200	10 600	28,0	
30,0	66,2	49,5	10 900	10 900	10 800	10 500	30,0	
32,0	63,7	48,2	10 500	10 500	10 400	10 200	32,0	
34,0	61,1	46,8	10 200	10 100	10 000	9 900	34,0	
36,0	58,5	45,3	9 800	9 800	9 700	9 600	36,0	
38,0	55,8	43,6	9 600	9 600	9 500	9 400	38,0	
40,0	52,9	41,7	9 300	9 300	9 200	9 100	40,0	
42,0	49,9	39,6	9 000	9 000	9 000	8 900	42,0	
44,0	46,8	37,3	8 800	8 800	8 800	8 700	44,0	
46,0	43,4	34,8	8 600	8 600	8 600	8 600	46,0	
46,3	42,8	34,3	8 600	8 600	8 600	8 500	46,3	
48,0							48,0	
50,0							50,0	
51,2							51,2	
52,0							52,0	
54,0							54,0	
54,6							54,6	

MLC200 S-3




[illegible]

MLC200 S-3



		 25°							
		 m	 °	 m					
					0° kg	1° kg	2° kg		3° kg
12,8							12,8		
14,0							14,0		
14,9							14,9		
15,5							15,5		
16,0							16,0		
16,2							16,2		
16,5							16,5		
17,7							17,7		
18,0	81,0	61,1	14 700				18,0		
18,6	80,4	60,9	14 500				18,6		
19,2	79,8	60,7	14 300	13 800			19,2		
20,0	79,0	60,5	14 000	13 800			20,0		
20,1	78,9	60,5	14 000	13 800	12 100		20,1		
21,0	78,0	60,2	13 700	13 600	12 100	10 700	21,0		
22,0	77,0	59,8	13 400	13 300	12 000	10 700	22,0		
24,0	75,0	59,1	12 800	12 800	12 000	10 700	24,0		
26,0	73,0	58,2	12 300	12 300	11 900	10 600	26,0		
28,0	70,9	57,3	11 800	11 800	11 600	10 600	28,0		
30,0	68,8	56,3	11 400	11 400	11 200	10 600	30,0		
32,0	66,6	55,2	11 000	11 000	10 800	10 500	32,0		
34,0	64,4	54,0	10 700	10 600	10 500	10 300	34,0		
36,0	62,2	52,7	10 300	10 300	10 200	10 000	36,0		
38,0	59,9	51,2	10 000	10 000	9 900	9 800	38,0		
40,0	57,5	49,7	9 700	9 700	9 600	9 500	40,0		
42,0	55,0	48,0	9 500	9 500	9 400	9 300	42,0		
44,0	52,4	46,1	9 200	9 200	9 200	9 100	44,0		
46,0	49,8	44,1	9 000	9 000	9 000	8 900	46,0		
48,0	46,9	41,8	8 800	8 800	8 800	8 700	48,0		
50,0	43,9	39,4	8 700	8 700	8 600	8 300	50,0		
50,6	43,0	38,6	8 600	8 600	8 500	8 100	50,6		
52,0							52,0		
54,0							54,0		
56,0							56,0		
56,4							56,4		
58,0							58,0		
60,0							60,0		

MLC200 S-3





 25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
13,4							13,4
14,0							14,0
14,3							14,3
15,5							15,5
15,8							15,8
16,0							16,0
16,8							16,8
17,1							17,1
18,0							18,0
18,3							18,3
18,6	80,8	64,0	14 700				18,6
19,2	80,3	63,8	14 500				19,2
19,5	80,0	63,8	14 400	13 800			19,5
20,0	79,5	63,6	14 200	13 800			20,0
20,7	78,9	63,4	14 000	13 700	12 000		20,7
21,6	78,0	63,1	13 700	13 600	12 000	10 700	21,6
22,0	77,6	63,0	13 600	13 500	12 000	10 700	22,0
24,0	75,7	62,3	13 000	13 000	11 900	10 600	24,0
26,0	73,8	61,5	12 500	12 500	11 900	10 600	26,0
28,0	71,8	60,6	12 000	12 000	11 700	10 600	28,0
30,0	69,9	59,6	11 600	11 600	11 400	10 500	30,0
32,0	67,8	58,6	11 200	11 200	11 000	10 500	32,0
34,0	65,8	57,5	10 900	10 800	10 700	10 500	34,0
36,0	63,7	56,2	10 500	10 500	10 400	10 200	36,0
38,0	61,5	54,9	10 200	10 200	10 100	10 000	38,0
40,0	59,3	53,5	9 900	9 900	9 800	9 700	40,0
42,0	57,0	51,9	9 700	9 700	9 600	9 500	42,0
44,0	54,7	50,2	9 400	9 400	9 400	9 300	44,0
46,0	52,2	48,3	9 200	9 200	9 100	9 100	46,0
48,0	49,7	46,3	9 000	9 000	8 900	8 700	48,0
50,0	47,0	44,1	8 900	8 700	8 500	8 100	50,0
52,0	44,2	41,6	8 500	8 200	7 800	7 500	52,0
53,0	42,6	40,3	8 100	7 800	7 500	7 200	53,0
54,0							54,0
56,0							56,0
58,0							58,0
58,8							58,8
60,0							60,0
62,0							62,0
62,8							62,8

MLC200 S-3





83 730 kg
+
27 400 kg









25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
13,7							13,7
14,0							14,0
14,9							14,9
16,0							16,0
16,2							16,2
16,5							16,5
17,4							17,4
17,7							17,7
18,0							18,0
18,6							18,6
18,9	81,0	67,0	14 700				18,9
19,8	80,2	66,8	14 400				19,8
20,0	80,0	66,7	14 400				20,0
20,1	79,9	66,7	14 300	13 700			20,1
21,3	78,8	66,3	14 000	13 600	12 000		21,3
22,0	78,2	66,1	13 800	13 600	12 000		22,0
22,3	77,9	66,0	13 700	13 500	12 000	10 700	22,3
24,0	76,4	65,5	13 200	13 200	11 900	10 600	24,0
26,0	74,6	64,7	12 700	12 700	11 800	10 600	26,0
28,0	72,7	63,9	12 200	12 200	11 800	10 500	28,0
30,0	70,8	63,0	11 800	11 800	11 600	10 500	30,0
32,0	68,9	62,0	11 400	11 400	11 200	10 500	32,0
34,0	67,0	60,9	11 100	11 000	10 900	10 400	34,0
36,0	65,0	59,8	10 700	10 700	10 600	10 400	36,0
38,0	63,0	58,5	10 400	10 400	10 300	10 100	38,0
40,0	60,9	57,2	10 200	10 100	10 000	9 900	40,0
42,0	58,8	55,7	9 900	9 800	9 800	9 700	42,0
44,0	56,6	54,1	9 600	9 600	9 500	9 400	44,0
46,0	54,4	52,4	9 400	9 400	9 300	9 200	46,0
48,0	52,0	50,6	9 200	9 100	8 900	8 500	48,0
50,0	49,6	48,5	8 900	8 600	8 200	7 900	50,0
52,0	47,1	46,4	8 300	7 900	7 600	7 300	52,0
54,0	44,4	43,9	7 700	7 300	7 000	6 700	54,0
55,2	42,7	42,4	7 300	7 000	6 700	6 400	55,2
56,0							56,0
58,0							58,0
60,0							60,0
61,6							61,6
62,0							62,0
64,0							64,0
65,5							65,5

MLC200 S-3



[illegible]





MLC200 S-3






25°							
 m	 °	 m					 m
			0°  kg	1°  kg	2°  kg	3°  kg	
14,6							14,6
15,8							15,8
16,0							16,0
17,4							17,4
18,0							18,0
18,6							18,6
19,8	81,0	73,0	14 700				19,8
20,0	80,9	72,9	14 700				20,0
21,0	80,0	72,7	14 400	13 600			21,0
22,0	79,2	72,4	14 100	13 600			22,0
22,3	79,0	72,3	14 000	13 500	11 800		22,3
23,5	78,0	71,9	13 700	13 500	11 800	10 500	23,5
24,0	77,6	71,8	13 500	13 400	11 800	10 500	24,0
26,0	75,9	71,1	13 100	13 000	11 800	10 500	26,0
28,0	74,2	70,3	12 600	12 600	11 700	10 400	28,0
30,0	72,5	69,5	12 200	12 100	11 700	10 400	30,0
32,0	70,8	68,6	11 800	11 800	11 600	10 400	32,0
34,0	69,1	67,7	11 400	11 400	11 300	10 400	34,0
36,0	67,3	66,6	11 100	11 100	10 900	10 400	36,0
38,0	65,5	65,5	10 800	10 800	10 600	10 300	38,0
40,0	63,7	64,3	10 500	10 500	10 400	10 200	40,0
42,0	61,8	63,0	10 300	10 200	10 100	10 000	42,0
44,0	59,9	61,7	10 000	10 000	9 900	9 400	44,0
46,0	57,9	60,2	9 800	9 700	9 200	8 700	46,0
48,0	55,9	58,6	9 400	9 000	8 500	8 100	48,0
50,0	53,8	56,9	8 700	8 300	7 800	7 400	50,0
52,0	51,7	55,0	8 000	7 600	7 200	6 900	52,0
54,0	49,5	53,0	7 400	7 000	6 700	6 300	54,0
56,0	47,2	50,8	6 800	6 400	6 100	5 800	56,0
58,0	44,7	48,5	6 200	5 900	5 600	5 300	58,0
59,4	42,9	46,7	5 900	5 600	5 300	5 000	59,4
60,0							60,0
62,0							62,0
64,0							64,0
66,0							66,0
66,5							66,5
68,0							68,0
70,0							70,0
71,3							71,3

MLC200 S-3








	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
15,2							15,2	
16,0							16,0	
16,5							16,5	
17,7							17,7	
18,0							18,0	
19,2							19,2	
20,0							20,0	
20,4	80,9	75,9	14 700				20,4	
21,6	80,0	75,6	14 300	13 500			21,6	
22,0	79,7	75,5	14 200	13 500			22,0	
22,9	78,9	75,2	14 000	13 500	11 800		22,9	
24,0	78,1	74,9	13 700	13 400	11 700		24,0	
24,1	78,0	74,8	13 700	13 400	11 700	10 400	24,1	
26,0	76,5	74,2	13 200	13 200	11 700	10 400	26,0	
28,0	74,9	73,5	12 800	12 700	11 600	10 400	28,0	
30,0	73,3	72,7	12 400	12 300	11 600	10 400	30,0	
32,0	71,6	71,9	12 000	11 900	11 600	10 300	32,0	
34,0	70,0	71,0	11 600	11 600	11 400	10 300	34,0	
36,0	68,3	70,0	11 300	11 300	11 100	10 300	36,0	
38,0	66,6	68,9	11 000	10 900	10 800	10 300	38,0	
40,0	64,8	67,8	10 700	10 700	10 500	10 300	40,0	
42,0	63,1	66,6	10 400	10 400	10 300	10 000	42,0	
44,0	61,3	65,3	10 200	10 200	9 800	9 200	44,0	
46,0	59,4	63,9	9 900	9 500	9 000	8 500	46,0	
48,0	57,5	62,4	9 300	8 800	8 300	7 800	48,0	
50,0	55,6	60,8	8 500	8 100	7 600	7 200	50,0	
52,0	53,6	59,1	7 900	7 400	7 000	6 600	52,0	
54,0	51,6	57,2	7 200	6 800	6 500	6 100	54,0	
56,0	49,4	55,2	6 600	6 300	5 900	5 600	56,0	
58,0	47,2	53,1	6 100	5 700	5 400	5 100	58,0	
60,0	44,9	50,8	5 600	5 300	5 000	4 700	60,0	
61,9	42,6	48,4	5 100	4 800	4 600	4 300	61,9	
62,0							62,0	
64,0							64,0	
66,0							66,0	
68,0							68,0	
69,2							69,2	
70,0							70,0	
72,0							72,0	
74,0							74,0	
74,1							74,1	

MLC200 S-3



[illegible]




MLC200 S-3




	25°							
								
				0°  kg	1°  kg	2°  kg		3°  kg
16,2							16,2	
17,7							17,7	
18,0							18,0	
18,6							18,6	
18,9							18,9	
20,0							20,0	
20,1							20,1	
20,4							20,4	
21,3	80,9	81,8	14 600				21,3	
21,6	80,7	81,8	14 600				21,6	
22,0	80,4	81,7	14 500				22,0	
22,9	79,8	81,4	14 200	13 400			22,9	
24,0	79,0	81,1	14 000	13 300			24,0	
24,1	78,9	81,1	13 900	13 300	11 600		24,1	
25,6	77,8	80,6	13 600	13 300	11 600	10 300	25,6	
26,0	77,5	80,5	13 500	13 300	11 600	10 300	26,0	
28,0	76,1	79,9	13 100	13 000	11 500	10 300	28,0	
30,0	74,6	79,2	12 700	12 600	11 500	10 200	30,0	
32,0	73,1	78,4	12 300	12 300	11 500	10 200	32,0	
34,0	71,6	77,5	12 000	11 900	11 400	10 200	34,0	
36,0	70,0	76,7	11 600	11 600	11 400	10 200	36,0	
38,0	68,5	75,7	11 300	11 300	11 100	10 200	38,0	
40,0	66,9	74,7	11 000	11 000	10 800	10 100	40,0	
42,0	65,3	73,6	10 800	10 700	10 200	9 500	42,0	
44,0	63,7	72,4	10 500	10 000	9 300	8 700	44,0	
46,0	62,0	71,1	9 700	9 100	8 500	8 000	46,0	
48,0	60,3	69,8	8 900	8 400	7 800	7 300	48,0	
50,0	58,6	68,4	8 200	7 700	7 200	6 700	50,0	
52,0	56,9	66,8	7 500	7 000	6 600	6 100	52,0	
54,0	55,1	65,2	6 900	6 400	6 000	5 600	54,0	
56,0	53,2	63,5	6 300	5 900	5 500	5 100	56,0	
58,0	51,3	61,7	5 700	5 300	5 000	4 700	58,0	
60,0	49,3	59,7	5 200	4 900	4 500	4 200	60,0	
62,0	47,3	57,6	4 700	4 400	4 100	3 800	62,0	
66,0	42,9	52,8	3 800	3 600	3 300	3 100	66,0	
66,1	42,8	52,6	3 800	3 500	3 300	3 100	66,1	
70,0							70,0	
73,2							73,2	
74,0							74,0	
74,4							74,4	
74,7							74,7	
76,2							76,2	

MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
16,5							16,5	
18,0							18,0	
19,2							19,2	
19,5							19,5	
20,0							20,0	
20,7							20,7	
21,0							21,0	
21,9	80,8	84,8	14 600				21,9	
22,0	80,8	84,7	14 600				22,0	
22,3	80,6	84,7	14 500				22,3	
23,2	79,9	84,4	14 300	13 200			23,2	
23,5	79,7	84,3	14 200	13 200			23,5	
24,0	79,4	84,2	14 100	13 200			24,0	
24,7	78,9	84,0	14 000	13 200	11 500		24,7	
26,0	78,0	83,6	13 700	13 200	11 500		26,0	
26,2	77,8	83,6	13 600	13 200	11 500	9 600	26,2	
28,0	76,6	83,0	13 200	13 100	11 500	9 600	28,0	
30,0	75,1	82,3	12 800	12 800	11 400	9 600	30,0	
32,0	73,7	81,6	12 400	12 400	11 400	9 600	32,0	
34,0	72,2	80,8	12 100	12 100	11 400	9 600	34,0	
36,0	70,8	79,9	11 800	11 800	11 300	9 600	36,0	
38,0	69,3	79,0	11 500	11 400	11 300	9 600	38,0	
40,0	67,8	78,0	11 200	11 200	10 900	9 600	40,0	
42,0	66,3	77,0	10 900	10 800	10 100	9 400	42,0	
44,0	64,7	75,8	10 600	10 000	9 300	8 700	44,0	
46,0	63,1	74,6	9 800	9 100	8 500	8 000	46,0	
48,0	61,5	73,4	9 000	8 400	7 800	7 300	48,0	
50,0	59,9	72,0	8 200	7 700	7 200	6 700	50,0	
52,0	58,2	70,6	7 500	7 000	6 600	6 100	52,0	
54,0	56,5	69,1	6 900	6 400	6 000	5 600	54,0	
56,0	54,8	67,4	6 300	5 900	5 500	5 100	56,0	
58,0	53,0	65,7	5 700	5 400	5 000	4 700	58,0	
60,0	51,2	63,9	5 200	4 900	4 600	4 200	60,0	
62,0	49,3	61,9	4 800	4 400	4 100	3 800	62,0	
66,0	45,3	57,5	3 900	3 600	3 300	3 100	66,0	
68,3	42,9	54,8	3 400	3 200	2 900	2 700	68,3	
70,0							70,0	
73,2							73,2	
74,0							74,0	
74,7							74,7	
76,2							76,2	
76,8							76,8	



MLC200 S-3

[illegible]




	 25°						
							
			0°  kg	1°  kg	2°  kg	3°  kg	
17,7 18,0 19,2 20,0 20,1							17,7 18,0 19,2 20,0 20,1
20,7 21,6 22,0 22,3 22,9							20,7 21,6 22,0 22,3 22,9
23,2 24,0 24,4 24,7 25,9	80,9	90,7	14 600				23,2 24,0 24,4 24,7 25,9
26,0 27,4 28,0 30,0 32,0	80,7 80,1 79,8 79,7 78,9	90,6 90,4 90,3 90,2 89,9	14 500 14 300 14 300 14 200 13 900				26,0 27,4 28,0 30,0 32,0
34,0 36,0 38,0 40,0 42,0	78,8 77,9 77,5 76,2 74,8	89,9 89,5 89,3 88,6 88,0	13 900 13 600 13 500 13 100 12 800	13 000 12 900 12 900 12 900 12 700	10 500 10 500 10 500 10 500 10 500		34,0 36,0 38,0 40,0 42,0
44,0 46,0 48,0 50,0 52,0	73,5 72,1 70,8 69,4 68,0	87,2 86,4 85,6 84,7 83,7	12 400 12 100 11 800 11 500 11 100	12 400 12 100 11 800 11 400 10 500	10 500 10 500 10 500 10 400 9 700	7 800 7 800 7 800 7 800 7 800	44,0 46,0 48,0 50,0 52,0
54,0 56,0 60,0 64,0 68,0	66,6 65,1 63,7 62,2 60,7	82,7 81,6 80,4 79,2 77,9	10 300 9 400 8 600 7 900 7 200	9 600 8 700 8 000 7 300 6 600	8 900 8 100 7 400 6 700 6 100	7 800 7 500 6 800 6 200 5 700	54,0 56,0 60,0 64,0 68,0
68,6 70,1 71,6 72,0 72,9	59,1 57,6 54,4 51,0 47,4	76,5 75,1 71,9 68,3 64,3	6 500 5 900 4 900 3 900 3 100	6 100 5 500 4 500 3 600 2 800	5 600 5 100 4 100 3 300 2 600	5 100 4 700 3 800 3 000 2 300	68,6 70,1 71,6 72,0 72,9
73,2 74,7	46,8 45,4 43,9 43,5 42,7	63,6 61,9 60,1 59,7 58,6	3 000 2 700 2 500 2 400 2 200	2 700 2 500 2 200 2 200 2 000	2 500 2 200 2 000 1 900 1 800	2 200 2 000	73,2 74,7

MLC200 S-3



[illegible]




MLC200 S-3




 25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
11,6							11,6
12,0							12,0
12,5							12,5
13,4							13,4
14,0							14,0
14,3							14,3
14,9							14,9
15,8							15,8
16,0							16,0
16,8							16,8
17,7							17,7
18,0	81,0	51,9	12 500				18,0
18,9	79,9	51,5	12 300	10 900			18,9
19,8	78,8	51,2	12 100	10 800	9 600		19,8
20,0	78,6	51,1	12 100	10 800	9 600		20,0
20,7	77,8	50,9	11 800	10 700	9 600	8 600	20,7
22,0	76,2	50,3	11 400	10 600	9 500	8 600	22,0
24,0	73,8	49,5	10 800	10 400	9 400	8 500	24,0
26,0	71,4	48,5	10 200	10 100	9 300	8 400	26,0
28,0	68,8	47,3	9 700	9 600	9 100	8 300	28,0
30,0	66,3	46,1	9 300	9 200	9 000	8 300	30,0
32,0	63,6	44,8	8 900	8 800	8 700	8 200	32,0
34,0	60,8	43,3	8 600	8 400	8 300	8 100	34,0
36,0	58,0	41,6	8 200	8 100	8 000	7 900	36,0
38,0	55,0	39,8	7 900	7 900	7 800	7 700	38,0
40,0	51,8	37,7	7 700	7 600	7 500	7 500	40,0
42,0	48,5	35,4	7 400	7 400	7 300	7 300	42,0
44,0	44,9	32,8	7 200	7 200	7 100	7 100	44,0
45,4	42,1	30,7	7 100	7 100	7 000	7 000	45,4
46,0							46,0
48,0							48,0
49,7							49,7
50,0							50,0
51,8							51,8

MLC200 S-3






	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
11,9							11,9	
12,0							12,0	
12,8							12,8	
14,0							14,0	
14,9							14,9	
15,5							15,5	
16,0							16,0	
16,5							16,5	
17,4							17,4	
18,0							18,0	
18,3							18,3	
18,6	80,8	54,8	12 500				18,6	
19,5	79,8	54,5	12 300	10 900			19,5	
20,0	79,3	54,3	12 300	10 800			20,0	
20,4	78,8	54,2	12 100	10 800	9 600		20,4	
21,3	77,8	53,8	11 800	10 700	9 600	8 600	21,3	
22,0	77,0	53,6	11 600	10 600	9 500	8 600	22,0	
24,0	74,8	52,7	11 000	10 500	9 400	8 500	24,0	
26,0	72,5	51,8	10 400	10 300	9 300	8 400	26,0	
28,0	70,1	50,8	10 000	9 800	9 200	8 300	28,0	
30,0	67,7	49,6	9 600	9 400	9 100	8 300	30,0	
32,0	65,3	48,4	9 200	9 000	8 900	8 200	32,0	
34,0	62,8	47,0	8 800	8 700	8 500	8 200	34,0	
36,0	60,1	45,5	8 500	8 400	8 300	8 100	36,0	
38,0	57,4	43,8	8 200	8 100	8 000	7 900	38,0	
40,0	54,6	42,0	7 900	7 800	7 700	7 700	40,0	
42,0	51,6	39,9	7 700	7 600	7 500	7 400	42,0	
44,0	48,5	37,7	7 400	7 400	7 300	7 300	44,0	
46,0	45,1	35,1	7 200	7 200	7 100	7 100	46,0	
47,6	42,3	32,9	7 100	7 100	7 000	7 000	47,6	
48,0							48,0	
50,0							50,0	
52,0							52,0	
52,1							52,1	
54,0							54,0	
54,9							54,9	

MLC200 S-3





25°							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
12,5							12,5
13,4							13,4
14,0							14,0
14,3							14,3
15,5							15,5
15,8							15,8
16,0							16,0
16,8							16,8
18,0							18,0
18,9	81,0	57,8	12 500				18,9
20,0	79,8	57,4	12 300				20,0
20,1	79,7	57,4	12 300	10 800			20,1
21,0	78,8	57,1	12 100	10 800	9 600		21,0
21,9	77,9	56,8	11 800	10 700	9 600	8 500	21,9
22,0	77,8	56,7	11 800	10 700	9 500	8 500	22,0
24,0	75,6	55,9	11 200	10 500	9 500	8 500	24,0
26,0	73,5	55,1	10 700	10 400	9 300	8 400	26,0
28,0	71,3	54,1	10 200	10 000	9 200	8 400	28,0
30,0	69,0	53,0	9 800	9 600	9 100	8 300	30,0
32,0	66,7	51,9	9 400	9 200	9 000	8 200	32,0
34,0	64,4	50,6	9 000	8 900	8 800	8 200	34,0
36,0	62,0	49,2	8 700	8 600	8 500	8 100	36,0
38,0	59,5	47,7	8 400	8 300	8 200	8 100	38,0
40,0	56,9	46,0	8 100	8 000	7 900	7 800	40,0
42,0	54,2	44,2	7 900	7 800	7 700	7 600	42,0
44,0	51,4	42,1	7 600	7 600	7 500	7 400	44,0
46,0	48,4	39,9	7 400	7 400	7 300	7 300	46,0
48,0	45,3	37,4	7 300	7 200	7 200	7 100	48,0
50,0	41,9	34,6	7 100	7 100	7 000	7 000	50,0
50,0							50,0
52,0							52,0
54,0							54,0
54,9							54,9
56,0							56,0
57,6							57,6



MLC200 S-3





25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
12,8							12,8
14,0							14,0
14,9							14,9
16,0							16,0
16,2							16,2
16,5							16,5
17,4							17,4
18,0							18,0
18,3							18,3
19,5	80,9	60,7	12 400				19,5
20,0	80,4	60,6	12 400				20,0
20,4	80,0	60,4	12 300	10 800			20,4
21,6	78,8	60,0	12 100	10 700	9 600		21,6
22,0	78,4	59,9	12 000	10 700	9 500		22,0
22,6	77,8	59,7	11 800	10 700	9 500	8 500	22,6
24,0	76,4	59,2	11 400	10 600	9 500	8 500	24,0
26,0	74,4	58,3	10 900	10 400	9 300	8 400	26,0
28,0	72,3	57,4	10 400	10 200	9 300	8 400	28,0
30,0	70,2	56,4	10 000	9 800	9 200	8 300	30,0
32,0	68,0	55,3	9 600	9 400	9 100	8 200	32,0
34,0	65,8	54,2	9 200	9 100	8 900	8 200	34,0
36,0	63,6	52,9	8 900	8 800	8 700	8 100	36,0
38,0	61,3	51,4	8 600	8 500	8 400	8 100	38,0
40,0	58,9	49,9	8 300	8 200	8 100	8 000	40,0
42,0	56,5	48,2	8 100	8 000	7 900	7 800	42,0
44,0	53,9	46,4	7 800	7 800	7 700	7 600	44,0
46,0	51,2	44,4	7 600	7 600	7 500	7 400	46,0
48,0	48,4	42,1	7 400	7 400	7 300	7 300	48,0
50,0	45,5	39,7	7 300	7 200	7 200	7 100	50,0
52,0	42,3	37,0	7 100	7 100	7 000	7 000	52,0
52,1	42,1	36,8	7 100	7 100	7 000	7 000	52,1
54,0							54,0
56,0							56,0
57,3							57,3
58,0							58,0
60,0							60,0
60,4							60,4

MLC200 S-3

**Manitowoc®**




	 25°						 m
	 °	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
13,4							13,4
14,0							14,0
14,6							14,6
15,5							15,5
16,0							16,0
16,8							16,8
18,0							18,0
18,9							18,9
19,8	81,0	63,7	12 400				19,8
20,0	80,8	63,7	12 400				20,0
20,1	80,7	63,6	12 400				20,1
21,0	79,9	63,3	12 300	10 800			21,0
21,9	79,1	63,1	12 100	10 700	9 500		21,9
22,0	79,0	63,0	12 100	10 700	9 500		22,0
23,2	77,8	62,6	11 800	10 600	9 500	8 500	23,2
24,0	77,1	62,3	11 600	10 600	9 500	8 500	24,0
26,0	75,1	61,6	11 100	10 400	9 400	8 400	26,0
28,0	73,2	60,7	10 600	10 300	9 300	8 400	28,0
30,0	71,2	59,8	10 200	10 000	9 200	8 300	30,0
32,0	69,2	58,7	9 800	9 600	9 100	8 300	32,0
34,0	67,1	57,6	9 400	9 300	9 000	8 200	34,0
36,0	65,0	56,4	9 100	9 000	8 800	8 200	36,0
38,0	62,9	55,1	8 800	8 700	8 600	8 100	38,0
40,0	60,7	53,6	8 500	8 400	8 300	8 100	40,0
42,0	58,4	52,1	8 300	8 200	8 100	8 000	42,0
44,0	56,1	50,4	8 000	7 900	7 900	7 800	44,0
46,0	53,6	48,6	7 800	7 700	7 700	7 600	46,0
48,0	51,1	46,6	7 600	7 500	7 500	7 400	48,0
50,0	48,4	44,4	7 400	7 400	7 300	7 300	50,0
52,0	45,6	41,9	7 300	7 200	7 200	7 100	52,0
54,0	42,6	39,3	7 100	7 100	7 000	7 000	54,0
54,6	41,7	38,5	7 100	7 000	7 000	7 000	54,6
56,0							56,0
58,0							58,0
60,0							60,0
62,0							62,0
63,4							63,4


MLC200 S-3





25°							
m		°		kg		kg	
m		°		kg		kg	
13,7							13,7
14,0							14,0
14,9							14,9
16,0							16,0
16,2							16,2
17,4							17,4
18,0							18,0
18,3							18,3
19,5							19,5
20,0							20,0
20,4	80,9	66,6		12 400			20,4
20,7	80,6	66,5		12 300			20,7
21,6	79,8	66,3		12 200	10 800		21,6
22,0	79,5	66,2		12 200	10 700		22,0
22,6	78,9	65,9		12 100	10 700	9 500	22,6
23,8	77,8	65,5		11 800	10 600	9 400	23,8
24,0	77,7	65,5		11 800	10 600	9 400	24,0
26,0	75,8	64,7		11 300	10 500	9 400	26,0
28,0	74,0	63,9		10 800	10 300	9 300	28,0
30,0	72,1	63,0		10 400	10 200	9 200	30,0
32,0	70,2	62,1		10 000	9 800	9 100	32,0
34,0	68,3	61,0		9 600	9 500	9 000	34,0
36,0	66,3	59,9		9 300	9 200	9 000	36,0
38,0	64,3	58,6		9 000	8 900	8 700	38,0
40,0	62,2	57,3		8 700	8 600	8 500	40,0
42,0	60,1	55,8		8 500	8 400	8 200	42,0
44,0	57,9	54,3		8 200	8 100	8 000	44,0
46,0	55,7	52,6		8 000	7 900	7 800	46,0
48,0	53,3	50,7		7 800	7 700	7 600	48,0
50,0	50,9	48,8		7 600	7 500	7 500	50,0
52,0	48,4	46,6		7 400	7 400	7 300	52,0
54,0	45,7	44,2		7 300	7 200	7 200	54,0
56,0	42,9	41,6		7 100	7 100	6 900	56,0
56,7	41,9	40,6		7 100	7 100	6 800	56,7
58,0							58,0
60,0							60,0
62,0							62,0
62,5							62,5
64,0							64,0
66,0							66,0
66,1							66,1

MLC200 S-3





		 25°						
								
 m	 °	 m	 kg	 kg	 kg	 kg	 m	
14,3							14,3	
15,5							15,5	
16,0							16,0	
16,8							16,8	
17,7							17,7	
18,0							18,0	
18,9							18,9	
20,0							20,0	
20,1							20,1	
21,0	80,8	69,6	12 300				21,0	
21,3	80,5	69,5	12 300				21,3	
21,9	80,0	69,3	12 300	10 700			21,9	
22,0	79,9	69,3	12 300	10 700			22,0	
23,2	78,9	68,9	12 000	10 700	9 500		23,2	
24,0	78,2	68,7	11 900	10 600	9 500		24,0	
24,4	77,9	68,5	11 800	10 600	9 400	8 400	24,4	
26,0	76,5	67,9	11 400	10 500	9 400	8 400	26,0	
28,0	74,7	67,2	11 000	10 400	9 300	8 300	28,0	
30,0	72,9	66,3	10 500	10 200	9 200	8 300	30,0	
32,0	71,1	65,4	10 200	10 000	9 100	8 200	32,0	
34,0	69,3	64,4	9 800	9 700	9 100	8 200	34,0	
36,0	67,4	63,3	9 500	9 400	9 000	8 200	36,0	
38,0	65,5	62,2	9 200	9 100	8 900	8 100	38,0	
40,0	63,6	60,9	8 900	8 800	8 700	8 100	40,0	
42,0	61,6	59,5	8 700	8 500	8 400	8 000	42,0	
44,0	59,6	58,1	8 400	8 300	8 200	8 000	44,0	
46,0	57,5	56,5	8 200	8 100	8 000	7 900	46,0	
48,0	55,3	54,8	8 000	7 900	7 800	7 700	48,0	
50,0	53,1	53,0	7 800	7 700	7 600	7 500	50,0	
52,0	50,8	51,0	7 600	7 500	7 500	7 400	52,0	
54,0	48,4	48,8	7 400	7 400	7 200	7 000	54,0	
56,0	45,9	46,5	7 300	7 000	6 700	6 500	56,0	
58,0	43,2	43,9	6 800	6 500	6 200	6 000	58,0	
58,8	42,0	42,8	6 600	6 300	6 000	5 800	58,8	
60,0							60,0	
62,0							62,0	
64,0							64,0	
64,9							64,9	
66,0							66,0	
68,0							68,0	
68,9							68,9	



MLC200 S-3



[illegible]

MLC200 S-3



[illegible]

MLC200 S-3






	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
15,8							15,8	
16,0							16,0	
17,1							17,1	
18,0							18,0	
18,6							18,6	
19,2							19,2	
19,8							19,8	
20,0							20,0	
20,4							20,4	
21,9							21,9	
22,0							22,0	
22,3	80,9	78,5	12 200				22,3	
23,2	80,2	78,2	12 100				23,2	
23,5	80,0	78,2	12 100	10 600			23,5	
24,0	79,6	78,0	12 100	10 600			24,0	
25,0	78,9	77,7	12 000	10 500	9 300		25,0	
26,0	78,1	77,4	11 900	10 500	9 300		26,0	
26,2	77,9	77,3	11 800	10 400	9 300	8 300	26,2	
28,0	76,6	76,7	11 400	10 400	9 200	8 200	28,0	
30,0	75,0	76,0	11 000	10 300	9 200	8 200	30,0	
32,0	73,4	75,2	10 700	10 200	9 100	8 200	32,0	
34,0	71,9	74,3	10 300	10 100	9 100	8 100	34,0	
36,0	70,3	73,4	10 000	9 800	9 000	8 100	36,0	
38,0	68,6	72,4	9 700	9 600	8 900	8 100	38,0	
40,0	67,0	71,3	9 400	9 300	8 900	8 000	40,0	
42,0	65,3	70,2	9 100	9 000	8 800	8 000	42,0	
44,0	63,6	69,0	8 900	8 800	8 700	8 000	44,0	
46,0	61,9	67,6	8 700	8 600	8 400	8 000	46,0	
48,0	60,1	66,2	8 500	8 400	8 200	7 900	48,0	
50,0	58,3	64,7	8 300	8 200	7 900	7 400	50,0	
52,0	56,4	63,1	8 000	7 700	7 300	6 900	52,0	
54,0	54,5	61,4	7 500	7 100	6 700	6 300	54,0	
56,0	52,5	59,6	6 900	6 500	6 200	5 800	56,0	
58,0	50,5	57,6	6 400	6 000	5 700	5 400	58,0	
60,0	48,4	55,5	5 800	5 500	5 200	4 900	60,0	
62,0	46,2	53,2	5 400	5 100	4 800	4 500	62,0	
65,5	42,0	48,7	4 600	4 300	4 100	3 800	65,5	
66,0							66,0	
70,0							70,0	
72,9							72,9	
74,0							74,0	
77,4							77,4	

MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
16,2							16,2	
17,7							17,7	
18,0							18,0	
18,9							18,9	
19,5							19,5	
20,0							20,0	
20,4							20,4	
21,0							21,0	
22,0							22,0	
22,6							22,6	
22,9	80,9	81,4	12 200				22,9	
23,8	80,2	81,2	12 100				23,8	
24,0	80,0	81,1	12 100				24,0	
24,1	79,9	81,1	12 100	10 500			24,1	
25,6	78,8	80,7	12 000	10 400	9 200		25,6	
26,0	78,6	80,5	11 900	10 400	9 200		26,0	
26,8	78,0	80,3	11 800	10 400	9 200	8 200	26,8	
28,0	77,1	79,9	11 600	10 300	9 200	8 200	28,0	
30,0	75,6	79,2	11 200	10 200	9 100	8 200	30,0	
32,0	74,1	78,4	10 800	10 200	9 100	8 100	32,0	
34,0	72,6	77,6	10 500	10 100	9 000	8 100	34,0	
36,0	71,0	76,7	10 100	10 000	9 000	8 100	36,0	
38,0	69,5	75,8	9 900	9 700	8 900	8 000	38,0	
40,0	67,9	74,7	9 600	9 400	8 900	8 000	40,0	
42,0	66,3	73,7	9 300	9 200	8 800	8 000	42,0	
44,0	64,7	72,5	9 100	8 900	8 800	8 000	44,0	
46,0	63,1	71,2	8 800	8 700	8 600	8 000	46,0	
48,0	61,4	69,9	8 600	8 500	8 300	7 800	48,0	
50,0	59,7	68,5	8 400	8 100	7 700	7 200	50,0	
52,0	57,9	67,0	8 000	7 500	7 100	6 600	52,0	
56,0	54,3	63,7	6 700	6 300	6 000	5 600	56,0	
60,0	50,4	59,9	5 700	5 300	5 000	4 700	60,0	
64,0	46,3	55,5	4 700	4 400	4 200	3 900	64,0	
68,0	41,8	50,5	3 900	3 600	3 400	3 200	68,0	
68,0							68,0	
72,0							72,0	
74,7							74,7	
75,3							75,3	
76,0							76,0	
76,2							76,2	
77,7							77,7	
79,3							79,3	





	 25°							
	 m	 o	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
16,8 18,0 19,5 20,0 20,1							16,8 18,0 19,5 20,0 20,1	
21,0 21,6 22,0 22,9 23,2							21,0 21,6 22,0 22,9 23,2	
24,0 24,4 24,7 26,0 26,2	81,0	84,4	12 100				24,0 24,4 24,7 26,0 26,2	
27,4 28,0 30,0 32,0 34,0	80,4 80,1 79,9 79,0 78,8	84,2 84,1 84,0 83,7 83,6	12 100 12 000 12 000 11 900 11 900				27,4 28,0 30,0 32,0 34,0	
36,0 38,0 40,0 42,0 44,0	78,0 77,6 76,1 74,7 73,2	83,2 83,0 82,4 81,6 80,8	11 800 11 700 11 300 10 900 10 600	10 500 10 400 10 400	9 200		36,0 38,0 40,0 42,0 44,0	
46,0 48,0 50,0 52,0 54,0	78,0 77,6 76,1 74,7 73,2	83,2 83,0 82,4 81,6 80,8	11 800 11 700 11 300 10 900 10 600	10 300 10 300 10 200 10 100 10 100	9 200 9 200 9 100 9 100 9 000	8 200 8 200 8 100 8 100 8 100	46,0 48,0 50,0 52,0 54,0	
56,0 58,0 62,0 66,0 70,0	71,8 70,3 68,8 67,3 65,7	80,0 79,1 78,1 77,0 75,9	10 300 10 000 9 700 9 400 9 200	10 000 9 800 9 600 9 300 9 100	8 900 8 900 8 800 8 800 8 700	8 000 8 000 8 000 8 000 7 900	56,0 58,0 62,0 66,0 70,0	
70,1 73,2 74,0 74,7 76,2	64,1 62,5 60,9 59,2 57,5	74,7 73,5 72,1 70,7 69,2	9 000 8 800 8 400 7 800 7 200	8 900 8 600 8 000 7 300 6 700	8 600 8 100 7 500 6 800 6 300	7 900 7 600 7 000 6 400 5 900	70,1 73,2 74,0 74,7 76,2	
77,7 78,0	55,8 54,0 50,3 46,3 42,0	67,6 65,9 62,1 57,8 52,8	6 600 6 000 5 000 4 100 3 300	6 100 5 600 4 700 3 800 3 100	5 700 5 300 4 400 3 600 2 900	5 400 4 900 4 100 3 300 2 600	77,7 78,0	



MLC200 S-3





	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
17,1							17,1	
18,0							18,0	
18,6							18,6	
20,0							20,0	
20,1							20,1	
20,4							20,4	
21,6							21,6	
21,9							21,9	
22,0							22,0	
23,5							23,5	
23,8	80,9	87,4	12 100				23,8	
24,0	80,7	87,3	12 100				24,0	
25,0	80,0	87,0	12 000				25,0	
25,3	79,8	86,9	12 000	10 400			25,3	
26,0	79,4	86,8	11 900	10 400			26,0	
26,5	79,0	86,6	11 900	10 400	9 200		26,5	
28,0	78,0	86,2	11 800	10 300	9 100	7 800	28,0	
30,0	76,6	85,5	11 400	10 200	9 100	7 800	30,0	
32,0	75,2	84,8	11 100	10 100	9 000	7 800	32,0	
34,0	73,8	84,0	10 700	10 000	9 000	7 800	34,0	
36,0	72,4	83,2	10 400	10 000	8 900	7 800	36,0	
38,0	71,0	82,3	10 100	9 900	8 900	7 800	38,0	
40,0	69,6	81,4	9 900	9 700	8 800	7 800	40,0	
42,0	68,1	80,4	9 600	9 500	8 800	7 800	42,0	
44,0	66,6	79,3	9 300	9 200	8 700	7 800	44,0	
46,0	65,1	78,2	9 100	9 000	8 600	7 800	46,0	
48,0	63,6	77,0	8 900	8 600	8 100	7 600	48,0	
50,0	62,0	75,7	8 500	8 000	7 400	6 900	50,0	
52,0	60,5	74,4	7 800	7 300	6 800	6 400	52,0	
54,0	58,9	72,9	7 200	6 700	6 300	5 800	54,0	
56,0	57,2	71,4	6 600	6 200	5 700	5 300	56,0	
58,0	55,5	69,8	6 000	5 600	5 300	4 900	58,0	
60,0	53,8	68,1	5 500	5 100	4 800	4 500	60,0	
62,0	52,0	66,2	5 000	4 700	4 400	4 000	62,0	
66,0	48,3	62,2	4 100	3 900	3 600	3 300	66,0	
70,0	44,4	57,6	3 400	3 100	2 900	2 600	70,0	
72,2	42,0	54,7	3 000	2 700	2 500	2 300	72,2	
73,2							73,2	
74,0							74,0	
74,7							74,7	
76,2							76,2	
77,7							77,7	

MLC200 S-3



		 25°						
		 m	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
17,7							17,7	
18,0							18,0	
19,2							19,2	
20,0							20,0	
20,7							20,7	
21,0							21,0	
22,0							22,0	
22,3							22,3	
22,6							22,6	
24,0							24,0	
24,1	81,0	90,4	12 000				24,1	
25,6	80,0	90,0	11 900	10 400			25,6	
26,0	79,7	89,9	11 900	10 300			26,0	
27,1	79,0	89,6	11 800	10 300	9 100		27,1	
28,0	78,4	89,3	11 800	10 300	9 000		28,0	
28,7	77,9	89,1	11 700	10 200	9 000	7 200	28,7	
30,0	77,1	88,7	11 600	10 200	9 000	7 200	30,0	
32,0	75,8	88,0	11 200	10 100	9 000	7 200	32,0	
34,0	74,4	87,3	10 900	10 000	8 900	7 200	34,0	
36,0	73,1	86,5	10 600	9 900	8 900	7 200	36,0	
38,0	71,7	85,6	10 300	9 900	8 800	7 200	38,0	
40,0	70,3	84,7	10 000	9 800	8 800	7 200	40,0	
42,0	68,9	83,8	9 700	9 600	8 700	7 200	42,0	
44,0	67,5	82,8	9 500	9 400	8 700	7 200	44,0	
46,0	66,0	81,7	9 300	9 100	8 600	7 200	46,0	
48,0	64,6	80,5	9 000	8 500	7 900	7 100	48,0	
50,0	63,1	79,3	8 400	7 800	7 200	6 700	50,0	
52,0	61,6	78,0	7 700	7 100	6 600	6 200	52,0	
54,0	60,1	76,6	7 000	6 500	6 100	5 600	54,0	
56,0	58,5	75,2	6 400	6 000	5 500	5 100	56,0	
58,0	56,9	73,7	5 900	5 500	5 100	4 700	58,0	
60,0	55,3	72,0	5 400	5 000	4 600	4 200	60,0	
62,0	53,6	70,3	4 900	4 500	4 200	3 800	62,0	
64,0	51,9	68,5	4 400	4 100	3 800	3 500	64,0	
66,0	50,2	66,5	4 000	3 700	3 400	3 100	66,0	
70,0	46,5	62,3	3 200	2 900	2 700	2 400	70,0	
71,6	44,8	60,3	2 900	2 700	2 400	2 200	71,6	
73,2	43,3	58,4	2 600	2 400	2 200	2 000	73,2	
74,0	42,5	57,4	2 500	2 300	2 000		74,0	
74,7	41,8	56,5	2 400	2 200	1 900		74,7	
76,2							76,2	
77,7							77,7	

MLC200 S-3





25°							
m	°	m	kg	kg	kg	kg	m
11,6							11,6
12,0							12,0
12,5							12,5
13,4							13,4
14,0							14,0
14,3							14,3
15,2							15,2
16,0							16,0
16,2							16,2
17,1							17,1
18,0							18,0
18,9	81,0	51,6	10 500				18,9
19,8	79,9	51,3	10 400	9 100			19,8
20,0	79,7	51,2	10 300	9 100			20,0
20,7	78,9	51,0	10 200	9 000	8 000		20,7
21,6	77,8	50,6	10 000	8 900	7 900	7 200	21,6
22,0	77,3	50,4	9 900	8 900	7 900	7 100	22,0
24,0	74,9	49,6	9 400	8 700	7 800	7 000	24,0
26,0	72,5	48,6	8 900	8 500	7 700	6 900	26,0
28,0	70,0	47,5	8 400	8 300	7 500	6 800	28,0
30,0	67,4	46,2	8 000	7 900	7 400	6 700	30,0
32,0	64,7	44,9	7 600	7 500	7 300	6 700	32,0
34,0	62,0	43,4	7 300	7 200	7 100	6 600	34,0
36,0	59,1	41,7	7 000	6 900	6 800	6 500	36,0
38,0	56,1	39,9	6 700	6 600	6 500	6 500	38,0
40,0	53,0	37,9	6 500	6 400	6 300	6 300	40,0
42,0	49,7	35,6	6 200	6 200	6 100	6 100	42,0
44,0	46,1	33,0	6 000	6 000	5 900	5 900	44,0
46,0	42,1	30,0	5 900	5 800	5 800	5 800	46,0
46,6	40,8	29,0	5 800	5 800	5 700	5 700	46,6
48,0							48,0
50,0							50,0
50,3							50,3
52,0							52,0
52,7							52,7

MLC200 S-3






83 730 kg
+
27 400 kg



25°							
 m	 °	 m	0° kg	1° kg	2° kg	3° kg	 m
12,2							12,2
13,1							13,1
14,0							14,0
14,9							14,9
15,8							15,8
16,0							16,0
16,8							16,8
17,7							17,7
18,0							18,0
18,6							18,6
19,5	80,9	54,6	10 400				19,5
20,0	80,3	54,4	10 400				20,0
20,4	79,9	54,2	10 300	9 100			20,4
21,3	78,9	53,9	10 200	9 000	8 000		21,3
22,0	78,1	53,6	10 100	8 900	7 900		22,0
22,3	77,7	53,5	10 000	8 900	7 900	7 200	22,3
24,0	75,8	52,8	9 600	8 700	7 800	7 100	24,0
26,0	73,5	51,9	9 100	8 600	7 700	7 000	26,0
28,0	71,2	50,8	8 600	8 400	7 600	6 900	28,0
30,0	68,8	49,7	8 200	8 100	7 500	6 800	30,0
32,0	66,3	48,4	7 800	7 700	7 400	6 700	32,0
34,0	63,8	47,1	7 500	7 400	7 200	6 600	34,0
36,0	61,2	45,6	7 200	7 100	7 000	6 600	36,0
38,0	58,5	43,9	6 900	6 800	6 700	6 500	38,0
40,0	55,7	42,1	6 700	6 600	6 500	6 400	40,0
42,0	52,7	40,0	6 400	6 400	6 300	6 200	42,0
44,0	49,5	37,8	6 200	6 200	6 100	6 100	44,0
46,0	46,2	35,2	6 000	6 000	5 900	5 900	46,0
48,0	42,5	32,3	5 900	5 800	5 800	5 800	48,0
48,8	41,0	31,1	5 800	5 800	5 800	5 700	48,8
50,0							50,0
52,0							52,0
52,7							52,7
54,0							54,0
55,5							55,5



MLC200 S-3


$$\begin{array}{r} 83\,730\text{ kg} \\ + \\ 27\,400\text{ kg} \end{array}$$


MLC200 S-3





83 730 kg
+
27 400 kg




25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
12,5							12,5
13,7							13,7
14,0							14,0
14,6							14,6
15,5							15,5
16,0							16,0
16,2							16,2
17,4							17,4
18,0							18,0
18,3							18,3
19,2							19,2
19,8	81,0	57,6	10 400				19,8
20,0	80,8	57,5	10 400				20,0
21,0	79,8	57,2	10 300	9 000			21,0
21,9	78,8	56,8	10 200	9 000	8 000		21,9
22,0	78,7	56,8	10 200	8 900	7 900		22,0
22,9	77,8	56,5	10 000	8 900	7 900	7 100	22,9
24,0	76,6	56,0	9 800	8 800	7 800	7 100	24,0
26,0	74,5	55,2	9 300	8 600	7 700	7 000	26,0
28,0	72,3	54,2	8 800	8 500	7 600	6 900	28,0
30,0	70,0	53,1	8 400	8 300	7 500	6 800	30,0
32,0	67,7	52,0	8 000	7 900	7 400	6 700	32,0
34,0	65,4	50,7	7 700	7 600	7 300	6 700	34,0
36,0	63,0	49,3	7 400	7 300	7 200	6 600	36,0
38,0	60,5	47,8	7 100	7 000	6 900	6 500	38,0
40,0	57,9	46,1	6 900	6 800	6 700	6 500	40,0
42,0	55,3	44,3	6 600	6 600	6 500	6 400	42,0
44,0	52,4	42,2	6 400	6 400	6 300	6 200	44,0
46,0	49,5	40,0	6 200	6 200	6 100	6 100	46,0
48,0	46,3	37,5	6 100	6 000	6 000	5 900	48,0
50,0	42,9	34,7	5 900	5 900	5 800	5 800	50,0
51,2	40,7	32,8	5 800	5 800	5 700	5 700	51,2
52,0							52,0
54,0							54,0
55,5							55,5
56,0							56,0
58,0							58,0
58,2							58,2




MLC200 S-3





	 25°						 m
	 o	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
13,1							13,1
14,0							14,0
15,2							15,2
16,0							16,0
16,2							16,2
16,8							16,8
17,7							17,7
18,0							18,0
18,9							18,9
19,8							19,8
20,0							20,0
20,4	80,9	60,5	10 400				20,4
21,3	80,0	60,2	10 300	9 000			21,3
22,0	79,3	60,0	10 200	9 000			22,0
22,6	78,7	59,7	10 100	8 900	7 900		22,6
23,5	77,8	59,4	10 000	8 900	7 900	7 100	23,5
24,0	77,3	59,2	9 900	8 800	7 900	7 100	24,0
26,0	75,3	58,4	9 400	8 700	7 800	7 000	26,0
28,0	73,2	57,5	9 000	8 500	7 700	6 900	28,0
30,0	71,1	56,5	8 600	8 400	7 600	6 800	30,0
32,0	69,0	55,4	8 200	8 100	7 500	6 800	32,0
34,0	66,8	54,2	7 900	7 800	7 400	6 700	34,0
36,0	64,5	52,9	7 600	7 500	7 300	6 600	36,0
38,0	62,2	51,5	7 300	7 200	7 100	6 600	38,0
40,0	59,9	49,9	7 000	7 000	6 900	6 500	40,0
42,0	57,4	48,3	6 800	6 700	6 700	6 500	42,0
44,0	54,9	46,4	6 600	6 500	6 500	6 400	44,0
46,0	52,2	44,4	6 400	6 300	6 300	6 200	46,0
48,0	49,4	42,2	6 200	6 200	6 100	6 100	48,0
50,0	46,4	39,8	6 100	6 000	6 000	5 900	50,0
52,0	43,2	37,0	5 900	5 900	5 800	5 800	52,0
53,3	41,0	35,0	5 800	5 800	5 700	5 700	53,3
54,0							54,0
56,0							56,0
58,0							58,0
58,2							58,2
60,0							60,0
61,0							61,0

MLC200 S-3



	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg	 3° kg	
13,4							13,4	
14,0							14,0	
14,6							14,6	
15,8							15,8	
16,0							16,0	
16,8							16,8	
17,1							17,1	
18,0							18,0	
18,3							18,3	
19,5							19,5	
20,0							20,0	
20,4							20,4	
21,0	80,8	63,4	10 400				21,0	
21,9	79,9	63,1	10 300	9 000			21,9	
22,0	79,8	63,1	10 300	9 000			22,0	
23,2	78,7	62,7	10 100	8 900	7 900		23,2	
24,0	77,9	62,4	10 100	8 800	7 900		24,0	
24,1	77,8	62,4	10 000	8 800	7 900	7 100	24,1	
26,0	76,0	61,6	9 600	8 700	7 800	7 000	26,0	
28,0	74,1	60,8	9 200	8 600	7 700	6 900	28,0	
30,0	72,1	59,8	8 800	8 500	7 600	6 900	30,0	
32,0	70,1	58,8	8 400	8 300	7 500	6 800	32,0	
34,0	68,0	57,7	8 100	8 000	7 400	6 700	34,0	
36,0	65,9	56,5	7 800	7 700	7 300	6 700	36,0	
38,0	63,8	55,1	7 500	7 400	7 200	6 600	38,0	
40,0	61,6	53,7	7 200	7 100	7 000	6 500	40,0	
42,0	59,3	52,2	7 000	6 900	6 800	6 500	42,0	
44,0	57,0	50,5	6 800	6 700	6 600	6 400	44,0	
46,0	54,5	48,6	6 600	6 500	6 400	6 400	46,0	
48,0	52,0	46,7	6 400	6 300	6 300	6 200	48,0	
50,0	49,3	44,5	6 200	6 200	6 100	6 100	50,0	
52,0	46,5	42,1	6 100	6 000	6 000	5 900	52,0	
54,0	43,6	39,4	5 900	5 900	5 800	5 800	54,0	
55,8	40,7	36,7	5 800	5 800	5 700	5 700	55,8	
56,0							56,0	
58,0							58,0	
60,0							60,0	
60,7							60,7	
62,0							62,0	
64,0							64,0	



MLC200 S-3

**Manitowoc®**[illegible]

MLC200 S-3



83 730 kg
+
27 400 kg





25°							
			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	m
14,3							14,3
15,5							15,5
16,0							16,0
16,8							16,8
18,0							18,0
19,2							19,2
20,0							20,0
20,4							20,4
21,6							21,6
21,9	80,8	69,3	10 300				21,9
22,0	80,8	69,3	10 300				22,0
22,9	80,0	69,0	10 200	9 000			22,9
24,0	79,0	68,7	10 100	8 900			24,0
24,1	78,9	68,6	10 100	8 900	7 900		24,1
25,3	77,9	68,2	10 000	8 800	7 800	7 000	25,3
26,0	77,3	68,0	9 900	8 800	7 800	7 000	26,0
28,0	75,5	67,2	9 500	8 600	7 700	7 000	28,0
30,0	73,8	66,4	9 100	8 500	7 600	6 900	30,0
32,0	71,9	65,4	8 700	8 400	7 600	6 800	32,0
34,0	70,1	64,4	8 400	8 300	7 500	6 800	34,0
36,0	68,3	63,4	8 100	8 000	7 400	6 700	36,0
38,0	66,4	62,2	7 800	7 700	7 300	6 700	38,0
40,0	64,4	60,9	7 600	7 500	7 200	6 600	40,0
42,0	62,4	59,6	7 300	7 200	7 100	6 500	42,0
44,0	60,4	58,1	7 100	7 000	6 900	6 500	44,0
46,0	58,3	56,5	6 900	6 800	6 700	6 400	46,0
48,0	56,2	54,8	6 700	6 600	6 500	6 400	48,0
50,0	53,9	53,0	6 500	6 500	6 400	6 300	50,0
52,0	51,6	51,0	6 400	6 300	6 200	6 200	52,0
54,0	49,2	48,9	6 200	6 200	6 100	6 000	54,0
56,0	46,7	46,5	6 100	6 000	6 000	5 900	56,0
58,0	44,0	43,9	5 900	5 900	5 900	5 800	58,0
60,0	41,2	41,1	5 800	5 800	5 800	5 700	60,0
60,4	40,6	40,6	5 800	5 800	5 700	5 700	60,4
62,0							62,0
64,0							64,0
65,8							65,8
66,0							66,0
68,0							68,0
69,5							69,5

MLC200 S-3





83 730 kg
+
27 400 kg







25°							
			0° 	1° 	2° 	3° 	
m	°	m	kg	kg	kg	kg	m
14,9							14,9
16,0							16,0
16,2							16,2
17,4							17,4
18,0							18,0
18,6							18,6
19,8							19,8
20,0							20,0
21,0							21,0
22,0							22,0
22,3	80,9	72,4	10 300				22,3
23,5	79,9	72,0	10 200	8 900			23,5
24,0	79,5	71,8	10 200	8 900			24,0
24,7	78,9	71,6	10 100	8 800	7 800		24,7
25,9	77,9	71,2	10 000	8 800	7 800	7 000	25,9
26,0	77,8	71,2	10 000	8 800	7 800	7 000	26,0
28,0	76,2	70,4	9 600	8 700	7 700	7 000	28,0
30,0	74,5	69,6	9 300	8 600	7 600	6 900	30,0
32,0	72,8	68,7	8 900	8 400	7 500	6 800	32,0
34,0	71,0	67,8	8 600	8 300	7 500	6 800	34,0
36,0	69,3	66,8	8 300	8 100	7 400	6 700	36,0
38,0	67,5	65,7	8 000	7 900	7 400	6 600	38,0
40,0	65,6	64,5	7 700	7 600	7 300	6 600	40,0
42,0	63,8	63,2	7 500	7 400	7 200	6 600	42,0
44,0	61,9	61,8	7 300	7 200	7 100	6 500	44,0
46,0	59,9	60,4	7 100	7 000	6 900	6 500	46,0
48,0	57,9	58,8	6 900	6 800	6 700	6 400	48,0
50,0	55,8	57,1	6 700	6 600	6 500	6 400	50,0
52,0	53,7	55,2	6 500	6 400	6 400	6 300	52,0
54,0	51,5	53,3	6 400	6 300	6 200	6 200	54,0
56,0	49,2	51,1	6 200	6 100	6 100	6 000	56,0
58,0	46,8	48,8	6 100	6 000	6 000	5 900	58,0
60,0	44,2	46,3	6 000	5 900	5 900	5 700	60,0
62,0	41,5	43,5	5 800	5 700	5 600	5 300	62,0
62,5	40,9	42,8	5 800	5 700	5 400	5 200	62,5
64,0							64,0
66,0							66,0
68,0							68,0
68,6							68,6
70,0							70,0
72,0							72,0
72,5							72,5

MLC200 S-3


[illegible]





MLC200 S-3

**Manitowoc®**



	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
15,8							15,8	
16,0							16,0	
17,1							17,1	
18,0							18,0	
18,6							18,6	
19,5							19,5	
19,8							19,8	
20,0							20,0	
21,0							21,0	
22,0							22,0	
22,3							22,3	
23,2	81,0	78,3	10 300				23,2	
23,5	80,7	78,2	10 200				23,5	
24,0	80,3	78,1	10 200				24,0	
24,7	79,8	77,8	10 100	8 800			24,7	
25,9	78,9	77,5	10 100	8 800	7 800		25,9	
26,0	78,8	77,4	10 000	8 800	7 800		26,0	
27,1	78,0	77,1	9 900	8 700	7 700	6 900	27,1	
28,0	77,3	76,8	9 900	8 700	7 700	6 900	28,0	
30,0	75,7	76,0	9 500	8 600	7 600	6 900	30,0	
32,0	74,2	75,2	9 200	8 500	7 600	6 800	32,0	
34,0	72,6	74,4	8 900	8 400	7 500	6 800	34,0	
36,0	71,0	73,4	8 600	8 300	7 400	6 700	36,0	
38,0	69,4	72,4	8 300	8 200	7 300	6 600	38,0	
40,0	67,7	71,4	8 000	7 900	7 300	6 600	40,0	
42,0	66,0	70,2	7 800	7 700	7 300	6 600	42,0	
44,0	64,3	69,0	7 600	7 500	7 200	6 500	44,0	
46,0	62,6	67,7	7 300	7 200	7 100	6 500	46,0	
48,0	60,8	66,3	7 200	7 100	7 000	6 500	48,0	
50,0	59,0	64,8	7 000	6 900	6 800	6 400	50,0	
52,0	57,1	63,2	6 800	6 700	6 600	6 400	52,0	
54,0	55,2	61,5	6 600	6 600	6 500	6 400	54,0	
56,0	53,3	59,7	6 500	6 400	6 300	6 200	56,0	
58,0	51,2	57,7	6 300	6 300	6 100	5 800	58,0	
60,0	49,1	55,6	6 200	5 900	5 600	5 300	60,0	
62,0	46,9	53,3	5 800	5 500	5 200	4 900	62,0	
66,0	42,2	48,2	4 900	4 600	4 400	4 200	66,0	
67,1	40,8	46,6	4 700	4 400	4 200	4 000	67,1	
70,0							70,0	
73,8							73,8	
74,0							74,0	
78,0							78,0	



MLC200 S-3






25°								
 m	 °	 m					 m	
			0°  kg	1°  kg	2°  kg	3°  kg		
16,2							16,2	
17,7							17,7	
18,0							18,0	
19,2							19,2	
20,0							20,0	
20,1							20,1	
20,4							20,4	
21,3							21,3	
22,0							22,0	
22,9							22,9	
23,8	80,9	81,2	10 200				23,8	
24,0	80,7	81,1	10 200				24,0	
24,1	80,6	81,1	10 200				24,1	
25,0	80,0	80,8	10 100	8 800			25,0	
26,0	79,2	80,6	10 100	8 700			26,0	
26,5	78,9	80,4	10 000	8 700	7 700		26,5	
27,7	78,0	80,0	9 900	8 700	7 700	6 900	27,7	
28,0	77,8	79,9	9 900	8 700	7 700	6 900	28,0	
30,0	76,3	79,2	9 700	8 600	7 600	6 900	30,0	
32,0	74,8	78,4	9 300	8 500	7 500	6 800	32,0	
34,0	73,3	77,6	9 000	8 400	7 500	6 700	34,0	
36,0	71,7	76,7	8 700	8 300	7 400	6 700	36,0	
38,0	70,2	75,8	8 400	8 200	7 400	6 600	38,0	
40,0	68,6	74,7	8 200	8 000	7 300	6 600	40,0	
42,0	67,0	73,7	7 900	7 800	7 300	6 600	42,0	
44,0	65,4	72,5	7 700	7 600	7 200	6 500	44,0	
46,0	63,7	71,2	7 500	7 400	7 100	6 500	46,0	
48,0	62,1	69,9	7 300	7 200	7 100	6 500	48,0	
50,0	60,3	68,5	7 100	7 000	6 900	6 400	50,0	
52,0	58,6	67,0	6 900	6 800	6 700	6 400	52,0	
54,0	56,8	65,4	6 800	6 700	6 600	6 300	54,0	
56,0	54,9	63,7	6 600	6 500	6 400	6 000	56,0	
58,0	53,0	61,9	6 500	6 300	5 900	5 600	58,0	
62,0	49,1	57,8	5 600	5 300	5 000	4 700	62,0	
66,0	44,7	53,1	4 700	4 500	4 200	4 000	66,0	
69,5	40,6	48,3	4 000	3 800	3 600	3 400	69,5	
70,0							70,0	
74,0							74,0	
76,5							76,5	
78,0							78,0	
79,3							79,3	
81,1							81,1	




MLC200 S-3






	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
17,4							17,4	
18,0							18,0	
18,9							18,9	
20,0							20,0	
20,4							20,4	
21,0							21,0	
21,9							21,9	
22,0							22,0	
22,6							22,6	
24,0							24,0	
24,1							24,1	
24,7	80,9	87,1	10 200				24,7	
25,3	80,5	87,0	10 100				25,3	
26,0	80,0	86,8	10 100				26,0	
26,2	79,9	86,7	10 100	8 700			26,2	
27,4	79,0	86,4	10 000	8 700	7 700		27,4	
28,0	78,6	86,2	9 900	8 600	7 600		28,0	
29,0	77,9	85,9	9 900	8 600	7 600	6 800	29,0	
30,0	77,3	85,5	9 800	8 600	7 500	6 800	30,0	
32,0	75,9	84,8	9 600	8 500	7 500	6 800	32,0	
34,0	74,5	84,1	9 200	8 400	7 400	6 700	34,0	
36,0	73,1	83,2	8 900	8 300	7 400	6 700	36,0	
38,0	71,6	82,4	8 700	8 200	7 300	6 600	38,0	
40,0	70,2	81,4	8 400	8 200	7 300	6 600	40,0	
42,0	68,7	80,4	8 200	8 000	7 200	6 500	42,0	
44,0	67,3	79,4	8 000	7 800	7 200	6 500	44,0	
46,0	65,8	78,2	7 700	7 600	7 100	6 500	46,0	
48,0	64,2	77,0	7 600	7 400	7 100	6 400	48,0	
50,0	62,7	75,8	7 400	7 300	7 000	6 400	50,0	
52,0	61,1	74,4	7 200	7 100	7 000	6 300	52,0	
54,0	59,5	73,0	7 000	6 900	6 500	6 100	54,0	
56,0	57,9	71,5	6 800	6 400	6 000	5 600	56,0	
60,0	54,5	68,1	5 700	5 400	5 000	4 700	60,0	
64,0	50,9	64,3	4 800	4 500	4 200	3 900	64,0	
68,0	47,0	60,0	4 000	3 700	3 400	3 200	68,0	
72,0	42,9	55,1	3 200	3 000	2 700	2 500	72,0	
74,1	40,6	52,2	2 800	2 600	2 400	2 200	74,1	
74,7							74,7	
76,0							76,0	
76,2							76,2	
77,7							77,7	
79,3							79,3	

MLC200 S-3



	25°							
	m	o	m					
				0° kg	1° kg	2° kg	3° kg	
17,7							17,7	
18,0							18,0	
19,2							19,2	
20,0							20,0	
20,7							20,7	
21,3							21,3	
22,0							22,0	
22,6							22,6	
22,9							22,9	
24,0							24,0	
24,4							24,4	
25,0	81,0	90,2	10 100				25,0	
26,0	80,3	89,9	10 100				26,0	
26,2	80,2	89,8	10 000				26,2	
26,5	80,0	89,7	10 000	8 700			26,5	
28,0	79,0	89,3	9 900	8 600	7 600		28,0	
29,6	78,0	88,8	9 800	8 600	7 600	6 400	29,6	
30,0	77,7	88,7	9 800	8 600	7 500	6 400	30,0	
32,0	76,4	88,0	9 700	8 400	7 500	6 400	32,0	
34,0	75,0	87,3	9 400	8 400	7 400	6 400	34,0	
36,0	73,7	86,5	9 100	8 300	7 400	6 400	36,0	
38,0	72,3	85,6	8 800	8 200	7 300	6 400	38,0	
40,0	70,9	84,7	8 500	8 200	7 300	6 400	40,0	
42,0	69,5	83,8	8 300	8 100	7 200	6 400	42,0	
44,0	68,1	82,7	8 100	8 000	7 200	6 400	44,0	
46,0	66,7	81,7	7 900	7 800	7 100	6 400	46,0	
48,0	65,2	80,5	7 700	7 600	7 100	6 400	48,0	
50,0	63,7	79,3	7 500	7 400	7 000	6 300	50,0	
52,0	62,2	78,0	7 300	7 200	7 000	6 300	52,0	
54,0	60,7	76,6	7 200	6 900	6 500	6 000	54,0	
56,0	59,1	75,2	6 800	6 400	6 000	5 500	56,0	
58,0	57,5	73,7	6 300	5 900	5 500	5 100	58,0	
60,0	55,9	72,0	5 800	5 400	5 000	4 700	60,0	
62,0	54,2	70,3	5 300	4 900	4 600	4 200	62,0	
64,0	52,5	68,5	4 800	4 500	4 200	3 900	64,0	
68,0	49,0	64,5	4 000	3 700	3 400	3 200	68,0	
72,0	45,1	59,9	3 200	3 000	2 800	2 500	72,0	
74,7	42,3	56,4	2 800	2 600	2 300	2 100	74,7	
76,0	40,9	54,6	2 600	2 300	2 100	1 900	76,0	
76,2	40,7	54,4	2 500	2 300	2 100	1 900	76,2	
77,7							77,7	
79,3							79,3	


MLC200 S-3






$$\begin{array}{r} 83\,730 \text{ kg} \\ + \\ 27\,400 \text{ kg} \end{array}$$


MLC200 S-3





83 730 kg
+
27 400 kg





25°							
 m	 °	 m					 m
			0°  kg	1°  kg	2°  kg	3°  kg	
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
21,9							21,9
22,0							22,0
23,2							23,2
23,5							23,5
24,0							24,0
25,0							25,0
25,6	80,9	93,1	10 100				25,6
26,0	80,7	93,0	10 100				26,0
26,8	80,2	92,8	10 000				26,8
27,1	80,0	92,7	10 000	8 600			27,1
28,0	79,4	92,4	9 900	8 600			28,0
28,7	78,9	92,2	9 900	8 600	7 500		28,7
30,0	78,1	91,8	9 800	8 500	7 500		30,0
30,2	78,0	91,7	9 800	8 500	7 500	5 900	30,2
32,0	76,8	91,2	9 700	8 400	7 400	5 900	32,0
34,0	75,5	90,5	9 500	8 400	7 400	5 900	34,0
36,0	74,2	89,7	9 200	8 300	7 300	5 900	36,0
38,0	72,9	88,9	8 900	8 200	7 300	5 900	38,0
40,0	71,6	88,0	8 700	8 200	7 200	5 900	40,0
42,0	70,2	87,1	8 400	8 100	7 200	5 900	42,0
44,0	68,9	86,1	8 200	8 000	7 100	5 900	44,0
46,0	67,5	85,1	8 000	7 900	7 100	5 900	46,0
48,0	66,1	84,0	7 800	7 700	7 100	5 900	48,0
50,0	64,7	82,8	7 600	7 500	7 000	5 900	50,0
52,0	63,2	81,6	7 400	7 300	6 900	5 900	52,0
54,0	61,8	80,3	7 200	6 800	6 300	5 800	54,0
56,0	60,3	78,9	6 700	6 200	5 800	5 300	56,0
60,0	57,2	75,9	5 600	5 200	4 800	4 400	60,0
64,0	54,1	72,6	4 700	4 300	4 000	3 700	64,0
68,0	50,7	68,8	3 800	3 500	3 200	3 000	68,0
71,6	47,5	64,9	3 100	2 900	2 600	2 400	71,6
72,0	47,1	64,5	3 100	2 800	2 600	2 300	72,0
73,2	46,0	63,1	2 900	2 600	2 400	2 100	73,2
74,7	44,5	61,3	2 600	2 400	2 200	1 900	74,7
76,0	43,3	59,7	2 400	2 200	2 000		76,0
76,2	43,1	59,4	2 400	2 100	1 900		76,2
77,7	41,5	57,4	2 100	1 900			77,7
78,6	40,6	56,1	2 000	1 800			78,6


MLC200 S-3







MLC200 S-3


[illegible]

MLC200 S-3



25°							
 m	 °	 m					 m
			0°  kg	1°  kg	2°  kg	3°  kg	
12,2							12,2
13,1							13,1
14,0							14,0
14,3							14,3
15,2							15,2
16,0							16,0
16,5							16,5
17,4							17,4
18,0							18,0
18,3							18,3
19,5							19,5
20,0							20,0
20,7	80,9	57,4	8 700				20,7
21,6	79,9	57,1	8 600	7 600			21,6
22,0	79,5	56,9	8 600	7 600			22,0
22,6	78,9	56,7	8 500	7 500	6 600		22,6
23,5	77,9	56,3	8 400	7 400	6 600	5 400	23,5
24,0	77,4	56,1	8 400	7 400	6 600	5 400	24,0
26,0	75,3	55,3	8 100	7 200	6 500	5 400	26,0
28,0	73,1	54,3	7 800	7 100	6 400	5 400	28,0
30,0	70,8	53,3	7 400	6 900	6 200	5 400	30,0
32,0	68,6	52,1	7 000	6 800	6 100	5 400	32,0
34,0	66,2	50,8	6 700	6 600	6 000	5 400	34,0
36,0	63,8	49,4	6 400	6 300	5 900	5 400	36,0
38,0	61,3	47,9	6 200	6 100	5 800	5 300	38,0
40,0	58,8	46,2	5 900	5 800	5 700	5 200	40,0
42,0	56,1	44,4	5 700	5 600	5 500	5 200	42,0
44,0	53,3	42,4	5 500	5 400	5 400	5 100	44,0
46,0	50,4	40,2	5 300	5 200	5 200	5 100	46,0
48,0	47,2	37,7	5 100	5 100	5 000	5 000	48,0
50,0	43,8	34,9	5 000	4 900	4 900	4 900	50,0
52,0	40,1	31,7	4 800	4 800	4 800	4 700	52,0
52,4	39,3	31,0	4 800	4 800	4 800	4 700	52,4
54,0							54,0
56,0							56,0
56,1							56,1
58,0							58,0
58,5							58,5


MLC200 S-3

[illegible]

MLC200 S-3




MLC200 S-3



MLC200 S-3




83 730 kg
+
27 400 kg




25°							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
14,6							14,6
15,8							15,8
16,0							16,0
17,1							17,1
18,0							18,0
18,3							18,3
18,9							18,9
20,0							20,0
20,1							20,1
21,3							21,3
22,0							22,0
22,6							22,6
23,2	80,8	72,2	8 700				23,2
24,0	80,1	71,9	8 600				24,0
24,4	79,8	71,8	8 600	7 500			24,4
25,6	78,8	71,4	8 400	7 400	6 400		25,6
26,0	78,5	71,2	8 400	7 400	6 400		26,0
26,8	77,8	70,9	8 300	7 300	6 400	5 300	26,8
28,0	76,8	70,5	8 300	7 300	6 400	5 300	28,0
30,0	75,1	69,7	8 100	7 200	6 400	5 300	30,0
32,0	73,4	68,8	7 800	7 000	6 300	5 300	32,0
34,0	71,7	67,9	7 500	6 900	6 200	5 300	34,0
36,0	69,9	66,9	7 200	6 800	6 100	5 300	36,0
38,0	68,1	65,8	7 000	6 700	6 000	5 300	38,0
40,0	66,3	64,6	6 700	6 600	6 000	5 300	40,0
42,0	64,4	63,3	6 500	6 400	5 900	5 300	42,0
44,0	62,5	61,9	6 300	6 200	5 800	5 300	44,0
46,0	60,6	60,5	6 100	6 000	5 800	5 300	46,0
48,0	58,6	58,9	5 900	5 800	5 700	5 200	48,0
50,0	56,5	57,2	5 700	5 600	5 600	5 200	50,0
52,0	54,4	55,4	5 600	5 500	5 400	5 100	52,0
54,0	52,2	53,4	5 400	5 300	5 300	5 100	54,0
56,0	49,9	51,3	5 300	5 200	5 200	5 000	56,0
58,0	47,5	48,9	5 100	5 100	5 000	5 000	58,0
60,0	44,9	46,4	5 000	5 000	4 900	4 900	60,0
62,0	42,2	43,6	4 900	4 900	4 800	4 800	62,0
64,0	39,3	40,5	4 800	4 800	4 800	4 700	64,0
66,0							66,0
68,0							68,0
69,5							69,5
70,0							70,0
72,9							72,9




MLC200 S-3




	 25°						
	 α	 β	 LIFTING CAPACITY				
	m	m	0° kg	1° kg	2° kg	3° kg	m
14,9							14,9
16,0							16,0
16,2							16,2
17,7							17,7
18,0							18,0
18,9							18,9
19,2							19,2
20,0							20,0
20,4							20,4
21,9							21,9
22,0							22,0
23,2							23,2
23,5	81,0	75,2	8 700				23,5
24,0	80,5	75,0	8 600				24,0
24,7	80,0	74,8	8 600	7 500			24,7
26,0	79,0	74,4	8 500	7 400			26,0
26,2	78,8	74,3	8 400	7 400	6 300		26,2
27,4	77,8	73,9	8 300	7 300	6 300	5 300	27,4
28,0	77,4	73,7	8 300	7 300	6 300	5 300	28,0
30,0	75,7	72,9	8 100	7 200	6 300	5 300	30,0
32,0	74,1	72,1	8 000	7 000	6 300	5 300	32,0
34,0	72,4	71,2	7 700	6 900	6 300	5 300	34,0
36,0	70,8	70,2	7 400	6 900	6 200	5 300	36,0
38,0	69,1	69,2	7 100	6 800	6 100	5 300	38,0
40,0	67,3	68,1	6 900	6 700	6 000	5 300	40,0
42,0	65,6	66,9	6 600	6 500	5 900	5 300	42,0
44,0	63,8	65,6	6 400	6 300	5 900	5 300	44,0
46,0	61,9	64,2	6 200	6 100	5 800	5 300	46,0
48,0	60,1	62,7	6 000	5 900	5 700	5 200	48,0
50,0	58,1	61,1	5 900	5 800	5 700	5 200	50,0
52,0	56,2	59,4	5 700	5 600	5 500	5 100	52,0
54,0	54,1	57,6	5 500	5 500	5 400	5 100	54,0
56,0	52,0	55,6	5 400	5 300	5 300	5 100	56,0
58,0	49,8	53,5	5 300	5 200	5 200	5 000	58,0
60,0	47,5	51,2	5 100	5 100	5 000	5 000	60,0
62,0	45,1	48,7	5 000	5 000	4 900	4 900	62,0
64,0	42,5	46,0	4 900	4 900	4 800	4 800	64,0
66,5	39,2	42,3	4 800	4 800	4 700	4 600	66,5
68,0							68,0
72,0							72,0
72,2							72,2
75,9							75,9



MLC200 S-3




	 25°						
	 m	 m					
			 0° kg	 1° kg	 2° kg	 3° kg	
15,5							15,5
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,5							19,5
19,8							19,8
20,0							20,0
21,0							21,0
22,0							22,0
22,6							22,6
23,8							23,8
24,0							24,0
24,1	80,9	78,1	8 600				24,1
25,3	79,9	77,7	8 500	7 400			25,3
26,0	79,4	77,5	8 500	7 400			26,0
26,5	79,0	77,4	8 400	7 400	6 300		26,5
28,0	77,9	76,9	8 300	7 300	6 300	5 200	28,0
30,0	76,3	76,1	8 200	7 200	6 300	5 200	30,0
32,0	74,7	75,3	8 000	7 100	6 300	5 200	32,0
34,0	73,2	74,5	7 800	7 000	6 300	5 200	34,0
36,0	71,6	73,5	7 500	6 900	6 200	5 200	36,0
38,0	69,9	72,5	7 200	6 800	6 100	5 200	38,0
40,0	68,3	71,5	7 000	6 700	6 000	5 200	40,0
42,0	66,6	70,3	6 800	6 600	6 000	5 200	42,0
44,0	64,9	69,1	6 500	6 400	5 900	5 200	44,0
46,0	63,2	67,8	6 400	6 300	5 800	5 200	46,0
48,0	61,4	66,4	6 200	6 100	5 800	5 200	48,0
50,0	59,6	64,9	6 000	5 900	5 700	5 200	50,0
52,0	57,7	63,3	5 800	5 700	5 600	5 200	52,0
54,0	55,8	61,6	5 700	5 600	5 500	5 100	54,0
56,0	53,9	59,8	5 500	5 500	5 400	5 100	56,0
58,0	51,8	57,8	5 400	5 300	5 300	5 100	58,0
60,0	49,7	55,7	5 300	5 200	5 200	5 000	60,0
62,0	47,5	53,4	5 100	5 100	5 000	5 000	62,0
64,0	45,2	51,0	5 000	5 000	4 900	4 900	64,0
68,0	40,2	45,4	4 800	4 600	4 400	4 200	68,0
68,6	39,4	44,4	4 700	4 500	4 300	4 100	68,6
72,0							72,0
74,7							74,7
76,0							76,0
78,6							78,6

MLC200 S-3



	 25°							
	 m	 °	 m					
				 0° kg	 1° kg	 2° kg		 3° kg
16,5							16,5	
18,0							18,0	
19,2							19,2	
20,0							20,0	
20,7							20,7	
22,0							22,0	
22,3							22,3	
23,5							23,5	
24,0							24,0	
25,0	80,9	84,1	8 600				25,0	
26,0	80,2	83,8	8 500				26,0	
26,2	80,0	83,7	8 500	7 400			26,2	
27,7	79,0	83,2	8 400	7 300	6 200		27,7	
28,0	78,8	83,1	8 400	7 300	6 200		28,0	
29,3	77,8	82,7	8 300	7 200	6 200	5 100	29,3	
30,0	77,3	82,5	8 200	7 200	6 200	5 100	30,0	
32,0	75,9	81,7	8 100	7 100	6 200	5 100	32,0	
34,0	74,4	80,9	7 900	7 000	6 200	5 100	34,0	
36,0	73,0	80,1	7 700	6 900	6 200	5 100	36,0	
38,0	71,5	79,2	7 500	6 800	6 100	5 100	38,0	
40,0	70,0	78,2	7 200	6 800	6 100	5 100	40,0	
42,0	68,5	77,2	7 000	6 700	6 000	5 100	42,0	
44,0	66,9	76,1	6 800	6 600	5 900	5 100	44,0	
46,0	65,4	74,9	6 600	6 500	5 900	5 100	46,0	
48,0	63,8	73,6	6 400	6 300	5 800	5 100	48,0	
50,0	62,1	72,3	6 200	6 100	5 700	5 100	50,0	
52,0	60,5	70,8	6 100	6 000	5 700	5 100	52,0	
54,0	58,8	69,3	5 900	5 800	5 700	5 100	54,0	
56,0	57,0	67,7	5 800	5 700	5 600	5 100	56,0	
58,0	55,3	66,0	5 600	5 600	5 500	5 100	58,0	
60,0	53,4	64,2	5 500	5 400	5 400	5 100	60,0	
62,0	51,6	62,2	5 400	5 300	5 100	4 800	62,0	
64,0	49,6	60,2	5 300	5 000	4 700	4 500	64,0	
68,0	45,5	55,5	4 500	4 200	4 000	3 700	68,0	
72,0	40,9	50,1	3 700	3 500	3 300	3 100	72,0	
73,2	39,5	48,4	3 500	3 300	3 100	2 900	73,2	
76,0							76,0	
79,3							79,3	
80,0							80,0	
80,2							80,2	
80,8							80,8	
82,3							82,3	

MLC200 S-3

[illegible]

MLC200 S-3

