


Liftcrane Jib Capacities

Jib No. 148 on
 Boom No. B10:680
 300 000 kg VPC (Variable Position Counterweight)
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating - Three Swing Drives

MLC650 SERIES 2

 **LIFTING CAPACITIES:** Chart supplements Boom Capacity chart **No. 9442-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

BOOM BACKWARD STABILITY: Capacities indicated by (b) require 1 090 kg minimum weight suspended beneath jib point, (c) require 4 530 kg minimum weight, and (d) require 9 070 kg minimum weight. **Caution: Do not operate in areas indicated by (b), (c), or (d) without required minimum weight.** *Boom and jib may not lower and boom hoist wire rope may go slack causing wire rope damage or failure.*

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with machine list not to exceed degrees noted. Refer to Boom Rigging **No. 81018141**, Jib Rigging **No. 81023385**, Wire Rope Specifications chart **No. 9673-A**, Counterweight Arrangements chart **No. 9349-A**, and Wind Conditions chart **No. 9670-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with three swing drives, 11 125 mm crawlers, 1 524 mm or 2 032 mm treads, 11 m live mast, 30 part boom hoist reeving, boom support straps, and 300 000 kg VPC.

Caution: Luffing jib backstay straps must be removed before use of this chart. *Crane tipping or structural damage may occur.*

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 2 800 kg.

Table 1:

Over End or Side of Crawlers												
Boom Length (m)	Jib Length (m)											
	12,0				18,0				24,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
Block Weight (kg)												
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
56,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
62,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
68,0	21 000	21 000	21 000	21 000	21 000	21 000	10 200	10 200	10 200	10 200	10 200	10 200
74,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
80,0	7 300	7 300	#	#	#	#	#	#	#	#	#	#
86,0	#	#	#	#	#	#	#	#	#	#	#	#
92,0	Raising Not Permitted											

Table 1 (continued):

Over End or Side of Crawlers												
Boom Length (m)	Jib Length (m)											
	30,0				36,0				42,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
Block Weight (kg)												
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
56,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
62,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
68,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
74,0	10 200	10 200	10 200	7 300	10 200	10 200	7 300	7 300	7 300	7 300	7 300	7 300
80,0	#	#	#	#	#	#	#	#	#	#	#	#
86,0	#	#	#	#	#	#	#	#	#	#	#	#
92,0	Raising Not Permitted											

Table 2:

Over End of Blocked Crawlers												
Boom Length (m)	Jib Length (m)											
	12,0				18,0				24,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
Block Weight (kg)												
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
56,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
62,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
68,0	21 000	21 000	21 000	21 000	21 000	21 000	10 200	10 200	10 200	10 200	10 200	10 200
74,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
80,0	7 300	7 300	#	#	#	#	#	#	#	#	#	#
86,0	#	#	#	#	#	#	#	#	#	#	#	#
92,0	#	#	#	#	#	#	#	#	#	#	#	Raising Not Permitted












Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. *Crane tipping or structural damage can occur.*

Table 2 (continued):

Over End of Blocked Crawlers												
Boom Length (m)	Jib Length (m)											
	30,0				36,0				42,0			
	Machine List											
	0°	1°	2°	3°	0°	1°	2°	3°	0°	1°	2°	3°
Block Weight (kg)												
32,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
38,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
44,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
50,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
56,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
62,0	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000	21 000
68,0	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200	10 200
74,0	10 200	10 200	10 200	7 300	10 200	10 200	7 300	7 300	7 300	7 300	7 300	7 300
80,0	#	#	#	#	#	#	#	#	#	#	#	#
86,0	#	#	#	#	#	#	#	#	#	#	#	#
92,0	Raising Not Permitted											




Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. *Crane tipping or structural damage can occur.*

Explanation of Symbols

-  148
+
B10 Jib No. 148
 +
 Boom No. B10:680
-  VPC (Variable Position Counterweight)
-  360° 360 Degree Rating
-  Boom Length
-  Jib Length
-  Jib Offset Angle
-  Operating Radius
(see page 1)
-  Boom Angle
(see page 1)
-  Jib Point Elevation
(see page 1)
-  Machine List
-  Lifting Capacities
(see page 1)




REFERENCE ONLY!

MLC650 S-2






			10°				20°						
 m	 °	 m	 kg	 kg	 kg	 kg	 °	 m	 kg	 kg	 kg	 kg	 m
8,5	84,8	46,8	65 000d										8,5
9,0	84,2	46,7	65 000c										9,0
10,0	82,9	46,5	65 000c	63 300d									10,0
11,0	81,5	46,3	65 000b	62 900c	57 600d		83,9	45,9	65 000c	60 800d			11,0
12,0	80,2	46,1	65 000	62 500c	57 300c	52 900d	82,6	45,7	65 000b	60 600c			12,0
14,0	77,5	45,6	65 000	61 900b	56 800c	52 400c	79,9	45,1	61 900	59 300c	54 700 c	50 600d	14,0
16,0	74,8	44,9	65 000	61 400	56 300	52 100b	77,1	44,5	57 100	56 700	53 300 c	49 400c	16,0
18,0	72,0	44,2	65 000	60 600	55 600	51 400	74,4	43,7	53 100	52 900	51 800	48 300	18,0
20,0	69,2	43,3	61 800	58 700	54 200	50 100	71,5	42,9	49 600	49 400	48 900	47 200	20,0
22,0	66,3	42,3	57 100	56 300	52 700	48 900	68,6	41,9	46 600	46 500	46 000	45 100	22,0
24,0	63,4	41,2	53 100	52 700	51 300	47 800	65,6	40,7	44 000	43 900	43 500	42 800	24,0
26,0	60,3	40,0	49 600	49 200	48 900	46 700	62,5	39,5	41 700	41 600	41 300	40 700	26,0
28,0	57,1	38,6	46 600	46 300	46 000	45 300	59,3	38,0	39 700	39 600	39 400	38 900	28,0
30,0	53,8	37,0	43 900	43 700	43 400	42 900	55,9	36,4	37 900	37 800	37 700	37 200	30,0
32,0	50,4	35,2	41 600	41 400	41 100	40 800	52,4	34,6	36 300	36 200	36 100	35 800	32,0
34,0	46,7	33,2	39 500	39 300	39 100	38 900	48,6	32,6	34 800	34 800	34 700	34 500	34,0
36,0	42,7	30,8	37 700	37 500	37 300	37 200	44,6	30,2	33 600	33 500	33 500	33 400	36,0
38,0	38,4	28,2	36 100	35 900	35 700	35 600	40,1	27,4	32 500	32 400	32 400	32 300	38,0
40,0	33,5	25,0	34 600	34 500	34 300	34 200	35,1	24,1	31 600	31 500	31 500	31 400	40,0
42,0	27,7	21,0	33 400	33 300	33 100	33 000	29,0	19,9	30 900	30 900	30 800	30 800	42,0
44,0	20,2	15,5	32 500	32 300	32 200	32 100							44,0

MLC650 S-2






			10°				20°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,1	84,7	52,8	65 000c										9,1
10,0	83,7	52,6	65 000c	63 400d									10,0
11,0	82,6	52,5	65 000	63 000c	57 700d		84,7	52,0	65 000c				11,0
12,0	81,4	52,2	65 000	62 700b	57 400c		83,5	51,8	65 000	60 600c			12,0
14,0	79,1	51,8	65 000	62 100	56 900b	52 500c	81,2	51,3	64 300	60 000b	55 200 c	51 000d	14,0
16,0	76,7	51,2	65 000	61 600	56 500	52 100b	78,8	50,8	59 800	58 500	54 000 b	50 000c	16,0
18,0	74,3	50,6	65 000	61 100	56 100	51 800	76,3	50,1	55 800	55 600	52 800	49 000	18,0
20,0	71,9	49,8	64 800	60 500	55 500	51 200	73,9	49,4	52 400	52 300	51 400	48 100	20,0
22,0	69,4	49,0	62 100	58 800	54 200	50 100	71,4	48,5	49 500	49 300	48 700	47 100	22,0
24,0	66,9	48,0	57 900	57 000	52 900	49 100	68,8	47,6	46 800	46 700	46 200	45 400	24,0
26,0	64,3	47,0	54 200	53 800	51 600	48 000	66,2	46,5	44 500	44 400	44 000	43 200	26,0
28,0	61,6	45,8	51 000	50 700	50 100	47 100	63,5	45,3	42 400	42 300	42 100	41 400	28,0
30,0	58,9	44,5	48 200	47 900	47 600	46 200	60,8	44,0	40 600	40 500	40 300	39 700	30,0
32,0	56,1	43,1	45 600	45 400	45 100	44 500	57,9	42,5	38 900	38 800	38 700	38 200	32,0
34,0	53,2	41,4	43 400	43 200	42 900	42 500	55,0	40,9	37 400	37 300	37 200	36 800	34,0
36,0	50,1	39,7	41 400	41 200	41 000	40 600	51,9	39,1	36 000	35 900	35 900	35 600	36,0
38,0	46,9	37,7	39 600	39 400	39 200	39 000	48,6	37,0	34 800	34 700	34 700	34 500	38,0
40,0	43,5	35,4	38 000	37 800	37 600	37 400	45,1	34,7	33 700	33 700	33 600	33 500	40,0
42,0	39,8	32,9	36 500	36 400	36 200	36 100	41,3	32,1	32 800	32 700	32 600	32 600	42,0
44,0	35,7	29,9	35 200	35 100	34 900	34 800	37,1	29,1	31 900	31 900	31 800	31 700	44,0
46,0	31,1	26,5	34 100	33 900	33 800	33 600	32,4	25,5	31 300	31 200	31 100	31 100	46,0
48,0	25,8	22,2	33 100	33 000	32 800	32 700							48,0
50,0	18,7	16,3	32 300	32 200	32 100	32 000							50,0

MLC650 S-2






	10°								20°							
	m	°	m	300 000 kg				m	°	m	300 000 kg				m	
				0°	1°	2°	3°				0°	1°	2°	3°		
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg			
9,8	84,7	58,7	65 000c											9,8		
10,0	84,4	58,7	65 000c											10,0		
11,0	83,4	58,5	65 000	63 100c										11,0		
12,0	82,3	58,4	65 000	62 800b	57 400c		84,2	57,9	65 000					12,0		
14,0	80,3	57,9	65 000	62 200	56 900b	52 500c	82,1	57,5	64 700	60 100b	55 200 c			14,0		
16,0	78,2	57,5	65 000	61 700	56 500	52 200	80,0	57,0	62 000	59 200	54 600 b	50 400c		16,0		
18,0	76,0	56,9	65 000	61 300	56 200	51 900	77,9	56,4	58 200	57 700	53 500	49 500		18,0		
20,0	73,9	56,2	65 000	60 900	55 900	51 600	75,7	55,7	54 900	54 700	52 400	48 700		20,0		
22,0	71,7	55,5	64 800	60 200	55 300	51 000	73,5	55,0	52 000	51 800	50 900	47 800		22,0		
24,0	69,5	54,7	62 300	58 700	54 100	50 000	71,3	54,2	49 300	49 200	48 600	47 100		24,0		
26,0	67,3	53,7	58 400	57 200	53 000	49 100	69,0	53,2	47 000	46 900	46 400	45 500		26,0		
28,0	65,0	52,7	55 100	54 700	51 900	48 200	66,7	52,2	44 900	44 800	44 400	43 600		28,0		
30,0	62,6	51,6	52 200	51 800	50 800	47 400	64,4	51,1	43 000	42 900	42 600	41 900		30,0		
32,0	60,3	50,4	49 500	49 200	48 800	46 600	61,9	49,8	41 300	41 200	41 000	40 400		32,0		
34,0	57,8	49,0	47 100	46 800	46 600	45 600	59,4	48,5	39 800	39 600	39 500	39 000		34,0		
36,0	55,3	47,5	45 000	44 700	44 400	43 900	56,9	47,0	38 400	38 200	38 100	37 700		36,0		
38,0	52,6	45,9	43 100	42 800	42 600	42 100	54,2	45,3	37 100	37 000	36 900	36 500		38,0		
40,0	49,9	44,1	41 300	41 100	40 800	40 500	51,4	43,5	35 900	35 800	35 700	35 500		40,0		
42,0	47,0	42,2	39 700	39 500	39 300	39 100	48,5	41,5	34 800	34 700	34 600	34 500		42,0		
44,0	44,0	40,0	38 200	38 000	37 900	37 700	45,5	39,3	33 800	33 800	33 700	33 600		44,0		
46,0	40,8	37,5	36 900	36 700	36 600	36 400	42,2	36,8	33 000	32 900	32 800	32 800		46,0		
48,0	37,3	34,8	35 700	35 600	35 400	35 300	38,6	34,0	32 200	32 100	32 100	32 000		48,0		
50,0	33,5	31,6	34 700	34 500	34 300	34 200	34,7	30,7	31 600	31 500	31 400	31 400		50,0		
52,0	29,2	27,9	33 700	33 500	33 400	33 300	30,2	26,9	31 000	31 000	30 900	30 900		52,0		
54,0	24,1	23,3	32 900	32 700	32 600	32 500								54,0		

MLC650 S-2





			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,4	84,6	64,7	65 000										10,4
11,0	84,0	64,6	65 000										11,0
12,0	83,1	64,4	65 000	62 800									12,0
14,0	81,2	64,1	65 000	62 200	56 900	52 400c	82,9	63,6	65 000	60 100			14,0
16,0	79,3	63,6	65 000	61 800	56 500	52 100	81,0	63,1	63 700	59 600			16,0
18,0	77,4	63,1	65 000	61 300	56 200	51 800	79,1	62,6	60 300	58 400	53 900	49 800	18,0
20,0	75,5	62,5	65 000	61 000	55 900	51 600	77,1	62,0	57 000	56 800	53 000	49 100	20,0
22,0	73,6	61,8	65 000	60 700	55 600	51 400	75,2	61,4	54 200	54 000	52 000	48 300	22,0
24,0	71,6	61,1	65 000	60 000	55 000	50 800	73,2	60,6	51 600	51 400	50 600	47 600	24,0
26,0	69,6	60,3	62 400	58 700	54 100	49 900	71,2	59,8	49 300	49 100	48 600	46 900	26,0
28,0	67,6	59,4	59 000	57 400	53 000	49 100	69,2	58,9	47 200	47 000	46 600	45 700	28,0
30,0	65,5	58,4	55 900	55 400	52 100	48 300	67,1	57,9	45 300	45 100	44 700	43 900	30,0
32,0	63,4	57,3	53 100	52 700	51 100	47 500	65,0	56,8	43 500	43 400	43 100	42 400	32,0
34,0	61,3	56,2	50 700	50 300	49 900	46 800	62,8	55,6	41 900	41 800	41 600	40 900	34,0
36,0	59,1	54,9	48 400	48 100	47 800	46 100	60,6	54,3	40 500	40 400	40 200	39 600	36,0
38,0	56,9	53,5	46 300	46 000	45 800	45 000	58,3	52,9	39 100	39 000	38 900	38 400	38,0
40,0	54,6	52,0	44 500	44 200	43 900	43 400	56,0	51,4	37 900	37 800	37 700	37 300	40,0
42,0	52,2	50,3	42 800	42 500	42 300	41 800	53,6	49,7	36 800	36 700	36 600	36 300	42,0
44,0	49,7	48,6	41 200	41 000	40 800	40 400	51,1	47,9	35 800	35 700	35 600	35 300	44,0
46,0	47,1	46,6	39 800	39 600	39 300	39 100	48,5	45,9	34 800	34 700	34 700	34 500	46,0
48,0	44,4	44,5	38 500	38 300	38 100	37 900	45,7	43,8	33 900	33 900	33 800	33 700	48,0
50,0	41,6	42,1	37 200	37 100	36 900	36 700	42,8	41,3	33 200	33 100	33 000	33 000	50,0
52,0	38,5	39,5	36 100	36 000	35 800	35 700	39,7	38,7	32 400	32 400	32 300	32 200	52,0
54,0	35,2	36,5	35 100	35 000	34 800	34 700	36,3	35,6	31 800	31 800	31 700	31 700	54,0
56,0	31,6	33,1	34 200	34 100	33 900	33 800	32,6	32,2	31 300	31 200	31 200	31 100	56,0
58,0	27,5	29,2	33 400	33 300	33 100	33 000							58,0
60,0	22,7	24,3	32 700	32 600	32 400	32 300							60,0

MLC650 S-2





	10°								20°							
			300 000 kg						300 000 kg							
	m	°	m	0° kg	1° kg	2° kg	3° kg	°	m	0° kg	1° kg	2° kg	3° kg	m		
11,0	84,6	70,7	65 000											11,0		
12,0	83,7	70,5	65 000											12,0		
14,0	82,0	70,2	65 000	62 300	56 900			83,5	69,7	65 000	60 000			14,0		
16,0	80,3	69,8	65 000	61 800	56 500	52 000		81,8	69,3	64 600	59 800	54 800		16,0		
18,0	78,5	69,3	65 000	61 400	56 200	51 800		80,1	68,8	62 100	59 000	54 300	50 100	18,0		
20,0	76,8	68,8	65 000	61 100	55 900	51 600		78,3	68,3	58 900	57 800	53 400	49 400	20,0		
22,0	75,1	68,2	65 000	60 700	55 600	51 400		76,6	67,7	56 100	55 900	52 500	48 700	22,0		
24,0	73,3	67,5	65 000	60 400	55 400	51 200		74,8	67,0	53 600	53 400	51 700	48 100	24,0		
26,0	71,5	66,8	64 900	59 900	54 900	50 600		73,0	66,3	51 300	51 100	50 500	47 400	26,0		
28,0	69,7	66,0	62 600	58 600	54 000	49 800		71,1	65,4	49 200	49 000	48 500	46 800	28,0		
30,0	67,8	65,1	59 400	57 400	53 100	49 100		69,3	64,6	47 300	47 100	46 700	45 700	30,0		
32,0	66,0	64,1	56 500	56 100	52 200	48 400		67,4	63,6	45 500	45 400	45 000	44 200	32,0		
34,0	64,1	63,1	54 000	53 600	51 300	47 700		65,5	62,5	44 000	43 800	43 500	42 700	34,0		
36,0	62,2	62,0	51 600	51 300	50 400	47 000		63,6	61,4	42 500	42 300	42 100	41 400	36,0		
38,0	60,2	60,7	49 500	49 100	48 800	46 400		61,6	60,2	41 100	41 000	40 800	40 200	38,0		
40,0	58,2	59,4	47 500	47 200	46 900	45 700		59,5	58,8	39 800	39 700	39 600	39 000	40,0		
42,0	56,1	58,0	45 700	45 400	45 200	44 500		57,5	57,4	38 700	38 600	38 500	38 000	42,0		
44,0	54,0	56,5	44 100	43 800	43 600	43 000		55,3	55,9	37 600	37 500	37 400	37 000	44,0		
46,0	51,8	54,8	42 500	42 300	42 100	41 600		53,1	54,2	36 600	36 500	36 400	36 100	46,0		
48,0	49,6	53,0	41 200	40 900	40 700	40 400		50,8	52,4	35 700	35 600	35 500	35 300	48,0		
50,0	47,2	51,1	39 900	39 600	39 400	39 200		48,4	50,4	34 800	34 700	34 700	34 500	50,0		
52,0	44,8	49,0	38 600	38 400	38 300	38 100		46,0	48,3	34 000	34 000	33 900	33 800	52,0		
54,0	42,2	46,7	37 500	37 300	37 200	36 900		43,4	45,9	33 300	33 200	33 200	33 100	54,0		
56,0	39,5	44,1	36 500	36 300	36 100	35 100		40,6	43,3	32 700	32 600	32 500	32 500	56,0		
58,0	36,6	41,3	35 500	35 300	34 300	33 000		37,7	40,5	32 000	32 000	31 900	31 900	58,0		
60,0	33,5	38,2	34 700	33 400	32 200	31 000		34,5	37,3	31 500	31 500	31 400	31 100	60,0		
62,0	30,1	34,6	33 900	31 300	30 200	29 100		30,9	33,6	31 100	31 000	30 300	29 300	62,0		
64,0	26,2	30,5	33 200	29 300	28 300	27 300		26,9	29,3	30 800	29 400	28 400	27 500	64,0		
66,0	21,5	25,3	31 800	27 400	26 500	25 600								66,0		

MLC650 S-2






			10°				20°							
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
11,0	85,0	76,7	65 000										11,0	
12,0	84,2	76,6	65 000										12,0	
14,0	82,6	76,3	65 000	62 200	56 700		84,1	75,8	65 000				14,0	
16,0	81,1	75,9	65 000	61 700	56 400	51 300	82,5	75,4	65 000	59 600			16,0	
18,0	79,5	75,5	65 000	61 400	56 100	51 300	80,9	75,0	63 500	59 300	54 400	49 800	18,0	
20,0	77,9	75,0	65 000	61 000	55 800	51 300	79,3	74,5	60 600	58 300	53 700	49 600	20,0	
22,0	76,3	74,4	65 000	60 700	55 500	51 200	77,7	73,9	57 900	57 100	52 900	49 000	22,0	
24,0	74,7	73,8	65 000	60 400	55 300	51 000	76,1	73,3	55 400	55 200	52 100	48 300	24,0	
26,0	73,1	73,2	65 000	60 200	55 100	50 900	74,4	72,6	53 100	52 900	51 400	47 800	26,0	
28,0	71,4	72,4	64 700	59 700	54 700	50 400	72,8	71,9	51 100	50 900	50 300	47 200	28,0	
30,0	69,8	71,6	62 800	58 500	53 800	49 700	71,1	71,1	49 200	49 000	48 400	46 700	30,0	
32,0	68,1	70,8	59 800	57 500	53 000	49 000	69,4	70,2	47 400	47 200	46 800	45 900	32,0	
34,0	66,4	69,8	57 200	56 300	52 200	48 300	67,7	69,3	45 800	45 600	45 200	44 400	34,0	
36,0	64,6	68,8	54 700	54 300	51 400	47 700	65,9	68,3	44 300	44 200	43 800	43 100	36,0	
38,0	62,9	67,7	52 500	52 100	50 600	47 100	64,2	67,2	42 900	42 800	42 500	41 800	38,0	
40,0	61,1	66,6	50 500	50 100	49 700	46 500	62,4	66,0	41 600	41 500	41 300	40 600	40,0	
42,0	59,3	65,3	48 600	48 300	48 000	46 000	60,5	64,7	40 400	40 300	40 100	39 600	42,0	
44,0	57,4	64,0	46 800	46 600	46 300	45 400	58,6	63,4	39 300	39 200	39 100	38 500	44,0	
46,0	55,5	62,5	45 300	45 000	44 700	44 000	56,7	61,9	38 300	38 200	38 100	37 600	46,0	
48,0	53,5	61,0	43 800	43 500	43 300	42 400	54,7	60,3	37 300	37 200	37 200	36 700	48,0	
50,0	51,5	59,3	42 400	42 100	41 900	40 300	52,7	58,6	36 400	36 400	36 300	35 900	50,0	
52,0	49,5	57,5	41 100	40 800	39 600	37 700	50,6	56,8	35 600	35 500	35 400	35 200	52,0	
54,0	47,3	55,6	39 900	38 800	37 000	35 300	48,4	54,9	34 800	34 700	34 700	34 500	54,0	
56,0	45,1	53,5	38 800	36 300	34 600	33 000	46,2	52,8	34 100	34 000	34 000	33 300	56,0	
58,0	42,8	51,2	37 800	33 900	32 300	30 800	43,8	50,5	33 400	33 400	32 800	31 300	58,0	
60,0	40,3	48,8	36 800	31 600	30 200	28 900	41,3	48,0	32 800	32 100	30 600	29 300	60,0	
62,0	37,7	46,1	35 000	29 500	28 200	27 000	38,7	45,3	32 300	29 900	28 600	27 400	62,0	
64,0	35,0	43,1	32 700	27 600	26 400	25 200	35,9	42,2	31 800	27 900	26 700	25 500	64,0	
66,0	32,0	39,8	30 600	25 700	24 600	23 600	32,8	38,8	30 800	26 000	24 900	23 800	66,0	
68,0	28,7	36,1	28 500	23 900	23 000	22 000	29,4	35,0	28 700	24 200	23 200	22 200	68,0	
70,0	25,0	31,7	26 600	22 300	21 400	20 500							70,0	
72,0	20,5	26,3	24 700	20 700	19 900	19 100							72,0	

MLC650 S-2






			10°				20°							
			300 000 kg				300 000 kg							
			0°	1°	2°	3°			0°	1°	2°	3°		
			kg	kg	kg	kg			kg	kg	kg	kg		
m	°	m					°	m					m	
11,6	84,9	82,7	65 000											11,6
12,0	84,6	82,6	65 000											12,0
14,0	83,2	82,3	65 000	62 000			84,5	81,8	65 000					14,0
16,0	81,8	82,0	65 000	61 600	56 100		83,1	81,5	65 000	59 400				16,0
18,0	80,3	81,6	65 000	61 200	55 800	50 500	81,6	81,1	64 700	59 200	54 200			18,0
20,0	78,8	81,2	65 000	60 900	55 600	50 500	80,1	80,6	62 100	58 600	53 800	49 000		20,0
22,0	77,4	80,7	65 000	60 600	55 400	50 500	78,6	80,1	59 500	57 700	53 100	48 900		22,0
24,0	75,9	80,1	65 000	60 300	55 100	50 500	77,2	79,6	57 000	56 600	52 400	48 500		24,0
26,0	74,4	79,5	65 000	60 000	54 900	50 500	75,6	79,0	54 800	54 600	51 700	48 000		26,0
28,0	72,9	78,8	65 000	59 800	54 800	50 400	74,1	78,3	52 700	52 600	51 100	47 400		28,0
30,0	71,4	78,1	64 800	59 300	54 300	50 000	72,6	77,6	50 900	50 700	50 000	46 900		30,0
32,0	69,8	77,3	62 900	58 400	53 600	49 400	71,1	76,8	49 100	49 000	48 400	46 500		32,0
34,0	68,3	76,4	60 200	57 400	52 900	48 800	69,5	75,9	47 500	47 400	46 900	45 800		34,0
36,0	66,7	75,5	57 700	56 400	52 100	48 200	67,9	75,0	46 000	45 900	45 400	44 600		36,0
38,0	65,1	74,5	55 400	54 900	51 400	47 700	66,3	74,0	44 600	44 500	44 100	43 300		38,0
40,0	63,5	73,5	53 300	52 900	50 700	47 100	64,7	72,9	43 300	43 200	42 900	42 100		40,0
42,0	61,8	72,3	51 300	51 000	50 000	46 600	63,0	71,8	42 100	42 000	41 700	41 000		42,0
44,0	60,2	71,1	49 500	49 200	48 800	45 200	61,3	70,6	41 000	40 900	40 600	40 000		44,0
46,0	58,5	69,8	47 900	47 600	47 000	43 100	59,6	69,3	39 900	39 800	39 600	39 100		46,0
48,0	56,7	68,5	46 300	46 000	44 300	41 200	57,9	67,9	38 900	38 800	38 700	38 200		48,0
50,0	55,0	67,0	44 900	43 700	41 300	39 000	56,1	66,4	38 000	37 900	37 800	37 300		50,0
52,0	53,1	65,4	43 500	40 700	38 600	36 500	54,2	64,8	37 100	37 000	36 900	36 500		52,0
54,0	51,3	63,8	42 300	38 000	36 000	34 100	52,4	63,1	36 300	36 200	36 000	34 700		54,0
56,0	49,4	62,0	41 100	35 400	33 600	31 800	50,4	61,3	35 600	35 500	34 200	32 400		56,0
58,0	47,4	60,1	39 600	33 100	31 400	29 700	48,4	59,4	34 800	33 600	31 900	30 300		58,0
60,0	45,3	58,0	37 000	30 800	29 300	27 800	46,3	57,3	34 200	31 400	29 800	28 300		60,0
62,0	43,2	55,8	34 600	28 800	27 300	25 900	44,2	55,0	33 600	29 200	27 800	26 400		62,0
64,0	41,0	53,4	32 300	26 800	25 500	24 200	41,9	52,6	32 700	27 200	25 900	24 600		64,0
66,0	38,6	50,8	30 200	25 000	23 800	22 600	39,5	50,0	30 600	25 400	24 100	22 900		66,0
68,0	36,2	48,0	28 200	23 300	22 100	21 000	37,0	47,1	28 500	23 600	22 400	21 300		68,0
70,0	33,5	44,9	26 200	21 600	20 600	19 500	34,3	43,9	26 500	21 900	20 800	19 800		70,0
72,0	30,7	41,4	24 400	20 100	19 100	18 200	31,4	40,3	24 700	20 300	19 300	18 400		72,0
74,0	27,5	37,4	22 700	18 600	17 700	16 900	28,1	36,3	22 900	18 800	17 900	17 000		74,0
76,0	23,9	32,9	21 100	17 200	16 400	15 600								76,0

MLC650 S-2






			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	84,9	88,6	65 000	61 800									12,2
14,0	83,7	88,4	65 000	61 400									14,0
16,0	82,3	88,1	65 000	61 400	55 900		83,6	87,6	65 000	58 900			16,0
18,0	81,0	87,7	65 000	61 000	55 600	49 600	82,2	87,2	65 000	58 900			18,0
20,0	79,6	87,3	65 000	60 700	55 300	49 600	80,8	86,8	63 500	58 700	53 800	48 100	20,0
22,0	78,3	86,8	65 000	60 400	55 100	49 600	79,5	86,3	60 900	57 900	53 200	48 100	22,0
24,0	76,9	86,3	65 000	60 200	54 900	49 600	78,1	85,8	58 500	57 100	52 600	48 100	24,0
26,0	75,5	85,8	65 000	59 900	54 700	49 600	76,7	85,2	56 300	56 100	52 000	48 100	26,0
28,0	74,1	85,1	65 000	59 700	54 600	49 600	75,3	84,6	54 300	54 100	51 300	47 600	28,0
30,0	72,7	84,5	64 900	59 500	54 400	49 600	73,9	83,9	52 500	52 200	50 700	47 100	30,0
32,0	71,3	83,7	64 900	59 200	54 100	49 600	72,5	83,2	50 700	50 500	49 900	46 700	32,0
34,0	69,9	83,0	63 100	58 200	53 400	49 100	71,0	82,4	49 100	49 000	48 400	46 300	34,0
36,0	68,4	82,1	60 500	57 300	52 700	48 600	69,6	81,6	47 600	47 500	46 900	45 800	36,0
38,0	67,0	81,2	58 200	56 400	52 000	48 100	68,1	80,7	46 200	46 100	45 600	44 700	38,0
40,0	65,5	80,2	56 000	55 400	51 400	47 600	66,6	79,7	44 900	44 800	44 300	43 600	40,0
42,0	64,0	79,2	54 000	53 600	50 800	46 500	65,1	78,7	43 700	43 600	43 200	42 400	42,0
44,0	62,5	78,1	52 200	51 800	48 800	44 400	63,6	77,5	42 500	42 400	42 100	41 400	44,0
46,0	60,9	77,0	50 400	48 400	45 400	42 200	62,0	76,4	41 500	41 400	41 000	40 400	46,0
48,0	59,4	75,7	48 800	45 000	42 200	39 600	60,4	75,1	40 500	40 400	40 100	39 500	48,0
50,0	57,8	74,4	47 300	41 800	39 200	36 800	58,8	73,8	39 500	39 400	39 200	37 600	50,0
52,0	56,2	73,0	45 900	38 800	36 500	34 200	57,2	72,4	38 600	38 500	37 300	35 000	52,0
54,0	54,5	71,5	43 900	36 100	33 900	31 900	55,5	70,9	37 800	36 800	34 700	32 600	54,0
56,0	52,8	69,9	40 900	33 500	31 600	29 600	53,8	69,3	37 000	34 200	32 200	30 300	56,0
58,0	51,1	68,2	38 100	31 200	29 300	27 600	52,1	67,6	36 200	31 800	30 000	28 200	58,0
60,0	49,3	66,4	35 500	29 000	27 300	25 600	50,3	65,8	35 400	29 600	27 900	26 200	60,0
62,0	47,4	64,5	33 100	26 900	25 300	23 800	48,4	63,8	33 600	27 500	25 900	24 300	62,0
64,0	45,5	62,5	30 800	25 000	23 500	22 100	46,5	61,8	31 300	25 500	24 000	22 600	64,0
66,0	43,6	60,3	28 600	23 200	21 800	20 500	44,5	59,6	29 100	23 600	22 200	20 900	66,0
68,0	41,5	58,0	26 600	21 400	20 200	18 900	42,4	57,2	27 100	21 900	20 600	19 300	68,0
70,0	39,4	55,5	24 700	19 800	18 600	17 500	40,2	54,6	25 100	20 200	19 000	17 800	70,0
72,0	37,2	52,7	22 900	18 300	17 200	16 100	38,0	51,9	23 300	18 600	17 500	16 400	72,0
74,0	34,8	49,8	21 200	16 800	15 800	14 800	35,5	48,8	21 500	17 100	16 100	15 100	74,0
76,0	32,2	46,5	19 600	15 400	14 500	13 600	32,9	45,5	19 900	15 700	14 700	13 800	76,0
78,0	29,5	42,9	18 100	14 100	13 300	12 400	30,1	41,8	18 300	14 300	13 400	12 600	78,0
80,0	26,4	38,8	16 600	12 900	12 100	11 300							80,0
82,0	23,0	34,0	15 200	11 600	10 900	10 200							82,0

MLC650 S-2






			10°				20°						
			300 000 kg				300 000 kg						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,3	94,5	65 000										13,7
14,0	84,1	94,5	65 000										14,0
16,0	82,8	94,2	65 000	61 100			84,0	93,7	65 000				16,0
18,0	81,6	93,8	65 000	60 800	55 300		82,7	93,3	64 800	58 600			18,0
20,0	80,3	93,4	65 000	60 500	55 100	48 800	81,4	92,9	64 500	58 500	53 500	47 200	20,0
22,0	79,0	93,0	65 000	60 200	54 900	48 800	80,2	92,5	62 200	58 100	53 200	47 200	22,0
24,0	77,8	92,5	65 000	59 900	54 700	48 800	78,9	92,0	59 900	57 300	52 600	47 200	24,0
26,0	76,5	92,0	65 000	59 700	54 500	48 800	77,6	91,5	57 700	56 600	52 100	47 200	26,0
28,0	75,2	91,4	65 000	59 500	54 300	48 800	76,3	90,9	55 800	55 500	51 500	47 200	28,0
30,0	73,9	90,8	64 900	59 300	54 200	48 800	75,0	90,3	53 900	53 700	51 000	47 100	30,0
32,0	72,6	90,1	64 900	59 100	54 000	48 800	73,7	89,6	52 200	52 000	50 400	46 800	32,0
34,0	71,2	89,4	64 700	58 800	53 700	48 800	72,3	88,9	50 600	50 400	49 700	46 400	34,0
36,0	69,9	88,6	63 100	58 000	53 100	48 700	71,0	88,1	49 100	48 900	48 300	46 000	36,0
38,0	68,6	87,8	60 800	57 100	52 500	48 400	69,6	87,2	47 700	47 600	47 000	45 600	38,0
40,0	67,2	86,9	58 600	56 300	51 900	47 700	68,3	86,3	46 400	46 300	45 700	44 900	40,0
42,0	65,8	86,0	56 600	54 600	50 600	45 800	66,9	85,4	45 200	45 000	44 600	43 800	42,0
44,0	64,4	84,9	54 700	50 800	47 300	43 600	65,5	84,4	44 100	43 900	43 500	42 700	44,0
46,0	63,0	83,9	52 900	47 100	43 900	40 800	64,1	83,3	43 000	42 800	42 400	41 500	46,0
48,0	61,6	82,7	51 300	43 600	40 700	37 900	62,6	82,2	41 900	41 800	41 100	38 800	48,0
50,0	60,2	81,5	49 500	40 400	37 700	35 200	61,2	80,9	41 000	40 800	38 600	36 000	50,0
52,0	58,7	80,3	46 300	37 500	35 000	32 600	59,7	79,7	40 000	38 400	35 900	33 500	52,0
54,0	57,2	78,9	43 000	34 800	32 500	30 300	58,2	78,3	39 200	35 600	33 300	31 100	54,0
56,0	55,7	77,5	40 000	32 300	30 100	28 100	56,6	76,9	38 400	33 000	30 900	28 800	56,0
58,0	54,1	76,0	37 100	29 900	27 900	26 000	55,1	75,4	37 500	30 600	28 600	26 700	58,0
60,0	52,5	74,4	34 500	27 700	25 900	24 100	53,4	73,7	35 200	28 400	26 500	24 800	60,0
62,0	50,9	72,7	32 100	25 700	24 000	22 300	51,8	72,0	32 800	26 300	24 600	22 900	62,0
64,0	49,2	70,9	29 800	23 800	22 200	20 600	50,1	70,2	30 400	24 300	22 700	21 200	64,0
66,0	47,5	69,0	27 700	22 000	20 500	19 000	48,4	68,3	28 300	22 500	21 000	19 500	66,0
68,0	45,7	67,0	25 700	20 300	18 900	17 500	46,6	66,3	26 200	20 700	19 300	18 000	68,0
70,0	43,9	64,9	23 800	18 600	17 300	16 100	44,8	64,1	24 300	19 100	17 800	16 500	70,0
72,0	42,0	62,6	22 000	17 100	15 900	14 700	42,8	61,8	22 400	17 500	16 300	15 100	72,0
74,0	40,0	60,1	20 300	15 700	14 600	13 400	40,8	59,3	20 700	16 100	14 900	13 800	74,0
76,0	38,0	57,5	18 700	14 300	13 300	12 200	38,8	56,6	19 100	14 600	13 600	12 500	76,0
78,0	35,8	54,6	17 200	13 000	12 000	11 100	36,6	53,7	17 500	13 300	12 300	11 300	78,0
80,0	33,5	51,5	15 800	11 800	10 800	10 000	34,2	50,5	16 000	12 000	11 100	10 200	80,0
82,0	31,1	48,1	14 400	10 600	9 700	8 900	31,7	47,1	14 600	10 800	9 900	9 100	82,0
84,0	28,4	44,3	13 100	9 400	8 600	7 900	29,0	43,2	13 200	9 600	8 800	8 000	84,0
86,0	25,5	40,1	11 800	8 300	7 600	6 900							86,0
88,0	22,2	35,1	10 400	7 300	6 600	6 000							88,0

MLC650 S-2






			10°				20°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,6	100,5	65 000										13,7
14,0	84,5	100,5	65 000										14,0
16,0	83,3	100,2	65 000	60 800			84,4	99,7	64 900				16,0
18,0	82,1	99,9	65 000	60 500	54 900		83,2	99,4	64 600	58 300			18,0
20,0	80,9	99,6	65 000	60 200	54 700	47 800	82,0	99,0	64 400	58 200	53 100		20,0
22,0	79,7	99,2	65 000	59 900	54 500	47 800	80,8	98,6	63 400	58 000	53 000	46 300	22,0
24,0	78,5	98,7	65 000	59 700	54 300	47 800	79,6	98,2	61 100	57 400	52 600	46 300	24,0
26,0	77,3	98,2	65 000	59 500	54 100	47 800	78,4	97,7	59 000	56 700	52 000	46 300	26,0
28,0	76,1	97,7	65 000	59 200	54 000	47 800	77,2	97,1	57 100	56 000	51 600	46 300	28,0
30,0	74,9	97,1	64 900	59 000	53 900	47 800	75,9	96,6	55 300	55 000	51 100	46 300	30,0
32,0	73,7	96,5	64 900	58 900	53 700	47 800	74,7	95,9	53 600	53 400	50 500	46 300	32,0
34,0	72,4	95,8	64 900	58 700	53 600	47 800	73,5	95,2	52 000	51 800	50 100	46 200	34,0
36,0	71,2	95,1	64 400	58 400	53 300	47 800	72,2	94,5	50 600	50 400	49 500	46 000	36,0
38,0	70,0	94,3	63 400	57 700	52 700	47 800	71,0	93,7	49 200	49 000	48 300	45 700	38,0
40,0	68,7	93,5	61 200	56 500	51 800	47 200	69,7	92,9	47 900	47 700	47 100	45 300	40,0
42,0	67,4	92,6	59 100	52 900	48 800	44 700	68,4	92,0	46 700	46 500	45 900	44 700	42,0
44,0	66,1	91,7	57 100	48 700	45 000	41 600	67,1	91,1	45 500	45 300	44 800	42 600	44,0
46,0	64,8	90,7	55 200	45 000	41 600	38 400	65,8	90,1	44 400	44 200	42 700	39 500	46,0
48,0	63,5	89,6	52 100	41 600	38 500	35 500	64,5	89,0	43 300	42 500	39 500	36 600	48,0
50,0	62,2	88,5	48 200	38 400	35 500	32 800	63,1	87,9	42 400	39 400	36 500	33 800	50,0
52,0	60,8	87,3	44 600	35 500	32 900	30 400	61,8	86,8	41 500	36 400	33 800	31 200	52,0
54,0	59,5	86,1	41 300	32 800	30 400	28 000	60,4	85,5	40 600	33 700	31 200	28 900	54,0
56,0	58,1	84,8	38 300	30 300	28 000	25 900	59,0	84,2	39 000	31 100	28 800	26 700	56,0
58,0	56,6	83,5	35 500	28 000	25 800	23 800	57,6	82,8	36 300	28 700	26 600	24 600	58,0
60,0	55,2	82,0	32 900	25 800	23 800	21 900	56,1	81,4	33 700	26 500	24 500	22 600	60,0
62,0	53,7	80,5	30 400	23 800	21 900	20 200	54,6	79,8	31 200	24 400	22 600	20 800	62,0
64,0	52,2	78,9	28 100	21 800	20 100	18 500	53,1	78,2	28 800	22 500	20 700	19 100	64,0
66,0	50,7	77,2	26 000	20 000	18 400	16 900	51,6	76,5	26 700	20 600	19 000	17 500	66,0
68,0	49,2	75,4	24 000	18 300	16 800	15 400	50,0	74,7	24 600	18 900	17 400	15 900	68,0
70,0	47,5	73,5	22 100	16 700	15 300	14 000	48,4	72,8	22 700	17 300	15 800	14 500	70,0
72,0	45,9	71,5	20 300	15 200	13 900	12 600	46,7	70,8	20 900	15 700	14 400	13 100	72,0
74,0	44,2	69,4	18 700	13 800	12 600	11 400	45,0	68,6	19 100	14 200	13 000	11 800	74,0
76,0	42,4	67,1	17 100	12 400	11 300	10 100	43,2	66,3	17 500	12 800	11 700	10 500	76,0
78,0	40,6	64,7	15 600	11 100	10 100	9 000	41,4	63,9	16 000	11 500	10 400	9 300	78,0
80,0	38,7	62,1	14 100	9 900	8 900	7 900	39,4	61,3	14 500	10 200	9 200	8 200	80,0
82,0	36,7	59,4	12 800	8 700	7 800	6 800	37,4	58,5	13 100	9 000	8 100	7 100	82,0
84,0	34,6	56,4	11 400	7 600	6 700	5 800	35,3	55,5	11 700	7 900	7 000	6 100	84,0
86,0	32,4	53,2	9 800	6 500	5 700	4 900	33,0	52,2	10 200	6 800	5 900	5 100	86,0
88,0	30,0	49,6	8 400	5 500	4 700	4 000	30,6	48,6	8 600	5 700	4 900	4 100	88,0
90,0	27,5	45,7	7 000	4 500	3 800								90,0
92,0	24,6	41,3	5 600	3 500									92,0
94,0	21,4	36,2	4 100										94,0

MLC650 S-2






m	10°						20°					
	°	m	300 000 kg			°	m	300 000 kg			m	
			0°	1°	2°			0°	1°	2°		
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg		
13,7	84,9	106,6	65 000								13,7	
14,0	84,8	106,5	65 000								14,0	
16,0	83,7	106,3	65 000								16,0	
18,0	82,6	106,0	65 000	60 100		83,6	105,5	64 300			18,0	
20,0	81,4	105,6	65 000	59 800	54 300	82,4	105,1	64 100	57 700	52 700	20,0	
22,0	80,3	105,3	65 000	59 600	54 100	81,3	104,7	63 800	57 600	52 600	22,0	
24,0	79,2	104,8	65 000	59 300	53 900	80,2	104,3	62 300	57 400	52 400	24,0	
26,0	78,1	104,4	65 000	59 100	53 700	79,1	103,8	60 300	56 800	51 900	26,0	
28,0	76,9	103,9	65 000	58 900	53 600	77,9	103,3	58 400	56 100	51 500	28,0	
30,0	75,8	103,3	64 900	58 700	53 500	76,8	102,8	56 600	55 500	51 000	30,0	
32,0	74,6	102,7	64 900	58 600	53 300	75,6	102,2	54 900	54 700	50 600	32,0	
34,0	73,5	102,1	64 900	58 400	53 200	74,5	101,6	53 400	53 200	50 100	34,0	
36,0	72,3	101,4	64 700	58 300	53 100	73,3	100,9	51 900	51 700	49 700	36,0	
38,0	71,2	100,7	64 200	58 100	52 800	72,1	100,1	50 500	50 300	49 200	38,0	
40,0	70,0	99,9	63 200	55 900	51 200	70,9	99,4	49 200	49 000	48 300	40,0	
42,0	68,8	99,1	61 600	51 400	47 100	69,7	98,5	48 000	47 800	47 100	42,0	
44,0	67,6	98,2	59 600	47 300	43 400	68,5	97,7	46 800	46 700	44 600	44,0	
46,0	66,4	97,3	55 300	43 600	40 000	67,3	96,7	45 700	44 800	41 200	46,0	
48,0	65,2	96,3	51 100	40 200	36 900	66,1	95,8	44 700	41 300	38 000	48,0	
50,0	63,9	95,3	47 200	37 000	34 000	64,8	94,7	43 700	38 100	35 100	50,0	
52,0	62,7	94,2	43 600	34 100	31 400	63,6	93,7	42 800	35 200	32 300	52,0	
54,0	61,4	93,1	40 300	31 500	28 900	62,3	92,5	41 200	32 400	29 800	54,0	
56,0	60,1	91,9	37 300	29 000	26 600	61,0	91,3	38 200	29 900	27 400	56,0	
58,0	58,8	90,6	34 500	26 700	24 400	59,7	90,0	35 400	27 500	25 200	58,0	
60,0	57,5	89,3	31 800	24 500	22 400	58,4	88,7	32 700	25 300	23 200	60,0	
62,0	56,2	87,9	29 400	22 500	20 500	57,0	87,3	30 200	23 200	21 200	62,0	
64,0	54,8	86,5	27 100	20 600	18 700	55,7	85,8	27 900	21 300	19 400	64,0	
66,0	53,4	84,9	25 000	18 800	17 100	54,3	84,3	25 700	19 400	17 700	66,0	
68,0	52,0	83,3	23 000	17 100	15 500	52,8	82,6	23 700	17 700	16 100	68,0	
70,0	50,6	81,6	21 100	15 500	14 000	51,4	80,9	21 700	16 100	14 600	70,0	
72,0	49,1	79,8	19 300	14 000	12 600	49,9	79,1	19 900	14 500	13 100	72,0	
74,0	47,6	77,9	17 600	12 600	11 200	48,4	77,2	18 200	13 100	11 700	74,0	
76,0	46,0	76,0	16 100	11 200	10 000	46,8	75,2	16 600	11 700	10 400	76,0	
78,0	44,4	73,8	14 500	9 900	8 800	45,2	73,1	15 000	10 400	9 200	78,0	
80,0	42,8	71,6	13 100	8 700	7 600	43,5	70,8	13 600	9 100	8 000	80,0	
82,0	41,1	69,3	11 500	7 500	6 500	41,8	68,4	12 000	7 900	6 900	82,0	
84,0	39,3	66,8	9 900	6 400	5 400	40,0	65,9	10 400	6 800	5 800	84,0	
86,0	37,5	64,1	8 400	5 400	4 400	38,1	63,2	8 800	5 700	4 700	86,0	
88,0	35,5	61,2	7 000	4 300	3 500	36,2	60,3	7 400	4 600	3 700	88,0	
90,0	33,5	58,1	5 600			34,1	57,1	5 900	3 600		90,0	
92,0	31,4	54,7	4 300			31,9	53,7	4 600			92,0	
94,0						29,6	49,9	3 200			94,0	

MLC650 S-2





			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,0	84,4	52,3	53 300c										11,0
12,0	83,2	52,2	52 100c	45 700d									12,0
14,0	80,9	51,7	49 800	43 900c	39 300d	35 600d	84,1	51,1	43 100c				14,0
16,0	78,5	51,1	47 600	42 200b	37 900c	34 500c	81,7	50,5	40 900b	37 300c	34 000 d		16,0
18,0	76,1	50,5	45 600	40 700	36 700	33 500	79,2	49,9	38 000	36 200	33 000 b	30 400c	18,0
20,0	73,7	49,7	43 800	39 200	35 500	32 500	76,8	49,1	35 500	35 000	32 100	29 600b	20,0
22,0	71,2	48,9	42 000	37 900	34 500	31 600	74,2	48,3	33 300	32 900	31 300	28 900	22,0
24,0	68,7	47,9	39 400	36 700	33 500	30 800	71,7	47,3	31 300	31 000	30 300	28 300	24,0
26,0	66,1	46,9	36 800	35 600	32 500	30 000	69,1	46,2	29 600	29 300	28 800	27 700	26,0
28,0	63,4	45,7	34 600	34 300	31 700	29 200	66,4	45,0	28 100	27 900	27 400	26 900	28,0
30,0	60,7	44,4	32 600	32 400	30 900	28 500	63,6	43,7	26 800	26 600	26 100	25 700	30,0
32,0	57,9	42,9	30 900	30 600	30 100	27 900	60,7	42,2	25 500	25 400	25 000	24 700	32,0
34,0	54,9	41,3	29 300	29 100	28 900	27 300	57,7	40,6	24 500	24 300	24 000	23 700	34,0
36,0	51,9	39,5	27 900	27 700	27 600	26 800	54,6	38,7	23 500	23 400	23 100	22 800	36,0
38,0	48,6	37,5	26 600	26 500	26 300	26 100	51,3	36,7	22 600	22 500	22 300	22 100	38,0
40,0	45,2	35,3	25 500	25 400	25 200	25 100	47,7	34,4	21 800	21 700	21 600	21 400	40,0
42,0	41,5	32,7	24 500	24 300	24 200	24 100	43,9	31,7	21 100	21 000	20 900	20 800	42,0
44,0	37,4	29,8	23 600	23 400	23 300	23 200	39,7	28,7	20 500	20 400	20 400	20 200	44,0
46,0	32,8	26,3	22 700	22 600	22 500	22 400	34,8	25,0	20 000	19 900	19 800	19 800	46,0
48,0	27,3	21,9	22 000	21 900	21 800	21 700							48,0

MLC650 S-2





	10°							20°							
	m	°	m	300 000 kg				m	°	m	300 000 kg				m
				0°	1°	2°	3°				0°	1°	2°	3°	
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg		
11,0	85,0	58,4	53 400c											11,0	
12,0	84,0	58,3	52 800b											12,0	
14,0	81,9	57,8	50 600	44 500c	39 800c		84,7	57,2	43 500c					14,0	
16,0	79,8	57,3	48 600	43 000	38 600c	35 000c	82,6	56,7	41 800	37 700c				16,0	
18,0	77,7	56,8	46 800	41 500	37 400	34 000	80,4	56,1	39 400	36 700	33 400 b	30 700c		18,0	
20,0	75,5	56,1	45 100	40 200	36 300	33 100	78,3	55,5	36 900	35 700	32 600	30 000b		20,0	
22,0	73,3	55,4	43 500	39 000	35 300	32 300	76,1	54,7	34 800	34 400	31 900	29 400		22,0	
24,0	71,1	54,5	42 000	37 800	34 400	31 500	73,8	53,9	32 900	32 500	31 200	28 800		24,0	
26,0	68,9	53,6	39 600	36 700	33 500	30 800	71,6	52,9	31 200	30 900	30 300	28 200		26,0	
28,0	66,6	52,6	37 300	35 700	32 700	30 100	69,2	51,9	29 700	29 500	28 900	27 700		28,0	
30,0	64,2	51,5	35 200	34 700	31 900	29 400	66,9	50,8	28 400	28 100	27 600	27 100		30,0	
32,0	61,8	50,2	33 400	33 200	31 100	28 800	64,4	49,5	27 100	26 900	26 500	26 100		32,0	
34,0	59,4	48,9	31 800	31 500	30 500	28 200	61,9	48,1	26 000	25 900	25 500	25 100		34,0	
36,0	56,8	47,4	30 300	30 100	29 700	27 700	59,3	46,6	25 000	24 900	24 500	24 200		36,0	
38,0	54,2	45,8	28 900	28 800	28 600	27 200	56,6	45,0	24 100	24 000	23 700	23 400		38,0	
40,0	51,4	44,0	27 700	27 500	27 400	26 700	53,8	43,1	23 300	23 200	22 900	22 700		40,0	
42,0	48,6	42,0	26 600	26 500	26 300	26 100	50,9	41,1	22 500	22 400	22 200	22 000		42,0	
44,0	45,5	39,8	25 600	25 500	25 300	25 200	47,8	38,8	21 800	21 700	21 600	21 400		44,0	
46,0	42,3	37,4	24 700	24 500	24 400	24 300	44,5	36,3	21 200	21 100	21 000	20 800		46,0	
48,0	38,8	34,6	23 900	23 700	23 600	23 500	40,9	33,5	20 600	20 600	20 500	20 400		48,0	
50,0	35,0	31,4	23 100	23 000	22 900	22 800	36,9	30,2	20 200	20 100	20 000	20 000		50,0	
52,0	30,7	27,7	22 400	22 300	22 200	22 100	32,3	26,2	19 700	19 700	19 700	19 600		52,0	
54,0	25,5	23,0	21 800	21 800	21 600	21 600								54,0	

MLC650 S-2






			10°				20°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,6	84,9	64,4	53 200c										11,6
12,0	84,6	64,3	53 100										12,0
14,0	82,7	64,0	51 300	45 000c	40 100d								14,0
16,0	80,8	63,5	49 500	43 600	39 000c	35 400c	83,3	62,8	42 500				16,0
18,0	78,9	63,0	47 800	42 200	37 900	34 500	81,4	62,3	40 500	37 100	33 700		18,0
20,0	77,0	62,4	46 100	41 000	36 900	33 600	79,5	61,7	38 200	36 200	33 000	30 300	20,0
22,0	75,0	61,8	44 700	39 800	36 000	32 900	77,5	61,1	36 100	35 300	32 300	29 700	22,0
24,0	73,1	61,0	43 300	38 700	35 100	32 100	75,5	60,3	34 300	33 900	31 600	29 200	24,0
26,0	71,1	60,2	42 000	37 700	34 300	31 400	73,5	59,5	32 700	32 300	31 000	28 700	26,0
28,0	69,0	59,3	39 800	36 800	33 500	30 700	71,4	58,6	31 200	30 800	30 200	28 200	28,0
30,0	67,0	58,3	37 700	35 900	32 700	30 100	69,4	57,6	29 800	29 500	29 000	27 700	30,0
32,0	64,9	57,2	35 800	35 000	32 000	29 500	67,2	56,5	28 600	28 300	27 800	27 300	32,0
34,0	62,7	56,1	34 100	33 800	31 400	29 000	65,1	55,3	27 500	27 200	26 800	26 300	34,0
36,0	60,6	54,8	32 500	32 300	30 800	28 400	62,8	54,0	26 400	26 200	25 800	25 400	36,0
38,0	58,3	53,4	31 100	30 900	30 200	27 900	60,6	52,6	25 500	25 300	25 000	24 600	38,0
40,0	56,0	51,9	29 800	29 600	29 500	27 500	58,2	51,0	24 600	24 500	24 200	23 800	40,0
42,0	53,6	50,2	28 700	28 500	28 300	27 000	55,8	49,4	23 800	23 700	23 400	23 200	42,0
44,0	51,1	48,4	27 600	27 400	27 200	26 600	53,2	47,5	23 100	23 000	22 800	22 500	44,0
46,0	48,5	46,5	26 600	26 400	26 300	26 100	50,6	45,5	22 400	22 400	22 100	21 900	46,0
48,0	45,8	44,3	25 700	25 500	25 400	25 300	47,8	43,3	21 800	21 800	21 600	21 400	48,0
50,0	43,0	42,0	24 900	24 700	24 600	24 500	44,9	40,9	21 300	21 200	21 100	20 900	50,0
52,0	39,9	39,3	24 100	24 000	23 800	23 700	41,8	38,2	20 800	20 700	20 600	20 500	52,0
54,0	36,6	36,3	23 400	23 300	23 200	23 000	38,3	35,1	20 300	20 300	20 200	20 100	54,0
56,0	33,0	33,0	22 800	22 600	22 500	22 400	34,6	31,6	19 900	19 900	19 800	19 800	56,0
58,0	28,9	29,0	22 200	22 100	22 000	21 900							58,0
60,0	24,0	24,1	21 700	21 600	21 500	21 400							60,0

MLC650 S-2






	10°								20°							
	m	°	m	300 000 kg				m	°	300 000 kg				m		
				0°	1°	2°	3°			0°	1°	2°	3°			
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg			
12,2	84,9	70,3	53 000											12,2		
14,0	83,3	70,0	51 900	45 300c										14,0		
16,0	81,6	69,6	50 100	44 000	39 300c			83,9	68,9	42 800				16,0		
18,0	79,9	69,2	48 500	42 800	38 300	34 800		82,2	68,5	41 400	37 400			18,0		
20,0	78,1	68,6	47 000	41 600	37 400	34 000		80,4	67,9	39 300	36 600	33 200	30 500	20,0		
22,0	76,4	68,0	45 600	40 500	36 500	33 300		78,7	67,3	37 300	35 800	32 600	30 000	22,0		
24,0	74,6	67,4	44 300	39 500	35 700	32 600		76,9	66,7	35 500	35 000	32 000	29 500	24,0		
26,0	72,8	66,6	43 100	38 500	34 900	31 900		75,1	65,9	33 900	33 500	31 400	29 000	26,0		
28,0	71,0	65,8	41 800	37 600	34 200	31 300		73,2	65,1	32 400	32 100	30 900	28 500	28,0		
30,0	69,2	64,9	39 900	36 800	33 500	30 700		71,4	64,2	31 100	30 800	30 100	28 100	30,0		
32,0	67,3	64,0	38 000	35 900	32 800	30 200		69,5	63,2	29 900	29 600	29 000	27 700	32,0		
34,0	65,4	62,9	36 200	35 200	32 100	29 600		67,5	62,2	28 800	28 500	28 000	27 300	34,0		
36,0	63,5	61,8	34 600	34 200	31 500	29 100		65,6	61,0	27 700	27 500	27 000	26 600	36,0		
38,0	61,5	60,6	33 200	32 900	31 000	28 600		63,6	59,8	26 800	26 600	26 100	25 700	38,0		
40,0	59,5	59,3	31 800	31 600	30 400	28 100		61,5	58,5	25 900	25 700	25 300	25 000	40,0		
42,0	57,4	57,8	30 600	30 400	29 900	27 700		59,4	57,0	25 100	24 900	24 600	24 200	42,0		
44,0	55,3	56,3	29 500	29 300	29 100	27 300		57,3	55,4	24 300	24 200	23 900	23 600	44,0		
46,0	53,1	54,6	28 500	28 300	28 100	26 900		55,1	53,8	23 600	23 500	23 200	23 000	46,0		
48,0	50,8	52,9	27 500	27 300	27 100	26 500		52,8	51,9	23 000	22 900	22 600	22 400	48,0		
50,0	48,5	50,9	26 600	26 400	26 300	26 100		50,4	49,9	22 400	22 300	22 100	21 900	50,0		
52,0	46,0	48,8	25 800	25 600	25 500	25 300		47,9	47,8	21 800	21 800	21 600	21 400	52,0		
54,0	43,5	46,5	25 000	24 900	24 700	24 600		45,2	45,4	21 300	21 300	21 100	21 000	54,0		
56,0	40,7	43,9	24 300	24 200	24 100	23 900		42,4	42,8	20 900	20 800	20 700	20 600	56,0		
58,0	37,8	41,1	23 600	23 500	23 400	23 300		39,4	39,9	20 500	20 400	20 300	20 200	58,0		
60,0	34,7	38,0	23 100	22 900	22 800	22 700		36,2	36,6	20 100	20 000	20 000	19 900	60,0		
62,0	31,2	34,4	22 500	22 400	22 300	22 200		32,5	32,9	19 800	19 700	19 700	19 600	62,0		
64,0	27,3	30,1	22 000	21 900	21 800	21 700		28,4	28,4	19 500	19 500	19 400	19 400	64,0		
66,0	22,6	24,9	21 600	21 500	21 400	21 300								66,0		

MLC650 S-2





			10°				20°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,1	76,2	52 500										13,7
14,0	83,9	76,1	52 300										14,0
16,0	82,3	75,8	50 700	44 400	39 600b		84,5	75,0	43 000				16,0
18,0	80,7	75,3	49 200	43 300	38 700	35 100	82,9	74,6	42 000	37 600			18,0
20,0	79,1	74,8	47 800	42 200	37 800	34 400	81,2	74,1	40 300	36 900	33 500	30 700	20,0
22,0	77,5	74,3	46 400	41 100	37 000	33 700	79,6	73,6	38 400	36 100	32 900	30 200	22,0
24,0	75,9	73,7	45 200	40 200	36 200	33 000	78,0	73,0	36 600	35 400	32 300	29 700	24,0
26,0	74,3	73,0	44 000	39 300	35 500	32 400	76,3	72,3	35 000	34 600	31 800	29 300	26,0
28,0	72,6	72,3	42 900	38 400	34 700	31 800	74,7	71,5	33 600	33 200	31 300	28 800	28,0
30,0	71,0	71,5	41 800	37 500	34 100	31 200	73,0	70,7	32 300	31 900	30 800	28 400	30,0
32,0	69,3	70,6	40 000	36 800	33 400	30 700	71,3	69,9	31 000	30 700	30 100	28 000	32,0
34,0	67,6	69,7	38 200	36 000	32 800	30 200	69,6	68,9	29 900	29 700	29 100	27 700	34,0
36,0	65,8	68,7	36 600	35 300	32 200	29 700	67,8	67,9	28 900	28 600	28 100	27 300	36,0
38,0	64,1	67,6	35 100	34 600	31 700	29 200	66,0	66,8	27 900	27 700	27 200	26 800	38,0
40,0	62,3	66,4	33 700	33 500	31 100	28 700	64,2	65,6	27 100	26 800	26 400	26 000	40,0
42,0	60,4	65,1	32 500	32 200	30 700	28 300	62,3	64,3	26 200	26 000	25 600	25 300	42,0
44,0	58,6	63,8	31 300	31 100	30 200	27 900	60,5	62,9	25 400	25 300	24 900	24 600	44,0
46,0	56,7	62,3	30 200	30 000	29 700	27 500	58,5	61,5	24 700	24 600	24 300	23 900	46,0
48,0	54,7	60,8	29 200	29 000	28 800	27 200	56,5	59,9	24 100	24 000	23 700	23 400	48,0
50,0	52,7	59,1	28 300	28 100	27 900	26 800	54,5	58,2	23 500	23 300	23 100	22 800	50,0
52,0	50,6	57,3	27 400	27 200	27 100	26 500	52,4	56,4	22 900	22 800	22 500	22 300	52,0
54,0	48,5	55,4	26 600	26 400	26 300	26 100	50,2	54,4	22 300	22 300	22 000	21 800	54,0
56,0	46,2	53,3	25 900	25 700	25 500	25 400	47,9	52,3	21 800	21 800	21 600	21 400	56,0
58,0	43,9	51,0	25 100	25 000	24 900	24 700	45,5	49,9	21 400	21 300	21 200	21 000	58,0
60,0	41,4	48,6	24 500	24 400	24 200	24 100	43,0	47,4	21 000	20 900	20 800	20 600	60,0
62,0	38,8	45,9	23 900	23 800	23 600	23 500	40,3	44,7	20 600	20 500	20 400	20 300	62,0
64,0	36,1	42,9	23 300	23 200	23 100	23 000	37,5	41,6	20 200	20 200	20 100	20 000	64,0
66,0	33,1	39,6	22 800	22 700	22 600	22 500	34,3	38,1	19 900	19 900	19 800	19 800	66,0
68,0	29,7	35,8	22 300	22 200	22 100	22 000	30,9	34,2	19 700	19 600	19 600	19 500	68,0
70,0	26,0	31,3	21 900	21 800	21 700	21 600							70,0

MLC650 S-2






			10°				20°									
			300 000 kg				300 000 kg									
			0°	1°	2°	3°				0°	1°	2°	3°			
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m			
13,7	84,6	82,2	52 600										13,7			
14,0	84,3	82,2	52 400										14,0			
16,0	82,9	81,9	51 100	44 600									16,0			
18,0	81,4	81,5	49 700	43 600	38 900		83,4	80,7	42 300				18,0			
20,0	80,0	81,0	48 400	42 600	38 100	34 600	81,9	80,3	41 100	37 100	33 600		20,0			
22,0	78,5	80,5	47 100	41 600	37 300	33 900	80,4	79,8	39 300	36 400	33 100	30 300	22,0			
24,0	77,0	80,0	45 900	40 700	36 600	33 300	78,9	79,2	37 600	35 800	32 600	29 900	24,0			
26,0	75,5	79,3	44 800	39 800	35 900	32 700	77,4	78,6	36 000	35 100	32 100	29 500	26,0			
28,0	74,0	78,7	43 700	39 000	35 200	32 200	75,9	77,9	34 600	34 200	31 600	29 100	28,0			
30,0	72,5	77,9	42 700	38 200	34 600	31 600	74,4	77,2	33 300	33 000	31 100	28 700	30,0			
32,0	70,9	77,1	41 800	37 400	33 900	31 100	72,8	76,4	32 100	31 800	30 700	28 300	32,0			
34,0	69,4	76,3	40 100	36 700	33 400	30 600	71,2	75,5	31 000	30 700	30 100	27 900	34,0			
36,0	67,8	75,4	38 500	36 000	32 800	30 100	69,6	74,6	30 000	29 700	29 100	27 600	36,0			
38,0	66,2	74,4	36 900	35 400	32 300	29 700	68,0	73,6	29 000	28 800	28 200	27 300	38,0			
40,0	64,6	73,3	35 500	34 800	31 800	29 300	66,4	72,5	28 100	27 900	27 400	26 900	40,0			
42,0	62,9	72,2	34 200	33 900	31 300	28 800	64,7	71,4	27 300	27 100	26 600	26 200	42,0			
44,0	61,3	71,0	33 000	32 800	30 800	28 400	63,0	70,1	26 500	26 300	25 900	25 500	44,0			
46,0	59,6	69,7	31 900	31 700	30 300	28 100	61,3	68,8	25 800	25 600	25 200	24 900	46,0			
48,0	57,8	68,3	30 900	30 600	29 900	27 700	59,5	67,4	25 100	25 000	24 600	24 300	48,0			
50,0	56,0	66,8	29 900	29 700	29 400	27 400	57,7	65,9	24 500	24 300	24 000	23 700	50,0			
52,0	54,2	65,3	29 000	28 800	28 600	27 000	55,9	64,3	23 900	23 800	23 500	23 200	52,0			
54,0	52,4	63,6	28 100	28 000	27 800	26 700	54,0	62,6	23 300	23 200	22 900	22 700	54,0			
56,0	50,4	61,8	27 400	27 200	27 000	26 400	52,0	60,8	22 800	22 700	22 500	22 200	56,0			
58,0	48,4	59,9	26 600	26 400	26 300	26 100	50,0	58,8	22 300	22 200	22 000	21 800	58,0			
60,0	46,4	57,8	25 900	25 800	25 600	25 500	47,9	56,7	21 800	21 800	21 600	21 400	60,0			
62,0	44,3	55,6	25 300	25 100	25 000	24 900	45,7	54,5	21 400	21 400	21 200	21 000	62,0			
64,0	42,0	53,2	24 600	24 500	24 400	24 300	43,4	52,0	21 000	21 000	20 800	20 700	64,0			
66,0	39,7	50,6	24 100	24 000	23 800	23 700	41,0	49,4	20 700	20 600	20 500	20 400	66,0			
68,0	37,2	47,7	23 600	23 400	23 300	23 200	38,5	46,4	20 400	20 300	20 200	20 100	68,0			
70,0	34,5	44,6	23 100	22 900	22 800	22 300	35,7	43,2	20 000	20 000	20 000	19 900	70,0			
72,0	31,6	41,1	22 600	22 400	21 900	20 900	32,7	39,6	19 800	19 800	19 700	19 700	72,0			
74,0	28,4	37,1	22 200	21 300	20 500	19 600							74,0			
76,0	24,8	32,5	21 800	19 900	19 100	18 300							76,0			

MLC650 S-2






			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,9	88,3	52 400										13,7
14,0	84,7	88,3	52 300										14,0
16,0	83,4	87,9	51 400	44 800									16,0
18,0	82,0	87,6	50 000	43 800	39 000		83,9	86,8	42 400				18,0
20,0	80,7	87,2	48 800	42 800	38 300	34 600	82,5	86,4	41 600	37 200	33 700		20,0
22,0	79,3	86,7	47 600	41 900	37 500	34 000	81,1	85,9	40 100	36 600	33 200	30 400	22,0
24,0	77,9	86,2	46 500	41 100	36 900	33 500	79,7	85,4	38 400	36 000	32 700	30 000	24,0
26,0	76,6	85,6	45 400	40 200	36 200	32 900	78,3	84,9	36 900	35 400	32 200	29 600	26,0
28,0	75,2	85,0	44 400	39 500	35 600	32 400	76,9	84,2	35 600	34 800	31 800	29 200	28,0
30,0	73,8	84,3	43 400	38 700	34 900	31 900	75,5	83,5	34 300	33 900	31 300	28 900	30,0
32,0	72,3	83,6	42 500	38 000	34 400	31 400	74,1	82,8	33 100	32 800	30 900	28 500	32,0
34,0	70,9	82,8	41 600	37 300	33 800	30 900	72,6	82,0	32 000	31 700	30 500	28 200	34,0
36,0	69,5	82,0	40 200	36 600	33 300	30 500	71,2	81,2	31 000	30 700	30 000	27 900	36,0
38,0	68,0	81,1	38 700	36 000	32 800	30 100	69,7	80,2	30 000	29 700	29 200	27 500	38,0
40,0	66,5	80,1	37 200	35 400	32 300	29 700	68,2	79,3	29 100	28 900	28 300	27 300	40,0
42,0	65,0	79,1	35 900	34 800	31 800	29 300	66,7	78,2	28 300	28 100	27 600	27 000	42,0
44,0	63,5	78,0	34 700	34 300	31 300	28 900	65,2	77,1	27 500	27 300	26 800	26 400	44,0
46,0	62,0	76,8	33 500	33 300	30 900	28 500	63,6	75,9	26 800	26 600	26 100	25 700	46,0
48,0	60,4	75,5	32 500	32 200	30 500	28 100	62,0	74,7	26 100	25 900	25 500	25 100	48,0
50,0	58,8	74,2	31 500	31 200	30 100	27 800	60,4	73,3	25 400	25 300	24 900	24 600	50,0
52,0	57,2	72,8	30 500	30 300	29 700	27 500	58,7	71,9	24 800	24 700	24 300	24 000	52,0
54,0	55,5	71,3	29 600	29 400	29 200	27 200	57,1	70,4	24 300	24 100	23 800	23 500	54,0
56,0	53,8	69,7	28 800	28 600	28 400	26 900	55,3	68,8	23 700	23 600	23 300	23 000	56,0
58,0	52,1	68,0	28 000	27 900	27 700	26 600	53,6	67,1	23 200	23 100	22 800	22 600	58,0
60,0	50,3	66,2	27 300	27 100	27 000	26 400	51,7	65,2	22 700	22 600	22 400	22 200	60,0
62,0	48,4	64,3	26 600	26 500	26 300	26 000	49,9	63,3	22 300	22 200	22 000	21 800	62,0
64,0	46,5	62,3	26 000	25 800	25 700	25 500	47,9	61,2	21 900	21 800	21 600	21 400	64,0
66,0	44,6	60,1	25 400	25 200	25 100	24 300	45,9	59,0	21 500	21 400	21 200	21 100	66,0
68,0	42,5	57,8	24 800	24 700	24 000	22 800	43,8	56,6	21 100	21 100	20 900	20 800	68,0
70,0	40,4	55,2	24 300	23 600	22 500	21 300	41,6	54,0	20 800	20 700	20 600	20 500	70,0
72,0	38,1	52,5	23 700	22 100	21 000	19 900	39,3	51,2	20 500	20 400	20 300	20 100	72,0
74,0	35,7	49,5	23 300	20 600	19 600	18 600	36,9	48,1	20 200	20 100	19 800	19 000	74,0
76,0	33,1	46,2	22 800	19 200	18 300	17 300	34,2	44,7	19 900	19 500	18 600	17 700	76,0
78,0	30,4	42,6	21 800	17 900	17 000	16 100	31,3	40,9	19 700	18 100	17 300	16 400	78,0
80,0	27,3	38,4	20 300	16 600	15 800	15 000							80,0
82,0	23,8	33,6	18 900	15 300	14 600	13 900							82,0

MLC650 S-2






			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	84,3	94,1	52 000										15,2
16,0	83,8	94,0	51 500										16,0
18,0	82,6	93,7	50 300	43 900									18,0
20,0	81,3	93,3	49 200	43 000	38 300	34 700	83,0	92,5	41 800	37 300			20,0
22,0	80,0	92,9	48 000	42 200	37 700	34 100	81,7	92,1	40 800	36 700	33 300		22,0
24,0	78,7	92,4	47 000	41 400	37 000	33 600	80,4	91,6	39 200	36 100	32 800	30 000	24,0
26,0	77,5	91,8	46 000	40 600	36 400	33 100	79,1	91,1	37 800	35 600	32 300	29 700	26,0
28,0	76,2	91,3	45 000	39 800	35 800	32 600	77,8	90,5	36 400	35 100	31 900	29 300	28,0
30,0	74,9	90,6	44 100	39 100	35 300	32 100	76,5	89,9	35 200	34 600	31 500	29 000	30,0
32,0	73,5	90,0	43 200	38 400	34 700	31 700	75,2	89,2	34 000	33 600	31 100	28 700	32,0
34,0	72,2	89,2	42 300	37 800	34 200	31 200	73,8	88,4	32 900	32 600	30 800	28 300	34,0
36,0	70,9	88,5	41 500	37 200	33 700	30 800	72,5	87,7	31 900	31 600	30 400	28 000	36,0
38,0	69,5	87,6	40 300	36 600	33 200	30 400	71,1	86,8	31 000	30 600	30 000	27 700	38,0
40,0	68,2	86,7	38 900	36 000	32 700	30 000	69,8	85,9	30 100	29 800	29 200	27 500	40,0
42,0	66,8	85,8	37 500	35 400	32 200	29 600	68,4	85,0	29 200	29 000	28 400	27 200	42,0
44,0	65,4	84,8	36 300	34 900	31 800	29 200	67,0	83,9	28 500	28 200	27 700	26 900	44,0
46,0	64,0	83,7	35 100	34 400	31 400	28 900	65,5	82,9	27 700	27 500	27 000	26 600	46,0
48,0	62,6	82,6	34 000	33 700	31 000	28 500	64,1	81,7	27 000	26 800	26 400	25 900	48,0
50,0	61,1	81,4	33 000	32 700	30 600	28 200	62,6	80,5	26 400	26 200	25 700	25 400	50,0
52,0	59,6	80,1	32 000	31 800	30 200	27 900	61,1	79,2	25 800	25 600	25 200	24 800	52,0
54,0	58,1	78,7	31 100	30 900	29 900	27 600	59,6	77,8	25 200	25 000	24 600	24 300	54,0
56,0	56,6	77,3	30 300	30 000	29 500	27 300	58,1	76,4	24 600	24 400	24 100	23 800	56,0
58,0	55,0	75,8	29 400	29 300	29 100	27 000	56,5	74,9	24 100	23 900	23 600	23 300	58,0
60,0	53,4	74,2	28 700	28 500	28 300	26 700	54,9	73,2	23 600	23 500	23 200	22 900	60,0
62,0	51,8	72,5	28 000	27 800	27 200	25 600	53,2	71,5	23 200	23 000	22 700	22 500	62,0
64,0	50,1	70,7	27 300	27 000	25 400	23 900	51,5	69,7	22 700	22 600	22 300	22 100	64,0
66,0	48,4	68,8	26 700	25 200	23 700	22 300	49,8	67,8	22 300	22 200	22 000	21 800	66,0
68,0	46,6	66,8	26 100	23 500	22 100	20 700	48,0	65,7	21 900	21 800	21 600	21 200	68,0
70,0	44,8	64,6	25 500	21 900	20 600	19 300	46,1	63,5	21 500	21 400	21 100	19 900	70,0
72,0	42,9	62,3	24 800	20 300	19 100	17 900	44,2	61,2	21 200	20 900	19 700	18 500	72,0
74,0	40,9	59,9	23 500	18 900	17 700	16 600	42,1	58,6	20 900	19 400	18 200	17 100	74,0
76,0	38,9	57,2	21 900	17 500	16 400	15 400	40,0	55,9	20 500	17 900	16 900	15 800	76,0
78,0	36,7	54,3	20 400	16 100	15 100	14 200	37,8	53,0	20 200	16 500	15 500	14 600	78,0
80,0	34,4	51,2	18 900	14 900	13 900	13 000	35,4	49,8	19 300	15 200	14 300	13 400	80,0
82,0	31,9	47,8	17 500	13 700	12 800	12 000	32,9	46,2	17 800	14 000	13 100	12 300	82,0
84,0	29,2	44,0	16 100	12 500	11 700	10 900							84,0
86,0	26,3	39,7	14 800	11 400	10 600	9 900							86,0
88,0	22,9	34,7	13 600	10 300	9 600	9 000							88,0

MLC650 S-2




			10°				20°							
			0°				0°							
			1°				1°							
			2°				2°							
			3°				3°							
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	84,7	100,2	51 900										15,2	
16,0	84,2	100,1	51 500										16,0	
18,0	83,0	99,8	50 500	43 900									18,0	
20,0	81,8	99,4	49 400	43 100	38 400	34 600	83,4	98,6	41 900	37 300			20,0	
22,0	80,6	99,0	48 400	42 300	37 800	34 100	82,2	98,2	41 100	36 800	33 300		22,0	
24,0	79,5	98,6	47 400	41 600	37 200	33 600	81,0	97,8	39 900	36 200	32 800	30 100	24,0	
26,0	78,2	98,1	46 400	40 800	36 600	33 200	79,8	97,3	38 500	35 700	32 400	29 700	26,0	
28,0	77,0	97,5	45 500	40 100	36 000	32 700	78,6	96,7	37 200	35 200	32 000	29 400	28,0	
30,0	75,8	96,9	44 600	39 500	35 500	32 300	77,4	96,1	36 000	34 800	31 600	29 000	30,0	
32,0	74,6	96,3	43 800	38 800	35 000	31 800	76,1	95,5	34 900	34 300	31 300	28 800	32,0	
34,0	73,4	95,6	43 000	38 200	34 400	31 400	74,9	94,8	33 800	33 400	30 900	28 500	34,0	
36,0	72,1	94,9	42 200	37 600	34 000	31 000	73,6	94,1	32 800	32 400	30 600	28 200	36,0	
38,0	70,9	94,1	41 400	37 000	33 500	30 600	72,4	93,3	31 800	31 500	30 200	27 900	38,0	
40,0	69,6	93,3	40 400	36 400	33 000	30 300	71,1	92,5	31 000	30 600	29 900	27 600	40,0	
42,0	68,3	92,4	39 100	35 900	32 600	29 900	69,8	91,6	30 100	29 800	29 200	27 300	42,0	
44,0	67,0	91,5	37 800	35 400	32 200	29 500	68,5	90,6	29 300	29 000	28 500	27 100	44,0	
46,0	65,7	90,5	36 600	34 900	31 800	29 200	67,2	89,6	28 600	28 300	27 800	26 900	46,0	
48,0	64,4	89,4	35 500	34 400	31 400	28 900	65,9	88,6	27 900	27 600	27 200	26 600	48,0	
50,0	63,1	88,3	34 400	34 000	31 000	28 500	64,5	87,5	27 300	27 000	26 500	26 100	50,0	
52,0	61,7	87,2	33 400	33 200	30 700	28 200	63,1	86,3	26 600	26 400	26 000	25 600	52,0	
54,0	60,3	85,9	32 500	32 300	30 300	27 900	61,8	85,0	26 000	25 800	25 400	25 000	54,0	
56,0	58,9	84,6	31 600	31 400	29 900	27 700	60,3	83,7	25 500	25 300	24 900	24 500	56,0	
58,0	57,5	83,3	30 800	30 600	29 600	27 300	58,9	82,3	24 900	24 700	24 400	24 100	58,0	
60,0	56,1	81,8	30 000	29 600	27 800	25 900	57,5	80,9	24 500	24 200	23 900	23 600	60,0	
62,0	54,6	80,3	29 300	27 800	25 900	24 100	56,0	79,3	24 000	23 800	23 500	23 200	62,0	
64,0	53,1	78,7	28 600	25 800	24 100	22 400	54,4	77,7	23 500	23 300	23 100	22 800	64,0	
66,0	51,6	77,0	27 900	24 000	22 400	20 800	52,9	76,0	23 100	22 900	22 600	21 600	66,0	
68,0	50,0	75,2	27 300	22 300	20 800	19 300	51,3	74,2	22 700	22 500	21 500	20 000	68,0	
70,0	48,4	73,3	26 000	20 700	19 200	17 900	49,7	72,2	22 300	21 400	19 900	18 600	70,0	
72,0	46,7	71,3	24 300	19 100	17 800	16 500	48,0	70,2	21 900	19 800	18 400	17 100	72,0	
74,0	45,0	69,1	22 600	17 700	16 400	15 200	46,2	68,0	21 600	18 300	17 000	15 800	74,0	
76,0	43,3	66,9	20 900	16 300	15 100	14 000	44,4	65,7	21 300	16 900	15 700	14 500	76,0	
78,0	41,4	64,5	19 400	15 000	13 900	12 800	42,6	63,3	20 000	15 500	14 400	13 300	78,0	
80,0	39,5	61,9	18 000	13 700	12 700	11 700	40,6	60,6	18 500	14 200	13 200	12 100	80,0	
82,0	37,5	59,1	16 600	12 500	11 600	10 600	38,6	57,8	17 000	12 900	12 000	11 000	82,0	
84,0	35,4	56,1	15 200	11 400	10 500	9 600	36,4	54,7	15 600	11 800	10 800	10 000	84,0	
86,0	33,2	52,9	14 000	10 300	9 400	8 600	34,1	51,4	14 300	10 600	9 800	8 900	86,0	
88,0	30,8	49,3	12 700	9 200	8 400	7 700	31,7	47,7	13 000	9 500	8 700	7 900	88,0	
90,0	28,2	45,4	11 600	8 200	7 500	6 800							90,0	
92,0	25,4	40,9	10 400	7 200	6 600	5 900							92,0	
94,0	22,1	35,7	9 100	6 300	5 700	5 100							94,0	

MLC650 S-2




			10°				20°						
			300 000 kg				300 000 kg						
m	°	m	0°	1°	2°	3°	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg			kg	kg	kg	kg	
15,2	85,0	106,2	51 700										15,2
16,0	84,5	106,1	51 500										16,0
18,0	83,4	105,8	50 600										18,0
20,0	82,3	105,5	49 600	43 100	38 300								20,0
22,0	81,2	105,1	48 600	42 400	37 700	34 100	83,8	104,7	42 000	37 300			22,0
24,0	80,1	104,7	47 700	41 700	37 200	33 600	81,6	103,9	40 500	36 300	32 800		24,0
26,0	78,9	104,2	46 800	41 000	36 600	33 200	80,4	103,5	39 200	35 800	32 400	29 700	26,0
28,0	77,8	103,7	45 900	40 300	36 100	32 700	79,3	102,9	37 900	35 400	32 100	29 400	28,0
30,0	76,7	103,2	45 000	39 700	35 600	32 300	78,1	102,4	36 700	34 900	31 700	29 100	30,0
32,0	75,5	102,6	44 200	39 100	35 100	31 900	77,0	101,8	35 600	34 500	31 300	28 800	32,0
34,0	74,4	102,0	43 500	38 500	34 700	31 500	75,8	101,2	34 600	34 000	31 000	28 500	34,0
36,0	73,2	101,3	42 700	37 900	34 200	31 100	74,6	100,5	33 600	33 200	30 700	28 200	36,0
38,0	72,0	100,6	42 000	37 400	33 700	30 800	73,5	99,7	32 700	32 300	30 400	28 000	38,0
40,0	70,8	99,8	41 300	36 800	33 300	30 400	72,3	99,0	31 800	31 400	30 100	27 700	40,0
42,0	69,7	99,0	40 500	36 300	32 900	30 100	71,1	98,1	31 000	30 600	29 800	27 500	42,0
44,0	68,5	98,1	39 300	35 800	32 500	29 700	69,9	97,3	30 200	29 800	29 200	27 200	44,0
46,0	67,2	97,2	38 100	35 300	32 100	29 400	68,6	96,3	29 500	29 100	28 600	27 000	46,0
48,0	66,0	96,2	36 900	34 900	31 700	29 100	67,4	95,3	28 800	28 400	27 900	26 800	48,0
50,0	64,8	95,2	35 800	34 400	31 400	28 800	66,1	94,3	28 100	27 800	27 300	26 600	50,0
52,0	63,5	94,1	34 800	34 000	31 000	28 500	64,9	93,2	27 500	27 200	26 700	26 300	52,0
54,0	62,3	93,0	33 900	33 500	30 700	28 200	63,6	92,1	26 900	26 600	26 200	25 700	54,0
56,0	61,0	91,8	33 000	32 300	29 800	27 500	62,3	90,9	26 300	26 000	25 600	25 200	56,0
58,0	59,7	90,5	32 100	30 100	27 800	25 700	61,0	89,6	25 800	25 500	25 100	24 800	58,0
60,0	58,4	89,2	31 400	27 900	25 800	23 800	59,7	88,2	25 300	25 000	24 600	24 300	60,0
62,0	57,0	87,8	30 600	25 900	23 900	22 000	58,3	86,8	24 800	24 500	24 200	23 000	62,0
64,0	55,6	86,3	29 900	23 900	22 100	20 300	56,9	85,4	24 300	24 100	23 000	21 200	64,0
66,0	54,3	84,8	28 400	22 100	20 400	18 700	55,5	83,8	23 900	23 000	21 300	19 600	66,0
68,0	52,8	83,2	26 300	20 400	18 800	17 200	54,1	82,2	23 500	21 300	19 600	18 100	68,0
70,0	51,4	81,5	24 400	18 800	17 300	15 800	52,6	80,4	23 000	19 600	18 100	16 600	70,0
72,0	49,9	79,7	22 600	17 300	15 800	14 400	51,1	78,6	22 700	18 000	16 600	15 200	72,0
74,0	48,4	77,8	20 900	15 800	14 500	13 200	49,6	76,7	21 700	16 500	15 200	13 800	74,0
76,0	46,8	75,8	19 300	14 400	13 200	11 900	48,0	74,7	20 000	15 100	13 800	12 600	76,0
78,0	45,2	73,7	17 800	13 100	11 900	10 800	46,4	72,5	18 400	13 800	12 500	11 400	78,0
80,0	43,6	71,4	16 300	11 900	10 800	9 700	44,7	70,3	16 900	12 500	11 300	10 200	80,0
82,0	41,9	69,1	14 900	10 700	9 600	8 600	43,0	67,8	15 500	11 200	10 200	9 100	82,0
84,0	40,1	66,5	13 600	9 600	8 600	7 600	41,1	65,3	14 100	10 000	9 000	8 100	84,0
86,0	38,3	63,9	12 400	8 500	7 500	6 600	39,3	62,5	12 800	8 900	8 000	7 000	86,0
88,0	36,3	61,0	11 100	7 400	6 600	5 700	37,3	59,6	11 600	7 800	6 900	6 100	88,0
90,0	34,3	57,9	9 700	6 400	5 600	4 800	35,2	56,4	10 200	6 800	5 900	5 100	90,0
92,0	32,1	54,5	8 400	5 500	4 700	4 000	33,0	52,9	8 800	5 800	5 000	4 200	92,0
94,0	29,8	50,8	7 000	4 500	3 800	3 100	30,6	49,1	7 400	4 800	4 100	3 300	94,0
98,0	24,5	42,1	4 500										98,0

MLC650 S-2





m	10°				20°				m
	°	m	300 000 kg		°	m	300 000 kg		
			0°	1°			0°	1°	
kg	kg	kg	kg	kg	kg	kg	kg		
16,8	84,4	112,1	51 100					16,8	
18,0	83,8	111,9	50 600					18,0	
20,0	82,7	111,6	49 700	43 100	84,2	110,8	42 000	20,0	
22,0	81,7	111,2	48 800	42 400	83,1	110,4	41 400	22,0	
24,0	80,6	110,8	47 900	41 700	82,0	110,0	40 800	24,0	
26,0	79,6	110,4	47 000	41 100	81,0	109,6	39 900	26,0	
28,0	78,5	109,9	46 200	40 500	79,9	109,1	38 600	28,0	
30,0	77,4	109,4	45 400	39 900	78,8	108,6	37 400	30,0	
32,0	76,3	108,8	44 600	39 300	77,7	108,0	36 400	32,0	
34,0	75,2	108,2	43 900	38 700	76,6	107,4	35 300	34,0	
36,0	74,1	107,6	43 200	38 200	75,5	106,8	34 300	36,0	
38,0	73,0	106,9	42 500	37 700	74,4	106,1	33 400	38,0	
40,0	71,9	106,2	41 800	37 200	73,3	105,4	32 600	40,0	
42,0	70,8	105,4	41 200	36 600	72,2	104,6	31 800	42,0	
44,0	69,7	104,6	40 600	36 200	71,0	103,8	31 000	44,0	
46,0	68,6	103,7	39 500	35 700	69,9	102,9	30 300	46,0	
48,0	67,4	102,8	38 300	35 300	68,7	102,0	29 600	48,0	
50,0	66,3	101,9	37 200	34 800	67,6	101,0	28 900	50,0	
52,0	65,1	100,9	36 200	34 400	66,4	100,0	28 300	52,0	
54,0	63,9	99,8	35 200	33 500	65,2	98,9	27 700	54,0	
56,0	62,7	98,7	34 300	31 100	64,0	97,8	27 100	56,0	
58,0	61,5	97,5	33 500	28 800	62,8	96,6	26 600	58,0	
60,0	60,3	96,3	32 600	26 600	61,5	95,4	26 000	60,0	
62,0	59,1	95,0	31 600	24 600	60,3	94,1	25 600	62,0	
64,0	57,8	93,7	29 500	22 600	59,0	92,7	25 100	64,0	
66,0	56,5	92,3	27 300	20 800	57,7	91,3	24 600	66,0	
68,0	55,2	90,8	25 300	19 100	56,4	89,8	24 200	68,0	
70,0	53,9	89,2	23 400	17 500	55,1	88,2	23 800	70,0	
72,0	52,6	87,6	21 600	16 000	53,7	86,6	22 500	72,0	
74,0	51,2	85,9	19 900	14 600	52,3	84,8	20 700	74,0	
76,0	49,8	84,1	18 300	13 200	50,9	83,0	19 100	76,0	
78,0	48,4	82,2	16 700	11 900	49,5	81,1	17 500	78,0	
80,0	46,9	80,2	15 300	10 700	48,0	79,1	16 000	80,0	
82,0	45,4	78,1	13 900	9 500	46,5	77,0	14 600	82,0	
84,0	43,8	75,9	12 600	8 400	44,9	74,7	13 200	84,0	
86,0	42,2	73,6	11 100	7 300	43,3	72,4	11 800	86,0	
88,0	40,6	71,1	9 700	6 300	41,6	69,9	10 300	88,0	
90,0	38,9	68,5	8 300	5 300	39,8	67,2	8 900	90,0	
92,0	37,1	65,7	6 900	4 300	38,0	64,3	7 500	92,0	
94,0	35,2	62,7	5 600	3 400	36,1	61,3	6 100	94,0	
98,0					31,9	54,4	3 600	98,0	

MLC650 S-2





	10°								20°							
	m	°	m	300 000 kg				m	°	m	300 000 kg				m	
				0°	1°	2°	3°				0°	1°	2°	3°		
			kg	kg	kg	kg				kg	kg	kg	kg			
12,2	84,8	58,2	39 900c	32 800c										12,2		
14,0	83,0	57,8	38 300c	31 600c										14,0		
16,0	80,8	57,3	36 700	30 500	27 800c	24 800d								16,0		
18,0	78,7	56,7	35 300	30 500	26 900b	24 100c	82,5	56,1	31 100	27 900c				18,0		
20,0	76,6	56,1	33 900	29 500	26 100	23 500b	80,4	55,4	28 900	27 100b	24 200 c	21 900c		20,0		
22,0	74,4	55,4	32 700	28 500	25 400	22 900	78,1	54,6	27 000	26 300	23 600 b	21 300c		22,0		
24,0	72,2	54,5	31 500	27 600	24 700	22 300	75,9	53,8	25 400	25 200	23 000	20 900		24,0		
26,0	69,9	53,6	30 400	26 800	24 000	21 700	73,6	52,9	23 900	23 800	22 400	20 400		26,0		
28,0	67,6	52,6	28 800	26 000	23 300	21 200	71,3	51,8	22 600	22 500	21 900	20 000		28,0		
30,0	65,3	51,5	27 100	25 300	22 800	20 700	68,9	50,7	21 500	21 300	21 100	19 600		30,0		
32,0	62,9	50,2	25 500	24 600	22 200	20 200	66,5	49,4	20 400	20 300	20 100	19 200		32,0		
34,0	60,4	48,9	24 100	23 800	21 600	19 800	64,0	48,1	19 500	19 400	19 200	18 800		34,0		
36,0	57,9	47,4	22 900	22 700	21 200	19 300	61,4	46,5	18 600	18 500	18 400	18 100		36,0		
38,0	55,2	45,7	21 800	21 600	20 700	18 900	58,7	44,9	17 800	17 700	17 600	17 400		38,0		
40,0	52,5	44,0	20 700	20 600	20 200	18 600	55,9	43,0	17 100	17 000	17 000	16 700		40,0		
42,0	49,6	42,0	19 800	19 700	19 500	18 200	52,9	41,0	16 500	16 400	16 300	16 200		42,0		
44,0	46,6	39,8	19 000	18 800	18 700	17 900	49,8	38,8	15 800	15 800	15 700	15 600		44,0		
46,0	43,4	37,3	18 200	18 100	17 900	17 600	46,5	36,2	15 300	15 300	15 200	15 100		46,0		
48,0	39,9	34,5	17 500	17 400	17 300	17 200	42,9	33,4	14 800	14 800	14 700	14 700		48,0		
50,0	36,0	31,4	16 800	16 700	16 600	16 600	38,9	30,0	14 400	14 400	14 300	14 200		50,0		
52,0	31,7	27,6	16 200	16 200	16 100	16 000	34,3	26,1	14 000	14 000	13 900	13 900		52,0		
54,0	26,5	23,0	15 700	15 600	15 600	15 500								54,0		

MLC650 S-2





			10°				20°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	83,9	64,0	39 000b	33 200c									13,7
14,0	83,6	63,9	38 800b	33 100c									14,0
16,0	81,8	63,5	37 300	32 000c	28 100c								16,0
18,0	79,8	63,0	36 000	31 000	27 300	24 400c	83,3	62,2	31 800				18,0
20,0	77,9	62,4	34 700	30 000	26 600	23 800	81,3	61,6	29 800	27 400	24 400 b	22 000c	20,0
22,0	76,0	61,7	33 500	29 200	25 900	23 300	79,4	61,0	28 000	26 700	23 800	21 600b	22,0
24,0	74,0	61,0	32 400	28 300	25 200	22 700	77,4	60,2	26 400	26 000	23 300	21 100	24,0
26,0	72,0	60,2	31 400	27 500	24 600	22 200	75,4	59,4	25 000	24 800	22 800	20 700	26,0
28,0	70,0	59,3	30 400	26 800	24 000	21 700	73,3	58,5	23 700	23 600	22 300	20 300	28,0
30,0	67,9	58,3	29 000	26 100	23 400	21 200	71,2	57,5	22 600	22 400	21 900	19 900	30,0
32,0	65,8	57,2	27 400	25 400	22 800	20 800	69,1	56,4	21 500	21 400	21 200	19 600	32,0
34,0	63,7	56,0	26 000	24 800	22 300	20 300	66,9	55,2	20 600	20 500	20 300	19 200	34,0
36,0	61,5	54,7	24 700	24 200	21 900	19 900	64,7	53,9	19 700	19 600	19 400	18 900	36,0
38,0	59,3	53,4	23 500	23 300	21 400	19 500	62,4	52,5	18 900	18 800	18 700	18 400	38,0
40,0	56,9	51,8	22 500	22 300	20 900	19 200	60,0	50,9	18 200	18 100	18 000	17 700	40,0
42,0	54,5	50,2	21 500	21 300	20 500	18 800	57,6	49,2	17 500	17 400	17 400	17 100	42,0
44,0	52,1	48,4	20 600	20 400	20 200	18 500	55,1	47,4	16 900	16 800	16 800	16 600	44,0
46,0	49,5	46,4	19 800	19 600	19 500	18 200	52,4	45,4	16 400	16 300	16 200	16 100	46,0
48,0	46,8	44,3	19 000	18 900	18 800	17 900	49,6	43,2	15 800	15 700	15 700	15 600	48,0
50,0	43,9	41,9	18 300	18 200	18 100	17 700	46,7	40,8	15 400	15 300	15 200	15 200	50,0
52,0	40,8	39,3	17 700	17 500	17 500	17 300	43,5	38,0	14 900	14 900	14 800	14 700	52,0
54,0	37,5	36,3	17 000	17 000	16 900	16 800	40,1	34,9	14 500	14 500	14 400	14 400	54,0
56,0	33,9	32,9	16 500	16 400	16 300	16 300	36,3	31,4	14 200	14 100	14 100	14 000	56,0
58,0	29,8	28,9	16 000	15 900	15 900	15 800	31,9	27,1	13 900	13 800	13 800	13 700	58,0
60,0	24,9	24,0	15 600	15 500	15 400	15 400							60,0

MLC650 S-2





			10°				20°						
			300 000 kg				300 000 kg						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,5	70,1	39 300										13,7
14,0	84,2	70,0	39 100										14,0
16,0	82,5	69,6	37 800	32 300c									16,0
18,0	80,8	69,2	36 500	31 400	27 600	24 600c	83,9	68,4	32 400				18,0
20,0	79,0	68,6	35 300	30 500	26 900	24 100	82,1	67,8	30 600	27 600	24 600 b		20,0
22,0	77,3	68,0	34 200	29 700	26 300	23 600	80,4	67,2	28 900	27 000	24 100	21 800b	22,0
24,0	75,5	67,4	33 200	28 900	25 600	23 100	78,6	66,6	27 300	26 300	23 600	21 300	24,0
26,0	73,7	66,6	32 200	28 100	25 000	22 600	76,8	65,8	26 000	25 700	23 100	21 000	26,0
28,0	71,9	65,8	31 300	27 400	24 500	22 100	74,9	65,0	24 700	24 500	22 700	20 600	28,0
30,0	70,0	64,9	30 400	26 700	23 900	21 600	73,0	64,1	23 600	23 400	22 200	20 200	30,0
32,0	68,2	64,0	29 200	26 100	23 400	21 200	71,2	63,1	22 500	22 400	21 800	19 900	32,0
34,0	66,3	62,9	27 700	25 500	22 900	20 800	69,2	62,1	21 600	21 500	21 200	19 600	34,0
36,0	64,3	61,8	26 400	24 900	22 400	20 400	67,3	60,9	20 700	20 600	20 400	19 300	36,0
38,0	62,4	60,6	25 200	24 400	22 000	20 000	65,3	59,7	19 900	19 800	19 600	19 000	38,0
40,0	60,4	59,3	24 100	23 800	21 600	19 700	63,2	58,3	19 200	19 100	18 900	18 600	40,0
42,0	58,3	57,8	23 100	22 900	21 200	19 400	61,1	56,9	18 500	18 400	18 300	18 000	42,0
44,0	56,2	56,3	22 100	21 900	20 800	19 000	58,9	55,3	17 900	17 800	17 700	17 500	44,0
46,0	54,0	54,6	21 300	21 100	20 400	18 700	56,7	53,6	17 300	17 200	17 200	16 900	46,0
48,0	51,7	52,8	20 500	20 300	20 100	18 400	54,4	51,8	16 700	16 700	16 600	16 400	48,0
50,0	49,4	50,9	19 700	19 600	19 500	18 200	52,0	49,8	16 300	16 200	16 100	16 000	50,0
52,0	46,9	48,8	19 000	18 900	18 800	17 900	49,5	47,6	15 800	15 700	15 700	15 600	52,0
54,0	44,3	46,5	18 400	18 300	18 200	17 700	46,9	45,3	15 400	15 300	15 300	15 200	54,0
56,0	41,6	43,9	17 800	17 700	17 600	17 400	44,0	42,7	15 000	14 900	14 900	14 800	56,0
58,0	38,7	41,1	17 300	17 200	17 100	17 000	41,0	39,7	14 600	14 600	14 500	14 500	58,0
60,0	35,6	38,0	16 700	16 700	16 600	16 500	37,8	36,5	14 300	14 300	14 200	14 100	60,0
62,0	32,1	34,4	16 300	16 200	16 100	16 000	34,1	32,7	14 000	14 000	13 900	13 900	62,0
64,0	28,2	30,1	15 900	15 800	15 700	15 600	29,9	28,2	13 800	13 700	13 700	13 600	64,0
66,0	23,5	24,9	15 500	15 400	15 300	15 300							66,0

MLC650 S-2





			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,9	76,1	39 600										13,7
14,0	84,7	76,1	39 400										14,0
16,0	83,1	75,7	38 200	32 500c									16,0
18,0	81,5	75,3	37 000	31 700	27 800								18,0
20,0	79,9	74,8	35 800	30 900	27 200	24 300	82,8	74,0	31 300	27 800	24 700 b		20,0
22,0	78,3	74,2	34 800	30 100	26 600	23 800	81,2	73,4	29 600	27 200	24 300	21 900c	22,0
24,0	76,7	73,6	33 800	29 400	26 000	23 300	79,5	72,8	28 100	26 600	23 800	21 500	24,0
26,0	75,1	73,0	32 900	28 600	25 400	22 800	77,9	72,1	26 800	26 100	23 300	21 200	26,0
28,0	73,4	72,2	32 000	28 000	24 900	22 400	76,2	71,4	25 600	25 400	22 900	20 800	28,0
30,0	71,8	71,4	31 200	27 300	24 400	22 000	74,5	70,6	24 400	24 300	22 500	20 500	30,0
32,0	70,1	70,6	30 300	26 700	23 900	21 600	72,8	69,7	23 400	23 300	22 200	20 200	32,0
34,0	68,4	69,6	29 400	26 100	23 400	21 200	71,1	68,8	22 500	22 400	21 800	19 900	34,0
36,0	66,6	68,6	28 000	25 600	23 000	20 800	69,3	67,7	21 600	21 500	21 300	19 600	36,0
38,0	64,9	67,5	26 800	25 000	22 500	20 500	67,5	66,6	20 800	20 700	20 500	19 300	38,0
40,0	63,1	66,4	25 600	24 500	22 100	20 100	65,7	65,4	20 100	20 000	19 800	19 000	40,0
42,0	61,2	65,1	24 600	24 000	21 700	19 800	63,9	64,1	19 400	19 300	19 200	18 700	42,0
44,0	59,4	63,7	23 600	23 400	21 400	19 500	62,0	62,8	18 800	18 700	18 600	18 300	44,0
46,0	57,5	62,3	22 700	22 500	21 000	19 200	60,0	61,3	18 200	18 100	18 000	17 700	46,0
48,0	55,5	60,7	21 900	21 700	20 700	18 900	58,0	59,7	17 600	17 600	17 500	17 200	48,0
50,0	53,5	59,1	21 100	20 900	20 300	18 600	56,0	58,0	17 100	17 100	17 000	16 800	50,0
52,0	51,4	57,3	20 300	20 200	20 000	18 400	53,8	56,2	16 700	16 600	16 500	16 300	52,0
54,0	49,2	55,3	19 700	19 600	19 400	18 100	51,6	54,2	16 200	16 100	16 100	15 900	54,0
56,0	47,0	53,2	19 100	18 900	18 800	17 900	49,4	52,1	15 800	15 700	15 700	15 600	56,0
58,0	44,7	51,0	18 500	18 400	18 300	17 700	47,0	49,7	15 400	15 300	15 300	15 200	58,0
60,0	42,2	48,5	17 900	17 800	17 700	17 500	44,4	47,2	15 000	15 000	14 900	14 900	60,0
62,0	39,6	45,8	17 400	17 300	17 200	17 100	41,7	44,4	14 700	14 700	14 600	14 600	62,0
64,0	36,8	42,8	16 900	16 900	16 700	16 700	38,9	41,3	14 400	14 300	14 300	14 300	64,0
66,0	33,8	39,5	16 500	16 400	16 300	16 200	35,7	37,8	14 100	14 100	14 000	14 000	66,0
68,0	30,5	35,7	16 100	16 000	15 900	15 900	32,2	33,8	13 900	13 900	13 800	13 800	68,0
70,0	26,7	31,2	15 700	15 700	15 600	15 500	28,2	29,1	13 700	13 700	13 600	13 600	70,0
72,0	22,2	25,8	15 400	15 300	15 300	15 200							72,0

MLC650 S-2






			10°				20°						
 m	 °	 m	 0°	 1°	 2°	 3°	 °	 m	 0°	 1°	 2°	 3°	 m
15,2	84,2	82,0	38 900										15,2
16,0	83,6	81,8	38 500										16,0
18,0	82,2	81,4	37 400	31 900									18,0
20,0	80,7	81,0	36 300	31 200	27 400	24 400	83,4	80,1	31 900	28 000			20,0
22,0	79,2	80,5	35 300	30 400	26 800	24 000	81,9	79,6	30 300	27 400	24 400		22,0
24,0	77,7	79,9	34 400	29 700	26 300	23 500	80,4	79,0	28 900	26 900	24 000	21 600	24,0
26,0	76,2	79,3	33 500	29 100	25 700	23 100	78,9	78,4	27 600	26 400	23 600	21 300	26,0
28,0	74,7	78,6	32 600	28 400	25 200	22 700	77,3	77,7	26 400	25 900	23 200	21 000	28,0
30,0	73,2	77,9	31 800	27 800	24 700	22 300	75,8	77,0	25 300	25 100	22 800	20 700	30,0
32,0	71,7	77,1	31 100	27 200	24 300	21 900	74,2	76,2	24 300	24 100	22 400	20 400	32,0
34,0	70,1	76,2	30 300	26 700	23 800	21 600	72,6	75,3	23 300	23 200	22 100	20 100	34,0
36,0	68,5	75,3	29 400	26 100	23 400	21 200	71,0	74,4	22 500	22 300	21 800	19 800	36,0
38,0	66,9	74,3	28 200	25 600	23 000	20 900	69,4	73,4	21 700	21 500	21 300	19 500	38,0
40,0	65,3	73,3	27 100	25 100	22 600	20 500	67,8	72,3	20 900	20 800	20 600	19 300	40,0
42,0	63,7	72,1	26 000	24 700	22 200	20 200	66,1	71,2	20 300	20 200	20 000	19 000	42,0
44,0	62,0	70,9	25 000	24 200	21 900	19 900	64,4	69,9	19 600	19 500	19 400	18 800	44,0
46,0	60,3	69,6	24 000	23 800	21 500	19 600	62,7	68,6	19 000	18 900	18 800	18 500	46,0
48,0	58,5	68,2	23 200	23 000	21 200	19 300	60,9	67,2	18 400	18 400	18 300	18 000	48,0
50,0	56,8	66,8	22 400	22 200	20 800	19 100	59,1	65,7	17 900	17 800	17 800	17 500	50,0
52,0	54,9	65,2	21 600	21 500	20 500	18 800	57,3	64,1	17 400	17 400	17 300	17 100	52,0
54,0	53,1	63,5	20 900	20 800	20 300	18 600	55,4	62,4	17 000	16 900	16 800	16 600	54,0
56,0	51,1	61,7	20 300	20 100	19 900	18 300	53,4	60,6	16 500	16 500	16 400	16 300	56,0
58,0	49,2	59,8	19 700	19 500	19 400	18 100	51,4	58,6	16 100	16 100	16 000	15 900	58,0
60,0	47,1	57,7	19 100	19 000	18 900	17 900	49,3	56,5	15 800	15 700	15 600	15 600	60,0
62,0	45,0	55,5	18 600	18 400	18 300	17 700	47,1	54,2	15 400	15 400	15 300	15 200	62,0
64,0	42,7	53,1	18 000	17 900	17 800	17 500	44,8	51,8	15 100	15 000	15 000	14 900	64,0
66,0	40,4	50,5	17 600	17 500	17 400	17 300	42,4	49,1	14 800	14 700	14 700	14 600	66,0
68,0	37,9	47,6	17 100	17 000	16 900	16 900	39,8	46,2	14 500	14 400	14 400	14 300	68,0
70,0	35,2	44,5	16 700	16 600	16 500	16 400	37,0	42,9	14 200	14 200	14 200	14 100	70,0
72,0	32,3	41,0	16 300	16 200	16 200	16 100	34,0	39,2	14 000	14 000	13 900	13 900	72,0
74,0	29,1	37,0	16 000	15 900	15 800	15 700	30,6	35,0	13 800	13 800	13 700	13 700	74,0
76,0	25,5	32,4	15 600	15 600	15 500	15 400							76,0

MLC650 S-2




			10°				20°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	84,6	88,0	39 100										15,2
16,0	84,1	87,9	38 700										16,0
18,0	82,7	87,5	37 600	32 100									18,0
20,0	81,4	87,1	36 700	31 400	27 500	24 500	83,8	86,2	32 200	28 000			20,0
22,0	80,0	86,6	35 700	30 700	27 000	24 100	82,5	85,8	30 900	27 500	24 500		22,0
24,0	78,6	86,1	34 800	30 000	26 500	23 700	81,1	85,2	29 500	27 000	24 100	21 700	24,0
26,0	77,2	85,6	34 000	29 400	26 000	23 300	79,7	84,7	28 200	26 600	23 700	21 400	26,0
28,0	75,8	84,9	33 200	28 800	25 500	22 900	78,3	84,0	27 100	26 100	23 300	21 100	28,0
30,0	74,4	84,3	32 400	28 200	25 000	22 500	76,8	83,4	26 000	25 600	23 000	20 800	30,0
32,0	73,0	83,5	31 700	27 700	24 600	22 200	75,4	82,6	25 000	24 800	22 600	20 500	32,0
34,0	71,6	82,7	31 000	27 100	24 200	21 800	74,0	81,8	24 100	23 900	22 300	20 300	34,0
36,0	70,1	81,9	30 300	26 600	23 800	21 500	72,5	81,0	23 200	23 100	22 000	20 000	36,0
38,0	68,7	81,0	29 600	26 100	23 400	21 100	71,0	80,1	22 400	22 300	21 700	19 700	38,0
40,0	67,2	80,0	28 400	25 600	23 000	20 700	69,5	79,1	21 700	21 600	21 300	19 500	40,0
42,0	65,7	79,0	27 300	25 200	22 600	20 500	68,0	78,0	21 000	20 900	20 700	19 300	42,0
44,0	64,2	77,9	26 300	24 800	22 300	20 200	66,5	76,9	20 400	20 300	20 100	19 100	44,0
46,0	62,6	76,7	25 300	24 300	21 900	20 000	64,9	75,7	19 800	19 700	19 500	18 800	46,0
48,0	61,1	75,5	24 500	23 900	21 600	19 700	63,3	74,5	19 200	19 100	19 000	18 600	48,0
50,0	59,5	74,2	23 600	23 400	21 300	19 400	61,7	73,1	18 700	18 600	18 500	18 200	50,0
52,0	57,8	72,7	22 900	22 700	21 000	19 200	60,0	71,7	18 200	18 100	18 000	17 700	52,0
54,0	56,2	71,2	22 100	22 000	20 700	18 900	58,3	70,2	17 700	17 600	17 600	17 300	54,0
56,0	54,5	69,7	21 500	21 300	20 400	18 700	56,6	68,6	17 300	17 200	17 100	16 900	56,0
58,0	52,7	68,0	20 800	20 700	20 200	18 500	54,8	66,8	16 900	16 800	16 700	16 500	58,0
60,0	50,9	66,2	20 200	20 100	19 900	18 300	53,0	65,0	16 500	16 400	16 300	16 200	60,0
62,0	49,1	64,3	19 700	19 500	19 400	18 100	51,1	63,1	16 100	16 000	16 000	15 800	62,0
64,0	47,2	62,2	19 100	19 000	18 900	17 900	49,2	61,0	15 800	15 700	15 600	15 500	64,0
66,0	45,2	60,0	18 600	18 500	18 400	17 700	47,2	58,7	15 400	15 400	15 300	15 200	66,0
68,0	43,2	57,7	18 100	18 000	17 900	17 500	45,1	56,3	15 100	15 100	15 000	15 000	68,0
70,0	41,0	55,1	17 700	17 600	17 500	17 400	42,9	53,7	14 900	14 800	14 700	14 700	70,0
72,0	38,7	52,4	17 300	17 200	17 100	17 000	40,5	50,9	14 600	14 500	14 500	14 400	72,0
74,0	36,3	49,4	16 900	16 800	16 700	16 600	38,0	47,8	14 300	14 300	14 200	14 200	74,0
76,0	33,8	46,1	16 500	16 400	16 300	16 300	35,4	44,4	14 100	14 100	14 000	14 000	76,0
78,0	31,0	42,5	16 200	16 100	16 000	15 900	32,5	40,6	13 900	13 900	13 800	13 800	78,0
80,0	27,9	38,3	15 900	15 800	15 700	15 600	29,2	36,2	13 800	13 700	13 700	13 600	80,0
82,0	24,4	33,4	15 600	15 500	15 400	15 300							82,0

MLC650 S-2





			10°				20°							
			300 000 kg				300 000 kg							
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	85,0	94,1	39 200										15,2	
16,0	84,5	94,0	38 800										16,0	
18,0	83,2	93,6	37 800	32 200									18,0	
20,0	81,9	93,2	36 900	31 500	27 600		84,3	92,3	32 300				20,0	
22,0	80,7	92,8	36 000	30 900	27 100	24 200	83,0	91,9	31 400	27 600			22,0	
24,0	79,4	92,3	35 200	30 300	26 600	23 800	81,7	91,4	30 000	27 100	24 100		24,0	
26,0	78,1	91,8	34 400	29 600	26 200	23 400	80,4	90,9	28 800	26 700	23 800	21 400	26,0	
28,0	76,8	91,2	33 600	29 100	25 700	23 000	79,1	90,3	27 700	26 200	23 400	21 200	28,0	
30,0	75,5	90,6	32 900	28 500	25 300	22 700	77,7	89,7	26 700	25 800	23 100	20 900	30,0	
32,0	74,2	89,9	32 200	28 000	24 900	22 300	76,4	89,0	25 700	25 400	22 800	20 600	32,0	
34,0	72,9	89,2	31 500	27 500	24 400	22 000	75,1	88,3	24 800	24 600	22 500	20 400	34,0	
36,0	71,5	88,4	30 900	27 000	24 100	21 700	73,7	87,5	24 000	23 800	22 200	20 200	36,0	
38,0	70,2	87,6	30 200	26 500	23 700	21 400	72,4	86,6	23 200	23 000	21 900	19 900	38,0	
40,0	68,8	86,7	29 600	26 100	23 300	21 100	71,0	85,7	22 400	22 300	21 600	19 700	40,0	
42,0	67,4	85,7	28 600	25 600	23 000	20 800	69,6	84,8	21 800	21 600	21 300	19 500	42,0	
44,0	66,0	84,7	27 600	25 200	22 600	20 500	68,2	83,7	21 100	21 000	20 800	19 300	44,0	
46,0	64,6	83,6	26 600	24 800	22 300	20 200	66,7	82,6	20 500	20 400	20 200	19 000	46,0	
48,0	63,2	82,5	25 700	24 400	22 000	20 000	65,3	81,5	19 900	19 800	19 700	18 900	48,0	
50,0	61,7	81,3	24 800	24 100	21 700	19 700	63,8	80,3	19 400	19 300	19 200	18 700	50,0	
52,0	60,3	80,0	24 000	23 700	21 400	19 500	62,3	79,0	18 900	18 800	18 700	18 400	52,0	
54,0	58,8	78,7	23 300	23 100	21 100	19 300	60,8	77,6	18 400	18 300	18 200	17 900	54,0	
56,0	57,2	77,2	22 600	22 400	20 800	19 000	59,2	76,2	18 000	17 900	17 800	17 500	56,0	
58,0	55,7	75,7	21 900	21 800	20 600	18 800	57,7	74,6	17 600	17 500	17 400	17 100	58,0	
60,0	54,1	74,1	21 300	21 200	20 300	18 600	56,0	73,0	17 100	17 100	17 000	16 800	60,0	
62,0	52,4	72,4	20 700	20 600	20 100	18 400	54,4	71,3	16 800	16 700	16 600	16 400	62,0	
64,0	50,8	70,6	20 200	20 000	19 900	18 200	52,7	69,5	16 400	16 400	16 300	16 100	64,0	
66,0	49,0	68,7	19 600	19 500	19 400	18 000	50,9	67,5	16 100	16 000	15 900	15 800	66,0	
68,0	47,3	66,7	19 100	19 000	18 900	17 900	49,1	65,4	15 800	15 700	15 600	15 500	68,0	
70,0	45,4	64,5	18 700	18 600	18 500	17 700	47,2	63,2	15 500	15 400	15 300	15 300	70,0	
72,0	43,5	62,2	18 200	18 100	18 000	17 500	45,3	60,9	15 200	15 100	15 100	15 000	72,0	
74,0	41,5	59,8	17 800	17 700	17 600	17 400	43,3	58,4	14 900	14 900	14 800	14 700	74,0	
76,0	39,5	57,1	17 400	17 300	17 200	17 100	41,1	55,6	14 700	14 600	14 600	14 500	76,0	
78,0	37,3	54,2	17 000	16 900	16 900	16 800	38,9	52,7	14 400	14 400	14 300	14 300	78,0	
80,0	35,0	51,1	16 700	16 600	16 500	16 300	36,5	49,4	14 200	14 200	14 100	14 100	80,0	
82,0	32,5	47,7	16 400	16 300	16 100	15 300	33,9	45,9	14 000	14 000	13 900	13 900	82,0	
84,0	29,8	43,9	16 100	15 900	15 100	14 300	31,1	41,9	13 800	13 800	13 800	13 700	84,0	
86,0	26,9	39,5	15 800	14 800	14 000	13 300							86,0	
88,0	23,5	34,5	15 500	13 700	13 000	12 300							88,0	

MLC650 S-2





			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,4	99,9	38 500										16,8
18,0	83,6	99,7	38 000										18,0
20,0	82,4	99,3	37 100	31 600	27 600		84,6	98,4	32 400				20,0
22,0	81,3	98,9	36 300	31 000	27 100	24 200	83,4	98,0	31 700	27 600			22,0
24,0	80,1	98,5	35 500	30 400	26 700	23 800	82,2	97,6	30 500	27 200	24 200		24,0
26,0	78,9	98,0	34 700	29 900	26 300	23 500	81,0	97,1	29 400	26 800	23 800	21 500	26,0
28,0	77,6	97,5	34 000	29 300	25 800	23 100	79,8	96,5	28 300	26 400	23 500	21 200	28,0
30,0	76,4	96,9	33 300	28 800	25 400	22 800	78,5	95,9	27 300	26 000	23 200	21 000	30,0
32,0	75,2	96,2	32 600	28 300	25 000	22 500	77,3	95,3	26 300	25 600	22 900	20 700	32,0
34,0	74,0	95,6	32 000	27 800	24 700	22 200	76,1	94,6	25 400	25 200	22 600	20 500	34,0
36,0	72,7	94,8	31 400	27 400	24 300	21 900	74,8	93,9	24 600	24 400	22 300	20 300	36,0
38,0	71,5	94,1	30 800	26 900	23 900	21 600	73,5	93,1	23 800	23 700	22 100	20 000	38,0
40,0	70,2	93,2	30 200	26 500	23 600	21 300	72,2	92,3	23 100	23 000	21 800	19 800	40,0
42,0	68,9	92,4	29 600	26 000	23 200	21 000	71,0	91,4	22 400	22 300	21 600	19 600	42,0
44,0	67,6	91,4	28 800	25 600	22 900	20 700	69,6	90,4	21 800	21 700	21 300	19 400	44,0
46,0	66,3	90,4	27 800	25 200	22 600	20 500	68,3	89,4	21 200	21 100	20 800	19 200	46,0
48,0	65,0	89,4	26 900	24 900	22 300	20 200	67,0	88,4	20 600	20 500	20 300	19 000	48,0
50,0	63,7	88,3	26 000	24 500	22 000	20 000	65,6	87,2	20 100	20 000	19 800	18 800	50,0
52,0	62,3	87,1	25 200	24 100	21 700	19 800	64,3	86,1	19 600	19 500	19 300	18 700	52,0
54,0	60,9	85,9	24 400	23 800	21 500	19 500	62,9	84,8	19 100	19 000	18 800	18 500	54,0
56,0	59,5	84,6	23 700	23 400	21 200	19 300	61,5	83,5	18 600	18 600	18 400	18 100	56,0
58,0	58,1	83,2	23 000	22 800	20 900	19 100	60,0	82,1	18 200	18 100	18 000	17 700	58,0
60,0	56,7	81,7	22 400	22 200	20 700	18 900	58,6	80,6	17 800	17 700	17 600	17 400	60,0
62,0	55,2	80,2	21 800	21 600	20 500	18 700	57,1	79,1	17 400	17 400	17 200	17 000	62,0
64,0	53,7	78,6	21 200	21 000	20 200	18 500	55,5	77,4	17 100	17 000	16 900	16 700	64,0
66,0	52,2	76,9	20 700	20 500	20 000	18 300	54,0	75,7	16 700	16 600	16 500	16 400	66,0
68,0	50,6	75,1	20 200	20 000	19 800	18 200	52,4	73,9	16 400	16 300	16 200	16 100	68,0
70,0	49,0	73,2	19 700	19 500	19 400	18 000	50,7	72,0	16 000	16 000	15 900	15 800	70,0
72,0	47,3	71,2	19 200	19 100	18 900	17 800	49,1	69,9	15 800	15 700	15 600	15 500	72,0
74,0	45,6	69,1	18 800	18 600	18 500	17 700	47,3	67,7	15 500	15 400	15 300	15 300	74,0
76,0	43,8	66,8	18 300	18 200	17 900	16 800	45,5	65,4	15 200	15 100	15 100	15 000	76,0
78,0	42,0	64,4	17 900	17 700	16 700	15 600	43,6	62,9	15 000	14 900	14 800	14 800	78,0
80,0	40,1	61,8	17 600	16 500	15 500	14 500	41,7	60,3	14 700	14 700	14 600	14 600	80,0
82,0	38,1	59,0	17 200	15 300	14 400	13 400	39,6	57,4	14 500	14 500	14 400	13 900	82,0
84,0	36,0	56,0	16 800	14 200	13 300	12 400	37,4	54,4	14 300	14 200	13 800	12 900	84,0
86,0	33,8	52,8	16 500	13 100	12 200	11 400	35,1	51,0	14 100	13 500	12 700	11 800	86,0
88,0	31,4	49,2	15 500	12 000	11 200	10 500	32,6	47,3	13 900	12 400	11 600	10 800	88,0
90,0	28,8	45,2	14 400	11 000	10 300	9 600	29,9	43,1	13 800	11 300	10 600	9 800	90,0
92,0	25,9	40,7	13 200	10 000	9 300	8 700							92,0
94,0	22,6	35,5	12 100	9 000	8 400	7 800							94,0

MLC650 S-2




			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,7	106,0	38 600										16,8
18,0	84,0	105,8	38 000										18,0
20,0	82,9	105,4	37 200	31 600	27 600		84,9	104,5	32 400				20,0
22,0	81,8	105,1	36 500	31 000	27 200		83,8	104,1	31 900				22,0
24,0	80,6	104,6	35 700	30 500	26 700	23 800	82,7	103,7	31 000	27 200			24,0
26,0	79,5	104,2	35 000	30 000	26 300	23 500	81,5	103,2	29 900	26 800	23 900	21 500	26,0
28,0	78,4	103,7	34 300	29 500	25 900	23 200	80,4	102,7	28 800	26 500	23 600	21 200	28,0
30,0	77,2	103,1	33 600	29 000	25 500	22 900	79,2	102,2	27 800	26 100	23 300	21 000	30,0
32,0	76,1	102,5	33 000	28 500	25 200	22 600	78,1	101,6	26 900	25 800	23 000	20 800	32,0
34,0	74,9	101,9	32 400	28 100	24 800	22 300	76,9	100,9	26 000	25 400	22 700	20 500	34,0
36,0	73,8	101,2	31 800	27 600	24 500	22 000	75,7	100,3	25 200	25 000	22 400	20 300	36,0
38,0	72,6	100,5	31 200	27 200	24 100	21 700	74,5	99,5	24 400	24 300	22 200	20 100	38,0
40,0	71,4	99,7	30 700	26 800	23 800	21 400	73,3	98,7	23 700	23 600	21 900	19 900	40,0
42,0	70,2	98,9	30 100	26 400	23 500	21 200	72,1	97,9	23 100	22 900	21 700	19 700	42,0
44,0	69,0	98,0	29 600	26 000	23 200	20 900	70,9	97,0	22 400	22 300	21 500	19 500	44,0
46,0	67,8	97,1	28 900	25 600	22 900	20 700	69,7	96,1	21 800	21 700	21 200	19 300	46,0
48,0	66,6	96,1	28 000	25 200	22 600	20 400	68,5	95,1	21 300	21 200	20 900	19 100	48,0
50,0	65,3	95,1	27 100	24 900	22 300	20 200	67,2	94,1	20 700	20 600	20 400	19 000	50,0
52,0	64,1	94,0	26 300	24 500	22 000	20 000	65,9	93,0	20 200	20 100	19 900	18 800	52,0
54,0	62,8	92,9	25 500	24 200	21 800	19 800	64,7	91,8	19 700	19 600	19 400	18 600	54,0
56,0	61,5	91,7	24 800	23 900	21 500	19 600	63,4	90,6	19 300	19 200	19 000	18 500	56,0
58,0	60,2	90,4	24 100	23 600	21 200	19 300	62,0	89,3	18 800	18 800	18 600	18 300	58,0
60,0	58,9	89,1	23 400	23 200	21 000	19 100	60,7	88,0	18 400	18 300	18 200	17 900	60,0
62,0	57,6	87,7	22 800	22 600	20 800	19 000	59,3	86,6	18 000	17 900	17 800	17 600	62,0
64,0	56,2	86,2	22 200	22 000	20 500	18 800	58,0	85,1	17 700	17 600	17 500	17 200	64,0
66,0	54,8	84,7	21 700	21 500	20 300	18 600	56,5	83,5	17 300	17 200	17 100	16 900	66,0
68,0	53,4	83,1	21 100	21 000	20 100	18 400	55,1	81,9	17 000	16 900	16 800	16 600	68,0
70,0	51,9	81,4	20 600	20 500	19 900	18 300	53,6	80,2	16 600	16 600	16 500	16 300	70,0
72,0	50,5	79,6	20 100	20 000	19 300	17 900	52,1	78,3	16 300	16 300	16 200	16 000	72,0
74,0	48,9	77,7	19 700	19 200	17 900	16 600	50,6	76,4	16 000	16 000	15 900	15 800	74,0
76,0	47,4	75,7	19 200	17 900	16 600	15 400	49,0	74,4	15 800	15 700	15 600	15 500	76,0
78,0	45,8	73,6	18 800	16 600	15 400	14 200	47,4	72,2	15 500	15 400	15 400	15 000	78,0
80,0	44,1	71,3	18 400	15 300	14 200	13 100	45,7	69,9	15 200	15 200	14 900	13 800	80,0
82,0	42,4	69,0	18 000	14 100	13 100	12 100	43,9	67,5	15 000	14 700	13 800	12 700	82,0
84,0	40,6	66,4	17 100	13 000	12 000	11 000	42,1	64,9	14 800	13 600	12 600	11 600	84,0
86,0	38,8	63,7	15 800	11 900	11 000	10 100	40,2	62,2	14 600	12 500	11 500	10 600	86,0
88,0	36,9	60,9	14 600	10 900	10 000	9 100	38,2	59,2	14 400	11 400	10 500	9 600	88,0
90,0	34,8	57,7	13 400	9 900	9 000	8 200	36,1	56,0	13 900	10 300	9 500	8 700	90,0
92,0	32,7	54,4	12 300	8 900	8 100	7 400	33,9	52,5	12 700	9 300	8 500	7 800	92,0
94,0	30,3	50,7	11 200	8 000	7 200	6 500	31,5	48,6	11 600	8 300	7 600	6 900	94,0
98,0	25,0	41,9	9 100	6 200	5 600	5 000							98,0

MLC650 S-2






			10°				20°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	85,0	112,0	38 500										16,8
18,0	84,3	111,9	38 100										18,0
20,0	83,3	111,5	37 300	31 600									20,0
22,0	82,2	111,2	36 600	31 100	27 100		84,2	110,2	31 900				22,0
24,0	81,2	110,8	35 900	30 600	26 700	23 800	83,1	109,8	31 300	27 200			24,0
26,0	80,1	110,3	35 200	30 100	26 300	23 500	82,0	109,4	30 300	26 900	23 800		26,0
28,0	79,0	109,9	34 500	29 600	26 000	23 200	80,9	108,9	29 300	26 500	23 500	21 200	28,0
30,0	77,9	109,3	33 900	29 100	25 600	22 900	79,8	108,4	28 300	26 200	23 300	21 000	30,0
32,0	76,9	108,8	33 300	28 700	25 300	22 600	78,7	107,8	27 400	25 800	23 000	20 700	32,0
34,0	75,8	108,2	32 700	28 200	24 900	22 300	77,6	107,2	26 600	25 500	22 800	20 500	34,0
36,0	74,7	107,5	32 100	27 800	24 600	22 100	76,5	106,6	25 800	25 200	22 500	20 300	36,0
38,0	73,6	106,9	31 600	27 400	24 300	21 800	75,4	105,9	25 100	24 800	22 300	20 100	38,0
40,0	72,5	106,1	31 100	27 000	24 000	21 500	74,3	105,2	24 300	24 200	22 000	19 900	40,0
42,0	71,4	105,4	30 600	26 600	23 600	21 300	73,2	104,4	23 700	23 500	21 800	19 800	42,0
44,0	70,2	104,6	30 000	26 200	23 400	21 000	72,1	103,6	23 000	22 900	21 600	19 600	44,0
46,0	69,1	103,7	29 600	25 900	23 100	20 800	70,9	102,7	22 400	22 300	21 400	19 400	46,0
48,0	68,0	102,8	29 000	25 500	22 800	20 600	69,7	101,8	21 900	21 700	21 200	19 200	48,0
50,0	66,8	101,8	28 200	25 200	22 500	20 400	68,6	100,8	21 300	21 200	20 900	19 100	50,0
52,0	65,6	100,8	27 400	24 900	22 300	20 100	67,4	99,8	20 800	20 700	20 500	18 900	52,0
54,0	64,5	99,8	26 600	24 600	22 000	19 900	66,2	98,7	20 400	20 200	20 000	18 800	54,0
56,0	63,3	98,7	25 800	24 200	21 700	19 700	65,0	97,6	19 900	19 800	19 600	18 600	56,0
58,0	62,1	97,5	25 100	23 900	21 500	19 500	63,8	96,4	19 500	19 300	19 100	18 400	58,0
60,0	60,8	96,3	24 400	23 700	21 300	19 300	62,5	95,2	19 000	18 900	18 700	18 300	60,0
62,0	59,6	95,0	23 800	23 400	21 000	19 200	61,3	93,9	18 600	18 600	18 400	18 100	62,0
64,0	58,3	93,6	23 200	23 000	20 800	19 000	60,0	92,5	18 300	18 200	18 000	17 700	64,0
66,0	57,1	92,2	22 600	22 400	20 600	18 800	58,7	91,1	17 900	17 800	17 700	17 400	66,0
68,0	55,8	90,7	22 100	21 800	20 100	18 400	57,4	89,6	17 600	17 500	17 300	17 100	68,0
70,0	54,4	89,2	21 500	20 400	18 800	17 200	56,1	88,0	17 200	17 200	17 000	16 800	70,0
72,0	53,1	87,5	21 100	18 900	17 400	15 900	54,7	86,3	16 900	16 800	16 700	16 500	72,0
74,0	51,7	85,8	20 600	17 400	16 000	14 600	53,3	84,6	16 600	16 500	16 400	15 600	74,0
76,0	50,3	84,0	20 100	16 100	14 700	13 400	51,9	82,8	16 300	16 200	15 600	14 300	76,0
78,0	48,9	82,1	19 600	14 800	13 500	12 200	50,4	80,9	16 000	15 700	14 400	13 100	78,0
80,0	47,4	80,2	18 200	13 500	12 300	11 100	49,0	78,8	15 800	14 400	13 100	12 000	80,0
82,0	45,9	78,1	16 800	12 300	11 200	10 100	47,4	76,7	15 500	13 100	12 000	10 800	82,0
84,0	44,4	75,9	15 400	11 200	10 100	9 100	45,8	74,5	15 300	11 900	10 800	9 800	84,0
86,0	42,8	73,5	14 200	10 100	9 100	8 100	44,2	72,1	14 800	10 800	9 800	8 800	86,0
88,0	41,1	71,1	13 000	9 100	8 100	7 200	42,5	69,6	13 700	9 700	8 700	7 800	88,0
90,0	39,4	68,4	11 800	8 100	7 200	6 300	40,8	66,9	12 400	8 700	7 700	6 800	90,0
92,0	37,6	65,6	10 700	7 100	6 300	5 400	38,9	64,0	11 300	7 700	6 800	5 900	92,0
94,0	35,7	62,6	9 400	6 200	5 400	4 600	37,0	60,9	10 000	6 700	5 900	5 100	94,0
98,0	31,6	55,9	6 900	4 500	3 700		32,8	54,0	7 400	4 800	4 100	3 400	98,0
102,0	26,9	47,8	4 600				27,9	45,5	5 000	3 100			102,0

MLC650 S-2






	10°			20°			
	m	°	m	kg	m	kg	
18,3	84,5	117,9	37 900				18,3
20,0	83,6	117,6	37 300				20,0
22,0	82,6	117,2	36 600	84,5	116,3	31 900	22,0
24,0	81,6	116,9	36 000	83,4	115,9	31 500	24,0
26,0	80,6	116,4	35 300	82,4	115,5	30 800	26,0
28,0	79,6	116,0	34 700	81,4	115,0	29 700	28,0
30,0	78,6	115,5	34 100	80,4	114,5	28 800	30,0
32,0	77,6	115,0	33 500	79,3	114,0	27 900	32,0
34,0	76,5	114,4	33 000	78,3	113,4	27 100	34,0
36,0	75,5	113,8	32 400	77,3	112,8	26 300	36,0
38,0	74,5	113,2	31 900	76,2	112,2	25 600	38,0
40,0	73,4	112,5	31 400	75,2	111,5	24 900	40,0
42,0	72,4	111,8	30 900	74,1	110,8	24 200	42,0
44,0	71,3	111,0	30 400	73,0	110,0	23 600	44,0
46,0	70,2	110,2	30 000	72,0	109,2	23 000	46,0
48,0	69,2	109,3	29 500	70,9	108,3	22 500	48,0
50,0	68,1	108,4	29 100	69,8	107,4	21 900	50,0
52,0	67,0	107,5	28 400	68,7	106,5	21 400	52,0
54,0	65,9	106,5	27 600	67,6	105,5	20 900	54,0
56,0	64,8	105,5	26 800	66,4	104,4	20 500	56,0
58,0	63,7	104,4	26 100	65,3	103,3	20 000	58,0
60,0	62,5	103,2	25 400	64,2	102,1	19 600	60,0
62,0	61,4	102,0	24 800	63,0	100,9	19 200	62,0
64,0	60,2	100,8	24 200	61,8	99,7	18 800	64,0
66,0	59,0	99,5	23 600	60,6	98,4	18 500	66,0
68,0	57,8	98,1	23 000	59,4	97,0	18 100	68,0
70,0	56,6	96,7	22 500	58,2	95,5	17 800	70,0
72,0	55,4	95,2	22 000	56,9	94,0	17 400	72,0
74,0	54,1	93,6	21 400	55,7	92,4	17 200	74,0
76,0	52,8	92,0	20 100	54,4	90,8	16 900	76,0
78,0	51,5	90,3	18 500	53,0	89,0	16 600	78,0
80,0	50,2	88,5	17 100	51,7	87,2	16 300	80,0
82,0	48,8	86,6	15 700	50,3	85,3	16 000	82,0
84,0	47,5	84,6	14 400	48,9	83,3	15 300	84,0
86,0	46,0	82,5	13 100	47,5	81,2	14 000	86,0
88,0	44,6	80,3	11 900	46,0	78,9	12 700	88,0
90,0	43,1	78,0	10 500	44,4	76,6	11 500	90,0
92,0	41,5	75,6	9 200	42,8	74,1	10 100	92,0
94,0	39,9	73,1	7 900	41,2	71,5	8 700	94,0
98,0	36,5	67,4	5 500	37,7	65,7	6 200	98,0
102,0	32,7	61,0	3 200	33,8	59,1	3 800	102,0

MLC650 S-2






			10°				20°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	84,3	64,1	31 100c										13,7
14,0	84,1	64,0	31 000c										14,0
16,0	82,2	63,6	29 800b	25 100c	21 700d								16,0
18,0	80,3	63,1	28 600	24 200b	21 100c	18 700c							18,0
20,0	78,3	62,5	27 500	23 400	20 500b	18 200c							20,0
22,0	76,4	61,8	26 400	22 700	19 900	17 700b	82,7	61,1	24 500	21 500c	19 000 c		22,0
24,0	74,4	61,1	25 200	22 000	19 400	17 300	78,8	60,4	22 500	20 300	18 000 c	16 500c	24,0
26,0	72,5	60,3	24 200	21 300	18 800	16 800	76,7	59,5	21 200	19 600	17 600	15 800	26,0
28,0	70,4	59,4	23 200	20 700	18 300	16 400	74,7	58,6	19 900	18 900	17 100	15 500	28,0
30,0	68,4	58,4	22 200	20 000	17 800	16 000	72,6	57,6	18 800	18 300	16 700	15 100	30,0
32,0	66,3	57,3	21 400	19 300	17 400	15 600	70,5	56,5	17 800	17 600	16 300	14 800	32,0
34,0	64,1	56,1	20 600	18 600	16 900	15 300	68,3	55,3	16 900	16 800	15 800	14 500	34,0
36,0	62,0	54,8	19 800	18 000	16 500	14 900	66,1	54,0	16 100	15 900	15 400	14 200	36,0
38,0	59,7	53,4	19 000	17 400	16 000	14 600	63,8	52,6	15 300	15 200	15 000	13 900	38,0
40,0	57,4	51,9	18 100	16 900	15 500	14 300	61,5	51,1	14 600	14 500	14 400	13 600	40,0
42,0	55,0	50,3	17 200	16 300	15 100	13 900	59,0	49,4	14 000	13 900	13 800	13 200	42,0
44,0	52,5	48,5	16 400	15 800	14 700	13 600	56,5	47,6	13 400	13 300	13 200	12 900	44,0
46,0	50,0	46,5	15 700	15 400	14 300	13 300	53,9	45,6	12 900	12 800	12 700	12 600	46,0
48,0	47,3	44,4	15 000	14 800	13 900	13 000	51,1	43,4	12 400	12 300	12 300	12 200	48,0
50,0	44,4	42,0	14 400	14 200	13 500	12 600	48,2	40,9	12 000	11 900	11 800	11 800	50,0
52,0	41,3	39,4	13 800	13 600	13 200	12 400	45,0	38,2	11 500	11 500	11 400	11 400	52,0
54,0	38,1	36,4	13 200	13 100	12 900	12 100	41,6	35,2	11 200	11 100	11 000	11 000	54,0
56,0	34,4	33,1	12 700	12 600	12 500	11 800	37,8	31,6	10 800	10 800	10 700	10 700	56,0
58,0	30,3	29,1	12 300	12 200	12 100	11 600	33,5	27,4	10 500	10 500	10 400	10 400	58,0
60,0	25,5	24,2	11 900	11 800	11 700	11 500							60,0
62,0	19,0	17,5	11 500	11 400	11 400	11 300							62,0

MLC650 S-2






			10°				20°						
 m	 °	 m	0°	1°	2°	3°	 °	 m	0°	1°	2°	3°	 m
			kg	kg	kg	kg			kg	kg	kg	kg	
13,7	84,8	70,2	31 400c										13,7
14,0	84,6	70,1	31 200c										14,0
16,0	82,9	69,7	30 100	25 300c									16,0
18,0	81,2	69,2	29 000	24 600	21 300b								18,0
20,0	79,4	68,7	28 100	23 800	20 800	18 400c	83,4	67,9	24 800	21 700c			20,0
22,0	77,7	68,1	27 000	23 100	20 200	18 000	81,6	67,3	23 900	21 100	18 600 c		22,0
24,0	75,9	67,4	26 000	22 500	19 700	17 500	79,8	66,7	23 100	20 600	18 200	16 300	24,0
26,0	74,1	66,7	25 000	21 900	19 200	17 100	78,0	65,9	22 000	20 000	17 800	16 000	26,0
28,0	72,3	65,9	24 000	21 200	18 700	16 800	76,2	65,1	20 800	19 400	17 400	15 700	28,0
30,0	70,4	65,0	23 100	20 600	18 300	16 400	74,3	64,2	19 700	18 800	17 000	15 400	30,0
32,0	68,6	64,1	22 300	20 000	17 800	16 000	72,4	63,2	18 700	18 200	16 600	15 100	32,0
34,0	66,7	63,0	21 500	19 400	17 400	15 700	70,5	62,2	17 800	17 600	16 300	14 800	34,0
36,0	64,7	61,9	20 800	18 800	17 000	15 400	68,5	61,0	17 000	16 800	15 800	14 500	36,0
38,0	62,8	60,7	20 000	18 200	16 600	15 000	66,5	59,8	16 200	16 100	15 500	14 200	38,0
40,0	60,8	59,4	19 400	17 700	16 200	14 700	64,5	58,5	15 500	15 400	15 100	14 000	40,0
42,0	58,7	57,9	18 600	17 100	15 800	14 400	62,4	57,0	14 900	14 800	14 600	13 700	42,0
44,0	56,6	56,4	17 800	16 700	15 300	14 100	60,2	55,5	14 300	14 200	14 100	13 400	44,0
46,0	54,4	54,7	17 000	16 200	15 000	13 800	58,0	53,8	13 700	13 700	13 600	13 100	46,0
48,0	52,1	52,9	16 300	15 800	14 600	13 500	55,7	51,9	13 200	13 200	13 100	12 900	48,0
50,0	49,8	51,0	15 600	15 300	14 200	13 200	53,3	50,0	12 800	12 700	12 600	12 500	50,0
52,0	47,3	48,9	15 000	14 800	13 900	12 900	50,8	47,8	12 400	12 300	12 200	12 100	52,0
54,0	44,8	46,6	14 400	14 300	13 600	12 700	48,2	45,4	12 000	11 900	11 800	11 800	54,0
56,0	42,1	44,0	13 900	13 800	13 300	12 400	45,4	42,8	11 600	11 500	11 500	11 400	56,0
58,0	39,2	41,2	13 400	13 300	13 000	12 200	42,4	39,9	11 200	11 200	11 100	11 100	58,0
60,0	36,0	38,1	12 900	12 800	12 700	11 900	39,1	36,7	10 900	10 900	10 800	10 800	60,0
62,0	32,6	34,5	12 500	12 400	12 300	11 700	35,5	32,9	10 700	10 600	10 500	10 500	62,0
64,0	28,7	30,3	12 100	12 000	11 900	11 600	31,4	28,4	10 400	10 300	10 300	10 300	64,0
66,0	24,0	25,2	11 800	11 700	11 600	11 400							66,0

MLC650 S-2






			10°				20°						
 m	 °	 m	 kg	 kg	 kg	 kg	 °	 m	 kg	 kg	 kg	 kg	 m
15,2	84,1	76,0	30 800										15,2
16,0	83,5	75,8	30 400										16,0
18,0	81,9	75,4	29 400	24 800	21 500 ^b								18,0
20,0	80,3	74,9	28 500	24 100	21 000	18 600 ^c	83,9	74,1	25 100				20,0
22,0	78,7	74,4	27 600	23 500	20 500	18 200	82,3	73,5	24 200	21 300	18 800 ^c		22,0
24,0	77,1	73,7	26 700	22 900	20 000	17 800	80,7	72,9	23 400	20 800	18 400	16 500	24,0
26,0	75,4	73,1	25 700	22 300	19 500	17 400	79,0	72,3	22 600	20 300	18 000	16 100	26,0
28,0	73,8	72,3	24 800	21 700	19 100	17 000	77,4	71,5	21 600	19 800	17 700	15 900	28,0
30,0	72,1	71,5	23 900	21 100	18 700	16 700	75,7	70,7	20 500	19 200	17 300	15 600	30,0
32,0	70,4	70,7	23 100	20 600	18 200	16 300	74,0	69,8	19 500	18 700	16 900	15 300	32,0
34,0	68,7	69,7	22 300	20 000	17 800	16 000	72,3	68,9	18 600	18 200	16 600	15 000	34,0
36,0	67,0	68,7	21 600	19 500	17 500	15 700	70,5	67,8	17 800	17 600	16 200	14 800	36,0
38,0	65,2	67,6	20 900	18 900	17 100	15 400	68,7	66,7	17 000	16 900	15 900	14 500	38,0
40,0	63,5	66,5	20 300	18 400	16 700	15 100	66,9	65,6	16 300	16 200	15 500	14 300	40,0
42,0	61,6	65,2	19 600	17 900	16 300	14 800	65,0	64,3	15 700	15 600	15 200	14 000	42,0
44,0	59,8	63,9	19 000	17 400	16 000	14 600	63,1	62,9	15 100	15 000	14 800	13 800	44,0
46,0	57,9	62,4	18 200	16 900	15 600	14 300	61,2	61,4	14 600	14 400	14 300	13 500	46,0
48,0	55,9	60,9	17 500	16 500	15 200	14 000	59,2	59,9	14 000	13 900	13 900	13 300	48,0
50,0	53,9	59,2	16 800	16 100	14 900	13 800	57,2	58,2	13 600	13 500	13 400	13 000	50,0
52,0	51,8	57,4	16 200	15 700	14 500	13 500	55,0	56,3	13 100	13 000	13 000	12 800	52,0
54,0	49,7	55,5	15 600	15 300	14 200	13 200	52,9	54,4	12 700	12 600	12 600	12 500	54,0
56,0	47,4	53,4	15 000	14 900	13 900	13 000	50,6	52,2	12 300	12 200	12 200	12 100	56,0
58,0	45,1	51,1	14 500	14 400	13 600	12 700	48,2	49,9	11 900	11 900	11 800	11 800	58,0
60,0	42,6	48,7	14 000	13 900	13 300	12 500	45,7	47,4	11 600	11 500	11 500	11 400	60,0
62,0	40,0	46,0	13 500	13 400	13 100	12 200	43,0	44,6	11 300	11 200	11 200	11 100	62,0
64,0	37,3	43,0	13 100	13 000	12 800	12 000	40,1	41,5	11 000	11 000	10 900	10 900	64,0
66,0	34,3	39,7	12 700	12 600	12 500	11 800	37,0	38,1	10 800	10 700	10 600	10 600	66,0
68,0	31,0	35,9	12 300	12 300	12 200	11 600	33,5	34,1	10 500	10 500	10 400	10 400	68,0
70,0	27,2	31,5	12 000	11 900	11 800	11 500	29,5	29,4	10 300	10 300	10 200	10 200	70,0
72,0	22,8	26,1	11 700	11 600	11 500	11 400							72,0

MLC650 S-2





			10°				20°									
			300 000 kg				300 000 kg									
			0°	1°	2°	3°				0°	1°	2°	3°			
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m			
15,2	84,5	82,0	31 000										15,2			
16,0	84,0	81,9	30 600										16,0			
18,0	82,5	81,5	29 700	25 000									18,0			
20,0	81,0	81,0	28 800	24 400	21 100	18 700b	84,4	80,2	25 300				20,0			
22,0	79,6	80,5	28 000	23 800	20 700	18 300	82,9	79,7	24 500	21 500			22,0			
24,0	78,1	80,0	27 200	23 200	20 200	18 000	81,4	79,1	23 700	21 000	18 500		24,0			
26,0	76,6	79,4	26 300	22 600	19 800	17 600	79,9	78,5	23 000	20 500	18 200	16 300	26,0			
28,0	75,1	78,7	25 400	22 100	19 400	17 300	78,4	77,8	22 200	20 100	17 800	16 000	28,0			
30,0	73,5	78,0	24 600	21 600	19 000	16 900	76,8	77,1	21 200	19 500	17 500	15 700	30,0			
32,0	72,0	77,2	23 800	21 100	18 600	16 600	75,3	76,3	20 200	19 000	17 200	15 500	32,0			
34,0	70,4	76,3	23 100	20 500	18 200	16 300	73,7	75,4	19 300	18 600	16 800	15 200	34,0			
36,0	68,9	75,4	22 400	20 100	17 800	16 000	72,1	74,5	18 500	18 100	16 500	15 000	36,0			
38,0	67,3	74,4	21 700	19 500	17 500	15 700	70,5	73,5	17 800	17 600	16 200	14 700	38,0			
40,0	65,7	73,3	21 100	19 000	17 100	15 400	68,9	72,4	17 100	16 900	15 900	14 500	40,0			
42,0	64,0	72,2	20 500	18 500	16 800	15 200	67,2	71,3	16 400	16 300	15 600	14 300	42,0			
44,0	62,3	71,0	19 900	18 000	16 500	14 900	65,5	70,0	15 800	15 700	15 200	14 000	44,0			
46,0	60,6	69,7	19 300	17 600	16 100	14 700	63,8	68,7	15 300	15 200	14 900	13 800	46,0			
48,0	58,9	68,3	18 700	17 200	15 800	14 400	62,0	67,3	14 800	14 700	14 600	13 600	48,0			
50,0	57,1	66,9	18 000	16 700	15 400	14 200	60,2	65,8	14 300	14 200	14 100	13 400	50,0			
52,0	55,3	65,3	17 300	16 400	15 100	13 900	58,3	64,2	13 800	13 700	13 600	13 100	52,0			
54,0	53,4	63,6	16 700	16 000	14 800	13 700	56,4	62,5	13 400	13 300	13 200	12 900	54,0			
56,0	51,5	61,8	16 100	15 600	14 500	13 400	54,5	60,7	13 000	12 900	12 800	12 700	56,0			
58,0	49,5	59,9	15 500	15 300	14 200	13 200	52,5	58,7	12 600	12 600	12 500	12 400	58,0			
60,0	47,5	57,8	15 000	14 900	13 900	12 900	50,3	56,6	12 300	12 200	12 100	12 100	60,0			
62,0	45,3	55,6	14 500	14 400	13 600	12 700	48,2	54,3	12 000	11 900	11 800	11 800	62,0			
64,0	43,1	53,2	14 100	14 000	13 400	12 500	45,9	51,9	11 700	11 600	11 500	11 500	64,0			
66,0	40,7	50,6	13 700	13 500	13 100	12 300	43,5	49,2	11 400	11 300	11 200	11 200	66,0			
68,0	38,3	47,8	13 300	13 100	12 900	12 100	40,9	46,3	11 100	11 000	11 000	10 900	68,0			
70,0	35,6	44,6	12 900	12 800	12 700	11 900	38,1	43,0	10 800	10 800	10 700	10 700	70,0			
72,0	32,7	41,1	12 500	12 400	12 300	11 700	35,1	39,4	10 600	10 600	10 500	10 500	72,0			
74,0	29,5	37,2	12 200	12 100	12 000	11 600	31,8	35,2	10 400	10 400	10 300	10 300	74,0			
76,0	25,9	32,5	11 900	11 800	11 700	11 500	27,9	30,2	10 300	10 200	10 200	10 100	76,0			
78,0	21,6	26,9	11 600	11 600	11 500	11 400							78,0			

MLC650 S-2






		10°						20°							
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
15,2	84,9	88,1	31 200										15,2		
16,0	84,4	88,0	30 800										16,0		
18,0	83,0	87,6	30 000	25 200									18,0		
20,0	81,7	87,2	29 100	24 500	21 300	18 800 ^b	84,8	86,3	25 500				20,0		
22,0	80,3	86,7	28 300	24 000	20 900	18 400	83,4	85,8	24 700	21 600			22,0		
24,0	78,9	86,2	27 600	23 500	20 400	18 100	82,0	85,3	24 000	21 100	18 600		24,0		
26,0	77,5	85,6	26 800	22 900	20 000	17 800	80,6	84,7	23 300	20 700	18 300	16 300	26,0		
28,0	76,2	85,0	26 100	22 400	19 600	17 400	79,2	84,1	22 700	20 300	18 000	16 100	28,0		
30,0	74,7	84,3	25 300	21 900	19 200	17 100	77,8	83,4	21 800	19 800	17 700	15 800	30,0		
32,0	73,3	83,6	24 500	21 400	18 800	16 800	76,4	82,7	20 900	19 400	17 400	15 600	32,0		
34,0	71,9	82,8	23 800	21 000	18 500	16 500	74,9	81,9	20 000	18 900	17 100	15 400	34,0		
36,0	70,5	82,0	23 100	20 500	18 200	16 300	73,5	81,0	19 200	18 500	16 800	15 100	36,0		
38,0	69,0	81,1	22 400	20 000	17 800	16 000	72,0	80,1	18 500	18 100	16 500	14 900	38,0		
40,0	67,5	80,1	21 800	19 600	17 500	15 700	70,5	79,1	17 800	17 600	16 200	14 700	40,0		
42,0	66,0	79,1	21 200	19 100	17 200	15 500	69,0	78,1	17 100	17 000	15 900	14 500	42,0		
44,0	64,5	78,0	20 600	18 600	16 900	15 200	67,4	77,0	16 500	16 400	15 600	14 300	44,0		
46,0	63,0	76,8	20 100	18 200	16 500	15 000	65,9	75,8	16 000	15 800	15 300	14 100	46,0		
48,0	61,4	75,6	19 500	17 800	16 200	14 700	64,3	74,5	15 500	15 300	15 000	13 900	48,0		
50,0	59,8	74,2	19 000	17 400	15 900	14 500	62,7	73,2	15 000	14 900	14 700	13 700	50,0		
52,0	58,2	72,8	18 400	17 000	15 600	14 300	61,0	71,8	14 500	14 400	14 300	13 500	52,0		
54,0	56,5	71,3	17 700	16 600	15 300	14 100	59,3	70,2	14 100	14 000	13 900	13 300	54,0		
56,0	54,8	69,7	17 100	16 200	15 000	13 800	57,6	68,6	13 700	13 600	13 500	13 000	56,0		
58,0	53,1	68,1	16 500	15 900	14 700	13 600	55,8	66,9	13 300	13 200	13 100	12 800	58,0		
60,0	51,3	66,3	16 000	15 600	14 400	13 400	54,0	65,1	12 900	12 800	12 800	12 600	60,0		
62,0	49,4	64,4	15 500	15 300	14 100	13 200	52,1	63,1	12 600	12 500	12 400	12 400	62,0		
64,0	47,5	62,3	15 000	14 900	13 900	12 900	50,2	61,1	12 300	12 200	12 100	12 100	64,0		
66,0	45,6	60,1	14 600	14 400	13 600	12 700	48,2	58,8	12 000	11 900	11 800	11 800	66,0		
68,0	43,5	57,8	14 200	14 000	13 400	12 500	46,1	56,4	11 700	11 600	11 600	11 500	68,0		
70,0	41,4	55,3	13 800	13 700	13 200	12 300	43,9	53,8	11 400	11 400	11 300	11 200	70,0		
72,0	39,1	52,5	13 400	13 300	13 000	12 100	41,5	51,0	11 200	11 100	11 000	11 000	72,0		
74,0	36,7	49,5	13 000	12 900	12 800	12 000	39,1	47,9	10 900	10 900	10 800	10 800	74,0		
76,0	34,1	46,3	12 700	12 600	12 500	11 800	36,4	44,5	10 700	10 700	10 600	10 600	76,0		
78,0	31,4	42,6	12 400	12 300	12 200	11 700	33,5	40,7	10 500	10 500	10 400	10 400	78,0		
80,0	28,3	38,5	12 100	12 000	11 900	11 500	30,3	36,3	10 400	10 300	10 200	10 200	80,0		
82,0	24,8	33,6	11 800	11 700	11 700	11 400							82,0		
84,0	20,7	27,7	11 600	11 500	11 400	11 400							84,0		

MLC650 S-2






			10°				20°							
			300 000 kg				300 000 kg							
			0°	1°	2°	3°				0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
16,8	84,3	93,9	30 600											16,8
18,0	83,5	93,7	30 100											18,0
20,0	82,2	93,3	29 400	24 700	21 300									20,0
22,0	81,0	92,9	28 600	24 200	21 000	18 500	83,9	92,0	24 900					22,0
24,0	79,7	92,4	27 900	23 600	20 600	18 200	82,6	91,5	24 200	21 200				24,0
26,0	78,4	91,9	27 200	23 100	20 200	17 900	81,3	90,9	23 600	20 800	18 400	16 400		26,0
28,0	77,1	91,3	26 500	22 700	19 800	17 600	80,0	90,4	23 000	20 500	18 100	16 200		28,0
30,0	75,8	90,7	25 800	22 200	19 400	17 300	78,7	89,7	22 400	20 100	17 800	15 900		30,0
32,0	74,5	90,0	25 000	21 800	19 100	17 000	77,3	89,0	21 500	19 600	17 500	15 700		32,0
34,0	73,1	89,3	24 300	21 300	18 800	16 700	76,0	88,3	20 600	19 200	17 300	15 500		34,0
36,0	71,8	88,5	23 700	20 900	18 400	16 500	74,6	87,5	19 900	18 800	17 000	15 300		36,0
38,0	70,5	87,6	23 000	20 500	18 100	16 200	73,3	86,7	19 100	18 400	16 700	15 100		38,0
40,0	69,1	86,7	22 400	20 000	17 800	15 900	71,9	85,8	18 400	18 000	16 400	14 900		40,0
42,0	67,7	85,8	21 800	19 600	17 500	15 700	70,5	84,8	17 800	17 600	16 200	14 700		42,0
44,0	66,3	84,8	21 300	19 200	17 200	15 400	69,1	83,8	17 200	17 100	15 900	14 500		44,0
46,0	64,9	83,7	20 800	18 700	16 900	15 200	67,7	82,7	16 600	16 500	15 600	14 300		46,0
48,0	63,5	82,6	20 200	18 300	16 600	15 000	66,2	81,5	16 100	16 000	15 300	14 100		48,0
50,0	62,0	81,4	19 700	17 900	16 300	14 800	64,7	80,3	15 600	15 500	15 100	13 900		50,0
52,0	60,6	80,1	19 200	17 500	16 000	14 600	63,2	79,0	15 100	15 000	14 800	13 700		52,0
54,0	59,1	78,7	18 700	17 200	15 800	14 400	61,7	77,7	14 700	14 600	14 500	13 500		54,0
56,0	57,5	77,3	18 100	16 800	15 500	14 200	60,2	76,2	14 300	14 200	14 100	13 300		56,0
58,0	56,0	75,8	17 500	16 500	15 200	14 000	58,6	74,7	13 900	13 800	13 700	13 100		58,0
60,0	54,4	74,2	17 000	16 100	14 900	13 800	57,0	73,1	13 500	13 400	13 300	13 000		60,0
62,0	52,7	72,5	16 400	15 800	14 600	13 600	55,3	71,3	13 200	13 100	13 000	12 800		62,0
64,0	51,1	70,7	16 000	15 500	14 400	13 400	53,6	69,5	12 800	12 800	12 700	12 600		64,0
66,0	49,3	68,8	15 500	15 200	14 100	13 100	51,8	67,6	12 500	12 500	12 400	12 300		66,0
68,0	47,6	66,8	15 100	14 900	13 900	12 900	50,0	65,5	12 200	12 200	12 100	12 000		68,0
70,0	45,7	64,6	14 600	14 500	13 600	12 700	48,2	63,3	12 000	11 900	11 800	11 800		70,0
72,0	43,8	62,3	14 200	14 100	13 400	12 500	46,2	60,9	11 700	11 600	11 600	11 500		72,0
74,0	41,9	59,9	13 900	13 700	13 200	12 400	44,2	58,4	11 500	11 400	11 300	11 300		74,0
76,0	39,8	57,2	13 500	13 400	13 000	12 200	42,1	55,7	11 200	11 200	11 100	11 000		76,0
78,0	37,6	54,4	13 200	13 100	12 800	12 000	39,8	52,7	11 000	10 900	10 900	10 800		78,0
80,0	35,3	51,2	12 900	12 800	12 600	11 900	37,5	49,5	10 800	10 700	10 700	10 600		80,0
82,0	32,9	47,8	12 600	12 500	12 400	11 700	34,9	45,9	10 600	10 600	10 500	10 500		82,0
84,0	30,2	44,0	12 300	12 200	12 100	11 600	32,1	42,0	10 400	10 400	10 400	10 300		84,0
86,0	27,2	39,7	12 000	11 900	11 800	11 500	28,9	37,4	10 300	10 300	10 200	10 200		86,0
88,0	23,9	34,7	11 800	11 700	11 600	11 400								88,0

MLC650 S-2






			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,6	100,0	30 700										16,8
18,0	83,9	99,8	30 200										18,0
20,0	82,7	99,4	29 500	24 800	21 400								20,0
22,0	81,5	99,0	28 800	24 200	21 000	18 500	84,3	98,1	25 000				22,0
24,0	80,3	98,6	28 100	23 800	20 600	18 200	83,1	97,6	24 400	21 300			24,0
26,0	79,1	98,1	27 500	23 300	20 300	17 900	81,8	97,1	23 800	21 000	18 400	16 400	26,0
28,0	77,9	97,5	26 900	22 800	19 900	17 700	80,6	96,6	23 200	20 600	18 100	16 200	28,0
30,0	76,7	96,9	26 200	22 400	19 600	17 400	79,4	96,0	22 700	20 200	17 900	16 000	30,0
32,0	75,5	96,3	25 500	22 000	19 200	17 100	78,1	95,3	22 000	19 800	17 600	15 800	32,0
34,0	74,2	95,6	24 800	21 600	18 900	16 800	76,9	94,7	21 200	19 400	17 400	15 600	34,0
36,0	73,0	94,9	24 200	21 200	18 600	16 600	75,6	93,9	20 400	19 100	17 100	15 400	36,0
38,0	71,7	94,1	23 600	20 800	18 300	16 400	74,4	93,1	19 700	18 700	16 900	15 200	38,0
40,0	70,5	93,3	23 000	20 400	18 000	16 100	73,1	92,3	19 000	18 300	16 600	15 000	40,0
42,0	69,2	92,4	22 400	20 000	17 700	15 900	71,8	91,4	18 400	18 000	16 400	14 800	42,0
44,0	67,9	91,5	21 900	19 600	17 500	15 700	70,5	90,5	17 800	17 600	16 100	14 600	44,0
46,0	66,6	90,5	21 400	19 200	17 200	15 400	69,2	89,5	17 200	17 100	15 900	14 400	46,0
48,0	65,3	89,4	20 900	18 800	16 900	15 200	67,8	88,4	16 700	16 600	15 600	14 300	48,0
50,0	63,9	88,3	20 400	18 400	16 700	15 000	66,5	87,3	16 200	16 100	15 400	14 100	50,0
52,0	62,6	87,2	19 900	18 000	16 400	14 800	65,1	86,1	15 700	15 600	15 100	13 900	52,0
54,0	61,2	85,9	19 400	17 700	16 100	14 600	63,7	84,8	15 300	15 200	14 900	13 800	54,0
56,0	59,8	84,6	19 000	17 300	15 900	14 400	62,3	83,5	14 900	14 800	14 600	13 600	56,0
58,0	58,4	83,3	18 500	17 000	15 600	14 200	60,9	82,1	14 500	14 400	14 300	13 400	58,0
60,0	57,0	81,8	17 900	16 700	15 300	14 000	59,4	80,7	14 100	14 000	13 900	13 200	60,0
62,0	55,5	80,3	17 400	16 300	15 100	13 900	57,9	79,1	13 800	13 600	13 600	13 100	62,0
64,0	54,0	78,7	16 900	16 100	14 800	13 700	56,4	77,5	13 400	13 300	13 200	12 900	64,0
66,0	52,5	77,0	16 400	15 800	14 600	13 500	54,8	75,8	13 100	13 000	12 900	12 700	66,0
68,0	50,9	75,2	15 900	15 500	14 300	13 300	53,2	73,9	12 800	12 700	12 600	12 500	68,0
70,0	49,3	73,3	15 500	15 200	14 100	13 100	51,6	72,0	12 500	12 400	12 300	12 300	70,0
72,0	47,6	71,3	15 100	14 900	13 900	12 900	49,9	70,0	12 200	12 100	12 100	12 000	72,0
74,0	45,9	69,2	14 700	14 500	13 600	12 700	48,2	67,8	12 000	11 900	11 800	11 800	74,0
76,0	44,1	66,9	14 300	14 200	13 400	12 500	46,4	65,5	11 700	11 700	11 600	11 500	76,0
78,0	42,3	64,5	14 000	13 800	13 200	12 400	44,5	63,0	11 500	11 400	11 400	11 300	78,0
80,0	40,4	61,9	13 600	13 500	13 100	12 200	42,5	60,3	11 300	11 200	11 100	11 100	80,0
82,0	38,4	59,1	13 300	13 200	12 900	12 100	40,5	57,5	11 100	11 000	10 900	10 900	82,0
84,0	36,3	56,1	13 000	12 900	12 700	11 900	38,3	54,4	10 900	10 800	10 800	10 700	84,0
86,0	34,1	52,9	12 700	12 600	12 500	11 800	36,0	51,1	10 700	10 600	10 600	10 500	86,0
88,0	31,7	49,3	12 400	12 300	12 300	11 700	33,5	47,3	10 500	10 500	10 400	10 400	88,0
90,0	29,1	45,4	12 200	12 100	12 000	11 600	30,8	43,2	10 400	10 300	10 300	10 200	90,0
92,0	26,2	40,9	11 900	11 900	11 800	11 400							92,0
94,0	23,0	35,7	11 700	11 600	11 400	10 900							94,0

MLC650 S-2






			10°				20°						
			300 000 kg				300 000 kg						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,9	106,0	30 700										16,8
18,0	84,3	105,8	30 300										18,0
20,0	83,1	105,5	29 600	24 800									20,0
22,0	82,0	105,1	29 000	24 300	21 000		84,6	104,2	25 200				22,0
24,0	80,9	104,7	28 300	23 900	20 700	18 300	83,5	103,7	24 600				24,0
26,0	79,8	104,2	27 800	23 400	20 300	18 000	82,3	103,3	24 000	21 000	18 400		26,0
28,0	78,6	103,7	27 200	23 000	20 000	17 700	81,2	102,8	23 500	20 600	18 200	16 200	28,0
30,0	77,5	103,2	26 500	22 600	19 700	17 400	80,0	102,2	22 900	20 300	17 900	16 000	30,0
32,0	76,3	102,6	25 900	22 200	19 400	17 200	78,9	101,6	22 400	20 000	17 700	15 800	32,0
34,0	75,2	102,0	25 300	21 800	19 100	17 000	77,7	101,0	21 700	19 600	17 400	15 600	34,0
36,0	74,0	101,3	24 700	21 400	18 800	16 700	76,5	100,3	21 000	19 300	17 200	15 400	36,0
38,0	72,8	100,6	24 100	21 100	18 500	16 500	75,3	99,5	20 300	18 900	17 000	15 200	38,0
40,0	71,7	99,8	23 500	20 700	18 200	16 300	74,1	98,8	19 600	18 600	16 800	15 100	40,0
42,0	70,5	99,0	23 000	20 300	18 000	16 100	72,9	97,9	18 900	18 300	16 500	14 900	42,0
44,0	69,3	98,1	22 400	20 000	17 700	15 800	71,7	97,1	18 300	17 900	16 300	14 700	44,0
46,0	68,1	97,2	21 900	19 600	17 400	15 600	70,5	96,1	17 800	17 600	16 100	14 600	46,0
48,0	66,8	96,2	21 400	19 300	17 200	15 400	69,3	95,1	17 300	17 100	15 900	14 400	48,0
50,0	65,6	95,2	20 900	18 900	16 900	15 200	68,0	94,1	16 800	16 600	15 600	14 200	50,0
52,0	64,3	94,1	20 500	18 500	16 700	15 000	66,7	93,0	16 300	16 200	15 400	14 100	52,0
54,0	63,1	93,0	20 100	18 100	16 400	14 800	65,5	91,9	15 900	15 700	15 200	13 900	54,0
56,0	61,8	91,8	19 600	17 800	16 200	14 700	64,2	90,6	15 400	15 300	14 900	13 800	56,0
58,0	60,5	90,5	19 200	17 500	16 000	14 400	62,8	89,4	15 000	14 900	14 700	13 600	58,0
60,0	59,2	89,2	18 800	17 200	15 700	14 300	61,5	88,0	14 700	14 600	14 500	13 500	60,0
62,0	57,8	87,8	18 300	16 800	15 500	14 100	60,1	86,6	14 300	14 200	14 100	13 300	62,0
64,0	56,5	86,3	17 700	16 500	15 200	13 900	58,8	85,1	14 000	13 900	13 800	13 100	64,0
66,0	55,1	84,8	17 200	16 300	15 000	13 800	57,4	83,6	13 600	13 500	13 500	13 000	66,0
68,0	53,7	83,2	16 800	16 000	14 700	13 600	55,9	81,9	13 300	13 200	13 200	12 800	68,0
70,0	52,2	81,4	16 300	15 700	14 500	13 400	54,4	80,2	13 000	12 900	12 900	12 700	70,0
72,0	50,7	79,7	15 900	15 400	14 300	13 300	52,9	78,4	12 700	12 700	12 600	12 500	72,0
74,0	49,2	77,8	15 500	15 200	14 100	13 100	51,4	76,4	12 500	12 400	12 300	12 300	74,0
76,0	47,7	75,8	15 100	14 900	13 900	12 900	49,8	74,4	12 200	12 100	12 100	12 000	76,0
78,0	46,1	73,7	14 700	14 600	13 700	12 700	48,2	72,3	12 000	11 900	11 900	11 800	78,0
80,0	44,4	71,4	14 400	14 200	13 500	12 600	46,5	70,0	11 700	11 700	11 600	11 600	80,0
82,0	42,7	69,1	14 000	13 900	13 300	12 400	44,7	67,6	11 500	11 500	11 400	11 400	82,0
84,0	40,9	66,5	13 700	13 600	13 100	12 300	42,9	65,0	11 300	11 300	11 200	11 100	84,0
86,0	39,1	63,8	13 400	13 300	12 900	12 100	41,0	62,2	11 100	11 100	11 000	11 000	86,0
88,0	37,1	61,0	13 100	13 000	12 500	11 600	39,1	59,3	10 900	10 900	10 800	10 800	88,0
90,0	35,1	57,9	12 900	12 400	11 600	10 800	37,0	56,0	10 800	10 700	10 700	10 600	90,0
92,0	33,0	54,5	12 600	11 400	10 700	9 900	34,7	52,5	10 600	10 600	10 500	10 300	92,0
94,0	30,6	50,8	12 300	10 500	9 800	9 100	32,3	48,7	10 500	10 400	10 100	9 500	94,0
98,0	25,3	42,1	11 700	8 700	8 100	7 500							98,0
102,0	18,4	30,1	9 500	7 000	6 500	6 000							102,0

MLC650 S-2






			10°				20°						
m	°	m									m		
			0°	1°	2°	3°	0°	1°	2°	3°			
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,3	84,4	111,9	30 300										18,3
20,0	83,5	111,6	29 700	24 800									20,0
22,0	82,5	111,2	29 100	24 400	21 000								22,0
24,0	81,4	110,8	28 500	23 900	20 700		83,8	109,8	24 700				24,0
26,0	80,3	110,4	27 900	23 500	20 400	18 000	82,8	109,4	24 200	21 000	18 400		26,0
28,0	79,3	109,9	27 400	23 100	20 100	17 800	81,7	108,9	23 700	20 700	18 200	16 200	28,0
30,0	78,2	109,4	26 800	22 700	19 800	17 500	80,6	108,4	23 100	20 400	18 000	16 000	30,0
32,0	77,1	108,8	26 300	22 300	19 500	17 300	79,5	107,8	22 700	20 100	17 700	15 800	32,0
34,0	76,0	108,2	25 700	22 000	19 200	17 000	78,4	107,2	22 200	19 800	17 500	15 700	34,0
36,0	74,9	107,6	25 100	21 600	18 900	16 800	77,3	106,6	21 500	19 500	17 300	15 500	36,0
38,0	73,8	106,9	24 600	21 300	18 600	16 600	76,2	105,9	20 800	19 100	17 100	15 300	38,0
40,0	72,7	106,2	24 000	20 900	18 400	16 400	75,1	105,2	20 100	18 800	16 900	15 100	40,0
42,0	71,6	105,4	23 400	20 600	18 100	16 200	73,9	104,4	19 500	18 500	16 700	15 000	42,0
44,0	70,5	104,6	22 900	20 300	17 900	16 000	72,8	103,6	18 900	18 200	16 400	14 800	44,0
46,0	69,3	103,8	22 400	19 900	17 600	15 800	71,7	102,7	18 300	17 900	16 200	14 700	46,0
48,0	68,2	102,9	21 900	19 600	17 400	15 600	70,5	101,8	17 800	17 600	16 000	14 500	48,0
50,0	67,0	101,9	21 500	19 300	17 100	15 400	69,3	100,8	17 300	17 200	15 800	14 400	50,0
52,0	65,9	100,9	21 000	18 900	16 900	15 200	68,2	99,8	16 800	16 700	15 600	14 200	52,0
54,0	64,7	99,8	20 600	18 600	16 700	15 000	67,0	98,7	16 400	16 300	15 400	14 000	54,0
56,0	63,5	98,7	20 200	18 200	16 400	14 800	65,8	97,6	16 000	15 800	15 200	13 900	56,0
58,0	62,3	97,6	19 800	17 900	16 200	14 600	64,5	96,4	15 600	15 500	15 000	13 800	58,0
60,0	61,1	96,3	19 400	17 600	16 000	14 500	63,3	95,2	15 200	15 100	14 800	13 600	60,0
62,0	59,8	95,0	19 000	17 300	15 800	14 300	62,1	93,9	14 800	14 700	14 600	13 500	62,0
64,0	58,6	93,7	18 600	17 000	15 600	14 200	60,8	92,5	14 500	14 400	14 300	13 300	64,0
66,0	57,3	92,3	18 100	16 700	15 300	14 000	59,5	91,1	14 200	14 000	14 000	13 200	66,0
68,0	56,0	90,8	17 600	16 400	15 100	13 800	58,2	89,6	13 800	13 700	13 600	13 000	68,0
70,0	54,7	89,2	17 100	16 100	14 900	13 700	56,8	88,0	13 500	13 400	13 300	12 900	70,0
72,0	53,4	87,6	16 700	15 900	14 600	13 500	55,5	86,4	13 200	13 200	13 100	12 800	72,0
74,0	52,0	85,9	16 300	15 700	14 400	13 400	54,1	84,6	13 000	12 900	12 800	12 600	74,0
76,0	50,6	84,1	15 900	15 400	14 200	13 200	52,7	82,8	12 700	12 600	12 600	12 400	76,0
78,0	49,2	82,2	15 500	15 200	14 000	13 000	51,2	80,9	12 500	12 400	12 300	12 200	78,0
80,0	47,7	80,2	15 100	14 900	13 800	12 900	49,7	78,9	12 200	12 100	12 100	12 000	80,0
82,0	46,2	78,2	14 800	14 600	13 700	12 700	48,2	76,7	12 000	11 900	11 900	11 800	82,0
84,0	44,6	76,0	14 400	14 300	13 200	12 200	46,6	74,5	11 800	11 700	11 600	11 600	84,0
86,0	43,0	73,6	14 100	13 200	12 200	11 200	45,0	72,1	11 600	11 500	11 500	11 400	86,0
88,0	41,4	71,2	13 800	12 200	11 200	10 300	43,3	69,6	11 400	11 300	11 200	11 000	88,0
90,0	39,7	68,5	13 500	11 200	10 300	9 400	41,5	66,9	11 200	11 100	11 000	10 100	90,0
92,0	37,9	65,7	13 200	10 300	9 400	8 600	39,7	64,0	11 000	10 800	10 100	9 200	92,0
94,0	36,0	62,7	12 700	9 300	8 500	7 800	37,8	60,9	10 800	10 000	9 100	8 300	94,0
98,0	31,9	56,0	10 800	7 600	6 900	6 200	33,5	54,0	10 500	8 100	7 400	6 700	98,0
102,0	27,2	48,0	8 800	6 000	5 400	4 700	28,6	45,6	9 300	6 300	5 700	5 100	102,0
106,0	21,5	37,7	6 500	4 400	3 900	3 400							106,0

MLC650 S-2






			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,3	84,7	117,9	30 300	24 800									18,3
20,0	83,9	117,7	29 800	24 300									20,0
22,0	82,9	117,3	29 200	24 300									22,0
24,0	81,8	116,9	28 600	23 900	20 700		84,2	115,9	24 800				24,0
26,0	80,8	116,5	28 100	23 600	20 400	18 000	83,1	115,5	24 300	21 000			26,0
28,0	79,8	116,1	27 500	23 200	20 100	17 700	82,1	115,1	23 800	20 700	18 200		28,0
30,0	78,8	115,6	27 000	22 800	19 800	17 500	81,1	114,6	23 300	20 500	18 000	16 000	30,0
32,0	77,8	115,1	26 500	22 500	19 500	17 300	80,1	114,1	22 900	20 200	17 700	15 800	32,0
34,0	76,8	114,5	26 000	22 100	19 200	17 000	79,0	113,5	22 400	19 900	17 500	15 700	34,0
36,0	75,7	113,9	25 500	21 800	19 000	16 800	78,0	112,9	21 900	19 600	17 300	15 500	36,0
38,0	74,7	113,3	24 900	21 400	18 700	16 600	76,9	112,2	21 200	19 300	17 100	15 300	38,0
40,0	73,7	112,6	24 400	21 100	18 500	16 400	75,9	111,5	20 600	19 000	16 900	15 200	40,0
42,0	72,6	111,9	23 900	20 800	18 200	16 200	74,8	110,8	20 000	18 700	16 700	15 000	42,0
44,0	71,5	111,1	23 400	20 500	18 000	16 000	73,8	110,0	19 400	18 400	16 500	14 800	44,0
46,0	70,5	110,3	22 900	20 200	17 800	15 900	72,7	109,2	18 800	18 100	16 300	14 700	46,0
48,0	69,4	109,4	22 400	19 900	17 500	15 700	71,6	108,4	18 300	17 800	16 200	14 600	48,0
50,0	68,3	108,5	22 000	19 500	17 300	15 500	70,5	107,5	17 800	17 500	16 000	14 400	50,0
52,0	67,2	107,6	21 500	19 200	17 100	15 300	69,4	106,5	17 400	17 200	15 800	14 300	52,0
54,0	66,1	106,6	21 100	18 900	16 900	15 100	68,3	105,5	16 900	16 800	15 600	14 200	54,0
56,0	65,0	105,6	20 700	18 600	16 700	15 000	67,2	104,4	16 500	16 300	15 400	14 000	56,0
58,0	63,9	104,5	20 300	18 300	16 500	14 800	66,0	103,3	16 100	16 000	15 200	13 900	58,0
60,0	62,8	103,3	19 900	18 000	16 200	14 600	64,9	102,2	15 700	15 600	15 000	13 700	60,0
62,0	61,6	102,1	19 600	17 700	16 000	14 500	63,7	101,0	15 300	15 200	14 800	13 600	62,0
64,0	60,4	100,9	19 200	17 400	15 800	14 300	62,5	99,7	15 000	14 900	14 600	13 500	64,0
66,0	59,3	99,6	18 800	17 100	15 600	14 200	61,3	98,4	14 600	14 500	14 400	13 400	66,0
68,0	58,1	98,2	18 400	16 900	15 400	14 000	60,1	97,0	14 300	14 200	14 100	13 200	68,0
70,0	56,9	96,8	17 900	16 600	15 200	13 900	58,9	95,6	14 000	13 900	13 800	13 100	70,0
72,0	55,6	95,3	17 500	16 300	15 000	13 700	57,7	94,0	13 700	13 600	13 600	12 900	72,0
74,0	54,4	93,7	17 100	16 100	14 800	13 600	56,4	92,5	13 500	13 400	13 300	12 800	74,0
76,0	53,1	92,1	16 600	15 800	14 600	13 400	55,1	90,8	13 200	13 100	13 000	12 700	76,0
78,0	51,8	90,4	16 200	15 600	14 300	13 200	53,8	89,1	12 900	12 900	12 800	12 600	78,0
80,0	50,5	88,6	15 900	14 800	13 500	12 300	52,4	87,2	12 700	12 600	12 500	12 400	80,0
82,0	49,1	86,7	15 500	13 600	12 400	11 200	51,0	85,3	12 500	12 400	12 300	12 100	82,0
84,0	47,7	84,7	15 100	12 500	11 400	10 200	49,6	83,3	12 200	12 200	12 100	11 200	84,0
86,0	46,3	82,7	14 800	11 400	10 300	9 300	48,2	81,2	12 000	11 900	11 300	10 200	86,0
88,0	44,8	80,5	14 400	10 400	9 400	8 400	46,7	79,0	11 800	11 300	10 300	9 200	88,0
90,0	43,3	78,2	13 300	9 400	8 400	7 500	45,2	76,7	11 600	10 300	9 300	8 300	90,0
92,0	41,8	75,8	12 200	8 500	7 500	6 600	43,6	74,2	11 400	9 300	8 300	7 400	92,0
94,0	40,2	73,2	11 200	7 600	6 700	5 800	41,9	71,6	11 300	8 300	7 400	6 500	94,0
98,0	36,8	67,6	8 900	5 800	5 100	4 300	38,4	65,8	9 700	6 500	5 700	4 900	98,0
102,0	33,0	61,2	6 600	4 200	3 500		34,6	59,2	7 300	4 800	4 000	3 300	102,0
106,0	28,8	53,6	4 500				30,2	51,3	5 000				106,0

MLC650 S-2





			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	84,9	69,8	24 300c										15,2
16,0	84,2	69,7	23 900c										16,0
18,0	82,5	69,2	22 900	19 300c									18,0
20,0	80,8	68,7	21 900	18 700b	16 200c	14 200c							20,0
22,0	79,0	68,1	20 900	18 100	15 700b	13 900c	83,8	67,3	18 500b				22,0
24,0	77,2	67,4	20 000	17 400	15 300	13 500	82,0	66,6	17 700	15 800	14 000 b		24,0
26,0	75,4	66,7	19 100	16 800	14 800	13 200	80,2	65,8	17 000	15 200	13 600 b	12 300b	26,0
28,0	73,6	65,9	18 300	16 200	14 400	12 800	78,3	65,0	16 300	14 700	13 200	12 000b	28,0
30,0	71,8	65,0	17 400	15 600	13 900	12 500	76,5	64,1	15 600	14 100	12 800	11 600	30,0
32,0	69,9	64,0	16 700	15 000	13 500	12 100	74,6	63,2	15 000	13 600	12 400	11 300	32,0
34,0	68,0	63,0	16 000	14 500	13 100	11 800	72,7	62,1	14 400	13 200	12 000	11 000	34,0
36,0	66,1	61,8	15 300	13 900	12 600	11 500	70,7	61,0	13 700	12 700	11 700	10 700	36,0
38,0	64,1	60,6	14 700	13 400	12 200	11 200	68,7	59,7	13 100	12 300	11 300	10 400	38,0
40,0	62,1	59,3	14 100	12 900	11 800	10 800	66,6	58,4	12 500	11 900	11 000	10 100	40,0
42,0	60,0	57,9	13 500	12 400	11 400	10 500	64,5	56,9	11 900	11 500	10 700	9 900	42,0
44,0	57,9	56,3	13 000	12 000	11 100	10 200	62,4	55,4	11 400	11 100	10 300	9 600	44,0
46,0	55,7	54,7	12 500	11 600	10 700	9 900	60,2	53,7	10 900	10 800	10 000	9 300	46,0
48,0	53,5	52,9	12 000	11 200	10 400	9 700	57,9	51,8	10 500	10 400	9 700	9 100	48,0
50,0	51,1	50,9	11 600	10 800	10 100	9 400	55,4	49,8	10 100	10 000	9 500	8 900	50,0
52,0	48,7	48,8	11 200	10 500	9 800	9 100	52,9	47,7	9 700	9 600	9 200	8 600	52,0
54,0	46,1	46,5	10 800	10 100	9 500	8 900	50,3	45,3	9 300	9 300	9 000	8 400	54,0
56,0	43,4	44,0	10 400	9 800	9 200	8 600	47,5	42,7	9 000	8 900	8 700	8 300	56,0
58,0	40,5	41,2	10 100	9 500	8 900	8 400	44,5	39,8	8 700	8 600	8 500	8 100	58,0
60,0	37,3	38,0	9 800	9 200	8 700	8 200	41,2	36,5	8 400	8 400	8 300	7 900	60,0
62,0	33,9	34,4	9 500	8 900	8 500	8 000	37,6	32,7	8 200	8 100	8 100	7 800	62,0
64,0	30,0	30,2	9 200	8 700	8 300	7 800	33,4	28,2	8 000	7 900	7 800	7 700	64,0
66,0	25,3	25,0	9 000	8 500	8 100	7 700							66,0

MLC650 S-2





	10°							20°						
	m	°	m	300 000 kg				m	°	m	300 000 kg			
				0°	1°	2°	3°				0°	1°	2°	3°
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	
16,8	84,1	75,6	23 800											16,8
18,0	83,1	75,3	23 200											18,0
20,0	81,5	74,8	22 300	18 900	16 300c	14 400c								20,0
22,0	79,9	74,3	21 400	18 300	15 900b	14 000c	84,3	73,4	18 700					22,0
24,0	78,3	73,7	20 500	17 800	15 500	13 700	82,7	72,8	18 000	16 000				24,0
26,0	76,7	73,0	19 700	17 200	15 100	13 400	81,0	72,1	17 300	15 400	13 800	12 400b		26,0
28,0	75,0	72,3	18 900	16 600	14 700	13 100	79,4	71,4	16 600	14 900	13 400	12 100		28,0
30,0	73,4	71,5	18 100	16 000	14 300	12 800	77,7	70,6	16 000	14 400	13 100	11 800		30,0
32,0	71,7	70,6	17 400	15 500	13 900	12 500	76,0	69,7	15 400	14 000	12 700	11 500		32,0
34,0	70,0	69,7	16 700	15 000	13 500	12 100	74,2	68,7	14 900	13 600	12 300	11 200		34,0
36,0	68,2	68,7	16 100	14 500	13 100	11 800	72,5	67,7	14 300	13 100	12 000	11 000		36,0
38,0	66,5	67,6	15 400	14 000	12 700	11 500	70,7	66,6	13 700	12 700	11 700	10 700		38,0
40,0	64,7	66,4	14 900	13 500	12 300	11 200	68,9	65,4	13 100	12 300	11 300	10 400		40,0
42,0	62,9	65,1	14 300	13 100	12 000	10 900	67,0	64,1	12 600	11 900	11 000	10 200		42,0
44,0	61,0	63,8	13 800	12 700	11 600	10 700	65,1	62,8	12 000	11 600	10 700	9 900		44,0
46,0	59,1	62,3	13 300	12 200	11 300	10 400	63,2	61,3	11 600	11 200	10 400	9 700		46,0
48,0	57,1	60,8	12 800	11 900	10 900	10 100	61,2	59,7	11 100	10 900	10 200	9 500		48,0
50,0	55,1	59,1	12 400	11 500	10 600	9 900	59,1	58,0	10 700	10 600	9 900	9 200		50,0
52,0	53,0	57,3	11 900	11 100	10 300	9 600	57,0	56,2	10 300	10 200	9 700	9 000		52,0
54,0	50,9	55,4	11 500	10 800	10 000	9 400	54,8	54,2	10 000	9 900	9 400	8 800		54,0
56,0	48,6	53,3	11 200	10 400	9 800	9 100	52,5	52,0	9 600	9 500	9 200	8 600		56,0
58,0	46,3	51,0	10 800	10 100	9 500	8 900	50,1	49,7	9 300	9 200	9 000	8 400		58,0
60,0	43,8	48,6	10 500	9 800	9 200	8 700	47,6	47,2	9 000	9 000	8 800	8 300		60,0
62,0	41,2	45,9	10 200	9 600	9 000	8 500	44,9	44,4	8 700	8 700	8 600	8 100		62,0
64,0	38,5	42,9	9 900	9 300	8 800	8 300	42,0	41,3	8 500	8 400	8 400	8 000		64,0
66,0	35,5	39,6	9 600	9 100	8 600	8 100	38,9	37,8	8 300	8 200	8 200	7 800		66,0
68,0	32,1	35,8	9 400	8 800	8 400	7 900	35,4	33,8	8 000	8 000	7 900	7 700		68,0
70,0	28,4	31,4	9 100	8 600	8 200	7 800	31,3	29,1	7 900	7 800	7 800	7 600		70,0
72,0	23,9	25,9	9 000	8 500	8 000	7 700								72,0

MLC650 S-2






			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,6	81,7	24 000										16,8
18,0	83,7	81,4	23 400										18,0
20,0	82,2	81,0	22 600	19 100	16 500c								20,0
22,0	80,7	80,5	21 800	18 600	16 100	14 200c							22,0
24,0	79,2	79,9	21 000	18 100	15 700	13 800							24,0
26,0	77,7	79,3	20 200	17 500	15 300	13 500	83,3	79,0	18 200				26,0
28,0	76,2	78,7	19 400	17 000	14 900	13 300	81,8	78,4	17 600	15 600	14 000	12 500b	28,0
30,0	74,7	77,9	18 700	16 500	14 600	13 000	80,2	77,7	17 000	15 200	13 600	12 200	30,0
32,0	73,1	77,1	18 000	16 000	14 200	12 700	78,7	76,9	16 400	14 700	13 200	12 000	32,0
34,0	71,6	76,3	17 300	15 500	13 800	12 400	77,1	76,1	15 800	14 300	12 900	11 700	34,0
36,0	70,0	75,4	16 700	15 000	13 500	12 100	75,5	75,3	15 300	13 900	12 600	11 400	36,0
38,0	68,4	74,4	16 100	14 500	13 100	11 800	73,9	74,3	14 800	13 500	12 300	11 200	38,0
40,0	66,8	73,3	15 500	14 100	12 800	11 600	72,3	73,3	14 300	13 100	12 000	10 900	40,0
42,0	65,2	72,2	15 000	13 600	12 400	11 300	70,7	72,3	13 700	12 700	11 600	10 700	42,0
44,0	63,5	71,0	14 500	13 200	12 000	11 000	69,0	71,1	13 200	12 300	11 300	10 400	44,0
46,0	61,8	69,7	14 000	12 800	11 700	10 800	67,3	69,9	12 600	12 000	11 000	10 200	46,0
48,0	60,0	68,3	13 500	12 400	11 400	10 500	65,6	68,6	12 200	11 700	10 800	10 000	48,0
50,0	58,3	66,8	13 100	12 000	11 100	10 300	63,8	67,2	11 700	11 400	10 500	9 700	50,0
52,0	56,4	65,2	12 600	11 700	10 800	10 000	62,0	65,7	11 300	11 000	10 300	9 500	52,0
54,0	54,6	63,6	12 200	11 400	10 600	9 800	60,1	64,1	10 900	10 700	10 000	9 300	54,0
56,0	52,6	61,8	11 900	11 100	10 300	9 500	58,2	62,3	10 500	10 400	9 800	9 100	56,0
58,0	50,7	59,8	11 500	10 700	10 000	9 300	56,3	60,5	10 200	10 100	9 600	8 900	58,0
60,0	48,6	57,8	11 100	10 400	9 800	9 100	54,2	58,5	9 900	9 800	9 300	8 800	60,0
62,0	46,5	55,6	10 800	10 100	9 500	8 900	52,1	56,4	9 600	9 500	9 200	8 600	62,0
64,0	44,2	53,2	10 500	9 900	9 300	8 700	49,9	54,2	9 300	9 200	8 900	8 400	64,0
66,0	41,9	50,5	10 200	9 600	9 100	8 500	47,6	51,7	9 000	9 000	8 800	8 300	66,0
68,0	39,4	47,7	10 000	9 400	8 900	8 300	45,2	49,0	8 800	8 700	8 600	8 100	68,0
70,0	36,7	44,6	9 700	9 200	8 700	8 200	42,6	46,0	8 500	8 500	8 400	8 000	70,0
72,0	33,8	41,1	9 500	8 900	8 500	8 000	39,9	42,8	8 300	8 300	8 200	7 900	72,0
74,0	30,6	37,1	9 300	8 800	8 300	7 800	36,8	39,1	8 100	8 100	8 000	7 800	74,0
76,0	27,0	32,5	9 100	8 600	8 100	7 700	33,4	34,9	8 000	7 900	7 800	7 700	76,0
78,0	22,7	26,8	8 900	8 500	8 000	7 600	29,5	29,9	7 800	7 800	7 700	7 600	78,0

MLC650 S-2






	10°							20°							
	m	°	m	300 000 kg				m	°	m	300 000 kg				m
				0°	1°	2°	3°				0°	1°	2°	3°	
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg		
16,8	84,9	87,8	24 100											16,8	
18,0	84,1	87,5	23 700											18,0	
20,0	82,7	87,1	22 900	19 300	16 600c									20,0	
22,0	81,4	86,6	22 100	18 800	16 200	14 300c								22,0	
24,0	80,0	86,1	21 300	18 300	15 800	14 000	83,8	85,1	18 400					24,0	
26,0	78,6	85,6	20 600	17 800	15 500	13 700	82,4	84,5	17 800	15 800	14 100			26,0	
28,0	77,2	84,9	19 900	17 300	15 200	13 400	80,9	83,9	17 200	15 400	13 700	12 300		28,0	
30,0	75,8	84,3	19 200	16 800	14 800	13 100	79,5	83,2	16 700	14 900	13 400	12 100		30,0	
32,0	74,4	83,5	18 500	16 300	14 500	12 900	78,1	82,5	16 200	14 500	13 100	11 800		32,0	
34,0	73,0	82,7	17 900	15 900	14 100	12 600	76,6	81,7	15 600	14 100	12 800	11 600		34,0	
36,0	71,5	81,9	17 300	15 400	13 800	12 400	75,2	80,8	15 100	13 700	12 500	11 400		36,0	
38,0	70,0	81,0	16 700	15 000	13 400	12 100	73,7	79,9	14 700	13 400	12 200	11 100		38,0	
40,0	68,6	80,0	16 200	14 500	13 100	11 800	72,2	78,9	14 200	13 000	11 900	10 900		40,0	
42,0	67,1	79,0	15 600	14 100	12 800	11 600	70,7	77,9	13 700	12 700	11 600	10 700		42,0	
44,0	65,5	77,9	15 100	13 700	12 400	11 300	69,1	76,8	13 200	12 400	11 300	10 400		44,0	
46,0	64,0	76,7	14 600	13 300	12 200	11 100	67,5	75,6	12 700	12 000	11 100	10 200		46,0	
48,0	62,4	75,5	14 200	13 000	11 900	10 800	66,0	74,3	12 300	11 700	10 800	10 000		48,0	
50,0	60,8	74,1	13 700	12 600	11 600	10 600	64,3	73,0	11 900	11 400	10 600	9 800		50,0	
52,0	59,2	72,7	13 300	12 300	11 300	10 400	62,7	71,5	11 500	11 100	10 400	9 600		52,0	
54,0	57,5	71,2	12 900	11 900	11 000	10 200	61,0	70,0	11 100	10 900	10 100	9 400		54,0	
56,0	55,8	69,7	12 500	11 600	10 700	9 900	59,2	68,4	10 700	10 600	9 900	9 200		56,0	
58,0	54,1	68,0	12 100	11 300	10 500	9 700	57,5	66,7	10 400	10 300	9 700	9 000		58,0	
60,0	52,3	66,2	11 800	11 000	10 200	9 500	55,6	64,8	10 100	10 000	9 500	8 900		60,0	
62,0	50,5	64,2	11 500	10 700	10 000	9 300	53,8	62,9	9 800	9 700	9 300	8 700		62,0	
64,0	48,5	62,2	11 100	10 400	9 700	9 100	51,8	60,8	9 500	9 400	9 100	8 500		64,0	
66,0	46,6	60,0	10 800	10 200	9 500	8 900	49,8	58,5	9 300	9 200	8 900	8 400		66,0	
68,0	44,5	57,7	10 600	9 900	9 300	8 700	47,7	56,1	9 000	9 000	8 800	8 300		68,0	
70,0	42,4	55,1	10 300	9 700	9 100	8 500	45,4	53,5	8 800	8 700	8 600	8 100		70,0	
72,0	40,1	52,4	10 000	9 400	8 900	8 400	43,1	50,7	8 600	8 500	8 400	8 000		72,0	
74,0	37,7	49,4	9 800	9 200	8 700	8 200	40,6	47,6	8 400	8 300	8 300	7 900		74,0	
76,0	35,1	46,1	9 600	9 000	8 500	8 100	37,9	44,1	8 200	8 100	8 100	7 800		76,0	
78,0	32,4	42,4	9 400	8 800	8 400	7 900	35,0	40,3	8 000	8 000	7 900	7 700		78,0	
80,0	29,3	38,3	9 200	8 700	8 200	7 800	31,7	35,8	7 900	7 800	7 800	7 600		80,0	
82,0	25,8	33,4	9 100	8 600	8 100	7 700	27,9	30,6	7 800	7 700	7 700	7 600		82,0	
84,0	21,6	27,5	8 900	8 400	8 000	7 600								84,0	

MLC650 S-2






			10°				20°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,3	84,3	93,6	23 700										18,3
20,0	83,2	93,2	23 100	19 400									20,0
22,0	81,9	92,8	22 400	18 900	16 300								22,0
24,0	80,7	92,3	21 700	18 500	16 000	14 000	84,2	91,3	18 600				24,0
26,0	79,4	91,8	21 000	18 000	15 600	13 800	82,9	90,7	18 000	15 900	14 100		26,0
28,0	78,1	91,2	20 300	17 600	15 300	13 500	81,6	90,1	17 500	15 500	13 800	12 400	28,0
30,0	76,8	90,6	19 600	17 100	15 000	13 300	80,2	89,5	16 900	15 100	13 600	12 200	30,0
32,0	75,5	89,9	19 000	16 700	14 700	13 000	78,9	88,8	16 400	14 700	13 300	11 900	32,0
34,0	74,1	89,2	18 400	16 200	14 400	12 800	77,6	88,1	16 000	14 400	13 000	11 700	34,0
36,0	72,8	88,4	17 800	15 800	14 000	12 600	76,2	87,3	15 500	14 000	12 700	11 500	36,0
38,0	71,4	87,5	17 200	15 400	13 700	12 300	74,8	86,4	15 000	13 700	12 400	11 300	38,0
40,0	70,1	86,7	16 700	14 900	13 400	12 100	73,5	85,5	14 600	13 300	12 100	11 100	40,0
42,0	68,7	85,7	16 200	14 600	13 100	11 800	72,1	84,6	14 200	13 000	11 900	10 900	42,0
44,0	67,3	84,7	15 700	14 200	12 800	11 600	70,6	83,6	13 700	12 700	11 600	10 600	44,0
46,0	65,9	83,6	15 200	13 800	12 500	11 400	69,2	82,5	13 200	12 300	11 300	10 400	46,0
48,0	64,5	82,5	14 800	13 400	12 200	11 100	67,8	81,3	12 800	12 100	11 100	10 200	48,0
50,0	63,0	81,3	14 300	13 100	11 900	10 900	66,3	80,1	12 400	11 800	10 900	10 100	50,0
52,0	61,5	80,0	13 900	12 800	11 700	10 700	64,8	78,8	12 000	11 500	10 600	9 900	52,0
54,0	60,0	78,7	13 500	12 400	11 400	10 500	63,3	77,4	11 600	11 200	10 400	9 700	54,0
56,0	58,5	77,2	13 100	12 100	11 100	10 200	61,7	76,0	11 200	11 000	10 200	9 500	56,0
58,0	56,9	75,7	12 700	11 800	10 900	10 000	60,1	74,4	10 900	10 700	10 000	9 300	58,0
60,0	55,3	74,1	12 400	11 500	10 600	9 800	58,5	72,8	10 600	10 500	9 800	9 100	60,0
62,0	53,7	72,4	12 000	11 200	10 400	9 600	56,8	71,1	10 300	10 200	9 600	9 000	62,0
64,0	52,0	70,6	11 700	11 000	10 200	9 400	55,1	69,2	10 000	9 900	9 400	8 800	64,0
66,0	50,3	68,7	11 400	10 700	9 900	9 300	53,3	67,3	9 800	9 700	9 300	8 700	66,0
68,0	48,5	66,7	11 100	10 400	9 700	9 100	51,5	65,2	9 500	9 400	9 100	8 500	68,0
70,0	46,7	64,5	10 900	10 200	9 500	8 900	49,7	63,0	9 200	9 200	8 900	8 400	70,0
72,0	44,8	62,2	10 600	9 900	9 300	8 700	47,7	60,6	9 000	9 000	8 800	8 300	72,0
74,0	42,8	59,7	10 300	9 700	9 100	8 600	45,7	58,1	8 800	8 800	8 600	8 100	74,0
76,0	40,7	57,1	10 100	9 500	9 000	8 400	43,5	55,3	8 600	8 600	8 500	8 000	76,0
78,0	38,6	54,2	9 900	9 300	8 800	8 200	41,3	52,4	8 400	8 400	8 300	7 900	78,0
80,0	36,2	51,1	9 700	9 100	8 600	8 100	38,9	49,1	8 300	8 200	8 200	7 800	80,0
82,0	33,8	47,6	9 500	8 900	8 500	8 000	36,3	45,5	8 100	8 100	8 000	7 700	82,0
84,0	31,1	43,8	9 300	8 800	8 300	7 900	33,4	41,5	8 000	7 900	7 800	7 700	84,0
86,0	28,1	39,5	9 200	8 600	8 200	7 800	30,3	36,9	7 800	7 800	7 700	7 600	86,0
88,0	24,7	34,4	9 000	8 500	8 100	7 700							88,0

MLC650 S-2






			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,3	84,7	99,6	23 800										18,3
20,0	83,6	99,3	23 300	19 500									20,0
22,0	82,4	98,9	22 600	19 000	16 400								22,0
24,0	81,3	98,5	21 900	18 600	16 100	14 100							24,0
26,0	80,0	98,0	21 300	18 200	15 800	13 900	83,3	96,9	18 200	16 000			26,0
28,0	78,8	97,4	20 600	17 800	15 500	13 600	82,1	96,3	17 700	15 700	13 900		28,0
30,0	77,6	96,8	20 000	17 400	15 200	13 400	80,9	95,7	17 200	15 300	13 700	12 200	30,0
32,0	76,4	96,2	19 400	16 900	14 900	13 100	79,6	95,1	16 700	14 900	13 400	12 000	32,0
34,0	75,2	95,5	18 800	16 500	14 600	12 900	78,4	94,4	16 200	14 600	13 100	11 800	34,0
36,0	73,9	94,8	18 300	16 100	14 300	12 700	77,1	93,7	15 800	14 200	12 800	11 600	36,0
38,0	72,7	94,0	17 700	15 700	14 000	12 500	75,9	92,9	15 400	13 900	12 600	11 400	38,0
40,0	71,4	93,2	17 200	15 300	13 700	12 300	74,6	92,1	14 900	13 600	12 300	11 200	40,0
42,0	70,1	92,3	16 700	14 900	13 400	12 000	73,3	91,2	14 500	13 300	12 100	11 000	42,0
44,0	68,8	91,4	16 200	14 600	13 100	11 800	72,0	90,2	14 100	12 900	11 800	10 800	44,0
46,0	67,5	90,4	15 800	14 200	12 800	11 600	70,6	89,2	13 700	12 600	11 600	10 600	46,0
48,0	66,2	89,3	15 300	13 800	12 600	11 400	69,3	88,1	13 300	12 400	11 300	10 400	48,0
50,0	64,9	88,2	14 900	13 500	12 300	11 200	67,9	87,0	12 800	12 100	11 100	10 200	50,0
52,0	63,5	87,1	14 400	13 200	12 000	10 900	66,6	85,8	12 400	11 800	10 900	10 100	52,0
54,0	62,1	85,8	14 000	12 900	11 800	10 700	65,2	84,6	12 100	11 600	10 700	9 900	54,0
56,0	60,7	84,5	13 700	12 500	11 500	10 600	63,8	83,3	11 700	11 300	10 500	9 700	56,0
58,0	59,3	83,2	13 300	12 200	11 300	10 300	62,3	81,9	11 400	11 100	10 300	9 500	58,0
60,0	57,9	81,7	13 000	12 000	11 000	10 200	60,8	80,4	11 100	10 800	10 100	9 400	60,0
62,0	56,4	80,2	12 600	11 700	10 800	10 000	59,3	78,8	10 800	10 600	9 900	9 200	62,0
64,0	54,9	78,6	12 300	11 400	10 500	9 800	57,8	77,2	10 500	10 400	9 700	9 100	64,0
66,0	53,4	76,9	12 000	11 200	10 300	9 600	56,3	75,5	10 200	10 100	9 500	8 900	66,0
68,0	51,8	75,1	11 700	10 900	10 100	9 400	54,6	73,6	9 900	9 900	9 400	8 800	68,0
70,0	50,2	73,2	11 400	10 700	9 900	9 200	53,0	71,7	9 700	9 600	9 200	8 600	70,0
72,0	48,5	71,2	11 100	10 400	9 700	9 100	51,3	69,6	9 500	9 400	9 100	8 500	72,0
74,0	46,8	69,0	10 900	10 200	9 500	8 900	49,6	67,4	9 300	9 200	8 900	8 400	74,0
76,0	45,0	66,8	10 600	10 000	9 300	8 700	47,7	65,1	9 000	9 000	8 800	8 300	76,0
78,0	43,2	64,3	10 400	9 700	9 200	8 600	45,9	62,6	8 800	8 800	8 600	8 100	78,0
80,0	41,3	61,7	10 200	9 600	9 000	8 400	43,9	60,0	8 700	8 600	8 500	8 000	80,0
82,0	39,3	59,0	10 000	9 400	8 800	8 300	41,8	57,1	8 500	8 400	8 400	8 000	82,0
84,0	37,2	56,0	9 700	9 200	8 700	8 200	39,6	54,0	8 300	8 300	8 200	7 900	84,0
86,0	34,9	52,7	9 600	9 000	8 500	8 000	37,3	50,6	8 200	8 100	8 000	7 800	86,0
88,0	32,5	49,1	9 400	8 900	8 400	7 900	34,8	46,9	8 000	8 000	7 900	7 700	88,0
90,0	29,9	45,2	9 200	8 700	8 300	7 800	32,0	42,6	7 900	7 800	7 800	7 600	90,0
92,0	27,1	40,7	9 100	8 600	8 200	7 700	29,0	37,8	7 800	7 700	7 700	7 600	92,0
94,0	23,8	35,4	9 000	8 500	8 000	7 700							94,0

MLC650 S-2






		10°						20°							
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
18,3	85,0	105,7	23 900											18,3	
20,0	84,0	105,4	23 400											20,0	
22,0	82,9	105,0	22 700	19 100										22,0	
24,0	81,8	104,6	22 100	18 700	16 100									24,0	
26,0	80,6	104,1	21 500	18 300	15 800	13 900	83,7	103,0	18 300	16 100				26,0	
28,0	79,5	103,6	20 900	17 900	15 500	13 700	82,6	102,5	17 800	15 700	14 000			28,0	
30,0	78,4	103,1	20 300	17 500	15 200	13 400	81,4	102,0	17 300	15 400	13 700	12 300		30,0	
32,0	77,2	102,5	19 800	17 100	15 000	13 200	80,3	101,4	16 900	15 100	13 500	12 100		32,0	
34,0	76,0	101,9	19 200	16 800	14 700	13 000	79,1	100,7	16 500	14 700	13 200	11 900		34,0	
36,0	74,9	101,2	18 700	16 400	14 400	12 800	77,9	100,0	16 000	14 400	13 000	11 700		36,0	
38,0	73,7	100,5	18 200	16 000	14 200	12 600	76,7	99,3	15 600	14 100	12 700	11 500		38,0	
40,0	72,5	99,7	17 600	15 600	13 900	12 400	75,5	98,5	15 200	13 800	12 500	11 300		40,0	
42,0	71,3	98,9	17 100	15 300	13 600	12 200	74,3	97,7	14 800	13 500	12 200	11 100		42,0	
44,0	70,1	98,0	16 700	14 900	13 300	12 000	73,1	96,8	14 500	13 200	12 000	10 900		44,0	
46,0	68,9	97,1	16 200	14 600	13 100	11 800	71,9	95,9	14 100	12 900	11 800	10 800		46,0	
48,0	67,7	96,1	15 800	14 200	12 800	11 600	70,6	94,9	13 700	12 600	11 600	10 600		48,0	
50,0	66,5	95,1	15 400	13 900	12 600	11 400	69,4	93,8	13 300	12 400	11 300	10 400		50,0	
52,0	65,2	94,0	15 000	13 600	12 300	11 200	68,1	92,7	12 900	12 100	11 100	10 200		52,0	
54,0	63,9	92,8	14 600	13 300	12 100	11 000	66,8	91,6	12 500	11 900	10 900	10 100		54,0	
56,0	62,6	91,6	14 200	13 000	11 800	10 800	65,5	90,4	12 200	11 600	10 700	9 900		56,0	
58,0	61,3	90,4	13 800	12 700	11 600	10 600	64,2	89,1	11 800	11 400	10 500	9 800		58,0	
60,0	60,0	89,1	13 500	12 400	11 300	10 400	62,9	87,7	11 500	11 200	10 300	9 600		60,0	
62,0	58,7	87,7	13 100	12 100	11 100	10 200	61,5	86,3	11 200	10 900	10 200	9 400		62,0	
64,0	57,3	86,2	12 800	11 800	10 900	10 100	60,1	84,8	10 900	10 700	10 000	9 300		64,0	
66,0	55,9	84,6	12 500	11 600	10 700	9 900	58,7	83,3	10 600	10 500	9 800	9 200		66,0	
68,0	54,5	83,0	12 200	11 400	10 500	9 700	57,2	81,6	10 400	10 300	9 600	9 000		68,0	
70,0	53,0	81,3	11 900	11 100	10 300	9 500	55,8	79,9	10 100	10 000	9 500	8 900		70,0	
72,0	51,6	79,5	11 700	10 900	10 100	9 400	54,2	78,0	9 900	9 800	9 300	8 700		72,0	
74,0	50,0	77,6	11 400	10 600	9 900	9 200	52,7	76,1	9 700	9 600	9 200	8 600		74,0	
76,0	48,5	75,6	11 100	10 400	9 700	9 100	51,1	74,1	9 500	9 400	9 100	8 500		76,0	
78,0	46,9	73,5	10 900	10 200	9 500	8 900	49,5	71,9	9 200	9 200	8 900	8 400		78,0	
80,0	45,2	71,3	10 700	10 000	9 300	8 800	47,8	69,6	9 100	9 000	8 800	8 300		80,0	
82,0	43,5	68,9	10 400	9 800	9 200	8 600	46,0	67,2	8 800	8 800	8 600	8 200		82,0	
84,0	41,7	66,4	10 200	9 600	9 000	8 500	44,2	64,6	8 700	8 600	8 500	8 100		84,0	
86,0	39,9	63,7	10 000	9 400	8 900	8 300	42,3	61,8	8 500	8 500	8 400	8 000		86,0	
88,0	38,0	60,8	9 800	9 200	8 700	8 200	40,3	58,8	8 400	8 300	8 200	7 900		88,0	
90,0	35,9	57,7	9 700	9 100	8 600	8 100	38,2	55,6	8 200	8 200	8 100	7 800		90,0	
92,0	33,7	54,3	9 500	8 900	8 500	8 000	35,9	52,0	8 100	8 000	8 000	7 700		92,0	
94,0	31,4	50,6	9 300	8 800	8 300	7 900	33,5	48,1	8 000	7 900	7 900	7 700		94,0	
98,0	26,1	41,8	9 100	8 600	8 100	7 700								98,0	
102,0	19,1	29,8	8 800	8 400	8 000	7 600								102,0	

MLC650 S-2






			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
19,8	84,5	111,5	23 500										19,8
20,0	84,3	111,5	23 500										20,0
22,0	83,3	111,1	22 900	19 100									22,0
24,0	82,2	110,7	22 300	18 700	16 100								24,0
26,0	81,2	110,3	21 700	18 400	15 900	13 900	84,1	109,1	18 400				26,0
28,0	80,1	109,8	21 200	18 000	15 600	13 700	83,0	108,7	18 000	15 800			28,0
30,0	79,0	109,3	20 600	17 700	15 300	13 500	81,9	108,1	17 500	15 500	13 800		30,0
32,0	77,9	108,7	20 100	17 300	15 100	13 300	80,8	107,6	17 100	15 200	13 500	12 100	32,0
34,0	76,8	108,1	19 500	17 000	14 800	13 100	79,7	107,0	16 700	14 900	13 300	11 900	34,0
36,0	75,7	107,5	19 000	16 600	14 600	12 900	78,6	106,3	16 300	14 600	13 100	11 800	36,0
38,0	74,6	106,8	18 500	16 200	14 300	12 700	77,5	105,6	15 900	14 300	12 800	11 600	38,0
40,0	73,5	106,1	18 000	15 900	14 100	12 500	76,4	104,9	15 500	14 000	12 600	11 400	40,0
42,0	72,4	105,3	17 600	15 500	13 800	12 300	75,2	104,1	15 100	13 700	12 400	11 200	42,0
44,0	71,3	104,5	17 100	15 200	13 600	12 100	74,1	103,3	14 800	13 400	12 200	11 100	44,0
46,0	70,2	103,7	16 700	14 900	13 300	11 900	73,0	102,4	14 400	13 100	12 000	10 900	46,0
48,0	69,0	102,7	16 200	14 500	13 100	11 700	71,8	101,5	14 100	12 900	11 700	10 700	48,0
50,0	67,9	101,8	15 800	14 200	12 800	11 600	70,6	100,5	13 700	12 600	11 500	10 600	50,0
52,0	66,7	100,8	15 400	13 900	12 600	11 400	69,4	99,5	13 300	12 400	11 300	10 400	52,0
54,0	65,5	99,7	15 100	13 600	12 300	11 200	68,3	98,4	12 900	12 100	11 100	10 200	54,0
56,0	64,3	98,6	14 700	13 300	12 100	11 000	67,0	97,3	12 600	11 900	10 900	10 100	56,0
58,0	63,1	97,4	14 300	13 100	11 900	10 800	65,8	96,1	12 300	11 700	10 800	9 900	58,0
60,0	61,9	96,2	14 000	12 800	11 600	10 700	64,6	94,9	11 900	11 500	10 600	9 800	60,0
62,0	60,6	94,9	13 600	12 500	11 400	10 500	63,3	93,6	11 600	11 200	10 400	9 600	62,0
64,0	59,4	93,6	13 300	12 200	11 200	10 300	62,0	92,2	11 300	11 000	10 200	9 500	64,0
66,0	58,1	92,2	13 000	12 000	11 000	10 100	60,7	90,8	11 100	10 800	10 100	9 300	66,0
68,0	56,8	90,7	12 700	11 700	10 800	10 000	59,4	89,3	10 800	10 600	9 900	9 200	68,0
70,0	55,5	89,1	12 400	11 500	10 600	9 800	58,1	87,7	10 500	10 400	9 700	9 100	70,0
72,0	54,2	87,5	12 200	11 300	10 400	9 600	56,7	86,0	10 300	10 200	9 600	8 900	72,0
74,0	52,8	85,8	11 900	11 000	10 200	9 500	55,3	84,3	10 100	10 000	9 400	8 800	74,0
76,0	51,4	84,0	11 600	10 800	10 100	9 300	53,9	82,4	9 800	9 700	9 300	8 700	76,0
78,0	49,9	82,1	11 400	10 600	9 900	9 200	52,4	80,5	9 600	9 500	9 200	8 600	78,0
80,0	48,5	80,1	11 100	10 400	9 700	9 000	50,9	78,5	9 400	9 400	9 000	8 500	80,0
82,0	47,0	78,0	10 900	10 200	9 500	8 900	49,4	76,4	9 200	9 200	8 900	8 400	82,0
84,0	45,4	75,8	10 700	10 000	9 400	8 700	47,8	74,1	9 100	9 000	8 800	8 300	84,0
86,0	43,8	73,5	10 500	9 800	9 200	8 600	46,2	71,7	8 900	8 800	8 700	8 200	86,0
88,0	42,2	71,0	10 300	9 600	9 100	8 500	44,5	69,2	8 700	8 600	8 600	8 100	88,0
90,0	40,4	68,4	10 100	9 500	8 900	8 400	42,7	66,5	8 600	8 500	8 400	8 000	90,0
92,0	38,6	65,6	9 900	9 300	8 800	8 300	40,8	63,6	8 400	8 400	8 300	7 900	92,0
94,0	36,8	62,6	9 700	9 200	8 600	8 100	38,9	60,5	8 300	8 200	8 200	7 800	94,0
98,0	32,7	55,8	9 400	8 900	8 400	7 900	34,6	53,4	8 000	8 000	7 900	7 700	98,0
102,0	28,0	47,7	9 200	8 600	7 900	7 300	29,7	44,9	7 800	7 800	7 700	7 600	102,0
106,0	22,2	37,3	8 900	7 000	6 500	6 000							106,0

MLC650 S-2





			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
19,8	84,7	117,6	23 600										19,8
20,0	84,6	117,6	23 500										20,0
22,0	83,6	117,2	23 000	19 100									22,0
24,0	82,6	116,8	22 400	18 800									24,0
26,0	81,6	116,4	21 900	18 500	15 900	13 900	84,4	115,2	18 500				26,0
28,0	80,6	116,0	21 400	18 100	15 600	13 700	83,4	114,8	18 100	15 900			28,0
30,0	79,6	115,5	20 900	17 800	15 400	13 500	82,4	114,3	17 700	15 600	13 800		30,0
32,0	78,6	115,0	20 300	17 400	15 100	13 300	81,3	113,8	17 300	15 300	13 600	12 100	32,0
34,0	77,5	114,4	19 800	17 100	14 900	13 100	80,3	113,2	16 800	15 000	13 300	12 000	34,0
36,0	76,5	113,8	19 300	16 800	14 700	12 900	79,2	112,6	16 500	14 700	13 100	11 800	36,0
38,0	75,5	113,2	18 900	16 500	14 400	12 700	78,2	111,9	16 100	14 400	12 900	11 600	38,0
40,0	74,4	112,5	18 400	16 100	14 200	12 600	77,1	111,2	15 700	14 100	12 700	11 500	40,0
42,0	73,4	111,7	17 900	15 800	14 000	12 400	76,1	110,5	15 400	13 900	12 500	11 300	42,0
44,0	72,3	111,0	17 500	15 500	13 700	12 200	75,0	109,7	15 000	13 600	12 300	11 200	44,0
46,0	71,3	110,2	17 100	15 100	13 500	12 100	73,9	108,9	14 700	13 300	12 100	11 000	46,0
48,0	70,2	109,3	16 700	14 800	13 300	11 900	72,8	108,1	14 400	13 100	11 900	10 800	48,0
50,0	69,1	108,4	16 300	14 500	13 000	11 700	71,7	107,1	14 100	12 900	11 700	10 700	50,0
52,0	68,0	107,5	15 900	14 200	12 800	11 500	70,6	106,2	13 700	12 600	11 500	10 500	52,0
54,0	66,9	106,5	15 500	14 000	12 600	11 400	69,5	105,2	13 300	12 400	11 300	10 400	54,0
56,0	65,8	105,4	15 100	13 700	12 300	11 200	68,4	104,1	13 000	12 100	11 100	10 200	56,0
58,0	64,7	104,4	14 800	13 400	12 100	11 000	67,2	103,0	12 600	11 900	10 900	10 100	58,0
60,0	63,5	103,2	14 400	13 100	11 900	10 900	66,1	101,9	12 300	11 700	10 800	9 900	60,0
62,0	62,4	102,0	14 100	12 900	11 700	10 700	64,9	100,7	12 000	11 500	10 600	9 800	62,0
64,0	61,2	100,8	13 800	12 600	11 500	10 500	63,7	99,4	11 700	11 300	10 400	9 700	64,0
66,0	60,0	99,5	13 500	12 400	11 300	10 300	62,5	98,1	11 400	11 100	10 300	9 500	66,0
68,0	58,8	98,1	13 200	12 100	11 100	10 200	61,3	96,7	11 200	10 900	10 100	9 400	68,0
70,0	57,6	96,7	12 900	11 900	10 900	10 000	60,1	95,2	10 900	10 700	10 000	9 300	70,0
72,0	56,4	95,2	12 600	11 700	10 700	9 900	58,8	93,7	10 700	10 500	9 800	9 100	72,0
74,0	55,1	93,6	12 400	11 400	10 500	9 700	57,6	92,1	10 400	10 300	9 700	9 000	74,0
76,0	53,8	92,0	12 100	11 200	10 400	9 600	56,3	90,4	10 200	10 100	9 500	8 900	76,0
78,0	52,5	90,2	11 800	11 000	10 200	9 400	54,9	88,7	10 000	9 900	9 400	8 800	78,0
80,0	51,2	88,4	11 600	10 800	10 000	9 300	53,6	86,9	9 800	9 700	9 300	8 700	80,0
82,0	49,9	86,6	11 400	10 600	9 800	9 100	52,2	84,9	9 600	9 500	9 100	8 500	82,0
84,0	48,5	84,6	11 100	10 400	9 700	9 000	50,8	82,9	9 400	9 300	9 000	8 400	84,0
86,0	47,0	82,5	10 900	10 200	9 500	8 900	49,3	80,8	9 200	9 200	8 900	8 400	86,0
88,0	45,6	80,3	10 700	10 000	9 400	8 800	47,8	78,6	9 100	9 000	8 800	8 200	88,0
90,0	44,1	78,0	10 500	9 900	9 200	8 600	46,3	76,2	8 900	8 800	8 700	8 200	90,0
92,0	42,5	75,6	10 300	9 700	9 100	8 500	44,7	73,7	8 700	8 700	8 600	8 100	92,0
94,0	40,9	73,0	10 200	9 500	9 000	8 400	43,0	71,1	8 600	8 500	8 500	8 000	94,0
98,0	37,5	67,4	9 800	9 100	8 300	7 500	39,5	65,3	8 300	8 300	8 200	7 800	98,0
102,0	33,7	60,9	9 500	7 500	6 700	6 100	35,6	58,6	8 100	8 000	7 300	6 600	102,0
106,0	29,5	53,4	8 700	5 900	5 300	4 700	31,2	50,6	7 900	6 400	5 700	5 100	106,0
110,0	24,5	44,0	6 700	4 500	3 900	3 400							110,0

MLC650 S-2





		10°						20°									
				0°	1°	2°	3°					0°	1°	2°	3°		
		m	°	kg	kg	kg	kg	°	m	kg	kg	kg	kg	kg	m		
19,8	85,0	123,6		23 600													19,8
20,0	84,9	123,6		23 600													20,0
22,0	84,0	123,3		23 000													22,0
24,0	83,0	122,9		22 500	18 800												24,0
26,0	82,0	122,6		22 000	18 500	15 800		84,7	121,3	18 600							26,0
28,0	81,1	122,1		21 500	18 200	15 600	13 700	83,7	120,9	18 200	15 900						28,0
30,0	80,1	121,7		21 100	17 800	15 400	13 500	82,7	120,4	17 800	15 600						30,0
32,0	79,2	121,2		20 600	17 500	15 100	13 300	81,8	119,9	17 400	15 300	13 600	12 100				32,0
34,0	78,2	120,6		20 100	17 200	14 900	13 100	80,8	119,4	17 000	15 100	13 400	11 900	11 200			34,0
36,0	77,2	120,1		19 600	16 900	14 700	13 000	79,8	118,8	16 600	14 800	13 200	11 800	11 000			36,0
38,0	76,2	119,4		19 200	16 600	14 500	12 800	78,8	118,2	16 300	14 500	13 000	11 600	10 200			38,0
40,0	75,2	118,8		18 700	16 300	14 300	12 600	77,8	117,6	15 900	14 300	12 800	11 500	10 000			40,0
42,0	74,2	118,1		18 300	16 000	14 100	12 500	76,8	116,9	15 600	14 000	12 600	11 400	9 800			42,0
44,0	73,2	117,4		17 900	15 700	13 800	12 300	75,8	116,1	15 300	13 800	12 400	11 200	9 600			44,0
46,0	72,2	116,6		17 400	15 400	13 600	12 100	74,8	115,4	15 000	13 500	12 200	11 000	9 400			46,0
48,0	71,2	115,8		17 000	15 100	13 400	12 000	73,7	114,6	14 600	13 300	12 000	10 900	9 200			48,0
50,0	70,2	115,0		16 600	14 800	13 200	11 800	72,7	113,7	14 300	13 000	11 800	10 800	9 000			50,0
52,0	69,2	114,1		16 300	14 500	13 000	11 700	71,7	112,8	14 000	12 800	11 700	10 600	8 800			52,0
54,0	68,1	113,2		15 900	14 200	12 800	11 500	70,6	111,9	13 700	12 600	11 500	10 500	8 600			54,0
56,0	67,1	112,2		15 600	14 000	12 600	11 300	69,6	110,9	13 400	12 300	11 300	10 300	8 400			56,0
58,0	66,0	111,2		15 200	13 700	12 400	11 200	68,5	109,8	13 000	12 100	11 100	10 200	8 200			58,0
60,0	65,0	110,1		14 900	13 500	12 200	11 000	67,4	108,7	12 700	11 900	11 000	10 100	8 000			60,0
62,0	63,9	109,0		14 500	13 200	11 900	10 900	66,3	107,6	12 400	11 700	10 800	9 900	7 800			62,0
64,0	62,8	107,8		14 200	12 900	11 800	10 700	65,2	106,4	12 100	11 500	10 600	9 800	7 600			64,0
66,0	61,7	106,6		13 900	12 700	11 600	10 600	64,1	105,2	11 800	11 300	10 500	9 700	7 400			66,0
68,0	60,6	105,3		13 600	12 500	11 400	10 400	63,0	103,9	11 600	11 200	10 300	9 500	7 200			68,0
70,0	59,5	104,0		13 300	12 200	11 200	10 200	61,8	102,6	11 300	11 000	10 200	9 400	7 000			70,0
72,0	58,3	102,6		13 100	12 000	11 000	10 100	60,7	101,2	11 100	10 800	10 000	9 300	6 800			72,0
74,0	57,2	101,2		12 800	11 800	10 800	10 000	59,5	99,7	10 800	10 600	9 900	9 200	6 600			74,0
76,0	56,0	99,6		12 500	11 600	10 700	9 800	58,3	98,1	10 600	10 500	9 700	9 000	6 400			76,0
78,0	54,8	98,1		12 300	11 400	10 500	9 700	57,1	96,5	10 400	10 300	9 600	8 900	6 200			78,0
80,0	53,6	96,4		12 000	11 200	10 300	9 500	55,8	94,9	10 200	10 100	9 500	8 800	6 000			80,0
82,0	52,3	94,7		11 800	11 000	10 100	9 400	54,6	93,1	10 000	9 900	9 300	8 700	5 800			82,0
84,0	51,1	92,9		11 600	10 800	10 000	9 300	53,3	91,3	9 800	9 700	9 200	8 600	5 600			84,0
86,0	49,8	91,0		11 400	10 600	9 800	9 100	52,0	89,4	9 600	9 500	9 100	8 500	5 400			86,0
88,0	48,4	89,1		11 100	10 400	9 700	9 000	50,6	87,4	9 400	9 300	9 000	8 400	5 200			88,0
90,0	47,1	87,0		10 900	10 200	9 500	8 800	49,3	85,3	9 200	9 200	8 900	8 300	5 000			90,0
92,0	45,7	84,8		10 800	9 900	9 000	8 000	47,8	83,1	9 100	9 000	8 800	8 300	4 800			92,0
94,0	44,3	82,6		10 600	9 100	8 100	7 200	46,4	80,7	8 900	8 900	8 700	8 000	4 600			94,0
98,0	41,3	77,7		10 200	7 300	6 500	5 600	43,3	75,7	8 600	8 200	7 300	6 400	4 200			98,0
102,0	38,1	72,2		8 700	5 700	5 000	4 200	40,1	70,1	8 400	6 500	5 700	4 900	3 800			102,0
106,0	34,7	66,0		6 600	4 200	3 500		36,5	63,6	7 400	4 800	4 100	3 400				106,0
110,0	30,8	58,8		4 600				32,4	56,1	5 300							110,0
114,0								27,7	47,0	3 200							114,0

MLC650 S-2






m	10°						20°						m
	°	m	300 000 kg				°	m	300 000 kg				
			0°	1°	2°	3°			0°	1°	2°	3°	
kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg		
15,2	84,7	76,1	20 500c										15,2
16,0	84,1	75,9	20 100c										16,0
18,0	82,5	75,5	19 200	16 300c									18,0
20,0	81,0	75,0	18 300	15 600b	13 600c	11 800c							20,0
22,0	79,4	74,5	17 400	15 000	13 100b	11 500c							22,0
24,0	77,7	73,9	16 500	14 300	12 600	11 200b	83,2	73,3	13 300				24,0
26,0	76,1	73,2	15 700	13 700	12 100	10 800	81,6	72,6	12 700	11 400	10 300 b	9 400c	26,0
28,0	74,5	72,5	14 900	13 200	11 700	10 500	79,9	71,9	12 100	11 000	10 000	9 100b	28,0
30,0	72,8	71,7	14 200	12 600	11 200	10 100	78,3	71,1	11 600	10 500	9 600	8 800	30,0
32,0	71,1	70,8	13 500	12 100	10 800	9 800	76,6	70,2	11 000	10 100	9 200	8 500	32,0
34,0	69,4	69,9	12 800	11 500	10 400	9 400	74,8	69,3	10 600	9 700	8 900	8 200	34,0
36,0	67,7	68,9	12 200	11 000	10 000	9 100	73,1	68,3	10 100	9 300	8 600	7 900	36,0
38,0	65,9	67,8	11 600	10 600	9 600	8 800	71,3	67,2	9 700	8 900	8 200	7 600	38,0
40,0	64,1	66,6	11 100	10 100	9 200	8 400	69,5	66,0	9 200	8 600	7 900	7 400	40,0
42,0	62,3	65,3	10 500	9 600	8 800	8 100	67,7	64,8	8 800	8 200	7 600	7 100	42,0
44,0	60,5	64,0	10 100	9 200	8 500	7 800	65,8	63,4	8 500	7 900	7 300	6 800	44,0
46,0	58,6	62,5	9 600	8 800	8 200	7 500	63,9	62,0	8 100	7 600	7 100	6 600	46,0
48,0	56,6	61,0	9 200	8 500	7 900	7 300	61,9	60,4	7 800	7 300	6 800	6 400	48,0
50,0	54,6	59,3	8 700	8 100	7 500	7 000	59,9	58,7	7 500	7 000	6 600	6 100	50,0
52,0	52,5	57,5	8 400	7 800	7 200	6 700	57,8	56,9	7 200	6 700	6 300	5 900	52,0
54,0	50,4	55,6	8 000	7 400	6 900	6 500	55,6	55,0	6 900	6 500	6 100	5 700	54,0
56,0	48,2	53,5	7 600	7 100	6 700	6 200	53,4	52,9	6 600	6 300	5 900	5 500	56,0
58,0	45,8	51,3	7 300	6 800	6 400	6 000	51,0	50,7	6 400	6 000	5 700	5 400	58,0
60,0	43,4	48,8	7 000	6 600	6 200	5 800	48,5	48,2	6 200	5 800	5 500	5 200	60,0
62,0	40,8	46,2	6 700	6 300	5 900	5 600	45,9	45,5	5 900	5 600	5 300	5 000	62,0
64,0	38,1	43,2	6 500	6 100	5 700	5 400	43,1	42,5	5 700	5 400	5 200	4 800	64,0
66,0	35,1	39,9	6 200	5 900	5 500	5 200	40,1	39,1	5 600	5 300	5 000	4 700	66,0
68,0	31,8	36,1	6 000	5 700	5 300	5 000	36,7	35,3	5 400	5 100	4 800	4 600	68,0
70,0	28,1	31,8	5 800	5 400	5 100	4 900	32,9	30,9	5 300	5 000	4 700	4 500	70,0
72,0	23,7	26,4	5 600	5 300	5 000	4 700							72,0

MLC650 S-2






	10°								20°							
			300 000 kg						300 000 kg							
	m	°	m	0° kg	1° kg	2° kg	3° kg	°	m	0° kg	1° kg	2° kg	3° kg	m		
16,8	84,0	81,9	20 000 ^b											16,8		
18,0	83,1	81,6	19 500											18,0		
20,0	81,6	81,2	18 600	15 800 ^b	13 700 ^c									20,0		
22,0	80,2	80,7	17 800	15 200	13 300 ^b	11 700 ^c								22,0		
24,0	78,7	80,1	17 000	14 700	12 900	11 400	83,8	79,4	13 500					24,0		
26,0	77,2	79,5	16 200	14 100	12 400	11 100	82,3	78,8	13 000	11 700	10 500 ^b			26,0		
28,0	75,7	78,8	15 500	13 600	12 000	10 700	80,7	78,2	12 400	11 200	10 100	9 200 ^b		28,0		
30,0	74,2	78,1	14 800	13 000	11 600	10 400	79,2	77,4	11 900	10 800	9 800	8 900		30,0		
32,0	72,6	77,3	14 100	12 500	11 200	10 000	77,7	76,6	11 400	10 400	9 400	8 600		32,0		
34,0	71,1	76,5	13 400	12 000	10 800	9 700	76,1	75,8	10 900	10 000	9 100	8 400		34,0		
36,0	69,5	75,5	12 800	11 500	10 400	9 400	74,5	74,9	10 500	9 600	8 800	8 100		36,0		
38,0	67,9	74,6	12 300	11 100	10 000	9 100	72,9	73,9	10 000	9 200	8 500	7 800		38,0		
40,0	66,3	73,5	11 700	10 600	9 700	8 800	71,3	72,8	9 600	8 900	8 200	7 600		40,0		
42,0	64,7	72,4	11 200	10 200	9 300	8 500	69,6	71,7	9 300	8 500	7 900	7 400		42,0		
44,0	63,0	71,2	10 700	9 800	9 000	8 200	67,9	70,5	8 900	8 200	7 600	7 100		44,0		
46,0	61,3	69,9	10 200	9 400	8 600	8 000	66,2	69,2	8 500	7 900	7 400	6 900		46,0		
48,0	59,6	68,5	9 800	9 000	8 300	7 700	64,5	67,8	8 200	7 700	7 100	6 700		48,0		
50,0	57,8	67,0	9 400	8 700	8 000	7 400	62,7	66,3	7 900	7 400	6 900	6 400		50,0		
52,0	56,0	65,5	9 000	8 300	7 700	7 200	60,8	64,8	7 600	7 100	6 700	6 300		52,0		
54,0	54,1	63,8	8 700	8 000	7 400	6 900	58,9	63,1	7 300	6 900	6 500	6 000		54,0		
56,0	52,2	62,0	8 300	7 700	7 200	6 700	57,0	61,3	7 100	6 600	6 200	5 900		56,0		
58,0	50,2	60,1	8 000	7 400	6 900	6 500	55,0	59,4	6 800	6 400	6 000	5 700		58,0		
60,0	48,2	58,0	7 600	7 100	6 700	6 200	52,9	57,3	6 600	6 200	5 800	5 500		60,0		
62,0	46,0	55,8	7 300	6 900	6 400	6 000	50,8	55,1	6 400	6 000	5 700	5 300		62,0		
64,0	43,8	53,4	7 100	6 600	6 200	5 800	48,5	52,7	6 200	5 800	5 500	5 200		64,0		
66,0	41,5	50,8	6 800	6 400	6 000	5 600	46,1	50,0	6 000	5 600	5 300	5 000		66,0		
68,0	39,0	48,0	6 500	6 100	5 800	5 400	43,6	47,2	5 800	5 500	5 200	4 900		68,0		
70,0	36,3	44,9	6 300	5 900	5 600	5 300	40,9	44,0	5 600	5 300	5 000	4 800		70,0		
72,0	33,5	41,4	6 100	5 700	5 400	5 100	38,0	40,5	5 500	5 200	4 900	4 600		72,0		
74,0	30,3	37,5	5 900	5 600	5 200	4 900	34,7	36,5	5 300	5 000	4 800	4 500		74,0		
76,0	26,8	32,9	5 700	5 400	5 100	4 800	31,1	31,7	5 200	4 900	4 700	4 400		76,0		
78,0	22,5	27,3	5 500	5 200	5 000	4 700								78,0		

MLC650 S-2





			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,4	87,9	20 200										16,8
18,0	83,6	87,7	19 700										18,0
20,0	82,2	87,3	18 900	16 100	13 800c								20,0
22,0	80,9	86,8	18 100	15 500	13 400b	11 700c							22,0
24,0	79,5	86,3	17 400	14 900	13 100	11 500	84,2	85,6	13 700				24,0
26,0	78,1	85,8	16 700	14 400	12 700	11 200	82,8	85,0	13 200	11 800	10 600 b		26,0
28,0	76,7	85,1	15 900	13 900	12 300	10 900	81,4	84,4	12 600	11 400	10 300	9 300b	28,0
30,0	75,3	84,5	15 300	13 400	11 900	10 600	80,0	83,7	12 100	11 000	10 000	9 000	30,0
32,0	73,9	83,7	14 600	12 900	11 500	10 300	78,6	83,0	11 700	10 600	9 600	8 800	32,0
34,0	72,5	83,0	14 000	12 400	11 100	10 000	77,1	82,2	11 200	10 200	9 300	8 500	34,0
36,0	71,0	82,1	13 400	12 000	10 800	9 700	75,7	81,4	10 800	9 900	9 000	8 300	36,0
38,0	69,6	81,2	12 900	11 500	10 400	9 400	74,2	80,5	10 400	9 500	8 800	8 000	38,0
40,0	68,1	80,2	12 300	11 100	10 000	9 100	72,7	79,5	10 000	9 200	8 500	7 800	40,0
42,0	66,6	79,2	11 800	10 700	9 700	8 800	71,2	78,5	9 600	8 900	8 200	7 600	42,0
44,0	65,1	78,1	11 300	10 300	9 400	8 600	69,7	77,4	9 300	8 600	7 900	7 400	44,0
46,0	63,6	76,9	10 900	9 900	9 100	8 300	68,1	76,2	8 900	8 300	7 700	7 100	46,0
48,0	62,0	75,7	10 400	9 600	8 800	8 000	66,5	75,0	8 600	8 000	7 400	6 900	48,0
50,0	60,4	74,4	10 000	9 200	8 500	7 800	64,9	73,6	8 300	7 700	7 200	6 700	50,0
52,0	58,8	73,0	9 600	8 900	8 200	7 500	63,3	72,2	8 000	7 500	7 000	6 500	52,0
54,0	57,1	71,5	9 200	8 500	7 900	7 300	61,6	70,7	7 700	7 200	6 800	6 300	54,0
56,0	55,4	69,9	8 900	8 200	7 600	7 100	59,9	69,1	7 500	7 000	6 600	6 100	56,0
58,0	53,7	68,2	8 500	7 900	7 400	6 800	58,1	67,5	7 200	6 800	6 400	5 900	58,0
60,0	51,9	66,4	8 200	7 700	7 100	6 600	56,3	65,7	7 000	6 600	6 200	5 800	60,0
62,0	50,1	64,5	7 900	7 400	6 900	6 400	54,5	63,7	6 800	6 400	6 000	5 600	62,0
64,0	48,2	62,5	7 600	7 100	6 600	6 200	52,6	61,7	6 500	6 200	5 800	5 500	64,0
66,0	46,2	60,3	7 400	6 900	6 400	6 000	50,6	59,5	6 300	6 000	5 600	5 300	66,0
68,0	44,2	58,0	7 100	6 600	6 200	5 800	48,5	57,1	6 200	5 800	5 500	5 200	68,0
70,0	42,0	55,5	6 900	6 400	6 000	5 600	46,3	54,6	6 000	5 600	5 300	5 000	70,0
72,0	39,8	52,7	6 600	6 200	5 800	5 500	44,0	51,8	5 800	5 500	5 200	4 900	72,0
74,0	37,4	49,8	6 400	6 000	5 700	5 300	41,6	48,8	5 700	5 400	5 100	4 800	74,0
76,0	34,8	46,5	6 200	5 800	5 500	5 200	39,0	45,5	5 500	5 200	4 900	4 700	76,0
78,0	32,1	42,9	6 000	5 600	5 300	5 000	36,2	41,8	5 400	5 100	4 800	4 600	78,0
80,0	29,1	38,8	5 800	5 500	5 200	4 900	33,0	37,6	5 300	5 000	4 700	4 500	80,0
82,0	25,6	34,0	5 600	5 300	5 000	4 800	29,4	32,6	5 200	4 900	4 700	4 400	82,0
84,0	21,5	28,2	5 500	5 200	4 900	4 700							84,0

MLC650 S-2





			10°				20°						
			300 000 kg				300 000 kg						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	84,8	94,0	20 400										16,8
18,0	84,0	93,8	19 900										18,0
20,0	82,8	93,4	19 200	16 200									20,0
22,0	81,5	93,0	18 400	15 700	13 600								22,0
24,0	80,2	92,5	17 700	15 200	13 200	11 600							24,0
26,0	78,9	92,0	17 000	14 700	12 900	11 300	83,3	91,1	13 300	11 900			26,0
28,0	77,6	91,4	16 400	14 200	12 500	11 100	82,0	90,6	12 800	11 500	10 400		28,0
30,0	76,3	90,8	15 700	13 700	12 100	10 800	80,7	90,0	12 400	11 200	10 100	9 100	30,0
32,0	75,0	90,1	15 100	13 300	11 800	10 500	79,4	89,3	11 900	10 800	9 800	8 900	32,0
34,0	73,7	89,4	14 500	12 800	11 400	10 200	78,0	88,6	11 500	10 400	9 500	8 700	34,0
36,0	72,4	88,6	13 900	12 400	11 100	9 900	76,7	87,8	11 100	10 100	9 200	8 400	36,0
38,0	71,0	87,7	13 400	11 900	10 700	9 600	75,3	86,9	10 700	9 800	9 000	8 200	38,0
40,0	69,6	86,8	12 900	11 500	10 400	9 400	74,0	86,1	10 300	9 400	8 700	8 000	40,0
42,0	68,3	85,9	12 400	11 100	10 100	9 100	72,6	85,1	9 900	9 200	8 400	7 800	42,0
44,0	66,9	84,9	11 900	10 700	9 800	8 900	71,2	84,1	9 600	8 900	8 200	7 600	44,0
46,0	65,5	83,8	11 400	10 400	9 400	8 600	69,7	83,0	9 300	8 600	7 900	7 400	46,0
48,0	64,0	82,7	11 000	10 000	9 200	8 400	68,3	81,9	8 900	8 300	7 700	7 100	48,0
50,0	62,6	81,5	10 600	9 700	8 900	8 100	66,8	80,7	8 700	8 000	7 500	6 900	50,0
52,0	61,1	80,2	10 200	9 300	8 600	7 900	65,3	79,4	8 400	7 800	7 300	6 800	52,0
54,0	59,6	78,9	9 800	9 000	8 300	7 700	63,8	78,0	8 100	7 600	7 000	6 600	54,0
56,0	58,1	77,4	9 400	8 700	8 000	7 400	62,3	76,6	7 800	7 300	6 800	6 400	56,0
58,0	56,5	75,9	9 100	8 400	7 800	7 200	60,7	75,1	7 600	7 100	6 600	6 200	58,0
60,0	54,9	74,3	8 800	8 200	7 600	7 000	59,1	73,5	7 300	6 900	6 500	6 100	60,0
62,0	53,3	72,6	8 500	7 900	7 300	6 800	57,4	71,8	7 100	6 700	6 300	5 900	62,0
64,0	51,6	70,9	8 200	7 600	7 100	6 600	55,7	70,0	6 900	6 500	6 100	5 700	64,0
66,0	49,9	69,0	7 900	7 400	6 900	6 400	54,0	68,1	6 700	6 300	5 900	5 600	66,0
68,0	48,2	66,9	7 600	7 100	6 700	6 200	52,2	66,0	6 500	6 200	5 800	5 400	68,0
70,0	46,3	64,8	7 400	6 900	6 500	6 000	50,4	63,9	6 300	6 000	5 600	5 300	70,0
72,0	44,4	62,5	7 100	6 700	6 300	5 900	48,4	61,6	6 100	5 800	5 500	5 200	72,0
74,0	42,5	60,0	6 900	6 500	6 100	5 700	46,4	59,1	6 000	5 700	5 300	5 100	74,0
76,0	40,4	57,4	6 700	6 300	5 900	5 500	44,3	56,4	5 800	5 500	5 200	4 900	76,0
78,0	38,2	54,5	6 500	6 100	5 700	5 400	42,1	53,5	5 700	5 400	5 100	4 800	78,0
80,0	35,9	51,4	6 300	5 900	5 600	5 200	39,8	50,3	5 500	5 300	5 000	4 700	80,0
82,0	33,5	48,0	6 100	5 700	5 400	5 100	37,3	46,8	5 400	5 200	4 900	4 600	82,0
84,0	30,8	44,2	5 900	5 600	5 300	5 000	34,5	43,0	5 300	5 000	4 800	4 500	84,0
86,0	27,9	39,9	5 700	5 400	5 100	4 900	31,5	38,6	5 200	4 900	4 700	4 500	86,0
88,0	24,5	34,9	5 600	5 300	5 000	4 800	28,0	33,4	5 100	4 900	4 600	4 400	88,0
90,0	20,6	28,9	5 500	5 200	4 900	4 600							90,0

MLC650 S-2






m	10°							20°							m
	°	m	kg				°	m	kg						
			0°	1°	2°	3°			0°	1°	2°	3°			
18,3	84,2	99,8	20 000											18,3	
20,0	83,2	99,5	19 400	16 300										20,0	
22,0	82,0	99,1	18 700	15 900	13 700									22,0	
24,0	80,8	98,6	18 000	15 400	13 400	11 600								24,0	
26,0	79,6	98,2	17 400	14 900	13 000	11 400	83,7	97,3	13 500	12 000				26,0	
28,0	78,4	97,6	16 700	14 500	12 700	11 200	82,5	96,8	13 000	11 700	10 500			28,0	
30,0	77,2	97,0	16 100	14 000	12 300	11 000	81,3	96,2	12 600	11 300	10 200	9 200		30,0	
32,0	76,0	96,4	15 500	13 600	12 000	10 700	80,1	95,5	12 100	11 000	9 900	9 000		32,0	
34,0	74,7	95,7	15 000	13 200	11 600	10 400	78,8	94,9	11 700	10 600	9 700	8 800		34,0	
36,0	73,5	95,0	14 400	12 700	11 300	10 200	77,6	94,1	11 300	10 300	9 400	8 600		36,0	
38,0	72,2	94,2	13 800	12 300	11 000	9 900	76,3	93,4	10 900	10 000	9 100	8 400		38,0	
40,0	71,0	93,4	13 300	11 900	10 700	9 600	75,0	92,5	10 600	9 700	8 900	8 100		40,0	
42,0	69,7	92,5	12 900	11 500	10 400	9 400	73,7	91,7	10 200	9 400	8 600	7 900		42,0	
44,0	68,4	91,6	12 400	11 200	10 100	9 100	72,4	90,7	9 900	9 100	8 400	7 700		44,0	
46,0	67,1	90,6	12 000	10 800	9 800	8 900	71,1	89,7	9 600	8 800	8 200	7 600		46,0	
48,0	65,8	89,5	11 500	10 500	9 500	8 600	69,8	88,7	9 300	8 600	8 000	7 300		48,0	
50,0	64,5	88,4	11 100	10 100	9 200	8 400	68,4	87,6	9 000	8 300	7 700	7 100		50,0	
52,0	63,1	87,3	10 700	9 800	9 000	8 200	67,1	86,4	8 700	8 100	7 500	7 000		52,0	
54,0	61,7	86,0	10 400	9 500	8 700	8 000	65,7	85,2	8 400	7 900	7 300	6 800		54,0	
56,0	60,3	84,7	10 000	9 200	8 400	7 800	64,3	83,9	8 200	7 600	7 100	6 600		56,0	
58,0	58,9	83,4	9 600	8 900	8 200	7 500	62,8	82,5	7 900	7 400	6 900	6 400		58,0	
60,0	57,5	81,9	9 300	8 600	7 900	7 400	61,4	81,0	7 700	7 200	6 700	6 300		60,0	
62,0	56,0	80,4	9 000	8 300	7 700	7 200	59,9	79,5	7 500	7 000	6 600	6 100		62,0	
64,0	54,5	78,8	8 700	8 100	7 500	6 900	58,4	77,9	7 200	6 800	6 400	6 000		64,0	
66,0	53,0	77,1	8 400	7 800	7 300	6 700	56,8	76,2	7 000	6 600	6 200	5 800		66,0	
68,0	51,4	75,3	8 100	7 600	7 100	6 600	55,3	74,4	6 900	6 400	6 100	5 700		68,0	
70,0	49,8	73,4	7 900	7 300	6 800	6 400	53,6	72,5	6 700	6 300	5 900	5 500		70,0	
72,0	48,2	71,4	7 600	7 100	6 700	6 200	51,9	70,5	6 500	6 100	5 800	5 400		72,0	
74,0	46,5	69,3	7 400	6 900	6 500	6 100	50,2	68,3	6 300	6 000	5 600	5 300		74,0	
76,0	44,7	67,0	7 200	6 700	6 300	5 900	48,4	66,0	6 200	5 800	5 500	5 200		76,0	
78,0	42,9	64,6	6 900	6 500	6 100	5 700	46,6	63,6	6 000	5 700	5 400	5 100		78,0	
80,0	41,0	62,0	6 700	6 300	5 900	5 600	44,6	61,0	5 900	5 500	5 200	4 900		80,0	
82,0	39,0	59,3	6 500	6 100	5 800	5 400	42,6	58,2	5 700	5 400	5 100	4 800		82,0	
84,0	36,9	56,3	6 300	6 000	5 600	5 300	40,5	55,2	5 600	5 300	5 000	4 700		84,0	
86,0	34,7	53,1	6 200	5 800	5 500	5 200	38,2	51,9	5 500	5 200	4 900	4 700		86,0	
88,0	32,3	49,5	6 000	5 700	5 400	5 000	35,8	48,2	5 400	5 100	4 800	4 600		88,0	
90,0	29,7	45,6	5 800	5 500	5 200	4 900	33,1	44,2	5 300	5 000	4 700	4 500		90,0	
92,0	26,8	41,1	5 700	5 400	5 100	4 800	30,1	39,6	5 200	4 900	4 700	4 400		92,0	
94,0	23,6	36,0	5 600	5 300	5 000	4 700	26,7	34,2	5 100	4 900	4 600	4 400		94,0	

MLC650 S-2






			10°				20°									
			300 000 kg				300 000 kg									
			0°	1°	2°	3°				0°	1°	2°	3°			
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m			
18,3	84,6	105,9	20 100										18,3			
20,0	83,6	105,6	19 600	16 400									20,0			
22,0	82,5	105,2	18 900	16 000									22,0			
24,0	81,4	104,8	18 300	15 500	13 400								24,0			
26,0	80,2	104,3	17 700	15 100	13 200	11 500	84,1	103,4	13 600				26,0			
28,0	79,1	103,8	17 100	14 700	12 800	11 300	83,0	102,9	13 200	11 800			28,0			
30,0	78,0	103,3	16 500	14 200	12 500	11 000	81,8	102,4	12 700	11 500	10 300		30,0			
32,0	76,8	102,7	15 900	13 800	12 200	10 800	80,7	101,8	12 300	11 100	10 000	9 100	32,0			
34,0	75,7	102,0	15 300	13 400	11 800	10 600	79,5	101,2	11 900	10 800	9 800	8 900	34,0			
36,0	74,5	101,4	14 800	13 000	11 500	10 300	78,3	100,5	11 500	10 500	9 500	8 700	36,0			
38,0	73,3	100,6	14 300	12 600	11 200	10 100	77,1	99,8	11 200	10 200	9 300	8 500	38,0			
40,0	72,1	99,9	13 800	12 200	10 900	9 800	75,9	99,0	10 800	9 900	9 000	8 300	40,0			
42,0	70,9	99,1	13 300	11 900	10 600	9 600	74,7	98,2	10 500	9 600	8 800	8 100	42,0			
44,0	69,7	98,2	12 900	11 500	10 400	9 400	73,5	97,3	10 200	9 400	8 600	7 900	44,0			
46,0	68,5	97,3	12 400	11 200	10 100	9 100	72,3	96,4	9 900	9 100	8 400	7 700	46,0			
48,0	67,3	96,3	12 000	10 800	9 800	8 900	71,1	95,4	9 600	8 800	8 200	7 500	48,0			
50,0	66,1	95,3	11 600	10 500	9 500	8 700	69,8	94,4	9 300	8 600	7 900	7 300	50,0			
52,0	64,8	94,2	11 200	10 200	9 300	8 500	68,6	93,3	9 000	8 300	7 700	7 100	52,0			
54,0	63,6	93,1	10 800	9 900	9 000	8 300	67,3	92,1	8 700	8 100	7 500	7 000	54,0			
56,0	62,3	91,9	10 500	9 600	8 800	8 100	66,0	90,9	8 500	7 900	7 300	6 800	56,0			
58,0	61,0	90,6	10 100	9 300	8 500	7 800	64,7	89,7	8 200	7 700	7 200	6 700	58,0			
60,0	59,7	89,3	9 800	9 000	8 300	7 600	63,3	88,4	8 000	7 500	7 000	6 500	60,0			
62,0	58,3	87,9	9 500	8 700	8 100	7 400	62,0	87,0	7 800	7 300	6 800	6 400	62,0			
64,0	57,0	86,4	9 200	8 500	7 800	7 200	60,6	85,5	7 600	7 100	6 600	6 200	64,0			
66,0	55,6	84,9	8 900	8 200	7 600	7 100	59,2	83,9	7 400	6 900	6 500	6 100	66,0			
68,0	54,2	83,3	8 600	8 000	7 400	6 900	57,8	82,3	7 200	6 700	6 300	5 900	68,0			
70,0	52,7	81,6	8 400	7 800	7 200	6 700	56,3	80,6	7 000	6 600	6 200	5 800	70,0			
72,0	51,2	79,8	8 100	7 500	7 000	6 500	54,8	78,8	6 800	6 400	6 000	5 700	72,0			
74,0	49,7	77,9	7 900	7 300	6 800	6 400	53,3	76,9	6 600	6 200	5 900	5 500	74,0			
76,0	48,2	75,9	7 600	7 100	6 700	6 200	51,7	74,9	6 500	6 100	5 700	5 400	76,0			
78,0	46,6	73,8	7 400	6 900	6 500	6 000	50,1	72,8	6 300	6 000	5 600	5 300	78,0			
80,0	44,9	71,6	7 200	6 700	6 300	5 900	48,4	70,5	6 200	5 800	5 500	5 200	80,0			
82,0	43,2	69,2	7 000	6 500	6 200	5 700	46,7	68,1	6 000	5 700	5 400	5 100	82,0			
84,0	41,4	66,7	6 800	6 400	6 000	5 600	44,9	65,6	5 900	5 600	5 300	5 000	84,0			
86,0	39,6	64,0	6 600	6 200	5 800	5 500	43,0	62,8	5 700	5 400	5 100	4 900	86,0			
88,0	37,7	61,1	6 400	6 000	5 700	5 300	41,0	59,9	5 600	5 300	5 000	4 800	88,0			
90,0	35,6	58,0	6 200	5 900	5 500	5 200	39,0	56,8	5 500	5 200	4 900	4 700	90,0			
92,0	33,5	54,7	6 100	5 700	5 400	5 100	36,8	53,3	5 400	5 100	4 900	4 600	92,0			
94,0	31,2	51,0	5 900	5 600	5 300	5 000	34,4	49,6	5 300	5 000	4 800	4 500	94,0			
98,0	25,9	42,3	5 600	5 400	5 100	4 800	28,9	40,6	5 200	4 900	4 700	4 400	98,0			
102,0	19,0	30,5	5 500	5 200	4 900	4 600							102,0			

MLC650 S-2





			10°				20°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,3	84,9	111,9	20 200										18,3
20,0	84,0	111,7	19 700										20,0
22,0	82,9	111,3	19 100	16 100									22,0
24,0	81,8	110,9	18 500	15 600	13 400								24,0
26,0	80,8	110,5	17 900	15 200	13 200	11 400	84,4	109,5	13 700				26,0
28,0	79,7	110,0	17 300	14 800	12 900	11 300	83,4	109,1	13 300	11 900			28,0
30,0	78,6	109,5	16 800	14 400	12 600	11 100	82,3	108,6	12 900	11 600	10 400		30,0
32,0	77,5	108,9	16 200	14 000	12 300	10 900	81,2	108,0	12 500	11 200	10 100	9 100	32,0
34,0	76,5	108,3	15 700	13 700	12 000	10 700	80,1	107,4	12 100	10 900	9 900	9 000	34,0
36,0	75,4	107,7	15 200	13 300	11 700	10 500	79,0	106,8	11 700	10 600	9 600	8 800	36,0
38,0	74,3	107,0	14 700	12 900	11 400	10 200	77,9	106,1	11 400	10 400	9 400	8 600	38,0
40,0	73,2	106,3	14 200	12 500	11 100	10 000	76,8	105,4	11 100	10 100	9 200	8 400	40,0
42,0	72,0	105,5	13 700	12 200	10 900	9 800	75,6	104,6	10 700	9 800	9 000	8 200	42,0
44,0	70,9	104,7	13 300	11 900	10 600	9 500	74,5	103,8	10 400	9 500	8 800	8 000	44,0
46,0	69,8	103,9	12 900	11 500	10 300	9 300	73,4	102,9	10 100	9 300	8 500	7 800	46,0
48,0	68,7	102,9	12 500	11 200	10 100	9 100	72,2	102,0	9 800	9 100	8 300	7 700	48,0
50,0	67,5	102,0	12 100	10 900	9 800	8 900	71,0	101,1	9 600	8 800	8 100	7 500	50,0
52,0	66,3	101,0	11 700	10 600	9 600	8 700	69,9	100,0	9 300	8 600	7 900	7 300	52,0
54,0	65,2	99,9	11 300	10 300	9 300	8 500	68,7	99,0	9 000	8 400	7 700	7 200	54,0
56,0	64,0	98,8	11 000	10 000	9 100	8 300	67,5	97,9	8 800	8 100	7 600	7 000	56,0
58,0	62,8	97,6	10 600	9 700	8 800	8 100	66,3	96,7	8 500	8 000	7 400	6 800	58,0
60,0	61,5	96,4	10 300	9 400	8 600	7 900	65,0	95,5	8 300	7 700	7 200	6 700	60,0
62,0	60,3	95,1	10 000	9 100	8 400	7 700	63,8	94,2	8 100	7 500	7 000	6 500	62,0
64,0	59,1	93,8	9 700	8 900	8 200	7 500	62,5	92,8	7 900	7 400	6 900	6 400	64,0
66,0	57,8	92,4	9 400	8 600	8 000	7 300	61,2	91,4	7 700	7 200	6 700	6 200	66,0
68,0	56,5	90,9	9 100	8 400	7 800	7 200	59,9	89,9	7 500	7 000	6 500	6 100	68,0
70,0	55,2	89,4	8 800	8 200	7 600	7 000	58,6	88,4	7 300	6 800	6 400	6 000	70,0
72,0	53,8	87,7	8 600	7 900	7 400	6 800	57,2	86,7	7 100	6 700	6 300	5 900	72,0
74,0	52,5	86,0	8 300	7 700	7 200	6 700	55,8	85,0	6 900	6 500	6 100	5 700	74,0
76,0	51,1	84,2	8 100	7 500	7 000	6 500	54,4	83,2	6 800	6 400	6 000	5 600	76,0
78,0	49,6	82,3	7 900	7 300	6 800	6 300	53,0	81,3	6 600	6 200	5 800	5 500	78,0
80,0	48,2	80,4	7 600	7 100	6 600	6 200	51,5	79,3	6 500	6 100	5 700	5 400	80,0
82,0	46,7	78,3	7 400	6 900	6 500	6 100	50,0	77,2	6 300	5 900	5 600	5 300	82,0
84,0	45,1	76,1	7 200	6 800	6 300	5 900	48,4	75,0	6 200	5 800	5 500	5 200	84,0
86,0	43,5	73,8	7 000	6 600	6 200	5 800	46,8	72,6	6 000	5 700	5 400	5 100	86,0
88,0	41,9	71,3	6 800	6 400	6 000	5 600	45,1	70,1	5 900	5 600	5 200	5 000	88,0
90,0	40,2	68,7	6 700	6 200	5 900	5 500	43,4	67,5	5 800	5 500	5 200	4 900	90,0
92,0	38,4	65,9	6 500	6 100	5 700	5 400	41,5	64,6	5 700	5 400	5 100	4 800	92,0
94,0	36,5	62,9	6 300	6 000	5 600	5 300	39,6	61,6	5 600	5 300	5 000	4 700	94,0
98,0	32,4	56,2	6 000	5 700	5 300	5 000	35,5	54,8	5 400	5 100	4 800	4 600	98,0
102,0	27,8	48,2	5 800	5 400	5 100	4 800	30,6	46,5	5 200	4 900	4 700	4 400	102,0
106,0	22,0	37,9	5 500	5 200	5 000	4 700							106,0

MLC650 S-2





	10°								20°							
			300 000 kg						300 000 kg							
	m	°	m	0° kg	1° kg	2° kg	3° kg	°	m	0° kg	1° kg	2° kg	3° kg	m		
19,8	84,4	117,8	19 800											19,8		
20,0	84,3	117,7	19 800											20,0		
22,0	83,3	117,4	19 200	16 100										22,0		
24,0	82,3	117,0	18 700	15 700	13 500									24,0		
26,0	81,3	116,6	18 100	15 300	13 200	11 400	84,7	115,6	13 800					26,0		
28,0	80,3	116,2	17 600	14 900	13 000	11 300	83,7	115,2	13 400	11 900				28,0		
30,0	79,2	115,7	17 000	14 600	12 700	11 100	82,7	114,7	13 000	11 600				30,0		
32,0	78,2	115,2	16 500	14 200	12 400	10 900	81,7	114,2	12 600	11 300	10 200	9 200		32,0		
34,0	77,2	114,6	16 000	13 900	12 200	10 800	80,6	113,6	12 300	11 000	10 000	9 000	9 000	34,0		
36,0	76,2	114,0	15 500	13 500	11 900	10 600	79,6	113,0	11 900	10 800	9 700	8 800	8 800	36,0		
38,0	75,1	113,3	15 000	13 100	11 600	10 300	78,5	112,4	11 600	10 500	9 500	8 700	8 700	38,0		
40,0	74,1	112,7	14 600	12 800	11 300	10 100	77,5	111,7	11 300	10 200	9 300	8 500	8 500	40,0		
42,0	73,0	111,9	14 100	12 500	11 100	9 900	76,4	111,0	11 000	10 000	9 100	8 300	8 300	42,0		
44,0	72,0	111,2	13 700	12 100	10 800	9 700	75,4	110,2	10 700	9 700	8 900	8 100	8 100	44,0		
46,0	70,9	110,4	13 300	11 800	10 600	9 500	74,3	109,4	10 400	9 500	8 700	7 900	7 900	46,0		
48,0	69,8	109,5	12 900	11 500	10 300	9 300	73,2	108,5	10 100	9 200	8 500	7 800	7 800	48,0		
50,0	68,8	108,6	12 500	11 200	10 100	9 100	72,1	107,7	9 800	9 000	8 300	7 600	7 600	50,0		
52,0	67,7	107,7	12 100	10 900	9 800	8 900	71,0	106,7	9 600	8 800	8 100	7 500	7 500	52,0		
54,0	66,6	106,7	11 700	10 600	9 600	8 700	69,9	105,7	9 300	8 600	7 900	7 300	7 300	54,0		
56,0	65,5	105,7	11 400	10 300	9 400	8 500	68,8	104,7	9 100	8 400	7 700	7 200	7 200	56,0		
58,0	64,3	104,6	11 000	10 000	9 100	8 300	67,7	103,6	8 800	8 200	7 600	7 000	7 000	58,0		
60,0	63,2	103,4	10 700	9 800	8 900	8 100	66,5	102,4	8 600	8 000	7 400	6 900	6 900	60,0		
62,0	62,0	102,2	10 400	9 500	8 700	8 000	65,3	101,2	8 400	7 800	7 200	6 700	6 700	62,0		
64,0	60,9	101,0	10 100	9 300	8 500	7 800	64,2	100,0	8 200	7 600	7 100	6 600	6 600	64,0		
66,0	59,7	99,7	9 800	9 000	8 300	7 600	63,0	98,7	8 000	7 400	6 900	6 400	6 400	66,0		
68,0	58,5	98,3	9 500	8 800	8 100	7 400	61,8	97,3	7 800	7 200	6 800	6 300	6 300	68,0		
70,0	57,3	96,9	9 300	8 500	7 900	7 300	60,5	95,9	7 600	7 100	6 600	6 200	6 200	70,0		
72,0	56,1	95,4	9 000	8 300	7 700	7 100	59,3	94,4	7 400	6 900	6 500	6 000	6 000	72,0		
74,0	54,8	93,8	8 800	8 100	7 500	6 900	58,0	92,8	7 200	6 800	6 300	5 900	5 900	74,0		
76,0	53,5	92,2	8 500	7 900	7 300	6 800	56,7	91,1	7 000	6 600	6 200	5 800	5 800	76,0		
78,0	52,2	90,5	8 300	7 700	7 100	6 600	55,4	89,4	6 900	6 500	6 100	5 700	5 700	78,0		
80,0	50,9	88,7	8 100	7 500	7 000	6 500	54,1	87,6	6 700	6 300	5 900	5 600	5 600	80,0		
82,0	49,6	86,8	7 800	7 300	6 800	6 300	52,7	85,7	6 600	6 200	5 800	5 500	5 500	82,0		
84,0	48,2	84,8	7 600	7 100	6 600	6 200	51,3	83,7	6 400	6 100	5 700	5 400	5 400	84,0		
86,0	46,8	82,8	7 400	7 000	6 500	6 000	49,9	81,6	6 300	5 900	5 600	5 200	5 200	86,0		
88,0	45,3	80,6	7 200	6 800	6 300	5 900	48,4	79,5	6 200	5 800	5 500	5 200	5 200	88,0		
90,0	43,8	78,3	7 000	6 600	6 200	5 800	46,9	77,1	6 000	5 700	5 400	5 100	5 100	90,0		
92,0	42,2	75,9	6 900	6 500	6 000	5 700	45,3	74,7	5 900	5 600	5 300	5 000	5 000	92,0		
94,0	40,6	73,3	6 700	6 300	5 900	5 500	43,7	72,1	5 800	5 500	5 200	4 900	4 900	94,0		
98,0	37,2	67,7	6 400	6 000	5 600	5 300	40,2	66,4	5 600	5 300	5 000	4 700	4 700	98,0		
102,0	33,5	61,3	6 100	5 800	5 400	5 100	36,4	59,9	5 400	5 100	4 800	4 600	4 600	102,0		
106,0	29,3	53,8	5 800	5 500	5 200	4 900	32,1	52,1	5 200	5 000	4 700	4 500	4 500	106,0		
110,0	24,3	44,5	5 600	5 300	5 000	4 700								110,0		
114,0	17,8	31,9	5 400	5 200	4 800	4 400								114,0		

MLC650 S-2



			10°				20°						
			300 000 kg				300 000 kg						
m	°	m	0° kg	1° kg	2° kg	3° kg	°	m	0° kg	1° kg	2° kg	3° kg	m
19,8	84,7	123,8	19 900										19,8
20,0	84,6	123,8	19 900										20,0
22,0	83,6	123,5	19 300										22,0
24,0	82,7	123,1	18 800	15 800									24,0
26,0	81,7	122,7	18 300	15 400	13 300	11 200	85,0	121,7	13 900				26,0
28,0	80,7	122,3	17 800	15 100	13 000	11 200	84,0	121,3	13 500				28,0
30,0	79,8	121,9	17 300	14 700	12 800	11 100	83,1	120,8	13 100	11 700			30,0
32,0	78,8	121,4	16 700	14 400	12 500	11 000	82,1	120,4	12 800	11 400	10 200	9 200	32,0
34,0	77,8	120,8	16 300	14 000	12 300	10 800	81,1	119,8	12 400	11 200	10 000	9 100	34,0
36,0	76,9	120,3	15 800	13 700	12 000	10 600	80,1	119,3	12 100	10 900	9 800	8 900	36,0
38,0	75,9	119,6	15 400	13 400	11 700	10 400	79,1	118,6	11 800	10 600	9 600	8 700	38,0
40,0	74,9	119,0	14 900	13 000	11 500	10 200	78,1	118,0	11 500	10 400	9 400	8 600	40,0
42,0	73,9	118,3	14 500	12 700	11 200	10 000	77,1	117,3	11 100	10 100	9 200	8 400	42,0
44,0	72,9	117,6	14 000	12 400	11 000	9 800	76,1	116,6	10 900	9 900	9 000	8 200	44,0
46,0	71,9	116,8	13 600	12 100	10 700	9 600	75,1	115,8	10 600	9 700	8 800	8 100	46,0
48,0	70,9	116,0	13 200	11 800	10 500	9 400	74,1	115,0	10 300	9 400	8 600	7 900	48,0
50,0	69,9	115,2	12 900	11 500	10 300	9 200	73,1	114,2	10 000	9 200	8 400	7 700	50,0
52,0	68,8	114,3	12 500	11 200	10 000	9 100	72,0	113,3	9 800	9 000	8 200	7 600	52,0
54,0	67,8	113,4	12 100	10 900	9 800	8 900	71,0	112,4	9 600	8 800	8 100	7 400	54,0
56,0	66,8	112,4	11 800	10 600	9 600	8 700	69,9	111,4	9 300	8 600	7 900	7 300	56,0
58,0	65,7	111,4	11 500	10 400	9 400	8 500	68,9	110,4	9 100	8 400	7 700	7 100	58,0
60,0	64,7	110,3	11 100	10 100	9 200	8 300	67,8	109,3	8 900	8 200	7 600	7 000	60,0
62,0	63,6	109,2	10 800	9 800	9 000	8 200	66,7	108,2	8 600	8 000	7 400	6 900	62,0
64,0	62,5	108,0	10 500	9 600	8 800	8 000	65,6	107,0	8 400	7 800	7 300	6 700	64,0
66,0	61,4	106,8	10 200	9 400	8 500	7 800	64,5	105,8	8 200	7 600	7 100	6 600	66,0
68,0	60,3	105,5	10 000	9 100	8 400	7 700	63,4	104,5	8 000	7 500	7 000	6 500	68,0
70,0	59,2	104,2	9 700	8 900	8 200	7 500	62,3	103,2	7 900	7 300	6 800	6 300	70,0
72,0	58,0	102,8	9 400	8 700	8 000	7 300	61,1	101,8	7 700	7 200	6 700	6 200	72,0
74,0	56,9	101,4	9 200	8 500	7 800	7 200	59,9	100,3	7 500	7 000	6 500	6 100	74,0
76,0	55,7	99,9	8 900	8 200	7 600	7 000	58,7	98,8	7 300	6 900	6 400	6 000	76,0
78,0	54,5	98,3	8 700	8 100	7 500	6 900	57,5	97,2	7 200	6 700	6 300	5 900	78,0
80,0	53,3	96,7	8 500	7 900	7 300	6 700	56,3	95,6	7 000	6 600	6 200	5 800	80,0
82,0	52,0	94,9	8 300	7 700	7 100	6 600	55,1	93,8	6 900	6 400	6 000	5 600	82,0
84,0	50,8	93,2	8 000	7 500	6 900	6 500	53,8	92,0	6 700	6 300	5 900	5 500	84,0
86,0	49,5	91,3	7 800	7 300	6 800	6 300	52,5	90,2	6 600	6 200	5 800	5 400	86,0
88,0	48,2	89,3	7 700	7 100	6 600	6 200	51,1	88,2	6 400	6 100	5 700	5 300	88,0
90,0	46,8	87,3	7 500	7 000	6 500	6 100	49,8	86,1	6 300	5 900	5 600	5 300	90,0
92,0	45,5	85,1	7 300	6 800	6 400	5 900	48,4	83,9	6 200	5 800	5 500	5 200	92,0
94,0	44,0	82,9	7 100	6 600	6 200	5 800	46,9	81,6	6 100	5 700	5 400	5 100	94,0
98,0	41,1	78,0	6 700	6 300	5 900	5 600	43,9	76,7	5 800	5 500	5 200	4 900	98,0
102,0	37,9	72,5	6 500	6 100	5 700	5 400	40,7	71,1	5 600	5 300	5 000	4 700	102,0
106,0	34,4	66,3	6 200	5 800	5 500	5 100	37,2	64,8	5 400	5 100	4 900	4 600	106,0
110,0	30,6	59,2	5 900	5 500	4 900	4 300	33,2	57,5	5 300	5 000	4 800	4 500	110,0
114,0	26,2	50,6	5 700	4 200	3 700	3 200	28,6	48,7	5 200	4 600	4 100	3 600	114,0
118,0	20,7	39,8	4 400										118,0

MLC650 S-2



		10°						20°									
		0°				1°				2°				3°			
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m				
21,3	84,2	129,7	19 600											21,3			
22,0	83,9	129,6	19 400											22,0			
24,0	83,0	129,2	18 900	15 800										24,0			
26,0	82,1	128,9	18 400	15 500	13 200									26,0			
28,0	81,2	128,5	17 900	15 200	13 000	11 100	84,3	127,4	13 600					28,0			
30,0	80,3	128,0	17 500	14 800	12 800	11 100	83,4	127,0	13 200	11 800				30,0			
32,0	79,3	127,5	17 000	14 500	12 600	11 000	82,5	126,5	12 900	11 500	10 300			32,0			
34,0	78,4	127,0	16 500	14 100	12 300	10 800	81,5	126,0	12 600	11 200	10 100	9 100		34,0			
36,0	77,5	126,5	16 100	13 800	12 100	10 700	80,6	125,5	12 300	11 000	9 900	8 900		36,0			
38,0	76,6	125,9	15 600	13 500	11 800	10 500	79,7	124,9	11 900	10 700	9 700	8 800		38,0			
40,0	75,6	125,3	15 200	13 200	11 600	10 300	78,7	124,3	11 600	10 500	9 500	8 600		40,0			
42,0	74,7	124,7	14 800	12 900	11 400	10 100	77,8	123,6	11 300	10 300	9 300	8 400		42,0			
44,0	73,7	124,0	14 400	12 600	11 100	9 900	76,8	122,9	11 100	10 000	9 100	8 300		44,0			
46,0	72,8	123,2	14 000	12 300	10 900	9 800	75,9	122,2	10 800	9 800	8 900	8 100		46,0			
48,0	71,8	122,5	13 600	12 000	10 700	9 600	74,9	121,5	10 500	9 600	8 700	8 000		48,0			
50,0	70,9	121,7	13 200	11 700	10 500	9 400	73,9	120,7	10 300	9 400	8 600	7 800		50,0			
52,0	69,9	120,9	12 900	11 500	10 200	9 200	73,0	119,8	10 000	9 200	8 400	7 700		52,0			
54,0	68,9	120,0	12 500	11 200	10 000	9 000	72,0	118,9	9 800	9 000	8 200	7 500		54,0			
56,0	67,9	119,1	12 200	10 900	9 800	8 900	71,0	118,0	9 500	8 800	8 100	7 400		56,0			
58,0	66,9	118,1	11 900	10 700	9 600	8 700	70,0	117,1	9 300	8 600	7 900	7 300		58,0			
60,0	65,9	117,1	11 500	10 400	9 400	8 500	69,0	116,0	9 100	8 400	7 700	7 100		60,0			
62,0	64,9	116,0	11 200	10 200	9 200	8 400	67,9	115,0	8 900	8 200	7 600	7 000		62,0			
64,0	63,9	114,9	10 900	9 900	9 000	8 200	66,9	113,9	8 700	8 000	7 400	6 900		64,0			
66,0	62,9	113,8	10 600	9 700	8 800	8 000	65,9	112,8	8 500	7 900	7 300	6 800		66,0			
68,0	61,8	112,6	10 400	9 400	8 600	7 900	64,8	111,6	8 300	7 700	7 100	6 600		68,0			
70,0	60,8	111,4	10 100	9 200	8 400	7 700	63,8	110,3	8 100	7 500	7 000	6 500		70,0			
72,0	59,7	110,1	9 800	9 000	8 200	7 600	62,7	109,0	7 900	7 400	6 900	6 400		72,0			
74,0	58,7	108,7	9 600	8 800	8 100	7 400	61,6	107,7	7 800	7 200	6 700	6 300		74,0			
76,0	57,6	107,3	9 300	8 600	7 900	7 200	60,5	106,3	7 600	7 100	6 600	6 100		76,0			
78,0	56,5	105,9	9 100	8 400	7 700	7 100	59,4	104,8	7 400	6 900	6 500	6 100		78,0			
80,0	55,3	104,4	8 900	8 200	7 600	7 000	58,2	103,3	7 300	6 800	6 300	5 900		80,0			
82,0	54,2	102,8	8 600	8 000	7 400	6 800	57,1	101,7	7 100	6 600	6 200	5 800		82,0			
84,0	53,0	101,1	8 500	7 800	7 200	6 700	55,9	100,0	7 000	6 500	6 100	5 700		84,0			
86,0	51,9	99,4	8 200	7 600	7 100	6 600	54,7	98,3	6 800	6 400	6 000	5 600		86,0			
88,0	50,6	97,6	8 000	7 500	6 900	6 400	53,5	96,5	6 700	6 300	5 900	5 500		88,0			
90,0	49,4	95,8	7 900	7 300	6 800	6 300	52,3	94,6	6 600	6 200	5 800	5 400		90,0			
92,0	48,2	93,8	7 700	7 100	6 600	6 200	51,0	92,6	6 400	6 000	5 700	5 300		92,0			
94,0	46,9	91,8	7 500	7 000	6 500	6 000	49,7	90,6	6 300	5 900	5 600	5 200		94,0			
98,0	44,2	87,4	7 100	6 700	6 200	5 800	47,0	86,1	6 100	5 700	5 400	5 100		98,0			
102,0	41,4	82,6	6 800	6 400	5 800	5 000	44,2	81,3	5 800	5 500	5 200	4 900		102,0			
106,0	38,5	77,2	6 500	5 200	4 400	3 700	41,1	75,9	5 700	5 300	5 000	4 500		106,0			
110,0	35,2	71,3	6 000	3 800			37,8	69,8	5 500	4 600	3 900			110,0			
114,0	31,7	64,4	4 200				34,2	62,8	5 000	3 200				114,0			