


Liftcrane Boom Capacities

Boom No. 58 HL with 30,0 m Mast No. 59A
150 590 kg Crane Counterweight
54 430 kg Carbody Counterweight
0 kg thru 222 190 kg Hanging Counterweight
at 15,0 m Position
360 Degree Rating

16000 MAX-ER



LIFTING CAPACITIES: Lifting capacities for various boom lengths and operating radii are for freely suspended loads and do not exceed 75% of a static tipping load. Capacities based on structural competence are denoted by an asterisk (*).

Standard upper boom point capacity for liftcrane service with single part whip line is 13 610 kg or 27 220 kg with two part whip line. In all cases, upper boom point capacities cannot exceed those listed for main boom capacity.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom point sheaves, is considered part of main boom load. Boom is not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.




HANGING COUNTERWEIGHT: Hanging counterweight must be attached to machine and MAX-ER mode must be selected to operate. Exit MAX-ER mode before operating without hanging counterweight.



MINIMUM LIFTING CAPACITY TO SWING AND TRAVEL: Minimum lifting capacity to raise hanging counterweight free of ground support is required for swing and travel. Do not allow hanging counterweight to contact ground while swinging and traveling.

OPERATING CONDITIONS: Machine to operate in a level position on a firm uniformly supporting surface with mast up. Refer to boom rigging **No. A14546**, Wire Rope Specification chart **No. 8745-A**, Counterweight Arrangement chart **No. 8682-A** and Wind Conditions chart **No. 8688-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, travel, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to Operator's Manual for operating guidelines.

MACHINE TRAVEL: Machine to travel on a firm, level and uniformly supporting surface and boom within boom angle range shown in capacity chart. Refer to Swing and Travel Specification chart **No. 8797-A**.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees ($^{\circ}$) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



BOOM POINT ELEVATION: Boom point elevation is vertical distance from ground level to centerline of boom point shaft.

MACHINE EQUIPMENT: Machine equipped with MAX-ER, 10 363 mm crawlers, 1 524 mm treads, 9 754 mm live mast, 30,0 m mast, 12 part boom hoist reeving, boom support straps, 150 590 kg crane counterweight, two 13 610 kg and four 6 800 kg carbody counterweights and hanging counterweight as specified.











WARNING: Check amount of crane counterweight and hanging counterweight on machine before use of this chart. Refer to Operator's Manual for counterweight identification.

Maximum Boom Length Lifted Unassisted	
Over End of Blocked Crawlers	Over Side or End of Unblocked Crawlers
With 0 kg Hanging Counterweight	
96,0 m	90,0 m
With 62 530 kg Hanging Counterweight	
120,0 m	114,0 m
Over Side or End of Unblocked Crawlers	
With 142 360 kg Hanging Counterweight	With 222 190 kg Hanging Counterweight
120,0 m	120,0 m
Load block, hook and weight ball on ground at start.	

Boom Catwalks Deduct

Deduct 550 kg from capacities when boom catwalks are attached.

Explanation of Symbols



58 HL



150 590 kg
+
54 430 kg

360°

15,0 m



42,0 m


 m	 °	 m	 kg	 kg		 kg		 kg		 m
				 kg	 kg	 kg	 kg	 kg	 kg	
7,9	82,8	44,2	343 100 *	279 800	379 800 *					7,9
8,0	82,7	44,2	340 200 *	276 400	379 800 *					8,0
10,0	80,0	43,8	273 200 *	202 800	339 600 *					10,0
12,0	77,2	43,4	224 200 *	158 800	283 400 *	286 900	351 600 *			12,0
14,0	74,3	42,8	180 600	129 200	242 500 *	236 000	301 100 *			14,0
16,0	71,4	42,1	148 300	108 100	211 200 *	199 600	262 900 *			16,0
18,0	68,5	41,3	125 200	92 200	185 600 *	172 300	233 100 *			18,0
20,0	65,5	40,4	107 900	79 900	164 600	151 100	209 000 *	222 400	250 400 *	20,0
22,0	62,4	39,4	94 300	70 000	144 800	134 000	189 000 *	198 100	226 800 *	22,0
24,0	59,3	38,2	83 300	61 900	128 900	120 000	172 400 *	178 300	207 100 *	24,0
26,0	56,0	36,8	74 400	55 100	115 800	108 400	158 200 *	161 700	190 300 *	26,0
28,0	52,5	35,3	66 900	49 300	104 900	98 500	145 900 *	147 700	175 900 *	28,0
30,0	48,9	33,6	60 500	44 400	95 600	90 000	134 900 *	135 600	163 300 *	30,0
32,0	45,1	31,6	55 100	40 100	87 700	82 600	125 200 *	125 200	152 300 *	32,0
34,0	41,0	29,3	50 300	36 300	80 800	76 100	116 700 *	116 000	142 500 *	34,0
36,0	36,5	26,7	46 100	32 900	74 700	70 300	109 100 *	107 800	133 800 *	36,0
38,0	31,4	23,5	42 400	29 900	69 300	65 200	102 000	100 600	126 000 *	38,0
40,0	25,3	19,6	39 100	27 200	64 500	60 500	95 400	94 000	118 900 *	40,0



58 HL







360°



15,0 m



48,0 m

 m	 o	 m	 0 kg	 62 530 kg		 142 360 kg		 222 190 kg		 m
kg			 kg	 kg	 kg	 kg	 kg	 kg	 kg	
8,5	83,0	50,2	318 800 *	255 300	340 000 *					8,5
10,0	81,2	49,9	272 700 *	204 900	334 900 *					10,0
12,0	78,8	49,5	223 900 *	159 900	282 900 *	291 200	340 000 *			12,0
14,0	76,3	49,0	180 800	129 900	242 000 *	237 500	301 000 *			14,0
16,0	73,8	48,5	148 300	108 500	210 800 *	200 600	262 400 *			16,0
18,0	71,3	47,8	125 200	92 400	185 200 *	173 000	232 500 *			18,0
20,0	68,8	47,0	107 800	79 900	164 200	151 500	208 400 *	223 300	249 800 *	20,0
22,0	66,2	46,1	94 100	70 000	144 700	134 300	188 500 *	198 700	226 300 *	22,0
24,0	63,5	45,1	83 200	61 700	128 700	120 200	171 900 *	178 700	206 600 *	24,0
26,0	60,7	44,0	74 200	54 900	115 600	108 400	157 700 *	162 100	189 800 *	26,0
28,0	57,9	42,7	66 700	49 100	104 700	98 500	145 500 *	147 900	175 300 *	28,0
30,0	55,0	41,3	60 300	44 100	95 400	89 900	134 400 *	135 800	162 800 *	30,0
32,0	52,0	39,8	54 800	39 800	87 400	82 500	124 800 *	125 300	151 800 *	32,0
34,0	48,8	38,0	50 000	36 000	80 500	76 000	116 200 *	116 100	142 000 *	34,0
36,0	45,5	36,1	45 800	32 600	74 400	70 200	108 700 *	107 900	133 300 *	36,0
38,0	42,0	33,9	42 100	29 600	69 100	65 100	101 800	100 700	125 500 *	38,0
40,0	38,1	31,4	38 800	26 900	64 300	60 500	95 200	94 200	118 500 *	40,0
42,0	33,9	28,5	35 800	24 400	59 900	56 300	89 300	88 300	112 100 *	42,0
44,0	29,2	25,1	33 200	22 200	56 100	52 500	83 900	82 900	106 200 *	44,0
46,0	23,5	20,8	30 700	20 100	52 500	49 000	79 100	77 900	100 900 *	46,0

58 HL



150 590 kg
+
54 430 kg

360°

15,0 m



54,0 m


 m	 °	 m	0 kg		62 530 kg		142 360 kg		222 190 kg		 m
			 kg	 kg	 kg	 kg	 kg	 kg	 kg	 kg	
9,8	82,5	56,0	278 900 *	213 900	312 300 *	312 300 *					9,8
10,0	82,2	56,0	272 200 *	206 900	312 200 *	312 200 *					10,0
12,0	80,1	55,7	223 400 *	160 900	282 300 *	282 300 *					12,0
14,0	77,9	55,2	180 700	130 400	241 400 *	241 400 *	239 200	302 400 *			14,0
16,0	75,7	54,7	148 200	108 700	210 200 *	210 200 *	201 400	261 800 *			16,0
18,0	73,5	54,1	125 000	92 500	184 700 *	184 700 *	173 500	231 900 *			18,0
20,0	71,2	53,4	107 600	79 800	163 700	163 700	151 800	207 800 *	224 100	249 200 *	20,0
22,0	69,0	52,7	93 800	69 700	144 500	144 500	134 400	187 900 *	199 200	225 700 *	22,0
24,0	66,7	51,8	82 900	61 500	128 400	128 400	120 200	171 300 *	179 000	206 000 *	24,0
26,0	64,3	50,8	73 900	54 500	115 300	115 300	108 400	157 100 *	162 200	189 200 *	26,0
28,0	61,9	49,7	66 300	48 700	104 300	104 300	98 300	144 900 *	148 000	174 800 *	28,0
30,0	59,4	48,6	59 900	43 700	95 000	95 000	89 700	133 900 *	135 800	162 200 *	30,0
32,0	56,9	47,3	54 400	39 300	87 100	87 100	82 200	124 300 *	125 200	151 200 *	32,0
34,0	54,3	45,8	49 600	35 500	80 100	80 100	75 700	115 700 *	116 000	141 400 *	34,0
36,0	51,6	44,2	45 400	32 100	74 000	74 000	69 900	108 100 *	107 800	132 700 *	36,0
38,0	48,8	42,5	41 800	29 100	68 700	68 700	64 800	101 400	100 500	124 900 *	38,0
40,0	45,8	40,6	38 500	26 400	63 900	63 900	60 200	94 800	94 000	117 900 *	40,0
42,0	42,7	38,4	35 500	24 000	59 600	59 600	56 000	88 900	88 100	111 500 *	42,0
44,0	39,4	36,0	32 800	21 800	55 700	55 700	52 200	83 500	82 800	105 700 *	44,0
46,0	35,8	33,3	30 300	19 700	52 200	52 200	48 800	78 700	77 900	100 400 *	46,0
48,0	31,9	30,2	28 100	17 800	48 900	48 900	45 600	74 300	73 400	95 400 *	48,0
50,0	27,4	26,5	26 100	16 100	46 000	46 000	42 700	70 300	69 300	90 900 *	50,0
52,0	22,1	21,9	24 200	14 500	43 300	43 300	39 900	66 500	65 400	86 700 *	52,0



58 HL



360°



15,0 m



60,0 m

 m	 °	 m	 0 kg	 62 530 kg		 142 360 kg		 222 190 kg		 m
			 kg	 kg	 kg	 kg	 kg	 kg	 kg	
10,4	82,6	62,0	261 800 *	198 100	282 800 *					10,4
12,0	81,1	61,8	222 800 *	161 700	279 300 *					12,0
14,0	79,1	61,4	180 600	130 700	240 600 *	242 300	277 800 *			14,0
16,0	77,2	60,9	147 900	108 700	209 500 *	202 000	264 500 *			16,0
18,0	75,2	60,4	124 700	92 300	184 100 *	173 800	231 200 *			18,0
20,0	73,2	59,8	107 200	79 600	163 100	151 900	207 100 *			20,0
22,0	71,2	59,1	93 500	69 400	144 100	134 300	187 200 *	199 600	225 000 *	22,0
24,0	69,1	58,3	82 400	61 000	128 000	120 000	170 600 *	179 100	205 200 *	24,0
26,0	67,0	57,5	73 400	54 100	114 900	108 100	156 400 *	162 200	188 500 *	26,0
28,0	64,9	56,5	65 900	48 200	103 900	98 000	144 200 *	147 900	174 100 *	28,0
30,0	62,8	55,5	59 400	43 100	94 500	89 300	133 300 *	135 600	161 500 *	30,0
32,0	60,6	54,4	53 900	38 700	86 600	81 800	123 600 *	125 000	150 500 *	32,0
34,0	58,4	53,1	49 100	34 900	79 600	75 300	115 100 *	115 700	140 800 *	34,0
36,0	56,1	51,8	45 000	31 500	73 500	69 400	107 500 *	107 500	132 100 *	36,0
38,0	53,7	50,3	41 200	28 500	68 200	64 300	100 800 *	100 100	124 300 *	38,0
40,0	51,2	48,7	37 900	25 800	63 400	59 700	94 300	93 600	117 200 *	40,0
42,0	48,7	47,0	35 000	23 300	59 000	55 500	88 400	87 700	110 800 *	42,0
44,0	46,1	45,1	32 300	21 100	55 200	51 700	83 000	82 400	105 000 *	44,0
46,0	43,3	43,0	29 800	19 100	51 700	48 200	78 200	77 500	99 700 *	46,0
48,0	40,4	40,6	27 600	17 200	48 400	45 100	73 800	73 100	94 800 *	48,0
50,0	37,2	38,0	25 600	15 500	45 500	42 200	69 800	69 000	90 300 *	50,0
52,0	33,9	35,1	23 700	13 900	42 800	39 500	66 100	65 200	86 100 *	52,0
54,0	30,1	31,8	22 000	12 400	40 300	37 000	62 700	61 700	82 200 *	54,0
56,0	25,9	27,8	20 400	11 100	38 000	34 700	59 500	58 400	78 600 *	56,0
58,0	20,9	23,0	18 800	9 700	35 900	32 500	56 500	55 300	75 100 *	58,0

58 HL



150 590 kg
+
54 430 kg


360°


15,0 m



66,0 m

 m	 °	 m	 0 kg	 62 530 kg		 142 360 kg		 222 190 kg		 m
			kg	kg	kg	kg	kg	kg	kg	
11,0	82,8	68,0	246 600 *	184 500	251 100 *					11,0
12,0	81,9	67,8	222 600 *	162 900	251 100 *					12,0
14,0	80,1	67,5	180 800	131 500	242 300 *					14,0
16,0	78,3	67,1	148 000	109 300	209 300 *	205 900	245 800 *			16,0
18,0	76,6	66,6	124 700	92 700	183 900 *	174 600	231 400 *			18,0
20,0	74,8	66,0	107 200	79 900	162 900	152 500	206 800 *			20,0
22,0	72,9	65,4	93 500	69 600	144 100	134 800	187 000 *	202 000	226 300 *	22,0
24,0	71,1	64,7	82 400	61 200	127 900	120 400	170 300 *	179 700	205 000 *	24,0
26,0	69,3	64,0	73 400	54 100	114 800	108 400	156 200 *	162 700	188 200 *	26,0
28,0	67,4	63,1	65 800	48 200	103 800	98 200	144 000 *	148 300	173 800 *	28,0
30,0	65,5	62,2	59 400	43 100	94 500	89 500	133 100 *	136 000	161 300 *	30,0
32,0	63,5	61,2	53 800	38 700	86 500	82 000	123 400 *	125 300	150 300 *	32,0
34,0	61,5	60,1	49 100	34 900	79 500	75 300	114 900 *	115 900	140 500 *	34,0
36,0	59,5	59,0	44 900	31 500	73 500	69 500	107 300 *	107 600	131 800 *	36,0
38,0	57,5	57,7	41 200	28 400	68 100	64 300	100 600 *	100 300	124 100 *	38,0
40,0	55,4	56,3	37 900	25 700	63 300	59 700	94 200	93 800	117 000 *	40,0
42,0	53,2	54,8	34 900	23 300	59 000	55 500	88 300	87 900	110 600 *	42,0
44,0	51,0	53,2	32 200	21 000	55 100	51 700	83 000	82 500	104 800 *	44,0
46,0	48,7	51,5	29 800	19 000	51 600	48 300	78 100	77 600	99 500 *	46,0
48,0	46,3	49,5	27 500	17 100	48 400	45 100	73 700	73 200	94 600 *	48,0
50,0	43,8	47,5	25 500	15 400	45 400	42 200	69 700	69 100	90 100 *	50,0
52,0	41,1	45,2	23 600	13 900	42 800	39 600	66 000	65 300	86 000 *	52,0
54,0	38,4	42,7	21 900	12 400	40 300	37 100	62 600	61 800	82 100 *	54,0
56,0	35,4	40,0	20 300	11 000	38 000	34 800	59 400	58 600	78 500 *	56,0
58,0	32,2	36,8	18 800	9 700	35 800	32 600	56 500	55 600	75 000 *	58,0
60,0	28,7	33,3	17 500	8 600	33 800	30 600	53 800	52 700	71 800 *	60,0
62,0	24,6	29,1	16 200	7 400	32 000	28 700	51 200	50 000	68 800 *	62,0
64,0	19,9	24,0	14 900	6 300	30 200	26 900	48 900	47 500	66 000 *	64,0



 m	 °	 m	 0 kg	 62 530 kg	 142 360 kg	 222 190 kg	 m
			 kg	 kg	 kg	 kg	
11,6	82,9	74,0	227 800 *	171 900	227 800 *		11,6
12,0	82,6	73,9	221 100 *	163 700	227 800 *		12,0
14,0	81,0	73,6	180 500	131 800	224 800 *		14,0
16,0	79,3	73,2	147 600	109 200	210 900 *		16,0
18,0	77,7	72,8	124 300	92 500	183 200 *	176 000	18,0
20,0	76,1	72,3	106 700	79 500	162 200	206 500 *	20,0
22,0	74,4	71,7	92 900	69 100	143 600	186 100 *	22,0
24,0	72,7	71,1	81 900	60 600	127 400	169 500 *	24,0
26,0	71,1	70,4	72 800	53 500	114 200	155 400 *	26,0
28,0	69,4	69,6	65 200	47 600	103 200	143 200 *	28,0
30,0	67,6	68,8	58 800	42 400	93 900	132 400 *	30,0
32,0	65,9	67,9	53 300	38 000	85 900	122 700 *	32,0
34,0	64,1	66,9	48 400	34 100	78 900	114 200 *	34,0
36,0	62,3	65,9	44 200	30 700	72 800	106 600 *	36,0
38,0	60,5	64,8	40 500	27 700	67 500	99 900 *	38,0
40,0	58,6	63,5	37 200	24 900	62 600	93 600	40,0
42,0	56,7	62,2	34 200	22 500	58 400	87 700	42,0
44,0	54,8	60,8	31 600	20 200	54 500	82 300	44,0
46,0	52,8	59,3	29 200	18 200	51 000	77 500	46,0
48,0	50,7	57,7	26 900	16 400	47 800	73 100	48,0
50,0	48,6	55,9	24 900	14 700	44 800	69 100	50,0
52,0	46,4	54,0	23 000	13 100	42 100	65 400	52,0
54,0	44,2	52,0	21 300	11 600	39 700	62 000	54,0
56,0	41,8	49,8	19 700	10 200	37 300	58 800	56,0
58,0	39,3	47,3	18 200	9 000	35 200	55 900	58,0
60,0	36,6	44,7	16 900	7 800	33 200	53 200	60,0
62,0	33,8	41,8	15 600	6 700	31 400	50 600	62,0
64,0	30,7	38,5	14 300	5 600	29 700	48 300	64,0
66,0	27,4	34,7	13 200	4 600	28 000	46 000	66,0
68,0	23,5	30,4	12 100	3 700	26 500	43 900	68,0
70,0	19,0	25,0	11 100	2 700	25 000	41 900	70,0

58 HL



150 590 kg
+
54 430 kg


360°

15,0 m



78,0 m

			 0 kg	 62 530 kg		 142 360 kg		 222 190 kg		
			 kg	 kg	 kg	 kg	 kg	 kg	 kg	
12,2	83,0	79,9	205 100 *	160 900	205 100 *					12,2
14,0	81,7	79,7	181 400	132 300	203 500 *					14,0
16,0	80,2	79,3	147 400	109 400	200 300 *					16,0
18,0	78,7	78,9	124 100	92 500	184 000 *	173 800	198 900 *			18,0
20,0	77,2	78,5	106 400	79 300	161 700	152 600	196 400 *			20,0
22,0	75,6	77,9	92 600	68 800	143 400	134 600	186 900 *			22,0
24,0	74,1	77,4	81 500	60 300	127 000	120 000	168 900 *			24,0
26,0	72,6	76,7	72 400	53 200	113 900	107 800	154 800 *	162 600	187 100 *	26,0
28,0	71,0	76,1	64 800	47 100	102 900	97 500	142 600 *	147 900	172 400 *	28,0
30,0	69,5	75,3	58 400	42 000	93 500	88 700	131 800 *	135 400	159 900 *	30,0
32,0	67,9	74,5	52 800	37 500	85 500	81 100	122 100 *	124 600	148 900 *	32,0
34,0	66,3	73,6	48 000	33 600	78 500	74 400	113 600 *	115 200	139 100 *	34,0
36,0	64,6	72,7	43 800	30 200	72 400	68 500	106 100 *	106 800	130 500 *	36,0
38,0	63,0	71,6	40 100	27 100	67 000	63 200	99 300 *	99 500	122 700 *	38,0
40,0	61,3	70,5	36 800	24 400	62 200	58 600	93 200	92 800	115 700 *	40,0
42,0	59,6	69,4	33 800	21 900	57 900	54 400	87 200	86 900	109 300 *	42,0
44,0	57,9	68,1	31 100	19 700	54 000	50 600	81 900	81 500	103 500 *	44,0
46,0	56,1	66,8	28 700	17 600	50 500	47 100	77 000	76 600	98 200 *	46,0
48,0	54,3	65,3	26 500	15 800	47 300	43 900	72 600	72 200	93 300 *	48,0
50,0	52,4	63,8	24 400	14 100	44 400	41 000	68 600	68 000	88 800 *	50,0
52,0	50,5	62,2	22 600	12 500	41 700	38 400	64 900	64 300	84 700 *	52,0
54,0	48,6	60,4	20 900	11 000	39 200	35 900	61 500	60 700	80 800 *	54,0
56,0	46,6	58,5	19 300	9 700	36 900	33 600	58 400	57 500	77 200 *	56,0
58,0	44,5	56,5	17 800	8 400	34 800	31 400	55 400	54 500	73 800 *	58,0
60,0	42,3	54,3	16 400	7 200	32 800	29 500	52 700	51 700	70 600 *	60,0
62,0	40,0	52,0	15 100	6 100	30 900	27 600	50 200	49 100	67 600 *	62,0
64,0	37,6	49,4	13 900	5 100	29 200	25 900	47 900	46 600	64 900 *	64,0
66,0	35,1	46,6	12 800	4 100	27 600	24 200	45 600	44 300	62 200 *	66,0
68,0	32,4	43,5	11 700	3 200	26 100	22 600	43 500	42 100	59 700 *	68,0
70,0	29,5	40,0	10 700	2 300	24 700	21 200	41 600	40 100	57 400 *	70,0
72,0	26,2	36,1	9 800	1 500	23 300	19 700	39 700	38 100	55 200 *	72,0
74,0	22,6	31,5	8 900		22 000	18 400	37 900	36 200	53 100 *	74,0
76,0	18,2	25,9	7 800 *		20 700	17 100	36 300	34 400	51 000 *	76,0



 m	 °	 m	 0 kg	 62 530 kg	 142 360 kg	 222 190 kg	 m
			 kg	 kg	 kg	 kg	
13,7	82,5	85,8	177 000 *	136 400	177 000 *		13,7
14,0	82,3	85,7	173 500	132 800	177 000 *		14,0
16,0	80,9	85,4	148 100	109 300	177 000 *		16,0
18,0	79,5	85,1	123 600	92 200	177 000 *		18,0
20,0	78,1	84,6	105 900	78 900	161 000	153 200	20,0
22,0	76,7	84,2	92 000	68 300	142 800	134 400	22,0
24,0	75,3	83,6	80 900	59 600	126 500	119 600	24,0
26,0	73,9	83,0	71 800	52 500	113 200	107 300	26,0
28,0	72,4	82,4	64 200	46 400	102 200	96 900	28,0
30,0	71,0	81,7	57 700	41 200	92 900	88 100	30,0
32,0	69,5	81,0	52 200	36 700	84 800	80 400	32,0
34,0	68,1	80,2	47 400	32 800	77 800	73 700	34,0
36,0	66,6	79,3	43 200	29 400	71 700	67 800	36,0
38,0	65,1	78,3	39 400	26 300	66 300	62 500	38,0
40,0	63,5	77,3	36 100	23 500	61 500	57 800	40,0
42,0	62,0	76,3	33 100	21 100	57 200	53 600	42,0
44,0	60,4	75,2	30 400	18 800	53 300	49 800	44,0
46,0	58,8	73,9	28 000	16 800	49 800	46 300	46,0
48,0	57,2	72,7	25 800	14 900	46 600	43 100	48,0
50,0	55,6	71,3	23 700	13 200	43 700	40 200	50,0
52,0	53,9	69,8	21 900	11 600	41 000	37 500	52,0
54,0	52,1	68,3	20 200	10 100	38 500	35 000	54,0
56,0	50,4	66,6	18 600	8 800	36 200	32 800	56,0
58,0	48,6	64,9	17 100	7 500	34 100	30 600	58,0
60,0	46,7	63,0	15 700	6 300	32 100	28 600	60,0
62,0	44,8	61,0	14 400	5 200	30 300	26 800	62,0
64,0	42,8	58,8	13 200	4 200	28 500	25 000	64,0
66,0	40,7	56,5	12 100	3 200	26 900	23 400	66,0
68,0	38,5	54,0	11 000	2 300	25 400	21 800	68,0
70,0	36,2	51,3	10 000	1 400	24 000	20 300	70,0
72,0	33,8	48,4	9 100		22 600	19 000	72,0
74,0	31,2	45,2	8 000 *		21 300	17 700	74,0
76,0	28,4	41,5	7 000 *		20 100	16 400	76,0
78,0	25,2	37,4	6 000 *		18 900	15 200	78,0
80,0	21,7	32,7	5 000 *		17 900	14 000	80,0
82,0	17,5	26,8	4 100 *		16 800	12 900	82,0

58 HL



150 590 kg
+
54 430 kg


360°

15,0 m



90,0 m

 m	 °	 m	 0 kg	 62 530 kg		 142 360 kg		 222 190 kg		 m
			kg	kg	kg	kg	kg	kg	kg	
13,7	83,0	91,8	148 400 *							13,7
14,0	82,8	91,8	148 400 *							14,0
16,0	81,5	91,5	142 800	109 900	148 400 *					16,0
18,0	80,2	91,2	124 100	92 200	148 400 *					18,0
20,0	78,9	90,8	105 600	78 800	148 400 *					20,0
22,0	77,6	90,3	91 700	68 100	142 500					22,0
24,0	76,3	89,8	80 600	59 500	126 200	120 200	145 300 *			24,0
26,0	75,0	89,3	71 500	52 300	113 000	107 200	142 400 *			26,0
28,0	73,6	88,7	63 900	46 100	101 900	96 800	139 100 *			28,0
30,0	72,3	88,1	57 400	40 900	92 500	87 900	131 000 *			30,0
32,0	71,0	87,4	51 900	36 400	84 500	80 200	120 900 *			32,0
34,0	69,6	86,6	47 000	32 400	77 500	73 500	112 400 *	114 800	132 000 *	34,0
36,0	68,2	85,8	42 800	29 000	71 400	67 500	104 800 *	106 100	128 500 *	36,0
38,0	66,8	85,0	39 000	25 900	66 000	62 200	98 100 *	98 600	121 500 *	38,0
40,0	65,4	84,0	35 700	23 100	61 200	57 500	92 000	92 000	114 400 *	40,0
42,0	64,0	83,1	32 700	20 600	56 900	53 300	86 200	86 000	108 000 *	42,0
44,0	62,6	82,0	30 100	18 400	53 000	49 400	80 800	80 600	102 200 *	44,0
46,0	61,1	80,9	27 600	16 400	49 500	46 000	76 000	75 600	96 900 *	46,0
48,0	59,7	79,7	25 400	14 500	46 300	42 800	71 600	71 100	92 100 *	48,0
50,0	58,2	78,5	23 400	12 700	43 300	39 900	67 500	67 000	87 600 *	50,0
52,0	56,6	77,2	21 500	11 200	40 600	37 200	63 900	63 200	83 500 *	52,0
54,0	55,1	75,8	19 800	9 700	38 200	34 700	60 500	59 700	79 600 *	54,0
56,0	53,5	74,3	18 200	8 400	35 900	32 400	57 300	56 400	76 000 *	56,0
58,0	51,9	72,8	16 700	7 100	33 700	30 200	54 400	53 400	72 700 *	58,0
60,0	50,2	71,1	15 400	5 900	31 700	28 300	51 700	50 600	69 500 *	60,0
62,0	48,5	69,3	14 100	4 800	29 900	26 400	49 200	48 000	66 500 *	62,0
64,0	46,8	67,5	12 900	3 800	28 200	24 600	46 800	45 500	63 700 *	64,0
66,0	45,0	65,5	11 800	2 800	26 600	23 000	44 600	43 200	61 100 *	66,0
68,0	43,1	63,3	10 700	1 900	25 100	21 500	42 500	41 100	58 600 *	68,0
70,0	41,2	61,1	9 700	1 000	23 600	20 000	40 600	39 000	56 300 *	70,0
72,0	39,2	58,7	8 600 *		22 300	18 600	38 700	37 100	54 100 *	72,0
74,0	37,1	56,0	7 600 *		21 000	17 300	37 000	35 200	52 000 *	74,0
76,0	34,9	53,2	6 500 *		19 800	16 100	35 300	33 500	50 000 *	76,0
78,0	32,6	50,1	5 600 *		18 700	14 900	33 800	31 800	48 100 *	78,0
80,0	30,1	46,7	4 600 *		17 500	13 800	32 300	30 300	46 300 *	80,0
82,0	27,4	43,0	3 800 *		16 500	12 700	30 900	28 800	44 600 *	82,0
84,0	24,4	38,7			15 300 *	11 600	29 500	27 300	43 000 *	84,0
86,0	20,9	33,7			14 100 *	10 700	28 200	25 900	41 400 *	86,0
88,0	16,9	27,6			13 000 *	9 700	27 000	24 600	38 900 *	88,0



 m	 °	 m	 0 kg	 62 530 kg		 142 360 kg		 222 190 kg		 m
			 kg	 kg	 kg	 kg	 kg	 kg	 kg	
15,2	82,5	97,7	126 900 *							15,2
16,0	82,0	97,6	126 900 *							16,0
18,0	80,8	97,2	121 300	92 100	126 900 *					18,0
20,0	79,6	96,9	105 000	78 300	126 900 *					20,0
22,0	78,4	96,5	91 100	67 500	126 900 *					22,0
24,0	77,2	96,0	80 000	58 700	123 800					24,0
26,0	75,9	95,5	70 800	51 500	112 300	106 800	126 900 *			26,0
28,0	74,7	94,9	63 200	45 300	101 200	96 100	126 800 *			28,0
30,0	73,4	94,4	56 700	40 100	91 800	87 200	126 600 *			30,0
32,0	72,2	93,7	51 100	35 500	83 700	79 400	120 000 *			32,0
34,0	70,9	93,0	46 300	31 500	76 800	72 600	111 500 *			34,0
36,0	69,7	92,3	42 000	28 100	70 600	66 700	104 000 *	105 700	124 100 *	36,0
38,0	68,4	91,5	38 300	25 000	65 200	61 400	97 200 *	97 900	120 400 *	38,0
40,0	67,1	90,6	35 000	22 200	60 400	56 600	91 100	91 100	113 400 *	40,0
42,0	65,8	89,7	32 000	19 600	56 100	52 400	85 400	85 100	107 100 *	42,0
44,0	64,4	88,8	29 300	17 400	52 200	48 500	80 100	79 700	101 300 *	44,0
46,0	63,1	87,7	26 800	15 300	48 600	45 000	75 200	74 700	96 000 *	46,0
48,0	61,7	86,7	24 600	13 500	45 500	41 800	70 800	70 200	91 100 *	48,0
50,0	60,4	85,5	22 600	11 800	42 500	38 900	66 800	66 100	86 700 *	50,0
52,0	59,0	84,3	20 700	10 200	39 800	36 200	63 100	62 300	82 500 *	52,0
54,0	57,6	83,1	19 000	8 700	37 300	33 700	59 600	58 700	78 700 *	54,0
56,0	56,1	81,7	17 400	7 300	35 000	31 400	56 500	55 500	75 100 *	56,0
58,0	54,7	80,3	15 900	6 100	32 900	29 300	53 600	52 500	71 700 *	58,0
60,0	53,2	78,8	14 500	4 900	30 900	27 300	50 900	49 700	68 600 *	60,0
62,0	51,7	77,2	13 300	3 800	29 100	25 400	48 400	47 100	65 600 *	62,0
64,0	50,1	75,6	12 100	2 800	27 400	23 600	46 000	44 600	62 800 *	64,0
66,0	48,5	73,8	10 900	1 800	25 800	22 000	43 800	42 300	60 200 *	66,0
68,0	46,9	71,9	9 900	900	24 200	20 500	41 700	40 100	57 700 *	68,0
70,0	45,2	70,0	8 700 *		22 800	19 000	39 700	38 100	55 400 *	70,0
72,0	43,5	67,9	7 500 *		21 500	17 700	37 900	36 200	53 200 *	72,0
74,0	41,7	65,6	6 500 *		20 200	16 400	36 200	34 300	51 100 *	74,0
76,0	39,8	63,3	5 400 *		19 000	15 100	34 500	32 600	49 100 *	76,0
78,0	37,9	60,7	4 500 *		17 800	13 900	33 000	30 900	47 300 *	78,0
80,0	35,9	58,0	3 600 *		16 600 *	12 800	31 500	29 400	45 500 *	80,0
82,0	33,7	55,0			15 400 *	11 800	30 100	27 900	43 800 *	82,0
84,0	31,5	51,8			14 300 *	10 700	28 700	26 500	42 200 *	84,0
86,0	29,1	48,3			13 200 *	9 800	27 500	25 100	40 600 *	86,0
88,0	26,4	44,4			12 100 *	8 800	26 200	23 800	39 100 *	88,0
92,0	20,2	34,8			10 100 *	7 000	23 900	21 300	36 100 *	92,0

58 HL





150 590 kg
+
54 430 kg


360°

15,0 m

102,0 m

 m	 o	 m	62 530 kg		142 360 kg		222 190 kg		 m
			 kg	 kg	 kg	 kg	 kg	 kg	
18,0	81,4	103,3	91 100	107 800 *					18,0
20,0	80,2	103,0	78 200	107 800 *					20,0
22,0	79,1	102,6	67 300	107 700 *					22,0
24,0	77,9	102,2	58 400	107 600 *					24,0
26,0	76,8	101,7	51 100	107 400					26,0
28,0	75,6	101,2	44 900	101 300					28,0
30,0	74,4	100,6	39 600	91 400	87 100	106 500 *			30,0
32,0	73,3	100,0	35 100	83 300	79 100	105 800 *			32,0
34,0	72,1	99,4	31 100	76 300	72 300	105 000 *			34,0
36,0	70,9	98,7	27 500	70 200	66 300	102 900 *			36,0
38,0	69,7	97,9	24 400	64 800	60 900	96 800 *			38,0
40,0	68,5	97,1	21 600	60 000	56 200	90 600	91 200	102 700 *	40,0
42,0	67,3	96,3	19 100	55 600	51 900	85 000	84 800	102 000 *	42,0
44,0	66,1	95,4	16 800	51 700	48 000	79 600	79 300	100 500 *	44,0
46,0	64,8	94,5	14 800	48 200	44 500	74 700	74 300	95 500 *	46,0
48,0	63,6	93,5	12 900	45 000	41 300	70 300	69 800	90 600 *	48,0
50,0	62,3	92,4	11 200	42 000	38 400	66 300	65 700	86 100 *	50,0
52,0	61,0	91,3	9 600	39 400	35 700	62 600	61 800	82 000 *	52,0
54,0	59,7	90,2	8 100	36 900	33 200	59 200	58 300	78 100 *	54,0
56,0	58,4	88,9	6 800	34 600	30 900	56 000	55 000	74 600 *	56,0
58,0	57,0	87,6	5 500	32 500	28 800	53 100	52 000	71 200 *	58,0
60,0	55,7	86,2	4 300	30 500	26 800	50 400	49 200	68 100 *	60,0
62,0	54,3	84,8	3 200	28 600	24 900	47 900	46 500	65 100 *	62,0
64,0	52,9	83,3	2 200	26 900	23 100	45 500	44 100	62 300 *	64,0
66,0	51,5	81,7	1 200	25 300	21 500	43 300	41 800	59 700 *	66,0
68,0	50,0	80,0		23 800	19 900	41 300	39 600	57 200 *	68,0
70,0	48,5	78,3		22 400	18 500	39 300	37 600	54 900 *	70,0
72,0	47,0	76,4		21 000	17 100	37 400	35 700	52 700 *	72,0
74,0	45,4	74,4		19 700	15 800	35 700	33 800	50 600 *	74,0
76,0	43,8	72,4		18 500	14 600	34 100	32 100	48 700 *	76,0
78,0	42,1	70,2		17 300 *	13 400	32 500	30 500	46 800 *	78,0
80,0	40,4	67,8		16 000 *	12 300	31 000	28 900	45 000 *	80,0
82,0	38,6	65,3		14 800 *	11 300	29 600	27 400	43 300 *	82,0
84,0	36,7	62,7		13 700 *	10 200	28 300	26 000	41 700 *	84,0
86,0	34,8	59,8		12 600 *	9 300	27 000	24 600	40 200 *	86,0
88,0	32,7	56,8		11 500 *	8 400	25 800	23 400	38 700 *	88,0
92,0	28,2	49,8		9 600 *	6 600	23 500	20 900	35 900 *	92,0
96,0	22,8	41,1		7 700 *	5 000	21 100 *	18 600	33 400 *	96,0



 m	 °	 m	 62 530 kg		 142 360 kg		 222 190 kg		 m
			 kg	 kg	 kg	 kg	 kg	 kg	
20,0	80,8	109,1	77 900	92 900 *					20,0
22,0	79,7	108,7	66 600	92 800 *					22,0
24,0	78,6	108,3	57 700	92 700 *					24,0
26,0	77,5	107,9	50 300	92 400 *					26,0
28,0	76,4	107,4	44 100	91 700 *					28,0
30,0	75,3	106,9	38 800	89 700					30,0
32,0	74,2	106,3	34 200	82 600	78 300	90 400 *			32,0
34,0	73,1	105,7	30 200	75 600	71 500	89 700 *			34,0
36,0	72,0	105,0	26 700	69 500	65 500	89 000 *			36,0
38,0	70,9	104,3	23 500	64 000	60 100	88 300 *			38,0
40,0	69,8	103,6	20 700	59 200	55 400	87 500 *			40,0
42,0	68,6	102,8	18 200	54 900	51 100	84 600			42,0
44,0	67,5	102,0	15 900	51 000	47 200	78 800			44,0
46,0	66,3	101,1	13 900	47 500	43 700	74 000	73 600	85 600 *	46,0
48,0	65,1	100,2	12 000	44 200	40 400	69 600	68 900	84 900 *	48,0
50,0	64,0	99,2	10 200	41 300	37 500	65 600	64 800	84 300 *	50,0
52,0	62,8	98,2	8 700	38 600	34 800	61 900	61 000	81 200 *	52,0
54,0	61,6	97,1	7 200	36 100	32 300	58 400	57 500	77 300 *	54,0
56,0	60,3	95,9	5 800	33 800	30 000	55 300	54 200	73 700 *	56,0
58,0	59,1	94,7	4 500	31 700	27 800	52 400	51 200	70 400 *	58,0
60,0	57,8	93,5	3 300	29 700	25 800	49 700	48 300	67 300 *	60,0
62,0	56,6	92,2	2 200	27 900	24 000	47 100	45 700	64 300 *	62,0
64,0	55,3	90,8	1 200	26 100	22 200	44 800	43 200	61 500 *	64,0
66,0	54,0	89,3		24 500	20 600	42 500	40 900	58 900 *	66,0
68,0	52,6	87,8		23 000	19 000	40 500	38 700	56 400 *	68,0
70,0	51,3	86,2		21 600	17 600	38 500	36 700	54 100 *	70,0
72,0	49,9	84,5		20 200	16 200	36 700	34 800	51 900 *	72,0
74,0	48,5	82,7		18 900	14 900	35 000	32 900	49 800 *	74,0
76,0	47,0	80,9		17 600 *	13 700	33 300	31 200	47 900 *	76,0
78,0	45,5	78,9		16 300 *	12 500	31 800	29 600	46 000 *	78,0
80,0	44,0	76,9		15 000 *	11 400	30 300	28 000	44 200 *	80,0
82,0	42,5	74,7		13 800 *	10 300	28 900	26 500	42 500 *	82,0
84,0	40,8	72,4		12 700 *	9 300	27 500	25 100	40 900 *	84,0
86,0	39,2	70,0		11 600 *	8 400	26 300	23 800	39 400 *	86,0
88,0	37,4	67,4		10 500 *	7 400	25 100	22 500	37 900 *	88,0
92,0	33,7	61,7		8 600 *	5 700	22 500 *	20 100	35 100 *	92,0
96,0	29,6	55,0		6 800 *	4 100	20 100 *	17 800	32 600 *	96,0
100,0	24,9	47,0		5 100 *	2 700	17 900 *	15 800	30 300 *	100,0
104,0	19,0	36,8		3 500 *	1 200	15 800 *	13 800	24 600 *	104,0

58 HL



150 590 kg
+
54 430 kg


360°

15,0 m

114,0 m

 m	 °	 m	 62 530 kg		 142 360 kg		 222 190 kg		 m
			 kg	 kg	 kg	 kg	 kg	 kg	
22,0	80,2	114,8	67 100	79 500 *					22,0
24,0	79,2	114,4	57 300	79 300 *					24,0
26,0	78,2	114,0	49 900	78 800 *					26,0
28,0	77,2	113,6	43 600	78 200 *					28,0
30,0	76,1	113,1	38 300	77 600 *					30,0
32,0	75,1	112,5	33 700	77 000 *					32,0
34,0	74,0	111,9	29 600	75 500					34,0
36,0	73,0	111,3	26 100	69 000	65 400	75 700 *			36,0
38,0	71,9	110,7	22 900	63 500	59 600	75 100 *			38,0
40,0	70,9	110,0	20 100	58 700	54 800	74 500 *			40,0
42,0	69,8	109,2	17 600	54 300	50 500	73 900 *			42,0
44,0	68,7	108,5	15 300	50 400	46 600	73 300 *			44,0
46,0	67,6	107,6	13 200	46 900	43 100	72 500			46,0
48,0	66,5	106,8	11 300	43 700	39 900	69 200			48,0
50,0	65,4	105,9	9 600	40 800	36 900	65 000	63 900	71 400 *	50,0
52,0	64,3	104,9	8 000	38 000	34 200	61 300	60 400	70 800 *	52,0
54,0	63,2	103,9	6 500	35 600	31 700	57 900	56 900	70 200 *	54,0
56,0	62,0	102,8	5 100	33 300	29 400	54 700	53 600	69 600 *	56,0
58,0	60,9	101,7	3 900	31 200	27 200	51 800	50 600	69 000 *	58,0
60,0	59,7	100,5	2 700	29 200	25 200	49 100	47 700	66 800 *	60,0
62,0	58,6	99,3	1 600	27 300	23 300	46 600	45 100	63 700 *	62,0
64,0	57,4	98,0		25 600	21 600	44 200	42 600	60 900 *	64,0
66,0	56,1	96,7		24 000	19 900	42 000	40 300	58 300 *	66,0
68,0	54,9	95,3		22 500	18 400	39 900	38 100	55 800 *	68,0
70,0	53,7	93,8		21 100	16 900	38 000	36 100	53 500 *	70,0
72,0	52,4	92,3		19 700	15 600	36 100	34 200	51 300 *	72,0
74,0	51,1	90,7		18 300 *	14 300	34 400	32 300	49 300 *	74,0
76,0	49,8	89,0		16 900 *	13 000	32 800	30 600	47 300 *	76,0
78,0	48,5	87,2		15 600 *	11 900	31 200	29 000	45 400 *	78,0
80,0	47,1	85,4		14 300 *	10 800	29 800	27 400	43 700 *	80,0
82,0	45,7	83,4		13 100 *	9 700	28 400	25 900	42 000 *	82,0
84,0	44,3	81,4		12 000 *	8 700	27 000	24 500	40 400 *	84,0
86,0	42,8	79,2		10 900 *	7 800	25 800	23 200	38 800 *	86,0
88,0	41,3	77,0		9 900 *	6 800	24 500	21 900	37 300 *	88,0
92,0	38,1	72,0		7 900 *	5 100	21 900 *	19 500	34 600 *	92,0
96,0	34,6	66,5		6 100 *	3 500	19 500 *	17 300	32 100 *	96,0
100,0	30,8	60,1		4 500 *	2 100	17 300 *	15 200	29 800 *	100,0
104,0	26,6	52,6				15 200 *	13 300	27 000 *	104,0
108,0	21,5	43,4				13 300 *	11 600	16 800 *	108,0


58 HL



150 590 kg
+
54 430 kg




360°



15,0 m



120,0 m

 m	 °	 m	 62 530 kg		 142 360 kg		 222 190 kg		 m
			 kg	 kg	 kg	 kg	 kg	 kg	
24,0	79,8	120,6	57 000	68 600 *					24,0
26,0	78,8	120,2	48 900	68 200 *					26,0
28,0	77,8	119,7	42 600	67 700 *					28,0
30,0	76,8	119,2	37 200	67 100 *					30,0
32,0	75,8	118,7	32 600	66 500 *					32,0
34,0	74,9	118,2	28 500	66 000 *					34,0
36,0	73,9	117,6	24 900	65 000 *					36,0
38,0	72,9	117,0	21 800	62 500					38,0
40,0	71,9	116,3	18 900	57 700	53 900	62 300 *			40,0
42,0	70,8	115,6	16 400	53 400	49 400	61 100 *			42,0
44,0	69,8	114,9	14 100	49 500	45 500	59 900 *			44,0
46,0	68,8	114,1	12 000	46 000	42 000	58 800 *			46,0
48,0	67,8	113,3	10 100	42 700	38 700	57 600 *			48,0
50,0	66,7	112,4	8 400	39 800	35 700	56 400 *			50,0
52,0	65,7	111,5	6 800	37 100	33 000	55 200 *			52,0
54,0	64,6	110,6	5 300	34 600	30 500	54 000 *			54,0
56,0	63,6	109,6	3 900	32 300	28 200	52 800 *			56,0
58,0	62,5	108,6	2 700	30 200	26 000	50 900			58,0
60,0	61,4	107,5	1 500	28 200	24 000	48 100			60,0
62,0	60,3	106,3		26 400	22 100	45 600	43 900	49 200 *	62,0
64,0	59,2	105,1		24 600	20 400	43 300	41 500	48 000 *	64,0
66,0	58,1	103,9		23 000	18 800	41 000	39 200	46 800 *	66,0
68,0	56,9	102,6		21 500	17 200	39 000	37 000	45 700 *	68,0
70,0	55,8	101,2		20 000	15 800	37 000	34 900	44 500 *	70,0
72,0	54,6	99,8		18 400 *	14 300	35 200	33 000	43 300 *	72,0
74,0	53,4	98,3		17 000 *	13 100	33 500	31 200	42 100 *	74,0
76,0	52,2	96,8		15 600 *	11 900	31 800	29 500	40 900 *	76,0
78,0	51,0	95,2		14 300 *	10 700	30 300	27 800	39 700 *	78,0
80,0	49,7	93,5		13 000 *	9 600	28 800	26 200	38 500 *	80,0
82,0	48,4	91,7		11 800 *	8 500	27 400	24 800	37 300 *	82,0
84,0	47,1	89,8		10 700 *	7 500	26 000	23 400	36 600 *	84,0
86,0	45,8	87,9		9 600 *	6 600	24 600 *	22 000	36 000 *	86,0
88,0	44,5	85,9		8 600 *	5 700	23 200 *	20 700	35 400 *	88,0
92,0	41,6	81,5		6 600 *	3 900	20 600 *	18 400	33 600 *	92,0
96,0	38,6	76,7		4 900 *	2 400	18 200 *	16 100	31 100 *	96,0
100,0	35,4	71,3		3 300 *	900	16 000 *	14 100	28 800 *	100,0
104,0	31,9	65,1				14 000 *	12 200	26 300 *	104,0
108,0	28,0	58,0				12 100 *	10 500	23 900 *	108,0
112,0	23,5	49,5				10 300 *	8 800	21 600 *	112,0
116,0	18,0	38,7				8 600 *	7 200	17 800 *	116,0