




Liftcrane Boom Capacities

Boom No. 58 HL
134 260 kg Crane Counterweight
27 220 kg Carbody Counterweight
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating - Two Swing Drives



16000 SERIES 2

LIFTING CAPACITIES: Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths and operating radii are for freely suspended loads and do not exceed 75% of a static tipping load. Capacities based on structural competence are denoted by an asterisk (*).

Standard upper boom point capacity for liftcrane service with single part whip line is 13 610 kg or 27 220 kg with two part whip line. In all cases, upper boom point capacities cannot exceed those listed for main boom capacity.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom point sheaves, is considered part of main boom load. Boom is not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm uniformly supporting surface with machine list not to exceed degrees noted. Refer to boom rigging **No. A10415**, Wire Rope Specification chart **No. 8674-A**, Counterweight Arrangement chart **No. 8682-A** and Wind Conditions chart **No. 8688-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to Operator's Manual for operating guidelines.

OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.

BOOM ANGLE: Boom angle in degrees ($^{\circ}$) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.

BOOM POINT ELEVATION: Boom point elevation is vertical distance from barge deck to centerline of boom point shaft


MACHINE EQUIPMENT: Machine equipped with two swing drives, 10 363 mm crawlers, 1 524 mm treads, 9 754 mm live mast, 26 part boom hoist reeving, boom support straps, 13 610 kg crane counterweight, two 134 260 kg carbody counterweights.

Maximum Boom Lengths Lifted Unassisted		
List	Over End of Blocked Crawlers	Over Side of Crawlers
	Boom Length	Boom Length
0 Degree	84,0 m	78,0 m
1 Degree	84,0 m	78,0 m
2 Degree	84,0 m	78,0 m
3 Degree	84,0 m	78,0 m
Load block, hook and weight ball on barge deck at start.		

Third Line Deduct
Deduct 230 kg from boom capacities when boom is equipped for three line operation.

Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
30,0 m							
6,4	82,9	32,3	391 100 *				6,4
7,0	81,7	32,2	359 200 *				7,0
8,0	79,8	32,0	316 000 *	294 800	233 700 *	181 100 *	8,0
10,0	75,8	31,5	230 100	210 300	192 400	177 400	10,0
12,0	71,8	30,8	170 700	159 300	148 400	138 600	12,0
14,0	67,7	30,0	134 400	127 000	119 700	113 100	14,0
16,0	63,4	29,0	109 900	104 900	99 700	94 900	16,0
18,0	59,0	27,8	92 400	88 800	84 900	81 300	18,0
20,0	54,3	26,3	79 200	76 400	73 500	70 700	20,0
22,0	49,2	24,6	68 800	66 700	64 400	62 200	22,0
24,0	43,8	22,6	60 400	58 800	57 000	55 300	24,0
26,0	37,6	20,1	53 500	52 300	50 900	49 500	26,0
28,0	30,4	16,8	47 700	46 800	45 700	44 600	28,0
30,0	20,7	12,2	42 700	42 000	41 300	40 500	30,0



Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
36,0 m							
7,3	82,6	38,2	343 900 *				7,3
8,0	81,5	38,1	315 400 *	270 400			8,0
10,0	78,3	37,7	230 700	207 300	186 800	169 000	10,0
12,0	75,0	37,1	171 000	157 400	144 900	133 800	12,0
14,0	71,6	36,5	134 600	125 800	117 300	109 700	14,0
16,0	68,2	35,7	110 100	103 900	97 900	92 300	16,0
18,0	64,6	34,7	92 500	88 000	83 400	79 200	18,0
20,0	61,0	33,6	79 300	75 800	72 300	69 000	20,0
22,0	57,2	32,3	68 800	66 200	63 400	60 800	22,0
24,0	53,3	30,8	60 500	58 400	56 200	54 000	24,0
26,0	49,1	29,1	53 600	52 000	50 100	48 400	26,0
28,0	44,6	27,1	47 900	46 500	45 000	43 600	28,0
30,0	39,6	24,7	43 000	41 900	40 700	39 500	30,0
32,0	34,1	21,9	38 700	37 900	36 900	35 900	32,0
34,0	27,5	18,2	35 000	34 400	33 600	32 800	34,0
36,0	18,7	13,1	31 700	31 300	30 700	30 100	36,0

Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
42,0 m							
7,9	82,8	44,2	283 800 *				7,9
8,0	82,7	44,2	283 400 *				8,0
10,0	80,0	43,8	231 100	206 100	182 000		10,0
12,0	77,2	43,4	171 400	155 700	141 600	129 500	12,0
14,0	74,3	42,8	134 900	124 600	115 000	106 600	14,0
16,0	71,4	42,1	110 300	103 200	96 200	90 000	16,0
18,0	68,5	41,3	92 700	87 400	82 200	77 400	18,0
20,0	65,5	40,4	79 400	75 400	71 300	67 500	20,0
22,0	62,4	39,4	69 000	65 900	62 600	59 500	22,0
24,0	59,3	38,2	60 600	58 100	55 500	53 000	24,0
26,0	56,0	36,8	53 800	51 800	49 500	47 500	26,0
28,0	52,5	35,3	48 000	46 400	44 500	42 800	28,0
30,0	48,9	33,6	43 200	41 800	40 200	38 800	30,0
32,0	45,1	31,6	39 000	37 800	36 500	35 300	32,0
34,0	41,0	29,3	35 300	34 400	33 300	32 200	34,0
36,0	36,5	26,7	32 100	31 300	30 400	29 500	36,0
38,0	31,4	23,5	29 300	28 600	27 800	27 100	38,0
40,0	25,3	19,6	26 700	26 100	25 500	24 900	40,0



Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
48,0 m							
8,5	83,0	50,2	270 700 *				8,5
10,0	81,2	49,9	231 500	197 000			10,0
12,0	78,8	49,5	171 300	153 600	138 100	125 100	12,0
14,0	76,3	49,0	134 700	123 100	112 500	103 200	14,0
16,0	73,8	48,5	110 100	101 900	94 200	87 300	16,0
18,0	71,3	47,8	92 400	86 400	80 500	75 200	18,0
20,0	68,8	47,0	79 100	74 500	69 900	65 700	20,0
22,0	66,2	46,1	68 700	65 000	61 300	57 900	22,0
24,0	63,5	45,1	60 300	57 400	54 400	51 500	24,0
26,0	60,7	44,0	53 400	51 000	48 500	46 200	26,0
28,0	57,9	42,7	47 700	45 700	43 600	41 600	28,0
30,0	55,0	41,3	42 800	41 100	39 300	37 600	30,0
32,0	52,0	39,8	38 600	37 200	35 700	34 200	32,0
34,0	48,8	38,0	35 000	33 800	32 400	31 200	34,0
36,0	45,5	36,1	31 800	30 700	29 600	28 500	36,0
38,0	42,0	33,9	28 900	28 100	27 100	26 100	38,0
40,0	38,1	31,4	26 400	25 600	24 800	24 000	40,0
42,0	33,9	28,5	24 100	23 500	22 700	22 100	42,0
44,0	29,2	25,1	22 100	21 500	20 900	20 300	44,0
46,0	23,5	20,8	20 200	19 700	19 200	18 700	46,0

Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
54,0 m							
9,8	82,5	56,0	219 000 *				9,8
10,0	82,2	56,0	216 100 *				10,0
12,0	80,1	55,7	171 400	151 100	132 900 *		12,0
14,0	77,9	55,2	134 700	121 700	110 100	100 300	14,0
16,0	75,7	54,7	110 000	100 900	92 400	85 000	16,0
18,0	73,5	54,1	92 300	85 500	79 000	73 300	18,0
20,0	71,2	53,4	78 900	73 700	68 600	64 000	20,0
22,0	69,0	52,7	68 500	64 400	60 300	56 500	22,0
24,0	66,7	51,8	60 100	56 800	53 400	50 300	24,0
26,0	64,3	50,8	53 200	50 500	47 700	45 000	26,0
28,0	61,9	49,8	47 500	45 200	42 800	40 600	28,0
30,0	59,4	48,6	42 600	40 700	38 600	36 700	30,0
32,0	56,9	47,3	38 400	36 800	35 000	33 300	32,0
34,0	54,3	45,8	34 700	33 300	31 800	30 400	34,0
36,0	51,6	44,2	31 600	30 400	29 000	27 800	36,0
38,0	48,8	42,5	28 700	27 700	26 500	25 400	38,0
40,0	45,8	40,6	26 200	25 300	24 300	23 300	40,0
42,0	42,7	38,4	23 900	23 200	22 300	21 400	42,0
44,0	39,4	36,0	21 900	21 200	20 400	19 700	44,0
46,0	35,8	33,3	20 000	19 400	18 800	18 100	46,0
48,0	31,9	30,2	18 300	17 800	17 200	16 600	48,0
50,0	27,4	26,5	16 800	16 300	15 800	15 300	50,0
52,0	22,1	21,9	15 300	14 900	14 500	14 100	52,0



Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
60,0 m							
10,4	82,6	62,0	197 500 *				10,4
12,0	81,1	61,8	171 900	143 200 *			12,0
14,0	79,1	61,4	134 400	120 400	108 000	97 300	14,0
16,0	77,2	60,9	109 600	99 600	90 300	82 400	16,0
18,0	75,2	60,4	91 900	84 400	77 300	71 100	18,0
20,0	73,2	59,8	78 500	72 700	67 200	62 200	20,0
22,0	71,2	59,1	68 000	63 400	58 900	54 900	22,0
24,0	69,1	58,3	59 600	55 900	52 200	48 800	24,0
26,0	67,0	57,5	52 700	49 700	46 600	43 700	26,0
28,0	64,9	56,5	46 900	44 400	41 700	39 300	28,0
30,0	62,8	55,5	42 000	39 900	37 600	35 500	30,0
32,0	60,6	54,4	37 800	36 000	34 100	32 200	32,0
34,0	58,4	53,1	34 200	32 600	30 900	29 300	34,0
36,0	56,1	51,8	31 000	29 600	28 100	26 700	36,0
38,0	53,7	50,3	28 200	27 000	25 700	24 400	38,0
40,0	51,2	48,7	25 600	24 600	23 400	22 300	40,0
42,0	48,7	47,0	23 400	22 500	21 400	20 400	42,0
44,0	46,1	45,1	21 300	20 500	19 600	18 700	44,0
46,0	43,3	43,0	19 500	18 800	18 000	17 200	46,0
48,0	40,4	40,6	17 800	17 200	16 400	15 700	48,0
50,0	37,2	38,0	16 300	15 700	15 000	14 400	50,0
52,0	33,9	35,1	14 800	14 300	13 800	13 200	52,0
54,0	30,1	31,8	13 500	13 100	12 600	12 100	54,0
56,0	25,9	27,8	12 300	11 900	11 400	11 000	56,0
58,0	20,9	23,0	11 100	10 800	10 400	10 100	58,0

Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
66,0 m							
11,0	82,8	68,0	167 100 *				11,0
12,0	81,9	67,8	159 600 *				12,0
14,0	80,1	67,5	134 800	112 900	96 800 *		14,0
16,0	78,3	67,1	109 400	99 300	88 400	78 300	16,0
18,0	76,6	66,6	91 600	83 400	75 900	69 500	18,0
20,0	74,8	66,0	78 200	71 900	65 800	60 500	20,0
22,0	72,9	65,4	67 700	62 600	57 800	53 400	22,0
24,0	71,1	64,7	59 300	55 200	51 200	47 500	24,0
26,0	69,3	64,0	52 400	49 000	45 600	42 500	26,0
28,0	67,4	63,1	46 600	43 700	40 900	38 200	28,0
30,0	65,5	62,2	41 700	39 300	36 800	34 500	30,0
32,0	63,5	61,2	37 500	35 400	33 300	31 300	32,0
34,0	61,5	60,1	33 800	32 000	30 100	28 400	34,0
36,0	59,5	59,0	30 600	29 100	27 400	25 900	36,0
38,0	57,5	57,7	27 800	26 400	25 000	23 600	38,0
40,0	55,4	56,3	25 300	24 100	22 800	21 500	40,0
42,0	53,2	54,8	23 000	21 900	20 800	19 700	42,0
44,0	51,0	53,2	21 000	20 000	19 000	18 000	44,0
46,0	48,7	51,5	19 100	18 300	17 300	16 400	46,0
48,0	46,3	49,5	17 400	16 700	15 800	15 000	48,0
50,0	43,8	47,5	15 900	15 200	14 500	13 700	50,0
52,0	41,1	45,2	14 500	13 800	13 200	12 500	52,0
54,0	38,4	42,7	13 100	12 600	12 000	11 400	54,0
56,0	35,4	40,0	11 900	11 500	10 900	10 400	56,0
58,0	32,2	36,8	10 800	10 400	9 900	9 400	58,0
60,0	28,7	33,3	9 700	9 400	8 900	8 500	60,0
62,0	24,6	29,1	8 700	8 400	8 100	7 700	62,0
64,0	19,9	24,0	7 800	7 500	7 200	6 900	64,0



Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
72,0 m							
11,6	82,9	74,0	149 900 *				11,6
12,0	82,6	73,9	147 000 *				12,0
14,0	81,0	73,6	133 000	104 600 *			14,0
16,0	79,3	73,2	109 300	95 300	83 100 *	73 100 *	16,0
18,0	77,7	72,8	91 200	82 600	74 400	66 900	18,0
20,0	76,1	72,3	77 700	70 800	64 300	58 700	20,0
22,0	74,4	71,7	67 100	61 700	56 400	51 800	22,0
24,0	72,7	71,1	58 700	54 200	49 900	46 000	24,0
26,0	71,1	70,4	51 800	48 100	44 400	41 100	26,0
28,0	69,4	69,6	46 000	42 900	39 700	36 900	28,0
30,0	67,6	68,8	41 100	38 400	35 800	33 300	30,0
32,0	65,9	67,9	36 800	34 600	32 300	30 100	32,0
34,0	64,1	66,9	33 200	31 200	29 200	27 300	34,0
36,0	62,3	65,9	30 000	28 300	26 400	24 700	36,0
38,0	60,5	64,8	27 100	25 600	24 000	22 500	38,0
40,0	58,6	63,5	24 600	23 300	21 800	20 500	40,0
42,0	56,7	62,2	22 300	21 200	19 900	18 700	42,0
44,0	54,8	60,8	20 300	19 300	18 100	17 000	44,0
46,0	52,8	59,3	18 400	17 500	16 500	15 500	46,0
48,0	50,7	57,7	16 700	15 900	15 000	14 100	48,0
50,0	48,6	55,9	15 200	14 400	13 600	12 800	50,0
52,0	46,4	54,0	13 800	13 100	12 400	11 600	52,0
54,0	44,2	52,0	12 500	11 900	11 200	10 500	54,0
56,0	41,8	49,8	11 300	10 700	10 100	9 500	56,0
58,0	39,3	47,3	10 200	9 700	9 100	8 500	58,0
60,0	36,6	44,7	9 100	8 700	8 100	7 600	60,0
62,0	33,8	41,8	8 200	7 700	7 300	6 800	62,0
64,0	30,7	38,5	7 200	6 800	6 400	6 000	64,0
66,0	27,4	34,7	6 400	6 000	5 700	5 300	66,0
68,0	23,5	30,4	5 500	5 300	4 900		68,0
70,0	19,0	25,0	4 800	4 500			70,0

Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives




16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
78,0 m							
12,2	83,0	79,9	137 300 *				12,2
14,0	81,7	79,7	128 900	97 300 *			14,0
16,0	80,2	79,3	109 500	91 600 *	75 500 *		16,0
18,0	78,7	78,9	90 800	81 700	71 900	59 600 *	18,0
20,0	77,2	78,5	77 300	69 800	62 900	57 200	20,0
22,0	75,6	77,9	66 700	60 700	55 100	50 200	22,0
24,0	74,1	77,4	58 200	53 400	48 700	44 600	24,0
26,0	72,6	76,7	51 300	47 300	43 400	39 800	26,0
28,0	71,0	76,1	45 500	42 100	38 800	35 700	28,0
30,0	69,5	75,3	40 500	37 700	34 800	32 200	30,0
32,0	67,9	74,5	36 300	33 800	31 300	29 000	32,0
34,0	66,3	73,6	32 600	30 500	28 300	26 300	34,0
36,0	64,6	72,7	29 400	27 500	25 600	23 800	36,0
38,0	63,0	71,6	26 600	24 900	23 200	21 600	38,0
40,0	61,3	70,5	24 000	22 600	21 000	19 600	40,0
42,0	59,6	69,4	21 800	20 500	19 100	17 700	42,0
44,0	57,9	68,1	19 700	18 600	17 300	16 100	44,0
46,0	56,1	66,8	17 900	16 800	15 700	14 600	46,0
48,0	54,3	65,3	16 200	15 300	14 200	13 200	48,0
50,0	52,4	63,8	14 600	13 800	12 800	12 000	50,0
52,0	50,5	62,2	13 300	12 500	11 600	10 800	52,0
54,0	48,6	60,4	11 900	11 200	10 500	9 700	54,0
56,0	46,6	58,5	10 700	10 100	9 400	8 700	56,0
58,0	44,5	56,5	9 600	9 000	8 400	7 700	58,0
60,0	42,3	54,3	8 500	8 000	7 400	6 800	60,0
62,0	40,0	52,0	7 600	7 100	6 500	6 000	62,0
64,0	37,6	49,4	6 700	6 200	5 700	5 300	64,0
66,0	35,1	46,6	5 800	5 400	4 900		66,0
68,0	32,4	43,5	5 000				68,0
70,0	29,5	40,0	4 200				70,0
72,0	26,2	36,1	3 500				72,0



Liftcrane Boom Capacities

Boom No. 58 HL
 134 260 kg Crane Counterweight
 27 220 kg Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Machine List
 No Travel - 360 Degree Rating - Two Swing Drives



16000 SERIES 2

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
84,0 m							
13,7	82,5	85,8	114 300 *				13,7
14,0	82,3	85,8	113 700 *				14,0
16,0	80,9	85,4	107 100	83 200 *			16,0
18,0	79,5	85,1	90 700	79 300	62 300 *		18,0
20,0	78,1	84,6	76 700	68 700	61 300	48 400 *	20,0
22,0	76,7	84,2	66 100	59 700	53 800	47 500	22,0
24,0	75,3	83,6	57 600	52 400	47 500	43 400	24,0
26,0	73,9	83,0	50 700	46 300	42 200	38 400	26,0
28,0	72,4	82,4	44 800	41 200	37 600	34 400	28,0
30,0	71,0	81,7	39 900	36 800	33 700	30 900	30,0
32,0	69,5	81,0	35 700	33 000	30 300	27 900	32,0
34,0	68,1	80,2	32 000	29 600	27 300	25 100	34,0
36,0	66,6	79,3	28 800	26 700	24 600	22 700	36,0
38,0	65,1	78,3	25 900	24 100	22 200	20 500	38,0
40,0	63,5	77,3	23 400	21 800	20 100	18 500	40,0
42,0	62,0	76,3	21 100	19 700	18 200	16 800	42,0
44,0	60,4	75,2	19 000	17 800	16 400	15 100	44,0
46,0	58,8	73,9	17 200	16 000	14 800	13 600	46,0
48,0	57,2	72,7	15 500	14 500	13 300	12 300	48,0
50,0	55,6	71,3	13 900	13 000	12 000	11 000	50,0
52,0	53,9	69,8	12 500	11 700	10 700	9 800	52,0
54,0	52,1	68,3	11 200	10 400	9 600	8 800	54,0
56,0	50,4	66,6	10 000	9 300	8 500	7 700	56,0
58,0	48,6	64,9	8 900	8 300	7 500	6 800	58,0
60,0	46,7	63,0	7 800	7 300	6 600	5 900	60,0
62,0	44,8	61,0	6 900	6 300	5 700	5 100	62,0
64,0	42,8	58,8	5 900	5 400	4 900		64,0
66,0	40,7	56,5	5 100				66,0
68,0	38,5	54,0	4 300				68,0
70,0	36,2	51,3	3 500				70,0