


Liftcrane Boom

Extended Upper Point Capacities

Boom No. 58WA with 7,6 m Extended
Upper Boom Point
166 920 kg Crane Counterweight
54 430 kg Carbody Counterweight
360 Degree Rating



16000
SERIES 4

LIFTING CAPACITIES: Lifting capacities for various boom lengths and operating radii are for freely suspended loads and are calculated to comply with EN 13000, ISO 4305 and include factors based on a 4,0 degree tipping angle. Capacities based on structural competence are denoted by an asterisk (*).

Upper boom point (upper sheave) capacity for liftcrane service with single part whip line is 13 610 kg or 27 220 kg with two part line. In all cases, upper boom point capacities cannot exceed those listed for extended upper boom point (lower sheave) capacity.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath upper boom point sheaves, is considered part of extended upper boom point load. Boom is not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate in a level position on a firm uniformly supporting surface. Refer to boom rigging **No. 81009833**, Wire Rope Specification chart **No. 8889-A**, and Counterweight Arrangement chart **No. 8682-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, travel, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to Operator's Manual for operating guidelines.

WIND CONDITIONS: Machine may operate with full working load in wind speeds up to the maximum wind speed value provided crane operator judgment is used to allow for wind effect on lifted load and other considerations noted on capacity chart are followed. Wind speed to be measured at boom point elevation. Refer to Wind Conditions Chart **No. 8688-A** for effect of wind on lifted load, additional maximum wind speeds when lifting percentage of full working load, and instructions for parking when wind speed exceeds maximum operating wind speed.

MACHINE TRAVEL: Machine to travel on a firm, level [up to 1 percent (0,5 degrees) grade] and uniformly supporting surface. *Travel with 100 percent of rated load prohibited.* Travel restricted to 90 percent of rated capacity with speed not to exceed 0,4 m/s. Boom must be within boom angle range shown in capacity chart. Refer to Maximum Allowable Travel Specification chart **No. 8962-A**.

MAX PERMISSIBLE SLEWING SPEED: Slewing operation with working load shall not exceed 0,4 m/s as measured at the operating radius. The amount of time to brake or start slewing a working load shall not be less than 2,5 seconds.

OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation to center of vertical hoist line or load block.

BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.

EXTENDED UPPER BOOM POINT ELEVATION: Extended upper boom point elevation is vertical distance from ground level to centerline of extended upper boom point (lower sheave) shaft.

MACHINE EQUIPMENT: Machine equipped with 10 363 mm crawlers, 1 524 mm treads, 9 754 mm live mast, 26 part boom hoist reeving, boom support straps, 166 920 kg crane counterweight, two 13 610 kg and four 6 800 kg carbody counterweights.



Maximum Boom Length Lifted Unassisted

Over End of Blocked Crawlers	Over Side of Crawlers
Boom Length	Boom Length
92,0 m (a)	80,0 m
Load block, hook and weight ball on ground at start. (a) Luffing jib drum must be removed from boom butt and Upper Boom Point (upper sheave) cannot be used on 89,0 m and 92,0 m booms. Raising reserve for 92,0 m boom is 3,3% of boom tip weight and 8,3% of 89,0 m boom tip weight.	

Boom Catwalks Deduct

Deduct 275 kg from capacities when boom catwalks are attached.

Explanation of Symbols

58WA 	Boom No. 58 WA with 7,6 m Extended Upper Boom Point
	Crane Counterweight + Carbody Counterweight
	360 Degree Rating
	Maximum Wind Speed (see page 1)
	Operating Radius (see page 1)
	Boom Angle (see page 1)
	Extended Upper Boom Point Elevation (see page 1)
	Lifting Capacities (see page 1)
	Boom Length
	Extended Upper Boom Point Offset Angle




58WA



166 920 kg
+
54 430 kg







360°




44,0 m



16 m/s

 m	28° 			35° 			 m
	 °	 m	 kg	 °	 m	 kg	
12,2	82,1	52,9	130 000 *				12,2
12,5	81,7	52,8	130 000 *				12,5
13,0	81,1	52,7	130 000 *				13,0
13,5	80,6	52,6	130 000 *				13,5
14,0	80,0	52,4	130 000 *				14,0
14,5	79,4	52,3	130 000 *				14,5
15,0	78,8	52,2	130 000 *				15,0
15,5	78,3	52,0	130 000 *				15,5
16,0	77,7	51,9	130 000 *				16,0
16,5	77,1	51,8	130 000 *				16,5
17,0	76,5	51,6	129 000				17,0
17,5	75,9	51,4	125 100				17,5
18,0	75,3	51,3	121 200				18,0
18,5	74,7	51,1	117 400	75,5	50,8	118 300	18,5
19,0	74,2	50,9	113 900	74,9	50,6	114 900	19,0
20,0	73,0	50,5	107 300	73,7	50,3	108 000	20,0
22,0	70,5	49,7	95 600	71,3	49,4	96 200	22,0
24,0	68,1	48,8	84 400	68,8	48,5	84 900	24,0
26,0	65,6	47,8	75 300	66,3	47,5	75 700	26,0
28,0	63,0	46,6	67 700	63,7	46,3	68 000	28,0
30,0	60,4	45,4	61 200	61,0	45,0	61 500	30,0
32,0	57,6	44,0	55 600	58,3	43,6	55 900	32,0
34,0	54,8	42,4	50 800	55,4	42,0	51 000	34,0
36,0	51,9	40,7	46 500	52,5	40,3	46 700	36,0
38,0	48,8	38,8	42 800	49,3	38,4	42 900	38,0
40,0	45,5	36,6	39 400	46,0	36,2	39 500	40,0
42,0	42,0	34,2	36 400	42,5	33,8	36 500	42,0
44,0	38,2	31,5	33 600	38,6	31,0	33 700	44,0
46,0	34,0	28,3	31 100				46,0

58WA



166 920 kg
+
54 430 kg






360°



47,0 m



16 m/s

	28°			35°			
 m	 m	 m	 kg	 m	 m	 kg	 m
12,2	82,5	55,9	130 000 *				12,2
12,5	82,2	55,9	130 000 *				12,5
13,0	81,6	55,8	130 000 *				13,0
13,5	81,1	55,6	130 000 *				13,5
14,0	80,6	55,5	130 000 *				14,0
14,5	80,0	55,4	130 000 *				14,5
15,0	79,5	55,3	130 000 *				15,0
15,5	78,9	55,2	130 000 *				15,5
16,0	78,4	55,0	130 000 *				16,0
16,5	77,8	54,9	129 800				16,5
17,0	77,3	54,7	127 200				17,0
17,5	76,7	54,6	122 900				17,5
18,0	76,2	54,4	119 100				18,0
18,5	75,6	54,3	115 500	76,4	54,0	116 300	18,5
19,0	75,1	54,1	112 000	75,8	53,8	112 900	19,0
20,0	73,9	53,7	105 500	74,7	53,4	106 200	20,0
22,0	71,7	53,0	94 400	72,4	52,7	95 000	22,0
24,0	69,4	52,1	84 200	70,1	51,8	84 700	24,0
26,0	67,1	51,2	75 000	67,7	50,8	75 400	26,0
28,0	64,7	50,1	67 300	65,3	49,8	67 700	28,0
30,0	62,2	48,9	60 800	62,9	48,6	61 200	30,0
32,0	59,7	47,6	55 200	60,3	47,3	55 500	32,0
34,0	57,1	46,2	50 400	57,7	45,9	50 700	34,0
36,0	54,4	44,6	46 100	55,0	44,3	46 400	36,0
38,0	51,6	42,9	42 400	52,2	42,5	42 600	38,0
40,0	48,7	41,0	39 000	49,3	40,6	39 200	40,0
42,0	45,7	38,9	36 000	46,2	38,5	36 100	42,0
44,0	42,4	36,5	33 200	42,8	36,1	33 400	44,0
46,0	38,9	33,8	30 700	39,3	33,3	30 900	46,0
48,0	35,0	30,8	28 500				48,0
50,0	30,6	27,2	26 400				50,0


58WA



166 920 kg
+
54 430 kg





360°




50,0 m



16 m/s

	28°			35°			
							
	m	m	kg	m	kg	m	
12,2	82,9	59,0	130 000 *			12,2	
12,5	82,6	58,9	130 000 *			12,5	
13,0	82,1	58,8	130 000 *			13,0	
13,5	81,6	58,7	130 000 *			13,5	
14,0	81,1	58,6	130 000 *			14,0	
14,5	80,5	58,5	130 000 *			14,5	
15,0	80,0	58,4	130 000 *			15,0	
15,5	79,5	58,2	130 000 *			15,5	
16,0	79,0	58,1	130 000 *			16,0	
16,5	78,5	58,0	129 500			16,5	
17,0	78,0	57,8	125 100			17,0	
17,5	77,4	57,7	121 100			17,5	
18,0	76,9	57,6	117 300			18,0	
18,5	76,4	57,4	113 800	77,1	57,1	114 700	18,5
19,0	75,9	57,2	110 400	76,6	56,9	111 300	19,0
20,0	74,8	56,9	104 000	75,5	56,6	104 800	20,0
22,0	72,7	56,2	93 100	73,4	55,9	93 700	22,0
24,0	70,5	55,4	83 800	71,2	55,1	84 300	24,0
26,0	68,4	54,5	74 800	69,0	54,2	75 300	26,0
28,0	66,1	53,5	67 200	66,8	53,2	67 600	28,0
30,0	63,8	52,4	60 700	64,5	52,1	61 100	30,0
32,0	61,5	51,2	55 100	62,1	50,9	55 400	32,0
34,0	59,1	49,9	50 200	59,7	49,5	50 600	34,0
36,0	56,6	48,4	46 000	57,2	48,1	46 300	36,0
38,0	54,1	46,9	42 300	54,7	46,5	42 500	38,0
40,0	51,5	45,1	38 900	52,0	44,8	39 100	40,0
42,0	48,7	43,2	35 900	49,2	42,8	36 100	42,0
44,0	45,8	41,1	33 100	46,3	40,7	33 300	44,0
46,0	42,7	38,8	30 700	43,2	38,4	30 800	46,0
48,0	39,4	36,2	28 400	39,8	35,7	28 500	48,0
50,0	35,9	33,2	26 300	36,2	32,7	26 400	50,0
52,0	31,9	29,8	24 400				52,0

58WA



166 920 kg
+
54 430 kg



360°



53,0 m



16 m/s

	28°			35°			
m	m	m	kg	m	m	kg	m
12,5	83,0	62,0	130 000 *				12,5
13,0	82,5	61,9	130 000 *				13,0
13,5	82,0	61,8	130 000 *				13,5
14,0	81,5	61,7	130 000 *				14,0
14,5	81,0	61,6	130 000 *				14,5
15,0	80,5	61,4	130 000 *				15,0
15,5	80,1	61,3	130 000 *				15,5
16,0	79,6	61,2	130 000 *				16,0
16,5	79,1	61,1	127 100				16,5
17,0	78,6	60,9	123 000				17,0
17,5	78,1	60,8	119 000				17,5
18,0	77,6	60,7	115 300				18,0
18,5	77,1	60,5	111 900	77,8	60,2	112 800	18,5
19,0	76,6	60,4	108 500	77,3	60,1	109 500	19,0
20,0	75,6	60,1	102 300	76,3	59,8	103 100	20,0
22,0	73,6	59,4	91 500	74,3	59,1	92 200	22,0
24,0	71,6	58,6	82 500	72,2	58,3	83 100	24,0
26,0	69,5	57,8	74 500	70,1	57,5	75 000	26,0
28,0	67,4	56,8	66 800	68,0	56,5	67 200	28,0
30,0	65,3	55,8	60 300	65,9	55,5	60 700	30,0
32,0	63,1	54,7	54 700	63,7	54,4	55 100	32,0
34,0	60,9	53,5	49 800	61,4	53,1	50 200	34,0
36,0	58,6	52,1	45 600	59,1	51,8	45 900	36,0
38,0	56,2	50,7	41 800	56,8	50,3	42 100	38,0
40,0	53,8	49,1	38 400	54,3	48,7	38 700	40,0
42,0	51,3	47,4	35 500	51,8	47,0	35 700	42,0
44,0	48,7	45,5	32 700	49,1	45,1	32 900	44,0
46,0	45,9	43,4	30 200	46,4	43,0	30 400	46,0
48,0	43,0	41,1	28 000	43,4	40,6	28 100	48,0
50,0	39,9	38,5	25 900	40,3	38,0	26 000	50,0
52,0	36,6	35,7	24 000				52,0
54,0	33,0	32,4	22 200				54,0




58WA



166 920 kg
+
54 430 kg





360°




56,0 m



16 m/s

	28°			35°			
 m	 °	 m	 kg	 °	 m	 kg	 m
12,8	83,0	64,9	130 000 *				12,8
13,0	82,8	64,9	130 000 *				13,0
13,5	82,4	64,8	130 000 *				13,5
14,0	81,9	64,7	130 000 *				14,0
14,5	81,5	64,6	130 000 *				14,5
15,0	81,0	64,5	130 000 *				15,0
15,5	80,5	64,4	130 000 *				15,5
16,0	80,1	64,3	129 000				16,0
16,5	79,6	64,2	125 000				16,5
17,0	79,1	64,0	120 900				17,0
17,5	78,7	63,9	117 100				17,5
18,0	78,2	63,8	113 500				18,0
18,5	77,7	63,6	110 100	78,4	63,3	111 000	18,5
19,0	77,3	63,5	106 800	77,9	63,2	107 800	19,0
20,0	76,3	63,2	100 700	77,0	62,9	101 400	20,0
22,0	74,4	62,6	90 100	75,0	62,3	90 800	22,0
24,0	72,5	61,8	81 300	73,1	61,5	81 900	24,0
26,0	70,5	61,0	73 700	71,1	60,7	74 300	26,0
28,0	68,6	60,2	66 600	69,2	59,8	67 000	28,0
30,0	66,6	59,2	60 000	67,1	58,9	60 400	30,0
32,0	64,5	58,1	54 400	65,1	57,8	54 800	32,0
34,0	62,4	57,0	49 500	63,0	56,7	49 900	34,0
36,0	60,3	55,8	45 300	60,8	55,4	45 600	36,0
38,0	58,1	54,4	41 500	58,6	54,0	41 800	38,0
40,0	55,9	52,9	38 200	56,4	52,6	38 400	40,0
42,0	53,5	51,3	35 100	54,0	51,0	35 400	42,0
44,0	51,1	49,6	32 400	51,6	49,2	32 600	44,0
46,0	48,6	47,7	30 000	49,1	47,3	30 100	46,0
48,0	46,0	45,6	27 700	46,5	45,2	27 800	48,0
50,0	43,3	43,4	25 600	43,7	42,9	25 800	50,0
52,0	40,4	40,9	23 700	40,8	40,4	23 800	52,0
54,0	37,3	38,1	22 000	37,6	37,5	22 100	54,0
56,0	33,9	34,9	20 300				56,0

58WA



166 920 kg
+
54 430 kg






360°



59,0 m



16 m/s

	28°			35°			
 m	 m	 m	 kg	 m	 m	 kg	 m
13,4	82,8	67,9	130 000 *				13,4
13,5	82,7	67,9	130 000 *				13,5
14,0	82,3	67,8	130 000 *				14,0
14,5	81,9	67,7	130 000 *				14,5
15,0	81,4	67,6	130 000 *				15,0
15,5	81,0	67,5	130 000 *				15,5
16,0	80,5	67,4	127 100				16,0
16,5	80,1	67,2	122 800				16,5
17,0	79,6	67,1	118 900				17,0
17,5	79,2	67,0	115 100				17,5
18,0	78,8	66,9	111 600				18,0
18,5	78,3	66,7	108 200	78,9	66,5	109 100	18,5
19,0	77,9	66,6	104 900	78,5	66,3	106 000	19,0
20,0	77,0	66,3	99 000	77,6	66,0	99 800	20,0
22,0	75,2	65,7	88 600	75,8	65,4	89 300	22,0
24,0	73,3	65,0	79 900	73,9	64,7	80 500	24,0
26,0	71,5	64,3	72 500	72,1	64,0	73 000	26,0
28,0	69,6	63,4	65 900	70,2	63,1	66 400	28,0
30,0	67,7	62,5	59 600	68,3	62,2	60 100	30,0
32,0	65,8	61,5	54 000	66,3	61,2	54 400	32,0
34,0	63,8	60,5	49 100	64,3	60,1	49 500	34,0
36,0	61,8	59,3	44 900	62,3	58,9	45 200	36,0
38,0	59,8	58,0	41 100	60,3	57,7	41 400	38,0
40,0	57,7	56,6	37 700	58,2	56,3	37 900	40,0
42,0	55,5	55,2	34 700	56,0	54,8	34 900	42,0
44,0	53,3	53,6	32 000	53,8	53,2	32 200	44,0
46,0	51,0	51,8	29 500	51,5	51,4	29 700	46,0
48,0	48,6	49,9	27 200	49,1	49,5	27 400	48,0
50,0	46,1	47,9	25 200	46,6	47,5	25 300	50,0
52,0	43,5	45,6	23 300	43,9	45,2	23 400	52,0
54,0	40,8	43,2	21 500	41,2	42,7	21 600	54,0
56,0	37,9	40,4	19 900	38,2	39,9	20 000	56,0
58,0	34,7	37,4	18 400				58,0
60,0	31,2	33,9	16 900				60,0


58WA



166 920 kg
+
54 430 kg





360°




62,0 m



16 m/s

	28°			35°			
 m	 °	 m	 kg	 °	 m	 kg	 m
13,7	82,9	70,9	130 000 *				13,7
14,0	82,6	70,8	130 000 *				14,0
14,5	82,2	70,7	130 000 *				14,5
15,0	81,8	70,6	130 000 *				15,0
15,5	81,4	70,5	129 100				15,5
16,0	80,9	70,4	125 000				16,0
16,5	80,5	70,3	120 900				16,5
17,0	80,1	70,2	117 000				17,0
17,5	79,7	70,1	113 300				17,5
18,0	79,3	70,0	109 800				18,0
18,5	78,8	69,8	106 500	79,4	69,5	107 500	18,5
19,0	78,4	69,7	103 400	79,0	69,4	104 400	19,0
20,0	77,5	69,4	97 500	78,1	69,1	98 300	20,0
22,0	75,8	68,9	87 300	76,4	68,6	88 000	22,0
24,0	74,1	68,2	78 800	74,6	67,9	79 400	24,0
26,0	72,3	67,5	71 400	72,9	67,2	72 000	26,0
28,0	70,5	66,7	65 100	71,1	66,4	65 600	28,0
30,0	68,7	65,8	59 300	69,3	65,5	59 800	30,0
32,0	66,9	64,9	53 800	67,4	64,6	54 200	32,0
34,0	65,1	63,9	48 900	65,6	63,5	49 200	34,0
36,0	63,2	62,8	44 600	63,7	62,4	45 000	36,0
38,0	61,2	61,6	40 900	61,7	61,2	41 100	38,0
40,0	59,3	60,3	37 500	59,8	59,9	37 800	40,0
42,0	57,3	58,9	34 500	57,7	58,5	34 700	42,0
44,0	55,2	57,4	31 800	55,7	57,0	32 000	44,0
46,0	53,1	55,8	29 300	53,5	55,4	29 500	46,0
48,0	50,9	54,1	27 000	51,3	53,7	27 200	48,0
50,0	48,6	52,2	25 000	49,0	51,8	25 100	50,0
52,0	46,2	50,1	23 100	46,6	49,7	23 200	52,0
54,0	43,8	47,9	21 300	44,1	47,5	21 500	54,0
56,0	41,2	45,5	19 700	41,5	45,0	19 800	56,0
58,0	38,4	42,8	18 200	38,7	42,3	18 300	58,0
60,0	35,4	39,8	16 800				60,0
62,0	32,2	36,5	15 500				62,0
64,0	28,6	32,6	14 200				64,0

58WA



166 920 kg
+
54 430 kg



360°



65,0 m



11 m/s

	28°			35°			
	 m	 m	 kg	 m	 m	 kg	 m
14,0	82,9	73,9	130 000 *				14,0
14,5	82,5	73,8	130 000 *				14,5
15,0	82,1	73,7	129 800	82,7	73,4	128 700 *	15,0
15,5	81,7	73,6	127 200	82,3	73,3	128 300	15,5
16,0	81,3	73,5	122 800	81,9	73,2	123 900	16,0
16,5	80,9	73,4	118 800	81,5	73,1	119 800	16,5
17,0	80,5	73,3	115 000	81,1	73,0	116 000	17,0
17,5	80,1	73,2	111 400	80,7	72,9	112 300	17,5
18,0	79,7	73,0	108 000	80,3	72,7	108 900	18,0
18,5	79,3	72,9	104 700	79,9	72,6	105 700	18,5
19,0	78,9	72,8	101 600	79,5	72,5	102 500	19,0
20,0	78,1	72,5	95 900	78,6	72,2	96 700	20,0
22,0	76,4	72,0	85 800	77,0	71,7	86 600	22,0
24,0	74,8	71,4	77 400	75,3	71,1	78 100	24,0
26,0	73,1	70,7	70 200	73,6	70,4	70 800	26,0
28,0	71,4	69,9	63 900	71,9	69,6	64 500	28,0
30,0	69,7	69,1	58 500	70,2	68,8	59 000	30,0
32,0	67,9	68,2	53 300	68,5	67,9	53 800	32,0
34,0	66,2	67,2	48 500	66,7	66,9	48 800	34,0
36,0	64,4	66,2	44 200	64,9	65,9	44 500	36,0
38,0	62,6	65,1	40 400	63,1	64,7	40 700	38,0
40,0	60,7	63,9	37 000	61,2	63,5	37 300	40,0
42,0	58,8	62,6	34 000	59,3	62,2	34 300	42,0
44,0	56,9	61,2	31 300	57,3	60,8	31 500	44,0
46,0	54,9	59,6	28 800	55,3	59,3	29 000	46,0
48,0	52,9	58,0	26 600	53,3	57,6	26 700	48,0
50,0	50,8	56,3	24 500	51,2	55,9	24 700	50,0
52,0	48,6	54,4	22 600	49,0	54,0	22 800	52,0
54,0	46,3	52,4	20 800	46,7	51,9	21 000	54,0
56,0	44,0	50,2	19 200	44,3	49,7	19 400	56,0
58,0	41,5	47,8	17 700	41,8	47,3	17 800	58,0
60,0	38,9	45,2	16 300	39,2	44,7	16 400	60,0
62,0	36,1	42,3	15 000	36,4	41,7	15 000	62,0
64,0	33,1	39,0	13 700				64,0


58WA



166 920 kg
+
54 430 kg





360°




68,0 m



11 m/s

	28°			35°			
 m	 °	 m	 kg	 °	 m	 kg	 m
14,3	83,0	76,8	130 000 *				14,3
14,5	82,8	76,8	130 000 *				14,5
15,0	82,5	76,7	129 500				15,0
15,5	82,1	76,6	124 900	82,6	76,3	126 000	15,5
16,0	81,7	76,5	120 700	82,2	76,2	121 800	16,0
16,5	81,3	76,4	116 800	81,8	76,1	117 800	16,5
17,0	80,9	76,3	113 100	81,5	76,0	114 100	17,0
17,5	80,5	76,2	109 500	81,1	75,9	110 500	17,5
18,0	80,1	76,1	106 200	80,7	75,8	107 100	18,0
18,5	79,7	76,0	102 900	80,3	75,7	104 000	18,5
19,0	79,3	75,9	99 900	79,9	75,6	100 900	19,0
20,0	78,6	75,6	94 300	79,1	75,3	95 200	20,0
22,0	77,0	75,1	84 500	77,5	74,8	85 200	22,0
24,0	75,4	74,5	76 100	75,9	74,2	76 800	24,0
26,0	73,8	73,9	69 000	74,3	73,5	69 600	26,0
28,0	72,2	73,1	62 900	72,7	72,8	63 400	28,0
30,0	70,5	72,4	57 500	71,0	72,0	58 000	30,0
32,0	68,9	71,5	52 800	69,4	71,2	53 200	32,0
34,0	67,2	70,6	48 100	67,7	70,3	48 500	34,0
36,0	65,5	69,6	43 800	66,0	69,3	44 200	36,0
38,0	63,8	68,5	40 000	64,3	68,2	40 400	38,0
40,0	62,0	67,4	36 700	62,5	67,0	37 000	40,0
42,0	60,2	66,1	33 600	60,7	65,8	33 900	42,0
44,0	58,4	64,8	30 900	58,9	64,5	31 200	44,0
46,0	56,6	63,4	28 500	57,0	63,0	28 700	46,0
48,0	54,6	61,9	26 200	55,1	61,5	26 400	48,0
50,0	52,7	60,3	24 100	53,1	59,9	24 300	50,0
52,0	50,7	58,5	22 200	51,1	58,1	22 400	52,0
54,0	48,6	56,6	20 500	48,9	56,2	20 600	54,0
56,0	46,4	54,6	18 900	46,8	54,2	19 000	56,0
58,0	44,2	52,4	17 300	44,5	52,0	17 500	58,0
60,0	41,8	50,1	16 000	42,1	49,6	16 100	60,0
62,0	39,3	47,5	14 600	39,6	47,0	14 700	62,0
64,0	36,7	44,7	13 400	36,9	44,1	13 500	64,0
66,0	33,8	41,5	12 200				66,0
68,0	30,7	38,0	11 100				68,0

58WA



166 920 kg
+
54 430 kg



360°



71,0 m



11 m/s

	28°			35°			
	 m	 m	 kg	 m	 m	 kg	
14,6	83,0	79,8	130 000 *				14,6
15,0	82,7	79,8	126 900				15,0
15,5	82,4	79,7	122 500	82,9	79,4	123 300	15,5
16,0	82,0	79,6	118 500	82,5	79,3	119 600	16,0
16,5	81,6	79,5	114 600	82,2	79,2	115 700	16,5
17,0	81,3	79,4	111 000	81,8	79,1	112 000	17,0
17,5	80,9	79,3	107 500	81,4	79,0	108 500	17,5
18,0	80,5	79,2	104 200	81,0	78,9	105 200	18,0
18,5	80,1	79,1	101 000	80,7	78,8	102 000	18,5
19,0	79,8	79,0	98 100	80,3	78,7	99 000	19,0
20,0	79,0	78,7	92 600	79,5	78,4	93 400	20,0
22,0	77,5	78,2	82 900	78,0	77,9	83 600	22,0
24,0	76,0	77,6	74 600	76,5	77,3	75 300	24,0
26,0	74,4	77,0	67 600	74,9	76,7	68 200	26,0
28,0	72,9	76,3	61 500	73,4	76,0	62 100	28,0
30,0	71,3	75,6	56 200	71,8	75,3	56 700	30,0
32,0	69,7	74,8	51 500	70,2	74,4	52 000	32,0
34,0	68,1	73,9	47 300	68,6	73,6	47 700	34,0
36,0	66,5	72,9	43 300	67,0	72,6	43 600	36,0
38,0	64,9	71,9	39 400	65,3	71,6	39 800	38,0
40,0	63,2	70,8	36 000	63,7	70,5	36 300	40,0
42,0	61,5	69,7	33 000	62,0	69,3	33 300	42,0
44,0	59,8	68,4	30 300	60,2	68,1	30 500	44,0
46,0	58,0	67,1	27 800	58,5	66,7	28 100	46,0
48,0	56,2	65,7	25 500	56,6	65,3	25 700	48,0
50,0	54,4	64,1	23 500	54,8	63,7	23 700	50,0
52,0	52,5	62,5	21 600	52,9	62,1	21 700	52,0
54,0	50,6	60,7	19 800	50,9	60,3	20 000	54,0
56,0	48,6	58,9	18 200	48,9	58,5	18 300	56,0
58,0	46,5	56,9	16 700	46,8	56,4	16 800	58,0
60,0	44,3	54,7	15 300	44,7	54,3	15 400	60,0
62,0	42,1	52,4	14 000	42,4	51,9	14 100	62,0
64,0	39,7	49,8	12 700	40,0	49,3	12 800	64,0
66,0	37,2	47,0	11 600	37,5	46,5	11 700	66,0
68,0	34,5	44,0	10 500				68,0
70,0	31,6	40,6	9 400				70,0


58WA



166 920 kg
+
54 430 kg



360°




74,0 m



11 m/s

	28°			35°			
m		m	kg		m	kg	m
15,2	82,8	82,8	122 600				15,2
15,5	82,7	82,7	120 500				15,5
16,0	82,3	82,6	116 500	82,8	82,3	117 600	16,0
16,5	81,9	82,5	112 700	82,5	82,2	113 800	16,5
17,0	81,6	82,5	109 200	82,1	82,2	110 200	17,0
17,5	81,2	82,4	105 800	81,7	82,1	106 800	17,5
18,0	80,9	82,3	102 600	81,4	81,9	103 500	18,0
18,5	80,5	82,1	99 500	81,0	81,8	100 400	18,5
19,0	80,1	82,0	96 600	80,7	81,7	97 500	19,0
20,0	79,4	81,8	91 100	79,9	81,5	92 000	20,0
22,0	78,0	81,3	81 600	78,5	81,0	82 400	22,0
24,0	76,5	80,8	73 500	77,0	80,5	74 200	24,0
26,0	75,0	80,2	66 600	75,5	79,9	67 200	26,0
28,0	73,6	79,5	60 600	74,0	79,2	61 200	28,0
30,0	72,1	78,8	55 300	72,5	78,5	55 800	30,0
32,0	70,5	78,0	50 700	71,0	77,7	51 200	32,0
34,0	69,0	77,2	46 500	69,5	76,8	46 900	34,0
36,0	67,5	76,3	42 800	67,9	75,9	43 200	36,0
38,0	65,9	75,3	39 200	66,3	75,0	39 500	38,0
40,0	64,3	74,3	35 800	64,7	73,9	36 100	40,0
42,0	62,7	73,1	32 700	63,1	72,8	33 000	42,0
44,0	61,1	72,0	30 000	61,5	71,6	30 300	44,0
46,0	59,4	70,7	27 500	59,8	70,3	27 800	46,0
48,0	57,7	69,3	25 200	58,1	69,0	25 500	48,0
50,0	55,9	67,9	23 200	56,3	67,5	23 400	50,0
52,0	54,2	66,4	21 300	54,6	66,0	21 500	52,0
54,0	52,3	64,7	19 500	52,7	64,3	19 700	54,0
56,0	50,5	63,0	17 900	50,8	62,6	18 100	56,0
58,0	48,5	61,1	16 400	48,9	60,7	16 500	58,0
60,0	46,5	59,1	15 000	46,9	58,7	15 100	60,0
62,0	44,5	57,0	13 700	44,8	56,5	13 800	62,0
64,0	42,3	54,6	12 500	42,6	54,2	12 600	64,0
66,0	40,1	52,1	11 300	40,3	51,7	11 400	66,0
68,0	37,7	49,4	10 200	37,9	48,9	10 300	68,0
70,0	35,1	46,4	9 200	35,4	45,9	9 300	70,0
72,0	32,4	43,1	8 200				72,0
74,0	29,5	39,4	7 300				74,0

58WA



166 920 kg
+
54 430 kg



360°



77,0 m



11 m/s

	28°			35°			
	 m	 m	 kg	 m	 m	 kg	 m
15,5	82,9	85,8	118 000				15,5
16,0	82,6	85,7	114 500				16,0
16,5	82,2	85,6	110 800	82,7	85,3	111 900	16,5
17,0	81,9	85,5	107 300	82,4	85,2	108 300	17,0
17,5	81,5	85,4	104 000	82,0	85,1	105 000	17,5
18,0	81,2	85,3	100 800	81,7	85,0	101 800	18,0
18,5	80,9	85,2	97 800	81,3	84,9	98 700	18,5
19,0	80,5	85,1	94 900	81,0	84,8	95 800	19,0
20,0	79,8	84,9	89 600	80,3	84,6	90 500	20,0
22,0	78,4	84,4	80 200	78,9	84,1	81 000	22,0
24,0	77,0	83,9	72 200	77,5	83,6	72 900	24,0
26,0	75,6	83,3	65 400	76,1	83,0	66 000	26,0
28,0	74,2	82,7	59 400	74,6	82,4	60 100	28,0
30,0	72,7	82,0	54 300	73,2	81,7	54 800	30,0
32,0	71,3	81,2	49 600	71,7	80,9	50 100	32,0
34,0	69,8	80,4	45 600	70,3	80,1	46 000	34,0
36,0	68,3	79,6	41 900	68,8	79,2	42 300	36,0
38,0	66,8	78,6	38 600	67,3	78,3	38 900	38,0
40,0	65,3	77,6	35 300	65,7	77,3	35 600	40,0
42,0	63,8	76,6	32 300	64,2	76,2	32 600	42,0
44,0	62,2	75,4	29 500	62,6	75,1	29 800	44,0
46,0	60,6	74,2	27 000	61,0	73,9	27 300	46,0
48,0	59,0	73,0	24 800	59,4	72,6	25 000	48,0
50,0	57,4	71,6	22 700	57,7	71,2	22 900	50,0
52,0	55,7	70,1	20 800	56,1	69,8	21 000	52,0
54,0	54,0	68,6	19 000	54,3	68,2	19 200	54,0
56,0	52,2	67,0	17 400	52,6	66,6	17 600	56,0
58,0	50,4	65,2	15 900	50,7	64,8	16 100	58,0
60,0	48,5	63,3	14 500	48,9	62,9	14 600	60,0
62,0	46,6	61,3	13 200	46,9	60,9	13 300	62,0
64,0	44,6	59,2	12 000	44,9	58,8	12 100	64,0
66,0	42,5	56,9	10 800	42,8	56,5	10 900	66,0
68,0	40,4	54,5	9 700	40,7	54,0	9 800	68,0
70,0	38,1	51,8	8 700	38,4	51,3	8 800	70,0
72,0	35,7	48,9	7 700				72,0
74,0	33,1	45,7	6 800				74,0
76,0	30,4	42,1	5 900				76,0




58WA



166 920 kg
+
54 430 kg





360°




80,0 m



9 m/s

	28°			35°			
 m	 °	 m	 kg	 °	 m	 kg	 m
15,8	82,9	88,8	113 700				15,8
16,0	82,8	88,7	112 500				16,0
16,5	82,5	88,6	108 900	83,0	88,3	110 300	16,5
17,0	82,2	88,6	105 500	82,7	88,2	106 600	17,0
17,5	81,8	88,5	102 200	82,3	88,2	103 300	17,5
18,0	81,5	88,4	99 100	82,0	88,1	100 100	18,0
18,5	81,2	88,3	96 200	81,6	88,0	97 100	18,5
19,0	80,8	88,2	93 400	81,3	87,9	94 300	19,0
20,0	80,2	88,0	88 100	80,6	87,7	89 000	20,0
22,0	78,8	87,5	78 900	79,3	87,2	79 700	22,0
24,0	77,5	87,0	71 000	77,9	86,7	71 700	24,0
26,0	76,1	86,4	64 300	76,6	86,1	64 900	26,0
28,0	74,7	85,8	58 400	75,2	85,5	59 000	28,0
30,0	73,3	85,2	53 300	73,8	84,8	53 800	30,0
32,0	71,9	84,4	48 700	72,4	84,1	49 200	32,0
34,0	70,5	83,7	44 700	71,0	83,3	45 100	34,0
36,0	69,1	82,8	41 000	69,5	82,5	41 400	36,0
38,0	67,7	81,9	37 800	68,1	81,6	38 100	38,0
40,0	66,2	81,0	34 700	66,6	80,7	35 100	40,0
42,0	64,8	80,0	31 900	65,2	79,6	32 200	42,0
44,0	63,3	78,9	29 100	63,7	78,6	29 400	44,0
46,0	61,7	77,8	26 600	62,1	77,4	26 900	46,0
48,0	60,2	76,5	24 300	60,6	76,2	24 600	48,0
50,0	58,6	75,2	22 300	59,0	74,9	22 500	50,0
52,0	57,0	73,9	20 400	57,4	73,5	20 600	52,0
54,0	55,4	72,4	18 600	55,8	72,0	18 800	54,0
56,0	53,8	70,8	17 000	54,1	70,5	17 200	56,0
58,0	52,1	69,2	15 500	52,4	68,8	15 700	58,0
60,0	50,3	67,4	14 100	50,6	67,0	14 300	60,0
62,0	48,5	65,6	12 800	48,8	65,2	12 900	62,0
64,0	46,7	63,6	11 600	47,0	63,2	11 700	64,0
66,0	44,8	61,5	10 400	45,0	61,0	10 500	66,0
68,0	42,8	59,2	9 300	43,0	58,7	9 400	68,0
70,0	40,7	56,8	8 300	41,0	56,3	8 400	70,0
72,0	38,5	54,1	7 300	38,8	53,6	7 400	72,0
74,0	36,2	51,3	6 400	36,4	50,7	6 500	74,0
76,0	33,8	48,1	5 500				76,0

58WA




166 920 kg
+
54 430 kg






360°



83,0 m



9 m/s

	28°			35°			
 m	 m	 m	 kg	 m	 m	 kg	 m
16,2	83,0	91,7	109 400				16,2
16,5	82,8	91,7	107 000				16,5
17,0	82,4	91,6	103 600				17,0
17,5	82,1	91,5	100 400	82,6	91,2	101 500	17,5
18,0	81,8	91,4	97 400	82,3	91,1	98 400	18,0
18,5	81,5	91,3	94 400	81,9	91,0	95 500	18,5
19,0	81,1	91,2	91 700	81,6	90,9	92 700	19,0
20,0	80,5	91,0	86 600	81,0	90,7	87 400	20,0
22,0	79,2	90,6	77 500	79,6	90,3	78 300	22,0
24,0	77,9	90,1	69 700	78,3	89,8	70 400	24,0
26,0	76,6	89,6	63 100	77,0	89,2	63 800	26,0
28,0	75,3	89,0	57 300	75,7	88,6	57 900	28,0
30,0	73,9	88,3	52 200	74,4	88,0	52 700	30,0
32,0	72,6	87,6	47 700	73,0	87,3	48 200	32,0
34,0	71,2	86,9	43 700	71,6	86,6	44 200	34,0
36,0	69,9	86,1	40 100	70,3	85,8	40 500	36,0
38,0	68,5	85,2	36 800	68,9	84,9	37 200	38,0
40,0	67,1	84,3	33 800	67,5	84,0	34 200	40,0
42,0	65,7	83,3	31 200	66,1	83,0	31 500	42,0
44,0	64,2	82,3	28 600	64,6	82,0	28 900	44,0
46,0	62,8	81,2	26 100	63,2	80,9	26 400	46,0
48,0	61,3	80,0	23 800	61,7	79,7	24 100	48,0
50,0	59,8	78,8	21 800	60,2	78,5	22 000	50,0
52,0	58,3	77,5	19 900	58,7	77,1	20 100	52,0
54,0	56,8	76,1	18 100	57,1	75,7	18 300	54,0
56,0	55,2	74,6	16 500	55,5	74,3	16 700	56,0
58,0	53,6	73,1	14 900	53,9	72,7	15 200	58,0
60,0	51,9	71,4	13 600	52,3	71,0	13 800	60,0
62,0	50,2	69,7	12 300	50,6	69,3	12 400	62,0
64,0	48,5	67,8	11 000	48,8	67,4	11 200	64,0
66,0	46,7	65,8	9 900	47,0	65,4	10 000	66,0
68,0	44,9	63,7	8 800	45,2	63,3	8 900	68,0
70,0	43,0	61,5	7 800	43,2	61,0	7 900	70,0
72,0	41,0	59,1	6 800	41,2	58,6	6 900	72,0
74,0	38,9	56,5	5 900	39,1	56,0	6 000	74,0
76,0	36,7	53,7	5 000	36,9	53,1	5 100	76,0




58WA



166 920 kg
+
54 430 kg



360°




86,0 m



9 m/s

	28°			35°			
m	°	m	kg	°	m	kg	m
16,5	83,0	94,7	105 500				16,5
17,0	82,7	94,6	101 900				17,0
17,5	82,4	94,6	98 800	82,8	94,2	99 900	17,5
18,0	82,1	94,5	95 800	82,5	94,2	96 800	18,0
18,5	81,7	94,4	92 900	82,2	94,1	94 000	18,5
19,0	81,4	94,3	90 200	81,9	94,0	91 200	19,0
20,0	80,8	94,1	85 200	81,3	93,8	86 100	20,0
22,0	79,6	93,7	76 200	80,0	93,3	77 000	22,0
24,0	78,3	93,2	68 600	78,7	92,9	69 300	24,0
26,0	77,0	92,7	62 000	77,4	92,3	62 700	26,0
28,0	75,7	92,1	56 300	76,2	91,8	56 900	28,0
30,0	74,5	91,5	51 300	74,9	91,2	51 900	30,0
32,0	73,2	90,8	46 900	73,6	90,5	47 400	32,0
34,0	71,9	90,1	42 900	72,3	89,8	43 400	34,0
36,0	70,5	89,3	39 300	70,9	89,0	39 700	36,0
38,0	69,2	88,5	36 100	69,6	88,2	36 500	38,0
40,0	67,9	87,6	33 200	68,3	87,3	33 500	40,0
42,0	66,5	86,7	30 500	66,9	86,4	30 900	42,0
44,0	65,1	85,7	28 100	65,5	85,4	28 400	44,0
46,0	63,7	84,6	25 800	64,1	84,3	26 100	46,0
48,0	62,3	83,5	23 500	62,7	83,2	23 800	48,0
50,0	60,9	82,3	21 400	61,3	82,0	21 700	50,0
52,0	59,5	81,1	19 500	59,8	80,7	19 800	52,0
54,0	58,0	79,8	17 800	58,3	79,4	18 000	54,0
56,0	56,5	78,4	16 100	56,8	78,0	16 400	56,0
58,0	55,0	76,9	14 600	55,3	76,5	14 900	58,0
60,0	53,4	75,3	13 200	53,7	74,9	13 400	60,0
62,0	51,8	73,7	11 900	52,1	73,3	12 100	62,0
64,0	50,2	71,9	10 700	50,5	71,5	10 800	64,0
66,0	48,5	70,0	9 500	48,8	69,6	9 700	66,0
68,0	46,8	68,1	8 500	47,1	67,6	8 600	68,0
70,0	45,0	66,0	7 400	45,3	65,5	7 600	70,0
72,0	43,1	63,7	6 500	43,4	63,3	6 600	72,0
74,0	41,2	61,4	5 600	41,5	60,9	5 700	74,0
76,0	39,2	58,8	4 700	39,5	58,3	4 800	76,0

58WA




166 920 kg
+
54 430 kg





360°



89,0 m



9 m/s

	28°			35°			
							
m	m	m	kg	m	m	kg	m
17,1	82,9	97,7	99 700				17,1
17,5	82,6	97,6	97 100				17,5
18,0	82,3	97,5	94 200	82,7	97,2	95 200	18,0
18,5	82,0	97,4	91 400	82,4	97,1	92 400	18,5
19,0	81,7	97,3	88 700	82,1	97,0	89 700	19,0
20,0	81,1	97,1	83 700	81,5	96,8	84 600	20,0
22,0	79,9	96,7	74 900	80,3	96,4	75 800	22,0
24,0	78,7	96,3	67 500	79,1	96,0	68 200	24,0
26,0	77,4	95,8	61 000	77,9	95,4	61 700	26,0
28,0	76,2	95,2	55 400	76,6	94,9	56 000	28,0
30,0	75,0	94,6	50 400	75,4	94,3	51 000	30,0
32,0	73,7	94,0	46 000	74,1	93,7	46 500	32,0
34,0	72,4	93,3	42 100	72,8	93,0	42 600	34,0
36,0	71,2	92,5	38 600	71,6	92,2	39 000	36,0
38,0	69,9	91,7	35 400	70,3	91,4	35 800	38,0
40,0	68,6	90,9	32 500	69,0	90,6	32 900	40,0
42,0	67,3	90,0	29 900	67,7	89,7	30 200	42,0
44,0	66,0	89,0	27 500	66,4	88,7	27 800	44,0
46,0	64,6	88,0	25 200	65,0	87,7	25 600	46,0
48,0	63,3	87,0	23 200	63,7	86,6	23 500	48,0
50,0	61,9	85,8	21 200	62,3	85,5	21 500	50,0
52,0	60,5	84,6	19 300	60,9	84,3	19 500	52,0
54,0	59,1	83,4	17 500	59,5	83,0	17 800	54,0
56,0	57,7	82,0	15 900	58,0	81,7	16 100	56,0
58,0	56,2	80,6	14 400	56,6	80,2	14 600	58,0
60,0	54,8	79,1	13 000	55,1	78,7	13 200	60,0
62,0	53,2	77,6	11 700	53,6	77,2	11 900	62,0
64,0	51,7	75,9	10 500	52,0	75,5	10 600	64,0
66,0	50,1	74,1	9 300	50,4	73,7	9 500	66,0
68,0	48,5	72,3	8 200	48,8	71,9	8 400	68,0
70,0	46,8	70,3	7 200	47,1	69,9	7 300	70,0
72,0	45,1	68,2	6 300	45,4	67,8	6 400	72,0
74,0	43,3	66,0	5 400	43,6	65,5	5 500	74,0
76,0				41,7	63,2	4 600	76,0




58WA



166 920 kg
+
54 430 kg






360°



92,0 m



9 m/s

	28°			35°			
 m	 °	 m	 kg	 °	 m	 kg	 m
17,4	82,9	100,7	96 200				17,4
17,5	82,8	100,6	95 400				17,5
18,0	82,5	100,5	92 600	83,0	100,2	93 700	18,0
18,5	82,3	100,5	89 800	82,7	100,2	90 800	18,5
19,0	82,0	100,4	87 200	82,4	100,1	88 200	19,0
20,0	81,4	100,2	82 300	81,8	99,9	83 200	20,0
22,0	80,2	99,8	73 700	80,6	99,5	74 500	22,0
24,0	79,0	99,3	66 300	79,4	99,0	67 000	24,0
26,0	77,8	98,9	59 900	78,2	98,5	60 600	26,0
28,0	76,6	98,3	54 300	77,0	98,0	55 000	28,0
30,0	75,4	97,8	49 400	75,8	97,4	50 000	30,0
32,0	74,2	97,1	45 100	74,6	96,8	45 600	32,0
34,0	73,0	96,5	41 200	73,4	96,1	41 700	34,0
36,0	71,8	95,7	37 700	72,2	95,4	38 200	36,0
38,0	70,5	95,0	34 600	70,9	94,7	35 000	38,0
40,0	69,3	94,2	31 700	69,7	93,8	32 100	40,0
42,0	68,0	93,3	29 100	68,4	93,0	29 500	42,0
44,0	66,8	92,4	26 700	67,1	92,0	27 100	44,0
46,0	65,5	91,4	24 500	65,8	91,1	24 800	46,0
48,0	64,2	90,4	22 500	64,5	90,0	22 800	48,0
50,0	62,9	89,3	20 600	63,2	88,9	20 900	50,0
52,0	61,5	88,1	18 800	61,9	87,8	19 100	52,0
54,0	60,2	86,9	17 100	60,5	86,6	17 300	54,0
56,0	58,8	85,6	15 500	59,1	85,3	15 700	56,0
58,0	57,4	84,3	13 900	57,7	83,9	14 200	58,0
60,0	56,0	82,9	12 500	56,3	82,5	12 800	60,0
62,0	54,6	81,4	11 200	54,9	81,0	11 400	62,0
64,0	53,1	79,8	10 000	53,4	79,4	10 200	64,0
66,0	51,6	78,1	8 900	51,9	77,7	9 000	66,0
68,0	50,1	76,4	7 800	50,3	76,0	7 900	68,0
70,0	48,5	74,5	6 800	48,8	74,1	6 900	70,0
72,0	46,9	72,6	5 800	47,1	72,1	5 900	72,0
74,0	45,2	70,5	4 900	45,5	70,0	5 100	74,0