

Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
239 500 kg Crane Counterweight
Pedestal Mount - Four Swing Drives
0 Degree thru 3 Degree Static Machine List
360 Degree Rating

LIFTING CAPACITIES: Lifting capacities for various boom lengths and operating radii are for freely suspended loads and are based on structural competence.

Weight of upper boom point, all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom point sheaves, is considered part of main boom load. Boom is not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate with turntable bearing properly supported, mast up, and machine list not to exceed degrees noted. Refer to boom rigging **No. A04341**, Wire Rope Specification chart **No. 8514-C or 8514-D** and Counterweight Arrangement chart **No. 8577-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind

conditions, as well as adverse operating conditions and physical machine depreciation. Refer to Operator's Manual for operating guidelines.


OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation to center of vertical hoist line or load block. Boom angle is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.

BOOM POINT ELEVATION: Boom point elevation is vertical distance from top of turntable bearing to centerline of boom point shaft.

MACHINE EQUIPMENT: Machine equipped with **four swing drives**, 9,1 m live mast, 30,5 m mast, 16 part boom hoist reeving, boom support straps, and 239 500 kg crane counterweight.

Maximum Boom Lengths Lifted Unassisted	
List	Boom Length
0 Degree	97,5 m
1 Degree	91,4 m
2 Degree	85,3 m
3 Degree	79,2 m
Load block, hook and weight ball on barge deck at start. Jib cannot be attached on crawler machine while operating on a barge.	

Upper Boom Point Capacity for Liftcrane Service - Whip Line		
28 mm		32 mm
Drum 2	Drum 3	Drum 2
Single Part Line		
16 240 kg	13 610 kg	22 140 kg
Two Part Line		
Upper Boom Point No. 170419		
27 220 kg	27 220 kg	27 220 kg
Upper Boom Point No. A08516		
32 480 kg	27 220 kg	44 270 kg
In all cases, upper boom point capacities cannot exceed those listed for main boom capacity.		



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56


239 500 kg Crane Counterweight

Pedestal Mount - Four Swing Drives

0 Degree thru 3 Degree Static Machine List

360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
36,6 m Boom							
7,3	83,2	37,4	533 100				7,3
8,0	82,1	37,3	489 100				8,0
9,0	80,6	37,1	435 600	401 300			9,0
10,0	78,9	36,9	392 100	362 800	335 100	310 800	10,0
11,0	77,3	36,6	355 800	330 800	307 100	285 900	11,0
12,0	75,7	36,3	325 200	303 500	283 000	264 500	12,0
14,0	72,4	35,7	276 300	259 600	243 800	229 300	14,0
16,0	69,0	34,9	239 000	225 800	213 200	201 600	16,0
18,0	65,6	34,0	209 800	199 000	188 700	179 200	18,0
20,0	62,0	32,9	186 100	177 200	168 700	160 700	20,0
22,0	58,3	31,6	166 600	159 100	152 000	145 200	22,0
24,0	54,5	30,2	150 200	143 900	137 800	132 000	24,0
26,0	50,4	28,5	136 200	130 800	125 600	120 600	26,0
28,0	46,0	26,5	124 100	119 500	115 000	110 700	28,0
30,0	41,3	24,3	113 600	109 600	105 800	102 000	30,0
32,0	36,0	21,5	104 300	100 900	97 600	94 200	32,0
34,0	29,8	18,2	96 100	93 000	90 100	87 200	34,0
36,0	22,0	13,6	88 300	85 800	83 400	81 000	36,0



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
 239 500 kg Crane Counterweight
 Pedestal Mount - Four Swing Drives
 0 Degree thru 3 Degree Static Machine List
 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
42,7 m Boom							
8,5	82,6	43,4	455 700				8,5
9,0	81,9	43,3	432 800				9,0
10,0	80,6	43,1	389 200	356 800	326 600		10,0
11,0	79,2	42,9	353 200	325 500	299 400	276 900	11,0
12,0	77,8	42,7	322 800	298 700	276 100	255 900	12,0
14,0	75,0	42,1	274 100	255 500	238 000	222 100	14,0
16,0	72,2	41,4	237 000	222 200	208 200	195 400	16,0
18,0	69,3	40,7	207 900	195 800	184 300	173 800	18,0
20,0	66,4	39,8	184 300	174 300	164 700	155 900	20,0
22,0	63,3	38,7	164 800	156 400	148 300	140 700	22,0
24,0	60,2	37,6	148 400	141 300	134 400	127 900	24,0
26,0	57,0	36,3	134 500	128 400	122 400	116 800	26,0
28,0	53,7	34,8	122 500	117 200	112 000	107 100	28,0
30,0	50,2	33,1	112 100	107 400	102 900	98 600	30,0
32,0	46,5	31,2	102 900	98 800	94 800	90 900	32,0
34,0	42,5	29,0	94 700	91 100	87 500	84 000	34,0
36,0	38,2	26,5	87 200	84 000	80 800	77 700	36,0
38,0	33,3	23,5	80 400	77 600	74 800	72 100	38,0
40,0	27,7	19,8	74 300	71 800	69 400	67 100	40,0
42,0	20,6	14,9	68 600	66 600	64 500	62 500	42,0

Liftcrane Boom Capacities


Boom No. 55 or No. 55A with 30,5 m Mast No. 56

239 500 kg Crane Counterweight


Pedestal Mount - Four Swing Drives

0 Degree thru 3 Degree Static Machine List

360 Degree Rating



Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
48,8 m Boom							
9,1	82,8	49,5	422 100				9,1
10,0	81,7	49,3	385 900				10,0
11,0	80,6	49,1	350 100	319 800	292 100		11,0
12,0	79,4	48,9	319 900	293 500	268 900	247 300	12,0
14,0	76,9	48,4	271 500	251 100	231 900	214 800	14,0
16,0	74,5	47,9	234 500	218 200	202 900	189 000	16,0
18,0	72,0	47,2	205 400	192 200	179 600	168 100	18,0
20,0	69,5	46,4	181 900	170 900	160 400	150 800	20,0
22,0	66,9	45,6	162 600	153 200	144 300	136 100	22,0
24,0	64,3	44,6	146 200	138 200	130 600	123 500	24,0
26,0	61,6	43,5	132 400	125 500	118 900	112 700	26,0
28,0	58,9	42,2	120 400	114 400	108 600	103 200	28,0
30,0	56,0	40,9	110 000	104 700	99 600	94 800	30,0
32,0	53,1	39,4	100 800	96 200	91 700	87 400	32,0
34,0	50,0	37,7	92 700	88 600	84 500	80 500	34,0
36,0	46,8	35,8	85 400	81 600	77 900	74 400	36,0
38,0	43,4	33,7	78 600	75 300	72 000	68 800	38,0
40,0	39,7	31,3	72 600	69 600	66 700	63 900	40,0
42,0	35,7	28,5	67 100	64 400	61 800	59 300	42,0
44,0	31,2	25,3	62 100	59 700	57 400	55 100	44,0
46,0	26,0	21,3	57 400	55 300	53 300	51 400	46,0
48,0	19,5	16,1	53 100	51 400	49 600	47 900	48,0



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
 239 500 kg Crane Counterweight
 Pedestal Mount - Four Swing Drives
 0 Degree thru 3 Degree Static Machine List
 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
54,9 m Boom							
9,8	82,9	55,5	392 700				9,8
10,0	82,7	55,5	383 200				10,0
11,0	81,6	55,3	347 300	315 300			11,0
12,0	80,6	55,2	317 200	288 700	262 200		12,0
14,0	78,4	54,7	269 000	246 900	226 100	208 100	14,0
16,0	76,3	54,2	232 200	214 400	197 800	183 000	16,0
18,0	74,1	53,6	203 200	188 600	175 000	162 700	18,0
20,0	71,9	53,0	179 700	167 600	156 200	145 800	20,0
22,0	69,7	52,2	160 300	150 100	140 400	131 500	22,0
24,0	67,4	51,3	144 100	135 200	126 900	119 200	24,0
26,0	65,1	50,4	130 200	122 600	115 300	108 600	26,0
28,0	62,7	49,3	118 200	111 600	105 300	99 300	28,0
30,0	60,3	48,2	107 800	102 000	96 400	91 100	30,0
32,0	57,8	46,9	98 700	93 500	88 600	83 800	32,0
34,0	55,3	45,5	90 600	86 000	81 500	77 100	34,0
36,0	52,6	44,0	83 300	79 100	75 000	71 100	36,0
38,0	49,9	42,3	76 700	72 800	69 100	65 600	38,0
40,0	47,0	40,4	70 600	67 200	63 900	60 600	40,0
42,0	44,0	38,3	65 100	62 000	59 000	56 200	42,0
44,0	40,9	36,0	60 100	57 400	54 600	52 000	44,0
46,0	37,4	33,4	55 500	53 000	50 600	48 200	46,0
48,0	33,7	30,5	51 300	49 100	46 900	44 800	48,0
50,0	29,5	27,0	47 400	45 400	43 500	41 500	50,0
52,0	24,7	22,8	43 800	42 100	40 300	38 600	52,0
54,0	18,6	17,4	40 400	38 800	37 300	35 900	54,0

Liftcrane Boom Capacities


Boom No. 55 or No. 55A with 30,5 m Mast No. 56

239 500 kg Crane Counterweight


Pedestal Mount - Four Swing Drives

0 Degree thru 3 Degree Static Machine List

360 Degree Rating



Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
61,0 m Boom							
11,0	82,5	61,5	346 200				11,0
12,0	81,5	61,3	315 400	284 900			12,0
14,0	79,6	61,0	267 400	243 500	221 700	202 300	14,0
16,0	77,7	60,5	230 700	211 600	193 700	177 900	16,0
18,0	75,7	60,0	201 800	186 100	171 400	158 300	18,0
20,0	73,8	59,4	178 400	165 200	153 000	141 900	20,0
22,0	71,8	58,7	159 000	147 900	137 500	127 900	22,0
24,0	69,8	58,0	142 700	133 200	124 200	115 900	24,0
26,0	67,7	57,1	128 900	120 700	112 800	105 600	26,0
28,0	65,7	56,2	117 000	109 800	102 900	96 500	28,0
30,0	63,6	55,2	106 600	100 200	94 100	88 500	30,0
32,0	61,4	54,1	97 500	91 800	86 400	81 300	32,0
34,0	59,2	52,9	89 400	84 300	79 500	74 800	34,0
36,0	57,0	51,6	82 200	77 600	73 100	68 800	36,0
38,0	54,7	50,1	75 600	71 400	67 300	63 400	38,0
40,0	52,3	48,6	69 600	65 700	62 100	58 500	40,0
42,0	49,8	46,9	64 100	60 600	57 300	54 100	42,0
44,0	47,2	45,0	59 100	56 000	52 900	50 000	44,0
46,0	44,6	43,0	54 500	51 700	48 900	46 300	46,0
48,0	41,7	40,8	50 400	47 800	45 300	42 800	48,0
50,0	38,7	38,3	46 500	44 100	41 800	39 600	50,0
52,0	35,5	35,5	42 900	40 800	38 700	36 700	52,0
54,0	32,0	32,3	39 600	37 700	35 800	33 900	54,0
56,0	28,1	28,7	36 500	34 700	33 000	31 400	56,0
58,0	23,6	24,3	33 600	32 000	30 500	29 000	58,0



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
 239 500 kg Crane Counterweight
 Pedestal Mount - Four Swing Drives
 0 Degree thru 3 Degree Static Machine List
 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
67,1 m Boom							
11,6	82,6	67,6	324 300				11,6
12,0	82,3	67,5	312 600				12,0
14,0	80,6	67,2	264 600	239 600	215 900		14,0
16,0	78,8	66,8	228 100	207 600	188 600	172 300	16,0
18,0	77,1	66,3	199 200	182 400	166 700	152 900	18,0
20,0	75,3	65,8	175 900	161 800	148 600	136 900	20,0
22,0	73,5	65,1	156 500	144 600	133 400	123 300	22,0
24,0	71,7	64,5	140 300	130 000	120 400	111 600	24,0
26,0	69,9	63,7	126 500	117 600	109 200	101 500	26,0
28,0	68,0	62,9	114 600	106 800	99 400	92 600	28,0
30,0	66,2	62,0	104 200	97 300	90 800	84 700	30,0
32,0	64,2	61,0	95 100	89 000	83 100	77 700	32,0
34,0	62,3	60,0	87 000	81 500	76 300	71 300	34,0
36,0	60,3	58,8	79 800	74 900	70 100	65 500	36,0
38,0	58,3	57,6	73 300	68 700	64 300	60 200	38,0
40,0	56,3	56,2	67 400	63 100	59 200	55 400	40,0
42,0	54,2	54,8	61 900	58 100	54 400	51 000	42,0
44,0	52,0	53,2	56 900	53 400	50 100	47 000	44,0
46,0	49,7	51,5	52 400	49 200	46 100	43 200	46,0
48,0	47,4	49,6	48 200	45 300	42 500	39 800	48,0
50,0	45,0	47,6	44 300	41 700	39 100	36 700	50,0
52,0	42,5	45,4	40 800	38 300	36 000	33 700	52,0
54,0	39,8	43,0	37 500	35 200	33 100	31 000	54,0
56,0	37,0	40,4	34 400	32 400	30 400	28 500	56,0
58,0	33,9	37,5	31 500	29 600	27 800	26 100	58,0
60,0	30,6	34,1	28 800	27 100	25 500	23 800	60,0
62,0	26,9	30,3	26 300	24 700	23 200	21 700	62,0
64,0	22,6	25,7	23 900	22 500	21 100	19 700	64,0

Liftcrane Boom Capacities


Boom No. 55 or No. 55A with 30,5 m Mast No. 56

239 500 kg Crane Counterweight


Pedestal Mount - Four Swing Drives

0 Degree thru 3 Degree Static Machine List

360 Degree Rating




Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
73,2 m Boom							
12,2	82,8	73,7	305 100				12,2
14,0	81,4	73,4	262 700	236 000			14,0
16,0	79,8	73,0	226 200	204 400	184 700		16,0
18,0	78,2	72,6	197 500	179 500	162 900	148 500	18,0
20,0	76,5	72,1	174 200	159 100	145 200	132 800	20,0
22,0	74,9	71,5	154 900	142 100	130 200	119 500	22,0
24,0	73,3	70,9	138 700	127 700	117 400	108 100	24,0
26,0	71,6	70,2	124 900	115 400	106 400	98 200	26,0
28,0	70,0	69,5	113 000	104 600	96 800	89 500	28,0
30,0	68,3	68,7	102 700	95 200	88 200	81 800	30,0
32,0	66,6	67,8	93 500	86 900	80 700	74 900	32,0
34,0	64,8	66,8	85 500	79 600	73 900	68 700	34,0
36,0	63,1	65,8	78 300	72 900	67 800	63 000	36,0
38,0	61,3	64,7	71 800	66 900	62 200	57 800	38,0
40,0	59,4	63,5	65 900	61 400	57 100	53 000	40,0
42,0	57,6	62,2	60 400	56 300	52 400	48 700	42,0
44,0	55,7	60,8	55 500	51 700	48 100	44 700	44,0
46,0	53,7	59,4	51 000	47 500	44 200	41 100	46,0
48,0	51,7	57,8	46 800	43 600	40 600	37 700	48,0
50,0	49,7	56,1	42 900	40 100	37 200	34 600	50,0
52,0	47,5	54,2	39 400	36 700	34 100	31 700	52,0
54,0	45,3	52,3	36 100	33 700	31 300	29 000	54,0
56,0	43,0	50,1	33 100	30 800	28 600	26 400	56,0
58,0	40,6	47,8	30 200	28 100	26 100	24 100	58,0
60,0	38,1	45,2	27 500	25 600	23 700	21 900	60,0
62,0	35,4	42,5	25 000	23 200	21 500	19 800	62,0
64,0	32,5	39,3	22 600	21 000	19 400	17 800	64,0
66,0	29,4	35,9	20 400	18 900	17 400	15 900	66,0
68,0	25,9	31,8	18 300	16 900	15 500	14 200	68,0
70,0	21,8	27,0	16 300	15 000	13 800	12 600	70,0



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
 239 500 kg Crane Counterweight
 Pedestal Mount - Four Swing Drives
 0 Degree thru 3 Degree Static Machine List
 360 Degree Rating


Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
79,2 m Boom							
13,7	82,2	79,6	265 800				13,7
14,0	82,0	79,5	260 300				14,0
16,0	80,6	79,2	223 500	200 900			16,0
18,0	79,1	78,8	194 800	175 800	158 400	142 300	18,0
20,0	77,6	78,3	171 500	155 600	140 900	127 900	20,0
22,0	76,1	77,8	152 300	138 700	126 200	115 000	22,0
24,0	74,6	77,3	136 200	124 400	113 600	103 800	24,0
26,0	73,1	76,7	122 400	112 200	102 700	94 100	26,0
28,0	71,6	76,0	110 500	101 500	93 200	85 600	28,0
30,0	70,0	75,2	100 100	92 200	84 800	78 000	30,0
32,0	68,5	74,4	91 000	84 000	77 300	71 300	32,0
34,0	66,9	73,6	83 000	76 600	70 700	65 100	34,0
36,0	65,3	72,6	75 800	70 100	64 700	59 600	36,0
38,0	63,7	71,6	69 300	64 100	59 100	54 400	38,0
40,0	62,0	70,6	63 500	58 700	54 100	49 800	40,0
42,0	60,4	69,4	58 100	53 700	49 500	45 500	42,0
44,0	58,7	68,2	53 100	49 100	45 200	41 600	44,0
46,0	56,9	66,9	48 600	44 900	41 300	38 000	46,0
48,0	55,2	65,5	44 500	41 000	37 800	34 600	48,0
50,0	53,4	64,0	40 600	37 400	34 400	31 600	50,0
52,0	51,5	62,4	37 100	34 200	31 400	28 700	52,0
54,0	49,6	60,7	33 800	31 100	28 500	26 000	54,0
56,0	47,7	58,8	30 700	28 200	25 900	23 500	56,0
58,0	45,6	56,9	27 900	25 600	23 300	21 200	58,0
60,0	43,5	54,8	25 300	23 100	21 000	19 000	60,0
62,0	41,4	52,5	22 800	20 700	18 800	16 900	62,0
64,0	39,1	50,0	20 400	18 500	16 700	15 000	64,0
66,0	36,6	47,4	18 200	16 400	14 800	13 100	66,0
68,0	34,1	44,4	16 100	14 500	12 900	11 400	68,0
70,0	31,3	41,2	14 100	12 600	11 200	9 700	70,0
72,0	28,3	37,5	12 200	10 800	9 500	8 200	72,0
74,0	25,0	33,4	10 400	9 100	7 900		74,0
76,0	21,1	28,4	8 700	7 500			76,0



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
 239 500 kg Crane Counterweight
 Pedestal Mount - Four Swing Drives
 0 Degree thru 3 Degree Static Machine List
 360 Degree Rating


Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	Oper. Radius Meters
85,3 m Boom						
13,7	82,8	85,8	263 600			13,7
14,0	82,6	85,7	258 100			14,0
16,0	81,2	85,4	221 400	197 600		16,0
18,0	79,9	85,0	192 800	172 700	153 600	18,0
20,0	78,5	84,6	169 600	152 800	137 300	20,0
22,0	77,1	84,1	150 400	136 000	122 900	22,0
24,0	75,7	83,6	134 300	121 900	110 500	24,0
26,0	74,3	83,0	120 600	109 700	99 800	26,0
28,0	72,9	82,4	108 700	99 200	90 400	28,0
30,0	71,5	81,7	98 400	89 900	82 100	30,0
32,0	70,1	81,0	89 300	81 700	74 800	32,0
34,0	68,6	80,2	81 200	74 500	68 200	34,0
36,0	67,2	79,3	74 000	68 000	62 200	36,0
38,0	65,7	78,4	67 600	62 100	56 800	38,0
40,0	64,2	77,5	61 800	56 700	51 800	40,0
42,0	62,7	76,4	56 400	51 700	47 200	42,0
44,0	61,2	75,3	51 500	47 100	43 000	44,0
46,0	59,6	74,1	47 000	43 000	39 200	46,0
48,0	58,0	72,9	42 800	39 100	35 700	48,0
50,0	56,4	71,5	39 000	35 600	32 400	50,0
52,0	54,7	70,1	35 400	32 300	29 300	52,0
54,0	53,1	68,6	32 200	29 300	26 500	54,0
56,0	51,3	67,0	29 100	26 400	23 800	56,0
58,0	49,6	65,3	26 300	23 800	21 300	58,0
60,0	47,8	63,5	23 600	21 300	19 000	60,0
62,0	45,9	61,5	21 200	19 000	16 900	62,0
64,0	44,0	59,4	18 800	16 800	14 800	64,0
66,0	41,9	57,2	16 600	14 700	12 900	66,0
68,0	39,9	54,8	14 500	12 700	11 000	68,0
70,0	37,7	52,2	12 600	10 900	9 300	70,0
72,0	35,3	49,4	10 700	9 200	7 600	72,0
74,0	32,9	46,4	8 900	7 500		74,0
76,0	30,2	43,0	7 200			76,0



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
 239 500 kg Crane Counterweight
 Pedestal Mount - Four Swing Drives
 0 Degree thru 3 Degree Static Machine List
 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms
91,4 m Boom				
15,2	82,3	91,7	231 400	
16,0	81,8	91,6	219 200	
18,0	80,6	91,2	190 100	169 200
20,0	79,3	90,8	167 000	149 200
22,0	78,0	90,4	147 800	132 600
24,0	76,7	89,9	131 700	118 600
26,0	75,4	89,4	118 000	106 600
28,0	74,1	88,8	106 100	96 100
30,0	72,8	88,2	95 800	86 900
32,0	71,5	87,5	86 700	78 800
34,0	70,1	86,8	78 600	71 500
36,0	68,8	86,0	71 500	65 100
38,0	67,4	85,1	65 100	59 200
40,0	66,1	84,2	59 200	53 900
42,0	64,7	83,3	54 000	49 000
44,0	63,3	82,3	49 000	44 400
46,0	61,8	81,2	44 500	40 300
48,0	60,4	80,0	40 400	36 500
50,0	58,9	78,8	36 500	32 900
52,0	57,4	77,5	33 000	29 700
54,0	55,9	76,2	29 800	26 600
56,0	54,4	74,7	26 700	23 800
58,0	52,8	73,2	23 900	21 200
60,0	51,2	71,6	21 200	18 700
62,0	49,5	69,9	18 800	16 400
64,0	47,8	68,1	16 400	14 200
66,0	46,1	66,1	14 200	12 200
68,0	44,3	64,1	12 200	10 200
70,0	42,5	61,9	10 200	8 400
72,0	40,5	59,5	8 400	



Liftcrane Boom Capacities

Boom No. 55 or No. 55A with 30,5 m Mast No. 56
 239 500 kg Crane Counterweight
 Pedestal Mount - Four Swing Drives
 0 Degree thru 3 Degree Static Machine List
 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms
97,5 m Boom			
15,2	82,8	97,8	230 900
16,0	82,3	97,7	218 800
18,0	81,2	97,4	189 800
20,0	80,0	97,1	166 700
22,0	78,8	96,6	147 600
24,0	77,6	96,2	131 500
26,0	76,3	95,7	117 800
28,0	75,1	95,2	106 000
30,0	73,9	94,6	95 700
32,0	72,7	93,9	86 600
34,0	71,4	93,2	78 600
36,0	70,2	92,5	71 400
38,0	68,9	91,7	65 000
40,0	67,6	90,9	59 200
42,0	66,4	90,0	54 000
44,0	65,1	89,1	49 100
46,0	63,8	88,1	44 600
48,0	62,4	87,0	40 400
50,0	61,1	85,9	36 600
52,0	59,7	84,7	33 100
54,0	58,3	83,5	29 800
56,0	56,9	82,2	26 800
58,0	55,5	80,8	24 000
60,0	54,0	79,3	21 400
62,0	52,6	77,8	18 900
64,0	51,0	76,2	16 600
66,0	49,5	74,5	14 400
68,0	47,9	72,7	12 300
70,0	46,3	70,7	10 300
72,0	44,6	68,7	8 500