Liftcrane Jib Capacities

Jib No. 134 on
Boom No. B10:350
50 120 kg Crane Counterweight
15 880 kg Carbody Counterweight
Crawler Machine on a Barge
0 Degree thru 3 Degree Static Machine List
No Travel - 360 Degree Rating

MLC150-1 SERIES 2

LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. 9821-AM.** Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with machine list not to exceed degrees noted. Refer to Boom Rigging **No. 80117858,** Jib Rigging **No. 80117860,** Wire Rope Specifications chart **No. 9841-A,** Counterweight Arrangements chart **No. 9828-A,** and Wind Conditions chart **No. 9842-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.

OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.

BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.

JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 7 980 mm crawlers, 1 200 mm treads, 5 300 mm gantry, 10 part boom hoist reeving, boom straps, 50 120 kg crane counterweight, and 15 880 kg carbody counterweight.

REFERENCE ONLY!

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Caution: Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 900 kg.

Table 1

Over End or Side of Crawlers												
	Jib No. 134											
	9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
Boom Length (m)	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
	Block Weight (kg)											
27,0 - 39,0	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475
42,0	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 425	3 425
45,0	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 300	3 300	2 975	2 975
48,0	3 475	3 475	3 475	3 475	3 425	3 425	3 075	3 075	2 800	2 800	2 475	2 475
51,0	3 475	3 475	3 250	3 250	2 900	2 900	2 575	2 575	2 300	2 300	2 025	2 025
54,0	2 975	2 925	2 675	2 625	2 350	2 300	2 075	1 950	1 850	1 675	1 575	1 300
57,0	2 425	2 200	2 125	1 900	1 800	1 575	1 475	1 200	1 200	950	#	#
60,0	1 675	1 450	1 400	1 125	1 075	#	#	#	#	#	#	#
63,0	975	#	#	#	#	#	#	#	#			
66,0	#	#	#	#	Raising Not Permitted							

Table 2

Over End of Blocked Crawlers												
	Jib No. 134											
	9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
Boom Length (m)	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
	Block Weight (kg)											
27,0 - 39,0	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475
42,0	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 425	3 425
45,0	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 475	3 300	3 300	2 975	2 975
48,0	3 475	3 475	3 475	3 475	3 425	3 425	3 075	3 075	2 800	2 800	2 475	2 475
51,0	3 475	3 475	3 250	3 250	2 900	2 900	2 575	2 575	2 300	2 300	2 025	2 025
54,0	2 925	2 925	2 675	2 675	2 350	2 350	2 075	2 075	1 850	1 850	1 575	1 575
57,0	2 425	2 425	2 175	2 175	1 900	1 900	1 575	1 575	1 400	1 400	1 350	1 350
60,0	1 950	1 950	1 625	1 625	1 350	1 350	1 350	1 350	1 350	900	900	900
63,0	1 350	900	1 350	900	1 350	900	900	900	900	900	#	#
66,0	900	#	900	#	900	#	#		#		#	

Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. *Crane tipping or structural damage can occur.*

REFERENCE ONLY

Explanation of Symbols



Jib No. 134
+
Boom No. B10:350



Crane Counterweight
+
Carbody Counterweight

360 Degree Rating



Boom Length



Jib Length

Jib Offset Angle



Operating Radius
(see page 1)

Boom Angle
(see page 1)



Jib Point Elevation
(see page 1)



Machine List

Lifting Capacities
(see page 1)

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


27,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,1	78,9	38,1	26 800										9,1
9,8	77,2	37,9	26 800	24 900									9,8
10,0	77,6	37,9	26 800	24 900									10,0
10,4	76,2	37,8	26 800	24 700	21 900								10,4
11,0	76,0	37,6	26 800	24 500	21 700		78,5	37,4	26 600				11,0
11,3	74,7	37,5	26 800	24 400	21 600	19 500	77,4	37,3	26 500				11,3
11,6	74,4	37,4	26 800	24 300	21 600	19 400	76,8	37,2	26 400	23 200			11,6
12,0	74,4	37,3	26 800	24 200	21 500	19 300	76,8	37,1	26 300	23 100			12,0
12,2	73,6	37,2	26 800	24 100	21 400	19 300	75,8	37,0	26 200	23 000	20 600		12,2
12,5	73,0	37,1	26 800	24 000	21 300	19 200	75,5	36,9	26 100	23 000	20 600		12,5
12,8	72,4	37,0	26 800	23 900	21 300	19 200	75,2	36,8	26 000	22 900	20 500	18 600	12,8
13,0	72,7	37,0	26 800	23 900	21 200	19 100	75,2	36,7	26 000	22 900	20 500	18 600	13,0
13,1	71,9	36,9	26 800	23 900	21 200	19 100	74,8	36,7	25 900	22 800	20 500	18 500	13,1
13,7	71,3	36,7	26 800	23 700	21 100	19 000	73,6	36,5	25 700	22 700	20 400	18 500	13,7
14,0	71,1	36,6	26 800	23 600	21 000	18 900	73,5	36,4	25 600	22 700	20 300	18 400	14,0
15,0	69,4	36,2	26 600	23 300	20 800	18 800	71,8	36,0	25 400	22 500	20 200	18 300	15,0
16,0	67,7	35,8	26 300	23 000	20 600	18 600	70,1	35,6	25 000	22 300	20 000	18 200	16,0
18,0	64,3	34,9	25 600	22 500	20 200	18 300	66,7	34,6	23 400	21 900	19 800	18 000	18,0
20,0	60,7	33,8	24 100	22 000	19 800	18 000	63,1	33,5	21 600	21 500	19 600	17 800	20,0
22,0	57,0	32,5	21 200	20 300	19 200	17 800	59,3	32,2	20 100	20 000	19 100	17 700	22,0
24,0	53,1	31,0	18 900	18 200	17 500	16 800	55,4	30,7	18 800	18 300	17 600	16 900	24,0
26,0	49,0	29,3	16 900	16 300	15 800	15 200	51,3	29,0	17 000	16 500	15 900	15 400	26,0
28,0	44,7	27,4	15 300	14 800	14 300	13 900	46,9	27,0	15 400	14 900	14 500	14 000	28,0
30,0	39,9	25,1	13 900	13 500	13 100	12 700	42,1	24,7	14 000	13 600	13 200	12 800	30,0
32,0	34,6	22,3	12 700	12 300	12 000	11 700	36,6	21,8	12 700	12 400	12 100	11 800	32,0
33,8	28,5	19,1	11 700	11 400	11 200	10 900	30,5	18,6	11 700	11 500	11 200	11 000	33,8
34,0	28,4	18,8	11 600	11 300	11 100		30,2	18,3	11 700	11 400	11 100	10 900	34,0
34,1	27,4	18,5	11 500	11 300	11 000		29,5	18,0	11 600	11 300	11 100	10 800	34,1
34,4	26,2	17,9	11 400	11 100			28,3	17,3	11 400	11 200	10 900	10 700	34,4
34,8	25,7	17,3	11 200				27,1	16,6	11 300	11 000	10 800		34,8
35,1							26,2	16,0	11 100	10 900			35,1

REFERENCE ONLY

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



27,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
9,1							9,1
9,8							9,8
10,0							10,0
10,4							10,4
11,0							11,0
11,3							11,3
11,6							11,6
12,0							12,0
12,2							12,2
12,5	78,6	36,3	18 700				12,5
12,8	77,4	36,2	18 500				12,8
13,0	77,7	36,2	18 400				13,0
13,1	76,9	36,1	18 300	18 200			13,1
13,7	76,3	35,9	17 900	17 800	17 700		13,7
14,0	76,0	35,8	17 700	17 600	17 600	17 500	14,0
15,0	74,3	35,4	17 000	17 000	16 900	16 900	15,0
16,0	72,6	35,0	16 500	16 400	16 400	16 300	16,0
18,0	69,0	34,0	15 400	15 400	15 300	15 300	18,0
20,0	65,4	32,9	14 500	14 500	14 400	14 400	20,0
22,0	61,6	31,6	13 800	13 700	13 700	13 700	22,0
24,0	57,6	30,0	13 100	13 100	13 000	13 000	24,0
26,0	53,3	28,3	12 500	12 500	12 500	12 500	26,0
28,0	48,8	26,2	12 000	12 000	12 000	12 000	28,0
30,0	43,8	23,8	11 700	11 600	11 600	11 600	30,0
32,0	38,1	20,8	11 300	11 300	11 300	11 300	32,0
33,8	31,6	17,4	11 200	11 100	11 000	11 000	33,8
34,0	31,3	17,1	11 200	11 100	11 000	10 900	34,0
34,1	30,4	16,7	11 100	11 100	11 000	10 900	34,1
34,4	29,2	16,0	11 100	11 100	10 900	10 700	34,4
34,8	28,2	15,3	11 100	11 100	10 800	10 600	34,8
35,1							35,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


30,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,8	78,9	41,0	26 800										9,8
10,0	78,5	40,9	26 800										10,0
10,4	77,6	40,8	26 800	24 700									10,4
11,0	77,1	40,7	26 800	24 600									11,0
11,3	76,4	40,6	26 800	24 500	21 600		79,0	40,4	26 600				11,3
11,9	75,2	40,4	26 800	24 300	21 500	19 300	77,1	40,2	26 400				11,9
12,0	75,6	40,4	26 800	24 300	21 500	19 300	77,9	40,2	26 400				12,0
12,2	74,8	40,4	26 800	24 200	21 400	19 300	76,8	40,1	26 300	23 100			12,2
12,8	74,2	40,2	26 800	24 000	21 300	19 200	76,2	39,9	26 100	23 000	20 500		12,8
13,0	74,1	40,1	26 800	24 000	21 300	19 100	76,4	39,9	26 000	22 900	20 500		13,0
13,4	73,2	40,0	26 800	23 900	21 200	19 100	75,2	39,7	25 900	22 800	20 400	18 500	13,4
13,7	72,6	39,9	26 800	23 800	21 100	19 000	74,6	39,6	25 800	22 800	20 400	18 500	13,7
14,0	72,5	39,8	26 800	23 700	21 000	19 000	74,8	39,5	25 800	22 700	20 300	18 400	14,0
14,3	71,7	39,7	26 800	23 600	21 000	18 900	73,7	39,4	25 700	22 600	20 300	18 400	14,3
14,9	71,1	39,5	26 800	23 500	20 800	18 800	73,1	39,2	25 500	22 500	20 200	18 300	14,9
15,0	71,0	39,4	26 800	23 400	20 800	18 800	73,3	39,2	25 500	22 500	20 200	18 300	15,0
16,0	69,5	39,1	26 500	23 200	20 600	18 600	71,7	38,8	25 200	22 300	20 100	18 200	16,0
18,0	66,3	38,2	25 800	22 700	20 300	18 300	68,6	37,9	24 400	22 000	19 800	18 100	18,0
20,0	63,1	37,2	23 900	22 100	19 900	18 100	65,3	36,9	22 700	21 700	19 600	17 900	20,0
22,0	59,8	36,1	21 100	20 100	19 100	17 700	62,0	35,8	21 000	20 300	19 000	17 700	22,0
24,0	56,3	34,7	18 700	17 900	17 200	16 500	58,5	34,4	18 900	18 100	17 400	16 700	24,0
26,0	52,8	33,2	16 700	16 100	15 500	14 900	54,9	32,9	16 900	16 300	15 600	15 100	26,0
28,0	49,0	31,5	15 100	14 600	14 100	13 600	51,1	31,2	15 200	14 700	14 200	13 700	28,0
30,0	44,9	29,6	13 700	13 300	12 800	12 400	47,0	29,2	13 800	13 400	12 900	12 500	30,0
32,0	40,6	27,3	12 500	12 100	11 800	11 400	42,6	26,9	12 600	12 200	11 800	11 500	32,0
34,0	35,8	24,7	11 400	11 100	10 800	10 500	37,7	24,2	11 500	11 200	10 900	10 600	34,0
36,0	30,3	21,4	10 500	10 200	10 000	9 700	32,1	20,9	10 600	10 300	10 000	9 800	36,0
36,6	28,1	20,3	10 300	10 000	9 800	9 500	29,7	19,7	10 300	10 100	9 800	9 600	36,6
36,9	27,0	19,7	10 100	9 900	9 700		28,6	19,1	10 200	9 900	9 700	9 500	36,9
37,2	26,0	19,1	10 000	9 800			27,4	18,4	10 000	9 800	9 600	9 400	37,2
37,5	25,5	18,5	9 900				26,2	17,8	9 900	9 700	9 500		37,5
37,8							26,0	17,1	9 800	9 600			37,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



30,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
9,8							9,8
10,0							10,0
10,4							10,4
11,0							11,0
11,3							11,3
11,9							11,9
12,0							12,0
12,2							12,2
12,8	79,0	39,4	18 900				12,8
13,0	78,7	39,3	18 800				13,0
13,4	77,6	39,2	18 500				13,4
13,7	77,3	39,1	18 300	18 200			13,7
14,0	77,1	39,0	18 100	18 100			14,0
14,3	76,4	38,9	17 900	17 900	17 800		14,3
14,9	75,2	38,6	17 600	17 500	17 500	17 400	14,9
15,0	75,6	38,6	17 500	17 400	17 400	17 400	15,0
16,0	74,0	38,2	16 900	16 900	16 800	16 800	16,0
18,0	70,8	37,3	15 900	15 900	15 800	15 800	18,0
20,0	67,5	36,3	15 000	15 000	14 900	14 900	20,0
22,0	64,1	35,1	14 300	14 200	14 200	14 200	22,0
24,0	60,5	33,8	13 600	13 500	13 500	13 500	24,0
26,0	56,8	32,2	13 000	13 000	12 900	12 900	26,0
28,0	52,9	30,5	12 500	12 500	12 400	12 400	28,0
30,0	48,7	28,4	12 100	12 000	12 000	12 000	30,0
32,0	44,1	26,1	11 700	11 600	11 600	11 600	32,0
34,0	39,1	23,2	11 300	11 200	11 000	10 700	34,0
36,0	33,1	19,8	10 600	10 300	10 100	9 800	36,0
36,6	30,7	18,5	10 300	10 100	9 900	9 600	36,6
36,9	29,5	17,8	10 200	10 000	9 700	9 500	36,9
37,2	28,2	17,1	10 000	9 800	9 600	9 400	37,2
37,5	27,8	16,4	9 900	9 700	9 500		37,5
37,8							37,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


33,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,4	78,9	43,9	26 800										10,4
11,0	78,0	43,8	26 800										11,0
11,3	76,7	43,7	26 800	24 500									11,3
11,9	76,1	43,6	26 800	24 300	21 500		78,9	43,3	26 400				11,9
12,0	76,6	43,5	26 800	24 300	21 400		78,8	43,3	26 400				12,0
12,5	75,5	43,4	26 800	24 100	21 300	19 200	77,5	43,1	26 200				12,5
12,8	75,2	43,3	26 800	24 000	21 300	19 100	77,2	43,1	26 100	22 900			12,8
13,0	75,2	43,3	26 800	24 000	21 200	19 100	77,4	43,0	26 100	22 900			13,0
13,4	74,2	43,2	26 800	23 900	21 200	19 000	76,2	42,9	26 000	22 800	20 400		13,4
14,0	73,8	43,0	26 800	23 700	21 000	19 000	75,9	42,7	25 800	22 700	20 300	18 400	14,0
14,3	72,7	42,9	26 800	23 700	21 000	18 900	74,7	42,6	25 700	22 700	20 300	18 400	14,3
14,9	72,1	42,7	26 800	23 500	20 900	18 800	74,1	42,4	25 600	22 500	20 200	18 300	14,9
15,0	72,4	42,6	26 800	23 500	20 900	18 800	74,5	42,4	25 600	22 500	20 200	18 300	15,0
15,5	71,0	42,5	26 700	23 400	20 800	18 700	73,5	42,2	25 400	22 400	20 100	18 200	15,5
16,0	71,0	42,3	26 600	23 200	20 700	18 600	73,1	42,0	25 300	22 400	20 100	18 200	16,0
18,0	68,1	41,5	26 000	22 800	20 300	18 400	70,2	41,2	24 900	22 000	19 800	18 000	18,0
20,0	65,2	40,6	23 800	22 200	20 000	18 100	67,2	40,3	23 600	21 700	19 600	17 900	20,0
22,0	62,1	39,5	20 900	19 900	19 000	17 600	64,2	39,3	21 200	20 100	18 900	17 600	22,0
24,0	59,0	38,4	18 600	17 700	17 000	16 200	61,1	38,1	18 800	17 900	17 200	16 400	24,0
26,0	55,8	37,0	16 600	15 900	15 300	14 700	57,8	36,7	16 800	16 100	15 400	14 800	26,0
28,0	52,5	35,5	15 000	14 400	13 900	13 300	54,4	35,2	15 100	14 600	14 000	13 500	28,0
30,0	48,9	33,8	13 600	13 100	12 600	12 200	50,9	33,5	13 700	13 200	12 800	12 300	30,0
32,0	45,2	31,9	12 400	12 000	11 600	11 200	47,1	31,5	12 500	12 100	11 700	11 300	32,0
34,0	41,2	29,6	11 300	11 000	10 600	10 300	43,0	29,3	11 400	11 100	10 700	10 400	34,0
36,0	36,8	27,1	10 400	10 100	9 800	9 500	38,6	26,6	10 500	10 200	9 900	9 600	36,0
38,0	31,9	24,0	9 600	9 300	9 100	8 800	33,6	23,5	9 600	9 400	9 100	8 900	38,0
39,3	27,7	21,5	9 100	8 800	8 600	8 400	29,0	20,9	9 100	8 900	8 700	8 500	39,3
39,6	27,0	20,9	9 000	8 700	8 500		28,1	20,4	9 000	8 800	8 600	8 400	39,6
39,9	26,2	20,4	8 800	8 600			27,2	19,8	8 900	8 700	8 500		39,9
40,0	26,2	20,2	8 800				27,7	19,6	8 900	8 700			40,0
40,2	25,5	19,7	8 700				26,1	19,1	8 800	8 600			40,2
40,5							25,9	18,4	8 700				40,5

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



33,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
10,4							10,4
11,0							11,0
11,3							11,3
11,9							11,9
12,0							12,0
12,5							12,5
12,8							12,8
13,0							13,0
13,4	78,9	42,3	18 900				13,4
14,0	78,1	42,1	18 600				14,0
14,3	77,4	42,0	18 400	18 300			14,3
14,9	76,2	41,8	18 000	17 900	17 900		14,9
15,0	76,7	41,8	17 900	17 900	17 800		15,0
15,5	75,5	41,6	17 700	17 600	17 600	17 400	15,5
16,0	75,2	41,4	17 400	17 300	17 300	17 200	16,0
18,0	72,3	40,6	16 400	16 300	16 300	16 200	18,0
20,0	69,3	39,7	15 500	15 400	15 400	15 400	20,0
22,0	66,2	38,6	14 700	14 700	14 600	14 600	22,0
24,0	63,0	37,4	14 000	14 000	14 000	13 900	24,0
26,0	59,7	36,0	13 400	13 400	13 400	13 300	26,0
28,0	56,2	34,5	12 900	12 900	12 900	12 800	28,0
30,0	52,6	32,7	12 400	12 400	12 400	12 300	30,0
32,0	48,7	30,7	12 000	12 000	11 800	11 400	32,0
34,0	44,5	28,4	11 500	11 100	10 800	10 500	34,0
36,0	39,9	25,7	10 500	10 200	9 900	9 700	36,0
38,0	34,7	22,4	9 700	9 400	9 200	8 900	38,0
39,3	29,9	19,7	9 100	8 900	8 700	8 500	39,3
39,6	29,0	19,0	9 000	8 800	8 600	8 400	39,6
39,9	28,6	18,4	8 900	8 700	8 500	8 300	39,9
40,0							40,0
40,2							40,2
40,5							40,5

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

36,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,0	78,8	46,9	26 800										11,0
11,9	77,1	46,6	26 800	24 200									11,9
12,0	77,5	46,6	26 800	24 200									12,0
12,5	76,5	46,5	26 800	24 100	21 300		78,9	46,2	26 200				12,5
13,0	76,2	46,4	26 800	24 000	21 200		78,2	46,1	26 100				13,0
13,4	75,2	46,3	26 800	23 900	21 100	19 000	77,2	46,0	26 000	22 800			13,4
14,0	74,9	46,1	26 800	23 700	21 000	18 900	76,9	45,8	25 900	22 700	20 200		14,0
14,9	73,1	45,8	26 800	23 500	20 800	18 800	75,1	45,6	25 600	22 500	20 100	18 200	14,9
15,0	73,6	45,8	26 800	23 500	20 800	18 700	75,6	45,5	25 600	22 500	20 100	18 200	15,0
15,5	72,5	45,6	26 700	23 400	20 700	18 700	74,5	45,4	25 500	22 400	20 100	18 200	15,5
16,0	72,3	45,5	26 700	23 300	20 700	18 600	74,3	45,2	25 400	22 400	20 000	18 100	16,0
16,5	71,3	45,3	26 500	23 200	20 600	18 500	73,3	45,0	25 300	22 300	20 000	18 100	16,5
18,0	69,6	44,7	26 200	22 800	20 300	18 400	71,6	44,5	24 900	22 000	19 800	18 000	18,0
20,0	66,9	43,9	23 600	22 200	20 000	18 100	68,8	43,6	23 900	21 700	19 600	17 800	20,0
22,0	64,1	42,9	20 800	19 700	18 700	17 500	66,0	42,6	21 000	19 900	18 800	17 400	22,0
24,0	61,3	41,8	18 400	17 500	16 700	15 900	63,2	41,5	18 600	17 700	16 900	16 100	24,0
26,0	58,3	40,6	16 400	15 700	15 000	14 300	60,2	40,3	16 600	15 900	15 200	14 500	26,0
28,0	55,3	39,3	14 800	14 200	13 600	13 000	57,2	38,9	15 000	14 400	13 800	13 200	28,0
30,0	52,2	37,7	13 400	12 900	12 400	11 900	54,0	37,4	13 600	13 000	12 500	12 000	30,0
32,0	48,9	36,0	12 200	11 700	11 300	10 900	50,7	35,7	12 300	11 900	11 400	11 000	32,0
34,0	45,4	34,1	11 200	10 800	10 400	10 000	47,1	33,7	11 300	10 900	10 500	10 100	34,0
36,0	41,7	31,9	10 200	9 900	9 600	9 300	43,4	31,5	10 300	10 000	9 700	9 300	36,0
38,0	37,7	29,4	9 400	9 100	8 800	8 600	39,3	29,0	9 500	9 200	8 900	8 600	38,0
40,0	33,2	26,5	8 700	8 400	8 200	7 900	34,8	26,0	8 700	8 500	8 200	8 000	40,0
41,8	28,6	23,4	8 100	7 900	7 600	7 400	29,6	22,8	8 100	7 900	7 700	7 500	41,8
42,0	28,1	22,9	8 000	7 800	7 600		29,6	22,4	8 000	7 800	7 600	7 400	42,0
42,4	26,9	22,2	7 900	7 700	7 500		27,8	21,5	7 900	7 700	7 500	7 300	42,4
42,7	25,9	21,5	7 800	7 600			26,9	20,9	7 800	7 600	7 400		42,7
43,0	25,3	20,9	7 700				25,9	20,2	7 700	7 500			43,0
43,3							25,7	19,5	7 600				43,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



36,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
11,0							11,0
11,9							11,9
12,0							12,0
12,5							12,5
13,0							13,0
13,4							13,4
14,0	78,9	45,2	18 900				14,0
14,9	77,1	45,0	18 400	18 300			14,9
15,0	77,6	44,9	18 300	18 300			15,0
15,5	76,5	44,8	18 100	18 000	17 900		15,5
16,0	76,2	44,6	17 800	17 700	17 600		16,0
16,5	75,3	44,4	17 500	17 500	17 400	17 400	16,5
18,0	73,5	43,8	16 800	16 700	16 700	16 600	18,0
20,0	70,8	43,0	15 900	15 900	15 800	15 800	20,0
22,0	67,9	42,0	15 100	15 100	15 000	15 000	22,0
24,0	65,0	40,9	14 400	14 400	14 400	14 400	24,0
26,0	62,0	39,7	13 800	13 800	13 800	13 700	26,0
28,0	58,9	38,3	13 300	13 300	13 300	13 100	28,0
30,0	55,6	36,7	12 800	12 800	12 600	12 200	30,0
32,0	52,2	34,9	12 400	12 000	11 500	11 100	32,0
34,0	48,6	32,9	11 400	11 000	10 600	10 200	34,0
36,0	44,8	30,6	10 400	10 100	9 700	9 400	36,0
38,0	40,6	28,0	9 500	9 200	9 000	8 700	38,0
40,0	35,8	24,9	8 700	8 500	8 300	8 000	40,0
41,8	30,6	21,5	8 100	7 900	7 700	7 500	41,8
42,0	30,4	21,1	8 000	7 800	7 600	7 400	42,0
42,4	28,9	20,2	7 900	7 700	7 500	7 300	42,4
42,7	28,2	19,6	7 800	7 600	7 400	7 300	42,7
43,0							43,0
43,3							43,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


39,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,6	78,8	49,8	26 800										11,6
12,0	78,3	49,7	26 800										12,0
12,5	77,5	49,6	26 800	24 000									12,5
13,0	77,1	49,5	26 800	23 900									13,0
13,1	76,8	49,5	26 800	23 900	21 100		78,8	49,2	26 000				13,1
14,0	75,9	49,2	26 800	23 700	20 900	18 800	77,7	49,0	25 800	22 600			14,0
14,6	74,4	49,1	26 800	23 500	20 800	18 700	76,4	48,8	25 700	22 500	20 100		14,6
15,0	74,6	48,9	26 800	23 400	20 800	18 700	76,5	48,7	25 600	22 400	20 000		15,0
15,5	73,5	48,8	26 800	23 300	20 700	18 600	75,5	48,5	25 500	22 400	20 000	18 100	15,5
16,0	73,4	48,6	26 700	23 200	20 600	18 500	75,3	48,4	25 400	22 300	19 900	18 000	16,0
16,2	72,7	48,6	26 700	23 200	20 600	18 500	74,7	48,3	25 300	22 300	19 900	18 000	16,2
17,1	71,4	48,3	26 500	23 000	20 400	18 400	73,4	48,0	25 200	22 100	19 800	18 000	17,1
18,0	70,9	48,0	26 200	22 800	20 300	18 300	72,8	47,7	25 000	22 000	19 700	17 900	18,0
20,0	68,4	47,2	23 500	22 000	19 900	18 100	70,2	46,9	23 800	21 600	19 500	17 800	20,0
22,0	65,8	46,3	20 600	19 500	18 400	17 300	67,7	46,0	20 900	19 700	18 600	17 300	22,0
24,0	63,2	45,3	18 300	17 300	16 400	15 600	65,0	45,0	18 500	17 500	16 600	15 800	24,0
26,0	60,5	44,2	16 300	15 500	14 700	14 000	62,3	43,9	16 500	15 700	14 900	14 200	26,0
28,0	57,8	42,9	14 700	14 000	13 400	12 800	59,5	42,6	14 800	14 200	13 500	12 900	28,0
30,0	54,9	41,5	13 300	12 700	12 100	11 600	56,6	41,2	13 400	12 800	12 300	11 800	30,0
32,0	51,9	40,0	12 000	11 600	11 100	10 600	53,7	39,7	12 200	11 700	11 200	10 800	32,0
34,0	48,8	38,3	11 000	10 600	10 200	9 800	50,5	37,9	11 100	10 700	10 300	9 900	34,0
36,0	45,6	36,4	10 100	9 700	9 300	9 000	47,2	36,0	10 200	9 800	9 400	9 100	36,0
38,0	42,1	34,2	9 200	8 900	8 600	8 300	43,7	33,8	9 300	9 000	8 700	8 400	38,0
40,0	38,4	31,8	8 500	8 200	8 000	7 700	40,0	31,3	8 600	8 300	8 000	7 800	40,0
42,0	34,4	28,9	7 800	7 600	7 400	7 100	35,8	28,5	7 900	7 700	7 400	7 200	42,0
44,0	29,8	25,6	7 200	7 000	6 800	6 600	31,2	25,1	7 300	7 100	6 900	6 700	44,0
44,5	27,8	24,6	7 100	6 900	6 700	6 500	29,5	24,0	7 100	6 900	6 700	6 600	44,5
44,8	27,1	24,0	7 000	6 800	6 600		28,6	23,4	7 000	6 900	6 700	6 500	44,8
45,1	26,4	23,4	6 900	6 700			27,7	22,7	7 000	6 800	6 600	6 400	45,1
45,4	25,7	22,8	6 800	6 700			26,7	22,1	6 900	6 700	6 500		45,4
45,7	25,3	22,2	6 800				25,8	21,4	6 800	6 600			45,7
46,0							25,7	20,9	6 700				46,0

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



39,0 m



9,1 m



25°



m	°	m	0° kg	1° kg	2° kg	3° kg	m
11,6							11,6
12,0							12,0
12,5							12,5
13,0							13,0
13,1							13,1
14,0							14,0
14,6	78,9	48,2	18 900				14,6
15,0	78,4	48,1	18 700				15,0
15,5	77,5	47,9	18 400	18 300			15,5
16,0	77,2	47,8	18 100	18 100			16,0
16,2	76,7	47,7	18 000	18 000	17 900		16,2
17,1	75,4	47,4	17 600	17 500	17 500	17 400	17,1
18,0	74,6	47,1	17 200	17 100	17 000	17 000	18,0
20,0	72,0	46,3	16 300	16 200	16 200	16 100	20,0
22,0	69,4	45,4	15 500	15 500	15 400	15 400	22,0
24,0	66,7	44,3	14 800	14 800	14 700	14 700	24,0
26,0	64,0	43,2	14 200	14 200	14 100	14 100	26,0
28,0	61,2	41,9	13 700	13 700	13 500	13 100	28,0
30,0	58,2	40,5	13 200	12 900	12 400	11 900	30,0
32,0	55,2	38,9	12 300	11 800	11 300	10 900	32,0
34,0	52,0	37,2	11 200	10 800	10 400	10 000	34,0
36,0	48,6	35,2	10 300	9 900	9 500	9 200	36,0
38,0	45,0	32,9	9 400	9 100	8 800	8 500	38,0
40,0	41,2	30,4	8 600	8 400	8 100	7 800	40,0
42,0	36,9	27,4	7 900	7 700	7 500	7 200	42,0
44,0	32,0	23,8	7 300	7 100	6 900	6 700	44,0
44,5	29,6	22,8	7 100	7 000	6 800	6 600	44,5
44,8	28,7	22,1	7 100	6 900	6 700	6 500	44,8
45,1	27,9	21,4	7 000	6 800	6 600	6 400	45,1
45,4	28,0	20,8	6 900	6 700	6 500		45,4
45,7							45,7
46,0							46,0

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

42,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	78,8	52,7	26 800										12,2
13,0	77,8	52,6	26 800										13,0
13,1	76,9	52,5	26 800	23 700									13,1
13,7	76,3	52,4	26 800	23 600			78,8	52,1	25 800				13,7
14,0	76,7	52,3	26 800	23 600	20 800		78,5	52,0	25 700				14,0
14,6	75,4	52,1	26 800	23 400	20 700	18 600	77,4	51,9	25 600	22 400			14,6
15,0	75,6	52,0	26 800	23 400	20 600	18 600	77,3	51,8	25 500	22 300			15,0
15,2	74,8	52,0	26 800	23 300	20 600	18 500	76,8	51,7	25 500	22 300			15,2
15,5	74,5	51,9	26 800	23 300	20 600	18 500	76,5	51,6	25 400	22 300	19 900		15,5
16,0	74,4	51,8	26 700	23 200	20 500	18 400	76,2	51,5	25 300	22 200	19 800		16,0
16,2	73,8	51,7	26 700	23 100	20 500	18 400	75,7	51,4	25 300	22 200	19 800	17 900	16,2
17,1	72,9	51,4	26 500	23 000	20 300	18 300	74,4	51,1	25 100	22 100	19 700	17 900	17,1
17,7	72,3	51,2	26 300	22 900	20 300	18 300	73,5	50,9	25 000	22 000	19 700	17 800	17,7
18,0	72,1	51,1	26 300	22 800	20 200	18 200	73,8	50,8	24 900	22 000	19 600	17 800	18,0
20,0	69,7	50,4	23 300	21 800	19 900	18 000	71,5	50,1	23 700	21 600	19 400	17 700	20,0
22,0	67,3	49,6	20 500	19 200	18 100	17 000	69,0	49,3	20 700	19 500	18 300	17 100	22,0
24,0	64,9	48,6	18 100	17 100	16 100	15 300	66,6	48,3	18 300	17 300	16 400	15 500	24,0
26,0	62,4	47,6	16 100	15 300	14 500	13 700	64,1	47,3	16 300	15 500	14 700	13 900	26,0
28,0	59,8	46,5	14 500	13 800	13 100	12 500	61,5	46,1	14 700	14 000	13 300	12 600	28,0
30,0	57,2	45,2	13 100	12 500	11 900	11 300	58,9	44,9	13 300	12 600	12 100	11 500	30,0
32,0	54,5	43,8	11 900	11 300	10 800	10 400	56,1	43,4	12 000	11 500	11 000	10 500	32,0
34,0	51,7	42,2	10 800	10 400	9 900	9 500	53,3	41,9	11 000	10 500	10 100	9 600	34,0
36,0	48,8	40,5	9 900	9 500	9 100	8 700	50,4	40,1	10 000	9 600	9 200	8 900	36,0
38,0	45,7	38,6	9 100	8 700	8 400	8 100	47,3	38,2	9 200	8 800	8 500	8 200	38,0
40,0	42,5	36,5	8 300	8 000	7 700	7 400	44,0	36,1	8 400	8 100	7 800	7 500	40,0
42,0	39,0	34,0	7 700	7 400	7 100	6 900	40,5	33,6	7 700	7 500	7 200	7 000	42,0
44,0	35,3	31,3	7 100	6 800	6 600	6 400	36,7	30,8	7 100	6 900	6 700	6 400	44,0
46,0	31,1	28,1	6 500	6 300	6 100	5 900	32,5	27,6	6 600	6 400	6 200	6 000	46,0
47,2	27,9	25,8	6 200	6 000	5 800	5 700	28,9	25,2	6 200	6 000	5 900	5 700	47,2
47,6	27,1	25,2	6 100	5 900	5 800		28,1	24,6	6 200	6 000	5 800	5 600	47,6
47,9	26,4	24,6	6 000	5 900			27,4	24,0	6 100	5 900	5 700		47,9
48,0	26,4	24,3	6 000				27,6	23,7	6 000	5 900	5 700		48,0
48,2	25,7	24,0	6 000				26,6	23,3	6 000	5 800	5 700		48,2
48,5	25,2	23,3	5 900				25,8	22,7	5 900	5 800			48,5
48,8							25,5	22,0	5 800				48,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

42,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,2							12,2
13,0							13,0
13,1							13,1
13,7							13,7
14,0							14,0
14,6							14,6
15,0							15,0
15,2	78,8	51,1	18 800				15,2
15,5	77,6	51,0	18 700				15,5
16,0	77,9	50,9	18 500				16,0
16,2	76,8	50,8	18 400	18 300			16,2
17,1	75,9	50,5	17 900	17 900	17 800		17,1
17,7	75,3	50,3	17 600	17 600	17 500	17 500	17,7
18,0	75,6	50,2	17 500	17 400	17 400	17 300	18,0
20,0	73,2	49,5	16 700	16 600	16 500	16 500	20,0
22,0	70,7	48,6	15 900	15 800	15 800	15 700	22,0
24,0	68,2	47,7	15 200	15 200	15 100	15 100	24,0
26,0	65,7	46,6	14 600	14 600	14 500	14 200	26,0
28,0	63,1	45,5	14 000	13 900	13 500	12 800	28,0
30,0	60,4	44,2	13 300	12 800	12 200	11 700	30,0
32,0	57,6	42,7	12 200	11 600	11 100	10 600	32,0
34,0	54,8	41,1	11 100	10 600	10 200	9 800	34,0
36,0	51,7	39,4	10 100	9 700	9 300	9 000	36,0
38,0	48,6	37,4	9 300	8 900	8 600	8 200	38,0
40,0	45,2	35,2	8 500	8 200	7 900	7 600	40,0
42,0	41,6	32,7	7 800	7 500	7 300	7 000	42,0
44,0	37,7	29,8	7 200	6 900	6 700	6 500	44,0
46,0	33,3	26,4	6 600	6 400	6 200	6 000	46,0
47,2	29,6	23,9	6 200	6 100	5 900	5 700	47,2
47,6	28,8	23,2	6 200	6 000	5 800	5 600	47,6
47,9	28,5	22,6	6 100	5 900	5 700	5 600	47,9
48,0							48,0
48,2							48,2
48,5							48,5
48,8							48,8

REFERENCE ONLY!

MLC150-1 S-2





	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,8	78,7	55,7	26 800										12,8
13,0	78,5	55,6	26 800										13,0
13,7	77,3	55,5	26 800	23 500									13,7
14,0	77,4	55,4	26 800	23 400									14,0
14,3	76,7	55,3	26 800	23 400			78,8	55,0	25 600				14,3
14,6	76,4	55,2	26 800	23 300	20 600		78,0	55,0	25 500				14,6
15,0	76,4	55,1	26 800	23 200	20 500		78,0	54,9	25 400				15,0
15,2	75,8	55,1	26 800	23 200	20 500		77,6	54,8	25 400	22 200			15,2
15,5	75,5	55,0	26 700	23 100	20 400	18 400	77,0	54,7	25 300	22 100			15,5
15,8	75,2	54,9	26 700	23 100	20 400	18 300	76,4	54,6	25 300	22 100			15,8
16,0	75,3	54,9	26 700	23 000	20 400	18 300	76,9	54,6	25 200	22 100			16,0
16,2	74,8	54,8	26 600	23 000	20 300	18 300	75,8	54,5	25 200	22 100	19 600		16,2
16,8	74,2	54,6	26 500	22 900	20 300	18 200	75,2	54,4	25 100	22 000	19 600		16,8
17,1	73,9	54,5	26 400	22 800	20 200	18 200	74,9	54,3	25 000	22 000	19 600	17 700	17,1
17,7	73,3	54,4	26 300	22 700	20 100	18 100	74,3	54,1	24 900	21 900	19 500	17 700	17,7
18,0	73,1	54,3	26 200	22 700	20 100	18 100	74,7	54,0	24 900	21 800	19 500	17 700	18,0
18,6	72,1	54,1	25 300	22 400	20 000	18 000	73,4	53,8	24 500	21 700	19 400	17 600	18,6
20,0	70,9	53,6	23 200	21 600	19 700	17 900	72,5	53,3	23 600	21 400	19 300	17 600	20,0
22,0	68,6	52,8	20 300	19 000	17 800	16 700	70,3	52,5	20 600	19 300	18 100	16 900	22,0
24,0	66,4	51,9	18 000	16 900	15 900	15 000	68,0	51,6	18 200	17 100	16 100	15 200	24,0
26,0	64,0	51,0	16 000	15 100	14 300	13 500	65,6	50,7	16 200	15 300	14 500	13 700	26,0
28,0	61,7	49,9	14 400	13 600	12 900	12 200	63,2	49,6	14 600	13 800	13 100	12 400	28,0
30,0	59,2	48,7	13 000	12 300	11 700	11 100	60,8	48,4	13 100	12 500	11 900	11 300	30,0
32,0	56,7	47,4	11 700	11 200	10 600	10 100	58,3	47,1	11 900	11 300	10 800	10 300	32,0
34,0	54,2	46,0	10 700	10 200	9 700	9 300	55,7	45,7	10 800	10 300	9 900	9 400	34,0
36,0	51,5	44,4	9 800	9 300	8 900	8 500	53,0	44,1	9 900	9 500	9 100	8 700	36,0
38,0	48,7	42,7	8 900	8 600	8 200	7 900	50,2	42,4	9 000	8 700	8 300	8 000	38,0
40,0	45,9	40,8	8 200	7 900	7 600	7 200	47,3	40,4	8 300	8 000	7 600	7 300	40,0
42,0	42,8	38,7	7 500	7 200	7 000	6 700	44,2	38,3	7 600	7 300	7 000	6 800	42,0
44,0	39,6	36,3	6 900	6 700	6 400	6 200	41,0	35,9	7 000	6 700	6 500	6 300	44,0
46,0	36,1	33,7	6 400	6 200	5 900	5 700	37,4	33,2	6 400	6 200	6 000	5 800	46,0
48,0	32,3	30,6	5 900	5 700	5 500	5 300	33,6	30,1	5 900	5 700	5 500	5 400	48,0
50,0	27,0	27,0	5 400	5 300	5 100	4 900	29,0	26,5	5 500	5 300	5 100	5 000	50,0
50,0	28,0	27,0	5 400	5 300	5 100		29,2	26,4	5 500	5 300	5 100	5 000	50,0
50,3	26,5	26,4	5 400	5 200	5 000		28,2	25,8	5 400	5 200	5 100	4 900	50,3
50,6	26,0	25,8	5 300	5 100			27,4	25,1	5 300	5 200	5 000		50,6
51,2	25,1	24,5	5 200				25,8	23,8	5 200	5 000			51,2
51,5							25,4	23,1	5 100				51,5

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

45,0 m



9,1 m



25°



m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,8							12,8
13,0							13,0
13,7							13,7
14,0							14,0
14,3							14,3
14,6							14,6
15,0							15,0
15,2							15,2
15,5							15,5
15,8	78,8	54,0	18 900				15,8
16,0	78,6	54,0	18 800				16,0
16,2	77,8	53,9	18 700				16,2
16,8	77,2	53,7	18 400	18 300			16,8
17,1	76,9	53,6	18 200	18 200			17,1
17,7	76,3	53,5	18 000	17 900	17 800		17,7
18,0	76,4	53,4	17 800	17 800	17 700		18,0
18,6	75,4	53,2	17 600	17 500	17 400	16 400	18,6
20,0	74,2	52,7	17 000	16 900	16 800	16 400	20,0
22,0	71,9	51,9	16 200	16 200	16 100	16 100	22,0
24,0	69,5	51,0	15 600	15 500	15 400	15 300	24,0
26,0	67,2	50,0	14 900	14 900	14 700	13 900	26,0
28,0	64,8	48,9	14 400	14 000	13 300	12 600	28,0
30,0	62,3	47,7	13 300	12 700	12 000	11 500	30,0
32,0	59,7	46,4	12 100	11 500	11 000	10 400	32,0
34,0	57,1	44,9	11 000	10 500	10 000	9 600	34,0
36,0	54,4	43,3	10 000	9 600	9 200	8 800	36,0
38,0	51,5	41,6	9 100	8 800	8 400	8 100	38,0
40,0	48,5	39,6	8 400	8 100	7 700	7 400	40,0
42,0	45,4	37,4	7 700	7 400	7 100	6 800	42,0
44,0	42,0	35,0	7 100	6 800	6 600	6 300	44,0
46,0	38,4	32,2	6 500	6 300	6 000	5 800	46,0
48,0	34,4	28,9	6 000	5 800	5 600	5 400	48,0
50,0	29,0	25,1	5 500	5 300	5 100	5 000	50,0
50,0	29,8	25,1	5 500	5 300	5 100	5 000	50,0
50,3	28,5	24,5	5 400	5 200	5 100	4 900	50,3
50,6	28,2	23,8	5 300	5 200	5 000	4 900	50,6
51,2							51,2
51,5							51,5

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

48,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	78,7	58,6	26 800										13,4
14,0	78,1	58,5	26 800										14,0
14,3	77,7	58,4	26 800	23 200									14,3
14,9	77,1	58,3	26 800	23 100			78,7	58,0	25 300				14,9
15,0	77,1	58,3	26 800	23 000			78,7	58,0	25 300				15,0
15,2	76,8	58,2	26 700	23 000	20 300		77,8	57,9	25 200				15,2
15,8	76,2	58,0	26 600	22 900	20 200		77,2	57,8	25 100	21 900			15,8
16,0	76,1	58,0	26 600	22 900	20 200		77,6	57,7	25 100	21 900			16,0
16,2	75,8	57,9	26 500	22 800	20 200	16 900	76,8	57,7	25 100	21 900			16,2
16,5	75,5	57,9	26 500	22 800	20 100	16 900	76,5	57,6	25 000	21 900			16,5
16,8	75,2	57,8	26 400	22 700	20 100	16 800	76,2	57,5	25 000	21 800	19 400		16,8
17,4	74,6	57,6	26 300	22 600	20 000	16 800	75,6	57,3	24 900	21 800	19 400		17,4
17,7	74,3	57,5	26 200	22 600	20 000	16 800	75,3	57,2	24 800	21 700	19 400	16 100	17,7
18,0	74,0	57,4	26 100	22 500	20 000	16 800	75,6	57,2	24 800	21 700	19 300	16 100	18,0
18,3	73,6	57,3	25 700	22 400	19 900	16 800	74,7	57,1	24 600	21 600	19 300	16 100	18,3
19,2	72,2	57,0	24 300	21 800	19 700	16 800	73,8	56,8	24 000	21 400	19 200	16 100	19,2
20,0	71,9	56,8	23 100	21 400	19 600	16 800	73,5	56,5	23 400	21 300	19 100	16 100	20,0
22,0	69,8	56,1	20 200	18 800	17 500	16 300	71,4	55,8	20 500	19 100	17 800	16 000	22,0
24,0	67,7	55,2	17 800	16 700	15 600	14 700	69,2	54,9	18 100	16 900	15 900	14 900	24,0
26,0	65,5	54,3	15 800	14 900	14 000	13 200	67,0	54,0	16 100	15 100	14 200	13 400	26,0
28,0	63,3	53,3	14 200	13 400	12 600	11 900	64,8	53,0	14 400	13 600	12 900	12 100	28,0
30,0	61,0	52,2	12 800	12 100	11 500	10 800	62,5	51,9	13 000	12 300	11 600	11 000	30,0
32,0	58,7	51,0	11 600	11 000	10 400	9 900	60,2	50,7	11 700	11 100	10 600	10 000	32,0
34,0	56,3	49,7	10 500	10 000	9 500	9 000	57,8	49,4	10 700	10 200	9 700	9 200	34,0
36,0	53,9	48,3	9 600	9 100	8 700	8 300	55,3	47,9	9 700	9 300	8 800	8 400	36,0
38,0	51,4	46,7	8 800	8 400	8 000	7 600	52,8	46,4	8 900	8 500	8 100	7 700	38,0
40,0	48,7	45,0	8 000	7 700	7 300	7 000	50,1	44,6	8 100	7 800	7 400	7 100	40,0
42,0	46,0	43,1	7 400	7 000	6 700	6 500	47,4	42,7	7 500	7 100	6 800	6 500	42,0
44,0	43,1	41,0	6 800	6 500	6 200	5 900	44,5	40,6	6 800	6 600	6 300	6 000	44,0
46,0	40,1	38,7	6 200	6 000	5 700	5 500	41,4	38,2	6 300	6 000	5 800	5 600	46,0
48,0	36,8	36,1	5 700	5 500	5 300	5 100	38,1	35,6	5 800	5 600	5 300	5 100	48,0
50,0	33,3	33,1	5 300	5 100	4 900	4 700	34,5	32,6	5 300	5 100	4 900	4 700	50,0
52,0	29,4	29,7	4 800	4 700	4 500	4 300	30,6	29,1	4 900	4 700	4 500	4 400	52,0
52,4	28,1	28,8	4 700	4 600	4 400	4 300	28,9	28,2	4 800	4 600	4 500	4 300	52,4
53,0	26,9	27,6	4 600	4 500	4 300		27,4	27,0	4 700	4 500	4 300	4 200	53,0
53,3	26,3	27,0	4 600	4 400			26,7	26,4	4 600	4 400	4 300		53,3
54,0	25,0	25,8	4 400				25,1	25,1	4 500	4 300			54,0
54,0							26,0	25,0	4 500				54,0
54,3							25,3	24,4	4 400				54,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

48,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,4							13,4
14,0							14,0
14,3							14,3
14,9							14,9
15,0							15,0
15,2							15,2
15,8							15,8
16,0							16,0
16,2							16,2
16,5	78,8	57,0	18 800				16,5
16,8	77,8	56,9	18 700				16,8
17,4	77,4	56,7	18 400	18 300			17,4
17,7	77,2	56,6	18 200	18 200			17,7
18,0	77,2	56,5	18 100	18 000			18,0
18,3	76,7	56,4	18 000	17 900	17 800		18,3
19,2	75,8	56,1	17 600	17 500	17 500	14 800	19,2
20,0	75,0	55,9	17 300	17 200	17 100	14 800	20,0
22,0	72,9	55,1	16 600	16 500	16 400	14 800	22,0
24,0	70,7	54,3	15 900	15 800	15 700	14 800	24,0
26,0	68,5	53,4	15 300	15 200	14 500	13 700	26,0
28,0	66,2	52,4	14 500	13 800	13 100	12 400	28,0
30,0	63,9	51,3	13 200	12 500	11 800	11 200	30,0
32,0	61,6	50,0	11 900	11 300	10 700	10 200	32,0
34,0	59,1	48,7	10 800	10 300	9 800	9 300	34,0
36,0	56,6	47,2	9 900	9 400	9 000	8 500	36,0
38,0	54,0	45,6	9 000	8 600	8 200	7 800	38,0
40,0	51,4	43,8	8 200	7 900	7 500	7 200	40,0
42,0	48,5	41,9	7 500	7 200	6 900	6 600	42,0
44,0	45,6	39,7	6 900	6 600	6 400	6 100	44,0
46,0	42,4	37,3	6 300	6 100	5 900	5 600	46,0
48,0	39,0	34,6	5 800	5 600	5 400	5 200	48,0
50,0	35,3	31,5	5 300	5 100	5 000	4 800	50,0
52,0	31,2	27,9	4 900	4 700	4 600	4 400	52,0
52,4	30,0	27,0	4 800	4 600	4 500	4 300	52,4
53,0	28,7	25,7	4 700	4 500	4 400	4 200	53,0
53,3	28,0	25,0	4 600	4 400	4 300	4 100	53,3
54,0							54,0
54,0							54,0
54,3							54,3

REFERENCE ONLY!

MLC150-1 S-2







	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	79,0	61,6	26 800										13,7
14,0	78,7	61,5	26 800										14,0
14,9	77,1	61,3	26 600	22 800									14,9
15,0	77,7	61,3	26 600	22 800									15,0
15,5	76,5	61,2	26 500	22 700			78,7	60,9	25 000				15,5
15,8	76,2	61,1	26 400	22 700	19 000		78,0	60,8	25 000				15,8
16,0	76,8	61,1	26 400	22 700	19 000		78,3	60,8	24 900				16,0
16,5	75,5	60,9	26 300	22 600	18 900		77,5	60,7	24 900	21 700			16,5
17,1	74,9	60,8	26 200	22 500	18 900	15 000	76,9	60,5	24 800	21 600			17,1
17,4	74,6	60,7	26 100	22 500	18 900	15 000	76,6	60,4	24 700	21 600	18 200		17,4
18,0	74,8	60,5	26 000	22 400	18 900	15 000	76,3	60,3	24 600	21 500	18 200		18,0
18,6	73,4	60,4	25 000	22 000	18 800	15 000	75,4	60,1	24 200	21 400	18 100	14 400	18,6
18,9	73,1	60,3	24 600	21 800	18 800	15 000	75,1	60,0	24 000	21 300	18 100	14 400	18,9
20,0	72,8	59,9	22 900	21 100	18 700	15 000	74,3	59,6	23 300	21 100	18 100	14 400	20,0
20,1	71,9	59,9	22 800	21 000	18 600	15 000	73,9	59,6	23 100	21 000	18 100	14 400	20,1
22,0	70,8	59,2	20 000	18 600	17 300	14 900	72,3	59,0	20 300	18 900	17 500	14 300	22,0
24,0	68,8	58,5	17 600	16 400	15 400	14 300	70,3	58,2	17 900	16 700	15 600	14 300	24,0
26,0	66,8	57,6	15 700	14 700	13 800	12 900	68,2	57,3	15 900	14 900	14 000	13 100	26,0
28,0	64,7	56,7	14 000	13 200	12 400	11 700	66,1	56,4	14 300	13 400	12 600	11 900	28,0
30,0	62,6	55,7	12 600	11 900	11 200	10 600	64,0	55,4	12 800	12 100	11 400	10 800	30,0
32,0	60,4	54,5	11 400	10 800	10 200	9 600	61,8	54,2	11 600	11 000	10 400	9 800	32,0
34,0	58,2	53,3	10 400	9 800	9 300	8 800	59,6	53,0	10 500	10 000	9 500	9 000	34,0
36,0	55,9	52,0	9 400	8 900	8 500	8 100	57,3	51,6	9 600	9 100	8 600	8 200	36,0
38,0	53,6	50,5	8 600	8 200	7 800	7 400	55,0	50,2	8 700	8 300	7 900	7 500	38,0
40,0	51,2	48,9	7 900	7 500	7 100	6 800	52,5	48,6	8 000	7 600	7 200	6 900	40,0
42,0	48,7	47,2	7 200	6 900	6 500	6 200	50,0	46,8	7 300	7 000	6 600	6 300	42,0
44,0	46,1	45,3	6 600	6 300	6 000	5 700	47,4	44,9	6 700	6 400	6 100	5 800	44,0
46,0	43,4	43,2	6 000	5 800	5 500	5 300	44,7	42,8	6 100	5 900	5 600	5 400	46,0
48,0	40,5	40,9	5 600	5 300	5 100	4 900	41,8	40,5	5 600	5 400	5 200	4 900	48,0
50,0	37,5	38,4	5 100	4 900	4 700	4 500	38,7	37,9	5 200	5 000	4 700	4 500	50,0
52,0	34,2	35,5	4 700	4 500	4 300	4 100	35,3	35,0	4 700	4 500	4 300	4 200	52,0
54,0	30,6	32,3	4 300	4 100	4 000	3 800	31,7	31,7	4 300	4 200	4 000	3 800	54,0
55,2	27,7	30,0	4 100	3 900	3 800	3 600	28,7	29,4	4 100	3 900	3 800	3 600	55,2
55,5	27,1	29,5	4 000	3 900	3 700		28,1	28,8	4 000	3 900	3 700	3 600	55,5
55,8	26,4	28,9	4 000	3 800			27,4	28,2	4 000	3 800	3 700	3 500	55,8
56,0	26,5	28,5	3 900	3 800			27,5	27,8	3 900	3 800	3 700		56,0
56,1	25,8	28,3	3 900	3 800			26,8	27,6	3 900	3 800	3 600		56,1
56,4	25,6	27,6	3 800				26,2	26,9	3 900	3 700			56,4
57,0							25,2	25,6	3 800				57,0

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



51,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,7							13,7
14,0							14,0
14,9							14,9
15,0							15,0
15,5							15,5
15,8							15,8
16,0							16,0
16,5							16,5
17,1	78,7	59,9	18 800				17,1
17,4	77,7	59,8	18 700				17,4
18,0	77,8	59,6	18 400	18 300			18,0
18,6	76,4	59,5	18 100	18 000			18,6
18,9	76,1	59,4	18 000	17 900	16 800		18,9
20,0	75,8	59,0	17 600	17 500	16 800		20,0
20,1	74,9	59,0	17 500	17 400	16 800	13 300	20,1
22,0	73,8	58,3	16 800	16 800	16 700	13 300	22,0
24,0	71,7	57,5	16 200	16 100	15 800	13 300	24,0
26,0	69,6	56,7	15 600	15 200	14 300	13 200	26,0
28,0	67,5	55,7	14 500	13 600	12 800	12 100	28,0
30,0	65,4	54,7	13 000	12 300	11 600	11 000	30,0
32,0	63,2	53,5	11 800	11 100	10 500	10 000	32,0
34,0	60,9	52,3	10 700	10 100	9 600	9 100	34,0
36,0	58,6	50,9	9 700	9 200	8 800	8 300	36,0
38,0	56,2	49,4	8 900	8 400	8 000	7 600	38,0
40,0	53,7	47,8	8 100	7 700	7 300	7 000	40,0
42,0	51,2	46,0	7 400	7 100	6 700	6 400	42,0
44,0	48,5	44,1	6 800	6 500	6 200	5 900	44,0
46,0	45,7	41,9	6 200	5 900	5 700	5 400	46,0
48,0	42,7	39,6	5 700	5 400	5 200	5 000	48,0
50,0	39,6	36,9	5 200	5 000	4 800	4 600	50,0
52,0	36,1	33,9	4 800	4 600	4 400	4 200	52,0
54,0	32,3	30,5	4 300	4 200	4 000	3 900	54,0
55,2	29,4	28,1	4 100	4 000	3 800	3 700	55,2
55,5	28,7	27,5	4 100	3 900	3 800	3 600	55,5
55,8	28,5	26,9	4 000	3 800	3 700	3 600	55,8
56,0							56,0
56,1							56,1
56,4							56,4
57,0							57,0

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


54,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,3	78,9	64,6	26 500										14,3
15,0	78,3	64,4	26 300										15,0
15,5	77,5	64,3	26 200	22 400									15,5
15,8	77,2	64,2	26 200	22 400			79,0	63,9	24 700				15,8
16,0	77,4	64,2	26 100	22 300			78,8	63,9	24 700				16,0
16,5	76,5	64,1	26 000	22 300	17 000		77,5	63,8	24 600				16,5
17,1	75,9	63,9	25 900	22 200	17 000		76,9	63,6	24 500	21 400			17,1
17,7	75,3	63,7	25 800	22 100	16 900	13 400	76,3	63,5	24 400	21 300			17,7
18,0	75,6	63,7	25 700	22 100	16 900	13 400	77,0	63,4	24 400	21 300	16 300		18,0
18,6	74,4	63,5	24 800	21 700	16 900	13 400	75,7	63,2	24 000	21 200	16 300		18,6
19,2	73,8	63,3	23 900	21 400	16 900	13 300	75,4	63,0	23 700	21 100	16 300	12 900	19,2
19,5	73,5	63,2	23 500	21 200	16 900	13 300	75,3	63,0	23 500	21 000	16 300	12 800	19,5
20,0	73,7	63,1	22 700	20 900	16 800	13 300	75,1	62,8	23 100	20 900	16 300	12 800	20,0
20,7	72,3	62,9	21 700	20 000	16 700	13 300	74,3	62,6	22 100	20 100	16 200	12 800	20,7
22,0	71,8	62,4	19 800	18 300	16 500	13 300	73,2	62,2	20 200	18 700	16 200	12 800	22,0
24,0	69,9	61,7	17 500	16 200	15 100	13 200	71,3	61,4	17 800	16 500	15 300	12 800	24,0
26,0	67,9	60,9	15 500	14 500	13 500	12 600	69,3	60,6	15 800	14 700	13 800	12 700	26,0
28,0	66,0	60,0	13 900	13 000	12 200	11 400	67,4	59,7	14 100	13 200	12 400	11 600	28,0
30,0	64,0	59,1	12 500	11 700	11 000	10 300	65,4	58,8	12 700	11 900	11 200	10 500	30,0
32,0	62,0	58,0	11 200	10 600	10 000	9 400	63,3	57,7	11 400	10 800	10 100	9 600	32,0
34,0	59,9	56,9	10 200	9 600	9 100	8 500	61,2	56,5	10 400	9 800	9 200	8 700	34,0
36,0	57,8	55,6	9 200	8 700	8 300	7 800	59,1	55,3	9 400	8 900	8 400	8 000	36,0
38,0	55,6	54,3	8 400	8 000	7 500	7 100	56,9	53,9	8 600	8 100	7 700	7 300	38,0
40,0	53,4	52,8	7 700	7 300	6 900	6 500	54,7	52,4	7 800	7 400	7 000	6 700	40,0
42,0	51,1	51,2	7 000	6 700	6 300	6 000	52,4	50,8	7 100	6 800	6 400	6 100	42,0
44,0	48,7	49,5	6 400	6 100	5 800	5 500	50,0	49,1	6 500	6 200	5 900	5 600	44,0
46,0	46,2	47,6	5 900	5 600	5 300	5 000	47,5	47,2	6 000	5 700	5 400	5 100	46,0
48,0	43,6	45,5	5 400	5 100	4 900	4 600	44,9	45,1	5 500	5 200	5 000	4 700	48,0
50,0	40,9	43,2	4 900	4 700	4 500	4 300	42,1	42,8	5 000	4 800	4 500	4 300	50,0
52,0	38,0	40,7	4 500	4 300	4 100	3 900	39,2	40,3	4 600	4 400	4 100	4 000	52,0
54,0	35,0	38,0	4 100	3 900	3 700	3 600	36,1	37,5	4 200	4 000	3 800	3 600	54,0
56,0	31,6	34,8	3 700	3 600	3 400	3 300	32,7	34,3	3 800	3 600	3 500	3 300	56,0
57,9	27,2	31,4	3 400	3 300	3 100	3 000	28,2	30,8	3 500	3 300	3 200	3 000	57,9
58,0	27,9	31,2	3 400	3 300	3 100		28,9	30,6	3 400	3 300	3 100	3 000	58,0
58,2	26,6	30,7	3 400	3 200	3 100		27,6	30,1	3 400	3 300	3 100	3 000	58,2
58,5	26,1	30,1	3 300	3 200			27,1	29,5	3 400	3 200	3 100		58,5
58,8	25,5	29,5	3 300	3 100			26,6	28,8	3 300	3 200	3 000		58,8
59,1	25,6	28,9	3 200				26,1	28,1	3 300	3 100			59,1
59,7							25,2	26,8	3 200				59,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

54,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,3							14,3
15,0							15,0
15,5							15,5
15,8							15,8
16,0							16,0
16,5							16,5
17,1							17,1
17,7	78,7	62,8	18 800				17,7
18,0	78,4	62,8	18 600				18,0
18,6	77,4	62,6	18 400	18 300			18,6
19,2	76,8	62,4	18 200	18 100			19,2
19,5	76,5	62,3	18 000	17 900	15 200		19,5
20,0	76,5	62,2	17 900	17 800	15 200		20,0
20,7	75,3	61,9	17 600	17 500	15 200	11 900	20,7
22,0	74,6	61,5	17 100	17 000	15 200	11 900	22,0
24,0	72,7	60,8	16 500	16 400	15 200	11 900	24,0
26,0	70,7	60,0	15 800	15 000	14 000	11 900	26,0
28,0	68,7	59,1	14 400	13 500	12 600	11 700	28,0
30,0	66,7	58,1	12 900	12 100	11 400	10 700	30,0
32,0	64,6	57,0	11 600	11 000	10 300	9 700	32,0
34,0	62,5	55,8	10 500	10 000	9 400	8 900	34,0
36,0	60,3	54,6	9 600	9 100	8 600	8 100	36,0
38,0	58,1	53,2	8 700	8 300	7 800	7 400	38,0
40,0	55,8	51,7	7 900	7 500	7 100	6 800	40,0
42,0	53,5	50,0	7 200	6 900	6 500	6 200	42,0
44,0	51,0	48,3	6 600	6 300	6 000	5 700	44,0
46,0	48,5	46,3	6 000	5 800	5 500	5 200	46,0
48,0	45,9	44,2	5 500	5 300	5 000	4 800	48,0
50,0	43,1	41,9	5 100	4 800	4 600	4 400	50,0
52,0	40,1	39,3	4 600	4 400	4 200	4 000	52,0
54,0	36,9	36,4	4 200	4 000	3 800	3 700	54,0
56,0	33,4	33,1	3 800	3 600	3 500	3 300	56,0
57,9	29,2	29,4	3 500	3 300	3 200	3 000	57,9
58,0	29,4	29,2	3 400	3 300	3 200	3 000	58,0
58,2	28,6	28,8	3 400	3 300	3 100	3 000	58,2
58,5	28,3	28,1	3 400	3 200	3 100	2 900	58,5
58,8							58,8
59,1							59,1
59,7							59,7

REFERENCE ONLY!

MLC150-1 S-2





	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,9	78,9	67,5	26 000										14,9
15,0	78,9	67,5	26 000										15,0
16,0	78,0	67,3	25 800										16,0
16,2	76,9	67,2	25 800	20 200									16,2
16,5	76,8	67,1	25 700	20 200			78,9	66,9	24 300				16,5
17,4	76,3	66,9	25 500	20 100	15 200		77,4	66,6	24 200				17,4
17,7	76,2	66,8	25 500	20 100	15 200		77,2	66,6	24 200	19 500			17,7
18,0	76,2	66,8	25 400	20 100	15 200		77,6	66,5	24 100	19 500			18,0
18,3	75,7	66,7	25 000	20 000	15 200	11 900	76,7	66,4	24 000	19 400			18,3
18,9	75,1	66,5	24 200	19 900	15 100	11 900	76,1	66,2	23 600	19 400	14 600		18,9
19,2	74,8	66,4	23 700	19 900	15 100	11 900	75,8	66,1	23 500	19 400	14 600		19,2
19,8	74,2	66,3	22 900	19 800	15 100	11 800	75,2	66,0	23 100	19 400	14 600	11 400	19,8
20,0	74,4	66,2	22 600	19 800	15 100	11 800	75,8	65,9	23 000	19 300	14 600	11 400	20,0
20,4	73,6	66,1	22 000	19 500	15 100	11 800	74,6	65,8	22 400	19 200	14 600	11 400	20,4
21,3	72,7	65,8	20 700	18 700	15 000	11 800	73,7	65,5	21 100	18 800	14 600	11 400	21,3
22,0	72,6	65,6	19 700	18 100	15 000	11 800	74,0	65,3	20 100	18 500	14 500	11 400	22,0
24,0	70,8	64,9	17 300	16 000	14 600	11 700	72,2	64,6	17 700	16 300	14 500	11 300	24,0
26,0	69,0	64,1	15 400	14 300	13 300	11 700	70,3	63,8	15 700	14 600	13 500	11 300	26,0
28,0	67,1	63,3	13 700	12 800	11 900	11 200	68,4	63,0	14 000	13 100	12 200	11 100	28,0
30,0	65,2	62,4	12 300	11 500	10 800	10 100	66,6	62,1	12 600	11 700	11 000	10 300	30,0
32,0	63,3	61,4	11 100	10 400	9 800	9 200	64,6	61,1	11 300	10 600	10 000	9 300	32,0
34,0	61,4	60,3	10 000	9 400	8 900	8 300	62,7	60,0	10 200	9 600	9 100	8 500	34,0
36,0	59,4	59,1	9 100	8 600	8 100	7 600	60,7	58,8	9 300	8 700	8 200	7 800	36,0
38,0	57,3	57,9	8 300	7 800	7 400	6 900	58,6	57,5	8 400	8 000	7 500	7 100	38,0
40,0	55,3	56,5	7 500	7 100	6 700	6 300	56,5	56,2	7 700	7 300	6 900	6 500	40,0
42,0	53,1	55,0	6 900	6 500	6 100	5 800	54,4	54,7	7 000	6 600	6 300	5 900	42,0
44,0	50,9	53,4	6 300	5 900	5 600	5 300	52,2	53,0	6 400	6 100	5 700	5 400	44,0
46,0	48,7	51,7	5 700	5 400	5 100	4 900	49,9	51,3	5 800	5 500	5 200	5 000	46,0
48,0	46,3	49,8	5 200	5 000	4 700	4 400	47,5	49,4	5 300	5 100	4 800	4 500	48,0
50,0	43,8	47,7	4 800	4 500	4 300	4 100	45,0	47,3	4 900	4 600	4 400	4 100	50,0
52,0	41,3	45,5	4 400	4 100	3 900	3 700	42,4	45,1	4 400	4 200	4 000	3 800	52,0
54,0	38,5	43,0	4 000	3 800	3 600	3 400	39,7	42,6	4 000	3 800	3 600	3 400	54,0
56,0	35,6	40,3	3 600	3 400	3 300	3 100	36,7	39,8	3 700	3 500	3 300	3 100	56,0
58,0	32,5	37,3	3 300	3 100	3 000	2 800	33,6	36,8	3 300	3 200	3 000	2 800	58,0
60,0	29,1	33,8	3 000	2 800	2 700	2 500	30,1	33,2	3 000	2 900	2 700	2 600	60,0
60,4	28,3	33,1	2 900	2 800	2 600	2 500	29,3	32,5	2 900	2 800	2 700	2 500	60,4
61,0	26,9	31,9	2 800	2 700	2 500		28,1	31,3	2 900	2 700	2 600	2 400	61,0
61,3	26,3	31,3	2 800	2 600			27,5	30,6	2 800	2 700	2 500		61,3
61,6	25,6	30,7	2 700	2 600			26,9	30,0	2 800	2 600	2 500		61,6
61,9	25,5	30,1	2 700				26,3	29,4	2 700	2 600			61,9
62,0							26,1	29,1	2 700				62,0
62,5							25,1	28,0	2 600				62,5

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

57,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,9							14,9
15,0							15,0
16,0							16,0
16,2							16,2
16,5							16,5
17,4							17,4
17,7							17,7
18,0	79,0	65,9	18 900				18,0
18,3	77,9	65,8	18 800				18,3
18,9	77,6	65,6	18 500				18,9
19,2	77,4	65,5	18 400	18 300			19,2
19,8	77,1	65,3	18 200	18 100			19,8
20,0	77,2	65,3	18 100	18 000			20,0
20,4	76,6	65,2	18 000	17 800	13 700		20,4
21,3	75,7	64,9	17 600	17 500	13 700	10 700	21,3
22,0	75,3	64,7	17 400	17 300	13 700	10 700	22,0
24,0	73,5	64,0	16 700	16 500	13 600	10 600	24,0
26,0	71,6	63,2	15 900	14 800	13 500	10 600	26,0
28,0	69,7	62,3	14 200	13 300	12 400	10 600	28,0
30,0	67,8	61,4	12 800	12 000	11 200	10 400	30,0
32,0	65,9	60,4	11 500	10 800	10 200	9 500	32,0
34,0	63,9	59,3	10 400	9 800	9 200	8 700	34,0
36,0	61,9	58,1	9 500	8 900	8 400	7 900	36,0
38,0	59,8	56,8	8 600	8 100	7 700	7 200	38,0
40,0	57,7	55,4	7 800	7 400	7 000	6 600	40,0
42,0	55,5	53,9	7 100	6 700	6 400	6 000	42,0
44,0	53,2	52,3	6 500	6 200	5 800	5 500	44,0
46,0	50,9	50,5	5 900	5 600	5 300	5 000	46,0
48,0	48,5	48,5	5 400	5 100	4 900	4 600	48,0
50,0	46,0	46,4	4 900	4 700	4 400	4 200	50,0
52,0	43,3	44,1	4 500	4 300	4 000	3 800	52,0
54,0	40,5	41,6	4 100	3 900	3 700	3 500	54,0
56,0	37,5	38,8	3 700	3 500	3 300	3 200	56,0
58,0	34,2	35,6	3 300	3 200	3 000	2 900	58,0
60,0	30,6	31,9	3 000	2 900	2 700	2 600	60,0
60,4	29,4	31,2	3 000	2 800	2 700	2 500	60,4
61,0	28,5	29,9	2 900	2 700	2 600	2 500	61,0
61,3	28,0	29,3	2 800	2 700	2 500	2 400	61,3
61,6							61,6
61,9							61,9
62,0							62,0
62,5							62,5

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


60,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,5	78,9	70,4	24 400										15,5
16,0	78,5	70,3	24 300										16,0
16,8	77,2	70,2	24 200	18 200									16,8
17,1	76,9	70,1	24 200	18 200			78,9	69,8	23 500				17,1
18,0	76,8	69,9	24 100	18 100	13 600		78,1	69,6	23 400				18,0
18,3	75,9	69,8	23 900	18 100	13 600		77,7	69,5	23 400	17 500			18,3
18,6	75,7	69,7	23 600	18 100	13 600		77,4	69,4	23 300	17 500			18,6
19,2	75,4	69,6	23 100	18 000	13 500	10 500	76,8	69,3	23 100	17 500			19,2
19,5	75,3	69,5	22 900	18 000	13 500	10 500	76,5	69,2	23 000	17 500	13 100		19,5
19,8	75,1	69,4	22 600	18 000	13 500	10 500	76,2	69,1	22 900	17 500	13 100		19,8
20,0	75,1	69,4	22 500	18 000	13 500	10 500	76,4	69,1	22 900	17 400	13 100		20,0
20,7	74,3	69,1	21 400	17 800	13 500	10 500	75,3	68,9	21 900	17 400	13 100	10 100	20,7
21,0	74,0	69,1	21 000	17 700	13 500	10 400	75,0	68,8	21 400	17 400	13 100	10 100	21,0
22,0	73,4	68,8	19 600	17 500	13 400	10 400	74,7	68,5	19 900	17 300	13 000	10 100	22,0
22,3	72,7	68,7	19 200	17 200	13 400	10 400	73,7	68,4	19 600	17 200	13 000	10 100	22,3
24,0	71,7	68,1	17 200	15 800	13 300	10 400	73,0	67,8	17 500	16 100	12 900	10 000	24,0
26,0	69,9	67,4	15 200	14 100	13 000	10 300	71,2	67,1	15 500	14 400	12 800	10 000	26,0
28,0	68,2	66,6	13 600	12 600	11 700	10 200	69,4	66,3	13 800	12 900	12 000	9 900	28,0
30,0	66,4	65,7	12 100	11 300	10 500	9 800	67,6	65,4	12 400	11 600	10 800	9 800	30,0
32,0	64,6	64,8	10 900	10 200	9 500	8 900	65,8	64,5	11 100	10 400	9 700	9 100	32,0
34,0	62,7	63,8	9 900	9 200	8 600	8 100	64,0	63,4	10 100	9 400	8 800	8 300	34,0
36,0	60,8	62,6	8 900	8 400	7 900	7 400	62,1	62,3	9 100	8 600	8 000	7 500	36,0
38,0	58,9	61,5	8 100	7 600	7 100	6 700	60,2	61,1	8 300	7 800	7 300	6 900	38,0
40,0	57,0	60,2	7 400	6 900	6 500	6 100	58,2	59,8	7 500	7 100	6 700	6 300	40,0
42,0	55,0	58,8	6 700	6 300	5 900	5 600	56,2	58,4	6 800	6 400	6 100	5 700	42,0
44,0	52,9	57,3	6 100	5 700	5 400	5 100	54,1	56,9	6 200	5 900	5 500	5 200	44,0
46,0	50,8	55,7	5 600	5 200	4 900	4 600	52,0	55,3	5 700	5 300	5 000	4 700	46,0
48,0	48,6	53,9	5 100	4 800	4 500	4 200	49,8	53,6	5 200	4 900	4 600	4 300	48,0
50,0	46,4	52,1	4 600	4 300	4 100	3 800	47,5	51,7	4 700	4 400	4 200	3 900	50,0
52,0	44,1	50,0	4 200	3 900	3 700	3 500	45,2	49,6	4 300	4 000	3 800	3 600	52,0
54,0	41,6	47,8	3 800	3 600	3 400	3 200	42,7	47,4	3 900	3 700	3 400	3 200	54,0
56,0	39,0	45,4	3 400	3 200	3 100	2 900	40,1	44,9	3 500	3 300	3 100	2 900	56,0
58,0	36,3	42,7	3 100	2 900	2 700	2 600	37,3	42,2	3 200	3 000	2 800	2 600	58,0
60,0	33,4	39,8	2 800	2 600	2 500	2 300	34,4	39,3	2 800	2 700	2 500	2 300	60,0
62,0	30,2	36,4	2 500	2 300	2 200	2 000	31,1	35,9	2 500	2 400	2 200	2 100	62,0
63,1	27,8	34,4	2 300	2 200	2 000	1 900	28,8	33,8	2 400	2 200	2 100	1 900	63,1
63,7	26,6	33,2	2 300	2 100	1 900		27,6	32,6	2 300	2 100	2 000	1 800	63,7
64,0	26,6	32,6	2 200	2 000			27,5	32,0	2 200	2 100	1 900		64,0
64,3	25,5	32,0	2 200	2 000			26,5	31,3	2 200	2 000			64,3
64,6	25,5	31,3	2 100				26,0	30,6	2 100	2 000			64,6
65,2							25,1	29,3	2 000				65,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

60,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,5							15,5
16,0							16,0
16,8							16,8
17,1							17,1
18,0							18,0
18,3							18,3
18,6	78,9	68,8	18 900				18,6
19,2	77,6	68,6	18 600				19,2
19,5	77,4	68,6	18 500				19,5
19,8	77,1	68,5	18 400	16 400			19,8
20,0	77,7	68,4	18 300	16 400			20,0
20,7	76,3	68,2	18 100	16 400			20,7
21,0	76,0	68,1	18 000	16 400	12 300		21,0
22,0	76,0	67,8	17 600	16 400	12 300		22,0
22,3	74,9	67,7	17 500	16 300	12 300	9 500	22,3
24,0	74,2	67,2	17 000	16 200	12 300	9 500	24,0
26,0	72,5	66,4	15 800	14 700	12 200	9 400	26,0
28,0	70,7	65,6	14 100	13 100	12 000	9 400	28,0
30,0	68,9	64,7	12 600	11 800	11 000	9 400	30,0
32,0	67,0	63,8	11 400	10 600	9 900	9 300	32,0
34,0	65,1	62,7	10 300	9 600	9 000	8 500	34,0
36,0	63,2	61,6	9 300	8 700	8 200	7 700	36,0
38,0	61,3	60,4	8 400	7 900	7 500	7 000	38,0
40,0	59,3	59,1	7 700	7 200	6 800	6 400	40,0
42,0	57,3	57,7	7 000	6 600	6 200	5 800	42,0
44,0	55,2	56,2	6 300	6 000	5 600	5 300	44,0
46,0	53,0	54,5	5 800	5 500	5 100	4 800	46,0
48,0	50,8	52,7	5 300	5 000	4 700	4 400	48,0
50,0	48,5	50,8	4 800	4 500	4 300	4 000	50,0
52,0	46,1	48,7	4 300	4 100	3 900	3 600	52,0
54,0	43,6	46,4	3 900	3 700	3 500	3 300	54,0
56,0	40,9	43,9	3 600	3 400	3 200	3 000	56,0
58,0	38,1	41,2	3 200	3 000	2 800	2 700	58,0
60,0	35,0	38,1	2 900	2 700	2 500	2 400	60,0
62,0	31,7	34,6	2 500	2 400	2 200	2 100	62,0
63,1	28,8	32,4	2 400	2 200	2 100	1 900	63,1
63,7	27,6	31,1	2 300	2 100	2 000	1 800	63,7
64,0	27,9	30,5	2 200	2 100	1 900		64,0
64,3							64,3
64,6							64,6
65,2							65,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

63,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,2	78,9	73,4	22 000										16,2
17,4	77,3	73,1	21 900	16 300									17,4
17,7	77,2	73,0	21 800	16 300			78,9	72,7	21 300				17,7
18,0	77,4	73,0	21 800	16 300			78,6	72,7	21 200				18,0
18,6	76,4	72,8	21 700	16 200	12 200		77,7	72,5	21 200				18,6
18,9	76,1	72,7	21 600	16 200	12 100		77,6	72,4	21 100	15 700			18,9
19,2	75,8	72,6	21 600	16 200	12 100		77,4	72,4	21 100	15 700			19,2
19,8	75,2	72,5	21 500	16 100	12 100	9 300	77,1	72,2	21 000	15 600			19,8
20,0	75,7	72,5	21 500	16 100	12 100	9 300	77,0	72,2	21 000	15 600			20,0
20,1	75,0	72,4	21 300	16 100	12 100	9 300	76,9	72,1	21 000	15 600	11 700		20,1
20,4	74,8	72,3	21 000	16 100	12 100	9 300	76,6	72,0	20 800	15 600	11 700		20,4
21,3	74,4	72,1	20 100	16 000	12 000	9 200	75,7	71,8	20 200	15 600	11 700	9 000	21,3
21,6	74,2	72,0	19 800	16 000	12 000	9 200	75,4	71,7	20 000	15 500	11 700	9 000	21,6
22,0	74,1	71,9	19 400	16 000	12 000	9 200	75,4	71,6	19 800	15 500	11 700	8 900	22,0
22,9	73,1	71,6	18 300	15 700	12 000	9 200	74,1	71,3	18 700	15 500	11 600	8 900	22,9
24,0	72,5	71,3	17 000	15 400	11 900	9 200	73,7	71,0	17 400	15 400	11 600	8 900	24,0
26,0	70,8	70,6	15 000	13 900	11 800	9 100	72,0	70,3	15 400	14 200	11 500	8 800	26,0
28,0	69,1	69,8	13 400	12 400	11 400	9 000	70,3	69,5	13 700	12 700	11 300	8 800	28,0
30,0	67,4	69,0	12 000	11 100	10 300	9 000	68,6	68,7	12 200	11 400	10 600	8 700	30,0
32,0	65,7	68,1	10 800	10 000	9 300	8 700	66,9	67,8	11 000	10 200	9 500	8 700	32,0
34,0	63,9	67,1	9 700	9 000	8 400	7 900	65,1	66,8	9 900	9 300	8 600	8 000	34,0
36,0	62,2	66,1	8 800	8 200	7 600	7 100	63,3	65,7	9 000	8 400	7 800	7 300	36,0
38,0	60,3	64,9	7 900	7 400	6 900	6 500	61,5	64,6	8 100	7 600	7 100	6 600	38,0
40,0	58,5	63,7	7 200	6 700	6 300	5 900	59,7	63,4	7 400	6 900	6 500	6 000	40,0
42,0	56,6	62,4	6 500	6 100	5 700	5 400	57,8	62,1	6 700	6 300	5 900	5 500	42,0
44,0	54,7	61,0	5 900	5 600	5 200	4 900	55,9	60,7	6 100	5 700	5 300	5 000	44,0
46,0	52,7	59,5	5 400	5 100	4 700	4 400	53,9	59,2	5 500	5 200	4 800	4 500	46,0
48,0	50,7	57,9	4 900	4 600	4 300	4 000	51,8	57,5	5 000	4 700	4 400	4 100	48,0
50,0	48,6	56,1	4 400	4 200	3 900	3 600	49,7	55,8	4 500	4 300	4 000	3 700	50,0
52,0	46,5	54,3	4 000	3 800	3 500	3 300	47,6	53,9	4 100	3 900	3 600	3 400	52,0
54,0	44,2	52,2	3 600	3 400	3 200	3 000	45,3	51,8	3 700	3 500	3 300	3 000	54,0
56,0	41,9	50,1	3 300	3 100	2 900	2 600	42,9	49,6	3 300	3 100	2 900	2 700	56,0
58,0	39,4	47,7	2 900	2 700	2 600	2 300	40,5	47,2	3 000	2 800	2 600	2 400	58,0
60,0	36,8	45,1	2 600	2 400	2 200	2 000	37,8	44,6	2 700	2 500	2 300	2 100	60,0
62,0	34,1	42,2	2 300	2 100	1 900	1 700	35,1	41,7	2 400	2 200	2 000	1 800	62,0
64,0	31,1	39,0	2 000	1 800	1 600	1 500	32,0	38,4	2 000	1 900	1 700	1 500	64,0
65,5	27,9	36,2	1 700	1 600	1 400		28,9	35,6	1 800	1 600	1 500		65,5
66,0	27,8	35,3	1 700	1 500			28,7	34,7	1 700	1 600			66,0
66,5	26,3	34,4	1 600	1 500			27,2	33,7	1 600	1 500			66,5
66,8	25,9	33,8	1 600	1 400			26,7	33,1	1 600	1 400			66,8
67,4	25,4	32,5	1 500				25,6	31,8	1 500	1 400			67,4
67,7							25,6	31,1	1 500				67,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

63,0 m

9,1 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,2							16,2
17,4							17,4
17,7							17,7
18,0							18,0
18,6							18,6
18,9							18,9
19,2	78,9	71,7	18 800				19,2
19,8	78,0	71,6	18 600				19,8
20,0	78,3	71,5	18 500				20,0
20,1	77,9	71,5	18 500				20,1
20,4	77,6	71,4	18 400	14 800			20,4
21,3	76,7	71,1	18 100	14 800			21,3
21,6	76,4	71,1	18 000	14 700	11 100		21,6
22,0	76,6	71,0	17 900	14 700	11 100		22,0
22,9	75,1	70,7	17 600	14 700	11 000	8 400	22,9
24,0	74,9	70,3	17 200	14 700	11 000	8 400	24,0
26,0	73,2	69,6	15 700	14 500	10 900	8 400	26,0
28,0	71,5	68,9	14 000	12 900	10 900	8 300	28,0
30,0	69,8	68,0	12 500	11 600	10 600	8 300	30,0
32,0	68,0	67,1	11 200	10 500	9 700	8 300	32,0
34,0	66,3	66,1	10 100	9 500	8 800	8 100	34,0
36,0	64,5	65,1	9 200	8 600	8 000	7 500	36,0
38,0	62,6	63,9	8 300	7 800	7 300	6 800	38,0
40,0	60,8	62,7	7 500	7 100	6 600	6 200	40,0
42,0	58,8	61,3	6 800	6 400	6 000	5 600	42,0
44,0	56,9	59,9	6 200	5 800	5 500	5 100	44,0
46,0	54,9	58,4	5 600	5 300	5 000	4 600	46,0
48,0	52,8	56,7	5 100	4 800	4 500	4 200	48,0
50,0	50,7	54,9	4 600	4 300	4 100	3 800	50,0
52,0	48,5	53,0	4 200	3 900	3 700	3 400	52,0
54,0	46,2	50,9	3 800	3 600	3 300	3 100	54,0
56,0	43,8	48,7	3 400	3 200	3 000	2 800	56,0
58,0	41,2	46,2	3 000	2 900	2 700	2 500	58,0
60,0	38,6	43,5	2 700	2 500	2 300	2 100	60,0
62,0	35,7	40,5	2 400	2 200	2 000	1 800	62,0
64,0	32,6	37,2	2 100	1 900	1 700	1 500	64,0
65,5	29,7	34,2	1 800	1 600	1 500		65,5
66,0	29,1	33,3	1 700	1 600	1 400		66,0
66,5	28,3	32,4	1 600	1 500	1 300		66,5
66,8							66,8
67,4							67,4
67,7							67,7

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


66,0 m


9,1 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	78,8	76,3	19 800										16,8
18,0	77,9	76,0	19 700	14 500									18,0
18,3	76,9	75,9	19 700	14 500			78,9	75,7	19 200				18,3
19,2	76,4	75,7	19 600	14 400	10 800		77,5	75,4	19 100				19,2
19,5	76,3	75,7	19 500	14 400	10 800		77,3	75,4	19 100	14 000			19,5
19,8	76,1	75,6	19 500	14 400	10 800		77,1	75,3	19 100	14 000			19,8
20,0	76,3	75,5	19 500	14 400	10 800		77,5	75,2	19 000	14 000			20,0
20,4	75,6	75,4	19 400	14 300	10 800	8 200	76,6	75,1	19 000	14 000			20,4
20,7	75,3	75,3	19 300	14 300	10 800	8 100	76,3	75,1	18 900	13 900	10 400		20,7
21,0	75,0	75,3	19 200	14 300	10 700	8 100	76,0	75,0	18 900	13 900	10 400		21,0
22,0	74,8	75,0	18 800	14 200	10 700	8 100	76,0	74,7	18 700	13 800	10 400		22,0
22,3	73,9	74,9	18 500	14 200	10 700	8 100	74,9	74,6	18 500	13 800	10 400	7 900	22,3
23,5	73,3	74,5	17 300	14 100	10 600	8 100	74,3	74,3	17 600	13 800	10 300	7 800	23,5
24,0	73,2	74,4	16 900	14 100	10 600	8 000	74,4	74,1	17 200	13 800	10 300	7 800	24,0
26,0	71,6	73,7	14 900	13 600	10 500	8 000	72,8	73,4	15 200	13 600	10 200	7 700	26,0
28,0	70,0	73,0	13 200	12 200	10 400	7 900	71,2	72,7	13 500	12 500	10 200	7 700	28,0
30,0	68,4	72,2	11 800	10 900	10 000	7 800	69,5	71,9	12 100	11 200	10 100	7 700	30,0
32,0	66,7	71,4	10 600	9 800	9 100	7 800	67,9	71,1	10 800	10 000	9 300	7 600	32,0
34,0	65,0	70,4	9 500	8 800	8 200	7 600	66,2	70,1	9 800	9 100	8 400	7 500	34,0
36,0	63,4	69,4	8 600	8 000	7 400	6 900	64,5	69,1	8 800	8 200	7 600	7 100	36,0
38,0	61,6	68,4	7 800	7 200	6 700	6 200	62,8	68,1	8 000	7 400	6 900	6 400	38,0
40,0	59,9	67,2	7 000	6 500	6 100	5 700	61,0	66,9	7 200	6 700	6 300	5 800	40,0
42,0	58,1	66,0	6 400	5 900	5 500	5 100	59,2	65,7	6 500	6 100	5 700	5 300	42,0
44,0	56,3	64,7	5 800	5 400	5 000	4 600	57,4	64,3	5 900	5 500	5 100	4 800	44,0
46,0	54,4	63,3	5 200	4 900	4 500	4 200	55,5	62,9	5 300	5 000	4 600	4 300	46,0
48,0	52,5	61,7	4 700	4 400	4 100	3 800	53,6	61,4	4 800	4 500	4 200	3 900	48,0
50,0	50,6	60,1	4 300	4 000	3 700	3 400	51,7	59,7	4 400	4 100	3 800	3 500	50,0
52,0	48,6	58,4	3 800	3 600	3 300	3 100	49,7	58,0	3 900	3 700	3 400	3 200	52,0
54,0	46,5	56,5	3 400	3 200	3 000	2 700	47,6	56,1	3 500	3 300	3 100	2 800	54,0
56,0	44,4	54,5	3 100	2 900	2 600	2 400	45,4	54,1	3 200	2 900	2 700	2 500	56,0
58,0	42,1	52,3	2 700	2 500	2 300	2 000	43,2	51,9	2 800	2 600	2 400	2 100	58,0
60,0	39,8	49,9	2 400	2 200	1 900	1 700	40,8	49,5	2 500	2 200	2 000	1 800	60,0
62,0	37,3	47,4	2 000	1 800	1 600	1 400	38,3	46,9	2 100	1 900	1 700	1 500	62,0
62,5	36,3	46,7	2 000	1 800	1 600	1 400	37,3	46,2	2 000	1 800	1 600	1 400	62,5
64,0	34,7	44,6	1 700	1 500	1 300		35,7	44,1	1 800	1 600	1 400		64,0
65,5	32,6	42,2	1 500				32,7	41,6	1 500	1 400			65,5
66,0							32,8	40,9	1 500				66,0
67,1							31,2	39,1	1 300				67,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

66,0 m



9,1 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,8							16,8
18,0							18,0
18,3							18,3
19,2							19,2
19,5							19,5
19,8	78,9	74,7	18 200				19,8
20,0	78,7	74,6	18 200				20,0
20,4	77,8	74,5	18 100				20,4
20,7	77,7	74,4	18 100				20,7
21,0	77,5	74,3	18 100	13 200			21,0
22,0	77,2	74,1	17 900	13 200			22,0
22,3	76,7	74,0	17 800	13 200	9 900		22,3
23,5	75,5	73,6	17 500	13 100	9 900	7 400	23,5
24,0	75,6	73,5	17 300	13 100	9 800	7 400	24,0
26,0	73,9	72,8	15 500	13 000	9 800	7 400	26,0
28,0	72,3	72,1	13 800	12 600	9 700	7 300	28,0
30,0	70,7	71,3	12 400	11 400	9 700	7 300	30,0
32,0	69,0	70,4	11 100	10 300	9 500	7 200	32,0
34,0	67,3	69,4	10 000	9 300	8 600	7 200	34,0
36,0	65,6	68,4	9 000	8 400	7 800	7 100	36,0
38,0	63,8	67,4	8 100	7 600	7 100	6 600	38,0
40,0	62,1	66,2	7 400	6 900	6 400	6 000	40,0
42,0	60,3	64,9	6 700	6 200	5 800	5 400	42,0
44,0	58,4	63,6	6 000	5 600	5 300	4 900	44,0
46,0	56,5	62,1	5 500	5 100	4 800	4 400	46,0
48,0	54,6	60,6	5 000	4 600	4 300	4 000	48,0
50,0	52,6	58,9	4 500	4 200	3 900	3 600	50,0
52,0	50,6	57,2	4 000	3 800	3 500	3 200	52,0
54,0	48,4	55,2	3 600	3 400	3 100	2 900	54,0
56,0	46,2	53,2	3 200	3 000	2 800	2 500	56,0
58,0	43,9	50,9	2 900	2 700	2 400	2 200	58,0
60,0	41,5	48,5	2 500	2 300	2 100	1 900	60,0
62,0	39,0	45,9	2 200	2 000	1 800	1 500	62,0
62,5	37,5	45,1	2 100	1 900	1 700	1 500	62,5
64,0	36,3	42,9	1 800	1 600	1 400		64,0
65,5	33,7	40,4	1 600	1 400			65,5
66,0	33,4	39,7	1 500				66,0
67,1	31,7	37,8	1 300				67,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


27,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,4	78,8	40,9	23 700										10,4
11,0	77,8	40,7	23 400	19 800									11,0
11,6	76,4	40,6	23 200	19 700	17 100								11,6
12,0	76,3	40,5	23 100	19 600	17 100								12,0
12,5	75,0	40,3	22 900	19 400	17 000	15 100	78,7	40,0	21 200				12,5
13,0	74,8	40,2	22 700	19 300	16 900	15 000	77,9	39,8	21 100				13,0
13,1	73,9	40,1	22 700	19 300	16 800	15 000	76,9	39,8	21 100	18 200			13,1
13,7	73,3	39,9	22 400	19 100	16 700	14 900	76,3	39,6	21 000	18 100	15 900		13,7
14,0	73,3	39,8	22 300	19 000	16 700	14 800	76,4	39,5	20 900	18 000	15 900		14,0
14,3	72,4	39,7	22 200	19 000	16 600	14 800	75,4	39,4	20 800	18 000	15 800	14 200	14,3
15,0	71,8	39,5	22 000	18 800	16 500	14 700	74,8	39,1	20 700	17 800	15 700	14 100	15,0
15,2	70,8	39,4	21 900	18 800	16 400	14 700	73,8	39,1	20 600	17 800	15 700	14 100	15,2
15,8	70,2	39,2	21 700	18 600	16 300	14 600	73,2	38,8	20 500	17 700	15 600	14 000	15,8
16,0	70,2	39,1	21 700	18 600	16 300	14 600	73,3	38,8	20 500	17 700	15 600	14 000	16,0
16,5	69,3	38,9	21 500	18 500	16 200	14 500	72,3	38,5	20 200	17 600	15 600	14 000	16,5
18,0	67,1	38,2	21 100	18 100	16 000	14 300	70,1	37,9	19 600	17 400	15 400	13 800	18,0
20,0	63,9	37,2	20 500	17 700	15 600	14 000	66,8	36,9	18 200	17 100	15 200	13 700	20,0
22,0	60,6	36,1	20 000	17 400	15 400	13 800	63,5	35,7	17 000	16 700	15 000	13 600	22,0
24,0	57,1	34,8	18 900	17 000	15 100	13 600	60,0	34,4	15 900	15 800	14 900	13 500	24,0
26,0	53,5	33,3	17 100	16 400	14 900	13 400	56,4	32,9	15 000	14 800	14 700	13 400	26,0
28,0	49,8	31,6	15 500	14 900	14 400	13 200	52,5	31,2	14 200	14 100	14 000	13 300	28,0
30,0	45,7	29,6	14 000	13 600	13 200	12 700	48,5	29,2	13 500	13 400	13 200	12 800	30,0
32,0	41,4	27,4	12 800	12 500	12 100	11 700	44,0	26,9	12 800	12 600	12 200	11 900	32,0
34,0	36,6	24,7	11 800	11 500	11 200	10 900	39,1	24,2	11 900	11 600	11 200	11 000	34,0
36,0	31,2	21,5	10 800	10 600	10 300	10 100	33,5	20,8	10 900	10 600	10 400	10 100	36,0
36,9	28,1	19,7	10 500	10 200	10 000	9 800	29,9	18,9	10 500	10 300	10 100	9 800	36,9
37,2	27,0	19,1	10 300	10 100	9 900		28,8	18,3	10 400	10 200	9 900	9 700	37,2
37,5	26,0	18,5	10 200	10 000			27,8	17,6	10 300	10 000	9 800	9 600	37,5
37,8	25,3	17,9	10 100				26,7	16,9	10 100	9 900	9 700		37,8
38,0							26,6	16,5	10 000	9 800			38,0
38,1							26,2	16,3	10 000	9 800			38,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



27,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
10,4							10,4
11,0							11,0
11,6							11,6
12,0							12,0
12,5							12,5
13,0							13,0
13,1							13,1
13,7							13,7
14,0							14,0
14,3	79,0	38,7	14 400				14,3
15,0	77,9	38,4	14 000				15,0
15,2	76,8	38,3	13 900	13 800			15,2
15,8	76,2	38,1	13 700	13 600	13 500		15,8
16,0	76,3	38,0	13 600	13 500	13 400		16,0
16,5	75,3	37,8	13 300	13 300	13 200	12 600	16,5
18,0	73,1	37,1	12 700	12 600	12 500	12 400	18,0
20,0	69,8	36,1	12 000	11 900	11 800	11 800	20,0
22,0	66,3	34,9	11 300	11 300	11 200	11 200	22,0
24,0	62,8	33,6	10 800	10 700	10 700	10 600	24,0
26,0	59,0	32,0	10 300	10 200	10 200	10 100	26,0
28,0	55,1	30,2	9 900	9 800	9 800	9 700	28,0
30,0	50,8	28,2	9 500	9 500	9 400	9 400	30,0
32,0	46,2	25,8	9 200	9 100	9 100	9 100	32,0
34,0	41,1	22,9	8 900	8 900	8 900	8 800	34,0
36,0	35,1	19,3	8 800	8 700	8 700	8 700	36,0
36,9	31,5	17,3	8 700	8 700	8 700	8 600	36,9
37,2	30,2	16,6	8 700	8 700	8 600	8 600	37,2
37,5	29,5	15,9	8 700	8 600	8 600	8 600	37,5
37,8							37,8
38,0							38,0
38,1							38,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

30,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,0	78,7	43,8	23 500										11,0
11,6	77,4	43,7	23 300	19 700									11,6
12,0	77,3	43,6	23 200	19 600									12,0
12,5	76,0	43,4	23 000	19 500	17 000								12,5
13,0	75,9	43,3	22 800	19 400	16 900								13,0
13,1	74,9	43,3	22 800	19 300	16 900	15 000	78,6	42,9	21 200				13,1
13,7	74,3	43,1	22 600	19 200	16 800	14 900	77,3	42,7	21 100	18 100			13,7
14,0	74,5	43,0	22 500	19 100	16 700	14 900	77,4	42,6	21 000	18 000			14,0
14,3	73,7	42,9	22 400	19 100	16 700	14 800	76,4	42,5	20 900	18 000	15 900		14,3
14,9	73,1	42,7	22 200	18 900	16 600	14 700	75,2	42,3	20 800	17 900	15 800		14,9
15,0	73,1	42,7	22 200	18 900	16 500	14 700	75,9	42,3	20 800	17 900	15 800		15,0
15,2	72,6	42,6	22 100	18 900	16 500	14 700	74,8	42,2	20 700	17 900	15 800	14 100	15,2
15,8	71,4	42,4	21 900	18 700	16 400	14 600	74,2	42,0	20 600	17 800	15 700	14 100	15,8
16,0	71,7	42,3	21 900	18 700	16 400	14 600	74,5	41,9	20 600	17 800	15 700	14 000	16,0
16,5	70,3	42,1	21 700	18 600	16 300	14 500	73,3	41,7	20 500	17 700	15 600	14 000	16,5
17,1	69,4	41,9	21 600	18 400	16 200	14 500	72,4	41,5	20 400	17 600	15 600	14 000	17,1
18,0	68,8	41,5	21 300	18 300	16 000	14 300	71,6	41,1	20 200	17 500	15 500	13 900	18,0
20,0	65,9	40,6	20 800	17 900	15 800	14 100	68,6	40,2	19 000	17 200	15 300	13 700	20,0
22,0	62,8	39,6	20 300	17 500	15 500	13 900	65,6	39,2	17 700	17 000	15 100	13 600	22,0
24,0	59,7	38,4	18 900	17 200	15 200	13 700	62,4	38,0	16 600	16 400	15 000	13 500	24,0
26,0	56,5	37,0	16 900	16 200	15 000	13 500	59,2	36,6	15 700	15 500	14 900	13 400	26,0
28,0	53,2	35,5	15 300	14 700	14 100	13 200	55,8	35,1	14 800	14 700	14 300	13 300	28,0
30,0	49,6	33,8	13 900	13 400	12 900	12 500	52,2	33,4	14 000	13 500	13 100	12 600	30,0
32,0	45,9	31,9	12 600	12 200	11 800	11 400	48,4	31,4	12 800	12 400	12 000	11 600	32,0
34,0	41,9	29,7	11 600	11 200	10 900	10 600	44,3	29,1	11 700	11 400	11 000	10 700	34,0
36,0	37,5	27,1	10 700	10 400	10 100	9 800	39,9	26,5	10 800	10 500	10 200	9 900	36,0
38,0	32,6	24,0	9 800	9 600	9 300	9 100	34,9	23,4	9 900	9 600	9 400	9 200	38,0
39,6	27,1	21,0	9 200	9 000	8 800	8 600	29,1	20,2	9 300	9 100	8 800	8 600	39,6
39,9	26,2	20,4	9 100	8 900	8 700		28,2	19,6	9 200	8 900	8 700	8 500	39,9
40,0	26,9	20,2	9 100	8 900			28,9	19,4	9 100	8 900	8 700	8 500	40,0
40,2	25,6	19,7	9 000	8 800			27,2	18,9	9 000	8 800	8 600	8 400	40,2
40,5	25,2	19,0	8 900				26,1	18,1	8 900	8 700	8 500		40,5
40,8							26,0	17,4	8 800				40,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



30,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
11,0							11,0
11,6							11,6
12,0							12,0
12,5							12,5
13,0							13,0
13,1							13,1
13,7							13,7
14,0							14,0
14,3							14,3
14,9	78,9	41,6	14 400				14,9
15,0	78,8	41,6	14 300				15,0
15,2	77,8	41,5	14 200				15,2
15,8	77,2	41,3	14 000	13 800			15,8
16,0	77,4	41,2	13 900	13 800			16,0
16,5	76,3	41,0	13 700	13 600	13 500		16,5
17,1	75,4	40,7	13 400	13 300	13 200	13 200	17,1
18,0	74,4	40,4	13 000	13 000	12 900	12 800	18,0
20,0	71,4	39,4	12 300	12 200	12 200	12 100	20,0
22,0	68,3	38,4	11 700	11 600	11 600	11 500	22,0
24,0	65,0	37,1	11 100	11 100	11 000	11 000	24,0
26,0	61,7	35,7	10 600	10 600	10 500	10 500	26,0
28,0	58,2	34,2	10 200	10 100	10 100	10 100	28,0
30,0	54,5	32,4	9 800	9 800	9 700	9 700	30,0
32,0	50,6	30,4	9 500	9 400	9 400	9 400	32,0
34,0	46,4	28,0	9 200	9 200	9 100	9 100	34,0
36,0	41,7	25,3	8 900	8 900	8 900	8 900	36,0
38,0	36,4	21,9	8 800	8 700	8 700	8 700	38,0
39,6	30,3	18,4	8 700	8 700	8 600	8 600	39,6
39,9	29,2	17,8	8 700	8 700	8 600	8 500	39,9
40,0	29,9	17,6	8 700	8 700	8 600	8 500	40,0
40,2	29,0	17,0	8 700	8 700	8 600	8 500	40,2
40,5							40,5
40,8							40,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


33,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,6	78,7	46,8	23 400										11,6
12,0	78,2	46,7	23 300										12,0
12,2	77,6	46,6	23 200	19 600									12,2
13,0	76,9	46,4	22 900	19 400									13,0
13,1	75,9	46,4	22 900	19 400	16 900								13,1
13,7	75,3	46,2	22 700	19 200	16 800	14 900	78,6	45,8	21 100				13,7
14,0	75,6	46,1	22 600	19 200	16 700	14 900	78,2	45,8	21 000				14,0
14,3	74,7	46,0	22 500	19 100	16 700	14 800	77,4	45,7	21 000	18 000			14,3
14,9	74,1	45,9	22 400	19 000	16 600	14 800	76,2	45,5	20 900	18 000	15 800		14,9
15,0	74,3	45,8	22 300	19 000	16 600	14 800	76,9	45,5	20 800	17 900	15 800		15,0
15,5	73,0	45,7	22 200	18 900	16 500	14 700	75,5	45,3	20 800	17 900	15 700		15,5
15,8	72,4	45,6	22 100	18 800	16 400	14 600	75,2	45,2	20 700	17 800	15 700	14 000	15,8
16,0	72,9	45,5	22 000	18 800	16 400	14 600	75,6	45,1	20 700	17 800	15 700	14 000	16,0
16,5	71,5	45,3	21 900	18 700	16 300	14 600	74,3	44,9	20 600	17 700	15 600	14 000	16,5
17,1	70,9	45,1	21 700	18 500	16 200	14 500	73,4	44,7	20 500	17 700	15 600	14 000	17,1
17,7	70,3	44,9	21 600	18 400	16 100	14 400	72,5	44,5	20 400	17 600	15 500	13 900	17,7
18,0	70,3	44,8	21 500	18 400	16 100	14 400	72,9	44,4	20 300	17 600	15 500	13 900	18,0
20,0	67,6	43,9	21 000	18 000	15 800	14 100	70,2	43,5	19 700	17 300	15 300	13 800	20,0
22,0	64,8	43,0	20 400	17 700	15 600	14 000	67,4	42,6	18 400	17 100	15 200	13 700	22,0
24,0	61,9	41,9	18 800	17 300	15 300	13 800	64,5	41,5	17 300	16 900	15 100	13 600	24,0
26,0	59,0	40,7	16 800	16 000	15 100	13 600	61,5	40,3	16 300	16 200	14 900	13 500	26,0
28,0	56,0	39,3	15 200	14 500	13 900	13 200	58,5	38,9	15 300	14 700	14 100	13 300	28,0
30,0	52,9	37,8	13 800	13 200	12 700	12 200	55,3	37,3	13 900	13 400	12 900	12 400	30,0
32,0	49,6	36,1	12 500	12 100	11 600	11 200	52,0	35,6	12 700	12 200	11 800	11 400	32,0
34,0	46,1	34,1	11 500	11 100	10 700	10 300	48,4	33,6	11 600	11 200	10 800	10 500	34,0
36,0	42,4	32,0	10 500	10 200	9 900	9 600	44,7	31,4	10 700	10 300	10 000	9 700	36,0
38,0	38,4	29,5	9 700	9 400	9 100	8 900	40,6	28,9	9 800	9 500	9 200	9 000	38,0
40,0	33,9	26,5	9 000	8 700	8 500	8 300	36,0	25,9	9 000	8 800	8 600	8 300	40,0
42,0	28,9	23,0	8 300	8 100	7 900	7 700	30,8	22,3	8 400	8 100	7 900	7 700	42,0
42,1	27,9	22,9	8 300	8 100	7 900	7 700	29,8	22,1	8 300	8 100	7 900	7 700	42,1
42,4	27,1	22,2	8 200	8 000	7 800		28,8	21,4	8 200	8 000	7 800	7 600	42,4
42,7	26,4	21,6	8 100	7 900			27,9	20,7	8 100	7 900	7 700	7 600	42,7
43,0	25,7	20,9	8 000	7 800			26,9	20,0	8 000	7 800	7 700		43,0
43,3	25,1	20,3	7 900				26,0	19,4	7 900	7 800			43,3
43,6							25,9	18,7	7 800				43,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

33,0 m

12,2 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
11,6							11,6
12,0							12,0
12,2							12,2
13,0							13,0
13,1							13,1
13,7							13,7
14,0							14,0
14,3							14,3
14,9							14,9
15,0							15,0
15,5	78,9	44,5	14 400				15,5
15,8	78,0	44,4	14 200				15,8
16,0	78,3	44,4	14 200				16,0
16,5	77,3	44,2	14 000	13 900			16,5
17,1	76,4	44,0	13 700	13 600	13 500		17,1
17,7	75,5	43,7	13 500	13 400	13 300	13 200	17,7
18,0	75,5	43,6	13 300	13 300	13 200	13 100	18,0
20,0	72,7	42,8	12 600	12 500	12 500	12 400	20,0
22,0	69,9	41,8	12 000	11 900	11 900	11 800	22,0
24,0	67,0	40,7	11 400	11 400	11 300	11 300	24,0
26,0	63,9	39,4	10 900	10 900	10 800	10 800	26,0
28,0	60,8	38,0	10 500	10 500	10 400	10 400	28,0
30,0	57,5	36,4	10 100	10 100	10 000	10 000	30,0
32,0	54,1	34,6	9 800	9 700	9 700	9 700	32,0
34,0	50,5	32,6	9 500	9 400	9 400	9 300	34,0
36,0	46,5	30,3	9 200	9 200	9 100	9 100	36,0
38,0	42,3	27,6	9 000	9 000	8 900	8 900	38,0
40,0	37,5	24,5	8 800	8 700	8 600	8 400	40,0
42,0	31,9	20,6	8 400	8 200	8 000	7 800	42,0
42,1	30,8	20,4	8 400	8 200	8 000	7 800	42,1
42,4	29,9	19,7	8 200	8 100	7 900	7 700	42,4
42,7	29,7	19,0	8 100	8 000	7 800	7 600	42,7
43,0							43,0
43,3							43,3
43,6							43,6

REFERENCE ONLY!

MLC150-1 S-2





	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	78,7	49,7	23 200										12,2
12,8	77,3	49,5	23 000	19 400									12,8
13,0	77,7	49,5	23 000	19 400									13,0
13,7	76,3	49,3	22 800	19 200	16 800								13,7
14,0	76,5	49,2	22 700	19 200	16 700		78,9	48,9	21 000				14,0
14,6	75,4	49,1	22 500	19 100	16 600	14 800	77,4	48,7	21 000				14,6
14,9	75,1	49,0	22 400	19 000	16 600	14 700	77,1	48,6	20 900	17 900			14,9
15,0	75,3	48,9	22 400	19 000	16 600	14 700	77,7	48,6	20 900	17 900			15,0
15,8	74,2	48,7	22 200	18 800	16 500	14 600	76,2	48,3	20 700	17 800	15 700		15,8
16,0	74,0	48,6	22 100	18 800	16 400	14 600	76,5	48,3	20 700	17 800	15 700		16,0
16,2	73,7	48,6	22 100	18 700	16 400	14 600	75,8	48,2	20 700	17 800	15 600		16,2
16,5	73,3	48,5	22 000	18 700	16 300	14 600	75,5	48,1	20 600	17 700	15 600	14 000	16,5
17,1	72,4	48,3	21 800	18 600	16 300	14 500	74,9	47,9	20 500	17 700	15 600	13 900	17,1
17,7	71,5	48,1	21 700	18 500	16 200	14 400	74,3	47,7	20 400	17 600	15 500	13 900	17,7
18,0	71,5	48,0	21 600	18 400	16 100	14 400	74,0	47,6	20 400	17 600	15 500	13 900	18,0
18,6	70,4	47,7	21 500	18 300	16 100	14 300	73,1	47,3	20 300	17 500	15 500	13 900	18,6
20,0	69,0	47,2	21 100	18 100	15 900	14 200	71,5	46,8	20 000	17 400	15 400	13 800	20,0
22,0	66,5	46,3	20 400	17 800	15 600	14 000	68,9	45,9	19 100	17 200	15 200	13 700	22,0
24,0	63,8	45,3	18 600	17 300	15 400	13 800	66,2	44,9	18 000	17 000	15 100	13 600	24,0
26,0	61,1	44,2	16 600	15 800	15 100	13 600	63,5	43,8	16 900	16 100	15 000	13 500	26,0
28,0	58,4	42,9	15 000	14 300	13 700	13 100	60,7	42,5	15 200	14 500	13 900	13 200	28,0
30,0	55,5	41,5	13 600	13 000	12 500	11 900	57,8	41,1	13 800	13 200	12 700	12 100	30,0
32,0	52,6	40,0	12 400	11 900	11 400	10 900	54,8	39,6	12 500	12 000	11 600	11 100	32,0
34,0	49,5	38,3	11 300	10 900	10 500	10 100	51,7	37,8	11 500	11 000	10 600	10 200	34,0
36,0	46,2	36,4	10 400	10 000	9 600	9 300	48,4	35,9	10 500	10 100	9 800	9 400	36,0
38,0	42,8	34,2	9 500	9 200	8 900	8 600	44,9	33,7	9 600	9 300	9 000	8 700	38,0
40,0	39,0	31,8	8 800	8 500	8 200	8 000	41,1	31,2	8 900	8 600	8 300	8 100	40,0
42,0	35,0	28,9	8 100	7 900	7 700	7 400	37,0	28,3	8 200	8 000	7 700	7 500	42,0
44,0	30,4	25,6	7 500	7 300	7 100	6 900	32,3	24,9	7 600	7 400	7 200	7 000	44,0
44,8	28,0	24,0	7 300	7 100	6 900	6 700	29,6	23,2	7 300	7 200	7 000	6 800	44,8
45,1	27,2	23,3	7 200	7 000	6 800		28,7	22,5	7 300	7 100	6 900	6 700	45,1
45,4	26,5	22,7	7 100	6 900			27,7	21,9	7 200	7 000	6 800	6 600	45,4
45,7	25,7	22,1	7 000				26,8	21,2	7 100	6 900	6 700		45,7
46,0	25,1	21,5	7 000				26,7	20,6	7 000	6 800			46,0
46,3							25,7	19,8	6 900				46,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



36,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,2							12,2
12,8							12,8
13,0							13,0
13,7							13,7
14,0							14,0
14,6							14,6
14,9							14,9
15,0							15,0
15,8							15,8
16,0							16,0
16,2	78,8	47,5	14 300				16,2
16,5	77,7	47,3	14 200				16,5
17,1	77,0	47,1	14 000	13 900			17,1
17,7	76,3	46,9	13 700	13 600	13 500		17,7
18,0	76,5	46,8	13 600	13 500	13 400		18,0
18,6	75,1	46,6	13 400	13 300	13 200	13 200	18,6
20,0	73,9	46,0	12 900	12 800	12 800	12 700	20,0
22,0	71,3	45,1	12 300	12 200	12 200	12 100	22,0
24,0	68,6	44,1	11 700	11 700	11 600	11 600	24,0
26,0	65,8	42,9	11 200	11 200	11 100	11 100	26,0
28,0	62,9	41,6	10 800	10 800	10 700	10 700	28,0
30,0	60,0	40,2	10 400	10 400	10 300	10 300	30,0
32,0	56,9	38,6	10 100	10 000	10 000	9 900	32,0
34,0	53,7	36,8	9 700	9 700	9 700	9 600	34,0
36,0	50,3	34,8	9 500	9 400	9 400	9 400	36,0
38,0	46,7	32,5	9 200	9 200	9 100	8 800	38,0
40,0	42,7	29,9	8 900	8 700	8 400	8 200	40,0
42,0	38,4	26,9	8 300	8 000	7 800	7 600	42,0
44,0	33,4	23,3	7 600	7 400	7 200	7 000	44,0
44,8	30,7	21,5	7 400	7 200	7 000	6 800	44,8
45,1	29,9	20,8	7 300	7 100	6 900	6 700	45,1
45,4	29,2	20,1	7 200	7 000	6 800	6 700	45,4
45,7							45,7
46,0							46,0
46,3							46,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

39,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,5	79,0	52,7	23 100										12,5
13,0	78,4	52,6	23 000										13,0
13,4	77,6	52,5	22 800	19 300									13,4
14,0	77,3	52,4	22 700	19 200									14,0
14,3	76,7	52,3	22 600	19 100	16 600								14,3
14,6	76,4	52,2	22 500	19 000	16 600		78,9	51,8	20 900				14,6
15,0	76,1	52,1	22 400	19 000	16 500		78,5	51,7	20 900				15,0
15,2	75,6	52,0	22 400	18 900	16 500	14 700	77,8	51,7	20 900				15,2
15,5	75,0	51,9	22 300	18 900	16 500	14 600	77,5	51,6	20 800	17 800			15,5
16,0	75,0	51,8	22 200	18 800	16 400	14 600	77,3	51,4	20 700	17 800			16,0
16,5	73,5	51,6	22 100	18 700	16 300	14 500	76,3	51,3	20 700	17 700	15 600		16,5
16,8	73,2	51,5	22 000	18 600	16 300	14 500	75,8	51,2	20 600	17 700	15 600		16,8
17,4	72,6	51,3	21 800	18 500	16 200	14 400	74,9	51,0	20 500	17 600	15 500	13 900	17,4
17,7	72,3	51,2	21 800	18 500	16 200	14 400	74,5	50,9	20 500	17 600	15 500	13 900	17,7
18,0	72,7	51,2	21 700	18 400	16 100	14 400	75,0	50,8	20 400	17 600	15 500	13 900	18,0
18,3	71,7	51,0	21 600	18 400	16 100	14 300	73,7	50,7	20 400	17 500	15 500	13 800	18,3
19,2	70,8	50,7	21 400	18 200	16 000	14 300	72,8	50,3	20 300	17 500	15 400	13 800	19,2
20,0	70,3	50,4	21 200	18 100	15 900	14 200	72,6	50,0	20 100	17 400	15 300	13 700	20,0
22,0	67,9	49,6	20 400	17 800	15 600	14 000	70,2	49,2	19 600	17 200	15 200	13 600	22,0
24,0	65,5	48,7	18 400	17 200	15 400	13 800	67,7	48,3	18 500	17 100	15 100	13 600	24,0
26,0	63,0	47,6	16 500	15 600	14 800	13 600	65,2	47,2	16 700	15 900	14 900	13 500	26,0
28,0	60,4	46,5	14 800	14 100	13 400	12 800	62,7	46,1	15 100	14 300	13 700	13 000	28,0
30,0	57,8	45,2	13 400	12 800	12 200	11 700	60,0	44,8	13 600	13 000	12 400	11 900	30,0
32,0	55,1	43,8	12 200	11 700	11 200	10 700	57,3	43,4	12 400	11 900	11 400	10 900	32,0
34,0	52,3	42,3	11 100	10 700	10 200	9 800	54,5	41,8	11 300	10 900	10 400	10 000	34,0
36,0	49,4	40,5	10 200	9 800	9 400	9 100	51,5	40,1	10 400	10 000	9 600	9 200	36,0
38,0	46,3	38,6	9 400	9 000	8 700	8 400	48,4	38,1	9 500	9 200	8 800	8 500	38,0
40,0	43,1	36,5	8 600	8 300	8 000	7 800	45,1	36,0	8 700	8 400	8 100	7 900	40,0
42,0	39,7	34,1	8 000	7 700	7 400	7 200	41,6	33,5	8 100	7 800	7 500	7 300	42,0
44,0	35,9	31,4	7 400	7 100	6 900	6 700	37,8	30,7	7 400	7 200	7 000	6 800	44,0
46,0	31,8	28,2	6 800	6 600	6 400	6 200	33,5	27,5	6 900	6 700	6 500	6 300	46,0
47,6	27,9	25,3	6 400	6 200	6 100	5 900	29,1	24,4	6 500	6 300	6 100	5 900	47,6
47,9	27,3	24,7	6 300	6 200	6 000		28,4	23,9	6 400	6 200	6 000	5 900	47,9
48,0	27,0	24,4	6 300	6 100			28,6	23,6	6 400	6 200	6 000	5 800	48,0
48,2	26,3	24,1	6 300	6 100			27,6	23,2	6 300	6 100	6 000	5 800	48,2
48,5	25,8	23,4	6 200				26,7	22,5	6 200	6 100	5 900		48,5
48,8							25,8	21,8	6 200	6 000			48,8
49,1							25,6	21,1	6 100				49,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



39,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,5							12,5
13,0							13,0
13,4							13,4
14,0							14,0
14,3							14,3
14,6							14,6
15,0							15,0
15,2							15,2
15,5							15,5
16,0							16,0
16,5							16,5
16,8	78,8	50,4	14 300				16,8
17,4	77,5	50,2	14 100				17,4
17,7	77,3	50,1	14 000	13 900			17,7
18,0	77,3	50,0	13 900	13 800			18,0
18,3	76,6	49,9	13 800	13 700	13 600		18,3
19,2	75,2	49,5	13 400	13 400	13 300	13 200	19,2
20,0	74,9	49,2	13 200	13 100	13 000	12 900	20,0
22,0	72,5	48,4	12 600	12 500	12 400	12 400	22,0
24,0	70,0	47,4	12 000	11 900	11 900	11 800	24,0
26,0	67,4	46,4	11 500	11 500	11 400	11 400	26,0
28,0	64,8	45,2	11 100	11 000	11 000	10 900	28,0
30,0	62,1	43,9	10 700	10 600	10 600	10 600	30,0
32,0	59,3	42,4	10 300	10 300	10 200	10 200	32,0
34,0	56,4	40,8	10 000	10 000	9 900	9 900	34,0
36,0	53,4	39,0	9 700	9 700	9 600	9 300	36,0
38,0	50,2	37,0	9 500	9 300	8 900	8 600	38,0
40,0	46,8	34,8	8 800	8 500	8 200	8 000	40,0
42,0	43,1	32,3	8 100	7 900	7 600	7 400	42,0
44,0	39,1	29,4	7 500	7 300	7 000	6 800	44,0
46,0	34,6	25,9	6 900	6 700	6 500	6 300	46,0
47,6	30,1	22,6	6 500	6 300	6 100	6 000	47,6
47,9	29,4	22,0	6 400	6 200	6 100	5 900	47,9
48,0	29,4	21,7	6 400	6 200	6 000	5 900	48,0
48,2	28,9	21,3	6 300	6 200	6 000	5 800	48,2
48,5							48,5
48,8							48,8
49,1							49,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

42,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,1	78,9	55,6	22 900										13,1
14,0	78,0	55,4	22 600	19 100									14,0
14,9	76,1	55,2	22 400	18 900	16 500								14,9
15,0	76,9	55,2	22 400	18 900	16 500								15,0
15,2	75,8	55,1	22 400	18 900	16 400		78,9	54,7	20 800				15,2
15,8	75,2	55,0	22 200	18 800	16 400	14 500	78,0	54,6	20 700				15,8
16,0	75,8	54,9	22 200	18 700	16 300	14 500	78,0	54,5	20 700				16,0
16,2	74,8	54,8	22 100	18 700	16 300	14 500	77,7	54,5	20 700	17 700			16,2
17,1	73,9	54,6	21 900	18 600	16 200	14 400	76,4	54,2	20 600	17 600	15 500		17,1
17,4	73,6	54,5	21 900	18 500	16 200	14 400	75,9	54,1	20 500	17 600	15 500		17,4
18,0	73,6	54,3	21 700	18 400	16 100	14 300	75,9	53,9	20 400	17 500	15 400	13 800	18,0
18,3	72,7	54,2	21 700	18 400	16 100	14 300	74,7	53,8	20 400	17 500	15 400	13 800	18,3
19,2	71,8	53,9	21 500	18 200	16 000	14 200	73,8	53,5	20 300	17 400	15 400	13 700	19,2
20,0	71,4	53,6	21 300	18 100	15 900	14 200	73,6	53,2	20 200	17 400	15 300	13 700	20,0
20,1	70,9	53,6	21 200	18 100	15 900	14 100	72,9	53,2	20 200	17 300	15 300	13 700	20,1
22,0	69,2	52,8	20 400	17 800	15 700	14 000	71,4	52,5	19 900	17 200	15 200	13 600	22,0
24,0	66,9	52,0	18 300	17 000	15 500	13 800	69,1	51,6	18 600	17 100	15 100	13 500	24,0
26,0	64,6	51,0	16 300	15 400	14 600	13 600	66,7	50,6	16 600	15 700	14 800	13 400	26,0
28,0	62,2	49,9	14 700	13 900	13 200	12 500	64,3	49,5	14 900	14 200	13 400	12 800	28,0
30,0	59,8	48,8	13 200	12 600	12 000	11 400	61,9	48,3	13 500	12 800	12 200	11 600	30,0
32,0	57,3	47,5	12 000	11 500	10 900	10 400	59,4	47,0	12 200	11 700	11 100	10 600	32,0
34,0	54,7	46,1	11 000	10 500	10 000	9 600	56,8	45,6	11 200	10 700	10 200	9 700	34,0
36,0	52,1	44,5	10 000	9 600	9 200	8 800	54,1	44,0	10 200	9 800	9 400	9 000	36,0
38,0	49,3	42,8	9 200	8 800	8 500	8 100	51,3	42,3	9 300	9 000	8 600	8 300	38,0
40,0	46,4	40,9	8 500	8 100	7 800	7 500	48,4	40,3	8 600	8 300	7 900	7 600	40,0
42,0	43,4	38,7	7 800	7 500	7 200	6 900	45,3	38,2	7 900	7 600	7 300	7 100	42,0
44,0	40,2	36,4	7 200	6 900	6 700	6 400	42,0	35,8	7 300	7 000	6 800	6 500	44,0
46,0	36,7	33,7	6 600	6 400	6 200	6 000	38,5	33,1	6 700	6 500	6 300	6 100	46,0
48,0	32,9	30,7	6 100	5 900	5 700	5 600	34,6	30,0	6 200	6 000	5 800	5 600	48,0
50,0	28,0	27,1	5 700	5 500	5 300	5 200	30,0	26,3	5 700	5 500	5 400	5 200	50,0
50,0	28,6	27,1	5 700	5 500	5 300		30,2	26,3	5 700	5 500	5 400	5 200	50,0
50,6	26,5	25,9	5 500	5 400	5 200		28,4	25,0	5 600	5 400	5 300	5 100	50,6
50,9	25,8	25,2	5 500	5 300			27,5	24,3	5 500	5 400	5 200		50,9
51,2	25,7	24,6	5 400				26,7	23,6	5 400	5 300	5 100		51,2
51,5							25,9	22,9	5 400	5 200			51,5
51,8							25,5	22,2	5 300				51,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

42,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,1							13,1
14,0							14,0
14,9							14,9
15,0							15,0
15,2							15,2
15,8							15,8
16,0							16,0
16,2							16,2
17,1							17,1
17,4	78,8	53,3	14 300				17,4
18,0	78,1	53,1	14 100				18,0
18,3	77,6	53,0	14 000	13 900			18,3
19,2	76,2	52,7	13 700	13 600	13 500		19,2
20,0	75,8	52,4	13 400	13 300	13 300		20,0
20,1	74,9	52,4	13 400	13 300	13 200	13 200	20,1
22,0	73,5	51,6	12 800	12 700	12 700	12 600	22,0
24,0	71,2	50,7	12 300	12 200	12 100	12 100	24,0
26,0	68,8	49,7	11 800	11 700	11 700	11 600	26,0
28,0	66,4	48,7	11 300	11 300	11 200	11 200	28,0
30,0	63,9	47,4	10 900	10 900	10 900	10 800	30,0
32,0	61,3	46,1	10 600	10 500	10 500	10 500	32,0
34,0	58,7	44,6	10 200	10 200	10 100	9 900	34,0
36,0	55,9	43,0	10 000	9 800	9 500	9 100	36,0
38,0	53,0	41,2	9 500	9 100	8 700	8 400	38,0
40,0	50,0	39,2	8 700	8 400	8 100	7 700	40,0
42,0	46,9	37,0	8 000	7 700	7 400	7 200	42,0
44,0	43,4	34,6	7 400	7 100	6 900	6 600	44,0
46,0	39,8	31,7	6 800	6 600	6 300	6 100	46,0
48,0	35,7	28,5	6 200	6 000	5 900	5 700	48,0
50,0	30,0	24,5	5 700	5 600	5 400	5 200	50,0
50,0	31,0	24,5	5 700	5 600	5 400	5 200	50,0
50,6	29,4	23,2	5 600	5 400	5 300	5 100	50,6
50,9							50,9
51,2							51,2
51,5							51,5
51,8							51,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

45,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	78,9	58,6	22 600										13,7
14,0	78,6	58,5	22 600										14,0
14,6	77,4	58,3	22 400	18 900									14,6
15,0	77,6	58,3	22 300	18 800									15,0
15,8	76,2	58,1	22 200	18 700	16 300		78,9	57,7	20 700				15,8
16,0	76,6	58,0	22 100	18 700	16 200		78,7	57,6	20 700				16,0
16,8	75,2	57,8	22 000	18 500	16 200	14 400	77,2	57,4	20 600	17 600			16,8
17,7	74,3	57,5	21 800	18 400	16 100	14 300	76,3	57,1	20 400	17 500	15 400		17,7
18,0	74,5	57,4	21 700	18 400	16 000	14 200	76,6	57,0	20 400	17 500	15 400		18,0
18,6	73,4	57,2	21 600	18 300	16 000	14 200	75,4	56,8	20 300	17 400	15 300	13 700	18,6
18,9	73,1	57,1	21 500	18 200	15 900	14 200	75,1	56,7	20 300	17 400	15 300	13 700	18,9
19,8	72,2	56,8	21 300	18 100	15 800	14 100	74,2	56,5	20 200	17 300	15 200	13 600	19,8
20,0	72,4	56,8	21 300	18 100	15 800	14 100	74,5	56,4	20 200	17 300	15 200	13 600	20,0
20,7	71,3	56,5	21 000	18 000	15 700	14 000	73,3	56,1	20 100	17 300	15 200	13 600	20,7
22,0	70,3	56,1	20 300	17 800	15 600	13 900	72,4	55,7	19 900	17 200	15 100	13 600	22,0
24,0	68,2	55,2	18 100	16 900	15 400	13 800	70,2	54,8	18 500	17 000	15 000	13 500	24,0
26,0	66,0	54,3	16 200	15 200	14 300	13 500	68,0	53,9	16 500	15 500	14 600	13 400	26,0
28,0	63,8	53,3	14 500	13 700	13 000	12 300	65,8	52,9	14 800	14 000	13 200	12 500	28,0
30,0	61,5	52,2	13 100	12 400	11 800	11 200	63,5	51,8	13 400	12 700	12 000	11 400	30,0
32,0	59,2	51,0	11 900	11 300	10 700	10 200	61,2	50,6	12 100	11 500	10 900	10 400	32,0
34,0	56,8	49,7	10 800	10 300	9 800	9 400	58,8	49,3	11 000	10 500	10 000	9 500	34,0
36,0	54,4	48,3	9 900	9 400	9 000	8 600	56,3	47,8	10 100	9 600	9 200	8 800	36,0
38,0	51,9	46,7	9 100	8 700	8 300	7 900	53,8	46,2	9 200	8 800	8 400	8 100	38,0
40,0	49,3	45,0	8 300	8 000	7 600	7 300	51,1	44,5	8 500	8 100	7 800	7 400	40,0
42,0	46,5	43,1	7 700	7 300	7 000	6 800	48,4	42,6	7 800	7 500	7 200	6 900	42,0
44,0	43,6	41,0	7 100	6 800	6 500	6 200	45,4	40,4	7 200	6 900	6 600	6 400	44,0
46,0	40,6	38,7	6 500	6 300	6 000	5 800	42,4	38,1	6 600	6 400	6 100	5 900	46,0
48,0	37,4	36,1	6 000	5 800	5 600	5 400	39,0	35,4	6 100	5 900	5 700	5 400	48,0
50,0	33,8	33,1	5 500	5 400	5 200	5 000	35,4	32,4	5 600	5 400	5 200	5 000	50,0
52,0	29,9	29,7	5 100	5 000	4 800	4 600	31,4	28,9	5 200	5 000	4 800	4 700	52,0
52,7	27,5	28,2	5 000	4 800	4 700	4 500	29,2	27,4	5 000	4 900	4 700	4 500	52,7
53,3	26,3	27,0	4 900	4 700	4 500		27,7	26,1	4 900	4 700	4 600	4 400	53,3
53,6	25,6	26,4	4 800	4 600			26,9	25,5	4 800	4 700	4 500		53,6
54,0	25,6	25,8	4 700				26,1	24,8	4 800	4 600			54,0
54,0							26,8	24,7	4 800	4 600			54,0
54,3							25,6	24,1	4 700	4 600			54,3
54,6							25,3	23,4	4 600				54,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

45,0 m



12,2 m



25°



m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,7							13,7
14,0							14,0
14,6							14,6
15,0							15,0
15,8							15,8
16,0							16,0
16,8							16,8
17,7							17,7
18,0	78,8	56,3	14 300				18,0
18,6	77,4	56,0	14 100				18,6
18,9	77,1	55,9	14 000	13 900			18,9
19,8	76,2	55,6	13 700	13 600	13 500		19,8
20,0	76,6	55,6	13 600	13 600	13 500		20,0
20,7	75,3	55,3	13 400	13 400	13 300	12 800	20,7
22,0	74,4	54,8	13 100	13 000	12 900	12 700	22,0
24,0	72,2	54,0	12 500	12 500	12 400	12 300	24,0
26,0	70,0	53,1	12 000	12 000	11 900	11 900	26,0
28,0	67,7	52,1	11 600	11 500	11 500	11 400	28,0
30,0	65,4	50,9	11 200	11 100	11 100	11 000	30,0
32,0	63,0	49,7	10 800	10 800	10 700	10 600	32,0
34,0	60,6	48,3	10 500	10 400	10 200	9 700	34,0
36,0	58,1	46,8	10 100	9 800	9 400	8 900	36,0
38,0	55,5	45,2	9 400	9 000	8 600	8 200	38,0
40,0	52,8	43,4	8 600	8 200	7 900	7 600	40,0
42,0	49,9	41,5	7 900	7 600	7 300	7 000	42,0
44,0	46,9	39,3	7 300	7 000	6 700	6 400	44,0
46,0	43,7	36,8	6 700	6 400	6 200	6 000	46,0
48,0	40,3	34,1	6 200	5 900	5 700	5 500	48,0
50,0	36,5	30,9	5 700	5 500	5 300	5 100	50,0
52,0	32,3	27,2	5 200	5 000	4 900	4 700	52,0
52,7	30,4	25,6	5 000	4 900	4 700	4 600	52,7
53,3	29,0	24,3	4 900	4 800	4 600	4 500	53,3
53,6							53,6
54,0							54,0
54,0							54,0
54,3							54,3
54,6							54,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

48,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,3	78,9	61,5	22 400										14,3
15,0	78,2	61,4	22 200										15,0
15,2	77,8	61,3	22 200	18 700									15,2
16,0	77,3	61,1	22 000	18 600									16,0
16,5	76,5	61,0	21 900	18 500	16 100		78,8	60,6	20 500				16,5
17,4	75,6	60,7	21 800	18 400	16 000	14 000	77,4	60,4	20 400	17 400			17,4
18,0	75,3	60,6	21 600	18 300	15 900	14 000	77,3	60,2	20 300	17 400			18,0
18,6	74,4	60,4	21 500	18 200	15 900	14 000	76,4	60,0	20 300	17 300	15 200		18,6
19,5	73,5	60,1	21 400	18 100	15 800	14 000	75,5	59,7	20 200	17 300	15 200	13 200	19,5
20,0	73,3	60,0	21 300	18 000	15 700	14 000	75,3	59,6	20 100	17 200	15 200	13 100	20,0
20,4	72,6	59,8	21 100	18 000	15 700	14 000	74,6	59,4	20 100	17 200	15 100	13 100	20,4
21,3	71,7	59,5	20 600	17 900	15 600	13 900	73,7	59,1	19 900	17 200	15 100	13 100	21,3
22,0	71,3	59,3	20 300	17 800	15 500	13 900	73,3	58,9	19 800	17 100	15 100	13 100	22,0
24,0	69,3	58,5	18 000	16 700	15 400	13 700	71,3	58,1	18 400	16 800	15 000	13 100	24,0
26,0	67,3	57,7	16 000	15 000	14 100	13 200	69,2	57,3	16 300	15 300	14 400	13 100	26,0
28,0	65,2	56,7	14 400	13 500	12 700	12 000	67,1	56,3	14 700	13 800	13 000	12 300	28,0
30,0	63,1	55,7	12 900	12 200	11 500	10 900	65,0	55,3	13 200	12 500	11 800	11 100	30,0
32,0	60,9	54,6	11 700	11 100	10 500	9 900	62,8	54,1	12 000	11 300	10 700	10 200	32,0
34,0	58,7	53,3	10 700	10 100	9 600	9 100	60,6	52,9	10 900	10 300	9 800	9 300	34,0
36,0	56,4	52,0	9 700	9 200	8 800	8 300	58,3	51,6	9 900	9 400	9 000	8 500	36,0
38,0	54,1	50,6	8 900	8 500	8 100	7 700	55,9	50,1	9 100	8 600	8 200	7 800	38,0
40,0	51,7	49,0	8 200	7 800	7 400	7 100	53,5	48,5	8 300	7 900	7 600	7 200	40,0
42,0	49,2	47,2	7 500	7 100	6 800	6 500	51,0	46,7	7 600	7 300	7 000	6 700	42,0
44,0	46,6	45,3	6 900	6 600	6 300	6 000	48,4	44,8	7 000	6 700	6 400	6 100	44,0
46,0	43,9	43,3	6 300	6 100	5 800	5 600	45,6	42,7	6 400	6 200	5 900	5 700	46,0
48,0	41,0	41,0	5 800	5 600	5 400	5 100	42,7	40,4	5 900	5 700	5 500	5 200	48,0
50,0	38,0	38,4	5 400	5 200	5 000	4 700	39,6	37,8	5 500	5 200	5 000	4 800	50,0
52,0	34,7	35,6	4 900	4 800	4 600	4 400	36,3	34,9	5 000	4 800	4 600	4 500	52,0
54,0	31,1	32,3	4 600	4 400	4 200	4 100	32,6	31,6	4 600	4 400	4 300	4 100	54,0
55,5	28,1	29,5	4 300	4 100	4 000	3 800	29,1	28,7	4 300	4 200	4 000	3 900	55,5
55,8	27,4	28,9	4 200	4 100	3 900		28,4	28,1	4 300	4 100	4 000	3 800	55,8
56,0	27,1	28,5	4 200	4 000			28,4	27,7	4 200	4 100	3 900	3 800	56,0
56,1	26,8	28,3	4 200	4 000			27,8	27,5	4 200	4 100	3 900	3 800	56,1
56,4	25,9	27,7	4 100	4 000			27,1	26,7	4 200	4 000	3 900		56,4
56,7	25,5	27,0	4 100				26,4	26,1	4 100	4 000			56,7
57,0							25,7	25,3	4 000	3 900			57,0
57,3							25,3	24,6	4 000				57,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

48,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,3							14,3
15,0							15,0
15,2							15,2
16,0							16,0
16,5							16,5
17,4							17,4
18,0							18,0
18,6	78,7	59,2	14 300				18,6
19,5	77,4	58,9	14 000	13 900			19,5
20,0	77,3	58,7	13 900	13 800			20,0
20,4	76,6	58,6	13 700	13 600	13 600		20,4
21,3	75,7	58,3	13 500	13 400	13 300	11 700	21,3
22,0	75,3	58,0	13 300	13 200	13 100	11 700	22,0
24,0	73,2	57,3	12 700	12 700	12 600	11 700	24,0
26,0	71,1	56,4	12 300	12 200	12 100	11 700	26,0
28,0	69,0	55,4	11 800	11 800	11 700	11 600	28,0
30,0	66,8	54,4	11 400	11 400	11 300	11 200	30,0
32,0	64,6	53,2	11 000	11 000	11 000	10 400	32,0
34,0	62,3	52,0	10 700	10 500	10 000	9 500	34,0
36,0	60,0	50,6	10 100	9 600	9 200	8 700	36,0
38,0	57,6	49,1	9 200	8 800	8 400	8 000	38,0
40,0	55,1	47,5	8 500	8 100	7 700	7 400	40,0
42,0	52,5	45,7	7 800	7 400	7 100	6 800	42,0
44,0	49,8	43,7	7 100	6 800	6 500	6 200	44,0
46,0	47,0	41,5	6 500	6 300	6 000	5 800	46,0
48,0	44,0	39,1	6 000	5 800	5 500	5 300	48,0
50,0	40,8	36,5	5 500	5 300	5 100	4 900	50,0
52,0	37,3	33,4	5 100	4 900	4 700	4 500	52,0
54,0	33,4	29,9	4 600	4 500	4 300	4 100	54,0
55,5	29,7	26,9	4 300	4 200	4 000	3 900	55,5
55,8	29,5	26,2	4 300	4 100	4 000	3 800	55,8
56,0							56,0
56,1							56,1
56,4							56,4
56,7							56,7
57,0							57,0
57,3							57,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


51,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,9	78,9	64,4	22 100										14,9
15,0	78,8	64,4	22 100										15,0
16,0	77,9	64,2	21 900										16,0
16,2	76,9	64,1	21 800	18 400									16,2
17,1	76,5	63,9	21 700	18 300	15 900		78,8	63,5	20 300				17,1
18,0	76,0	63,7	21 500	18 100	15 800		77,9	63,3	20 200	17 300			18,0
18,3	75,7	63,6	21 500	18 100	15 800	12 700	76,9	63,2	20 200	17 200			18,3
18,9	75,1	63,4	21 400	18 000	15 700	12 700	76,6	63,0	20 200	17 200			18,9
19,2	74,8	63,3	21 300	18 000	15 700	12 600	76,4	62,9	20 100	17 200	15 100		19,2
20,0	74,1	63,1	21 200	17 900	15 600	12 600	76,0	62,7	20 000	17 100	15 000		20,0
20,1	73,9	63,1	21 100	17 900	15 600	12 600	75,9	62,7	20 000	17 100	15 000	11 900	20,1
21,0	73,0	62,8	20 700	17 800	15 500	12 600	75,0	62,4	19 900	17 100	15 000	11 900	21,0
22,0	72,3	62,4	20 100	17 700	15 500	12 600	74,1	62,0	19 700	17 000	15 000	11 900	22,0
22,3	71,7	62,3	19 800	17 500	15 400	12 600	73,7	61,9	19 500	17 000	14 900	11 900	22,3
24,0	70,3	61,7	17 800	16 500	15 200	12 600	72,2	61,3	18 200	16 700	14 900	11 900	24,0
26,0	68,4	60,9	15 800	14 800	13 800	12 500	70,3	60,5	16 200	15 100	14 200	11 900	26,0
28,0	66,4	60,0	14 200	13 300	12 500	11 700	68,3	59,6	14 500	13 600	12 800	11 700	28,0
30,0	64,5	59,1	12 800	12 000	11 300	10 600	66,3	58,6	13 100	12 300	11 600	10 900	30,0
32,0	62,4	58,0	11 600	10 900	10 300	9 700	64,2	57,6	11 800	11 100	10 500	9 900	32,0
34,0	60,3	56,9	10 500	9 900	9 400	8 900	62,1	56,4	10 700	10 100	9 600	9 100	34,0
36,0	58,2	55,6	9 600	9 100	8 600	8 100	60,0	55,2	9 800	9 300	8 800	8 300	36,0
38,0	56,1	54,3	8 700	8 300	7 900	7 400	57,8	53,8	8 900	8 500	8 000	7 600	38,0
40,0	53,8	52,8	8 000	7 600	7 200	6 800	55,6	52,3	8 200	7 800	7 400	7 000	40,0
42,0	51,5	51,2	7 300	7 000	6 600	6 300	53,2	50,7	7 500	7 100	6 800	6 400	42,0
44,0	49,2	49,5	6 700	6 400	6 100	5 800	50,8	48,9	6 900	6 500	6 200	5 900	44,0
46,0	46,7	47,6	6 200	5 900	5 600	5 300	48,3	47,0	6 300	6 000	5 700	5 500	46,0
48,0	44,1	45,5	5 700	5 400	5 200	4 900	45,7	44,9	5 800	5 500	5 300	5 000	48,0
50,0	41,4	43,2	5 200	5 000	4 800	4 500	43,0	42,7	5 300	5 100	4 800	4 600	50,0
52,0	38,5	40,7	4 800	4 600	4 400	4 200	40,1	40,1	4 900	4 700	4 500	4 300	52,0
54,0	35,4	38,0	4 400	4 200	4 000	3 900	36,9	37,3	4 500	4 300	4 100	3 900	54,0
56,0	32,1	34,8	4 000	3 900	3 700	3 500	33,5	34,1	4 100	3 900	3 800	3 600	56,0
57,9	28,2	31,4	3 700	3 600	3 400	3 300	29,2	30,5	3 800	3 600	3 500	3 300	57,9
58,0	28,4	31,2	3 700	3 500	3 400		29,7	30,4	3 700	3 600	3 400	3 300	58,0
58,5	26,9	30,1	3 600	3 500	3 300		28,0	29,2	3 600	3 500	3 400	3 200	58,5
59,1	25,6	28,9	3 500	3 400			26,7	27,9	3 500	3 400	3 300		59,1
59,4	25,4	28,2	3 500				26,1	27,2	3 500	3 400			59,4
60,0							25,3	25,9	3 400				60,0

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



51,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,9							14,9
15,0							15,0
16,0							16,0
16,2							16,2
17,1							17,1
18,0							18,0
18,3							18,3
18,9	79,0	62,2	14 400				18,9
19,2	77,7	62,1	14 300				19,2
20,0	77,9	61,9	14 100				20,0
20,1	77,0	61,8	14 000	13 900			20,1
21,0	76,5	61,5	13 800	13 700	13 600		21,0
22,0	76,0	61,2	13 500	13 400	13 300		22,0
22,3	75,7	61,1	13 400	13 300	13 200	10 600	22,3
24,0	74,1	60,5	12 900	12 900	12 800	10 600	24,0
26,0	72,1	59,6	12 500	12 400	12 300	10 600	26,0
28,0	70,1	58,7	12 000	12 000	11 900	10 600	28,0
30,0	68,0	57,8	11 600	11 600	11 500	10 600	30,0
32,0	65,9	56,7	11 300	11 200	10 800	10 200	32,0
34,0	63,8	55,5	10 800	10 400	9 800	9 300	34,0
36,0	61,7	54,2	10 000	9 500	9 000	8 500	36,0
38,0	59,4	52,8	9 100	8 600	8 200	7 800	38,0
40,0	57,1	51,3	8 300	7 900	7 500	7 200	40,0
42,0	54,8	49,7	7 600	7 300	6 900	6 600	42,0
44,0	52,3	47,9	7 000	6 700	6 300	6 000	44,0
46,0	49,7	45,9	6 400	6 100	5 800	5 600	46,0
48,0	47,1	43,8	5 900	5 600	5 400	5 100	48,0
50,0	44,2	41,4	5 400	5 200	4 900	4 700	50,0
52,0	41,2	38,8	4 900	4 700	4 500	4 300	52,0
54,0	38,0	35,8	4 500	4 300	4 100	4 000	54,0
56,0	34,4	32,5	4 100	4 000	3 800	3 600	56,0
57,9	30,2	28,7	3 800	3 600	3 500	3 300	57,9
58,0	30,3	28,5	3 800	3 600	3 500	3 300	58,0
58,5	29,2	27,4	3 700	3 500	3 400	3 200	58,5
59,1							59,1
59,4							59,4
60,0							60,0

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

54,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,5	78,8	67,4	21 800										15,5
16,0	78,4	67,3	21 700										16,0
16,8	77,2	67,1	21 600	18 100									16,8
17,7	76,3	66,9	21 400	18 000	14 500		78,8	66,5	20 100				17,7
18,0	76,7	66,8	21 300	18 000	14 500		78,5	66,4	20 100				18,0
18,6	75,4	66,6	21 300	17 900	14 400		77,4	66,2	20 100	17 100			18,6
18,9	75,1	66,5	21 200	17 900	14 400	11 400	77,1	66,2	20 000	17 100			18,9
19,5	74,5	66,4	21 100	17 800	14 400	11 400	76,5	66,0	20 000	17 000			19,5
19,8	74,2	66,3	21 100	17 800	14 400	11 400	76,2	65,9	19 900	17 000	13 700		19,8
20,0	74,9	66,2	21 000	17 700	14 400	11 300	76,7	65,9	19 900	17 000	13 700		20,0
20,7	73,7	66,0	20 700	17 700	14 400	11 300	75,3	65,6	19 800	17 000	13 700		20,7
21,0	73,5	65,9	20 500	17 700	14 400	11 300	75,0	65,5	19 800	16 900	13 700	10 700	21,0
21,9	73,1	65,7	20 100	17 600	14 400	11 300	74,1	65,3	19 600	16 900	13 700	10 700	21,9
22,0	73,1	65,6	20 000	17 600	14 400	11 300	74,9	65,2	19 600	16 900	13 700	10 700	22,0
22,9	72,1	65,3	18 900	17 000	14 300	11 300	73,6	64,9	18 900	16 700	13 700	10 700	22,9
24,0	71,3	64,9	17 700	16 400	14 300	11 300	73,1	64,5	18 100	16 500	13 600	10 700	24,0
26,0	69,4	64,2	15 700	14 600	13 600	11 200	71,2	63,8	16 100	14 900	13 600	10 700	26,0
28,0	67,6	63,3	14 000	13 100	12 200	11 100	69,3	62,9	14 400	13 400	12 600	10 700	28,0
30,0	65,7	62,4	12 600	11 800	11 100	10 400	67,4	62,0	12 900	12 100	11 400	10 500	30,0
32,0	63,8	61,4	11 400	10 700	10 000	9 400	65,5	61,0	11 700	11 000	10 300	9 700	32,0
34,0	61,8	60,3	10 300	9 700	9 100	8 600	63,5	59,9	10 600	10 000	9 400	8 800	34,0
36,0	59,8	59,2	9 400	8 900	8 300	7 900	61,5	58,7	9 600	9 100	8 600	8 100	36,0
38,0	57,8	57,9	8 600	8 100	7 600	7 200	59,5	57,4	8 800	8 300	7 800	7 400	38,0
40,0	55,7	56,5	7 800	7 400	7 000	6 600	57,4	56,1	8 000	7 600	7 200	6 800	40,0
42,0	53,6	55,1	7 100	6 800	6 400	6 100	55,2	54,6	7 300	6 900	6 600	6 200	42,0
44,0	51,4	53,4	6 500	6 200	5 900	5 600	53,0	53,0	6 700	6 400	6 000	5 700	44,0
46,0	49,1	51,7	6 000	5 700	5 400	5 100	50,7	51,2	6 100	5 800	5 500	5 200	46,0
48,0	46,8	49,8	5 500	5 200	5 000	4 700	48,3	49,3	5 600	5 300	5 100	4 800	48,0
50,0	44,3	47,8	5 000	4 800	4 500	4 300	45,9	47,2	5 100	4 900	4 700	4 400	50,0
52,0	41,7	45,5	4 600	4 400	4 200	4 000	43,3	45,0	4 700	4 500	4 300	4 000	52,0
54,0	39,0	43,1	4 200	4 000	3 800	3 600	40,5	42,5	4 300	4 100	3 900	3 700	54,0
56,0	36,1	40,4	3 900	3 700	3 500	3 300	37,6	39,7	3 900	3 700	3 600	3 400	56,0
58,0	33,0	37,3	3 500	3 400	3 200	3 000	34,4	36,6	3 600	3 400	3 300	3 100	58,0
60,0	29,6	33,9	3 200	3 100	2 900	2 800	30,9	33,1	3 300	3 100	3 000	2 800	60,0
60,7	27,7	32,6	3 100	3 000	2 800	2 700	28,7	31,7	3 100	3 000	2 900	2 700	60,7
61,3	26,5	31,3	3 000	2 900	2 700		27,5	30,5	3 100	2 900	2 800	2 700	61,3
61,6	25,9	30,7	3 000	2 800			26,9	29,8	3 000	2 900	2 700		61,6
61,9	25,3	30,1	2 900				26,3	29,2	3 000	2 800	2 700		61,9
62,0	25,7	29,9	2 900				26,9	28,9	2 900	2 800			62,0
62,2	25,4	29,5	2 900				25,8	28,5	2 900	2 800			62,2
62,8							25,2	27,1	2 800				62,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

54,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,5							15,5
16,0							16,0
16,8							16,8
17,7							17,7
18,0							18,0
18,6							18,6
18,9							18,9
19,5	79,0	65,2	14 400				19,5
19,8	78,0	65,1	14 300				19,8
20,0	78,5	65,0	14 200				20,0
20,7	77,3	64,8	14 000	13 900			20,7
21,0	77,0	64,7	13 900	13 900			21,0
21,9	76,1	64,4	13 700	13 600	12 400		21,9
22,0	76,7	64,4	13 700	13 600	12 400		22,0
22,9	75,1	64,1	13 400	13 400	12 400	9 600	22,9
24,0	74,8	63,7	13 100	13 100	12 400	9 600	24,0
26,0	73,0	62,9	12 700	12 600	12 400	9 600	26,0
28,0	71,1	62,0	12 300	12 200	12 100	9 600	28,0
30,0	69,1	61,1	11 900	11 800	11 500	9 600	30,0
32,0	67,2	60,1	11 500	11 200	10 600	9 600	32,0
34,0	65,2	59,0	10 800	10 200	9 600	9 100	34,0
36,0	63,1	57,8	9 800	9 300	8 800	8 300	36,0
38,0	61,1	56,5	9 000	8 500	8 000	7 600	38,0
40,0	58,9	55,1	8 200	7 700	7 300	6 900	40,0
42,0	56,7	53,6	7 500	7 100	6 700	6 400	42,0
44,0	54,5	51,9	6 800	6 500	6 200	5 800	44,0
46,0	52,1	50,1	6 300	5 900	5 600	5 400	46,0
48,0	49,7	48,2	5 700	5 400	5 200	4 900	48,0
50,0	47,1	46,0	5 200	5 000	4 700	4 500	50,0
52,0	44,5	43,7	4 800	4 600	4 300	4 100	52,0
54,0	41,6	41,1	4 400	4 200	4 000	3 800	54,0
56,0	38,6	38,3	4 000	3 800	3 600	3 400	56,0
58,0	35,2	35,0	3 600	3 400	3 300	3 100	58,0
60,0	31,5	31,3	3 300	3 100	3 000	2 800	60,0
60,7	29,4	29,9	3 200	3 000	2 900	2 700	60,7
61,3	28,9	28,6	3 100	2 900	2 800	2 700	61,3
61,6							61,6
61,9							61,9
62,0							62,0
62,2							62,2
62,8							62,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


57,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,2	78,8	70,3	21 400										16,2
17,4	77,3	70,0	21 200	17 400									17,4
18,0	77,2	69,9	21 100	17 400									18,0
18,3	76,7	69,8	21 100	17 400			78,8	69,4	19 900				18,3
18,6	76,4	69,7	21 000	17 400	13 100		77,8	69,3	19 900				18,6
19,2	75,8	69,6	20 900	17 300	13 100		77,5	69,2	19 800	16 500			19,2
19,5	75,5	69,5	20 900	17 300	13 100	10 200	77,3	69,1	19 800	16 500			19,5
20,0	75,5	69,4	20 800	17 300	13 000	10 200	77,3	69,0	19 800	16 500			20,0
20,1	74,9	69,3	20 800	17 300	13 000	10 200	76,9	68,9	19 700	16 500			20,1
20,4	74,6	69,2	20 600	17 300	13 000	10 200	76,6	68,8	19 700	16 500	12 400		20,4
21,3	73,7	69,0	20 200	17 200	13 000	10 100	75,7	68,6	19 600	16 500	12 400		21,3
21,6	73,4	68,9	20 000	17 200	13 000	10 100	75,4	68,5	19 500	16 500	12 400	9 600	21,6
22,0	73,8	68,8	19 800	17 200	13 000	10 100	75,6	68,4	19 500	16 500	12 400	9 600	22,0
22,6	72,7	68,6	19 100	16 900	13 000	10 100	74,4	68,2	19 000	16 400	12 400	9 600	22,6
23,5	72,3	68,3	18 100	16 400	12 900	10 100	73,5	67,9	18 300	16 300	12 300	9 600	23,5
24,0	72,1	68,1	17 500	16 100	12 900	10 100	73,8	67,7	18 000	16 300	12 300	9 600	24,0
26,0	70,4	67,4	15 500	14 400	12 800	10 100	72,1	67,0	15 900	14 800	12 300	9 600	26,0
28,0	68,6	66,6	13 900	12 900	12 000	10 000	70,3	66,2	14 200	13 300	12 100	9 500	28,0
30,0	66,8	65,7	12 500	11 600	10 900	9 900	68,5	65,3	12 800	11 900	11 200	9 500	30,0
32,0	65,0	64,8	11 200	10 500	9 800	9 200	66,7	64,3	11 500	10 800	10 100	9 500	32,0
34,0	63,1	63,8	10 200	9 500	9 000	8 400	64,8	63,3	10 500	9 800	9 200	8 600	34,0
36,0	61,3	62,6	9 200	8 700	8 200	7 700	62,9	62,2	9 500	8 900	8 400	7 900	36,0
38,0	59,4	61,5	8 400	7 900	7 400	7 000	61,0	61,0	8 600	8 100	7 700	7 200	38,0
40,0	57,4	60,2	7 700	7 200	6 800	6 400	59,0	59,7	7 900	7 400	7 000	6 600	40,0
42,0	55,4	58,8	7 000	6 600	6 200	5 900	57,0	58,3	7 200	6 800	6 400	6 000	42,0
44,0	53,4	57,3	6 400	6 000	5 700	5 400	54,9	56,8	6 600	6 200	5 900	5 500	44,0
46,0	51,2	55,7	5 800	5 500	5 200	4 900	52,8	55,2	6 000	5 700	5 400	5 100	46,0
48,0	49,1	53,9	5 400	5 100	4 800	4 500	50,6	53,4	5 500	5 200	4 900	4 600	48,0
50,0	46,8	52,1	4 900	4 600	4 400	4 100	48,3	51,5	5 000	4 800	4 500	4 300	50,0
52,0	44,5	50,0	4 500	4 200	4 000	3 800	46,0	49,5	4 600	4 300	4 100	3 900	52,0
54,0	42,0	47,8	4 100	3 900	3 700	3 500	43,5	47,2	4 200	4 000	3 800	3 500	54,0
56,0	39,5	45,4	3 700	3 500	3 300	3 200	40,9	44,8	3 800	3 600	3 400	3 200	56,0
58,0	36,7	42,7	3 400	3 200	3 000	2 900	38,1	42,1	3 500	3 300	3 100	2 900	58,0
60,0	33,8	39,8	3 100	2 900	2 800	2 600	35,1	39,0	3 100	3 000	2 800	2 700	60,0
62,0	30,6	36,4	2 800	2 600	2 500	2 400	31,9	35,7	2 800	2 700	2 500	2 400	62,0
63,4	27,9	33,8	2 600	2 400	2 300	2 200	28,9	32,9	2 600	2 500	2 400	2 200	63,4
63,7	27,5	33,2	2 500	2 400	2 300		28,5	32,3	2 600	2 400	2 300	2 200	63,7
64,0	27,1	32,6	2 500	2 400	2 200		28,2	31,7	2 500	2 400	2 300	2 100	64,0
64,3	26,3	32,0	2 500	2 300			27,4	31,0	2 500	2 400	2 200		64,3
64,6	25,7	31,3	2 400				26,8	30,3	2 400	2 300	2 200		64,6
64,9	25,3	30,7	2 400				26,2	29,6	2 400	2 300			64,9
65,5							25,1	28,2	2 300				65,5

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

57,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,2							16,2
17,4							17,4
18,0							18,0
18,3							18,3
18,6							18,6
19,2							19,2
19,5							19,5
20,0							20,0
20,1	78,9	68,1	14 400				20,1
20,4	77,8	68,0	14 300				20,4
21,3	77,4	67,7	14 000	13 900			21,3
21,6	77,2	67,6	14 000	13 900			21,6
22,0	77,3	67,5	13 800	13 800			22,0
22,6	76,4	67,3	13 700	13 600	11 300		22,6
23,5	75,5	67,0	13 500	13 400	11 300	8 700	23,5
24,0	75,5	66,8	13 300	13 300	11 300	8 700	24,0
26,0	73,7	66,1	12 900	12 800	11 300	8 700	26,0
28,0	71,9	65,3	12 500	12 400	11 300	8 700	28,0
30,0	70,1	64,4	12 000	12 000	11 200	8 700	30,0
32,0	68,3	63,4	11 700	11 100	10 400	8 700	32,0
34,0	66,4	62,4	10 700	10 100	9 400	8 600	34,0
36,0	64,5	61,3	9 700	9 100	8 600	8 100	36,0
38,0	62,5	60,0	8 800	8 300	7 900	7 400	38,0
40,0	60,5	58,7	8 100	7 600	7 200	6 800	40,0
42,0	58,4	57,3	7 400	7 000	6 600	6 200	42,0
44,0	56,3	55,8	6 700	6 400	6 000	5 700	44,0
46,0	54,2	54,1	6 100	5 800	5 500	5 200	46,0
48,0	51,9	52,3	5 600	5 300	5 000	4 800	48,0
50,0	49,6	50,4	5 100	4 900	4 600	4 400	50,0
52,0	47,2	48,3	4 700	4 400	4 200	4 000	52,0
54,0	44,6	46,0	4 300	4 000	3 800	3 600	54,0
56,0	41,9	43,4	3 900	3 700	3 500	3 300	56,0
58,0	39,1	40,6	3 500	3 300	3 200	3 000	58,0
60,0	36,0	37,5	3 200	3 000	2 900	2 700	60,0
62,0	32,5	33,9	2 800	2 700	2 600	2 400	62,0
63,4	29,5	31,1	2 600	2 500	2 400	2 200	63,4
63,7	29,3	30,5	2 600	2 500	2 300	2 200	63,7
64,0							64,0
64,3							64,3
64,6							64,6
64,9							64,9
65,5							65,5

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


60,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	78,8	73,2	21 000										16,8
18,0	77,8	73,0	20 800	15 800									18,0
18,6	76,7	72,8	20 700	15 700			79,0	72,4	19 700				18,6
19,2	76,4	72,7	20 700	15 700	11 800		77,6	72,3	19 600				19,2
19,8	76,1	72,5	20 600	15 700	11 800		77,1	72,1	19 600	15 000			19,8
20,0	76,2	72,5	20 600	15 700	11 800		77,8	72,1	19 500	14 900			20,0
20,4	75,6	72,4	20 400	15 600	11 800	9 100	76,8	72,0	19 500	14 900			20,4
20,7	75,3	72,3	20 200	15 600	11 700	9 100	76,7	71,9	19 500	14 900			20,7
21,0	75,0	72,2	20 100	15 600	11 700	9 100	76,5	71,8	19 400	14 900	11 200		21,0
21,9	74,1	71,9	19 700	15 600	11 700	9 000	76,1	71,5	19 300	14 900	11 200		21,9
22,0	74,5	71,9	19 600	15 600	11 700	9 000	76,2	71,5	19 300	14 900	11 200		22,0
22,3	73,7	71,8	19 300	15 600	11 700	9 000	75,7	71,4	19 100	14 900	11 200	8 600	22,3
23,2	72,8	71,5	18 300	15 500	11 700	9 000	74,8	71,1	18 400	14 800	11 100	8 600	23,2
24,0	72,9	71,3	17 400	15 500	11 600	9 000	74,5	70,9	17 800	14 800	11 100	8 500	24,0
24,4	71,8	71,2	17 000	15 200	11 600	9 000	73,6	70,7	17 400	14 800	11 100	8 500	24,4
26,0	71,2	70,6	15 400	14 200	11 600	8 900	72,8	70,2	15 800	14 600	11 100	8 500	26,0
28,0	69,5	69,8	13 700	12 700	11 400	8 900	71,2	69,4	14 100	13 100	11 000	8 500	28,0
30,0	67,8	69,0	12 300	11 400	10 600	8 900	69,4	68,6	12 600	11 800	10 800	8 500	30,0
32,0	66,1	68,1	11 100	10 300	9 600	8 800	67,7	67,7	11 400	10 600	9 900	8 400	32,0
34,0	64,4	67,2	10 000	9 400	8 700	8 200	65,9	66,7	10 300	9 600	9 000	8 300	34,0
36,0	62,6	66,1	9 100	8 500	7 900	7 400	64,2	65,7	9 300	8 700	8 200	7 700	36,0
38,0	60,8	65,0	8 200	7 700	7 200	6 800	62,3	64,5	8 500	7 900	7 400	7 000	38,0
40,0	58,9	63,8	7 500	7 000	6 600	6 200	60,5	63,3	7 700	7 200	6 800	6 400	40,0
42,0	57,1	62,5	6 800	6 400	6 000	5 600	58,6	62,0	7 000	6 600	6 200	5 800	42,0
44,0	55,1	61,1	6 200	5 800	5 500	5 200	56,7	60,6	6 400	6 000	5 700	5 300	44,0
46,0	53,2	59,5	5 700	5 300	5 000	4 700	54,7	59,1	5 800	5 500	5 200	4 900	46,0
48,0	51,1	57,9	5 200	4 900	4 600	4 300	52,6	57,4	5 300	5 000	4 700	4 400	48,0
50,0	49,0	56,2	4 700	4 400	4 200	3 900	50,5	55,7	4 900	4 600	4 300	4 000	50,0
52,0	46,9	54,3	4 300	4 000	3 800	3 600	48,3	53,8	4 400	4 200	3 900	3 700	52,0
54,0	44,7	52,3	3 900	3 700	3 500	3 200	46,1	51,7	4 000	3 800	3 600	3 300	54,0
56,0	42,3	50,1	3 500	3 300	3 100	2 900	43,7	49,5	3 600	3 400	3 200	3 000	56,0
58,0	39,9	47,7	3 200	3 000	2 800	2 600	41,2	47,1	3 300	3 100	2 900	2 700	58,0
60,0	37,3	45,1	2 900	2 700	2 600	2 400	38,6	44,4	3 000	2 800	2 600	2 400	60,0
62,0	34,5	42,2	2 600	2 400	2 300	2 100	35,8	41,5	2 700	2 500	2 300	2 200	62,0
64,0	31,5	39,0	2 300	2 100	2 000	1 800	32,8	38,2	2 400	2 200	2 000	1 900	64,0
66,0	28,3	35,4	2 000	1 900	1 700	1 500	29,4	34,5	2 100	1 900	1 800	1 600	66,0
66,1	27,7	35,1	2 000	1 800	1 700	1 500	28,7	34,2	2 000	1 900	1 700	1 600	66,1
66,5	27,2	34,4	2 000	1 800	1 600		28,1	33,5	2 000	1 800	1 700	1 500	66,5
66,8	26,7	33,8	1 900	1 800			27,5	32,9	2 000	1 800	1 600	1 500	66,8
67,1	26,1	33,2	1 900	1 700			26,9	32,2	1 900	1 800	1 600		67,1
67,7	25,3	31,9	1 800				25,7	30,9	1 800	1 700			67,7
68,0							25,6	30,2	1 800				68,0
68,3							25,1	29,5	1 700				68,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

60,0 m

12,2 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,8							16,8
18,0							18,0
18,6							18,6
19,2							19,2
19,8							19,8
20,0							20,0
20,4							20,4
20,7	78,9	71,0	14 300				20,7
21,0	77,8	70,9	14 300				21,0
21,9	77,1	70,7	14 100	13 600			21,9
22,0	77,8	70,7	14 000	13 600			22,0
22,3	76,9	70,6	14 000	13 600			22,3
23,2	76,4	70,3	13 700	13 500	10 200		23,2
24,0	76,2	70,0	13 500	13 400	10 200		24,0
24,4	75,6	69,9	13 400	13 300	10 200	7 800	24,4
26,0	74,5	69,3	13 100	13 000	10 200	7 800	26,0
28,0	72,8	68,5	12 600	12 600	10 200	7 800	28,0
30,0	71,0	67,7	12 300	12 000	10 200	7 700	30,0
32,0	69,3	66,8	11 700	10 900	10 200	7 700	32,0
34,0	67,5	65,8	10 600	9 900	9 200	7 700	34,0
36,0	65,7	64,7	9 600	9 000	8 400	7 700	36,0
38,0	63,8	63,6	8 700	8 200	7 700	7 200	38,0
40,0	61,9	62,3	7 900	7 400	7 000	6 600	40,0
42,0	60,0	61,0	7 200	6 800	6 400	6 000	42,0
44,0	58,0	59,6	6 600	6 200	5 800	5 500	44,0
46,0	56,0	58,0	6 000	5 600	5 300	5 000	46,0
48,0	53,9	56,4	5 500	5 100	4 800	4 600	48,0
50,0	51,8	54,6	5 000	4 700	4 400	4 100	50,0
52,0	49,5	52,6	4 500	4 300	4 000	3 800	52,0
54,0	47,2	50,5	4 100	3 900	3 600	3 400	54,0
56,0	44,8	48,3	3 700	3 500	3 300	3 100	56,0
58,0	42,3	45,8	3 400	3 200	3 000	2 800	58,0
60,0	39,5	43,0	3 000	2 800	2 700	2 500	60,0
62,0	36,6	40,0	2 700	2 500	2 400	2 200	62,0
64,0	33,5	36,6	2 400	2 300	2 100	1 900	64,0
66,0	29,9	32,7	2 100	1 900	1 800	1 600	66,0
66,1	29,0	32,3	2 100	1 900	1 700	1 600	66,1
66,5	29,1	31,7	2 000	1 900	1 700	1 500	66,5
66,8							66,8
67,1							67,1
67,7							67,7
68,0							68,0
68,3							68,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

63,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,1	79,0	76,3	19 300										17,1
18,0	78,3	76,1	19 200										18,0
18,6	77,4	75,9	19 200	14 200									18,6
19,2	76,8	75,8	19 200	14 200			78,9	75,4	18 400				19,2
19,8	76,2	75,6	19 100	14 100	10 600		78,0	75,2	18 400				19,8
20,0	76,7	75,6	19 100	14 100	10 600		78,3	75,2	18 300				20,0
20,4	75,8	75,5	19 000	14 100	10 600		77,6	75,1	18 300	13 500			20,4
21,0	75,5	75,3	18 900	14 100	10 600	8 100	77,0	74,9	18 300	13 500			21,0
21,3	75,4	75,2	18 900	14 000	10 500	8 100	76,7	74,8	18 200	13 400			21,3
21,9	75,1	75,0	18 800	14 000	10 500	8 000	76,1	74,6	18 200	13 400	10 100		21,9
22,0	75,2	75,0	18 800	14 000	10 500	8 000	76,7	74,6	18 200	13 400	10 100		22,0
22,6	74,4	74,8	18 300	14 000	10 500	8 000	75,7	74,4	18 000	13 400	10 100		22,6
23,2	73,8	74,7	17 800	14 000	10 500	8 000	75,4	74,3	17 800	13 400	10 000	7 600	23,2
23,8	73,2	74,5	17 400	13 900	10 500	8 000	75,1	74,1	17 500	13 300	10 000	7 600	23,8
24,0	73,6	74,4	17 200	13 900	10 500	8 000	75,2	74,0	17 500	13 300	10 000	7 600	24,0
25,0	72,0	74,1	16 200	13 900	10 400	8 000	74,0	73,7	16 600	13 300	10 000	7 600	25,0
26,0	72,0	73,8	15 200	13 800	10 400	7 900	73,6	73,4	15 600	13 300	10 000	7 600	26,0
28,0	70,4	73,0	13 600	12 500	10 300	7 900	71,9	72,6	14 000	12 900	9 900	7 500	28,0
30,0	68,8	72,3	12 100	11 200	10 200	7 800	70,3	71,8	12 500	11 600	9 900	7 500	30,0
32,0	67,1	71,4	10 900	10 100	9 400	7 800	68,7	71,0	11 200	10 400	9 700	7 500	32,0
34,0	65,4	70,5	9 900	9 200	8 500	7 700	67,0	70,0	10 100	9 400	8 800	7 400	34,0
36,0	63,8	69,5	8 900	8 300	7 700	7 200	65,3	69,0	9 200	8 600	8 000	7 300	36,0
38,0	62,0	68,4	8 100	7 500	7 000	6 500	63,6	68,0	8 300	7 800	7 300	6 800	38,0
40,0	60,3	67,3	7 300	6 800	6 400	6 000	61,8	66,8	7 600	7 100	6 600	6 200	40,0
42,0	58,5	66,0	6 700	6 200	5 800	5 400	60,0	65,6	6 900	6 400	6 000	5 600	42,0
44,0	56,7	64,7	6 100	5 700	5 300	4 900	58,2	64,2	6 300	5 900	5 500	5 100	44,0
46,0	54,9	63,3	5 500	5 200	4 800	4 500	56,3	62,8	5 700	5 300	5 000	4 700	46,0
48,0	53,0	61,8	5 000	4 700	4 400	4 100	54,4	61,3	5 200	4 800	4 500	4 200	48,0
50,0	51,0	60,2	4 500	4 300	4 000	3 700	52,4	59,6	4 700	4 400	4 100	3 800	50,0
52,0	49,0	58,4	4 100	3 900	3 600	3 400	50,4	57,9	4 300	4 000	3 700	3 500	52,0
54,0	46,9	56,5	3 700	3 500	3 300	3 000	48,3	56,0	3 900	3 600	3 400	3 100	54,0
56,0	44,8	54,5	3 400	3 200	2 900	2 700	46,2	54,0	3 500	3 300	3 000	2 800	56,0
58,0	42,6	52,3	3 000	2 800	2 600	2 400	43,9	51,8	3 100	2 900	2 700	2 500	58,0
60,0	40,2	50,0	2 700	2 500	2 300	2 100	41,5	49,4	2 800	2 600	2 400	2 200	60,0
62,0	37,8	47,4	2 400	2 200	2 000	1 800	39,0	46,8	2 500	2 300	2 100	1 900	62,0
64,0	35,2	44,6	2 100	1 900	1 700	1 500	36,4	43,9	2 200	2 000	1 800	1 600	64,0
65,5	32,7	42,2	1 900	1 700	1 500	1 300	33,7	41,5	1 900	1 800	1 600	1 400	65,5
66,0	32,4	41,5	1 800	1 600			33,5	40,7	1 900	1 700	1 500		66,0
67,1	30,4	39,6	1 600	1 500			31,4	38,8	1 700	1 500	1 400		67,1
68,0	29,3	38,0	1 500				30,4	37,2	1 600	1 400			68,0
68,6	28,4	36,9	1 400				29,5	36,0	1 500	1 300			68,6
68,9													68,9

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

63,0 m

12,2 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,1							17,1
18,0							18,0
18,6							18,6
19,2							19,2
19,8							19,8
20,0							20,0
20,4							20,4
21,0							21,0
21,3	78,9	74,0	14 300				21,3
21,9	78,0	73,8	14 200				21,9
22,0	78,3	73,8	14 200				22,0
22,6	77,4	73,6	14 000	12 400			22,6
23,2	76,8	73,4	13 900	12 300			23,2
23,8	76,2	73,2	13 700	12 300	9 200		23,8
24,0	76,7	73,2	13 700	12 300	9 200		24,0
25,0	75,5	72,8	13 500	12 300	9 200	7 000	25,0
26,0	75,1	72,5	13 200	12 300	9 200	6 900	26,0
28,0	73,5	71,7	12 800	12 200	9 200	6 900	28,0
30,0	71,8	70,9	12 400	11 800	9 200	6 900	30,0
32,0	70,2	70,1	11 500	10 700	9 200	6 900	32,0
34,0	68,5	69,1	10 400	9 700	9 000	6 900	34,0
36,0	66,7	68,1	9 400	8 800	8 200	6 900	36,0
38,0	65,0	67,0	8 600	8 000	7 500	6 800	38,0
40,0	63,2	65,8	7 800	7 300	6 800	6 400	40,0
42,0	61,4	64,6	7 100	6 600	6 200	5 800	42,0
44,0	59,5	63,2	6 400	6 000	5 600	5 300	44,0
46,0	57,6	61,8	5 800	5 500	5 100	4 800	46,0
48,0	55,7	60,2	5 300	5 000	4 700	4 400	48,0
50,0	53,7	58,6	4 800	4 500	4 200	4 000	50,0
52,0	51,6	56,8	4 400	4 100	3 800	3 600	52,0
54,0	49,5	54,8	4 000	3 700	3 500	3 200	54,0
56,0	47,3	52,8	3 600	3 400	3 100	2 900	56,0
58,0	44,9	50,5	3 200	3 000	2 800	2 600	58,0
60,0	42,5	48,0	2 900	2 700	2 500	2 300	60,0
62,0	39,9	45,4	2 600	2 400	2 200	2 000	62,0
64,0	37,2	42,4	2 200	2 000	1 800	1 700	64,0
65,5	34,7	39,9	2 000	1 800	1 600	1 400	65,5
66,0	34,2	39,1	1 900	1 700	1 500		66,0
67,1	31,9	37,1	1 700	1 600	1 400		67,1
68,0	31,0	35,4	1 600	1 400			68,0
68,6	29,3	34,1	1 500	1 300			68,6
68,9	29,4	33,5	1 400				68,9

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

66,0 m


12,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,7	79,0	79,2	17 500										17,7
18,0	78,7	79,1	17 500										18,0
19,2	77,4	78,8	17 400	12 700									19,2
19,8	77,1	78,7	17 300	12 700			78,9	78,3	16 700				19,8
20,0	77,2	78,6	17 300	12 700			78,8	78,2	16 700				20,0
20,4	76,6	78,5	17 300	12 700	9 500		77,8	78,1	16 700				20,4
21,3	75,7	78,3	17 200	12 600	9 500		77,4	77,9	16 600	12 100			21,3
21,9	75,1	78,1	17 200	12 600	9 400	7 100	77,1	77,7	16 600	12 000			21,9
22,0	75,7	78,1	17 200	12 600	9 400	7 100	77,3	77,7	16 600	12 000			22,0
22,6	74,7	77,9	17 000	12 500	9 400	7 100	76,4	77,5	16 500	12 000	9 000		22,6
23,2	74,4	77,8	16 900	12 500	9 400	7 100	75,8	77,4	16 500	12 000	9 000		23,2
23,8	74,1	77,6	16 800	12 500	9 400	7 000	75,2	77,2	16 500	12 000	9 000	6 700	23,8
24,0	74,2	77,6	16 700	12 500	9 400	7 000	75,7	77,1	16 400	12 000	9 000	6 700	24,0
24,4	73,6	77,4	16 400	12 400	9 300	7 000	74,8	77,0	16 300	11 900	8 900	6 700	24,4
25,9	72,1	77,0	15 100	12 400	9 300	7 000	74,1	76,5	15 600	11 900	8 900	6 700	25,9
26,0	72,7	76,9	15 100	12 400	9 300	7 000	74,2	76,5	15 500	11 900	8 900	6 700	26,0
28,0	71,2	76,2	13 400	12 100	9 200	6 900	72,7	75,8	13 800	11 800	8 800	6 600	28,0
30,0	69,6	75,5	12 000	11 000	9 200	6 900	71,1	75,1	12 400	11 300	8 800	6 600	30,0
32,0	68,0	74,7	10 700	9 900	9 100	6 800	69,5	74,2	11 100	10 200	8 800	6 600	32,0
34,0	66,4	73,8	9 700	9 000	8 300	6 800	67,9	73,3	10 000	9 300	8 500	6 500	34,0
36,0	64,8	72,8	8 700	8 100	7 500	6 800	66,3	72,4	9 000	8 400	7 800	6 500	36,0
38,0	63,2	71,8	7 900	7 300	6 800	6 300	64,7	71,4	8 200	7 600	7 000	6 400	38,0
40,0	61,5	70,7	7 200	6 700	6 200	5 700	63,0	70,3	7 400	6 900	6 400	5 900	40,0
42,0	59,9	69,5	6 500	6 000	5 600	5 200	61,3	69,1	6 700	6 200	5 800	5 400	42,0
44,0	58,1	68,3	5 900	5 500	5 100	4 700	59,6	67,8	6 100	5 700	5 300	4 900	44,0
46,0	56,4	67,0	5 300	5 000	4 600	4 300	57,8	66,5	5 500	5 100	4 800	4 400	46,0
48,0	54,6	65,5	4 800	4 500	4 200	3 900	56,0	65,0	5 000	4 700	4 300	4 000	48,0
50,0	52,8	64,0	4 400	4 100	3 800	3 500	54,2	63,5	4 500	4 200	3 900	3 600	50,0
52,0	50,9	62,4	3 900	3 700	3 400	3 100	52,3	61,9	4 100	3 800	3 500	3 300	52,0
54,0	49,0	60,6	3 600	3 300	3 100	2 800	50,3	60,1	3 700	3 400	3 200	2 900	54,0
56,0	47,0	58,8	3 200	3 000	2 700	2 400	48,3	58,2	3 300	3 100	2 800	2 600	56,0
58,0	44,9	56,8	2 900	2 600	2 400	2 100	46,2	56,2	3 000	2 700	2 500	2 200	58,0
60,0	42,8	54,6	2 500	2 300	2 000	1 800	44,1	54,0	2 600	2 400	2 200	1 900	60,0
62,0	40,5	52,3	2 200	1 900	1 700	1 500	41,8	51,6	2 300	2 100	1 800	1 600	62,0
62,5	39,5	51,7	2 100	1 900	1 700	1 400	40,5	51,0	2 200	2 000	1 800	1 500	62,5
64,0	38,2	49,7	1 800	1 600	1 400		39,4	49,1	1 900	1 700	1 500	1 300	64,0
65,5	35,7	47,6	1 600	1 400			36,7	46,9	1 700	1 500			65,5
66,0	35,7	47,0	1 500				36,9	46,3	1 600				66,0
67,1	34,3	45,4	1 400				35,5	44,7	1 500				67,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

66,0 m



12,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,7							17,7
18,0							18,0
19,2							19,2
19,8							19,8
20,0							20,0
20,4							20,4
21,3							21,3
21,9	78,9	76,9	14 300				21,9
22,0	78,8	76,9	14 300				22,0
22,6	77,7	76,7	14 200				22,6
23,2	77,4	76,5	14 000	11 100			23,2
23,8	77,1	76,3	13 900	11 100			23,8
24,0	77,3	76,3	13 800	11 100			24,0
24,4	76,6	76,1	13 800	11 100	8 300		24,4
25,9	75,1	75,7	13 400	11 100	8 200	6 200	25,9
26,0	75,7	75,6	13 400	11 000	8 200	6 200	26,0
28,0	74,2	74,9	13 000	11 000	8 200	6 100	28,0
30,0	72,6	74,2	12 500	11 000	8 100	6 100	30,0
32,0	71,0	73,3	11 400	10 600	8 100	6 100	32,0
34,0	69,3	72,4	10 300	9 600	8 100	6 100	34,0
36,0	67,7	71,5	9 300	8 600	7 900	6 000	36,0
38,0	66,0	70,4	8 400	7 800	7 300	6 000	38,0
40,0	64,4	69,3	7 600	7 100	6 600	5 900	40,0
42,0	62,6	68,1	6 900	6 500	6 000	5 600	42,0
44,0	60,9	66,8	6 300	5 900	5 500	5 100	44,0
46,0	59,1	65,5	5 700	5 300	5 000	4 600	46,0
48,0	57,3	64,0	5 200	4 800	4 500	4 200	48,0
50,0	55,4	62,4	4 700	4 400	4 100	3 800	50,0
52,0	53,5	60,8	4 200	3 900	3 700	3 400	52,0
54,0	51,5	59,0	3 800	3 500	3 300	3 000	54,0
56,0	49,4	57,0	3 400	3 200	2 900	2 700	56,0
58,0	47,3	55,0	3 100	2 800	2 600	2 300	58,0
60,0	45,1	52,7	2 700	2 500	2 300	2 000	60,0
62,0	42,8	50,3	2 400	2 100	1 900	1 700	62,0
62,5	41,5	49,7	2 300	2 100	1 800	1 600	62,5
64,0	40,3	47,7	2 000	1 800	1 600	1 400	64,0
65,5	37,7	45,5	1 800	1 600	1 400		65,5
66,0	37,7	44,8	1 700	1 500			66,0
67,1	36,3	43,1	1 500	1 300			67,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


27,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,3	78,7	43,8	19 600										11,3
11,9	77,1	43,6	19 400	16 200									11,9
12,0	77,7	43,6	19 400	16 200									12,0
12,8	76,2	43,4	19 100	16 000	13 800								12,8
13,0	76,3	43,3	19 100	16 000	13 800								13,0
13,4	75,2	43,2	18 900	15 900	13 700	12 100							13,4
13,7	74,6	43,1	18 800	15 800	13 700	12 100	78,9	42,7	17 600				13,7
14,0	74,9	43,0	18 800	15 700	13 600	12 100	78,5	42,7	17 500				14,0
14,6	73,4	42,8	18 600	15 600	13 500	12 000	77,4	42,5	17 400	14 800			14,6
15,0	73,5	42,7	18 400	15 500	13 500	11 900	77,1	42,3	17 300	14 700			15,0
15,2	72,8	42,6	18 400	15 500	13 400	11 900	76,6	42,2	17 300	14 700	12 800		15,2
15,8	72,2	42,4	18 200	15 400	13 400	11 800	75,4	42,0	17 100	14 600	12 800	11 400	15,8
16,0	72,1	42,4	18 200	15 300	13 300	11 800	75,7	42,0	17 100	14 600	12 800	11 400	16,0
16,5	71,3	42,2	18 000	15 200	13 200	11 700	74,3	41,8	17 000	14 500	12 700	11 300	16,5
17,1	70,4	41,9	17 900	15 100	13 200	11 700	73,4	41,5	16 900	14 400	12 600	11 300	17,1
17,7	69,5	41,7	17 700	15 000	13 100	11 600	72,5	41,3	16 700	14 400	12 600	11 200	17,7
18,0	69,2	41,6	17 600	14 900	13 000	11 600	72,8	41,2	16 700	14 300	12 600	11 200	18,0
18,3	68,6	41,4	17 500	14 900	13 000	11 500	71,6	41,0	16 600	14 300	12 500	11 200	18,3
20,0	66,3	40,7	17 100	14 600	12 700	11 300	69,8	40,2	16 000	14 100	12 400	11 100	20,0
22,0	63,3	39,6	16 600	14 200	12 500	11 100	66,7	39,2	14 800	13 800	12 200	10 900	22,0
24,0	60,2	38,4	16 200	13 900	12 300	10 900	63,6	38,0	13 900	13 600	12 000	10 800	24,0
26,0	57,0	37,1	15 700	13 600	12 000	10 800	60,3	36,6	13 000	13 000	11 900	10 700	26,0
28,0	53,6	35,6	15 100	13 400	11 800	10 600	56,9	35,1	12 300	12 200	11 800	10 600	28,0
30,0	50,1	33,9	14 100	13 100	11 600	10 400	53,4	33,4	11 700	11 600	11 500	10 500	30,0
32,0	46,4	32,0	12 900	12 500	11 500	10 300	49,6	31,4	11 100	11 000	11 000	10 400	32,0
34,0	42,4	29,7	11 900	11 500	11 100	10 200	45,5	29,2	10 600	10 500	10 500	10 300	34,0
36,0	38,0	27,2	11 000	10 700	10 400	10 000	41,1	26,5	10 100	10 100	10 000	10 000	36,0
38,0	33,2	24,1	10 100	9 900	9 600	9 400	36,1	23,4	9 800	9 700	9 700	9 500	38,0
39,6	28,1	21,1	9 500	9 300	9 100	8 900	31,1	20,2	9 400	9 300	9 100	8 900	39,6
39,9	27,2	20,5	9 400	9 200	9 000		30,2	19,6	9 400	9 200	9 000	8 800	39,9
40,0	27,5	20,4	9 400	9 200			30,1	19,5	9 400	9 200	9 000	8 800	40,0
40,2	26,1	19,9	9 300	9 100			29,2	18,9	9 300	9 100	8 900	8 800	40,2
40,5	25,7	19,2	9 200				28,1	18,2	9 200	9 000	8 800	8 700	40,5
40,8							27,1	17,4	9 100	8 900	8 800		40,8
41,2							26,0	16,7	9 000				41,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



27,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
11,3							11,3
11,9							11,9
12,0							12,0
12,8							12,8
13,0							13,0
13,4							13,4
13,7							13,7
14,0							14,0
14,6							14,6
15,0							15,0
15,2							15,2
15,8							15,8
16,0							16,0
16,5	78,7	40,9	11 800				16,5
17,1	77,2	40,7	11 500	11 400			17,1
17,7	76,4	40,4	11 300	11 200	11 100		17,7
18,0	76,4	40,3	11 200	11 100	11 000		18,0
18,3	75,6	40,2	11 100	11 000	10 900	9 900	18,3
20,0	73,3	39,4	10 500	10 400	10 300	9 800	20,0
22,0	70,2	38,3	9 900	9 800	9 800	9 600	22,0
24,0	67,0	37,1	9 400	9 300	9 300	9 200	24,0
26,0	63,6	35,7	9 000	8 900	8 800	8 800	26,0
28,0	60,1	34,1	8 600	8 500	8 500	8 400	28,0
30,0	56,4	32,3	8 200	8 200	8 100	8 100	30,0
32,0	52,5	30,3	7 900	7 800	7 800	7 700	32,0
34,0	48,3	27,9	7 600	7 600	7 500	7 500	34,0
36,0	43,6	25,1	7 400	7 400	7 300	7 300	36,0
38,0	38,2	21,8	7 200	7 200	7 200	7 100	38,0
39,6	32,3	18,3	7 100	7 100	7 100	7 000	39,6
39,9	31,2	17,6	7 100	7 100	7 000	7 000	39,9
40,0	31,7	17,5	7 100	7 100	7 000	7 000	40,0
40,2	30,1	16,8	7 100	7 100	7 000	7 000	40,2
40,5	29,5	16,0	7 100	7 100	7 000	7 000	40,5
40,8							40,8
41,2							41,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


30,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,9	78,7	46,7	19 500										11,9
12,0	78,5	46,7	19 500										12,0
12,5	77,5	46,6	19 300	16 100									12,5
13,0	77,2	46,4	19 200	16 000									13,0
13,4	76,2	46,3	19 000	15 900	13 800								13,4
14,0	75,9	46,2	18 900	15 800	13 700	12 100							14,0
14,3	74,7	46,1	18 800	15 800	13 600	12 000	78,9	45,7	17 500				14,3
15,0	74,6	45,9	18 600	15 600	13 500	12 000	78,0	45,5	17 400				15,0
15,2	73,8	45,8	18 500	15 600	13 500	11 900	76,8	45,4	17 300	14 700			15,2
15,8	73,2	45,6	18 400	15 500	13 400	11 900	76,2	45,2	17 200	14 700	12 800		15,8
16,0	73,3	45,5	18 300	15 400	13 400	11 800	76,7	45,1	17 200	14 600	12 800		16,0
16,8	71,8	45,2	18 100	15 300	13 300	11 700	74,8	44,8	17 000	14 500	12 700	11 300	16,8
17,1	71,4	45,1	18 000	15 200	13 200	11 700	74,4	44,7	17 000	14 500	12 700	11 300	17,1
17,7	70,5	44,9	17 900	15 100	13 100	11 600	73,5	44,5	16 900	14 400	12 600	11 200	17,7
18,0	70,7	44,8	17 800	15 100	13 100	11 600	74,0	44,4	16 800	14 400	12 600	11 200	18,0
18,3	69,6	44,7	17 700	15 000	13 100	11 600	72,7	44,3	16 700	14 300	12 600	11 200	18,3
19,2	68,2	44,3	17 500	14 800	12 900	11 500	71,8	43,9	16 500	14 200	12 500	11 100	19,2
20,0	68,0	44,0	17 300	14 700	12 800	11 400	71,2	43,5	16 400	14 100	12 400	11 100	20,0
22,0	65,2	43,0	16 800	14 400	12 600	11 200	68,4	42,6	15 400	13 900	12 300	11 000	22,0
24,0	62,3	41,9	16 400	14 100	12 300	11 000	65,6	41,5	14 500	13 700	12 100	10 800	24,0
26,0	59,4	40,7	16 000	13 800	12 100	10 800	62,6	40,2	13 600	13 500	12 000	10 700	26,0
28,0	56,4	39,3	15 300	13 500	11 900	10 700	59,5	38,9	12 900	12 800	11 900	10 600	28,0
30,0	53,2	37,8	14 000	13 200	11 700	10 500	56,3	37,3	12 200	12 100	11 700	10 600	30,0
32,0	50,0	36,1	12 800	12 300	11 600	10 400	53,0	35,6	11 600	11 500	11 500	10 500	32,0
34,0	46,5	34,2	11 700	11 300	10 900	10 200	49,5	33,6	11 100	11 000	10 900	10 400	34,0
36,0	42,8	32,0	10 800	10 400	10 100	9 800	45,7	31,4	10 600	10 500	10 300	9 900	36,0
38,0	38,8	29,5	9 900	9 600	9 400	9 100	41,6	28,9	10 000	9 800	9 500	9 200	38,0
40,0	34,4	26,6	9 200	8 900	8 700	8 500	37,1	25,9	9 300	9 000	8 800	8 600	40,0
42,0	29,3	23,1	8 500	8 300	8 100	7 900	31,9	22,2	8 600	8 400	8 200	8 000	42,0
42,4	27,8	22,3	8 400	8 200	8 000	7 800	29,8	21,4	8 500	8 300	8 100	7 900	42,4
42,7	26,9	21,7	8 300	8 100	7 900		28,9	20,7	8 400	8 200	8 000	7 800	42,7
43,0	25,9	21,0	8 200	8 000			27,9	19,9	8 300	8 100	7 900	7 700	43,0
43,3	25,6	20,4	8 100				26,9	19,2	8 200	8 000	7 800		43,3
43,6							26,0	18,5	8 100	7 900			43,6
43,9							25,8	17,8	8 000				43,9

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



30,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
11,9							11,9
12,0							12,0
12,5							12,5
13,0							13,0
13,4							13,4
14,0							14,0
14,3							14,3
15,0							15,0
15,2							15,2
15,8							15,8
16,0							16,0
16,8							16,8
17,1	78,6	43,9	11 800				17,1
17,7	77,3	43,6	11 500	11 400			17,7
18,0	77,3	43,5	11 400	11 300			18,0
18,3	76,6	43,4	11 300	11 200	11 100		18,3
19,2	75,2	43,0	11 000	10 900	10 800	10 600	19,2
20,0	74,5	42,6	10 800	10 700	10 600	10 500	20,0
22,0	71,7	41,6	10 200	10 100	10 000	9 900	22,0
24,0	68,7	40,5	9 700	9 600	9 500	9 500	24,0
26,0	65,7	39,3	9 300	9 200	9 100	9 000	26,0
28,0	62,6	37,9	8 800	8 800	8 700	8 700	28,0
30,0	59,3	36,3	8 500	8 400	8 400	8 300	30,0
32,0	55,8	34,5	8 200	8 100	8 100	8 000	32,0
34,0	52,2	32,4	7 900	7 800	7 800	7 700	34,0
36,0	48,2	30,1	7 600	7 600	7 600	7 500	36,0
38,0	43,9	27,4	7 400	7 400	7 400	7 300	38,0
40,0	39,1	24,3	7 300	7 200	7 200	7 100	40,0
42,0	33,4	20,3	7 200	7 100	7 100	7 000	42,0
42,4	31,6	19,4	7 100	7 100	7 100	7 000	42,4
42,7	30,4	18,6	7 100	7 100	7 100	7 000	42,7
43,0	29,2	17,8	7 100	7 100	7 000	7 000	43,0
43,3	29,0	17,1	7 100	7 100	7 000	7 000	43,3
43,6							43,6
43,9							43,9

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


33,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,5	78,7	49,7	19 400										12,5
13,0	78,1	49,5	19 200										13,0
13,1	77,8	49,5	19 200	16 000									13,1
14,0	76,8	49,3	19 000	15 800	13 700								14,0
14,9	75,1	49,0	18 700	15 700	13 600	12 000	78,8	48,6	17 400				14,9
15,0	75,6	49,0	18 700	15 700	13 500	12 000	78,8	48,6	17 400				15,0
15,8	74,2	48,8	18 500	15 500	13 400	11 900	77,2	48,3	17 300	14 700			15,8
16,0	74,4	48,7	18 400	15 500	13 400	11 800	77,5	48,3	17 300	14 700			16,0
16,5	73,3	48,5	18 300	15 400	13 300	11 800	76,5	48,1	17 200	14 600	12 700		16,5
17,4	71,9	48,2	18 100	15 200	13 200	11 700	75,6	47,8	17 000	14 500	12 700	11 300	17,4
18,0	71,9	48,0	17 900	15 100	13 100	11 600	75,0	47,6	16 900	14 400	12 600	11 200	18,0
18,3	70,7	47,9	17 900	15 100	13 100	11 600	74,6	47,5	16 800	14 400	12 600	11 200	18,3
19,2	69,8	47,5	17 700	14 900	13 000	11 500	73,2	47,1	16 700	14 300	12 500	11 200	19,2
19,8	69,2	47,3	17 500	14 800	12 900	11 500	72,3	46,9	16 600	14 200	12 500	11 100	19,8
20,0	69,4	47,2	17 500	14 800	12 900	11 400	72,5	46,8	16 600	14 200	12 500	11 100	20,0
22,0	66,8	46,4	17 000	14 500	12 600	11 300	69,9	45,9	16 000	14 000	12 300	11 000	22,0
24,0	64,2	45,4	16 600	14 200	12 400	11 100	67,2	44,9	15 000	13 800	12 200	10 900	24,0
26,0	61,5	44,2	16 200	13 900	12 200	10 900	64,5	43,8	14 100	13 600	12 100	10 800	26,0
28,0	58,8	43,0	15 300	13 700	12 000	10 700	61,7	42,5	13 400	13 300	11 900	10 700	28,0
30,0	55,9	41,6	13 900	13 200	11 800	10 600	58,8	41,1	12 700	12 600	11 800	10 600	30,0
32,0	53,0	40,1	12 600	12 100	11 700	10 500	55,8	39,6	12 100	12 000	11 800	10 500	32,0
34,0	49,9	38,4	11 600	11 200	10 800	10 200	52,7	37,8	11 500	11 300	10 900	10 400	34,0
36,0	46,6	36,4	10 600	10 300	9 900	9 600	49,4	35,9	10 800	10 400	10 100	9 700	36,0
38,0	43,2	34,3	9 800	9 500	9 200	8 900	45,9	33,7	10 000	9 600	9 300	9 000	38,0
40,0	39,5	31,9	9 100	8 800	8 500	8 300	42,1	31,2	9 200	8 900	8 600	8 400	40,0
42,0	35,4	29,0	8 400	8 200	7 900	7 700	38,0	28,3	8 500	8 300	8 000	7 800	42,0
44,0	30,9	25,7	7 800	7 600	7 400	7 200	33,3	24,9	7 900	7 700	7 500	7 300	44,0
45,1	27,2	23,5	7 500	7 300	7 100	6 900	29,7	22,5	7 600	7 400	7 200	7 000	45,1
45,4	26,5	22,8	7 400	7 200	7 000		28,7	21,9	7 500	7 300	7 100	6 900	45,4
45,7	25,7	22,2	7 300	7 100			27,8	21,3	7 400	7 200	7 000	6 900	45,7
46,0	25,6	21,7	7 200				27,8	20,7	7 300	7 100	7 000		46,0
46,3							26,0	19,8	7 200	7 000			46,3
46,6							25,7	19,1	7 100				46,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

33,0 m

15,2 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,5							12,5
13,0							13,0
13,1							13,1
14,0							14,0
14,9							14,9
15,0							15,0
15,8							15,8
16,0							16,0
16,5							16,5
17,4	79,0	46,9	11 900				17,4
18,0	78,2	46,7	11 700				18,0
18,3	77,6	46,6	11 600	11 400			18,3
19,2	76,2	46,2	11 300	11 200	11 000		19,2
19,8	75,3	46,0	11 100	11 000	10 900	10 800	19,8
20,0	75,6	45,9	11 000	10 900	10 800	10 700	20,0
22,0	72,9	45,0	10 500	10 400	10 300	10 200	22,0
24,0	70,2	44,0	9 900	9 900	9 800	9 700	24,0
26,0	67,5	42,8	9 500	9 400	9 400	9 300	26,0
28,0	64,6	41,5	9 100	9 000	9 000	8 900	28,0
30,0	61,6	40,1	8 700	8 700	8 600	8 500	30,0
32,0	58,6	38,5	8 400	8 300	8 300	8 200	32,0
34,0	55,3	36,7	8 100	8 100	8 000	8 000	34,0
36,0	51,9	34,7	7 900	7 800	7 800	7 700	36,0
38,0	48,3	32,4	7 600	7 600	7 600	7 500	38,0
40,0	44,3	29,8	7 500	7 400	7 400	7 300	40,0
42,0	39,9	26,7	7 300	7 200	7 200	7 200	42,0
44,0	34,9	23,1	7 200	7 100	7 100	7 100	44,0
45,1	30,8	20,5	7 100	7 100	7 100	7 000	45,1
45,4	29,9	19,8	7 100	7 100	7 100	6 900	45,4
45,7	29,7	19,1	7 100	7 100	7 000	6 900	45,7
46,0							46,0
46,3							46,3
46,6							46,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


36,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,8	79,0	52,7	19 300										12,8
13,0	78,8	52,6	19 200										13,0
13,7	77,3	52,4	19 100	15 900									13,7
14,0	77,6	52,4	19 000	15 800									14,0
14,6	76,4	52,2	18 800	15 700	13 600								14,6
15,0	76,5	52,1	18 700	15 700	13 500								15,0
15,5	75,5	52,0	18 600	15 600	13 500	11 900	78,8	51,5	17 400				15,5
16,0	75,3	51,8	18 500	15 500	13 400	11 800	78,3	51,4	17 300				16,0
16,5	74,5	51,7	18 400	15 400	13 300	11 800	77,3	51,2	17 200	14 600			16,5
17,4	73,6	51,4	18 200	15 300	13 200	11 700	75,9	50,9	17 100	14 500	12 700		17,4
18,0	73,0	51,2	18 000	15 200	13 200	11 600	75,9	50,8	17 000	14 400	12 600	11 200	18,0
18,9	71,7	50,9	17 800	15 000	13 000	11 600	74,1	50,4	16 800	14 400	12 600	11 200	18,9
19,8	70,3	50,5	17 600	14 900	12 900	11 500	73,2	50,1	16 700	14 300	12 500	11 100	19,8
20,0	70,7	50,5	17 600	14 900	12 900	11 500	73,6	50,0	16 600	14 200	12 500	11 100	20,0
20,4	69,6	50,3	17 500	14 800	12 900	11 400	72,6	49,9	16 600	14 200	12 400	11 100	20,4
22,0	68,3	49,6	17 200	14 600	12 700	11 300	71,1	49,2	16 300	14 100	12 300	11 000	22,0
24,0	65,8	48,7	16 800	14 300	12 500	11 100	68,7	48,3	15 500	13 900	12 200	10 900	24,0
26,0	63,3	47,7	16 400	14 000	12 300	11 000	66,2	47,2	14 600	13 700	12 100	10 800	26,0
28,0	60,8	46,5	15 100	13 800	12 100	10 800	63,6	46,1	13 900	13 500	12 000	10 700	28,0
30,0	58,2	45,3	13 700	13 100	11 900	10 700	60,9	44,8	13 200	13 100	11 900	10 700	30,0
32,0	55,5	43,9	12 500	11 900	11 400	10 500	58,2	43,3	12 600	12 200	11 600	10 600	32,0
34,0	52,7	42,3	11 400	10 900	10 500	10 100	55,4	41,8	11 600	11 200	10 700	10 300	34,0
36,0	49,8	40,6	10 500	10 100	9 700	9 300	52,4	40,0	10 700	10 300	9 900	9 500	36,0
38,0	46,7	38,7	9 600	9 300	9 000	8 600	49,3	38,1	9 800	9 400	9 100	8 800	38,0
40,0	43,5	36,5	8 900	8 600	8 300	8 000	46,0	35,9	9 000	8 700	8 400	8 100	40,0
42,0	40,0	34,1	8 200	8 000	7 700	7 500	42,5	33,5	8 300	8 100	7 800	7 600	42,0
44,0	36,3	31,4	7 600	7 400	7 200	6 900	38,7	30,7	7 700	7 500	7 300	7 000	44,0
46,0	32,1	28,3	7 100	6 900	6 700	6 500	34,4	27,4	7 100	6 900	6 800	6 600	46,0
47,6	28,1	25,3	6 700	6 500	6 300	6 100	30,1	24,4	6 700	6 600	6 400	6 200	47,6
48,0	27,4	24,5	6 600	6 400	6 200		29,5	23,5	6 600	6 500	6 300	6 100	48,0
48,2	26,6	24,1	6 500	6 400	6 200		28,5	23,1	6 600	6 400	6 200	6 100	48,2
48,5	25,8	23,5	6 500	6 300			27,7	22,4	6 500	6 300	6 200	6 000	48,5
48,8	25,4	22,8	6 400				26,8	21,7	6 400	6 300	6 100		48,8
49,1							25,9	20,9	6 400	6 200			49,1
49,4							25,5	20,2	6 300				49,4

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

36,0 m

15,2 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,8							12,8
13,0							13,0
13,7							13,7
14,0							14,0
14,6							14,6
15,0							15,0
15,5							15,5
16,0							16,0
16,5							16,5
17,4							17,4
18,0	78,9	49,9	11 900				18,0
18,9	77,1	49,5	11 600	11 400			18,9
19,8	76,2	49,2	11 300	11 200	11 100		19,8
20,0	76,5	49,1	11 200	11 100	11 000		20,0
20,4	75,6	48,9	11 100	11 000	10 900	10 700	20,4
22,0	74,0	48,2	10 700	10 600	10 500	10 400	22,0
24,0	71,5	47,3	10 200	10 100	10 000	9 900	24,0
26,0	69,0	46,2	9 700	9 700	9 600	9 500	26,0
28,0	66,3	45,0	9 300	9 300	9 200	9 100	28,0
30,0	63,6	43,7	9 000	8 900	8 900	8 800	30,0
32,0	60,8	42,3	8 700	8 600	8 500	8 500	32,0
34,0	57,9	40,6	8 400	8 300	8 300	8 200	34,0
36,0	54,9	38,9	8 100	8 000	8 000	7 900	36,0
38,0	51,7	36,8	7 900	7 800	7 700	7 700	38,0
40,0	48,2	34,6	7 700	7 600	7 500	7 500	40,0
42,0	44,6	32,0	7 500	7 400	7 400	7 400	42,0
44,0	40,5	29,1	7 300	7 300	7 200	7 100	44,0
46,0	36,0	25,6	7 100	7 000	6 800	6 600	46,0
47,6	31,4	22,3	6 800	6 600	6 400	6 300	47,6
48,0	30,6	21,4	6 600	6 500	6 300	6 200	48,0
48,2	29,7	20,9	6 600	6 400	6 300	6 100	48,2
48,5	29,2	20,2	6 500	6 400	6 200	6 000	48,5
48,8							48,8
49,1							49,1
49,4							49,4

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

39,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	78,9	55,6	19 100										13,4
14,0	78,3	55,5	19 000										14,0
14,3	77,7	55,4	18 900	15 800									14,3
15,0	77,2	55,2	18 800	15 700									15,0
15,2	76,8	55,2	18 700	15 600	13 500								15,2
16,0	76,2	55,0	18 500	15 500	13 400								16,0
16,2	75,7	54,9	18 500	15 500	13 400	11 800	78,8	54,5	17 300				16,2
17,1	74,4	54,6	18 300	15 300	13 300	11 700	77,0	54,2	17 100	14 500			17,1
18,0	74,0	54,4	18 100	15 200	13 200	11 600	76,7	53,9	17 000	14 400	12 600		18,0
18,6	72,4	54,2	18 000	15 100	13 100	11 600	75,4	53,7	16 900	14 400	12 600		18,6
18,9	72,1	54,0	17 900	15 100	13 100	11 600	75,1	53,6	16 900	14 400	12 500	11 100	18,9
19,5	71,5	53,8	17 800	15 000	13 000	11 500	74,5	53,4	16 800	14 300	12 500	11 100	19,5
20,0	71,8	53,7	17 700	14 900	12 900	11 500	74,5	53,2	16 700	14 300	12 500	11 100	20,0
20,4	70,6	53,5	17 600	14 800	12 900	11 400	73,6	53,1	16 600	14 200	12 400	11 100	20,4
21,3	69,7	53,2	17 400	14 700	12 800	11 400	72,7	52,7	16 500	14 100	12 400	11 000	21,3
22,0	69,5	52,9	17 300	14 600	12 700	11 300	72,3	52,5	16 400	14 100	12 300	11 000	22,0
24,0	67,3	52,0	16 900	14 400	12 500	11 100	70,0	51,6	15 900	13 900	12 200	10 900	24,0
26,0	64,9	51,1	16 500	14 100	12 400	11 000	67,6	50,6	15 100	13 800	12 100	10 800	26,0
28,0	62,6	50,0	14 900	13 800	12 200	10 800	65,2	49,5	14 300	13 600	12 000	10 700	28,0
30,0	60,1	48,8	13 500	12 900	12 000	10 700	62,8	48,4	13 600	13 100	11 900	10 700	30,0
32,0	57,7	47,5	12 300	11 700	11 200	10 600	60,3	47,0	12 600	12 000	11 400	10 600	32,0
34,0	55,1	46,1	11 200	10 800	10 300	9 800	57,7	45,6	11 500	11 000	10 500	10 100	34,0
36,0	52,4	44,6	10 300	9 900	9 500	9 100	55,0	44,0	10 500	10 100	9 700	9 300	36,0
38,0	49,7	42,8	9 500	9 100	8 700	8 400	52,2	42,3	9 700	9 300	8 900	8 600	38,0
40,0	46,8	40,9	8 700	8 400	8 100	7 800	49,3	40,3	8 900	8 600	8 200	7 900	40,0
42,0	43,8	38,8	8 100	7 800	7 500	7 200	46,2	38,2	8 200	7 900	7 600	7 400	42,0
44,0	40,5	36,5	7 500	7 200	7 000	6 700	42,9	35,8	7 600	7 300	7 100	6 800	44,0
46,0	37,1	33,8	6 900	6 700	6 500	6 300	39,4	33,1	7 000	6 800	6 600	6 300	46,0
48,0	33,3	30,8	6 400	6 200	6 000	5 800	35,5	30,0	6 500	6 300	6 100	5 900	48,0
50,0	29,0	27,2	5 900	5 800	5 600	5 400	31,1	26,3	6 000	5 800	5 700	5 500	50,0
50,3	28,2	26,6	5 900	5 700	5 500	5 400	30,1	25,7	5 900	5 800	5 600	5 400	50,3
50,6	27,4	26,0	5 800	5 600	5 500		29,2	24,9	5 900	5 700	5 500	5 400	50,6
51,2	25,8	24,7	5 700	5 500			27,4	23,6	5 700	5 600	5 400	5 300	51,2
51,5	25,3	24,0	5 600				26,5	22,9	5 700	5 500	5 400		51,5
51,8							25,5	22,2	5 600	5 400			51,8
52,0							25,8	21,8	5 600				52,0
52,1							25,5	21,5	5 500				52,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



39,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,4							13,4
14,0							14,0
14,3							14,3
15,0							15,0
15,2							15,2
16,0							16,0
16,2							16,2
17,1							17,1
18,0							18,0
18,6	78,9	52,8	11 800				18,6
18,9	77,8	52,7	11 800				18,9
19,5	77,4	52,5	11 600	11 400			19,5
20,0	77,3	52,3	11 400	11 300			20,0
20,4	76,6	52,1	11 300	11 200	11 100		20,4
21,3	75,7	51,8	11 100	11 000	10 900	10 700	21,3
22,0	75,0	51,5	10 900	10 800	10 700	10 600	22,0
24,0	72,7	50,6	10 400	10 300	10 200	10 100	24,0
26,0	70,3	49,6	9 900	9 900	9 800	9 700	26,0
28,0	67,8	48,5	9 600	9 500	9 400	9 300	28,0
30,0	65,3	47,3	9 200	9 100	9 100	9 000	30,0
32,0	62,8	46,0	8 900	8 800	8 800	8 700	32,0
34,0	60,1	44,5	8 600	8 500	8 500	8 400	34,0
36,0	57,3	42,9	8 300	8 300	8 200	8 200	36,0
38,0	54,5	41,1	8 100	8 000	8 000	7 900	38,0
40,0	51,5	39,1	7 800	7 800	7 800	7 700	40,0
42,0	48,3	36,9	7 700	7 600	7 600	7 400	42,0
44,0	44,8	34,4	7 500	7 400	7 200	6 900	44,0
46,0	41,1	31,5	7 100	6 900	6 600	6 400	46,0
48,0	37,0	28,2	6 500	6 400	6 200	6 000	48,0
50,0	32,2	24,3	6 000	5 900	5 700	5 500	50,0
50,3	31,0	23,6	6 000	5 800	5 600	5 500	50,3
50,6	30,0	22,8	5 900	5 700	5 600	5 400	50,6
51,2	28,9	21,4	5 700	5 600	5 400	5 300	51,2
51,5							51,5
51,8							51,8
52,0							52,0
52,1							52,1

REFERENCE ONLY!

MLC150-1 S-2





	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,0	78,9	58,5	18 900										14,0
14,9	77,1	58,3	18 800	15 600									14,9
15,0	77,9	58,3	18 700	15 600									15,0
16,0	76,9	58,1	18 500	15 500									16,0
16,2	75,8	58,0	18 500	15 400	13 300								16,2
16,8	75,2	57,8	18 400	15 300	13 300		78,8	57,4	17 200				16,8
17,1	74,9	57,7	18 300	15 300	13 200	11 700	77,8	57,3	17 100				17,1
17,7	74,3	57,6	18 200	15 200	13 200	11 600	77,3	57,1	17 100	14 500			17,7
18,0	74,8	57,5	18 100	15 200	13 100	11 600	77,5	57,0	17 000	14 400			18,0
18,6	73,4	57,3	18 000	15 100	13 100	11 600	76,4	56,8	16 900	14 400	12 500		18,6
19,2	72,8	57,1	17 900	15 000	13 000	11 500	75,8	56,7	16 900	14 300	12 500		19,2
19,5	72,5	57,0	17 800	15 000	13 000	11 500	75,5	56,6	16 800	14 300	12 500	11 100	19,5
20,0	72,7	56,8	17 700	14 900	12 900	11 500	75,4	56,4	16 800	14 300	12 500	11 100	20,0
20,1	71,9	56,8	17 700	14 900	12 900	11 400	74,9	56,4	16 700	14 200	12 400	11 100	20,1
21,0	71,0	56,5	17 600	14 800	12 800	11 400	74,0	56,0	16 600	14 200	12 400	11 000	21,0
21,9	70,1	56,1	17 400	14 700	12 700	11 300	73,1	55,7	16 500	14 100	12 300	11 000	21,9
22,0	70,6	56,1	17 400	14 600	12 700	11 300	73,2	55,7	16 500	14 100	12 300	11 000	22,0
24,0	68,5	55,3	17 000	14 400	12 500	11 100	71,1	54,8	16 200	13 900	12 200	10 900	24,0
26,0	66,3	54,4	16 400	14 100	12 400	11 000	68,9	53,9	15 500	13 800	12 100	10 800	26,0
28,0	64,1	53,4	14 800	13 700	12 200	10 900	66,7	52,9	14 800	13 700	12 000	10 700	28,0
30,0	61,9	52,3	13 400	12 700	11 900	10 700	64,4	51,8	13 700	13 000	11 900	10 700	30,0
32,0	59,5	51,1	12 100	11 500	11 000	10 400	62,0	50,6	12 400	11 800	11 200	10 600	32,0
34,0	57,2	49,8	11 100	10 500	10 100	9 600	59,6	49,3	11 300	10 800	10 300	9 800	34,0
36,0	54,7	48,4	10 100	9 700	9 200	8 800	57,2	47,8	10 400	9 900	9 500	9 000	36,0
38,0	52,2	46,8	9 300	8 900	8 500	8 100	54,6	46,2	9 500	9 100	8 700	8 300	38,0
40,0	49,6	45,1	8 600	8 200	7 900	7 500	52,0	44,5	8 700	8 400	8 000	7 700	40,0
42,0	46,9	43,2	7 900	7 600	7 300	7 000	49,2	42,6	8 000	7 700	7 400	7 100	42,0
44,0	44,0	41,1	7 300	7 000	6 700	6 500	46,3	40,4	7 400	7 100	6 900	6 600	44,0
46,0	41,0	38,7	6 700	6 500	6 200	6 000	43,2	38,1	6 900	6 600	6 400	6 100	46,0
48,0	37,7	36,2	6 200	6 000	5 800	5 600	39,9	35,4	6 300	6 100	5 900	5 700	48,0
50,0	34,2	33,2	5 800	5 600	5 400	5 200	36,3	32,4	5 900	5 700	5 500	5 300	50,0
52,0	30,3	29,8	5 300	5 200	5 000	4 800	32,3	28,9	5 400	5 200	5 100	4 900	52,0
53,0	27,4	27,7	5 100	5 000	4 800	4 700	29,4	26,8	5 200	5 000	4 900	4 700	53,0
53,3	26,7	27,1	5 100	4 900	4 800		28,7	26,1	5 100	5 000	4 800	4 700	53,3
53,6	25,9	26,5	5 000	4 900			27,9	25,5	5 100	4 900	4 800	4 600	53,6
54,0	25,1	25,9	5 000				27,1	24,9	5 000	4 900	4 700		54,0
54,0	25,8	25,8	4 900				27,6	24,8	5 000	4 800			54,0
54,3	25,2	25,2	4 900				26,4	24,1	4 900	4 800			54,3
54,6							25,7	23,4	4 900	4 700			54,6
54,9							25,4	22,6	4 800				54,9

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

42,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,0							14,0
14,9							14,9
15,0							15,0
16,0							16,0
16,2							16,2
16,8							16,8
17,1							17,1
17,7							17,7
18,0							18,0
18,6							18,6
19,2	78,9	55,7	11 800				19,2
19,5	78,0	55,6	11 700				19,5
20,0	78,0	55,4	11 600				20,0
20,1	77,9	55,4	11 600	11 500			20,1
21,0	76,5	55,1	11 300	11 200	11 100		21,0
21,9	75,2	54,7	11 100	11 000	10 900	10 700	21,9
22,0	75,9	54,7	11 100	11 000	10 900	10 600	22,0
24,0	73,7	53,9	10 600	10 500	10 400	10 300	24,0
26,0	71,4	52,9	10 200	10 100	10 000	9 900	26,0
28,0	69,1	51,9	9 800	9 700	9 600	9 500	28,0
30,0	66,8	50,8	9 400	9 300	9 300	9 200	30,0
32,0	64,4	49,5	9 100	9 000	8 900	8 900	32,0
34,0	62,0	48,2	8 800	8 700	8 600	8 600	34,0
36,0	59,4	46,7	8 500	8 400	8 400	8 300	36,0
38,0	56,8	45,1	8 300	8 200	8 100	8 100	38,0
40,0	54,1	43,3	8 000	8 000	7 900	7 800	40,0
42,0	51,2	41,3	7 800	7 700	7 600	7 300	42,0
44,0	48,2	39,1	7 500	7 300	7 000	6 700	44,0
46,0	45,0	36,6	7 000	6 700	6 500	6 200	46,0
48,0	41,6	33,9	6 400	6 200	6 000	5 800	48,0
50,0	37,8	30,7	5 900	5 700	5 500	5 400	50,0
52,0	33,5	27,0	5 400	5 300	5 100	5 000	52,0
53,0	30,5	24,6	5 200	5 100	4 900	4 800	53,0
53,3	29,7	23,9	5 200	5 000	4 800	4 700	53,3
53,6	29,4	23,3	5 100	4 900	4 800	4 600	53,6
54,0							54,0
54,0							54,0
54,3							54,3
54,6							54,6
54,9							54,9

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

45,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,6	78,9	61,5	18 800										14,6
15,0	78,5	61,4	18 700										15,0
15,5	77,5	61,3	18 600	15 500									15,5
16,0	77,5	61,1	18 500	15 400									16,0
16,8	76,2	60,9	18 300	15 300	13 200								16,8
17,4	75,6	60,8	18 200	15 200	13 100		78,7	60,3	17 100				17,4
17,7	75,3	60,7	18 200	15 200	13 100	11 600	78,0	60,2	17 000				17,7
18,0	75,6	60,6	18 100	15 100	13 100	11 500	78,1	60,2	17 000				18,0
18,3	74,7	60,5	18 000	15 100	13 100	11 500	77,7	60,1	17 000	14 300			18,3
19,2	73,8	60,2	17 900	15 000	13 000	11 500	76,8	59,8	16 900	14 300	12 500		19,2
19,8	73,2	60,1	17 800	14 900	12 900	11 400	76,2	59,6	16 800	14 200	12 400		19,8
20,0	73,6	60,0	17 700	14 900	12 900	11 400	76,1	59,5	16 800	14 200	12 400		20,0
20,4	72,6	59,9	17 700	14 800	12 900	11 400	75,6	59,4	16 700	14 200	12 400	11 000	20,4
20,7	72,3	59,7	17 600	14 800	12 800	11 400	75,3	59,3	16 700	14 200	12 400	11 000	20,7
21,6	71,4	59,4	17 400	14 700	12 800	11 300	74,4	59,0	16 600	14 100	12 300	11 000	21,6
22,0	71,6	59,3	17 400	14 600	12 700	11 300	74,1	58,8	16 500	14 100	12 300	10 900	22,0
22,9	70,1	59,0	17 200	14 500	12 600	11 200	73,1	58,5	16 400	14 000	12 300	10 900	22,9
24,0	69,6	58,5	17 100	14 400	12 500	11 100	72,1	58,1	16 300	13 900	12 200	10 900	24,0
26,0	67,6	57,7	16 300	14 200	12 400	11 000	70,0	57,2	16 000	13 800	12 100	10 800	26,0
28,0	65,5	56,8	14 600	13 700	12 200	10 900	67,9	56,3	15 000	13 600	12 000	10 700	28,0
30,0	63,4	55,7	13 200	12 500	11 700	10 700	65,8	55,2	13 500	12 800	11 900	10 700	30,0
32,0	61,2	54,6	12 000	11 400	10 800	10 200	63,6	54,1	12 300	11 600	11 000	10 500	32,0
34,0	59,0	53,4	10 900	10 400	9 900	9 400	61,4	52,9	11 200	10 600	10 100	9 600	34,0
36,0	56,7	52,0	10 000	9 500	9 100	8 600	59,1	51,5	10 200	9 700	9 300	8 800	36,0
38,0	54,4	50,6	9 200	8 700	8 300	7 900	56,7	50,0	9 400	8 900	8 500	8 100	38,0
40,0	52,0	49,0	8 400	8 000	7 700	7 300	54,3	48,4	8 600	8 200	7 900	7 500	40,0
42,0	49,5	47,3	7 800	7 400	7 100	6 800	51,8	46,7	7 900	7 600	7 300	6 900	42,0
44,0	46,9	45,4	7 100	6 800	6 600	6 300	49,1	44,8	7 300	7 000	6 700	6 400	44,0
46,0	44,2	43,3	6 600	6 300	6 100	5 800	46,4	42,7	6 700	6 500	6 200	6 000	46,0
48,0	41,3	41,0	6 100	5 900	5 600	5 400	43,5	40,3	6 200	6 000	5 700	5 500	48,0
50,0	38,3	38,5	5 600	5 400	5 200	5 000	40,4	37,8	5 700	5 500	5 300	5 100	50,0
52,0	35,0	35,6	5 200	5 000	4 800	4 700	37,0	34,8	5 300	5 100	4 900	4 700	52,0
54,0	31,4	32,4	4 800	4 700	4 500	4 300	33,3	31,5	4 900	4 700	4 600	4 400	54,0
55,5	28,1	29,6	4 600	4 400	4 200	4 100	30,1	28,6	4 600	4 500	4 300	4 200	55,5
56,0	27,4	28,6	4 500	4 300	4 200		29,1	27,6	4 500	4 400	4 200	4 100	56,0
56,1	26,8	28,4	4 400	4 300	4 100		28,8	27,4	4 500	4 300	4 200	4 100	56,1
56,4	26,2	27,7	4 400	4 200			28,0	26,7	4 400	4 300	4 200	4 000	56,4
56,7	25,6	27,1	4 300				27,3	25,9	4 400	4 200	4 100		56,7
57,0	25,1	26,4	4 300				26,5	25,2	4 300	4 200			57,0
57,3							25,8	24,5	4 300	4 100			57,3
57,6							25,2	23,8	4 200				57,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

45,0 m



15,2 m



25°



m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,6							14,6
15,0							15,0
15,5							15,5
16,0							16,0
16,8							16,8
17,4							17,4
17,7							17,7
18,0							18,0
18,3							18,3
19,2							19,2
19,8	78,8	58,7	11 800				19,8
20,0	78,6	58,6	11 800				20,0
20,4	77,6	58,4	11 700				20,4
20,7	77,3	58,3	11 600	11 500			20,7
21,6	76,4	58,0	11 400	11 200	11 100		21,6
22,0	76,6	57,9	11 300	11 100	11 000		22,0
22,9	75,1	57,5	11 000	10 900	10 800	10 100	22,9
24,0	74,5	57,1	10 800	10 700	10 600	10 100	24,0
26,0	72,4	56,2	10 400	10 300	10 200	10 100	26,0
28,0	70,3	55,3	10 000	9 900	9 800	9 700	28,0
30,0	68,1	54,2	9 600	9 500	9 500	9 400	30,0
32,0	65,9	53,0	9 300	9 200	9 200	9 100	32,0
34,0	63,6	51,8	9 000	8 900	8 900	8 800	34,0
36,0	61,3	50,4	8 700	8 600	8 600	8 500	36,0
38,0	58,9	48,9	8 400	8 400	8 400	8 300	38,0
40,0	56,4	47,2	8 200	8 200	8 000	7 700	40,0
42,0	53,8	45,4	8 000	7 700	7 400	7 100	42,0
44,0	51,1	43,5	7 400	7 100	6 800	6 600	44,0
46,0	48,2	41,3	6 900	6 600	6 300	6 100	46,0
48,0	45,2	38,9	6 300	6 100	5 800	5 600	48,0
50,0	42,0	36,2	5 800	5 600	5 400	5 200	50,0
52,0	38,4	33,1	5 400	5 200	5 000	4 800	52,0
54,0	34,5	29,6	4 900	4 800	4 600	4 400	54,0
55,5	31,1	26,5	4 600	4 500	4 300	4 200	55,5
56,0	30,0	25,3	4 500	4 400	4 200	4 100	56,0
56,1	29,8	25,1	4 500	4 400	4 200	4 100	56,1
56,4	29,0	24,4	4 500	4 300	4 200	4 000	56,4
56,7							56,7
57,0							57,0
57,3							57,3
57,6							57,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

48,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	78,9	64,4	18 500										15,2
16,0	78,1	64,2	18 400										16,0
16,5	77,5	64,1	18 300	15 200									16,5
17,4	76,6	63,9	18 100	15 100	13 100								17,4
17,7	76,3	63,8	18 100	15 100	13 000		79,0	63,4	17 000				17,7
18,0	76,3	63,7	18 000	15 100	13 000		78,7	63,3	17 000				18,0
18,6	75,4	63,6	17 900	15 000	13 000	11 500	77,4	63,1	16 900				18,6
18,9	75,1	63,5	17 900	15 000	12 900	11 400	77,1	63,0	16 900	14 200			18,9
19,8	74,2	63,2	17 700	14 800	12 900	11 400	76,2	62,7	16 800	14 200	12 300		19,8
20,0	74,4	63,2	17 700	14 800	12 800	11 300	76,8	62,7	16 700	14 200	12 300		20,0
20,4	73,6	63,0	17 600	14 800	12 800	11 300	75,6	62,6	16 700	14 100	12 300		20,4
21,0	73,0	62,8	17 500	14 700	12 700	11 300	75,0	62,4	16 600	14 100	12 300	10 700	21,0
21,3	72,7	62,7	17 500	14 700	12 700	11 300	74,7	62,3	16 600	14 100	12 300	10 700	21,3
22,0	72,5	62,5	17 400	14 600	12 700	11 200	74,9	62,0	16 500	14 000	12 200	10 700	22,0
22,6	71,4	62,3	17 300	14 500	12 600	11 200	73,4	61,8	16 400	14 000	12 200	10 700	22,6
23,5	70,5	62,0	17 100	14 400	12 500	11 100	72,5	61,5	16 300	13 900	12 200	10 700	23,5
24,0	70,6	61,8	17 100	14 400	12 500	11 100	73,0	61,3	16 300	13 900	12 100	10 700	24,0
26,0	68,7	61,0	16 100	14 200	12 300	11 000	71,0	60,5	16 000	13 800	12 100	10 700	26,0
28,0	66,7	60,1	14 500	13 600	12 200	10 800	69,0	59,6	14 800	13 500	12 000	10 700	28,0
30,0	64,7	59,1	13 100	12 300	11 600	10 700	67,0	58,6	13 400	12 600	11 700	10 700	30,0
32,0	62,7	58,1	11 800	11 200	10 500	10 000	65,0	57,6	12 100	11 500	10 800	10 200	32,0
34,0	60,6	56,9	10 800	10 200	9 600	9 100	62,9	56,4	11 000	10 500	9 900	9 400	34,0
36,0	58,5	55,7	9 800	9 300	8 800	8 400	60,8	55,2	10 100	9 600	9 100	8 600	36,0
38,0	56,4	54,3	9 000	8 500	8 100	7 700	58,6	53,8	9 200	8 800	8 300	7 900	38,0
40,0	54,1	52,9	8 200	7 800	7 500	7 100	56,3	52,3	8 500	8 100	7 700	7 300	40,0
42,0	51,8	51,3	7 600	7 200	6 900	6 600	54,0	50,7	7 800	7 400	7 100	6 700	42,0
44,0	49,5	49,5	7 000	6 700	6 300	6 100	51,6	48,9	7 100	6 800	6 500	6 200	44,0
46,0	47,0	47,6	6 400	6 100	5 900	5 600	49,1	47,0	6 600	6 300	6 000	5 700	46,0
48,0	44,4	45,6	5 900	5 700	5 400	5 200	46,5	44,9	6 100	5 800	5 500	5 300	48,0
50,0	41,7	43,3	5 500	5 200	5 000	4 800	43,7	42,6	5 600	5 300	5 100	4 900	50,0
52,0	38,8	40,8	5 000	4 800	4 600	4 400	40,8	40,1	5 100	4 900	4 700	4 500	52,0
54,0	35,8	38,1	4 600	4 500	4 300	4 100	37,7	37,3	4 700	4 500	4 400	4 200	54,0
56,0	32,4	34,9	4 300	4 100	4 000	3 800	34,3	34,1	4 400	4 200	4 000	3 900	56,0
58,0	28,7	31,3	3 900	3 800	3 600	3 500	30,5	30,4	4 000	3 900	3 700	3 600	58,0
58,2	27,6	30,9	3 900	3 800	3 600	3 500	29,6	29,9	4 000	3 800	3 700	3 500	58,2
58,8	26,6	29,6	3 800	3 700	3 500		28,3	28,5	3 900	3 700	3 600	3 400	58,8
59,1	26,1	28,9	3 800	3 600			27,7	27,8	3 800	3 700	3 500	3 400	59,1
59,4	25,5	28,3	3 700				27,1	27,2	3 800	3 600	3 500		59,4
59,7	25,1	27,7	3 700				26,5	26,5	3 700	3 600			59,7
60,0							26,1	25,9	3 700				60,0
60,4							25,2	25,0	3 600				60,4

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

48,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,2							15,2
16,0							16,0
16,5							16,5
17,4							17,4
17,7							17,7
18,0							18,0
18,6							18,6
18,9							18,9
19,8							19,8
20,0							20,0
20,4	78,8	61,6	11 800				20,4
21,0	77,6	61,4	11 700				21,0
21,3	77,4	61,3	11 600	11 500			21,3
22,0	77,3	61,1	11 400	11 300			22,0
22,6	76,4	60,8	11 300	11 200	11 000		22,6
23,5	75,5	60,5	11 100	11 000	10 900	9 300	23,5
24,0	75,3	60,3	11 000	10 900	10 800	9 300	24,0
26,0	73,3	59,5	10 500	10 400	10 300	9 300	26,0
28,0	71,3	58,6	10 100	10 000	10 000	9 300	28,0
30,0	69,3	57,6	9 800	9 700	9 600	9 300	30,0
32,0	67,2	56,5	9 500	9 400	9 300	9 200	32,0
34,0	65,1	55,3	9 200	9 100	9 000	9 000	34,0
36,0	62,9	54,0	8 900	8 800	8 800	8 700	36,0
38,0	60,7	52,6	8 700	8 600	8 500	8 100	38,0
40,0	58,3	51,1	8 400	8 200	7 900	7 500	40,0
42,0	56,0	49,5	7 900	7 600	7 200	6 900	42,0
44,0	53,5	47,7	7 300	7 000	6 700	6 400	44,0
46,0	50,9	45,7	6 700	6 400	6 100	5 900	46,0
48,0	48,2	43,6	6 200	5 900	5 700	5 400	48,0
50,0	45,4	41,2	5 700	5 500	5 200	5 000	50,0
52,0	42,4	38,5	5 200	5 000	4 800	4 600	52,0
54,0	39,1	35,6	4 800	4 600	4 400	4 300	54,0
56,0	35,5	32,2	4 400	4 200	4 100	3 900	56,0
58,0	31,4	28,2	4 000	3 900	3 700	3 600	58,0
58,2	30,4	27,7	4 000	3 800	3 700	3 600	58,2
58,8	28,8	26,3	3 900	3 700	3 600	3 500	58,8
59,1	28,8	25,6	3 800	3 700	3 600	3 400	59,1
59,4							59,4
59,7							59,7
60,0							60,0
60,4							60,4

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

51,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,8	78,8	67,4	18 300										15,8
16,0	78,7	67,3	18 300										16,0
17,1	76,9	67,0	18 100	15 100									17,1
18,0	76,9	66,8	18 000	15 000	12 900								18,0
18,3	75,9	66,7	17 900	14 900	12 900		78,9	66,3	16 800				18,3
19,2	75,4	66,5	17 800	14 800	12 800	10 500	77,5	66,0	16 800				19,2
19,5	75,3	66,4	17 700	14 800	12 800	10 500	77,3	66,0	16 700	14 100			19,5
20,0	75,1	66,3	17 700	14 800	12 800	10 500	77,4	65,8	16 700	14 100			20,0
20,7	74,3	66,1	17 500	14 700	12 700	10 500	76,3	65,6	16 600	14 000	12 200		20,7
21,0	74,0	66,0	17 500	14 700	12 700	10 500	76,0	65,5	16 600	14 000	12 200		21,0
21,6	73,4	65,8	17 400	14 600	12 600	10 400	75,4	65,3	16 500	14 000	12 200	9 800	21,6
21,9	73,1	65,7	17 400	14 600	12 600	10 400	75,1	65,2	16 500	14 000	12 200	9 800	21,9
22,0	73,4	65,7	17 400	14 500	12 600	10 400	75,6	65,2	16 500	14 000	12 200	9 800	22,0
23,2	71,8	65,2	17 200	14 400	12 500	10 400	73,8	64,8	16 400	13 900	12 100	9 800	23,2
24,0	71,5	65,0	17 000	14 300	12 400	10 400	73,8	64,5	16 300	13 800	12 100	9 800	24,0
24,1	70,9	64,9	17 000	14 300	12 400	10 400	72,9	64,5	16 300	13 800	12 100	9 800	24,1
26,0	69,7	64,2	16 000	14 100	12 300	10 400	71,9	63,7	16 000	13 700	12 000	9 800	26,0
28,0	67,8	63,4	14 300	13 400	12 100	10 400	70,1	62,9	14 700	13 500	11 900	9 800	28,0
30,0	66,0	62,5	12 900	12 100	11 300	10 400	68,2	62,0	13 300	12 400	11 600	9 800	30,0
32,0	64,0	61,5	11 700	11 000	10 300	9 700	66,2	61,0	12 000	11 300	10 600	9 800	32,0
34,0	62,1	60,4	10 600	10 000	9 400	8 900	64,3	59,9	10 900	10 300	9 700	9 200	34,0
36,0	60,1	59,2	9 700	9 100	8 600	8 100	62,3	58,7	9 900	9 400	8 900	8 400	36,0
38,0	58,1	57,9	8 800	8 300	7 900	7 500	60,2	57,4	9 100	8 600	8 100	7 700	38,0
40,0	56,0	56,6	8 100	7 700	7 300	6 900	58,1	56,0	8 300	7 900	7 500	7 100	40,0
42,0	53,9	55,1	7 400	7 000	6 700	6 300	56,0	54,5	7 600	7 200	6 900	6 500	42,0
44,0	51,7	53,5	6 800	6 500	6 100	5 800	53,7	52,9	7 000	6 700	6 300	6 000	44,0
46,0	49,4	51,7	6 300	6 000	5 700	5 400	51,4	51,1	6 400	6 100	5 800	5 500	46,0
48,0	47,0	49,9	5 800	5 500	5 200	5 000	49,0	49,2	5 900	5 600	5 400	5 100	48,0
50,0	44,6	47,8	5 300	5 100	4 800	4 600	46,6	47,2	5 400	5 200	4 900	4 700	50,0
52,0	42,0	45,6	4 900	4 700	4 400	4 200	44,0	44,9	5 000	4 800	4 600	4 300	52,0
54,0	39,3	43,1	4 500	4 300	4 100	3 900	41,2	42,4	4 600	4 400	4 200	4 000	54,0
56,0	36,4	40,4	4 100	3 900	3 800	3 600	38,2	39,6	4 200	4 000	3 900	3 700	56,0
58,0	33,3	37,4	3 800	3 600	3 500	3 300	35,1	36,5	3 900	3 700	3 500	3 400	58,0
60,0	29,9	33,9	3 500	3 300	3 200	3 000	31,6	33,0	3 500	3 400	3 200	3 100	60,0
61,0	27,6	32,0	3 300	3 200	3 000	2 900	29,1	31,0	3 400	3 200	3 100	3 000	61,0
61,3	27,1	31,4	3 300	3 100	3 000		28,5	30,4	3 300	3 200	3 100	2 900	61,3
61,6	26,6	30,8	3 200	3 100			27,9	29,7	3 300	3 100	3 000	2 900	61,6
61,9	26,2	30,2	3 200	3 100			27,3	29,1	3 200	3 100	3 000		61,9
62,0	26,0	29,9	3 200				27,6	28,8	3 200	3 100	3 000		62,0
62,2	25,6	29,5	3 100				26,7	28,4	3 200	3 100	2 900		62,2
62,5	25,0	28,8	3 100				26,1	27,7	3 100	3 000			62,5
63,1							25,1	26,2	3 000				63,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



51,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,8							15,8
16,0							16,0
17,1							17,1
18,0							18,0
18,3							18,3
19,2							19,2
19,5							19,5
20,0							20,0
20,7							20,7
21,0	78,8	64,5	11 800				21,0
21,6	77,4	64,3	11 700				21,6
21,9	77,1	64,2	11 600	11 500			21,9
22,0	77,9	64,2	11 600	11 500			22,0
23,2	76,4	63,8	11 300	11 200	11 000		23,2
24,0	76,0	63,5	11 100	11 000	10 900		24,0
24,1	75,9	63,5	11 100	11 000	10 800	8 500	24,1
26,0	74,2	62,7	10 700	10 600	10 500	8 500	26,0
28,0	72,3	61,9	10 300	10 200	10 200	8 500	28,0
30,0	70,3	60,9	10 000	9 900	9 800	8 500	30,0
32,0	68,4	59,9	9 600	9 600	9 500	8 500	32,0
34,0	66,4	58,8	9 400	9 300	9 200	8 500	34,0
36,0	64,3	57,6	9 100	9 000	8 900	8 500	36,0
38,0	62,2	56,3	8 800	8 700	8 400	7 900	38,0
40,0	60,1	54,9	8 500	8 100	7 700	7 300	40,0
42,0	57,9	53,3	7 800	7 400	7 100	6 700	42,0
44,0	55,6	51,7	7 200	6 800	6 500	6 200	44,0
46,0	53,2	49,9	6 600	6 300	6 000	5 700	46,0
48,0	50,8	47,9	6 000	5 800	5 500	5 200	48,0
50,0	48,2	45,8	5 600	5 300	5 100	4 800	50,0
52,0	45,5	43,4	5 100	4 900	4 700	4 400	52,0
54,0	42,7	40,8	4 700	4 500	4 300	4 100	54,0
56,0	39,6	38,0	4 300	4 100	3 900	3 700	56,0
58,0	36,2	34,7	3 900	3 700	3 600	3 400	58,0
60,0	32,5	30,9	3 600	3 400	3 300	3 100	60,0
61,0	30,2	28,8	3 400	3 300	3 100	3 000	61,0
61,3	29,6	28,1	3 300	3 200	3 100	3 000	61,3
61,6	29,2	27,5	3 300	3 200	3 000	2 900	61,6
61,9							61,9
62,0							62,0
62,2							62,2
62,5							62,5
63,1							63,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

54,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,5	78,8	70,3	18 100										16,5
17,7	77,2	70,0	17 900	14 900									17,7
18,0	77,5	69,9	17 900	14 800									18,0
18,6	76,4	69,8	17 800	14 800	12 200								18,6
18,9	76,1	69,7	17 700	14 800	12 200		78,9	69,2	16 700				18,9
19,8	75,2	69,5	17 600	14 700	12 100	9 500	77,2	69,0	16 600				19,8
20,0	75,8	69,4	17 500	14 600	12 100	9 500	78,0	68,9	16 600				20,0
20,1	75,0	69,4	17 500	14 600	12 100	9 500	77,0	68,9	16 600	14 000			20,1
21,3	74,4	69,0	17 400	14 500	12 100	9 500	76,4	68,6	16 500	13 900	11 400		21,3
21,6	74,2	68,9	17 300	14 500	12 100	9 500	76,2	68,5	16 400	13 900	11 400		21,6
22,0	74,1	68,8	17 300	14 500	12 100	9 500	76,3	68,4	16 400	13 900	11 400		22,0
22,6	73,4	68,6	17 200	14 400	12 100	9 500	75,4	68,2	16 300	13 900	11 400	8 900	22,6
23,8	72,2	68,2	17 000	14 300	12 100	9 500	74,2	67,8	16 200	13 800	11 400	8 900	23,8
24,0	72,4	68,2	17 000	14 300	12 100	9 500	74,5	67,7	16 200	13 800	11 400	8 900	24,0
25,0	71,0	67,8	16 400	14 100	12 000	9 500	73,0	67,3	16 100	13 700	11 400	8 900	25,0
26,0	70,6	67,4	15 800	14 000	12 000	9 400	72,8	67,0	16 000	13 700	11 400	8 900	26,0
28,0	68,9	66,6	14 100	13 200	11 900	9 400	71,0	66,2	14 600	13 300	11 400	8 900	28,0
30,0	67,1	65,8	12 700	11 900	11 100	9 400	69,2	65,3	13 100	12 300	11 300	8 900	30,0
32,0	65,3	64,8	11 500	10 800	10 100	9 400	67,4	64,3	11 800	11 100	10 400	8 900	32,0
34,0	63,4	63,8	10 400	9 800	9 200	8 600	65,5	63,3	10 700	10 100	9 500	8 800	34,0
36,0	61,5	62,7	9 500	8 900	8 400	7 900	63,6	62,2	9 800	9 200	8 700	8 200	36,0
38,0	59,6	61,5	8 600	8 200	7 700	7 200	61,7	61,0	8 900	8 400	7 900	7 500	38,0
40,0	57,7	60,2	7 900	7 500	7 000	6 600	59,7	59,7	8 200	7 700	7 300	6 900	40,0
42,0	55,7	58,8	7 200	6 800	6 500	6 100	57,7	58,3	7 500	7 100	6 700	6 300	42,0
44,0	53,6	57,3	6 600	6 300	5 900	5 600	55,6	56,8	6 800	6 500	6 100	5 800	44,0
46,0	51,5	55,7	6 100	5 800	5 400	5 200	53,5	55,2	6 300	5 900	5 600	5 300	46,0
48,0	49,4	54,0	5 600	5 300	5 000	4 700	51,3	53,4	5 800	5 500	5 200	4 900	48,0
50,0	47,1	52,1	5 100	4 900	4 600	4 400	49,0	51,5	5 300	5 000	4 700	4 500	50,0
52,0	44,8	50,1	4 700	4 500	4 200	4 000	46,7	49,4	4 800	4 600	4 400	4 100	52,0
54,0	42,3	47,9	4 300	4 100	3 900	3 700	44,2	47,2	4 400	4 200	4 000	3 800	54,0
56,0	39,7	45,5	3 900	3 700	3 600	3 400	41,6	44,7	4 100	3 900	3 700	3 500	56,0
58,0	37,0	42,8	3 600	3 400	3 300	3 100	38,8	42,0	3 700	3 500	3 300	3 200	58,0
60,0	34,1	39,9	3 300	3 100	3 000	2 800	35,8	39,0	3 400	3 200	3 100	2 900	60,0
62,0	30,9	36,6	3 000	2 900	2 700	2 600	32,5	35,6	3 100	2 900	2 800	2 600	62,0
63,4	27,9	33,9	2 800	2 700	2 500	2 400	29,2	32,9	2 900	2 700	2 600	2 500	63,4
64,0	27,4	32,8	2 700	2 600	2 500		28,9	31,7	2 800	2 600	2 500	2 400	64,0
64,3	26,3	32,1	2 700	2 500			27,5	31,0	2 700	2 600	2 500	2 300	64,3
64,6	25,7	31,4	2 600	2 500			27,0	30,3	2 700	2 600	2 400		64,6
64,9	25,6	30,8	2 600				26,5	29,6	2 600	2 500	2 400		64,9
65,2							26,0	28,9	2 600	2 500			65,2
65,8							25,1	27,5	2 500				65,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

54,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,5							16,5
17,7							17,7
18,0							18,0
18,6							18,6
18,9							18,9
19,8							19,8
20,0							20,0
20,1							20,1
21,3							21,3
21,6	78,8	67,5	11 800				21,6
22,0	78,5	67,4	11 700				22,0
22,6	77,4	67,1	11 600	11 400			22,6
23,8	76,2	66,7	11 300	11 200	10 100		23,8
24,0	76,7	66,7	11 300	11 200	10 100		24,0
25,0	75,0	66,3	11 100	10 900	10 100	7 800	25,0
26,0	74,9	65,9	10 800	10 700	10 100	7 800	26,0
28,0	73,1	65,1	10 500	10 400	10 100	7 800	28,0
30,0	71,3	64,2	10 100	10 100	10 000	7 800	30,0
32,0	69,4	63,3	9 800	9 700	9 600	7 800	32,0
34,0	67,5	62,2	9 500	9 500	9 400	7 800	34,0
36,0	65,6	61,1	9 200	9 200	8 900	7 800	36,0
38,0	63,6	59,9	9 000	8 700	8 200	7 700	38,0
40,0	61,6	58,5	8 400	7 900	7 500	7 100	40,0
42,0	59,6	57,1	7 700	7 300	6 900	6 500	42,0
44,0	57,4	55,6	7 000	6 700	6 300	6 000	44,0
46,0	55,3	53,9	6 400	6 100	5 800	5 500	46,0
48,0	53,0	52,1	5 900	5 600	5 300	5 000	48,0
50,0	50,7	50,2	5 400	5 100	4 900	4 600	50,0
52,0	48,2	48,0	5 000	4 700	4 500	4 200	52,0
54,0	45,7	45,7	4 500	4 300	4 100	3 900	54,0
56,0	43,0	43,2	4 100	3 900	3 700	3 600	56,0
58,0	40,1	40,4	3 800	3 600	3 400	3 200	58,0
60,0	37,0	37,2	3 400	3 300	3 100	2 900	60,0
62,0	33,5	33,6	3 100	3 000	2 800	2 700	62,0
63,4	30,2	30,7	2 900	2 700	2 600	2 500	63,4
64,0	29,6	29,4	2 800	2 700	2 500	2 400	64,0
64,3	28,9	28,7	2 700	2 600	2 500	2 400	64,3
64,6							64,6
64,9							64,9
65,2							65,2
65,8							65,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

57,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,1	78,8	73,2	17 800										17,1
18,0	78,0	73,0	17 700										18,0
18,3	77,7	72,9	17 600	14 600									18,3
19,5	76,5	72,6	17 500	14 600	11 100		78,9	72,2	16 500				19,5
20,0	76,4	72,5	17 400	14 500	11 100		78,5	72,0	16 500				20,0
20,7	75,3	72,3	17 300	14 400	11 100	8 600	77,3	71,8	16 400	13 800			20,7
21,9	74,1	72,0	17 200	14 300	11 100	8 600	76,1	71,5	16 300	13 800	10 400		21,9
22,0	74,8	71,9	17 100	14 300	11 100	8 600	76,8	71,5	16 300	13 800	10 400		22,0
23,2	73,4	71,6	17 000	14 200	11 000	8 600	75,4	71,1	16 200	13 700	10 400	8 000	23,2
24,0	73,1	71,3	16 900	14 200	11 000	8 600	75,2	70,8	16 200	13 700	10 400	8 000	24,0
24,4	72,6	71,2	16 600	14 100	11 000	8 600	74,6	70,7	16 100	13 700	10 400	8 000	24,4
25,6	71,4	70,8	15 900	14 000	11 000	8 500	73,4	70,3	16 000	13 600	10 400	8 000	25,6
26,0	71,5	70,6	15 700	14 000	11 000	8 500	73,5	70,1	15 900	13 600	10 400	8 000	26,0
28,0	69,8	69,9	14 000	13 000	10 900	8 500	71,8	69,4	14 400	13 200	10 400	8 000	28,0
30,0	68,1	69,0	12 600	11 700	10 700	8 500	70,1	68,5	13 000	12 100	10 400	8 000	30,0
32,0	66,3	68,1	11 300	10 600	9 900	8 500	68,4	67,6	11 700	10 900	10 200	8 000	32,0
34,0	64,6	67,2	10 300	9 600	9 000	8 300	66,6	66,7	10 600	9 900	9 300	8 000	34,0
36,0	62,8	66,1	9 300	8 800	8 200	7 700	64,8	65,6	9 700	9 100	8 500	7 800	36,0
38,0	61,0	65,0	8 500	8 000	7 500	7 000	63,0	64,5	8 800	8 300	7 800	7 300	38,0
40,0	59,2	63,8	7 800	7 300	6 900	6 400	61,1	63,3	8 000	7 500	7 100	6 700	40,0
42,0	57,3	62,5	7 100	6 700	6 300	5 900	59,2	61,9	7 300	6 900	6 500	6 100	42,0
44,0	55,4	61,1	6 500	6 100	5 800	5 400	57,3	60,5	6 700	6 300	6 000	5 600	44,0
46,0	53,4	59,6	5 900	5 600	5 300	5 000	55,3	59,0	6 100	5 800	5 500	5 100	46,0
48,0	51,4	58,0	5 400	5 100	4 800	4 600	53,3	57,4	5 600	5 300	5 000	4 700	48,0
50,0	49,3	56,2	5 000	4 700	4 400	4 200	51,2	55,6	5 100	4 900	4 600	4 300	50,0
52,0	47,1	54,3	4 600	4 300	4 100	3 800	49,0	53,7	4 700	4 400	4 200	4 000	52,0
54,0	44,9	52,3	4 200	3 900	3 700	3 500	46,7	51,7	4 300	4 100	3 800	3 600	54,0
56,0	42,6	50,1	3 800	3 600	3 400	3 200	44,3	49,4	3 900	3 700	3 500	3 300	56,0
58,0	40,1	47,8	3 500	3 300	3 100	2 900	41,9	47,0	3 600	3 400	3 200	3 000	58,0
60,0	37,5	45,1	3 100	3 000	2 800	2 600	39,2	44,4	3 200	3 100	2 900	2 700	60,0
62,0	34,8	42,3	2 900	2 700	2 500	2 400	36,4	41,4	2 900	2 800	2 600	2 500	62,0
64,0	31,8	39,1	2 600	2 400	2 300	2 100	33,4	38,2	2 600	2 500	2 400	2 200	64,0
66,0	28,5	35,4	2 300	2 200	2 000	1 900	30,0	34,4	2 400	2 200	2 100	2 000	66,0
66,1	27,7	35,1	2 300	2 200	2 000	1 900	29,7	34,1	2 400	2 200	2 100	1 900	66,1
66,8	26,7	33,9	2 200	2 100	1 900		28,5	32,8	2 300	2 100	2 000	1 900	66,8
67,1	26,1	33,2	2 200	2 000			27,9	32,1	2 200	2 100	2 000	1 800	67,1
67,4	25,6	32,6	2 100	2 000			27,3	31,4	2 200	2 100	1 900		67,4
67,7	25,5	32,0	2 100				26,7	30,8	2 200	2 000			67,7
68,0							26,1	30,1	2 100	2 000			68,0
68,0							26,2	30,1	2 100				68,0
68,6							25,0	28,6	2 000				68,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

57,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,1							17,1
18,0							18,0
18,3							18,3
19,5							19,5
20,0							20,0
20,7							20,7
21,9	79,0	70,5	11 800				21,9
22,0	79,0	70,5	11 800				22,0
23,2	77,4	70,1	11 600	11 500			23,2
24,0	77,3	69,8	11 400	11 300			24,0
24,4	76,6	69,7	11 300	11 200	9 300		24,4
25,6	75,4	69,3	11 100	11 000	9 300	7 100	25,6
26,0	75,6	69,1	11 000	10 900	9 300	7 100	26,0
28,0	73,8	68,3	10 600	10 500	9 300	7 100	28,0
30,0	72,1	67,5	10 300	10 200	9 300	7 100	30,0
32,0	70,3	66,6	10 000	9 900	9 300	7 100	32,0
34,0	68,5	65,6	9 700	9 600	9 200	7 100	34,0
36,0	66,7	64,5	9 400	9 200	8 800	7 100	36,0
38,0	64,9	63,4	9 000	8 500	8 000	7 100	38,0
40,0	63,0	62,1	8 300	7 800	7 300	6 900	40,0
42,0	61,1	60,8	7 600	7 100	6 700	6 300	42,0
44,0	59,1	59,3	6 900	6 500	6 200	5 800	44,0
46,0	57,0	57,8	6 300	6 000	5 600	5 300	46,0
48,0	55,0	56,1	5 800	5 500	5 200	4 900	48,0
50,0	52,8	54,3	5 300	5 000	4 700	4 500	50,0
52,0	50,6	52,4	4 800	4 600	4 300	4 100	52,0
54,0	48,2	50,3	4 400	4 200	4 000	3 700	54,0
56,0	45,8	48,0	4 000	3 800	3 600	3 400	56,0
58,0	43,2	45,5	3 700	3 500	3 300	3 100	58,0
60,0	40,5	42,7	3 300	3 100	3 000	2 800	60,0
62,0	37,5	39,6	3 000	2 800	2 700	2 500	62,0
64,0	34,3	36,2	2 700	2 500	2 400	2 300	64,0
66,0	30,8	32,2	2 400	2 300	2 100	2 000	66,0
66,1	29,7	31,9	2 400	2 200	2 100	2 000	66,1
66,8	28,6	30,5	2 300	2 200	2 000	1 900	66,8
67,1	28,7	29,8	2 200	2 100	2 000	1 800	67,1
67,4							67,4
67,7							67,7
68,0							68,0
68,0							68,0
68,6							68,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

60,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,4	79,0	76,2	17 600										17,4
18,0	78,5	76,1	17 500										18,0
18,9	77,1	75,9	17 400	13 500									18,9
20,0	77,0	75,6	17 200	13 400									20,0
20,1	76,0	75,6	17 200	13 400	10 100		78,9	75,1	16 300				20,1
21,3	75,4	75,3	17 100	13 400	10 100	7 700	77,4	74,8	16 200	12 700			21,3
22,0	75,4	75,1	17 000	13 400	10 000	7 700	77,4	74,6	16 200	12 700			22,0
22,6	74,4	74,9	16 900	13 400	10 000	7 700	76,4	74,4	16 100	12 700	9 500		22,6
23,8	73,2	74,5	16 800	13 300	10 000	7 700	75,2	74,1	16 000	12 600	9 500	7 200	23,8
24,0	73,8	74,5	16 700	13 300	10 000	7 700	75,8	74,0	16 000	12 600	9 500	7 200	24,0
25,0	72,5	74,2	16 100	13 300	10 000	7 700	74,5	73,7	15 900	12 600	9 500	7 200	25,0
26,0	72,2	73,8	15 500	13 300	10 000	7 600	74,2	73,3	15 800	12 600	9 500	7 200	26,0
26,5	71,5	73,6	15 100	13 200	10 000	7 600	73,5	73,2	15 400	12 600	9 500	7 200	26,5
28,0	70,6	73,1	13 800	12 800	9 900	7 600	72,6	72,6	14 300	12 600	9 400	7 200	28,0
30,0	69,0	72,3	12 400	11 500	9 900	7 600	70,9	71,8	12 800	11 900	9 400	7 200	30,0
32,0	67,4	71,5	11 200	10 400	9 700	7 600	69,3	71,0	11 600	10 800	9 400	7 100	32,0
34,0	65,7	70,5	10 100	9 400	8 800	7 500	67,6	70,0	10 500	9 800	9 100	7 100	34,0
36,0	64,0	69,5	9 200	8 600	8 000	7 400	65,9	69,0	9 500	8 900	8 300	7 100	36,0
38,0	62,3	68,5	8 300	7 800	7 300	6 800	64,2	67,9	8 600	8 100	7 600	7 000	38,0
40,0	60,5	67,3	7 600	7 100	6 600	6 200	62,4	66,8	7 900	7 400	6 900	6 500	40,0
42,0	58,8	66,1	6 900	6 500	6 100	5 700	60,6	65,5	7 200	6 700	6 300	5 900	42,0
44,0	57,0	64,8	6 300	5 900	5 500	5 200	58,8	64,2	6 500	6 100	5 800	5 400	44,0
46,0	55,1	63,4	5 800	5 400	5 100	4 700	57,0	62,8	6 000	5 600	5 300	4 900	46,0
48,0	53,2	61,8	5 300	4 900	4 600	4 300	55,0	61,3	5 500	5 100	4 800	4 500	48,0
50,0	51,3	60,2	4 800	4 500	4 200	4 000	53,1	59,6	5 000	4 700	4 400	4 100	50,0
52,0	49,3	58,5	4 400	4 100	3 900	3 600	51,1	57,9	4 500	4 300	4 000	3 800	52,0
54,0	47,2	56,6	4 000	3 700	3 500	3 300	49,0	56,0	4 100	3 900	3 600	3 400	54,0
56,0	45,1	54,6	3 600	3 400	3 200	3 000	46,8	53,9	3 800	3 500	3 300	3 100	56,0
58,0	42,8	52,4	3 300	3 100	2 900	2 700	44,5	51,7	3 400	3 200	3 000	2 800	58,0
60,0	40,5	50,1	3 000	2 800	2 600	2 400	42,2	49,3	3 100	2 900	2 700	2 500	60,0
62,0	38,0	47,5	2 700	2 500	2 300	2 100	39,7	46,7	2 800	2 600	2 400	2 200	62,0
64,0	35,4	44,7	2 400	2 200	2 000	1 900	37,0	43,9	2 500	2 300	2 100	2 000	64,0
66,0	32,6	41,6	2 100	1 900	1 800	1 600	34,2	40,7	2 200	2 000	1 900	1 700	66,0
67,1	30,4	39,7	2 000	1 800	1 600	1 500	32,4	38,8	2 000	1 900	1 700	1 500	67,1
68,0	29,6	38,1	1 800	1 700	1 500		31,0	37,1	1 900	1 700	1 600	1 400	68,0
68,6	28,1	36,9	1 700	1 600	1 400		29,8	35,9	1 800	1 700	1 500	1 300	68,6
69,5	26,8	35,1	1 600	1 500	1 300		28,0	34,1	1 700	1 500			69,5
70,0	26,2	34,1	1 500	1 400			27,6	33,0	1 600	1 500			70,0
70,1	25,8	33,9	1 500	1 400			26,8	32,8	1 600	1 400			70,1
70,4	25,5	33,2	1 500				26,2	32,1	1 500	1 400			70,4
70,7							25,6	31,4	1 500	1 400			70,7
71,0							25,6	30,6	1 500				71,0

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

60,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,4							17,4
18,0							18,0
18,9							18,9
20,0							20,0
20,1							20,1
21,3							21,3
22,0							22,0
22,6	79,0	73,4	11 900				22,6
23,8	77,1	73,0	11 600	11 300			23,8
24,0	77,8	73,0	11 500	11 300			24,0
25,0	76,5	72,6	11 300	11 200	8 500		25,0
26,0	76,2	72,3	11 200	11 000	8 500		26,0
26,5	75,5	72,1	11 100	10 900	8 500	6 400	26,5
28,0	74,5	71,6	10 800	10 700	8 500	6 400	28,0
30,0	72,9	70,8	10 400	10 300	8 500	6 400	30,0
32,0	71,2	69,9	10 100	10 000	8 500	6 400	32,0
34,0	69,5	69,0	9 800	9 800	8 500	6 400	34,0
36,0	67,8	67,9	9 600	9 200	8 400	6 400	36,0
38,0	66,0	66,8	8 900	8 400	7 800	6 400	38,0
40,0	64,2	65,7	8 100	7 600	7 200	6 400	40,0
42,0	62,4	64,4	7 400	7 000	6 500	6 100	42,0
44,0	60,5	63,0	6 800	6 400	6 000	5 600	44,0
46,0	58,6	61,6	6 200	5 800	5 500	5 100	46,0
48,0	56,7	60,0	5 600	5 300	5 000	4 700	48,0
50,0	54,7	58,3	5 100	4 800	4 600	4 300	50,0
52,0	52,6	56,5	4 700	4 400	4 200	3 900	52,0
54,0	50,5	54,6	4 300	4 000	3 800	3 500	54,0
56,0	48,2	52,5	3 900	3 600	3 400	3 200	56,0
58,0	45,9	50,2	3 500	3 300	3 100	2 900	58,0
60,0	43,5	47,8	3 200	3 000	2 800	2 600	60,0
62,0	40,9	45,1	2 900	2 700	2 500	2 300	62,0
64,0	38,1	42,1	2 500	2 400	2 200	2 000	64,0
66,0	35,1	38,8	2 200	2 100	1 900	1 700	66,0
67,1	32,9	36,8	2 100	1 900	1 700	1 600	67,1
68,0	31,8	35,0	1 900	1 800	1 600	1 500	68,0
68,6	30,2	33,7	1 800	1 700	1 500	1 400	68,6
69,5	29,1	31,8	1 700	1 500	1 400		69,5
70,0							70,0
70,1							70,1
70,4							70,4
70,7							70,7
71,0							71,0

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

63,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,0	79,0	79,2	16 700										18,0
19,5	77,3	78,8	16 600	12 300									19,5
20,0	77,5	78,7	16 600	12 200									20,0
20,7	76,3	78,5	16 600	12 200	9 200		78,9	78,0	15 900				20,7
21,9	75,1	78,2	16 500	12 200	9 100	6 900	77,1	77,7	15 800	11 500			21,9
22,0	76,0	78,2	16 500	12 200	9 100	6 900	77,9	77,7	15 800	11 500			22,0
23,2	74,4	77,8	16 400	12 100	9 100	6 900	76,4	77,4	15 700	11 500			23,2
23,5	74,3	77,7	16 400	12 100	9 100	6 900	76,3	77,3	15 700	11 500	8 600		23,5
24,0	74,4	77,6	16 400	12 100	9 100	6 900	76,4	77,1	15 700	11 500	8 600		24,0
24,4	73,6	77,5	16 200	12 100	9 100	6 800	75,6	77,0	15 700	11 500	8 600		24,4
24,7	73,3	77,4	16 000	12 100	9 100	6 800	75,3	76,9	15 700	11 500	8 600	6 400	24,7
25,9	72,1	77,0	15 400	12 000	9 000	6 800	74,1	76,5	15 600	11 400	8 600	6 400	25,9
26,0	72,9	77,0	15 300	12 000	9 000	6 800	74,8	76,5	15 600	11 400	8 600	6 400	26,0
27,1	71,5	76,6	14 400	12 000	9 000	6 800	73,5	76,1	14 800	11 400	8 600	6 400	27,1
28,0	71,4	76,3	13 700	11 900	9 000	6 800	73,3	75,8	14 200	11 400	8 500	6 400	28,0
30,0	69,8	75,5	12 300	11 300	8 900	6 800	71,7	75,0	12 700	11 300	8 500	6 400	30,0
32,0	68,3	74,7	11 000	10 200	8 900	6 700	70,1	74,2	11 400	10 600	8 500	6 400	32,0
34,0	66,7	73,8	10 000	9 200	8 600	6 700	68,5	73,3	10 300	9 600	8 500	6 400	34,0
36,0	65,1	72,9	9 000	8 400	7 800	6 700	66,9	72,4	9 400	8 700	8 100	6 300	36,0
38,0	63,4	71,9	8 200	7 600	7 100	6 600	65,3	71,3	8 500	7 900	7 400	6 300	38,0
40,0	61,8	70,8	7 400	6 900	6 400	6 000	63,6	70,2	7 700	7 200	6 700	6 200	40,0
42,0	60,1	69,6	6 800	6 300	5 900	5 500	61,9	69,1	7 000	6 600	6 100	5 700	42,0
44,0	58,4	68,4	6 100	5 700	5 300	5 000	60,2	67,8	6 400	6 000	5 600	5 200	44,0
46,0	56,6	67,0	5 600	5 200	4 900	4 500	58,4	66,5	5 800	5 400	5 100	4 700	46,0
48,0	54,8	65,6	5 100	4 800	4 400	4 100	56,6	65,0	5 300	5 000	4 600	4 300	48,0
50,0	53,0	64,1	4 600	4 300	4 000	3 700	54,8	63,5	4 800	4 500	4 200	3 900	50,0
52,0	51,1	62,4	4 200	3 900	3 700	3 400	52,9	61,8	4 400	4 100	3 800	3 600	52,0
54,0	49,2	60,7	3 800	3 600	3 300	3 100	50,9	60,1	4 000	3 700	3 500	3 200	54,0
56,0	47,2	58,8	3 500	3 200	3 000	2 800	48,9	58,2	3 600	3 400	3 100	2 900	56,0
58,0	45,2	56,8	3 100	2 900	2 700	2 500	46,8	56,2	3 300	3 000	2 800	2 600	58,0
60,0	43,0	54,7	2 800	2 600	2 400	2 100	44,7	54,0	2 900	2 700	2 500	2 300	60,0
62,0	40,8	52,3	2 500	2 300	2 100	1 900	42,4	51,6	2 600	2 400	2 200	2 000	62,0
64,0	38,5	49,8	2 200	2 000	1 800	1 600	40,0	49,1	2 300	2 100	1 900	1 700	64,0
65,5	35,7	47,7	1 900	1 800	1 600	1 400	37,7	46,9	2 100	1 900	1 700	1 500	65,5
66,0	36,0	47,1	1 900	1 700	1 500		37,5	46,3	2 000	1 800	1 600		66,0
67,1	33,9	45,5	1 700	1 500	1 400		35,4	44,6	1 800	1 600	1 500		67,1
68,0	33,3	44,0	1 600	1 400			34,8	43,2	1 700	1 500			68,0
68,6	32,5	43,1	1 500	1 300			33,1	42,2	1 600	1 400			68,6
70,0							31,9	39,7	1 400				70,0
70,1							31,8	39,5	1 400				70,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

63,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,0							18,0
19,5							19,5
20,0							20,0
20,7							20,7
21,9							21,9
22,0							22,0
23,2	78,9	76,4	11 800				23,2
23,5	78,0	76,3	11 800				23,5
24,0	78,3	76,1	11 700				24,0
24,4	77,6	76,0	11 600	10 300			24,4
24,7	77,3	75,9	11 500	10 300			24,7
25,9	76,1	75,5	11 300	10 300	7 700		25,9
26,0	76,7	75,5	11 300	10 300	7 700		26,0
27,1	75,5	75,1	11 100	10 300	7 700	5 800	27,1
28,0	75,2	74,8	10 900	10 300	7 700	5 700	28,0
30,0	73,6	74,0	10 600	10 300	7 600	5 700	30,0
32,0	72,0	73,1	10 300	10 200	7 600	5 700	32,0
34,0	70,4	72,2	10 000	9 800	7 600	5 700	34,0
36,0	68,7	71,3	9 600	9 000	7 600	5 700	36,0
38,0	67,0	70,2	8 800	8 200	7 600	5 700	38,0
40,0	65,3	69,1	8 000	7 500	7 000	5 700	40,0
42,0	63,6	67,9	7 300	6 800	6 400	5 700	42,0
44,0	61,9	66,6	6 600	6 200	5 800	5 400	44,0
46,0	60,1	65,3	6 000	5 700	5 300	4 900	46,0
48,0	58,2	63,8	5 500	5 200	4 800	4 500	48,0
50,0	56,3	62,2	5 000	4 700	4 400	4 100	50,0
52,0	54,4	60,5	4 600	4 300	4 000	3 700	52,0
54,0	52,4	58,7	4 100	3 900	3 600	3 400	54,0
56,0	50,4	56,8	3 700	3 500	3 300	3 000	56,0
58,0	48,2	54,7	3 400	3 200	2 900	2 700	58,0
60,0	46,0	52,5	3 000	2 800	2 600	2 400	60,0
62,0	43,7	50,1	2 700	2 500	2 300	2 100	62,0
64,0	41,2	47,4	2 400	2 200	2 000	1 800	64,0
65,5	38,7	45,2	2 100	1 900	1 800	1 600	65,5
66,0	38,6	44,5	2 100	1 900	1 700	1 500	66,0
67,1	36,4	42,8	1 900	1 700	1 500	1 300	67,1
68,0	35,8	41,3	1 700	1 600			68,0
68,6	34,1	40,2	1 700	1 500			68,6
70,0	32,7	37,6	1 400				70,0
70,1	32,5	37,4	1 400				70,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


66,0 m


15,2 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,6	78,9	82,1	15 300										18,6
20,0	77,9	81,8	15 200										20,0
20,1	77,0	81,7	15 200	11 100									20,1
21,3	76,4	81,4	15 100	11 000	8 200		78,8	81,0	14 500				21,3
22,0	76,5	81,3	15 100	11 000	8 200		78,3	80,8	14 500				22,0
22,6	75,7	81,1	15 000	10 900	8 100		77,4	80,6	14 400	10 400			22,6
22,9	75,6	81,0	15 000	10 900	8 100	6 100	77,1	80,5	14 400	10 400			22,9
23,8	75,1	80,8	15 000	10 900	8 100	6 100	76,2	80,3	14 400	10 300			23,8
24,0	75,0	80,7	15 000	10 900	8 100	6 100	76,9	80,2	14 400	10 300			24,0
24,1	74,9	80,7	14 900	10 900	8 100	6 100	76,0	80,2	14 400	10 300	7 700		24,1
25,3	73,7	80,3	14 900	10 800	8 100	6 100	75,4	79,8	14 300	10 300	7 600	5 700	25,3
26,0	73,6	80,1	14 800	10 800	8 000	6 000	75,4	79,6	14 300	10 300	7 600	5 700	26,0
26,5	72,8	79,9	14 500	10 800	8 000	6 000	74,5	79,5	14 200	10 300	7 600	5 700	26,5
27,7	72,2	79,5	13 700	10 700	8 000	6 000	73,3	79,1	13 900	10 200	7 600	5 700	27,7
28,0	72,1	79,5	13 500	10 700	8 000	6 000	73,9	79,0	13 900	10 200	7 600	5 700	28,0
30,0	70,6	78,7	12 100	10 700	7 900	6 000	72,4	78,2	12 600	10 200	7 500	5 600	30,0
32,0	69,1	77,9	10 900	10 000	7 900	5 900	70,9	77,4	11 300	10 100	7 500	5 600	32,0
34,0	67,6	77,1	9 800	9 000	7 900	5 900	69,4	76,6	10 200	9 400	7 400	5 600	34,0
36,0	66,0	76,2	8 800	8 200	7 500	5 900	67,8	75,7	9 200	8 500	7 400	5 500	36,0
38,0	64,5	75,2	8 000	7 400	6 900	5 800	66,3	74,7	8 300	7 700	7 100	5 500	38,0
40,0	62,9	74,2	7 300	6 700	6 200	5 700	64,7	73,7	7 600	7 000	6 500	5 500	40,0
42,0	61,3	73,1	6 600	6 100	5 700	5 200	63,1	72,5	6 900	6 400	5 900	5 400	42,0
44,0	59,7	71,9	6 000	5 500	5 100	4 800	61,4	71,3	6 200	5 800	5 400	5 000	44,0
46,0	58,0	70,6	5 400	5 000	4 700	4 300	59,7	70,1	5 700	5 300	4 900	4 500	46,0
48,0	56,3	69,3	4 900	4 600	4 200	3 900	58,0	68,7	5 100	4 800	4 400	4 100	48,0
50,0	54,6	67,8	4 500	4 100	3 800	3 500	56,3	67,2	4 700	4 300	4 000	3 700	50,0
52,0	52,8	66,3	4 000	3 700	3 500	3 200	54,5	65,7	4 200	3 900	3 600	3 400	52,0
54,0	51,0	64,7	3 600	3 400	3 100	2 800	52,7	64,0	3 800	3 500	3 300	3 000	54,0
56,0	49,2	62,9	3 300	3 000	2 800	2 500	50,8	62,3	3 400	3 200	2 900	2 700	56,0
58,0	47,3	61,1	2 900	2 700	2 400	2 200	48,9	60,4	3 100	2 900	2 600	2 300	58,0
60,0	45,3	59,1	2 600	2 300	2 100	1 900	46,9	58,4	2 800	2 500	2 300	2 000	60,0
62,0	43,2	56,9	2 300	2 000	1 800	1 600	44,8	56,2	2 400	2 200	1 900	1 700	62,0
62,5	42,5	56,4	2 200	1 900	1 700	1 500	43,5	55,7	2 300	2 100	1 900	1 600	62,5
64,0	41,1	54,6	1 900	1 700	1 500		42,6	53,9	2 100	1 900	1 600	1 400	64,0
65,5	38,7	52,7	1 700	1 500			40,5	51,9	1 800	1 600	1 400		65,5
66,0	38,9	52,1	1 600				40,4	51,4	1 800	1 500			66,0
67,1	37,6	50,7	1 500				38,4	49,9	1 600	1 400			67,1
68,0							38,0	48,6	1 500				68,0
68,6							37,3	47,8	1 400				68,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

66,0 m



15,2 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,6							18,6
20,0							20,0
20,1							20,1
21,3							21,3
22,0							22,0
22,6							22,6
22,9							22,9
23,8	78,9	79,3	11 800				23,8
24,0	78,7	79,2	11 800				24,0
24,1	78,0	79,2	11 800				24,1
25,3	77,4	78,8	11 500	9 300			25,3
26,0	77,3	78,6	11 400	9 300			26,0
26,5	76,5	78,4	11 300	9 300	6 800		26,5
27,7	75,3	78,0	11 100	9 300	6 800	5 000	27,7
28,0	75,7	77,9	11 000	9 300	6 800	5 000	28,0
30,0	74,2	77,2	10 700	9 300	6 800	5 000	30,0
32,0	72,7	76,4	10 400	9 300	6 800	5 000	32,0
34,0	71,1	75,5	10 100	9 300	6 800	5 000	34,0
36,0	69,6	74,6	9 500	8 900	6 700	5 000	36,0
38,0	68,0	73,6	8 700	8 000	6 700	5 000	38,0
40,0	66,4	72,5	7 900	7 300	6 600	4 900	40,0
42,0	64,7	71,4	7 100	6 600	6 200	4 900	42,0
44,0	63,1	70,2	6 500	6 000	5 600	4 900	44,0
46,0	61,4	68,9	5 900	5 500	5 100	4 700	46,0
48,0	59,6	67,5	5 400	5 000	4 600	4 300	48,0
50,0	57,8	66,0	4 900	4 500	4 200	3 900	50,0
52,0	56,0	64,4	4 400	4 100	3 800	3 500	52,0
54,0	54,2	62,7	4 000	3 700	3 400	3 200	54,0
56,0	52,2	60,9	3 600	3 300	3 100	2 800	56,0
58,0	50,3	59,0	3 200	3 000	2 800	2 500	58,0
60,0	48,2	56,9	2 900	2 700	2 400	2 200	60,0
62,0	46,1	54,7	2 500	2 300	2 100	1 800	62,0
62,5	45,3	54,1	2 500	2 200	2 000	1 800	62,5
64,0	43,8	52,3	2 200	2 000	1 700	1 500	64,0
65,5	41,5	50,3	1 900	1 700	1 500		65,5
66,0	41,5	49,7	1 900	1 600			66,0
67,1	39,9	48,2	1 700	1 500			67,1
68,0	39,0	46,9	1 500				68,0
68,6	38,3	46,0	1 400				68,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


27,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
11,9	78,8	46,8	16 700										11,9
12,0	78,6	46,8	16 600										12,0
12,8	77,2	46,6	16 400	13 600									12,8
13,0	77,4	46,5	16 400	13 500									13,0
13,4	76,6	46,4	16 300	13 500	11 600								13,4
14,0	76,1	46,2	16 100	13 400	11 500								14,0
14,3	75,4	46,1	16 000	13 300	11 500	10 100							14,3
14,9	74,2	46,0	15 800	13 200	11 400	10 000	78,9	45,5	14 700				14,9
15,0	74,8	45,9	15 800	13 200	11 300	10 000	78,8	45,5	14 600				15,0
15,8	73,2	45,7	15 600	13 100	11 200	9 900	77,2	45,3	14 400	12 400			15,8
16,0	73,4	45,6	15 500	13 000	11 200	9 900	77,5	45,2	14 400	12 400			16,0
16,5	72,3	45,4	15 300	12 900	11 100	9 800	76,3	45,0	14 300	12 300	10 700		16,5
17,4	70,9	45,1	15 100	12 800	11 000	9 700	74,9	44,7	14 100	12 200	10 700	9 400	17,4
18,0	70,8	44,9	14 900	12 700	11 000	9 700	74,8	44,5	13 900	12 100	10 600	9 400	18,0
18,9	69,1	44,5	14 700	12 500	10 800	9 600	73,1	44,1	13 800	12 000	10 500	9 300	18,9
19,5	68,5	44,2	14 500	12 400	10 800	9 500	72,5	43,8	13 600	11 900	10 500	9 300	19,5
20,0	68,1	44,0	14 400	12 300	10 700	9 500	72,1	43,6	13 500	11 800	10 400	9 200	20,0
20,1	67,9	44,0	14 400	12 300	10 700	9 400	71,9	43,6	13 500	11 800	10 400	9 200	20,1
22,0	65,3	43,1	13 900	12 000	10 500	9 300	69,3	42,6	13 000	11 500	10 200	9 100	22,0
24,0	62,5	42,0	13 400	11 700	10 300	9 100	66,4	41,6	12 100	11 300	10 100	9 000	24,0
26,0	59,6	40,8	13 000	11 400	10 000	9 000	63,4	40,3	11 400	11 000	9 900	8 900	26,0
28,0	56,5	39,4	12 600	11 100	9 800	8 800	60,4	39,0	10 700	10 600	9 700	8 800	28,0
30,0	53,4	37,9	12 200	10 800	9 600	8 600	57,2	37,4	10 100	10 000	9 500	8 600	30,0
32,0	50,1	36,2	11 600	10 500	9 400	8 500	53,9	35,7	9 600	9 500	9 400	8 600	32,0
34,0	46,7	34,3	10 900	10 300	9 300	8 400	50,4	33,7	9 100	9 000	9 000	8 500	34,0
36,0	43,0	32,1	10 300	10 000	9 100	8 200	46,6	31,5	8 700	8 600	8 600	8 400	36,0
38,0	39,0	29,6	9 700	9 600	8 900	8 100	42,5	29,0	8 300	8 300	8 200	8 200	38,0
40,0	34,6	26,7	9 200	9 100	8 800	8 000	38,0	26,0	8 000	7 900	7 900	7 900	40,0
42,0	29,6	23,2	8 700	8 600	8 400	8 000	32,8	22,4	7 700	7 700	7 600	7 600	42,0
42,4	27,8	22,5	8 600	8 500	8 300	8 000	30,9	21,5	7 700	7 600	7 600	7 500	42,4
42,7	26,9	21,8	8 600	8 400	8 200		30,0	20,8	7 600	7 600	7 500	7 500	42,7
43,0	25,9	21,2	8 500	8 300			29,1	20,1	7 600	7 500	7 500	7 500	43,0
43,3	25,9	20,5	8 400				28,2	19,4	7 500	7 500	7 500	7 400	43,3
43,6							27,2	18,7	7 500	7 500	7 400		43,6
43,9							26,3	18,0	7 500	7 400			43,9
44,0							26,4	17,7	7 500				44,0
44,2							25,7	17,2	7 400				44,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

27,0 m

18,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
11,9							11,9
12,0							12,0
12,8							12,8
13,0							13,0
13,4							13,4
14,0							14,0
14,3							14,3
14,9							14,9
15,0							15,0
15,8							15,8
16,0							16,0
16,5							16,5
17,4							17,4
18,0	79,0	43,5	10 300				18,0
18,9	77,1	43,1	10 000	9 800			18,9
19,5	76,5	42,9	9 800	9 600	9 300		19,5
20,0	76,1	42,7	9 600	9 500	9 300		20,0
20,1	75,9	42,6	9 600	9 500	9 300	8 400	20,1
22,0	73,3	41,7	9 100	8 900	8 800	8 300	22,0
24,0	70,3	40,6	8 600	8 500	8 400	8 200	24,0
26,0	67,3	39,3	8 200	8 000	8 000	7 800	26,0
28,0	64,2	37,9	7 800	7 700	7 600	7 500	28,0
30,0	60,9	36,3	7 400	7 300	7 200	7 200	30,0
32,0	57,5	34,5	7 100	7 000	6 900	6 900	32,0
34,0	53,8	32,5	6 800	6 800	6 700	6 600	34,0
36,0	49,9	30,2	6 600	6 500	6 500	6 400	36,0
38,0	45,6	27,5	6 400	6 300	6 300	6 200	38,0
40,0	40,8	24,3	6 200	6 100	6 100	6 000	40,0
42,0	35,1	20,4	6 100	6 000	6 000	5 900	42,0
42,4	33,6	19,4	6 100	6 000	6 000	5 900	42,4
42,7	32,5	18,6	6 000	6 000	6 000	5 900	42,7
43,0	31,4	17,8	6 000	6 000	5 900	5 900	43,0
43,3	30,3	17,0	6 000	6 000	5 900	5 900	43,3
43,6	29,1	16,2	6 000	6 000	5 900	5 900	43,6
43,9	28,2	15,4	6 000	5 900	5 900	5 900	43,9
44,0							44,0
44,2							44,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

30,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,5	78,8	49,7	16 600										12,5
13,0	78,2	49,6	16 400										13,0
13,4	77,2	49,5	16 300	13 500									13,4
14,0	76,9	49,3	16 200	13 400	11 500								14,0
14,9	75,1	49,1	16 000	13 300	11 400	10 000							14,9
15,0	75,7	49,1	15 900	13 200	11 400	10 000							15,0
15,5	74,5	48,9	15 800	13 200	11 300	9 900	78,9	48,5	14 600				15,5
16,0	74,5	48,7	15 600	13 100	11 200	9 900	78,3	48,3	14 500				16,0
16,5	73,5	48,6	15 500	13 000	11 200	9 800	77,3	48,1	14 400	12 400			16,5
17,1	72,9	48,4	15 300	12 900	11 100	9 800	76,4	47,9	14 200	12 300	10 700		17,1
18,0	72,0	48,1	15 100	12 700	11 000	9 700	75,8	47,6	14 100	12 200	10 600	9 400	18,0
18,6	71,1	47,8	15 000	12 700	10 900	9 600	74,4	47,4	13 900	12 100	10 600	9 400	18,6
19,5	69,8	47,5	14 700	12 500	10 800	9 600	73,5	47,0	13 800	12 000	10 500	9 300	19,5
20,0	69,5	47,3	14 600	12 400	10 800	9 500	73,2	46,8	13 700	11 900	10 500	9 300	20,0
20,1	68,9	47,2	14 600	12 400	10 800	9 500	72,9	46,8	13 700	11 900	10 500	9 300	20,1
21,0	67,5	46,8	14 400	12 300	10 700	9 400	71,5	46,4	13 500	11 800	10 400	9 200	21,0
22,0	66,9	46,4	14 100	12 100	10 600	9 300	70,7	46,0	13 300	11 600	10 300	9 200	22,0
24,0	64,3	45,4	13 700	11 800	10 400	9 200	68,0	44,9	12 600	11 400	10 100	9 100	24,0
26,0	61,6	44,3	13 300	11 600	10 200	9 000	65,3	43,8	11 800	11 100	10 000	8 900	26,0
28,0	58,9	43,0	12 900	11 200	9 900	8 900	62,5	42,6	11 200	10 900	9 800	8 800	28,0
30,0	56,0	41,7	12 500	11 000	9 700	8 700	59,6	41,2	10 500	10 500	9 600	8 700	30,0
32,0	53,1	40,1	12 200	10 700	9 600	8 600	56,6	39,6	10 000	9 900	9 500	8 600	32,0
34,0	50,0	38,4	11 500	10 500	9 400	8 500	53,5	37,9	9 500	9 500	9 300	8 500	34,0
36,0	46,8	36,5	10 800	10 200	9 200	8 300	50,2	35,9	9 100	9 000	9 000	8 400	36,0
38,0	43,3	34,4	10 000	9 700	9 100	8 200	46,7	33,7	8 700	8 700	8 600	8 400	38,0
40,0	39,6	31,9	9 300	9 000	8 700	8 100	42,9	31,3	8 400	8 300	8 300	8 200	40,0
42,0	35,6	29,1	8 600	8 400	8 100	7 900	38,8	28,4	8 000	8 000	8 000	7 900	42,0
44,0	31,1	25,8	8 000	7 800	7 600	7 400	34,1	25,0	7 800	7 700	7 700	7 500	44,0
45,1	27,7	23,6	7 700	7 500	7 300	7 100	30,7	22,6	7 600	7 500	7 400	7 200	45,1
45,4	26,7	22,9	7 600	7 400	7 200		29,7	22,0	7 600	7 400	7 300	7 100	45,4
45,7	25,8	22,3	7 500	7 300			28,8	21,3	7 500	7 400	7 200	7 100	45,7
46,0	25,8	21,8	7 400				28,6	20,8	7 500	7 300	7 200	7 000	46,0
46,3							26,9	19,9	7 400	7 300	7 100		46,3
46,6							26,0	19,1	7 300	7 200			46,6
46,9							25,5	18,3	7 300				46,9

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



30,0 m



18,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,5							12,5
13,0							13,0
13,4							13,4
14,0							14,0
14,9							14,9
15,0							15,0
15,5							15,5
16,0							16,0
16,5							16,5
17,1							17,1
18,0							18,0
18,6	78,9	46,5	10 200				18,6
19,5	77,4	46,1	10 000	9 800			19,5
20,0	77,1	45,9	9 800	9 700			20,0
20,1	76,9	45,8	9 800	9 600	9 500		20,1
21,0	75,5	45,4	9 600	9 400	9 300	9 000	21,0
22,0	74,4	45,0	9 300	9 100	9 000	8 900	22,0
24,0	71,7	43,9	8 800	8 700	8 600	8 500	24,0
26,0	69,0	42,8	8 400	8 300	8 200	8 100	26,0
28,0	66,1	41,5	8 000	7 900	7 800	7 700	28,0
30,0	63,1	40,1	7 600	7 600	7 500	7 400	30,0
32,0	60,0	38,5	7 300	7 300	7 200	7 100	32,0
34,0	56,8	36,7	7 000	7 000	6 900	6 900	34,0
36,0	53,4	34,7	6 800	6 700	6 700	6 600	36,0
38,0	49,7	32,4	6 600	6 500	6 400	6 400	38,0
40,0	45,8	29,8	6 400	6 300	6 300	6 200	40,0
42,0	41,4	26,7	6 200	6 200	6 100	6 100	42,0
44,0	36,4	23,0	6 100	6 000	6 000	5 900	44,0
45,1	32,7	20,4	6 100	6 000	6 000	5 900	45,1
45,4	31,7	19,7	6 000	6 000	5 900	5 900	45,4
45,7	30,8	19,0	6 000	6 000	5 900	5 900	45,7
46,0	30,2	18,3	6 000	6 000	5 900	5 900	46,0
46,3	28,4	17,3	6 000	6 000	5 900	5 900	46,3
46,6	27,8	16,4	6 000	6 000	5 900		46,6
46,9							46,9

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


33,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,1	78,7	52,7	16 400										13,1
14,0	77,7	52,5	16 200	13 400									14,0
14,6	76,4	52,3	16 100	13 300	11 400								14,6
15,0	76,6	52,2	16 000	13 300	11 400								15,0
15,5	75,5	52,0	15 900	13 200	11 300	10 000							15,5
16,0	75,4	51,9	15 800	13 100	11 300	9 900							16,0
16,2	74,8	51,8	15 700	13 100	11 200	9 900	78,8	51,4	14 500				16,2
17,1	73,9	51,5	15 500	12 900	11 100	9 800	77,0	51,1	14 400	12 300			17,1
18,0	73,1	51,3	15 200	12 800	11 000	9 700	76,7	50,8	14 200	12 200	10 600		18,0
18,6	72,1	51,0	15 100	12 700	11 000	9 700	75,4	50,6	14 100	12 100	10 600	9 400	18,6
19,2	71,2	50,8	14 900	12 600	10 900	9 600	74,8	50,4	13 900	12 100	10 600	9 300	19,2
20,0	70,8	50,5	14 700	12 500	10 800	9 600	74,3	50,1	13 800	12 000	10 500	9 300	20,0
20,1	69,9	50,5	14 700	12 500	10 800	9 500	73,9	50,0	13 800	12 000	10 500	9 300	20,1
21,0	69,0	50,1	14 500	12 400	10 700	9 500	72,5	49,7	13 600	11 800	10 400	9 200	21,0
21,6	68,4	49,9	14 400	12 300	10 700	9 400	71,6	49,4	13 500	11 800	10 400	9 200	21,6
22,0	68,4	49,7	14 300	12 200	10 600	9 400	71,9	49,3	13 400	11 700	10 300	9 200	22,0
24,0	65,9	48,8	13 900	11 900	10 400	9 200	69,4	48,3	13 000	11 500	10 200	9 100	24,0
26,0	63,5	47,8	13 500	11 700	10 200	9 100	66,9	47,3	12 300	11 200	10 000	9 000	26,0
28,0	60,9	46,6	13 100	11 400	10 000	8 900	64,3	46,1	11 600	11 000	9 900	8 900	28,0
30,0	58,3	45,3	12 700	11 100	9 800	8 800	61,7	44,8	11 000	10 800	9 700	8 800	30,0
32,0	55,6	43,9	12 400	10 900	9 700	8 700	59,0	43,4	10 400	10 300	9 600	8 700	32,0
34,0	52,8	42,4	11 700	10 600	9 500	8 500	56,1	41,9	9 900	9 900	9 500	8 600	34,0
36,0	49,9	40,7	10 700	10 300	9 400	8 400	53,2	40,1	9 500	9 400	9 300	8 500	36,0
38,0	46,9	38,8	9 900	9 500	9 200	8 300	50,1	38,2	9 100	9 000	9 000	8 400	38,0
40,0	43,6	36,6	9 100	8 800	8 500	8 100	46,8	36,0	8 700	8 700	8 600	8 300	40,0
42,0	40,2	34,3	8 500	8 200	8 000	7 700	43,3	33,6	8 400	8 300	8 100	7 800	42,0
44,0	36,5	31,5	7 900	7 600	7 400	7 200	39,5	30,8	8 000	7 800	7 500	7 300	44,0
46,0	32,4	28,4	7 300	7 100	6 900	6 700	35,3	27,6	7 400	7 200	7 000	6 800	46,0
47,9	27,4	24,9	6 900	6 700	6 500	6 300	30,4	24,0	6 900	6 800	6 600	6 400	47,9
48,0	27,7	24,6	6 800	6 600	6 500		30,4	23,7	6 900	6 700	6 600	6 400	48,0
48,2	26,6	24,3	6 800	6 600	6 400		29,5	23,3	6 900	6 700	6 500	6 400	48,2
48,5	25,8	23,6	6 700	6 500			28,6	22,5	6 800	6 600	6 400	6 300	48,5
48,8	25,6	23,0	6 600				27,7	21,8	6 700	6 500	6 400	6 200	48,8
49,1							26,8	21,0	6 600	6 500	6 300		49,1
49,4							25,9	20,3	6 500	6 400			49,4
49,7							25,5	19,6	6 500				49,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



33,0 m



18,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,1							13,1
14,0							14,0
14,6							14,6
15,0							15,0
15,5							15,5
16,0							16,0
16,2							16,2
17,1							17,1
18,0							18,0
18,6							18,6
19,2	78,9	49,4	10 200				19,2
20,0	77,9	49,1	10 000				20,0
20,1	76,9	49,1	10 000	9 800			20,1
21,0	76,0	48,7	9 800	9 600	9 400		21,0
21,6	75,4	48,4	9 600	9 400	9 300	8 900	21,6
22,0	75,5	48,3	9 500	9 300	9 200	8 900	22,0
24,0	72,9	47,3	9 000	8 900	8 800	8 700	24,0
26,0	70,4	46,2	8 600	8 500	8 400	8 300	26,0
28,0	67,7	45,0	8 200	8 100	8 000	7 900	28,0
30,0	65,0	43,7	7 800	7 800	7 700	7 600	30,0
32,0	62,2	42,3	7 600	7 500	7 400	7 300	32,0
34,0	59,3	40,7	7 300	7 200	7 100	7 000	34,0
36,0	56,3	38,9	7 000	6 900	6 900	6 800	36,0
38,0	53,1	36,9	6 800	6 700	6 700	6 600	38,0
40,0	49,7	34,6	6 600	6 500	6 500	6 400	40,0
42,0	46,0	32,1	6 400	6 300	6 300	6 200	42,0
44,0	42,0	29,1	6 200	6 200	6 100	6 100	44,0
46,0	37,4	25,7	6 100	6 100	6 000	6 000	46,0
47,9	32,4	21,7	6 000	6 000	5 900	5 900	47,9
48,0	32,1	21,4	6 000	6 000	5 900	5 900	48,0
48,2	31,4	21,0	6 000	6 000	5 900	5 900	48,2
48,5	30,3	20,2	6 000	6 000	5 900	5 900	48,5
48,8	29,1	19,3	6 000	6 000	5 900	5 900	48,8
49,1	28,6	18,5	6 000	6 000	5 900	5 900	49,1
49,4							49,4
49,7							49,7

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

36,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	78,7	55,6	16 300										13,7
14,0	78,4	55,5	16 200										14,0
14,6	77,4	55,4	16 100	13 300									14,6
15,0	77,3	55,3	16 000	13 300									15,0
15,5	76,5	55,1	15 900	13 200	11 300								15,5
16,0	76,2	55,0	15 800	13 100	11 300								16,0
16,5	75,5	54,9	15 700	13 000	11 200	9 800							16,5
16,8	75,2	54,8	15 600	13 000	11 200	9 800	78,8	54,3	14 400				16,8
17,7	74,3	54,5	15 400	12 900	11 100	9 700	77,3	54,0	14 300	12 300			17,7
18,0	74,1	54,4	15 400	12 800	11 100	9 700	77,4	54,0	14 200	12 300			18,0
18,6	73,1	54,2	15 200	12 800	11 000	9 700	76,4	53,7	14 100	12 200	10 600		18,6
19,5	71,8	53,9	15 000	12 600	10 900	9 600	75,5	53,4	14 000	12 100	10 500	9 300	19,5
19,8	71,3	53,8	14 900	12 600	10 900	9 600	75,2	53,3	13 900	12 100	10 500	9 300	19,8
20,0	71,9	53,7	14 900	12 600	10 900	9 500	75,2	53,3	13 900	12 100	10 500	9 300	20,0
20,7	70,3	53,4	14 700	12 500	10 800	9 500	74,0	53,0	13 800	12 000	10 500	9 300	20,7
21,6	69,4	53,1	14 500	12 400	10 700	9 400	72,6	52,6	13 600	11 900	10 400	9 200	21,6
22,0	69,6	52,9	14 400	12 300	10 600	9 400	72,9	52,5	13 600	11 800	10 400	9 200	22,0
22,6	68,4	52,7	14 300	12 200	10 600	9 300	71,4	52,2	13 500	11 700	10 300	9 200	22,6
24,0	67,4	52,1	14 000	12 000	10 500	9 200	70,6	51,6	13 300	11 600	10 200	9 100	24,0
26,0	65,0	51,1	13 600	11 800	10 300	9 100	68,3	50,6	12 700	11 300	10 100	9 000	26,0
28,0	62,7	50,1	13 300	11 500	10 100	9 000	65,9	49,6	12 000	11 100	10 000	8 900	28,0
30,0	60,2	48,9	12 900	11 300	9 900	8 900	63,5	48,4	11 400	10 900	9 800	8 800	30,0
32,0	57,8	47,6	12 500	11 000	9 800	8 700	61,0	47,1	10 800	10 700	9 700	8 700	32,0
34,0	55,2	46,2	11 500	10 700	9 600	8 600	58,4	45,6	10 300	10 200	9 600	8 700	34,0
36,0	52,6	44,6	10 500	10 100	9 500	8 500	55,7	44,1	9 800	9 800	9 400	8 600	36,0
38,0	49,8	42,9	9 700	9 300	9 000	8 400	52,9	42,3	9 400	9 400	9 100	8 500	38,0
40,0	46,9	41,0	9 000	8 600	8 300	8 000	50,0	40,4	9 000	8 800	8 500	8 200	40,0
42,0	43,9	38,9	8 300	8 000	7 700	7 500	46,9	38,2	8 500	8 200	7 900	7 600	42,0
44,0	40,7	36,5	7 700	7 400	7 200	6 900	43,6	35,9	7 800	7 600	7 300	7 100	44,0
46,0	37,2	33,9	7 100	6 900	6 700	6 500	40,1	33,2	7 300	7 000	6 800	6 600	46,0
48,0	33,4	30,9	6 600	6 400	6 300	6 100	36,2	30,0	6 700	6 500	6 400	6 200	48,0
50,0	29,2	27,3	6 200	6 000	5 800	5 700	31,8	26,4	6 300	6 100	5 900	5 800	50,0
50,3	28,2	26,7	6 100	5 900	5 800	5 600	30,3	25,7	6 200	6 000	5 900	5 700	50,3
50,9	26,6	25,4	6 000	5 800	5 700		28,7	24,3	6 100	5 900	5 700	5 600	50,9
51,2	25,8	24,8	5 900	5 800			28,0	23,6	6 000	5 800	5 700	5 500	51,2
51,5	25,5	24,2	5 900				27,2	23,0	5 900	5 800	5 600		51,5
51,8							26,5	22,3	5 800	5 700	5 600		51,8
52,0							26,6	21,9	5 800	5 700			52,0
52,1							25,7	21,5	5 800	5 600			52,1
52,4							25,3	20,7	5 700				52,4

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

36,0 m

18,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,7							13,7
14,0							14,0
14,6							14,6
15,0							15,0
15,5							15,5
16,0							16,0
16,5							16,5
16,8							16,8
17,7							17,7
18,0							18,0
18,6							18,6
19,5							19,5
19,8	78,8	52,3	10 200				19,8
20,0	78,6	52,3	10 200				20,0
20,7	77,3	52,0	10 000	9 800			20,7
21,6	76,4	51,6	9 800	9 600	9 500		21,6
22,0	76,3	51,5	9 700	9 500	9 400		22,0
22,6	75,1	51,2	9 500	9 400	9 300	8 900	22,6
24,0	74,0	50,6	9 200	9 100	8 900	8 800	24,0
26,0	71,6	49,6	8 800	8 700	8 500	8 500	26,0
28,0	69,1	48,5	8 400	8 300	8 200	8 100	28,0
30,0	66,6	47,3	8 100	8 000	7 900	7 800	30,0
32,0	64,1	45,9	7 700	7 700	7 600	7 500	32,0
34,0	61,4	44,5	7 500	7 400	7 300	7 200	34,0
36,0	58,6	42,8	7 200	7 100	7 100	7 000	36,0
38,0	55,8	41,0	7 000	6 900	6 800	6 800	38,0
40,0	52,7	39,0	6 800	6 700	6 600	6 600	40,0
42,0	49,5	36,8	6 600	6 500	6 500	6 400	42,0
44,0	46,1	34,3	6 400	6 300	6 300	6 200	44,0
46,0	42,4	31,5	6 300	6 200	6 200	6 100	46,0
48,0	38,3	28,2	6 100	6 100	6 000	6 000	48,0
50,0	33,5	24,2	6 100	6 000	5 900	5 800	50,0
50,3	32,2	23,5	6 000	6 000	5 900	5 700	50,3
50,9	30,5	21,9	6 000	5 900	5 800	5 600	50,9
51,2	29,7	21,1	5 900	5 800	5 700	5 600	51,2
51,5	28,9	20,4	5 900	5 800	5 600	5 500	51,5
51,8	28,2	19,6	5 900	5 700	5 600	5 400	51,8
52,0							52,0
52,1							52,1
52,4							52,4

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


39,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,0	79,0	58,6	16 200										14,0
15,0	78,0	58,4	16 000										15,0
15,2	77,6	58,3	16 000	13 200									15,2
16,0	77,0	58,1	15 800	13 100									16,0
16,2	75,8	58,1	15 800	13 100	11 200								16,2
17,1	74,9	57,8	15 600	13 000	11 100	9 800							17,1
17,4	74,6	57,7	15 500	12 900	11 100	9 700	78,8	57,3	14 400				17,4
18,0	74,9	57,6	15 400	12 800	11 000	9 700	78,1	57,1	14 300				18,0
18,3	73,7	57,5	15 400	12 800	11 000	9 700	77,7	57,0	14 200	12 200			18,3
19,2	72,8	57,2	15 200	12 700	10 900	9 600	76,8	56,7	14 100	12 100	10 500		19,2
20,0	72,8	56,9	15 000	12 600	10 900	9 600	76,0	56,5	13 900	12 000	10 500		20,0
20,1	71,9	56,9	15 000	12 600	10 800	9 500	75,9	56,4	13 900	12 000	10 500	9 300	20,1
20,4	71,6	56,8	14 900	12 500	10 800	9 500	75,4	56,3	13 900	12 000	10 500	9 300	20,4
21,3	70,7	56,4	14 700	12 400	10 700	9 500	74,1	56,0	13 700	11 900	10 400	9 200	21,3
22,0	70,7	56,2	14 600	12 300	10 700	9 400	73,9	55,7	13 600	11 800	10 400	9 200	22,0
22,3	69,7	56,1	14 500	12 300	10 600	9 400	72,7	55,6	13 600	11 800	10 400	9 200	22,3
23,2	68,8	55,7	14 300	12 200	10 600	9 300	71,8	55,2	13 500	11 700	10 300	9 100	23,2
24,0	68,6	55,4	14 200	12 100	10 500	9 300	71,7	54,9	13 400	11 600	10 300	9 100	24,0
26,0	66,4	54,5	13 800	11 800	10 300	9 100	69,5	54,0	13 000	11 400	10 100	9 000	26,0
28,0	64,2	53,5	13 400	11 600	10 200	9 000	67,3	53,0	12 400	11 200	10 000	8 900	28,0
30,0	62,0	52,4	13 100	11 400	10 000	8 900	65,0	51,9	11 700	11 000	9 900	8 900	30,0
32,0	59,7	51,2	12 400	11 100	9 800	8 800	62,7	50,7	11 200	10 800	9 700	8 800	32,0
34,0	57,3	49,9	11 300	10 800	9 700	8 600	60,3	49,3	10 700	10 600	9 600	8 700	34,0
36,0	54,9	48,4	10 400	9 900	9 400	8 500	57,8	47,9	10 200	10 100	9 500	8 600	36,0
38,0	52,3	46,9	9 500	9 100	8 800	8 400	55,3	46,3	9 800	9 400	9 000	8 500	38,0
40,0	49,7	45,2	8 800	8 400	8 100	7 800	52,7	44,6	9 000	8 600	8 300	8 000	40,0
42,0	47,0	43,3	8 100	7 800	7 500	7 200	49,9	42,6	8 300	8 000	7 700	7 400	42,0
44,0	44,1	41,2	7 500	7 300	7 000	6 700	47,0	40,5	7 700	7 400	7 100	6 900	44,0
46,0	41,1	38,9	7 000	6 700	6 500	6 300	43,9	38,2	7 100	6 900	6 600	6 400	46,0
48,0	37,9	36,3	6 500	6 300	6 000	5 800	40,6	35,5	6 600	6 400	6 200	6 000	48,0
50,0	34,4	33,4	6 000	5 800	5 600	5 500	37,0	32,5	6 100	5 900	5 700	5 600	50,0
52,0	30,5	30,0	5 600	5 400	5 300	5 100	33,0	29,1	5 700	5 500	5 300	5 200	52,0
53,0	27,9	27,9	5 400	5 200	5 100	4 900	30,4	26,9	5 500	5 300	5 100	5 000	53,0
53,3	27,3	27,3	5 300	5 200	5 000		29,7	26,3	5 400	5 200	5 100	4 900	53,3
54,0	26,1	26,1	5 200	5 100			28,1	25,0	5 300	5 100	5 000	4 800	54,0
54,0	26,1	26,0	5 200				28,4	24,9	5 300	5 100	5 000		54,0
54,3	25,5	25,4	5 100				27,4	24,3	5 200	5 100	4 900		54,3
54,6							26,6	23,5	5 100	5 000			54,6
54,9							25,8	22,7	5 100	5 000			54,9
55,2							25,3	22,0	5 000				55,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



39,0 m



18,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,0							14,0
15,0							15,0
15,2							15,2
16,0							16,0
16,2							16,2
17,1							17,1
17,4							17,4
18,0							18,0
18,3							18,3
19,2							19,2
20,0							20,0
20,1							20,1
20,4	78,8	55,3	10 200				20,4
21,3	77,4	54,9	10 000	9 800			21,3
22,0	77,1	54,7	9 800	9 700			22,0
22,3	76,6	54,6	9 800	9 600	9 500		22,3
23,2	75,2	54,2	9 600	9 400	9 300	8 900	23,2
24,0	74,9	53,9	9 400	9 300	9 100	8 900	24,0
26,0	72,7	52,9	8 900	8 800	8 700	8 600	26,0
28,0	70,4	51,9	8 600	8 500	8 400	8 300	28,0
30,0	68,1	50,8	8 200	8 100	8 100	8 000	30,0
32,0	65,7	49,5	7 900	7 900	7 700	7 700	32,0
34,0	63,2	48,2	7 700	7 600	7 500	7 400	34,0
36,0	60,7	46,7	7 400	7 300	7 200	7 200	36,0
38,0	58,1	45,0	7 200	7 100	7 000	6 900	38,0
40,0	55,3	43,2	6 900	6 900	6 800	6 700	40,0
42,0	52,5	41,3	6 800	6 700	6 600	6 600	42,0
44,0	49,5	39,1	6 600	6 500	6 400	6 400	44,0
46,0	46,3	36,6	6 400	6 400	6 300	6 200	46,0
48,0	42,8	33,8	6 300	6 200	6 200	6 000	48,0
50,0	39,0	30,7	6 100	6 000	5 800	5 600	50,0
52,0	34,7	26,9	5 700	5 600	5 400	5 200	52,0
53,0	31,4	24,5	5 500	5 300	5 200	5 000	53,0
53,3	30,7	23,8	5 400	5 300	5 100	5 000	53,3
54,0	29,1	22,4	5 300	5 200	5 000	4 900	54,0
54,0	29,6	22,3	5 300	5 100	5 000	4 900	54,0
54,3	28,1	21,6	5 200	5 100	5 000	4 800	54,3
54,6	28,0	20,8	5 200	5 000	4 900		54,6
54,9							54,9
55,2							55,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

42,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,6	79,0	61,5	16 100										14,6
15,0	78,6	61,5	16 000										15,0
15,8	77,2	61,3	15 800	13 100									15,8
16,0	77,6	61,2	15 800	13 100									16,0
16,8	76,2	61,0	15 600	13 000	11 100								16,8
17,7	75,3	60,8	15 500	12 900	11 100	9 700							17,7
18,0	75,7	60,7	15 400	12 800	11 000	9 700	78,7	60,2	14 300				18,0
18,9	74,1	60,4	15 300	12 700	10 900	9 600	77,1	59,9	14 200	12 200			18,9
19,8	73,2	60,1	15 100	12 600	10 900	9 600	76,2	59,7	14 000	12 100	10 500		19,8
20,0	73,7	60,1	15 100	12 600	10 800	9 500	76,7	59,6	14 000	12 100	10 500		20,0
21,0	72,0	59,7	14 900	12 500	10 800	9 500	75,0	59,2	13 900	12 000	10 400	9 200	21,0
21,9	71,1	59,4	14 700	12 400	10 700	9 400	74,1	58,9	13 700	11 900	10 400	9 200	21,9
22,0	71,7	59,4	14 700	12 300	10 700	9 400	74,7	58,9	13 700	11 900	10 400	9 200	22,0
22,9	70,1	59,0	14 500	12 200	10 600	9 300	73,1	58,6	13 600	11 800	10 300	9 100	22,9
23,8	69,2	58,7	14 300	12 200	10 500	9 300	72,2	58,2	13 500	11 700	10 300	9 100	23,8
24,0	69,7	58,6	14 300	12 100	10 500	9 300	72,7	58,1	13 400	11 700	10 300	9 100	24,0
26,0	67,7	57,8	13 900	11 900	10 300	9 100	70,6	57,3	13 200	11 500	10 100	9 000	26,0
28,0	65,6	56,8	13 600	11 700	10 200	9 000	68,5	56,3	12 700	11 300	10 000	8 900	28,0
30,0	63,5	55,8	13 200	11 500	10 000	8 900	66,4	55,3	12 100	11 100	9 900	8 900	30,0
32,0	61,3	54,7	12 200	11 300	9 900	8 800	64,2	54,2	11 500	10 900	9 800	8 800	32,0
34,0	59,1	53,5	11 100	10 600	9 700	8 700	62,0	52,9	11 000	10 700	9 700	8 700	34,0
36,0	56,9	52,1	10 200	9 700	9 300	8 600	59,7	51,6	10 400	10 000	9 400	8 600	36,0
38,0	54,5	50,7	9 400	8 900	8 500	8 100	57,4	50,1	9 600	9 200	8 800	8 400	38,0
40,0	52,1	49,1	8 600	8 200	7 900	7 500	54,9	48,5	8 800	8 500	8 100	7 700	40,0
42,0	49,6	47,4	8 000	7 600	7 300	7 000	52,4	46,8	8 200	7 800	7 500	7 200	42,0
44,0	47,1	45,5	7 300	7 100	6 800	6 500	49,8	44,8	7 500	7 200	6 900	6 700	44,0
46,0	44,4	43,4	6 800	6 500	6 300	6 000	47,0	42,7	7 000	6 700	6 400	6 200	46,0
48,0	41,5	41,1	6 300	6 100	5 800	5 600	44,1	40,4	6 400	6 200	6 000	5 700	48,0
50,0	38,5	38,6	5 800	5 600	5 400	5 200	41,0	37,8	6 000	5 700	5 500	5 300	50,0
52,0	35,2	35,8	5 400	5 200	5 000	4 900	37,7	34,9	5 500	5 300	5 100	5 000	52,0
54,0	31,6	32,5	5 000	4 900	4 700	4 500	34,0	31,6	5 100	4 900	4 800	4 600	54,0
55,8	27,4	29,2	4 700	4 500	4 400	4 300	29,6	28,1	4 800	4 600	4 500	4 300	55,8
56,0	27,6	28,7	4 700	4 500	4 400		29,9	27,7	4 700	4 600	4 400	4 300	56,0
56,1	26,8	28,6	4 600	4 500	4 400		28,8	27,5	4 700	4 600	4 400	4 300	56,1
56,7	25,6	27,2	4 500	4 400			27,6	26,0	4 600	4 500	4 300	4 200	56,7
57,0	25,4	26,6	4 500				26,9	25,3	4 500	4 400	4 300		57,0
57,3							26,3	24,6	4 500	4 400			57,3
57,9							25,2	23,1	4 400				57,9

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

42,0 m



18,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,6							14,6
15,0							15,0
15,8							15,8
16,0							16,0
16,8							16,8
17,7							17,7
18,0							18,0
18,9							18,9
19,8							19,8
20,0							20,0
21,0	78,8	58,2	10 200				21,0
21,9	77,1	57,9	10 000	9 800			21,9
22,0	77,8	57,9	10 000	9 800			22,0
22,9	76,1	57,5	9 800	9 600	9 500		22,9
23,8	75,2	57,1	9 600	9 400	9 300	8 500	23,8
24,0	75,7	57,1	9 500	9 400	9 300	8 500	24,0
26,0	73,6	56,2	9 100	9 000	8 900	8 500	26,0
28,0	71,5	55,2	8 700	8 600	8 500	8 400	28,0
30,0	69,3	54,2	8 400	8 300	8 200	8 100	30,0
32,0	67,1	53,0	8 100	8 000	7 900	7 800	32,0
34,0	64,8	51,8	7 800	7 700	7 700	7 600	34,0
36,0	62,5	50,4	7 600	7 500	7 400	7 300	36,0
38,0	60,0	48,9	7 300	7 200	7 200	7 100	38,0
40,0	57,5	47,2	7 100	7 000	7 000	6 900	40,0
42,0	54,9	45,4	6 900	6 900	6 800	6 700	42,0
44,0	52,2	43,4	6 700	6 700	6 600	6 600	44,0
46,0	49,4	41,3	6 600	6 500	6 400	6 300	46,0
48,0	46,4	38,9	6 400	6 300	6 100	5 900	48,0
50,0	43,1	36,1	6 100	5 900	5 600	5 400	50,0
52,0	39,6	33,1	5 600	5 400	5 200	5 000	52,0
54,0	35,7	29,5	5 200	5 000	4 800	4 700	54,0
55,8	31,4	25,7	4 800	4 700	4 500	4 400	55,8
56,0	31,1	25,3	4 800	4 600	4 500	4 300	56,0
56,1	30,8	25,1	4 700	4 600	4 500	4 300	56,1
56,7	28,9	23,5	4 600	4 500	4 300	4 200	56,7
57,0	28,5	22,8	4 600	4 400	4 300	4 200	57,0
57,3							57,3
57,9							57,9

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

45,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	78,9	64,5	15 900										15,2
16,0	78,2	64,3	15 800										16,0
16,5	77,5	64,2	15 700	13 000									16,5
17,4	76,6	63,9	15 500	12 900	11 000								17,4
18,0	76,4	63,8	15 400	12 800	11 000								18,0
18,6	75,4	63,6	15 300	12 700	10 900	9 600	78,7	63,2	14 200				18,6
19,5	74,5	63,3	15 200	12 600	10 900	9 500	77,4	62,9	14 100	12 100			19,5
20,0	74,5	63,2	15 100	12 500	10 800	9 500	77,4	62,7	14 000	12 000			20,0
20,4	73,6	63,1	15 000	12 500	10 800	9 500	76,6	62,6	14 000	12 000	10 400		20,4
21,6	72,4	62,7	14 800	12 400	10 700	9 400	75,4	62,2	13 800	11 900	10 400	9 200	21,6
22,0	72,6	62,5	14 700	12 300	10 600	9 400	75,5	62,1	13 800	11 900	10 300	9 100	22,0
22,6	71,4	62,3	14 600	12 300	10 600	9 300	74,4	61,8	13 700	11 800	10 300	9 100	22,6
23,5	70,5	62,0	14 500	12 200	10 500	9 300	73,5	61,5	13 500	11 700	10 300	9 100	23,5
24,0	70,7	61,8	14 400	12 100	10 500	9 300	73,6	61,3	13 500	11 700	10 200	9 100	24,0
24,7	69,3	61,5	14 200	12 100	10 400	9 200	72,3	61,0	13 400	11 600	10 200	9 000	24,7
26,0	68,8	61,0	14 000	11 900	10 300	9 100	71,6	60,5	13 200	11 500	10 100	9 000	26,0
28,0	66,8	60,1	13 700	11 700	10 200	9 000	69,6	59,6	12 900	11 300	10 000	8 900	28,0
30,0	64,8	59,2	13 100	11 500	10 000	8 900	67,6	58,7	12 400	11 200	9 900	8 900	30,0
32,0	62,8	58,1	12 100	11 300	9 900	8 800	65,6	57,6	11 900	11 000	9 800	8 800	32,0
34,0	60,7	57,0	11 000	10 400	9 700	8 700	63,5	56,4	11 200	10 700	9 700	8 700	34,0
36,0	58,6	55,7	10 100	9 600	9 100	8 500	61,4	55,2	10 400	9 800	9 300	8 700	36,0
38,0	56,5	54,4	9 200	8 800	8 300	7 900	59,2	53,8	9 500	9 000	8 600	8 200	38,0
40,0	54,2	52,9	8 500	8 100	7 700	7 300	56,9	52,3	8 700	8 300	7 900	7 600	40,0
42,0	51,9	51,3	7 800	7 500	7 100	6 800	54,6	50,7	8 000	7 700	7 300	7 000	42,0
44,0	49,6	49,6	7 200	6 900	6 600	6 300	52,2	49,0	7 400	7 100	6 800	6 500	44,0
46,0	47,1	47,7	6 700	6 400	6 100	5 800	49,7	47,1	6 800	6 600	6 300	6 000	46,0
48,0	44,5	45,6	6 200	5 900	5 700	5 400	47,1	45,0	6 300	6 100	5 800	5 600	48,0
50,0	41,8	43,4	5 700	5 500	5 200	5 000	44,3	42,7	5 800	5 600	5 400	5 200	50,0
52,0	39,0	40,9	5 300	5 100	4 900	4 700	41,4	40,1	5 400	5 200	5 000	4 800	52,0
54,0	35,9	38,1	4 900	4 700	4 500	4 400	38,3	37,3	5 000	4 800	4 600	4 500	54,0
56,0	32,6	35,0	4 500	4 400	4 200	4 000	34,9	34,1	4 600	4 500	4 300	4 100	56,0
58,0	28,9	31,4	4 200	4 000	3 900	3 800	31,1	30,4	4 300	4 100	4 000	3 800	58,0
58,2	27,6	30,9	4 100	4 000	3 900	3 700	30,4	29,9	4 200	4 100	3 900	3 800	58,2
58,8	26,6	29,7	4 100	3 900	3 800		28,9	28,6	4 100	4 000	3 800	3 700	58,8
59,1	26,1	29,0	4 000	3 900			28,2	27,9	4 100	3 900	3 800	3 700	59,1
59,4	25,5	28,4	4 000				27,4	27,2	4 000	3 900	3 700	3 600	59,4
59,7	25,3	27,8	3 900				26,6	26,5	4 000	3 800	3 700		59,7
60,0							26,7	26,0	3 900	3 800			60,0
60,7							25,1	24,3	3 800				60,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

45,0 m

18,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,2							15,2
16,0							16,0
16,5							16,5
17,4							17,4
18,0							18,0
18,6							18,6
19,5							19,5
20,0							20,0
20,4							20,4
21,6	78,8	61,1	10 200				21,6
22,0	78,4	61,0	10 100				22,0
22,6	77,4	60,8	10 000	9 800			22,6
23,5	76,5	60,4	9 800	9 600	9 500		23,5
24,0	76,4	60,3	9 700	9 500	9 400		24,0
24,7	75,3	60,0	9 500	9 400	9 300	8 000	24,7
26,0	74,5	59,4	9 300	9 200	9 000	8 000	26,0
28,0	72,4	58,5	8 900	8 800	8 700	8 000	28,0
30,0	70,4	57,5	8 600	8 500	8 400	8 000	30,0
32,0	68,3	56,4	8 300	8 200	8 100	8 000	32,0
34,0	66,2	55,3	8 000	7 900	7 800	7 700	34,0
36,0	64,0	54,0	7 700	7 600	7 600	7 500	36,0
38,0	61,8	52,6	7 500	7 400	7 300	7 300	38,0
40,0	59,4	51,1	7 300	7 200	7 100	7 100	40,0
42,0	57,1	49,4	7 100	7 000	6 900	6 900	42,0
44,0	54,6	47,6	6 900	6 800	6 800	6 600	44,0
46,0	52,0	45,6	6 700	6 600	6 400	6 200	46,0
48,0	49,3	43,5	6 400	6 200	6 000	5 700	48,0
50,0	46,5	41,1	6 000	5 700	5 500	5 300	50,0
52,0	43,4	38,4	5 500	5 300	5 100	4 900	52,0
54,0	40,1	35,5	5 100	4 900	4 700	4 500	54,0
56,0	36,5	32,1	4 700	4 500	4 400	4 200	56,0
58,0	32,4	28,1	4 300	4 200	4 000	3 900	58,0
58,2	31,5	27,5	4 300	4 100	4 000	3 800	58,2
58,8	30,1	26,1	4 200	4 000	3 900	3 700	58,8
59,1	29,4	25,3	4 100	4 000	3 800	3 700	59,1
59,4	28,7	24,6	4 000	3 900	3 800	3 600	59,4
59,7	28,2	23,9	4 000	3 900	3 700	3 600	59,7
60,0							60,0
60,7							60,7

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

48,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,8	78,9	67,4	15 700										15,8
16,0	78,8	67,4	15 700										16,0
17,1	77,5	67,1	15 500	12 800									17,1
18,0	77,0	66,9	15 400	12 700									18,0
18,3	76,7	66,8	15 300	12 700	10 900								18,3
18,9	76,1	66,6	15 200	12 600	10 800		79,0	66,2	14 200				18,9
19,2	75,8	66,6	15 200	12 600	10 800	9 200	77,7	66,1	14 100				19,2
20,0	75,2	66,3	15 100	12 500	10 700	9 200	78,0	65,9	14 000				20,0
20,1	74,9	66,3	15 000	12 500	10 700	9 200	77,0	65,8	14 000	12 000			20,1
21,3	73,7	65,9	14 800	12 400	10 700	9 200	76,4	65,5	13 900	11 900	10 300		21,3
22,0	73,4	65,7	14 700	12 300	10 600	9 200	76,2	65,2	13 800	11 800	10 300		22,0
22,3	72,7	65,6	14 700	12 300	10 600	9 200	75,7	65,1	13 700	11 800	10 300	8 700	22,3
23,2	71,8	65,3	14 500	12 200	10 500	9 200	74,8	64,8	13 600	11 700	10 200	8 600	23,2
24,0	71,6	65,0	14 400	12 100	10 500	9 200	74,3	64,5	13 500	11 700	10 200	8 600	24,0
24,4	70,6	64,9	14 400	12 100	10 400	9 200	73,6	64,4	13 500	11 700	10 200	8 600	24,4
25,3	69,7	64,5	14 200	12 000	10 400	9 100	72,7	64,0	13 400	11 600	10 100	8 600	25,3
26,0	69,8	64,3	14 100	11 900	10 300	9 100	72,5	63,8	13 300	11 500	10 100	8 600	26,0
28,0	67,9	63,4	13 800	11 700	10 200	9 000	70,6	62,9	13 000	11 400	10 000	8 600	28,0
30,0	66,1	62,5	13 100	11 600	10 000	8 900	68,7	62,0	12 700	11 200	9 900	8 600	30,0
32,0	64,1	61,5	11 900	11 200	9 900	8 800	66,8	61,0	12 200	11 000	9 800	8 600	32,0
34,0	62,2	60,5	10 800	10 200	9 600	8 700	64,8	59,9	11 200	10 500	9 700	8 600	34,0
36,0	60,2	59,3	9 900	9 400	8 800	8 300	62,8	58,7	10 200	9 700	9 100	8 500	36,0
38,0	58,2	58,0	9 100	8 600	8 100	7 700	60,8	57,5	9 300	8 900	8 400	8 000	38,0
40,0	56,1	56,7	8 300	7 900	7 500	7 100	58,7	56,1	8 600	8 100	7 700	7 300	40,0
42,0	54,0	55,2	7 600	7 300	6 900	6 600	56,5	54,6	7 900	7 500	7 100	6 800	42,0
44,0	51,8	53,6	7 000	6 700	6 400	6 100	54,3	53,0	7 300	6 900	6 600	6 300	44,0
46,0	49,5	51,8	6 500	6 200	5 900	5 600	52,0	51,2	6 700	6 400	6 100	5 800	46,0
48,0	47,2	50,0	6 000	5 700	5 400	5 200	49,6	49,3	6 200	5 900	5 600	5 400	48,0
50,0	44,7	47,9	5 500	5 300	5 000	4 800	47,2	47,2	5 700	5 400	5 200	5 000	50,0
52,0	42,2	45,7	5 100	4 900	4 700	4 500	44,6	45,0	5 200	5 000	4 800	4 600	52,0
54,0	39,4	43,2	4 700	4 500	4 300	4 100	41,8	42,5	4 800	4 600	4 400	4 200	54,0
56,0	36,6	40,5	4 300	4 200	4 000	3 800	38,9	39,7	4 500	4 300	4 100	3 900	56,0
58,0	33,5	37,5	4 000	3 800	3 700	3 500	35,7	36,6	4 100	3 900	3 800	3 600	58,0
60,0	30,1	34,1	3 700	3 500	3 400	3 300	32,2	33,1	3 800	3 600	3 500	3 300	60,0
61,0	28,1	32,2	3 500	3 400	3 300	3 100	30,1	31,1	3 600	3 500	3 300	3 200	61,0
61,6	26,9	30,9	3 500	3 300	3 200		28,9	29,9	3 500	3 400	3 300	3 100	61,6
61,9	26,3	30,3	3 400	3 300			28,3	29,2	3 500	3 300	3 200	3 100	61,9
62,0	26,2	30,1	3 400				28,2	29,0	3 500	3 300	3 200		62,0
62,5	25,2	29,0	3 300				27,0	27,8	3 400	3 300	3 100		62,5
62,8							26,3	27,0	3 300	3 200			62,8
63,4							25,0	25,5	3 200				63,4

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

48,0 m



18,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,8							15,8
16,0							16,0
17,1							17,1
18,0							18,0
18,3							18,3
18,9							18,9
19,2							19,2
20,0							20,0
20,1							20,1
21,3							21,3
22,0							22,0
22,3	78,7	64,1	10 200				22,3
23,2	77,5	63,7	10 000	9 800			23,2
24,0	77,1	63,5	9 800	9 700			24,0
24,4	76,6	63,3	9 700	9 600	9 500		24,4
25,3	75,7	62,9	9 600	9 400	9 300	7 400	25,3
26,0	75,2	62,7	9 400	9 300	9 200	7 400	26,0
28,0	73,3	61,8	9 100	8 900	8 800	7 400	28,0
30,0	71,4	60,9	8 700	8 600	8 500	7 400	30,0
32,0	69,4	59,9	8 500	8 300	8 200	7 400	32,0
34,0	67,4	58,7	8 100	8 100	8 000	7 400	34,0
36,0	65,4	57,5	7 900	7 800	7 700	7 400	36,0
38,0	63,3	56,2	7 700	7 600	7 500	7 400	38,0
40,0	61,1	54,8	7 400	7 400	7 300	7 200	40,0
42,0	58,9	53,3	7 200	7 200	7 100	6 900	42,0
44,0	56,6	51,6	7 000	7 000	6 800	6 500	44,0
46,0	54,3	49,8	6 800	6 600	6 300	6 000	46,0
48,0	51,8	47,9	6 300	6 100	5 800	5 500	48,0
50,0	49,3	45,7	5 800	5 600	5 300	5 100	50,0
52,0	46,6	43,4	5 400	5 100	4 900	4 700	52,0
54,0	43,7	40,8	4 900	4 700	4 500	4 300	54,0
56,0	40,6	37,9	4 500	4 400	4 200	4 000	56,0
58,0	37,3	34,6	4 200	4 000	3 800	3 700	58,0
60,0	33,5	30,8	3 800	3 700	3 500	3 400	60,0
61,0	31,1	28,7	3 700	3 500	3 400	3 300	61,0
61,6	29,9	27,3	3 600	3 400	3 300	3 200	61,6
61,9	29,3	26,6	3 500	3 400	3 200	3 100	61,9
62,0	29,2	26,3	3 500	3 400	3 200	3 100	62,0
62,5	28,0	25,1	3 400	3 300	3 200	3 000	62,5
62,8							62,8
63,4							63,4

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

51,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,5	78,9	70,3	15 500										16,5
17,7	77,2	70,0	15 300	12 700									17,7
18,0	77,6	70,0	15 300	12 600									18,0
18,9	76,1	69,7	15 200	12 600	10 800								18,9
19,5	75,5	69,6	15 100	12 500	10 700		78,9	69,1	14 100				19,5
20,0	75,9	69,5	15 000	12 400	10 700		78,5	69,0	14 000				20,0
20,1	75,0	69,4	15 000	12 400	10 700	8 500	77,9	68,9	14 000				20,1
20,7	74,7	69,2	14 900	12 400	10 600	8 500	77,3	68,8	13 900	11 900			20,7
21,9	74,1	68,9	14 800	12 300	10 600	8 500	76,1	68,4	13 800	11 800	10 200		21,9
22,0	74,2	68,9	14 700	12 300	10 600	8 500	76,8	68,4	13 800	11 800	10 200		22,0
22,6	73,4	68,7	14 600	12 200	10 500	8 500	75,7	68,2	13 700	11 800	10 200		22,6
23,2	72,8	68,5	14 600	12 100	10 500	8 500	75,4	68,0	13 600	11 700	10 200	8 000	23,2
23,8	72,2	68,3	14 500	12 100	10 400	8 500	75,1	67,8	13 600	11 700	10 200	8 000	23,8
24,0	72,4	68,2	14 400	12 100	10 400	8 500	75,1	67,7	13 500	11 700	10 200	8 000	24,0
25,0	71,0	67,8	14 300	12 000	10 300	8 500	74,0	67,3	13 400	11 600	10 100	8 000	25,0
26,0	70,7	67,5	14 100	11 900	10 300	8 500	73,3	67,0	13 300	11 500	10 100	8 000	26,0
26,2	69,8	67,4	14 100	11 900	10 300	8 500	72,8	66,9	13 300	11 500	10 100	8 000	26,2
28,0	68,9	66,7	13 800	11 700	10 100	8 500	71,5	66,2	13 100	11 400	10 000	8 000	28,0
30,0	67,1	65,8	13 000	11 500	10 000	8 500	69,7	65,3	12 900	11 200	9 900	8 000	30,0
32,0	65,3	64,9	11 700	11 000	9 900	8 500	67,9	64,4	12 100	11 100	9 800	8 000	32,0
34,0	63,5	63,9	10 700	10 000	9 400	8 500	66,0	63,3	11 000	10 400	9 600	8 000	34,0
36,0	61,6	62,8	9 700	9 200	8 600	8 100	64,1	62,2	10 100	9 500	8 900	8 000	36,0
38,0	59,7	61,6	8 900	8 400	7 900	7 500	62,2	61,0	9 200	8 700	8 200	7 700	38,0
40,0	57,8	60,3	8 100	7 700	7 300	6 900	60,2	59,7	8 400	8 000	7 500	7 100	40,0
42,0	55,8	58,9	7 500	7 100	6 700	6 300	58,2	58,3	7 700	7 300	6 900	6 600	42,0
44,0	53,7	57,4	6 900	6 500	6 200	5 900	56,2	56,8	7 100	6 800	6 400	6 100	44,0
46,0	51,6	55,8	6 300	6 000	5 700	5 400	54,0	55,2	6 500	6 200	5 900	5 600	46,0
48,0	49,4	54,1	5 800	5 500	5 300	5 000	51,8	53,4	6 000	5 700	5 400	5 200	48,0
50,0	47,2	52,2	5 400	5 100	4 800	4 600	49,6	51,5	5 500	5 300	5 000	4 800	50,0
52,0	44,9	50,2	4 900	4 700	4 500	4 200	47,2	49,5	5 100	4 900	4 600	4 400	52,0
54,0	42,4	47,9	4 500	4 300	4 100	3 900	44,7	47,2	4 700	4 500	4 300	4 100	54,0
56,0	39,9	45,5	4 200	4 000	3 800	3 600	42,1	44,8	4 300	4 100	3 900	3 700	56,0
58,0	37,1	42,9	3 800	3 700	3 500	3 300	39,3	42,1	4 000	3 800	3 600	3 400	58,0
60,0	34,2	39,9	3 500	3 400	3 200	3 100	36,3	39,1	3 600	3 500	3 300	3 200	60,0
62,0	31,0	36,6	3 200	3 100	3 000	2 800	33,1	35,7	3 300	3 200	3 000	2 900	62,0
63,7	27,6	33,4	3 000	2 900	2 700	2 600	29,6	32,3	3 100	2 900	2 800	2 700	63,7
64,0	27,5	32,8	3 000	2 800	2 700		29,5	31,8	3 000	2 900	2 800	2 600	64,0
64,6	26,0	31,5	2 900	2 800			27,7	30,3	2 900	2 800	2 700	2 600	64,6
64,9	25,5	30,9	2 800				27,0	29,6	2 900	2 800	2 600		64,9
65,2	25,1	30,2	2 800				26,3	28,9	2 800	2 700			65,2
65,5							25,7	28,2	2 800	2 700			65,5
65,8							25,6	27,5	2 800				65,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

51,0 m

18,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,5							16,5
17,7							17,7
18,0							18,0
18,9							18,9
19,5							19,5
20,0							20,0
20,1							20,1
20,7							20,7
21,9							21,9
22,0							22,0
22,6	79,0	67,1	10 300				22,6
23,2	77,6	66,9	10 100				23,2
23,8	77,1	66,7	10 000	9 800			23,8
24,0	77,7	66,6	10 000	9 800			24,0
25,0	76,0	66,2	9 800	9 600	9 000		25,0
26,0	75,9	65,9	9 600	9 400	9 000		26,0
26,2	74,9	65,8	9 500	9 400	9 000	6 900	26,2
28,0	74,1	65,1	9 200	9 100	8 900	6 900	28,0
30,0	72,3	64,2	8 900	8 800	8 700	6 900	30,0
32,0	70,4	63,2	8 600	8 500	8 400	6 900	32,0
34,0	68,5	62,1	8 300	8 200	8 100	6 900	34,0
36,0	66,6	61,0	8 100	8 000	7 900	6 900	36,0
38,0	64,6	59,8	7 800	7 700	7 600	6 900	38,0
40,0	62,6	58,5	7 600	7 500	7 400	6 900	40,0
42,0	60,6	57,0	7 400	7 300	7 100	6 700	42,0
44,0	58,4	55,5	7 100	6 900	6 600	6 300	44,0
46,0	56,3	53,8	6 700	6 400	6 100	5 800	46,0
48,0	54,0	52,0	6 200	5 900	5 600	5 300	48,0
50,0	51,7	50,1	5 700	5 400	5 200	4 900	50,0
52,0	49,2	47,9	5 200	5 000	4 800	4 500	52,0
54,0	46,6	45,6	4 800	4 600	4 400	4 200	54,0
56,0	43,9	43,1	4 400	4 200	4 000	3 800	56,0
58,0	41,0	40,2	4 100	3 900	3 700	3 500	58,0
60,0	37,9	37,1	3 700	3 500	3 400	3 200	60,0
62,0	34,4	33,5	3 400	3 200	3 100	2 900	62,0
63,7	30,6	29,9	3 100	3 000	2 800	2 700	63,7
64,0	30,5	29,2	3 100	2 900	2 800	2 700	64,0
64,6	28,7	27,7	3 000	2 800	2 700	2 600	64,6
64,9	28,5	27,0	2 900	2 800	2 700	2 600	64,9
65,2							65,2
65,5							65,5
65,8							65,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


54,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,1	78,9	73,3	15 300										17,1
18,0	78,1	73,1	15 200										18,0
18,3	77,7	73,0	15 200	12 500									18,3
19,5	76,5	72,7	15 000	12 400	10 000								19,5
20,0	76,5	72,6	14 900	12 400	10 000								20,0
20,1	75,9	72,6	14 900	12 400	10 000		78,9	72,0	14 000				20,1
20,7	75,3	72,4	14 800	12 300	10 000	7 800	77,7	71,9	13 900				20,7
21,3	74,7	72,2	14 800	12 300	10 000	7 800	77,4	71,7	13 800	11 800			21,3
22,0	74,8	72,0	14 700	12 200	10 000	7 800	77,4	71,5	13 700	11 700			22,0
22,6	73,7	71,8	14 600	12 100	10 000	7 800	76,4	71,3	13 700	11 700	9 500		22,6
23,2	73,4	71,6	14 500	12 100	10 000	7 800	75,8	71,1	13 600	11 700	9 500		23,2
23,8	73,1	71,5	14 400	12 000	10 000	7 800	75,2	70,9	13 500	11 600	9 500	7 300	23,8
24,0	73,2	71,4	14 400	12 000	10 000	7 800	75,7	70,9	13 500	11 600	9 500	7 300	24,0
24,4	72,6	71,3	14 400	12 000	10 000	7 800	74,8	70,7	13 500	11 600	9 500	7 300	24,4
25,6	71,4	70,8	14 200	11 900	10 000	7 800	74,2	70,3	13 300	11 500	9 500	7 300	25,6
26,0	71,5	70,7	14 100	11 800	10 000	7 800	74,0	70,2	13 300	11 500	9 500	7 300	26,0
26,8	70,2	70,4	14 000	11 800	10 000	7 800	73,2	69,9	13 200	11 400	9 500	7 300	26,8
28,0	69,9	69,9	13 800	11 700	10 000	7 800	72,3	69,4	13 100	11 400	9 500	7 300	28,0
30,0	68,2	69,1	12 800	11 500	9 900	7 800	70,6	68,6	12 900	11 200	9 500	7 300	30,0
32,0	66,4	68,2	11 600	10 800	9 900	7 800	68,9	67,7	12 000	11 100	9 500	7 300	32,0
34,0	64,7	67,3	10 500	9 800	9 200	7 800	67,1	66,7	10 900	10 200	9 400	7 300	34,0
36,0	62,9	66,2	9 600	9 000	8 400	7 700	65,3	65,7	9 900	9 300	8 700	7 300	36,0
38,0	61,1	65,1	8 700	8 200	7 700	7 200	63,5	64,5	9 000	8 500	8 000	7 300	38,0
40,0	59,3	63,9	8 000	7 500	7 100	6 600	61,7	63,3	8 300	7 800	7 300	6 900	40,0
42,0	57,4	62,6	7 300	6 900	6 500	6 100	59,8	62,0	7 600	7 100	6 700	6 400	42,0
44,0	55,5	61,2	6 700	6 300	6 000	5 600	57,8	60,6	6 900	6 600	6 200	5 800	44,0
46,0	53,5	59,7	6 100	5 800	5 500	5 200	55,8	59,1	6 400	6 000	5 700	5 400	46,0
48,0	51,5	58,1	5 600	5 300	5 000	4 800	53,8	57,4	5 900	5 500	5 200	5 000	48,0
50,0	49,4	56,3	5 200	4 900	4 600	4 400	51,7	55,7	5 400	5 100	4 800	4 600	50,0
52,0	47,3	54,4	4 800	4 500	4 300	4 000	49,5	53,8	4 900	4 700	4 400	4 200	52,0
54,0	45,0	52,4	4 400	4 100	3 900	3 700	47,3	51,7	4 500	4 300	4 100	3 800	54,0
56,0	42,7	50,2	4 000	3 800	3 600	3 400	44,9	49,5	4 200	3 900	3 700	3 500	56,0
58,0	40,3	47,9	3 700	3 500	3 300	3 100	42,4	47,1	3 800	3 600	3 400	3 200	58,0
60,0	37,7	45,3	3 400	3 200	3 000	2 800	39,8	44,4	3 500	3 300	3 100	3 000	60,0
62,0	34,9	42,4	3 100	2 900	2 700	2 600	37,0	41,5	3 200	3 000	2 800	2 700	62,0
66,0	28,7	35,6	2 500	2 400	2 300	2 100	30,6	34,5	2 600	2 500	2 300	2 200	66,0
66,1	27,8	35,3	2 500	2 400	2 300	2 100	29,7	34,2	2 600	2 400	2 300	2 200	66,1
66,8	26,9	34,0	2 400	2 300	2 200		28,5	32,8	2 500	2 400	2 200	2 100	66,8
67,4	25,9	32,7	2 400	2 200			27,4	31,5	2 400	2 300	2 200	2 100	67,4
67,7	25,5	32,1	2 300				26,8	30,8	2 400	2 300	2 100		67,7
68,0	25,1	31,5	2 300				26,2	30,1	2 300	2 200			68,0
68,3							25,6	29,4	2 300	2 200			68,3
68,6							25,6	28,7	2 300				68,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

54,0 m

18,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,1							17,1
18,0							18,0
18,3							18,3
19,5							19,5
20,0							20,0
20,1							20,1
20,7							20,7
21,3							21,3
22,0							22,0
22,6							22,6
23,2	78,9	70,0	10 200				23,2
23,8	78,0	69,8	10 100				23,8
24,0	78,2	69,8	10 100				24,0
24,4	77,6	69,6	10 000	9 800			24,4
25,6	76,4	69,2	9 800	9 600	8 300		25,6
26,0	76,5	69,1	9 700	9 500	8 300		26,0
26,8	75,2	68,8	9 600	9 400	8 300	6 400	26,8
28,0	74,8	68,3	9 400	9 200	8 300	6 300	28,0
30,0	73,1	67,4	9 000	8 900	8 300	6 300	30,0
32,0	71,3	66,5	8 700	8 600	8 300	6 300	32,0
34,0	69,5	65,5	8 500	8 300	8 200	6 300	34,0
36,0	67,7	64,5	8 200	8 100	8 000	6 300	36,0
38,0	65,8	63,3	8 000	7 900	7 800	6 300	38,0
40,0	63,9	62,1	7 700	7 700	7 500	6 300	40,0
42,0	62,0	60,7	7 500	7 300	7 000	6 300	42,0
44,0	60,0	59,3	7 200	6 800	6 400	6 100	44,0
46,0	58,0	57,7	6 600	6 200	5 900	5 600	46,0
48,0	55,9	56,0	6 100	5 700	5 400	5 100	48,0
50,0	53,7	54,2	5 600	5 300	5 000	4 700	50,0
52,0	51,5	52,3	5 100	4 800	4 600	4 300	52,0
54,0	49,2	50,2	4 700	4 400	4 200	4 000	54,0
56,0	46,7	47,9	4 300	4 100	3 900	3 700	56,0
58,0	44,2	45,4	3 900	3 700	3 500	3 300	58,0
60,0	41,4	42,6	3 600	3 400	3 200	3 000	60,0
62,0	38,5	39,6	3 200	3 100	2 900	2 800	62,0
66,0	31,7	32,1	2 600	2 500	2 400	2 200	66,0
66,1	30,7	31,8	2 600	2 500	2 400	2 200	66,1
66,8	29,7	30,3	2 500	2 400	2 300	2 200	66,8
67,4	28,6	28,9	2 400	2 300	2 200	2 100	67,4
67,7	28,3	28,2	2 400	2 300	2 200	2 000	67,7
68,0							68,0
68,3							68,3
68,6							68,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

57,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,7	78,8	76,2	15 100										17,7
18,0	78,6	76,1	15 100										18,0
18,9	77,6	75,9	15 000	12 300									18,9
20,0	77,0	75,7	14 800	12 300									20,0
20,1	76,9	75,6	14 800	12 200	9 300								20,1
20,7	76,3	75,5	14 700	12 200	9 300		78,9	75,0	13 800				20,7
21,3	75,7	75,3	14 700	12 200	9 300	7 200	77,5	74,8	13 800				21,3
21,9	75,1	75,1	14 600	12 100	9 200	7 200	77,1	74,6	13 700	11 700			21,9
22,0	75,5	75,1	14 600	12 100	9 200	7 200	77,9	74,6	13 700	11 600			22,0
23,2	73,8	74,8	14 400	12 000	9 200	7 100	76,4	74,3	13 600	11 600	8 800		23,2
23,8	73,2	74,6	14 400	11 900	9 200	7 100	76,1	74,1	13 500	11 500	8 800		23,8
24,0	73,9	74,5	14 300	11 900	9 200	7 100	76,3	74,0	13 500	11 500	8 800		24,0
24,4	72,8	74,4	14 300	11 900	9 200	7 100	75,6	73,9	13 500	11 500	8 800	6 700	24,4
25,0	72,5	74,2	14 200	11 900	9 200	7 100	75,0	73,7	13 400	11 500	8 800	6 700	25,0
26,0	72,3	73,9	14 100	11 800	9 200	7 100	74,7	73,4	13 300	11 400	8 800	6 700	26,0
26,2	71,8	73,8	14 000	11 800	9 200	7 100	73,9	73,3	13 300	11 400	8 800	6 700	26,2
27,4	70,6	73,4	13 800	11 700	9 200	7 100	73,3	72,8	13 200	11 400	8 800	6 700	27,4
28,0	70,7	73,1	13 700	11 600	9 200	7 100	73,1	72,6	13 100	11 300	8 800	6 700	28,0
30,0	69,1	72,4	12 600	11 500	9 200	7 100	71,4	71,8	12 900	11 200	8 800	6 700	30,0
32,0	67,4	71,5	11 400	10 600	9 100	7 100	69,8	71,0	11 800	11 000	8 800	6 700	32,0
34,0	65,8	70,6	10 300	9 700	8 900	7 100	68,1	70,0	10 800	10 000	8 800	6 700	34,0
36,0	64,1	69,6	9 400	8 800	8 200	7 100	66,4	69,0	9 800	9 200	8 500	6 700	36,0
38,0	62,4	68,5	8 600	8 000	7 500	7 000	64,7	68,0	8 900	8 400	7 800	6 700	38,0
40,0	60,6	67,4	7 800	7 300	6 900	6 400	62,9	66,8	8 100	7 600	7 200	6 600	40,0
42,0	58,8	66,1	7 200	6 700	6 300	5 900	61,1	65,6	7 400	7 000	6 600	6 200	42,0
44,0	57,0	64,8	6 500	6 200	5 800	5 400	59,3	64,2	6 800	6 400	6 000	5 700	44,0
46,0	55,2	63,4	6 000	5 600	5 300	5 000	57,4	62,8	6 200	5 900	5 500	5 200	46,0
48,0	53,3	61,9	5 500	5 200	4 900	4 600	55,5	61,3	5 700	5 400	5 100	4 800	48,0
50,0	51,4	60,3	5 000	4 700	4 500	4 200	53,6	59,6	5 300	5 000	4 700	4 400	50,0
52,0	49,3	58,5	4 600	4 300	4 100	3 800	51,5	57,9	4 800	4 500	4 300	4 000	52,0
54,0	47,3	56,7	4 200	4 000	3 700	3 500	49,5	56,0	4 400	4 200	3 900	3 700	54,0
56,0	45,1	54,7	3 900	3 600	3 400	3 200	47,3	54,0	4 000	3 800	3 600	3 400	56,0
60,0	40,6	50,1	3 200	3 000	2 800	2 700	42,7	49,4	3 300	3 200	3 000	2 800	60,0
64,0	35,5	44,8	2 600	2 500	2 300	2 200	37,5	43,9	2 700	2 600	2 400	2 300	64,0
68,0	29,7	38,2	2 100	2 000	1 800	1 700	31,5	37,2	2 200	2 100	1 900	1 800	68,0
68,9	27,7	36,4	2 000	1 900	1 700	1 600	29,4	35,2	2 100	1 900	1 800	1 600	68,9
69,5	26,8	35,1	1 900	1 800	1 600		28,3	33,9	2 000	1 900	1 700	1 600	69,5
69,8	26,3	34,5	1 900	1 700			27,7	33,2	2 000	1 800	1 700	1 500	69,8
70,1	25,9	33,9	1 800	1 700			27,2	32,6	1 900	1 800	1 600		70,1
70,4	25,4	33,2	1 800				26,6	31,9	1 900	1 700	1 600		70,4
70,7	25,0	32,6	1 800				26,1	31,2	1 800	1 700			70,7
71,0							25,5	30,6	1 800	1 700			71,0
71,3							25,5	29,9	1 700				71,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

57,0 m

18,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,7							17,7
18,0							18,0
18,9							18,9
20,0							20,0
20,1							20,1
20,7							20,7
21,3							21,3
21,9							21,9
22,0							22,0
23,2							23,2
23,8	78,9	73,0	10 200				23,8
24,0	78,7	72,9	10 200				24,0
24,4	77,8	72,8	10 100				24,4
25,0	77,5	72,6	10 000	9 800			25,0
26,0	77,1	72,2	9 800	9 700			26,0
26,2	76,8	72,1	9 800	9 600	7 700		26,2
27,4	75,6	71,7	9 600	9 400	7 700	5 800	27,4
28,0	75,5	71,5	9 500	9 300	7 700	5 800	28,0
30,0	73,8	70,7	9 200	9 000	7 700	5 800	30,0
32,0	72,1	69,8	8 900	8 700	7 700	5 800	32,0
34,0	70,4	68,9	8 600	8 500	7 700	5 800	34,0
36,0	68,7	67,8	8 300	8 200	7 700	5 800	36,0
38,0	66,9	66,7	8 100	8 000	7 700	5 800	38,0
40,0	65,1	65,6	7 900	7 800	7 500	5 800	40,0
42,0	63,3	64,3	7 600	7 300	6 800	5 800	42,0
44,0	61,5	62,9	7 100	6 700	6 300	5 800	44,0
46,0	59,5	61,5	6 500	6 100	5 800	5 400	46,0
48,0	57,6	59,9	6 000	5 600	5 300	5 000	48,0
50,0	55,6	58,2	5 500	5 100	4 900	4 600	50,0
52,0	53,5	56,4	5 000	4 700	4 400	4 200	52,0
54,0	51,4	54,5	4 600	4 300	4 100	3 800	54,0
56,0	49,1	52,4	4 200	3 900	3 700	3 500	56,0
60,0	44,3	47,6	3 500	3 300	3 100	2 900	60,0
64,0	39,0	41,9	2 800	2 700	2 500	2 400	64,0
68,0	32,7	34,8	2 200	2 100	2 000	1 800	68,0
68,9	30,5	32,8	2 100	2 000	1 800	1 700	68,9
69,5	29,5	31,4	2 000	1 900	1 800	1 600	69,5
69,8	29,0	30,7	2 000	1 800	1 700	1 600	69,8
70,1	28,5	30,0	1 900	1 800	1 700	1 500	70,1
70,4	28,0	29,3	1 900	1 800	1 600	1 500	70,4
70,7							70,7
71,0							71,0
71,3							71,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

60,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,3	78,8	79,2	14 900										18,3
19,5	77,3	78,9	14 700	11 400									19,5
20,0	77,5	78,8	14 700	11 400									20,0
20,7	76,7	78,6	14 600	11 400	8 500								20,7
21,3	76,4	78,4	14 500	11 300	8 500		78,9	77,9	13 700				21,3
22,0	76,0	78,3	14 500	11 300	8 500		78,4	77,7	13 600				22,0
22,3	75,7	78,2	14 400	11 300	8 500	6 500	77,7	77,7	13 600				22,3
22,6	75,4	78,1	14 400	11 300	8 500	6 500	77,4	77,6	13 600	10 700			22,6
24,0	74,5	77,7	14 200	11 300	8 500	6 500	76,8	77,2	13 400	10 700			24,0
24,1	73,9	77,6	14 200	11 300	8 500	6 500	76,0	77,1	13 400	10 700	8 000		24,1
24,4	73,6	77,6	14 200	11 300	8 500	6 400	75,8	77,0	13 400	10 700	8 000		24,4
25,3	72,7	77,3	14 100	11 200	8 400	6 400	75,4	76,8	13 300	10 700	8 000	6 100	25,3
25,6	72,4	77,2	14 100	11 200	8 400	6 400	75,2	76,7	13 300	10 700	8 000	6 100	25,6
26,0	73,0	77,1	14 000	11 200	8 400	6 400	75,3	76,5	13 200	10 700	8 000	6 000	26,0
26,8	71,6	76,8	13 800	11 200	8 400	6 400	74,2	76,3	13 200	10 700	8 000	6 000	26,8
28,0	71,5	76,4	13 600	11 200	8 400	6 400	73,8	75,8	13 100	10 700	8 000	6 000	28,0
28,3	70,7	76,2	13 400	11 200	8 400	6 400	72,9	75,7	13 000	10 700	8 000	6 000	28,3
30,0	69,9	75,6	12 500	11 200	8 400	6 400	72,2	75,1	12 800	10 700	8 000	6 000	30,0
32,0	68,3	74,8	11 200	10 400	8 400	6 400	70,6	74,3	11 700	10 700	8 000	6 000	32,0
34,0	66,8	73,9	10 200	9 500	8 300	6 400	69,0	73,4	10 600	9 900	8 000	6 000	34,0
36,0	65,1	73,0	9 200	8 600	8 000	6 300	67,4	72,4	9 600	9 000	8 000	6 000	36,0
38,0	63,5	71,9	8 400	7 800	7 300	6 300	65,8	71,4	8 800	8 200	7 600	6 000	38,0
40,0	61,9	70,9	7 600	7 100	6 700	6 200	64,1	70,3	8 000	7 500	7 000	6 000	40,0
42,0	60,2	69,7	7 000	6 500	6 100	5 700	62,4	69,1	7 300	6 800	6 400	5 900	42,0
44,0	58,5	68,4	6 400	6 000	5 600	5 200	60,7	67,9	6 700	6 200	5 800	5 500	44,0
46,0	56,7	67,1	5 800	5 400	5 100	4 800	58,9	66,5	6 100	5 700	5 300	5 000	46,0
48,0	54,9	65,7	5 300	5 000	4 700	4 300	57,1	65,1	5 600	5 200	4 900	4 600	48,0
50,0	53,1	64,2	4 900	4 500	4 300	4 000	55,3	63,5	5 100	4 800	4 500	4 200	50,0
52,0	51,2	62,5	4 400	4 200	3 900	3 600	53,4	61,9	4 600	4 400	4 100	3 800	52,0
54,0	49,3	60,8	4 000	3 800	3 500	3 300	51,4	60,1	4 200	4 000	3 700	3 500	54,0
56,0	47,3	58,9	3 700	3 400	3 200	3 000	49,4	58,2	3 900	3 600	3 400	3 200	56,0
58,0	45,3	56,9	3 300	3 100	2 900	2 700	47,3	56,2	3 500	3 300	3 100	2 900	58,0
60,0	43,1	54,8	3 000	2 800	2 600	2 400	45,2	54,0	3 200	3 000	2 800	2 600	60,0
62,0	40,9	52,5	2 700	2 600	2 400	2 200	42,9	51,7	2 900	2 700	2 500	2 300	62,0
64,0	38,6	49,9	2 500	2 300	2 100	1 900	40,5	49,1	2 600	2 400	2 200	2 000	64,0
66,0	36,1	47,2	2 200	2 000	1 800	1 600	38,0	46,3	2 300	2 100	1 900	1 700	66,0
67,1	34,4	45,6	2 000	1 800	1 700	1 500	36,4	44,7	2 100	2 000	1 800	1 600	67,1
68,0	33,5	44,2	1 900	1 700	1 500		35,3	43,2	2 000	1 800	1 700	1 500	68,0
68,6	32,1	43,2	1 800	1 600	1 500		34,1	42,2	1 900	1 700	1 600	1 400	68,6
70,0	30,6	40,8	1 600	1 500			32,4	39,8	1 700	1 600	1 400		70,0
70,1	29,9	40,6	1 600	1 400			31,8	39,6	1 700	1 500	1 400		70,1
71,6	28,1	37,8	1 400				29,8	36,7	1 500	1 300			71,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

60,0 m



18,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,3							18,3
19,5							19,5
20,0							20,0
20,7							20,7
21,3							21,3
22,0							22,0
22,3							22,3
22,6							22,6
24,0							24,0
24,1							24,1
24,4	78,9	75,9	10 200				24,4
25,3	77,4	75,6	10 100				25,3
25,6	77,3	75,5	10 000	9 400			25,6
26,0	77,6	75,4	9 900	9 400			26,0
26,8	76,6	75,1	9 800	9 400	7 000		26,8
28,0	76,1	74,7	9 600	9 400	7 000		28,0
28,3	75,7	74,6	9 500	9 300	7 000	5 300	28,3
30,0	74,5	73,9	9 300	9 100	7 000	5 300	30,0
32,0	72,9	73,1	9 000	8 900	7 000	5 300	32,0
34,0	71,3	72,2	8 700	8 600	7 000	5 300	34,0
36,0	69,6	71,2	8 500	8 400	7 000	5 300	36,0
38,0	67,9	70,2	8 200	8 100	7 000	5 300	38,0
40,0	66,2	69,0	8 000	7 800	7 000	5 300	40,0
42,0	64,5	67,8	7 600	7 100	6 700	5 300	42,0
44,0	62,7	66,6	6 900	6 500	6 100	5 300	44,0
46,0	61,0	65,2	6 300	6 000	5 600	5 200	46,0
48,0	59,1	63,7	5 800	5 500	5 100	4 800	48,0
50,0	57,2	62,1	5 300	5 000	4 700	4 400	50,0
52,0	55,3	60,5	4 800	4 500	4 300	4 000	52,0
54,0	53,3	58,7	4 400	4 100	3 900	3 600	54,0
56,0	51,2	56,7	4 000	3 800	3 500	3 300	56,0
58,0	49,1	54,6	3 700	3 400	3 200	3 000	58,0
60,0	46,9	52,4	3 300	3 100	2 900	2 700	60,0
62,0	44,5	50,0	3 000	2 800	2 600	2 400	62,0
64,0	42,1	47,3	2 700	2 500	2 300	2 100	64,0
66,0	39,4	44,4	2 400	2 200	2 000	1 800	66,0
67,1	37,4	42,7	2 200	2 100	1 900	1 700	67,1
68,0	36,6	41,1	2 100	1 900	1 700	1 600	68,0
68,6	35,1	40,1	2 000	1 800	1 700	1 500	68,6
70,0	33,5	37,5	1 800	1 600	1 500		70,0
70,1	32,8	37,3	1 800	1 600	1 400		70,1
71,6	30,8	34,1	1 500	1 400			71,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


63,0 m


18,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,6	79,0	82,2	14 300										18,6
20,0	78,0	81,8	14 200										20,0
20,1	77,0	81,8	14 200	10 400									20,1
21,6	76,2	81,4	14 100	10 400	7 800								21,6
21,9	76,1	81,4	14 100	10 400	7 800		78,8	80,8	13 500				21,9
22,0	76,5	81,3	14 100	10 400	7 800		78,8	80,8	13 500				22,0
22,9	75,6	81,1	14 100	10 300	7 800	5 800	77,6	80,6	13 500				22,9
23,2	75,4	81,0	14 100	10 300	7 800	5 800	77,4	80,5	13 400	9 800			23,2
24,0	75,1	80,8	14 100	10 300	7 700	5 800	77,3	80,3	13 400	9 800			24,0
24,7	74,3	80,6	14 000	10 300	7 700	5 800	76,3	80,1	13 300	9 800	7 300		24,7
25,0	74,0	80,5	14 000	10 300	7 700	5 800	76,0	80,0	13 300	9 800	7 300		25,0
25,9	73,1	80,2	13 900	10 300	7 700	5 800	75,1	79,7	13 200	9 800	7 300	5 400	25,9
26,0	73,6	80,2	13 900	10 300	7 700	5 800	75,9	79,7	13 200	9 800	7 300	5 400	26,0
26,2	72,9	80,1	13 900	10 300	7 700	5 800	74,9	79,6	13 200	9 800	7 200	5 400	26,2
27,7	72,2	79,6	13 500	10 200	7 700	5 800	74,2	79,1	13 000	9 700	7 200	5 400	27,7
28,0	72,2	79,5	13 500	10 200	7 700	5 800	74,4	79,0	13 000	9 700	7 200	5 400	28,0
29,0	71,0	79,2	12 900	10 200	7 700	5 800	73,0	78,6	12 800	9 700	7 200	5 400	29,0
30,0	70,7	78,8	12 300	10 200	7 600	5 700	72,9	78,3	12 600	9 700	7 200	5 400	30,0
32,0	69,2	78,0	11 100	10 200	7 600	5 700	71,4	77,5	11 600	9 700	7 200	5 400	32,0
34,0	67,7	77,2	10 000	9 300	7 600	5 700	69,8	76,6	10 500	9 500	7 200	5 400	34,0
36,0	66,1	76,3	9 100	8 400	7 600	5 700	68,3	75,7	9 500	8 800	7 200	5 400	36,0
38,0	64,6	75,3	8 200	7 600	7 100	5 600	66,7	74,7	8 600	8 000	7 200	5 400	38,0
40,0	63,0	74,3	7 500	7 000	6 500	5 600	65,1	73,7	7 800	7 300	6 800	5 300	40,0
42,0	61,4	73,2	6 800	6 300	5 900	5 400	63,5	72,6	7 100	6 700	6 200	5 300	42,0
44,0	59,8	72,0	6 200	5 800	5 400	5 000	61,9	71,4	6 500	6 100	5 700	5 200	44,0
46,0	58,1	70,7	5 700	5 300	4 900	4 500	60,2	70,1	5 900	5 500	5 200	4 800	46,0
48,0	56,4	69,4	5 200	4 800	4 500	4 100	58,5	68,7	5 400	5 100	4 700	4 400	48,0
50,0	54,7	67,9	4 700	4 400	4 100	3 800	56,8	67,3	4 900	4 600	4 300	4 000	50,0
52,0	52,9	66,4	4 300	4 000	3 700	3 400	55,0	65,8	4 500	4 200	3 900	3 600	52,0
54,0	51,1	64,8	3 900	3 600	3 300	3 100	53,2	64,1	4 100	3 800	3 500	3 300	54,0
56,0	49,3	63,0	3 500	3 300	3 000	2 800	51,3	62,3	3 700	3 500	3 200	3 000	56,0
58,0	47,4	61,2	3 200	2 900	2 700	2 500	49,4	60,5	3 400	3 100	2 900	2 700	58,0
60,0	45,4	59,2	2 900	2 600	2 400	2 200	47,4	58,4	3 000	2 800	2 600	2 400	60,0
62,0	43,3	57,0	2 600	2 300	2 100	1 900	45,3	56,3	2 700	2 500	2 300	2 100	62,0
64,0	41,2	54,7	2 200	2 000	1 800	1 600	43,1	53,9	2 400	2 200	2 000	1 800	64,0
65,5	38,7	52,8	2 000	1 800	1 600	1 400	40,7	52,0	2 200	2 000	1 800	1 600	65,5
66,0	39,0	52,2	1 900	1 700	1 500		40,9	51,4	2 100	1 900	1 700	1 500	66,0
67,1	36,9	50,8	1 800	1 600	1 400		38,9	50,0	1 900	1 700	1 500	1 400	67,1
68,0	36,6	49,5	1 700	1 500			38,5	48,7	1 800	1 600	1 400		68,0
68,6	35,4	48,7	1 600	1 400			37,1	47,8	1 700	1 500	1 300		68,6
70,0	34,1	46,6	1 400				35,9	45,7	1 500	1 300			70,0
70,1	34,0	46,4	1 400				35,8	45,5	1 500	1 300			70,1
71,6													71,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

63,0 m



18,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,6							18,6
20,0							20,0
20,1							20,1
21,6							21,6
21,9							21,9
22,0							22,0
22,9							22,9
23,2							23,2
24,0							24,0
24,7							24,7
25,0	78,9	78,8	10 200				25,0
25,9	78,0	78,6	10 000				25,9
26,0	78,1	78,5	10 000				26,0
26,2	77,8	78,5	10 000	8 600			26,2
27,7	76,3	77,9	9 700	8 600	6 300		27,7
28,0	76,6	77,8	9 700	8 600	6 300		28,0
29,0	75,5	77,5	9 500	8 600	6 300	4 700	29,0
30,0	75,1	77,1	9 400	8 600	6 300	4 700	30,0
32,0	73,6	76,3	9 100	8 600	6 300	4 700	32,0
34,0	72,0	75,4	8 800	8 600	6 300	4 700	34,0
36,0	70,4	74,5	8 600	8 500	6 300	4 700	36,0
38,0	68,8	73,5	8 400	8 300	6 300	4 700	38,0
40,0	67,2	72,5	8 100	7 600	6 300	4 700	40,0
42,0	65,6	71,3	7 500	7 000	6 300	4 700	42,0
44,0	63,9	70,1	6 800	6 400	5 900	4 700	44,0
46,0	62,2	68,8	6 200	5 800	5 400	4 700	46,0
48,0	60,5	67,4	5 700	5 300	4 900	4 600	48,0
50,0	58,7	65,9	5 200	4 800	4 500	4 200	50,0
52,0	56,9	64,3	4 700	4 400	4 100	3 800	52,0
54,0	55,0	62,7	4 300	4 000	3 700	3 500	54,0
56,0	53,1	60,9	3 900	3 600	3 400	3 100	56,0
58,0	51,1	58,9	3 500	3 300	3 000	2 800	58,0
60,0	49,0	56,9	3 200	3 000	2 700	2 500	60,0
62,0	46,9	54,6	2 900	2 600	2 400	2 200	62,0
64,0	44,7	52,2	2 500	2 300	2 100	1 900	64,0
65,5	42,5	50,2	2 300	2 100	1 900	1 700	65,5
66,0	42,3	49,6	2 200	2 000	1 800	1 600	66,0
67,1	40,4	48,1	2 100	1 900	1 700	1 500	67,1
68,0	39,8	46,7	1 900	1 700	1 500		68,0
68,6	38,4	45,8	1 800	1 600	1 400		68,6
70,0	37,2	43,6	1 600	1 400			70,0
70,1	36,8	43,4	1 600	1 400			70,1
71,6	34,8	40,8	1 300				71,6

REFERENCE ONLY!

MLC150-1 S-2



	5°			15°			
			0°			0°	
m	°	m	kg	°	m	kg	m
19,5	79,0	85,1	13 000				19,5
20,0	78,6	85,0	13 000				20,0
22,0	77,2	84,5	12 900				22,0
22,9	76,1	84,3	12 800	78,8	83,8	12 300	22,9
24,0	75,8	84,0	12 800	78,0	83,5	12 300	24,0
25,9	74,1	83,4	12 700	76,1	82,9	12 200	25,9
26,0	74,4	83,4	12 700	76,6	82,9	12 200	26,0
28,0	73,0	82,8	12 700	75,2	82,2	12 200	28,0
30,0	71,6	82,1	12 100	73,7	81,6	12 100	30,0
32,0	70,1	81,3	11 000	72,3	80,8	11 500	32,0
34,0	68,7	80,5	9 900	70,8	80,0	10 400	34,0
36,0	67,2	79,7	8 900	69,3	79,1	9 400	36,0
38,0	65,7	78,8	8 100	67,8	78,2	8 500	38,0
40,0	64,2	77,8	7 400	66,3	77,2	7 700	40,0
42,0	62,7	76,7	6 700	64,8	76,2	7 000	42,0
44,0	61,2	75,6	6 100	63,2	75,0	6 400	44,0
46,0	59,6	74,4	5 500	61,6	73,8	5 800	46,0
48,0	58,0	73,1	5 000	60,0	72,5	5 300	48,0
50,0	56,4	71,8	4 500	58,4	71,2	4 800	50,0
52,0	54,7	70,4	4 100	56,7	69,7	4 400	52,0
54,0	53,0	68,8	3 700	55,0	68,2	4 000	54,0
56,0	51,3	67,2	3 400	53,2	66,6	3 600	56,0
58,0	49,5	65,5	3 000	51,4	64,8	3 200	58,0
60,0	47,6	63,6	2 700	49,6	62,9	2 900	60,0
62,0	45,7	61,7	2 300	47,7	61,0	2 600	62,0
64,0	43,8	59,6	2 000	45,7	58,8	2 200	64,0
66,0	41,8	57,3	1 700	43,6	56,5	1 900	66,0
68,0	39,6	54,9	1 400	41,5	54,1	1 600	68,0
68,6	39,0	54,1	1 300	40,8	53,3	1 500	68,6
70,0							70,0
70,1							70,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2



134
+
B10



50 120 kg
+
15 880 kg

360°



66,0 m



18,3 m

m	25° °	m	0° kg	m
19,5				19,5
20,0				20,0
22,0				22,0
22,9				22,9
24,0				24,0
25,9	78,8	81,8	10 600	25,9
26,0	78,8	81,7	10 600	26,0
28,0	77,3	81,1	10 300	28,0
30,0	75,9	80,4	10 000	30,0
32,0	74,4	79,6	9 700	32,0
34,0	72,9	78,8	9 400	34,0
36,0	71,4	77,9	9 100	36,0
38,0	69,9	77,0	8 900	38,0
40,0	68,3	76,0	8 100	40,0
42,0	66,8	74,9	7 400	42,0
44,0	65,2	73,8	6 700	44,0
46,0	63,6	72,5	6 100	46,0
48,0	61,9	71,2	5 600	48,0
50,0	60,3	69,8	5 100	50,0
52,0	58,5	68,4	4 600	52,0
54,0	56,8	66,8	4 200	54,0
56,0	55,0	65,1	3 800	56,0
58,0	53,2	63,3	3 400	58,0
60,0	51,3	61,4	3 100	60,0
62,0	49,3	59,4	2 700	62,0
64,0	47,2	57,2	2 400	64,0
66,0	45,1	54,8	2 000	66,0
68,0	42,9	52,3	1 700	68,0
68,6	41,4	51,5	1 600	68,6
70,0	40,5	49,5	1 400	70,0
70,1	40,4	49,3	1 400	70,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

27,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,0	49,9	14 200										12,2
13,0	78,0	49,7	14 000										13,0
13,1	77,8	49,6	14 000	11 100									13,1
14,0	76,8	49,4	13 700	11 000	8 900								14,0
14,9	75,1	49,2	13 500	11 000	8 900	7 400							14,9
15,0	75,6	49,1	13 500	11 000	8 900	7 400							15,0
16,0	74,4	48,8	13 200	11 000	8 900	7 400							16,0
16,2	73,7	48,8	13 100	10 900	8 800	7 400	78,6	48,4	12 300				16,2
16,8	72,8	48,5	13 000	10 900	8 800	7 400	77,3	48,2	12 200	10 400			16,8
17,7	71,5	48,2	12 800	10 800	8 800	7 400	76,3	47,8	12 000	10 300	9 000		17,7
18,0	71,9	48,1	12 700	10 800	8 800	7 400	76,3	47,7	12 000	10 300	9 000		18,0
18,3	70,7	48,0	12 600	10 800	8 800	7 400	75,6	47,6	11 900	10 200	9 000	7 500	18,3
19,8	69,2	47,4	12 300	10 500	8 800	7 300	73,3	47,0	11 600	10 000	8 900	7 500	19,8
20,0	69,4	47,4	12 300	10 500	8 800	7 300	73,8	47,0	11 600	10 000	8 800	7 500	20,0
20,4	68,4	47,2	12 200	10 400	8 800	7 300	72,6	46,8	11 500	9 900	8 800	7 500	20,4
21,3	67,1	46,8	12 000	10 300	8 700	7 300	71,7	46,4	11 300	9 800	8 700	7 500	21,3
21,9	66,2	46,5	11 900	10 200	8 700	7 300	71,1	46,1	11 200	9 800	8 600	7 500	21,9
22,0	66,8	46,5	11 800	10 200	8 700	7 300	71,2	46,1	11 200	9 700	8 600	7 500	22,0
24,0	64,2	45,5	11 400	9 800	8 700	7 300	68,6	45,1	10 900	9 500	8 400	7 500	24,0
26,0	61,5	44,4	11 000	9 600	8 500	7 300	65,9	43,9	10 300	9 300	8 300	7 500	26,0
28,0	58,8	43,1	10 700	9 300	8 300	7 200	63,1	42,7	9 600	9 000	8 100	7 300	28,0
30,0	55,9	41,8	10 300	9 000	8 100	7 200	60,2	41,3	9 100	8 800	7 900	7 200	30,0
32,0	53,0	40,2	9 900	8 800	7 900	7 100	57,2	39,7	8 600	8 500	7 800	7 000	32,0
34,0	49,9	38,5	9 600	8 600	7 700	7 000	54,1	38,0	8 200	8 100	7 600	6 900	34,0
36,0	46,7	36,6	9 200	8 300	7 500	6 800	50,8	36,1	7 700	7 700	7 500	6 800	36,0
38,0	43,3	34,5	8 700	8 100	7 300	6 700	47,3	33,9	7 400	7 300	7 300	6 700	38,0
40,0	39,6	32,1	8 300	7 900	7 200	6 500	43,6	31,4	7 100	7 000	7 000	6 600	40,0
42,0	35,6	29,3	7 800	7 700	7 000	6 400	39,5	28,6	6 800	6 700	6 700	6 600	42,0
44,0	31,1	26,0	7 500	7 400	6 900	6 400	34,9	25,2	6 500	6 500	6 400	6 400	44,0
45,1	27,7	23,8	7 300	7 200	6 900	6 300	31,2	22,9	6 400	6 300	6 300	6 300	45,1
45,4	26,7	23,1	7 200	7 100	6 900		30,5	22,2	6 300	6 300	6 300	6 200	45,4
45,7	25,8	22,5	7 200	7 100			29,7	21,6	6 300	6 300	6 200	6 200	45,7
46,0	25,8	22,0	7 100				29,4	21,0	6 300	6 200	6 200	6 200	46,0
46,3							27,9	20,1	6 200	6 200	6 200	6 100	46,3
46,6							27,0	19,4	6 200	6 200	6 100		46,6
46,9							26,0	18,5	6 200	6 200			46,9
47,2							25,3	17,8	6 100				47,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

27,0 m

21,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,2							12,2
13,0							13,0
13,1							13,1
14,0							14,0
14,9							14,9
15,0							15,0
16,0							16,0
16,2							16,2
16,8							16,8
17,7							17,7
18,0							18,0
18,3							18,3
19,8	78,6	46,1	9 100				19,8
20,0	78,4	46,0	9 100				20,0
20,4	77,4	45,8	9 000	8 800			20,4
21,3	76,1	45,4	8 700	8 500	8 200		21,3
21,9	75,2	45,1	8 600	8 400	8 100	7 400	21,9
22,0	75,7	45,1	8 500	8 400	8 100	7 400	22,0
24,0	73,0	44,1	8 100	7 900	7 800	7 300	24,0
26,0	70,3	42,9	7 600	7 500	7 400	7 200	26,0
28,0	67,4	41,6	7 300	7 100	7 000	6 900	28,0
30,0	64,5	40,2	6 900	6 800	6 700	6 600	30,0
32,0	61,4	38,6	6 600	6 500	6 400	6 300	32,0
34,0	58,2	36,8	6 300	6 200	6 200	6 100	34,0
36,0	54,8	34,8	6 100	6 000	5 900	5 800	36,0
38,0	51,1	32,5	5 900	5 800	5 700	5 600	38,0
40,0	47,2	29,9	5 700	5 600	5 500	5 500	40,0
42,0	42,8	26,9	5 500	5 400	5 400	5 300	42,0
44,0	37,9	23,3	5 400	5 300	5 200	5 200	44,0
45,1	33,7	20,7	5 300	5 200	5 200	5 100	45,1
45,4	32,7	20,0	5 300	5 200	5 200	5 100	45,4
45,7	31,8	19,3	5 300	5 200	5 200	5 100	45,7
46,0	31,8	18,6	5 300	5 200	5 100	5 100	46,0
46,3	29,7	17,6	5 200	5 200	5 100	5 100	46,3
46,6	28,5	16,7	5 200	5 200	5 100	5 100	46,6
46,9	27,2	15,7	5 200	5 200	5 100	5 100	46,9
47,2	26,9	14,8	5 200	5 200			47,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

30,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,8	78,9	52,8	14 100										12,8
13,0	78,7	52,7	14 100										13,0
13,7	77,3	52,6	13 900	11 000									13,7
14,0	77,6	52,5	13 800	11 000									14,0
14,6	76,4	52,3	13 700	10 900	8 800								14,6
15,0	76,4	52,2	13 600	10 900	8 800								15,0
15,5	75,5	52,1	13 400	10 900	8 800	7 300							15,5
16,0	75,3	52,0	13 300	10 900	8 800	7 300							16,0
16,5	74,3	51,8	13 200	10 900	8 800	7 300	79,0	51,4	12 300				16,5
17,4	72,9	51,5	13 000	10 800	8 800	7 300	77,4	51,1	12 200	10 400			17,4
18,0	73,0	51,3	12 900	10 800	8 800	7 300	77,2	50,9	12 100	10 300			18,0
18,3	71,7	51,2	12 800	10 800	8 800	7 300	76,6	50,8	12 000	10 300	8 900		18,3
19,2	70,8	50,9	12 600	10 700	8 700	7 300	75,2	50,5	11 800	10 200	8 900	7 500	19,2
20,0	70,6	50,6	12 400	10 600	8 700	7 300	74,8	50,2	11 700	10 100	8 900	7 500	20,0
20,1	69,9	50,5	12 400	10 600	8 700	7 300	73,9	50,1	11 700	10 100	8 900	7 500	20,1
21,0	69,0	50,2	12 200	10 400	8 700	7 300	73,0	49,7	11 500	9 900	8 800	7 500	21,0
21,9	68,1	49,8	12 000	10 300	8 700	7 300	72,1	49,4	11 400	9 800	8 700	7 500	21,9
22,0	68,2	49,8	12 000	10 300	8 700	7 300	72,4	49,3	11 300	9 800	8 700	7 500	22,0
22,6	67,1	49,5	11 900	10 200	8 700	7 300	71,1	49,1	11 200	9 800	8 600	7 500	22,6
24,0	65,8	48,8	11 600	10 000	8 600	7 200	69,9	48,4	11 000	9 600	8 500	7 500	24,0
26,0	63,3	47,8	11 200	9 700	8 600	7 200	67,4	47,4	10 700	9 400	8 300	7 500	26,0
28,0	60,8	46,7	10 900	9 400	8 400	7 200	64,9	46,2	10 000	9 200	8 200	7 400	28,0
30,0	58,2	45,4	10 500	9 200	8 200	7 200	62,2	44,9	9 500	9 000	8 000	7 300	30,0
32,0	55,5	44,0	10 200	9 000	8 000	7 200	59,5	43,5	9 000	8 800	7 900	7 100	32,0
34,0	52,7	42,5	9 900	8 700	7 800	7 100	56,7	41,9	8 500	8 400	7 700	7 000	34,0
36,0	49,8	40,7	9 600	8 500	7 600	6 900	53,7	40,2	8 100	8 000	7 600	6 900	36,0
38,0	46,8	38,8	9 200	8 300	7 500	6 800	50,7	38,3	7 700	7 600	7 500	6 800	38,0
40,0	43,5	36,7	8 800	8 100	7 300	6 700	47,4	36,1	7 400	7 300	7 300	6 700	40,0
42,0	40,1	34,3	8 300	8 000	7 200	6 500	43,9	33,7	7 100	7 000	7 000	6 700	42,0
44,0	36,4	31,6	7 900	7 800	7 100	6 400	40,1	30,9	6 800	6 800	6 700	6 600	44,0
46,0	32,3	28,5	7 500	7 300	6 900	6 400	35,9	27,7	6 600	6 500	6 500	6 400	46,0
47,9	27,4	25,0	7 100	6 900	6 700	6 300	31,3	24,1	6 400	6 300	6 300	6 300	47,9
48,0	27,6	24,8	7 000	6 900	6 700		31,0	23,8	6 300	6 300	6 300	6 200	48,0
48,2	26,6	24,4	7 000	6 800	6 700		30,5	23,4	6 300	6 300	6 300	6 200	48,2
48,5	25,8	23,8	6 900	6 800			29,6	22,7	6 300	6 300	6 200	6 200	48,5
48,8	25,6	23,1	6 900				28,7	21,9	6 300	6 200	6 200	6 200	48,8
49,1							27,8	21,2	6 200	6 200	6 200	6 100	49,1
49,4							26,8	20,4	6 200	6 200	6 200		49,4
49,7							25,9	19,7	6 200	6 100			49,7
50,0							25,1	18,9	6 100				50,0

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



30,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,8							12,8
13,0							13,0
13,7							13,7
14,0							14,0
14,6							14,6
15,0							15,0
15,5							15,5
16,0							16,0
16,5							16,5
17,4							17,4
18,0							18,0
18,3							18,3
19,2							19,2
20,0							20,0
20,1	79,0	49,1	9 200				20,1
21,0	77,1	48,7	9 000	8 800			21,0
21,9	76,1	48,4	8 700	8 600	8 300		21,9
22,0	76,7	48,3	8 700	8 500	8 300		22,0
22,6	75,4	48,0	8 600	8 400	8 200	7 400	22,6
24,0	74,1	47,4	8 200	8 100	7 900	7 400	24,0
26,0	71,6	46,3	7 800	7 700	7 500	7 300	26,0
28,0	69,0	45,1	7 500	7 300	7 200	7 100	28,0
30,0	66,3	43,8	7 100	7 000	6 900	6 800	30,0
32,0	63,5	42,4	6 800	6 700	6 600	6 500	32,0
34,0	60,5	40,7	6 500	6 400	6 300	6 200	34,0
36,0	57,5	39,0	6 300	6 200	6 100	6 000	36,0
38,0	54,3	37,0	6 100	6 000	5 900	5 800	38,0
40,0	50,9	34,7	5 900	5 800	5 700	5 600	40,0
42,0	47,3	32,2	5 700	5 600	5 500	5 500	42,0
44,0	43,2	29,3	5 500	5 500	5 400	5 300	44,0
46,0	38,7	25,8	5 400	5 300	5 200	5 200	46,0
47,9	33,4	21,9	5 300	5 200	5 200	5 100	47,9
48,0	33,4	21,6	5 300	5 200	5 200	5 100	48,0
48,2	32,4	21,1	5 300	5 200	5 200	5 100	48,2
48,5	31,4	20,3	5 300	5 200	5 100	5 100	48,5
48,8	30,3	19,4	5 300	5 200	5 100	5 100	48,8
49,1	29,2	18,6	5 300	5 200	5 100	5 100	49,1
49,4	28,1	17,7	5 200	5 200	5 100	5 100	49,4
49,7	27,8	16,9	5 200	5 200	5 100		49,7
50,0							50,0

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

33,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	78,9	55,7	14 000										13,4
14,0	78,3	55,6	13 900										14,0
14,3	77,7	55,5	13 800	10 800									14,3
15,0	77,2	55,4	13 600	10 800									15,0
15,2	76,8	55,3	13 600	10 800	8 700								15,2
16,0	76,1	55,1	13 400	10 800	8 700								16,0
16,2	75,7	55,0	13 400	10 800	8 700	7 300							16,2
17,1	74,4	54,8	13 200	10 800	8 700	7 300	78,9	54,3	12 300				17,1
18,0	73,9	54,5	13 000	10 700	8 700	7 300	77,9	54,1	12 100	10 300			18,0
18,9	72,1	54,2	12 800	10 700	8 700	7 200	76,1	53,7	12 000	10 200	8 900		18,9
19,8	71,2	53,9	12 600	10 600	8 600	7 200	75,2	53,4	11 800	10 100	8 900	7 400	19,8
20,0	71,7	53,8	12 600	10 600	8 600	7 200	75,7	53,4	11 800	10 100	8 900	7 400	20,0
20,7	70,3	53,5	12 400	10 500	8 600	7 200	74,3	53,1	11 600	10 000	8 800	7 400	20,7
21,6	69,4	53,2	12 200	10 400	8 600	7 200	73,4	52,7	11 500	9 900	8 800	7 400	21,6
22,0	69,5	53,0	12 100	10 400	8 600	7 200	73,4	52,6	11 400	9 900	8 700	7 400	22,0
22,6	68,4	52,8	12 000	10 300	8 600	7 200	72,4	52,3	11 300	9 800	8 700	7 400	22,6
23,5	67,5	52,4	11 900	10 200	8 600	7 200	71,5	51,9	11 200	9 700	8 600	7 400	23,5
24,0	67,2	52,2	11 800	10 100	8 600	7 200	71,1	51,7	11 100	9 700	8 600	7 400	24,0
26,0	64,9	51,2	11 400	9 800	8 500	7 200	68,8	50,8	10 800	9 500	8 400	7 400	26,0
28,0	62,6	50,2	11 100	9 600	8 500	7 200	66,4	49,7	10 400	9 300	8 300	7 400	28,0
30,0	60,1	49,0	10 700	9 300	8 300	7 100	64,0	48,5	9 800	9 100	8 100	7 300	30,0
32,0	57,7	47,7	10 400	9 100	8 100	7 100	61,5	47,2	9 300	8 900	8 000	7 200	32,0
34,0	55,1	46,3	10 100	8 900	7 900	7 100	58,9	45,8	8 800	8 700	7 800	7 100	34,0
36,0	52,5	44,7	9 800	8 700	7 700	7 000	56,2	44,2	8 400	8 400	7 700	7 000	36,0
38,0	49,7	43,0	9 600	8 500	7 600	6 900	53,4	42,5	8 000	8 000	7 600	6 900	38,0
40,0	46,9	41,1	9 200	8 300	7 400	6 800	50,5	40,5	7 700	7 600	7 500	6 800	40,0
42,0	43,8	39,0	8 600	8 100	7 300	6 600	47,5	38,4	7 400	7 300	7 300	6 700	42,0
44,0	40,6	36,7	8 000	7 700	7 200	6 500	44,2	36,0	7 100	7 000	7 000	6 700	44,0
46,0	37,2	34,0	7 400	7 200	7 000	6 400	40,7	33,3	6 900	6 800	6 800	6 600	46,0
48,0	33,4	31,0	6 900	6 700	6 500	6 300	36,8	30,2	6 600	6 600	6 500	6 400	48,0
50,0	29,2	27,5	6 500	6 300	6 100	6 000	32,4	26,6	6 400	6 300	6 200	6 000	50,0
50,3	28,2	26,9	6 400	6 200	6 100	5 900	31,3	26,0	6 400	6 300	6 100	6 000	50,3
50,9	26,6	25,6	6 300	6 100	5 900		29,7	24,6	6 300	6 200	6 000	5 900	50,9
51,2	25,8	25,0	6 200	6 000			29,0	23,9	6 200	6 100	6 000	5 800	51,2
51,5	25,6	24,4	6 100				28,2	23,2	6 200	6 000	5 900	5 800	51,5
51,8							27,5	22,5	6 100	6 000	5 800		51,8
52,0							27,3	22,1	6 100	5 900			52,0
52,1							26,7	21,8	6 100	5 900			52,1
52,4							25,8	21,0	6 000	5 900			52,4
52,7							25,1	20,2	5 900				52,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



33,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,4							13,4
14,0							14,0
14,3							14,3
15,0							15,0
15,2							15,2
16,0							16,0
16,2							16,2
17,1							17,1
18,0							18,0
18,9							18,9
19,8							19,8
20,0							20,0
20,7	78,9	52,1	9 200				20,7
21,6	77,3	51,7	9 000	8 800			21,6
22,0	77,5	51,6	8 900	8 700			22,0
22,6	76,4	51,3	8 700	8 600	8 300		22,6
23,5	75,5	50,9	8 500	8 400	8 200	7 400	23,5
24,0	75,1	50,7	8 400	8 300	8 100	7 400	24,0
26,0	72,7	49,7	8 000	7 900	7 700	7 300	26,0
28,0	70,3	48,6	7 600	7 500	7 400	7 200	28,0
30,0	67,8	47,4	7 300	7 200	7 100	7 000	30,0
32,0	65,2	46,0	7 000	6 900	6 800	6 700	32,0
34,0	62,6	44,6	6 700	6 600	6 500	6 400	34,0
36,0	59,8	42,9	6 500	6 400	6 300	6 200	36,0
38,0	57,0	41,1	6 200	6 200	6 100	6 000	38,0
40,0	53,9	39,2	6 000	5 900	5 900	5 800	40,0
42,0	50,8	36,9	5 800	5 800	5 700	5 600	42,0
44,0	47,3	34,5	5 700	5 600	5 500	5 500	44,0
46,0	43,6	31,6	5 500	5 500	5 400	5 300	46,0
48,0	39,5	28,3	5 400	5 300	5 300	5 200	48,0
50,0	34,8	24,4	5 300	5 200	5 200	5 100	50,0
50,3	33,1	23,6	5 300	5 200	5 200	5 100	50,3
50,9	31,3	22,1	5 300	5 200	5 200	5 100	50,9
51,2	30,4	21,3	5 300	5 200	5 100	5 100	51,2
51,5	29,5	20,6	5 200	5 200	5 100	5 100	51,5
51,8	28,5	19,8	5 200	5 200	5 100	5 100	51,8
52,0	29,0	19,3	5 200	5 200	5 100	5 100	52,0
52,1	27,7	19,0	5 200	5 200	5 100	5 100	52,1
52,4	27,5	18,0	5 200	5 200	5 100		52,4
52,7							52,7

REFERENCE ONLY!

MLC150-1 S-2





	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,0	78,9	58,7	13 900										14,0
14,9	77,1	58,5	13 700	10 700									14,9
15,0	77,9	58,4	13 700	10 700									15,0
16,0	76,9	58,2	13 500	10 700									16,0
16,2	75,8	58,1	13 400	10 700	8 600								16,2
17,1	74,9	57,9	13 200	10 700	8 600	7 200							17,1
17,7	74,3	57,7	13 100	10 700	8 600	7 200	78,9	57,3	12 200				17,7
18,0	74,8	57,6	13 000	10 700	8 600	7 200	78,6	57,2	12 200				18,0
18,6	73,4	57,4	12 900	10 600	8 600	7 200	77,4	57,0	12 100	10 300			18,6
19,5	72,5	57,1	12 700	10 600	8 600	7 200	76,5	56,7	11 900	10 200	8 800		19,5
20,0	72,7	57,0	12 600	10 600	8 600	7 200	76,5	56,5	11 800	10 200	8 800		20,0
20,7	71,3	56,7	12 500	10 500	8 600	7 200	75,3	56,3	11 700	10 100	8 800	7 400	20,7
21,3	70,7	56,5	12 400	10 500	8 600	7 200	74,7	56,0	11 600	10 000	8 800	7 400	21,3
22,0	70,6	56,2	12 300	10 400	8 500	7 200	74,3	55,8	11 500	9 900	8 800	7 400	22,0
22,3	69,7	56,1	12 200	10 400	8 500	7 200	73,7	55,7	11 500	9 900	8 700	7 400	22,3
23,2	68,8	55,8	12 000	10 300	8 500	7 200	72,8	55,3	11 400	9 800	8 700	7 400	23,2
24,0	68,5	55,4	11 900	10 200	8 500	7 200	72,2	55,0	11 200	9 700	8 600	7 400	24,0
24,1	67,9	55,4	11 900	10 200	8 500	7 200	71,9	54,9	11 200	9 700	8 600	7 400	24,1
26,0	66,3	54,5	11 600	9 900	8 500	7 100	70,0	54,1	11 000	9 600	8 400	7 400	26,0
28,0	64,1	53,5	11 200	9 700	8 400	7 100	67,8	53,1	10 600	9 300	8 300	7 400	28,0
30,0	61,9	52,5	10 900	9 400	8 300	7 100	65,5	52,0	10 200	9 200	8 200	7 300	30,0
32,0	59,6	51,3	10 600	9 200	8 200	7 100	63,2	50,8	9 600	9 000	8 000	7 200	32,0
34,0	57,2	49,9	10 300	9 000	8 000	7 100	60,8	49,4	9 200	8 800	7 900	7 100	34,0
36,0	54,8	48,5	10 000	8 800	7 800	7 000	58,3	48,0	8 700	8 600	7 800	7 000	36,0
38,0	52,2	46,9	9 800	8 600	7 700	7 000	55,8	46,4	8 400	8 300	7 700	7 000	38,0
40,0	49,6	45,2	9 000	8 400	7 500	6 900	53,1	44,6	8 000	7 900	7 600	6 900	40,0
42,0	46,9	43,3	8 400	8 100	7 400	6 700	50,4	42,7	7 700	7 600	7 400	6 800	42,0
44,0	44,1	41,2	7 800	7 500	7 200	6 600	47,5	40,6	7 400	7 300	7 300	6 700	44,0
46,0	41,0	38,9	7 200	7 000	6 700	6 500	44,4	38,3	7 100	7 100	6 900	6 600	46,0
48,0	37,8	36,4	6 700	6 500	6 300	6 100	41,1	35,6	6 800	6 700	6 400	6 200	48,0
50,0	34,3	33,4	6 300	6 100	5 900	5 700	37,5	32,7	6 400	6 200	6 000	5 800	50,0
52,0	30,5	30,1	5 800	5 700	5 500	5 400	33,6	29,2	5 900	5 800	5 600	5 400	52,0
53,0	27,9	28,0	5 600	5 500	5 300	5 200	30,4	27,0	5 700	5 600	5 400	5 300	53,0
53,3	27,3	27,4	5 600	5 400	5 300		29,7	26,4	5 700	5 500	5 400	5 200	53,3
54,0	26,1	26,2	5 500	5 300			28,1	25,2	5 500	5 400	5 200	5 100	54,0
54,0	26,1	26,1	5 500				29,0	25,1	5 500	5 400	5 200	5 100	54,0
54,3	25,4	25,5	5 400				27,4	24,4	5 500	5 300	5 200	5 100	54,3
54,6							26,6	23,7	5 400	5 300	5 100		54,6
54,9							25,8	22,9	5 400	5 200			54,9
55,2							25,9	22,2	5 300				55,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



36,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,0							14,0
14,9							14,9
15,0							15,0
16,0							16,0
16,2							16,2
17,1							17,1
17,7							17,7
18,0							18,0
18,6							18,6
19,5							19,5
20,0							20,0
20,7							20,7
21,3	78,9	55,0	9 200				21,3
22,0	78,2	54,7	9 000				22,0
22,3	77,6	54,6	9 000	8 800			22,3
23,2	76,2	54,2	8 800	8 600	8 300		23,2
24,0	76,0	53,9	8 600	8 400	8 200		24,0
24,1	74,9	53,9	8 600	8 400	8 200	7 400	24,1
26,0	73,7	53,0	8 200	8 000	7 900	7 300	26,0
28,0	71,5	52,0	7 800	7 700	7 500	7 300	28,0
30,0	69,1	50,8	7 500	7 300	7 200	7 100	30,0
32,0	66,8	49,6	7 200	7 100	7 000	6 800	32,0
34,0	64,3	48,2	6 900	6 800	6 700	6 600	34,0
36,0	61,8	46,7	6 700	6 500	6 400	6 400	36,0
38,0	59,2	45,1	6 400	6 300	6 200	6 200	38,0
40,0	56,4	43,3	6 200	6 100	6 000	6 000	40,0
42,0	53,6	41,3	6 000	5 900	5 800	5 800	42,0
44,0	50,6	39,1	5 900	5 800	5 700	5 600	44,0
46,0	47,4	36,7	5 700	5 600	5 500	5 500	46,0
48,0	43,9	33,9	5 500	5 500	5 400	5 300	48,0
50,0	40,1	30,8	5 400	5 400	5 300	5 200	50,0
52,0	35,9	27,0	5 300	5 300	5 200	5 200	52,0
53,0	32,4	24,7	5 300	5 200	5 200	5 100	53,0
53,3	31,7	24,0	5 300	5 200	5 200	5 100	53,3
54,0	30,1	22,6	5 300	5 200	5 100	5 100	54,0
54,0	30,8	22,5	5 300	5 200	5 100	5 100	54,0
54,3	29,4	21,7	5 200	5 200	5 100	5 000	54,3
54,6	28,6	20,9	5 200	5 200	5 100	5 000	54,6
54,9	27,8	20,0	5 200	5 200	5 100	5 000	54,9
55,2	27,2	19,1	5 200	5 200	5 100		55,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

39,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,9	78,8	61,6	13 100										14,9
15,0	78,8	61,6	13 000										15,0
15,8	77,2	61,4	12 900	10 400									15,8
16,0	77,8	61,4	12 800	10 400									16,0
17,1	75,9	61,1	12 600	10 400	8 400								17,1
18,0	75,8	60,8	12 500	10 400	8 400	7 000							18,0
18,6	74,4	60,7	12 400	10 300	8 400	7 000	78,8	60,2	11 500				18,6
19,5	73,5	60,4	12 200	10 300	8 400	7 000	77,4	59,9	11 400	9 700			19,5
20,0	73,9	60,2	12 100	10 300	8 400	7 000	77,4	59,8	11 300	9 700			20,0
20,7	72,3	60,0	12 000	10 200	8 400	7 000	76,3	59,5	11 200	9 600	8 500		20,7
21,6	71,4	59,7	11 800	10 100	8 400	7 000	75,4	59,2	11 100	9 500	8 400	7 200	21,6
22,0	71,9	59,6	11 800	10 000	8 400	7 000	75,4	59,1	11 000	9 500	8 400	7 200	22,0
22,3	70,7	59,4	11 700	10 000	8 300	7 000	74,7	59,0	11 000	9 500	8 400	7 200	22,3
23,2	69,8	59,1	11 600	9 900	8 300	7 000	73,8	58,6	10 800	9 400	8 300	7 200	23,2
24,0	69,9	58,8	11 500	9 800	8 300	7 000	73,4	58,3	10 700	9 300	8 300	7 200	24,0
24,1	68,9	58,8	11 400	9 800	8 300	7 000	72,9	58,3	10 700	9 300	8 300	7 200	24,1
25,0	68,0	58,4	11 300	9 700	8 300	7 000	72,0	57,9	10 600	9 200	8 200	7 200	25,0
26,0	67,9	58,0	11 200	9 600	8 300	7 000	71,4	57,5	10 500	9 200	8 100	7 200	26,0
28,0	65,8	57,1	10 900	9 300	8 200	6 900	69,3	56,6	10 300	9 000	8 000	7 200	28,0
30,0	63,7	56,0	10 600	9 100	8 100	6 900	67,2	55,6	10 000	8 800	7 800	7 100	30,0
32,0	61,5	54,9	10 300	9 000	7 900	6 900	65,0	54,4	9 800	8 700	7 800	7 000	32,0
34,0	59,3	53,7	10 000	8 800	7 800	6 900	62,8	53,2	9 600	8 500	7 600	6 900	34,0
36,0	57,1	52,4	9 800	8 600	7 600	6 900	60,5	51,9	9 300	8 400	7 500	6 800	36,0
38,0	54,8	51,0	9 500	8 400	7 500	6 800	58,2	50,4	9 000	8 200	7 400	6 700	38,0
40,0	52,4	49,4	8 900	8 200	7 400	6 700	55,7	48,9	8 700	8 100	7 300	6 700	40,0
42,0	49,9	47,7	8 200	7 900	7 200	6 600	53,3	47,1	8 300	7 900	7 200	6 600	42,0
44,0	47,4	45,9	7 600	7 300	7 000	6 400	50,7	45,3	7 800	7 500	7 100	6 500	44,0
46,0	44,7	43,8	7 100	6 800	6 600	6 300	47,9	43,2	7 300	7 000	6 700	6 400	46,0
48,0	41,9	41,6	6 600	6 400	6 100	5 900	45,1	40,9	6 800	6 500	6 300	6 000	48,0
50,0	38,9	39,1	6 100	5 900	5 700	5 500	42,0	38,4	6 300	6 100	5 900	5 600	50,0
52,0	35,6	36,3	5 700	5 500	5 300	5 200	38,7	35,5	5 800	5 600	5 500	5 300	52,0
54,0	32,1	33,2	5 300	5 200	5 000	4 800	35,1	32,3	5 400	5 300	5 100	4 900	54,0
55,8	28,4	29,9	5 000	4 800	4 700	4 500	31,4	28,9	5 100	4 900	4 800	4 600	55,8
56,0	28,2	29,5	5 000	4 800	4 700		31,1	28,5	5 000	4 900	4 700	4 600	56,0
56,4	27,1	28,7	4 900	4 700	4 600		30,0	27,6	5 000	4 800	4 700	4 500	56,4
56,7	26,4	28,0	4 800	4 700			29,3	26,9	4 900	4 800	4 600	4 500	56,7
57,3	25,3	26,7	4 700				27,8	25,5	4 800	4 700	4 500	4 400	57,3
57,6							27,0	24,8	4 700	4 600	4 500		57,6
57,9							26,2	24,1	4 700	4 600			57,9
58,0							26,3	23,9	4 700				58,0
58,2							25,7	23,3	4 600				58,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

39,0 m

21,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,9							14,9
15,0							15,0
15,8							15,8
16,0							16,0
17,1							17,1
18,0							18,0
18,6							18,6
19,5							19,5
20,0							20,0
20,7							20,7
21,6							21,6
22,0							22,0
22,3	78,8	57,9	9 500				22,3
23,2	77,5	57,6	9 300	8 800			23,2
24,0	77,0	57,3	9 100	8 800			24,0
24,1	76,9	57,2	9 100	8 800	7 800		24,1
25,0	75,5	56,8	8 900	8 600	7 800	7 000	25,0
26,0	74,9	56,4	8 700	8 500	7 700	7 000	26,0
28,0	72,8	55,4	8 300	8 100	7 700	6 900	28,0
30,0	70,6	54,4	8 000	7 800	7 600	6 900	30,0
32,0	68,4	53,3	7 600	7 500	7 400	6 800	32,0
34,0	66,2	52,0	7 300	7 200	7 100	6 800	34,0
36,0	63,8	50,7	7 100	7 000	6 800	6 700	36,0
38,0	61,4	49,2	6 800	6 700	6 600	6 500	38,0
40,0	58,9	47,5	6 600	6 500	6 400	6 300	40,0
42,0	56,4	45,8	6 400	6 300	6 200	6 100	42,0
44,0	53,7	43,8	6 200	6 100	6 000	6 000	44,0
46,0	50,9	41,7	6 000	5 900	5 800	5 800	46,0
48,0	47,9	39,3	5 900	5 800	5 700	5 700	48,0
50,0	44,7	36,7	5 700	5 700	5 600	5 500	50,0
52,0	41,2	33,7	5 600	5 500	5 400	5 400	52,0
54,0	37,4	30,2	5 400	5 300	5 100	5 000	54,0
55,8	32,6	26,5	5 100	5 000	4 800	4 700	55,8
56,0	33,0	26,1	5 100	4 900	4 800	4 700	56,0
56,4	31,0	25,1	5 000	4 900	4 700	4 600	56,4
56,7	30,3	24,3	5 000	4 800	4 700	4 500	56,7
57,3	28,8	22,7	4 800	4 700	4 600	4 400	57,3
57,6	28,0	21,9	4 800	4 600	4 500	4 400	57,6
57,9	27,2	21,1	4 700	4 600	4 500		57,9
58,0	27,6	20,9	4 700	4 600			58,0
58,2	26,9	20,2	4 700	4 500			58,2

REFERENCE ONLY!

MLC150-1 S-2





	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,5	78,8	64,5	12 900										15,5
16,0	78,4	64,4	12 900										16,0
16,5	77,5	64,3	12 800	10 300									16,5
17,7	76,3	64,0	12 600	10 300	8 300								17,7
18,0	76,5	63,9	12 500	10 300	8 300								18,0
18,6	75,4	63,8	12 400	10 200	8 300	7 000							18,6
19,2	74,8	63,6	12 300	10 200	8 300	7 000	78,8	63,1	11 400				19,2
20,0	74,7	63,4	12 200	10 200	8 300	7 000	78,1	62,9	11 300				20,0
20,1	73,9	63,3	12 100	10 200	8 300	6 900	77,9	62,9	11 300	9 700			20,1
21,3	72,7	62,9	12 000	10 100	8 300	6 900	76,7	62,5	11 100	9 600	8 500		21,3
22,0	72,8	62,7	11 800	10 100	8 300	6 900	76,2	62,3	11 100	9 500	8 400		22,0
22,3	71,7	62,6	11 800	10 100	8 300	6 900	75,7	62,2	11 000	9 500	8 400	7 100	22,3
22,9	71,1	62,4	11 700	10 000	8 200	6 900	75,1	61,9	11 000	9 500	8 400	7 100	22,9
23,8	70,2	62,1	11 600	9 900	8 200	6 900	74,2	61,6	10 800	9 400	8 300	7 100	23,8
24,0	70,9	62,0	11 500	9 900	8 200	6 900	74,2	61,5	10 800	9 400	8 300	7 100	24,0
25,0	69,0	61,6	11 400	9 700	8 200	6 900	73,0	61,1	10 700	9 300	8 200	7 100	25,0
25,9	68,1	61,3	11 200	9 600	8 200	6 900	72,1	60,8	10 600	9 200	8 200	7 100	25,9
26,0	69,0	61,2	11 200	9 600	8 200	6 900	72,3	60,7	10 600	9 200	8 100	7 100	26,0
28,0	67,0	60,4	11 000	9 400	8 200	6 900	70,3	59,9	10 300	9 000	8 000	7 100	28,0
30,0	65,0	59,4	10 700	9 200	8 100	6 900	68,3	58,9	10 100	8 900	7 900	7 100	30,0
32,0	63,0	58,4	10 400	9 000	8 000	6 800	66,3	57,9	9 900	8 700	7 800	7 100	32,0
34,0	60,9	57,2	10 100	8 800	7 900	6 800	64,2	56,7	9 700	8 600	7 700	6 900	34,0
36,0	58,8	56,0	9 900	8 600	7 700	6 800	62,1	55,5	9 500	8 400	7 600	6 900	36,0
38,0	56,7	54,7	9 500	8 500	7 600	6 800	59,9	54,1	9 300	8 300	7 500	6 800	38,0
40,0	54,5	53,2	8 700	8 200	7 400	6 700	57,7	52,7	8 900	8 100	7 400	6 700	40,0
42,0	52,2	51,6	8 100	7 700	7 300	6 600	55,4	51,1	8 300	7 900	7 300	6 600	42,0
44,0	49,8	49,9	7 500	7 100	6 800	6 500	53,0	49,3	7 700	7 400	7 000	6 600	44,0
46,0	47,4	48,1	6 900	6 600	6 300	6 100	50,5	47,5	7 100	6 800	6 500	6 300	46,0
48,0	44,8	46,1	6 400	6 200	5 900	5 700	47,9	45,4	6 600	6 300	6 100	5 800	48,0
50,0	42,2	43,8	6 000	5 700	5 500	5 300	45,2	43,2	6 100	5 900	5 700	5 400	50,0
52,0	39,3	41,4	5 500	5 300	5 100	4 900	42,3	40,7	5 700	5 500	5 300	5 100	52,0
54,0	36,3	38,7	5 100	5 000	4 800	4 600	39,2	37,9	5 300	5 100	4 900	4 700	54,0
56,0	33,0	35,6	4 800	4 600	4 400	4 300	35,9	34,8	4 900	4 700	4 600	4 400	56,0
58,0	29,4	32,1	4 400	4 300	4 100	4 000	32,2	31,2	4 500	4 400	4 200	4 100	58,0
58,5	28,0	31,1	4 400	4 200	4 100	3 900	30,7	30,1	4 400	4 300	4 200	4 000	58,5
59,1	26,7	29,8	4 300	4 100	4 000		29,2	28,8	4 300	4 200	4 100	3 900	59,1
59,4	26,1	29,2	4 200	4 100			28,4	28,1	4 300	4 100	4 000	3 900	59,4
59,7	25,5	28,5	4 200				27,6	27,4	4 200	4 100	4 000	3 800	59,7
60,0	25,3	28,0	4 100				27,9	26,9	4 200	4 100	3 900		60,0
60,4							26,3	26,0	4 100	4 000	3 900		60,4
60,7							25,6	25,2	4 100	4 000			60,7
61,0							25,6	24,5	4 000				61,0

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

42,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,5							15,5
16,0							16,0
16,5							16,5
17,7							17,7
18,0							18,0
18,6							18,6
19,2							19,2
20,0							20,0
20,1							20,1
21,3							21,3
22,0							22,0
22,3							22,3
22,9	78,8	60,9	9 500				22,9
23,8	77,2	60,5	9 300	8 800			23,8
24,0	77,7	60,4	9 300	8 800			24,0
25,0	76,0	60,0	9 100	8 700	7 800		25,0
25,9	75,1	59,7	8 900	8 700	7 800	6 700	25,9
26,0	75,7	59,6	8 800	8 600	7 800	6 700	26,0
28,0	73,7	58,7	8 500	8 300	7 700	6 700	28,0
30,0	71,7	57,7	8 100	8 000	7 600	6 700	30,0
32,0	69,6	56,7	7 800	7 700	7 500	6 700	32,0
34,0	67,5	55,5	7 500	7 400	7 300	6 700	34,0
36,0	65,3	54,2	7 200	7 100	7 000	6 700	36,0
38,0	63,1	52,8	7 000	6 900	6 800	6 700	38,0
40,0	60,8	51,3	6 800	6 600	6 600	6 500	40,0
42,0	58,4	49,7	6 600	6 500	6 400	6 300	42,0
44,0	55,9	47,9	6 300	6 300	6 200	6 100	44,0
46,0	53,4	46,0	6 200	6 100	6 000	5 900	46,0
48,0	50,7	43,9	6 000	5 900	5 800	5 800	48,0
50,0	47,9	41,5	5 800	5 800	5 700	5 600	50,0
52,0	44,9	38,9	5 700	5 600	5 400	5 200	52,0
54,0	41,6	36,0	5 400	5 200	5 000	4 800	54,0
56,0	38,1	32,7	5 000	4 800	4 600	4 500	56,0
58,0	34,1	28,8	4 600	4 400	4 300	4 200	58,0
58,5	32,7	27,6	4 500	4 400	4 200	4 100	58,5
59,1	31,2	26,1	4 400	4 200	4 100	4 000	59,1
59,4	30,4	25,4	4 300	4 200	4 100	3 900	59,4
59,7	29,6	24,7	4 300	4 100	4 000	3 900	59,7
60,0	29,4	24,1	4 200	4 100	4 000	3 800	60,0
60,4	27,9	23,1	4 200	4 000	3 900	3 800	60,4
60,7	26,9	22,2	4 100	4 000	3 900		60,7
61,0	26,7	21,3	4 100	3 900			61,0

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

45,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,2	78,8	67,5	12 800										16,2
17,1	77,5	67,2	12 700	10 200									17,1
18,0	77,1	67,0	12 500	10 200									18,0
18,3	76,7	66,9	12 500	10 100	8 200								18,3
19,5	75,5	66,6	12 300	10 100	8 200	6 900							19,5
19,8	75,2	66,5	12 200	10 100	8 200	6 900	78,8	66,1	11 300				19,8
20,0	75,4	66,5	12 200	10 100	8 200	6 900	78,6	66,0	11 300				20,0
20,7	74,3	66,3	12 100	10 100	8 200	6 900	77,3	65,8	11 200	9 600			20,7
21,9	73,1	65,9	11 900	10 100	8 200	6 900	76,1	65,4	11 100	9 500	8 400		21,9
22,0	73,6	65,9	11 900	10 100	8 200	6 900	76,8	65,4	11 100	9 500	8 400		22,0
23,2	71,8	65,5	11 700	10 000	8 200	6 900	74,8	65,0	11 000	9 400	8 300	7 000	23,2
23,5	71,5	65,4	11 700	9 900	8 200	6 900	74,5	64,9	10 900	9 400	8 300	7 000	23,5
24,0	71,8	65,2	11 600	9 900	8 200	6 900	75,0	64,7	10 900	9 400	8 300	7 000	24,0
24,4	70,6	65,0	11 500	9 900	8 200	6 800	73,8	64,6	10 800	9 300	8 300	7 000	24,4
25,6	69,4	64,6	11 400	9 700	8 100	6 800	73,2	64,1	10 700	9 200	8 200	7 000	25,6
26,0	69,9	64,4	11 300	9 700	8 100	6 800	73,1	64,0	10 600	9 200	8 200	7 000	26,0
26,5	68,8	64,2	11 200	9 600	8 100	6 800	72,5	63,7	10 600	9 200	8 100	7 000	26,5
28,0	68,1	63,6	11 100	9 500	8 100	6 800	71,3	63,1	10 400	9 100	8 000	7 000	28,0
30,0	66,2	62,7	10 800	9 300	8 100	6 800	69,4	62,2	10 200	8 900	7 900	7 000	30,0
32,0	64,3	61,7	10 500	9 100	8 100	6 800	67,5	61,2	10 000	8 800	7 800	7 000	32,0
34,0	62,4	60,7	10 300	8 900	7 900	6 800	65,5	60,2	9 800	8 600	7 700	7 000	34,0
36,0	60,4	59,5	10 000	8 700	7 800	6 700	63,5	59,0	9 600	8 500	7 600	6 900	36,0
38,0	58,4	58,3	9 300	8 600	7 600	6 700	61,5	57,7	9 400	8 400	7 500	6 800	38,0
40,0	56,3	56,9	8 600	8 200	7 500	6 700	59,4	56,4	8 900	8 200	7 400	6 700	40,0
42,0	54,2	55,5	7 900	7 500	7 200	6 700	57,2	54,9	8 200	7 800	7 300	6 700	42,0
44,0	52,0	53,9	7 300	7 000	6 700	6 300	55,0	53,3	7 600	7 200	6 900	6 500	44,0
46,0	49,8	52,2	6 800	6 500	6 200	5 900	52,8	51,6	7 000	6 700	6 400	6 100	46,0
48,0	47,4	50,3	6 300	6 000	5 700	5 500	50,4	49,7	6 500	6 200	5 900	5 700	48,0
50,0	45,0	48,3	5 800	5 600	5 300	5 100	47,9	47,6	6 000	5 800	5 500	5 300	50,0
52,0	42,5	46,1	5 400	5 200	4 900	4 700	45,4	45,4	5 600	5 300	5 100	4 900	52,0
54,0	39,8	43,7	5 000	4 800	4 600	4 400	42,6	43,0	5 200	4 900	4 700	4 500	54,0
56,0	36,9	41,0	4 600	4 500	4 300	4 100	39,7	40,2	4 800	4 600	4 400	4 200	56,0
58,0	33,9	38,1	4 300	4 100	4 000	3 800	36,6	37,2	4 400	4 200	4 100	3 900	58,0
60,0	30,5	34,7	4 000	3 800	3 700	3 600	33,2	33,8	4 100	3 900	3 800	3 600	60,0
61,3	27,5	32,2	3 800	3 700	3 500	3 400	30,5	31,2	3 900	3 700	3 600	3 500	61,3
61,9	26,3	31,1	3 700	3 600	3 400		29,3	30,0	3 800	3 700	3 500	3 400	61,9
62,0	26,8	30,8	3 700	3 600			29,3	29,7	3 800	3 600	3 500	3 400	62,0
62,2	25,8	30,4	3 700	3 500			28,6	29,3	3 700	3 600	3 500	3 400	62,2
62,5	25,4	29,8	3 600				27,9	28,6	3 700	3 600	3 400	3 300	62,5
62,8	25,2	29,1	3 600				27,1	27,8	3 600	3 500	3 400		62,8
63,1							26,4	27,1	3 600	3 500			63,1
63,4							25,7	26,4	3 600	3 400			63,4
63,7							25,5	25,7	3 500				63,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

45,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,2							16,2
17,1							17,1
18,0							18,0
18,3							18,3
19,5							19,5
19,8							19,8
20,0							20,0
20,7							20,7
21,9							21,9
22,0							22,0
23,2							23,2
23,5	78,8	63,8	9 500				23,5
24,0	78,3	63,6	9 400				24,0
24,4	77,6	63,4	9 300	8 800			24,4
25,6	76,4	63,0	9 100	8 700	7 800		25,6
26,0	76,4	62,8	9 000	8 700	7 700		26,0
26,5	75,5	62,6	8 900	8 600	7 700	6 300	26,5
28,0	74,5	62,0	8 600	8 400	7 700	6 300	28,0
30,0	72,6	61,0	8 300	8 100	7 600	6 300	30,0
32,0	70,6	60,0	7 900	7 800	7 500	6 300	32,0
34,0	68,6	58,9	7 600	7 500	7 400	6 300	34,0
36,0	66,6	57,7	7 400	7 300	7 200	6 300	36,0
38,0	64,5	56,4	7 200	7 000	6 900	6 300	38,0
40,0	62,4	55,0	6 900	6 800	6 700	6 300	40,0
42,0	60,2	53,5	6 700	6 600	6 500	6 300	42,0
44,0	57,9	51,9	6 500	6 400	6 300	6 200	44,0
46,0	55,6	50,1	6 300	6 200	6 100	6 100	46,0
48,0	53,1	48,2	6 200	6 100	6 000	5 800	48,0
50,0	50,6	46,1	5 900	5 800	5 700	5 400	50,0
52,0	47,9	43,8	5 700	5 500	5 300	5 000	52,0
54,0	45,1	41,2	5 300	5 100	4 900	4 700	54,0
56,0	42,0	38,4	4 900	4 700	4 500	4 300	56,0
58,0	38,7	35,2	4 500	4 300	4 200	4 000	58,0
60,0	35,0	31,5	4 200	4 000	3 900	3 700	60,0
61,3	31,9	28,7	3 900	3 800	3 700	3 500	61,3
61,9	30,3	27,4	3 800	3 700	3 600	3 400	61,9
62,0	30,8	27,1	3 800	3 700	3 600	3 400	62,0
62,2	29,6	26,6	3 800	3 700	3 500	3 400	62,2
62,5	29,0	25,8	3 700	3 600	3 500	3 400	62,5
62,8	28,3	25,0	3 700	3 600	3 400	3 300	62,8
63,1	27,7	24,2	3 600	3 500	3 400	3 300	63,1
63,4	27,3	23,4	3 600	3 500	3 300		63,4
63,7							63,7

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

48,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,5	79,0	70,5	12 700										16,5
17,7	77,4	70,2	12 500	10 000									17,7
18,0	77,7	70,1	12 500	10 000									18,0
18,9	76,6	69,9	12 400	10 000	8 100								18,9
20,0	76,0	69,6	12 200	10 000	8 100								20,0
20,1	75,9	69,6	12 200	10 000	8 100	6 800							20,1
20,4	75,6	69,5	12 200	10 000	8 100	6 800	78,8	69,0	11 300				20,4
21,3	74,7	69,2	12 000	10 000	8 100	6 800	77,4	68,7	11 200	9 600			21,3
22,0	74,3	69,0	11 900	9 900	8 100	6 800	77,4	68,6	11 100	9 500			22,0
22,6	73,4	68,8	11 800	9 900	8 100	6 800	76,4	68,4	11 100	9 500	8 300		22,6
23,8	72,2	68,4	11 700	9 900	8 100	6 800	75,2	68,0	10 900	9 400	8 300	6 900	23,8
24,0	72,6	68,4	11 600	9 900	8 100	6 800	75,7	67,9	10 900	9 400	8 300	6 900	24,0
24,1	71,9	68,3	11 600	9 900	8 100	6 800	74,9	67,9	10 900	9 400	8 300	6 900	24,1
25,0	71,0	68,0	11 500	9 800	8 100	6 800	74,0	67,5	10 800	9 300	8 200	6 900	25,0
26,0	70,8	67,7	11 300	9 700	8 100	6 800	73,9	67,2	10 700	9 200	8 200	6 900	26,0
26,2	69,9	67,6	11 300	9 700	8 000	6 800	72,9	67,1	10 700	9 200	8 200	6 900	26,2
27,4	69,3	67,1	11 200	9 600	8 000	6 700	72,3	66,6	10 500	9 100	8 100	6 900	27,4
28,0	69,1	66,9	11 100	9 500	8 000	6 700	72,1	66,4	10 500	9 100	8 100	6 900	28,0
30,0	67,3	66,0	10 800	9 300	8 000	6 700	70,3	65,5	10 300	8 900	7 900	6 900	30,0
32,0	65,5	65,1	10 600	9 100	8 000	6 700	68,5	64,6	10 100	8 800	7 900	6 900	32,0
34,0	63,7	64,1	10 300	9 000	7 900	6 700	66,7	63,6	9 900	8 700	7 700	6 900	34,0
36,0	61,8	63,0	9 900	8 800	7 800	6 700	64,8	62,5	9 700	8 600	7 700	6 900	36,0
38,0	59,9	61,8	9 200	8 600	7 700	6 700	62,9	61,3	9 500	8 400	7 600	6 900	38,0
40,0	58,0	60,6	8 400	8 000	7 500	6 700	60,9	60,0	8 700	8 200	7 500	6 800	40,0
42,0	56,0	59,2	7 700	7 300	7 000	6 500	58,9	58,6	8 000	7 600	7 200	6 700	42,0
44,0	53,9	57,7	7 100	6 800	6 400	6 100	56,9	57,1	7 400	7 000	6 700	6 400	44,0
46,0	51,9	56,1	6 600	6 300	6 000	5 700	54,7	55,5	6 800	6 500	6 200	5 900	46,0
48,0	49,7	54,4	6 100	5 800	5 500	5 200	52,6	53,8	6 300	6 000	5 700	5 500	48,0
50,0	47,5	52,6	5 600	5 400	5 100	4 900	50,3	51,9	5 800	5 600	5 300	5 100	50,0
52,0	45,1	50,6	5 200	5 000	4 700	4 500	48,0	49,9	5 400	5 200	4 900	4 700	52,0
54,0	42,7	48,4	4 800	4 600	4 400	4 200	45,5	47,7	5 000	4 800	4 600	4 300	54,0
56,0	40,2	46,0	4 500	4 300	4 100	3 900	42,9	45,3	4 600	4 400	4 200	4 000	56,0
58,0	37,5	43,4	4 100	3 900	3 800	3 600	40,2	42,6	4 300	4 100	3 900	3 700	58,0
60,0	34,6	40,5	3 800	3 600	3 500	3 300	37,2	39,7	3 900	3 800	3 600	3 400	60,0
62,0	31,5	37,3	3 500	3 400	3 200	3 100	34,1	36,4	3 600	3 500	3 300	3 200	62,0
64,0	28,1	33,6	3 200	3 100	3 000	2 900	30,5	32,6	3 300	3 200	3 100	2 900	64,0
64,3	27,4	32,9	3 200	3 100	2 900		29,4	31,9	3 300	3 100	3 000	2 900	64,3
64,9	26,2	31,6	3 100	3 000			28,2	30,5	3 200	3 100	2 900	2 800	64,9
65,2	25,6	31,0	3 100				27,5	29,8	3 100	3 000	2 900	2 800	65,2
65,5	25,1	30,3	3 000				26,9	29,1	3 100	3 000	2 900		65,5
66,0							26,4	28,0	3 000	2 900			66,0
66,1							25,7	27,7	3 000	2 900			66,1
66,5							25,4	26,9	3 000				66,5

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

48,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,5							16,5
17,7							17,7
18,0							18,0
18,9							18,9
20,0							20,0
20,1							20,1
20,4							20,4
21,3							21,3
22,0							22,0
22,6							22,6
23,8							23,8
24,0							24,0
24,1	78,8	66,7	9 500				24,1
25,0	77,5	66,4	9 300	8 700			25,0
26,0	77,0	66,0	9 100	8 700			26,0
26,2	76,8	65,9	9 100	8 700	7 700		26,2
27,4	75,6	65,5	8 900	8 600	7 700	5 900	27,4
28,0	75,2	65,2	8 800	8 500	7 700	5 900	28,0
30,0	73,4	64,3	8 400	8 200	7 600	5 900	30,0
32,0	71,6	63,4	8 100	7 900	7 600	5 900	32,0
34,0	69,7	62,3	7 800	7 700	7 500	5 900	34,0
36,0	67,8	61,2	7 500	7 400	7 300	5 900	36,0
38,0	65,8	60,0	7 300	7 200	7 000	5 900	38,0
40,0	63,8	58,7	7 100	6 900	6 800	5 900	40,0
42,0	61,7	57,3	6 900	6 700	6 600	5 900	42,0
44,0	59,6	55,8	6 600	6 600	6 400	5 900	44,0
46,0	57,5	54,1	6 500	6 400	6 300	5 900	46,0
48,0	55,2	52,3	6 300	6 100	5 900	5 700	48,0
50,0	52,9	50,4	6 000	5 800	5 500	5 200	50,0
52,0	50,5	48,3	5 600	5 300	5 100	4 900	52,0
54,0	47,9	46,0	5 100	4 900	4 700	4 500	54,0
56,0	45,2	43,5	4 700	4 500	4 300	4 200	56,0
58,0	42,4	40,7	4 400	4 200	4 000	3 800	58,0
60,0	39,3	37,6	4 000	3 900	3 700	3 500	60,0
62,0	35,9	34,1	3 700	3 500	3 400	3 300	62,0
64,0	32,1	30,0	3 400	3 200	3 100	3 000	64,0
64,3	31,2	29,2	3 300	3 200	3 100	2 900	64,3
64,9	29,7	27,7	3 200	3 100	3 000	2 900	64,9
65,2	28,9	26,9	3 200	3 100	2 900	2 800	65,2
65,5	28,2	26,1	3 100	3 000	2 900	2 800	65,5
66,0	27,5	25,0	3 100	2 900	2 800		66,0
66,1	27,2	24,6	3 000	2 900	2 800		66,1
66,5							66,5

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


51,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,1	79,0	73,4	12 400										17,1
18,0	78,2	73,2	12 300										18,0
18,3	77,7	73,1	12 300	9 900									18,3
19,8	76,2	72,8	12 100	9 900	8 000								19,8
20,0	76,6	72,7	12 100	9 900	8 000								20,0
20,7	75,3	72,5	12 000	9 900	8 000		79,0	72,0	11 200				20,7
21,0	75,0	72,4	12 000	9 800	8 000	6 700	77,8	71,9	11 200				21,0
21,9	74,1	72,2	11 900	9 800	8 000	6 700	77,1	71,7	11 100	9 500			21,9
22,0	75,0	72,2	11 800	9 800	8 000	6 700	77,9	71,7	11 100	9 500			22,0
23,2	73,4	71,8	11 700	9 800	8 000	6 700	76,4	71,3	11 000	9 400	8 200		23,2
24,0	73,3	71,5	11 600	9 800	8 000	6 700	76,3	71,0	10 900	9 400	8 200		24,0
24,4	72,6	71,4	11 500	9 800	8 000	6 700	75,6	70,9	10 900	9 300	8 200	6 500	24,4
25,6	71,4	71,0	11 300	9 700	7 900	6 700	74,4	70,5	10 800	9 300	8 200	6 500	25,6
26,0	71,7	70,9	11 300	9 700	7 900	6 700	74,6	70,4	10 700	9 200	8 100	6 500	26,0
26,8	70,2	70,5	11 200	9 600	7 900	6 700	73,2	70,0	10 600	9 200	8 100	6 500	26,8
28,0	70,0	70,1	11 000	9 500	7 900	6 700	72,9	69,6	10 500	9 100	8 100	6 500	28,0
30,0	68,3	69,3	10 800	9 300	7 900	6 700	71,2	68,8	10 300	9 000	8 000	6 500	30,0
32,0	66,6	68,4	10 600	9 200	7 900	6 700	69,5	67,9	10 100	8 900	7 800	6 500	32,0
34,0	64,8	67,5	10 300	9 000	7 800	6 600	67,7	66,9	10 000	8 700	7 700	6 500	34,0
36,0	63,1	66,4	9 800	8 900	7 800	6 600	65,9	65,9	9 800	8 600	7 700	6 500	36,0
38,0	61,3	65,3	9 000	8 500	7 700	6 600	64,1	64,8	9 300	8 500	7 600	6 500	38,0
40,0	59,4	64,1	8 300	7 800	7 300	6 600	62,3	63,6	8 600	8 100	7 500	6 500	40,0
42,0	57,6	62,8	7 600	7 200	6 800	6 400	60,4	62,3	7 900	7 500	7 100	6 500	42,0
44,0	55,7	61,4	7 000	6 600	6 200	5 900	58,5	60,9	7 300	6 900	6 500	6 200	44,0
46,0	53,7	59,9	6 400	6 100	5 800	5 400	56,5	59,4	6 700	6 300	6 000	5 700	46,0
48,0	51,7	58,4	5 900	5 600	5 300	5 000	54,5	57,7	6 200	5 900	5 600	5 300	48,0
50,0	49,6	56,6	5 500	5 200	4 900	4 700	52,4	56,0	5 700	5 400	5 100	4 900	50,0
52,0	47,5	54,8	5 000	4 800	4 500	4 300	50,2	54,1	5 200	5 000	4 700	4 500	52,0
54,0	45,3	52,8	4 700	4 400	4 200	4 000	48,0	52,1	4 800	4 600	4 400	4 200	54,0
56,0	43,0	50,6	4 300	4 100	3 900	3 700	45,6	49,9	4 500	4 200	4 000	3 800	56,0
58,0	40,5	48,3	4 000	3 800	3 600	3 400	43,2	47,5	4 100	3 900	3 700	3 500	58,0
60,0	38,0	45,7	3 600	3 500	3 300	3 100	40,6	44,9	3 800	3 600	3 400	3 300	60,0
62,0	35,3	42,9	3 300	3 200	3 000	2 900	37,8	42,1	3 500	3 300	3 200	3 000	62,0
64,0	32,3	39,8	3 100	2 900	2 800	2 600	34,8	38,8	3 200	3 000	2 900	2 700	64,0
66,0	29,2	36,2	2 800	2 700	2 600	2 400	31,5	35,2	2 900	2 800	2 600	2 500	66,0
66,5	28,1	35,3	2 800	2 600	2 500	2 400	30,1	34,2	2 800	2 700	2 600	2 500	66,5
67,1	26,9	34,1	2 700	2 600	2 400		28,9	33,0	2 800	2 600	2 500	2 400	67,1
67,7	25,7	32,8	2 600	2 500			27,7	31,7	2 700	2 600	2 400	2 300	67,7
68,0	25,6	32,1	2 600				27,8	31,0	2 600	2 500	2 400		68,0
68,3	25,0	31,5	2 500				26,5	30,3	2 600	2 500	2 400		68,3
68,6							26,0	29,6	2 600	2 400			68,6
68,9							25,5	28,8	2 500	2 400			68,9
69,2							25,3	28,1	2 500				69,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



51,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,1							17,1
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
20,7							20,7
21,0							21,0
21,9							21,9
22,0							22,0
23,2							23,2
24,0							24,0
24,4	79,0	69,8	9 600				24,4
25,6	77,5	69,3	9 300	8 700			25,6
26,0	77,6	69,2	9 200	8 700			26,0
26,8	76,2	68,9	9 100	8 600	7 300		26,8
28,0	75,9	68,4	8 900	8 600	7 300	5 600	28,0
30,0	74,2	67,6	8 600	8 400	7 300	5 600	30,0
32,0	72,4	66,7	8 200	8 100	7 300	5 600	32,0
34,0	70,6	65,7	7 900	7 800	7 300	5 600	34,0
36,0	68,8	64,6	7 700	7 500	7 300	5 600	36,0
38,0	66,9	63,5	7 400	7 300	7 200	5 600	38,0
40,0	65,1	62,2	7 200	7 100	7 000	5 600	40,0
42,0	63,1	60,9	7 000	6 900	6 800	5 600	42,0
44,0	61,2	59,5	6 800	6 700	6 600	5 600	44,0
46,0	59,1	57,9	6 600	6 500	6 300	5 600	46,0
48,0	57,0	56,3	6 400	6 100	5 800	5 400	48,0
50,0	54,9	54,5	5 900	5 600	5 300	5 100	50,0
52,0	52,7	52,6	5 400	5 200	4 900	4 700	52,0
54,0	50,4	50,5	5 000	4 800	4 500	4 300	54,0
56,0	47,9	48,2	4 600	4 400	4 200	4 000	56,0
58,0	45,4	45,8	4 200	4 000	3 900	3 700	58,0
60,0	42,7	43,0	3 900	3 700	3 500	3 400	60,0
62,0	39,8	40,0	3 600	3 400	3 200	3 100	62,0
64,0	36,6	36,6	3 300	3 100	3 000	2 800	64,0
66,0	33,1	32,7	3 000	2 800	2 700	2 600	66,0
66,5	32,1	31,7	2 900	2 800	2 600	2 500	66,5
67,1	30,9	30,3	2 800	2 700	2 600	2 400	67,1
67,7	29,7	28,8	2 700	2 600	2 500	2 400	67,7
68,0	29,0	28,1	2 700	2 600	2 400	2 300	68,0
68,3	28,0	27,3	2 600	2 500	2 400	2 300	68,3
68,6	27,0	26,5	2 600	2 500	2 400		68,6
68,9	27,0	25,7	2 500	2 400			68,9
69,2							69,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


54,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,7	78,9	76,4	12 200										17,7
18,0	78,7	76,3	12 200										18,0
18,9	77,6	76,1	12 100	9 800									18,9
20,0	77,1	75,8	12 000	9 700									20,0
20,4	76,6	75,7	11 900	9 700	7 900								20,4
21,3	75,7	75,5	11 800	9 700	7 900		79,0	75,0	11 200				21,3
21,6	75,4	75,4	11 800	9 700	7 900	6 400	78,0	74,9	11 100				21,6
22,0	75,6	75,3	11 700	9 700	7 900	6 400	78,4	74,8	11 100				22,0
22,9	74,6	75,0	11 600	9 700	7 900	6 400	77,1	74,5	11 000	9 400			22,9
24,0	74,0	74,7	11 500	9 600	7 900	6 300	76,9	74,2	10 900	9 400			24,0
24,1	73,9	74,7	11 500	9 600	7 800	6 300	76,0	74,2	10 900	9 400	7 700		24,1
25,0	73,0	74,4	11 400	9 600	7 800	6 300	75,5	73,9	10 800	9 300	7 700		25,0
25,3	72,7	74,3	11 300	9 600	7 800	6 300	75,4	73,8	10 800	9 300	7 700	6 000	25,3
26,0	72,4	74,0	11 200	9 600	7 800	6 300	75,3	73,5	10 700	9 200	7 700	6 000	26,0
26,2	71,8	74,0	11 200	9 600	7 800	6 300	74,8	73,5	10 700	9 200	7 700	6 000	26,2
27,4	70,6	73,5	11 100	9 500	7 800	6 300	73,6	73,0	10 600	9 100	7 700	6 000	27,4
28,0	70,8	73,3	11 000	9 500	7 800	6 300	73,6	72,8	10 500	9 100	7 700	6 000	28,0
28,7	69,7	73,1	10 900	9 500	7 800	6 300	72,7	72,5	10 500	9 000	7 700	6 000	28,7
30,0	69,2	72,6	10 700	9 400	7 800	6 300	72,0	72,0	10 400	9 000	7 700	6 000	30,0
32,0	67,6	71,7	10 500	9 200	7 800	6 300	70,4	71,2	10 200	8 900	7 700	6 000	32,0
34,0	65,9	70,8	10 200	9 000	7 700	6 300	68,7	70,3	10 000	8 700	7 700	6 000	34,0
36,0	64,2	69,8	9 700	8 900	7 700	6 300	67,0	69,3	9 800	8 600	7 700	6 000	36,0
38,0	62,5	68,8	8 800	8 300	7 700	6 300	65,3	68,2	9 200	8 500	7 600	6 000	38,0
40,0	60,8	67,6	8 100	7 600	7 100	6 200	63,5	67,1	8 400	7 900	7 400	6 000	40,0
42,0	59,0	66,4	7 400	7 000	6 600	6 100	61,8	65,8	7 700	7 300	6 900	6 000	42,0
44,0	57,2	65,1	6 800	6 400	6 000	5 700	59,9	64,5	7 100	6 700	6 300	5 900	44,0
46,0	55,4	63,7	6 200	5 900	5 600	5 200	58,1	63,1	6 500	6 200	5 800	5 500	46,0
48,0	53,5	62,2	5 800	5 400	5 100	4 800	56,2	61,6	6 000	5 700	5 400	5 100	48,0
50,0	51,6	60,6	5 300	5 000	4 700	4 400	54,2	60,0	5 500	5 200	4 900	4 700	50,0
52,0	49,6	58,9	4 900	4 600	4 300	4 100	52,2	58,3	5 100	4 800	4 500	4 300	52,0
54,0	47,5	57,1	4 500	4 200	4 000	3 800	50,1	56,4	4 700	4 400	4 200	4 000	54,0
56,0	45,4	55,1	4 100	3 900	3 700	3 500	48,0	54,4	4 300	4 100	3 900	3 600	56,0
58,0	43,2	52,9	3 800	3 600	3 400	3 200	45,7	52,2	3 900	3 700	3 500	3 300	58,0
60,0	40,9	50,6	3 500	3 300	3 100	2 900	43,4	49,9	3 600	3 400	3 200	3 100	60,0
64,0	35,9	45,3	2 900	2 700	2 600	2 400	38,3	44,5	3 000	2 900	2 700	2 500	64,0
68,0	30,2	38,9	2 400	2 300	2 100	2 000	32,4	37,9	2 500	2 400	2 200	2 100	68,0
69,2	28,0	36,5	2 300	2 100	2 000	1 900	29,9	35,3	2 300	2 200	2 100	1 900	69,2
69,8	27,0	35,2	2 200	2 100	1 900		28,8	33,9	2 300	2 100	2 000	1 900	69,8
70,4	26,0	34,0	2 100	2 000			27,7	32,6	2 200	2 100	1 900	1 800	70,4
71,0	25,0	32,8	2 000				26,6	31,3	2 100	2 000	1 900		71,0
71,3							26,1	30,6	2 100	2 000			71,3
71,6							25,5	30,0	2 000				71,6
71,9							25,3	29,3	2 000				71,9

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

54,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,7							17,7
18,0							18,0
18,9							18,9
20,0							20,0
20,4							20,4
21,3							21,3
21,6							21,6
22,0							22,0
22,9							22,9
24,0							24,0
24,1							24,1
25,0	79,0	72,7	9 500				25,0
25,3	78,0	72,6	9 500				25,3
26,0	78,2	72,4	9 300				26,0
26,2	77,8	72,3	9 300	8 700			26,2
27,4	76,6	71,8	9 100	8 600	6 800		27,4
28,0	76,5	71,6	9 000	8 600	6 800		28,0
28,7	75,3	71,3	8 900	8 600	6 800	5 200	28,7
30,0	74,9	70,8	8 700	8 500	6 800	5 200	30,0
32,0	73,2	70,0	8 400	8 200	6 800	5 200	32,0
34,0	71,5	69,0	8 100	7 900	6 800	5 200	34,0
36,0	69,7	68,0	7 800	7 700	6 800	5 200	36,0
38,0	68,0	66,9	7 600	7 400	6 800	5 200	38,0
40,0	66,2	65,8	7 300	7 200	6 800	5 200	40,0
42,0	64,4	64,5	7 100	7 000	6 800	5 200	42,0
44,0	62,5	63,2	6 900	6 800	6 600	5 200	44,0
46,0	60,6	61,7	6 700	6 400	6 100	5 200	46,0
48,0	58,7	60,2	6 200	5 900	5 600	5 100	48,0
50,0	56,7	58,5	5 800	5 500	5 200	4 900	50,0
52,0	54,6	56,7	5 300	5 000	4 700	4 500	52,0
54,0	52,5	54,8	4 900	4 600	4 400	4 100	54,0
56,0	50,3	52,7	4 500	4 200	4 000	3 800	56,0
58,0	48,0	50,5	4 100	3 900	3 700	3 500	58,0
60,0	45,5	48,1	3 800	3 600	3 400	3 200	60,0
64,0	40,2	42,5	3 100	3 000	2 800	2 600	64,0
68,0	34,0	35,4	2 500	2 400	2 300	2 200	68,0
69,2	30,7	32,6	2 400	2 300	2 100	2 000	69,2
69,8	29,5	31,2	2 300	2 200	2 100	1 900	69,8
70,4	28,4	29,8	2 200	2 100	2 000	1 800	70,4
71,0	27,2	28,3	2 100	2 000	1 900	1 800	71,0
71,3	26,6	27,6	2 100	2 000	1 900		71,3
71,6	26,8	26,9	2 100	2 000			71,6
71,9							71,9

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

57,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,3	78,9	79,3	12 000										18,3
19,8	77,1	78,9	11 800	9 600									19,8
20,0	77,6	78,9	11 800	9 600									20,0
21,0	76,5	78,6	11 700	9 600	7 600								21,0
21,9	76,1	78,4	11 600	9 500	7 600		78,9	77,9	11 100				21,9
22,0	76,1	78,4	11 600	9 500	7 600		78,9	77,9	11 100				22,0
22,3	75,7	78,3	11 600	9 500	7 600	5 900	77,9	77,8	11 000				22,3
23,5	74,5	78,0	11 400	9 500	7 600	5 900	77,3	77,5	10 900	9 400			23,5
24,0	74,6	77,8	11 400	9 500	7 600	5 800	77,4	77,3	10 900	9 300			24,0
24,7	73,7	77,6	11 300	9 500	7 500	5 800	76,3	77,1	10 800	9 300	7 200		24,7
25,6	73,2	77,3	11 200	9 500	7 500	5 800	75,4	76,8	10 800	9 200	7 200		25,6
25,9	73,1	77,2	11 100	9 500	7 500	5 800	75,1	76,7	10 700	9 200	7 200	5 500	25,9
26,0	73,1	77,2	11 100	9 500	7 500	5 800	75,8	76,7	10 700	9 200	7 200	5 500	26,0
26,8	72,2	76,9	11 000	9 500	7 500	5 800	74,6	76,4	10 700	9 100	7 200	5 500	26,8
28,0	71,6	76,5	10 900	9 400	7 500	5 800	74,3	76,0	10 500	9 100	7 200	5 500	28,0
28,3	70,9	76,4	10 900	9 400	7 500	5 800	73,7	75,9	10 500	9 100	7 200	5 500	28,3
29,6	70,2	75,9	10 700	9 400	7 500	5 800	72,4	75,4	10 400	9 000	7 200	5 500	29,6
30,0	70,0	75,8	10 700	9 300	7 500	5 800	72,7	75,3	10 400	9 000	7 200	5 500	30,0
32,0	68,5	75,0	10 400	9 200	7 500	5 800	71,2	74,4	10 200	8 900	7 200	5 500	32,0
34,0	66,9	74,1	10 200	9 000	7 500	5 800	69,6	73,6	10 100	8 700	7 200	5 500	34,0
36,0	65,3	73,2	9 500	8 800	7 400	5 800	68,0	72,6	9 800	8 600	7 200	5 500	36,0
38,0	63,7	72,2	8 700	8 100	7 400	5 800	66,3	71,6	9 100	8 500	7 200	5 500	38,0
40,0	62,0	71,1	7 900	7 400	6 900	5 800	64,7	70,5	8 300	7 800	7 200	5 500	40,0
42,0	60,3	69,9	7 300	6 800	6 400	5 700	63,0	69,4	7 600	7 100	6 700	5 500	42,0
44,0	58,6	68,7	6 700	6 300	5 900	5 500	61,2	68,1	7 000	6 600	6 200	5 500	44,0
46,0	56,9	67,4	6 100	5 700	5 400	5 000	59,5	66,8	6 400	6 000	5 700	5 300	46,0
48,0	55,1	66,0	5 600	5 300	4 900	4 600	57,7	65,3	5 900	5 500	5 200	4 900	48,0
50,0	53,3	64,4	5 100	4 800	4 500	4 300	55,9	63,8	5 400	5 100	4 800	4 500	50,0
52,0	51,4	62,8	4 700	4 400	4 200	3 900	54,0	62,2	5 000	4 700	4 400	4 100	52,0
54,0	49,5	61,1	4 300	4 100	3 800	3 600	52,0	60,5	4 600	4 300	4 000	3 800	54,0
56,0	47,5	59,3	4 000	3 700	3 500	3 300	50,0	58,6	4 200	3 900	3 700	3 500	56,0
60,0	43,4	55,2	3 300	3 100	2 900	2 700	45,8	54,4	3 500	3 300	3 100	2 900	60,0
64,0	38,9	50,4	2 700	2 600	2 400	2 300	41,2	49,6	2 900	2 700	2 500	2 400	64,0
68,0	33,8	44,7	2 200	2 100	1 900	1 800	36,1	43,8	2 400	2 200	2 100	1 900	68,0
71,6	27,6	38,3	1 800	1 600	1 500	1 400	30,6	37,3	1 900	1 700	1 600	1 400	71,6
71,9	27,1	37,8	1 700	1 600	1 500	1 300	30,1	36,7	1 900	1 700	1 600		71,9
72,0	28,0	37,7	1 700	1 600	1 500		30,1	36,6	1 800	1 700	1 500		72,0
72,5	26,3	36,6	1 700	1 500	1 400		29,0	35,4	1 800	1 600	1 500		72,5
73,2	25,4	35,3	1 600	1 500			27,9	34,0	1 700	1 500	1 400		73,2
73,5	25,5	34,6	1 600				27,3	33,3	1 600	1 500	1 400		73,5
74,1							26,1	31,9	1 600	1 400			74,1
74,4							25,6	31,2	1 500				74,4
74,7							25,2	30,5	1 500				74,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

57,0 m

21,3 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,3							18,3
19,8							19,8
20,0							20,0
21,0							21,0
21,9							21,9
22,0							22,0
22,3							22,3
23,5							23,5
24,0							24,0
24,7							24,7
25,6	78,9	75,6	9 500				25,6
25,9	78,0	75,5	9 500				25,9
26,0	78,6	75,5	9 500				26,0
26,8	77,6	75,2	9 300	8 400			26,8
28,0	77,1	74,8	9 100	8 400			28,0
28,3	76,7	74,7	9 100	8 400	6 300		28,3
29,6	75,4	74,2	8 900	8 400	6 300	4 800	29,6
30,0	75,5	74,0	8 800	8 400	6 300	4 800	30,0
32,0	73,9	73,2	8 500	8 300	6 300	4 800	32,0
34,0	72,3	72,3	8 200	8 000	6 300	4 800	34,0
36,0	70,6	71,4	7 900	7 800	6 300	4 800	36,0
38,0	68,9	70,3	7 700	7 600	6 300	4 800	38,0
40,0	67,2	69,2	7 500	7 300	6 300	4 800	40,0
42,0	65,5	68,0	7 300	7 100	6 300	4 800	42,0
44,0	63,8	66,7	7 000	6 800	6 200	4 800	44,0
46,0	62,0	65,4	6 700	6 300	5 900	4 800	46,0
48,0	60,1	63,9	6 200	5 800	5 500	4 800	48,0
50,0	58,3	62,4	5 700	5 300	5 000	4 600	50,0
52,0	56,3	60,7	5 200	4 900	4 600	4 300	52,0
54,0	54,3	58,9	4 800	4 500	4 200	4 000	54,0
56,0	52,3	57,0	4 400	4 100	3 900	3 600	56,0
60,0	48,0	52,7	3 600	3 400	3 200	3 000	60,0
64,0	43,2	47,7	3 000	2 800	2 700	2 500	64,0
68,0	37,8	41,6	2 400	2 300	2 100	2 000	68,0
71,6	31,6	34,6	2 000	1 800	1 700	1 500	71,6
71,9	31,1	34,1	1 900	1 800	1 600	1 500	71,9
72,0	31,4	33,9	1 900	1 800	1 600	1 500	72,0
72,5	29,9	32,6	1 800	1 700	1 500	1 400	72,5
73,2	28,6	31,1	1 700	1 600	1 500	1 300	73,2
73,5	27,9	30,3	1 700	1 500	1 400		73,5
74,1	26,6	28,8	1 600	1 500	1 300		74,1
74,4	26,7	28,0	1 600	1 400			74,4
74,7							74,7

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

60,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,9	78,9	82,2	11 700										18,9
20,0	78,1	82,0	11 600										20,0
20,4	77,6	81,9	11 600	9 400									20,4
21,6	76,4	81,6	11 400	9 400	7 100								21,6
22,0	76,7	81,5	11 400	9 400	7 100								22,0
22,6	75,7	81,3	11 400	9 400	7 000		78,9	80,8	11 000				22,6
23,2	75,4	81,2	11 300	9 400	7 000	5 400	77,6	80,7	10 900				23,2
24,0	75,2	81,0	11 200	9 300	7 000	5 400	77,9	80,5	10 900				24,0
24,1	74,9	80,9	11 200	9 300	7 000	5 400	77,0	80,4	10 800	8 900			24,1
25,3	73,7	80,6	11 100	9 300	7 000	5 400	76,4	80,1	10 800	8 900	6 700		25,3
26,0	73,8	80,4	11 000	9 300	7 000	5 300	76,4	79,8	10 700	8 900	6 700		26,0
26,2	72,9	80,3	11 000	9 300	7 000	5 300	75,8	79,8	10 700	8 900	6 700		26,2
26,8	72,6	80,1	10 900	9 300	7 000	5 300	75,2	79,6	10 600	8 900	6 700	5 000	26,8
27,4	72,3	79,9	10 800	9 300	7 000	5 300	74,6	79,4	10 600	8 900	6 700	5 000	27,4
28,0	72,3	79,7	10 800	9 300	7 000	5 300	74,9	79,2	10 500	8 900	6 700	5 000	28,0
29,0	71,0	79,4	10 700	9 300	6 900	5 300	73,5	78,8	10 400	8 900	6 700	5 000	29,0
30,0	70,8	79,0	10 600	9 200	6 900	5 300	73,4	78,5	10 400	8 900	6 700	5 000	30,0
30,2	69,9	78,9	10 600	9 200	6 900	5 300	72,8	78,4	10 300	8 900	6 700	5 000	30,2
32,0	69,3	78,2	10 300	9 200	6 900	5 300	71,9	77,7	10 200	8 800	6 700	5 000	32,0
34,0	67,8	77,4	10 000	9 000	6 900	5 300	70,4	76,9	10 100	8 700	6 700	5 000	34,0
36,0	66,3	76,5	9 300	8 600	6 900	5 200	68,8	76,0	9 700	8 600	6 700	5 000	36,0
38,0	64,7	75,5	8 500	7 900	6 900	5 200	67,3	75,0	8 900	8 300	6 700	5 000	38,0
40,0	63,1	74,5	7 800	7 200	6 700	5 200	65,7	73,9	8 200	7 600	6 700	5 000	40,0
42,0	61,5	73,4	7 100	6 600	6 200	5 200	64,1	72,8	7 500	7 000	6 500	5 000	42,0
44,0	59,9	72,2	6 500	6 000	5 600	5 200	62,4	71,7	6 800	6 400	6 000	5 000	44,0
46,0	58,3	71,0	5 900	5 500	5 200	4 800	60,8	70,4	6 200	5 800	5 500	5 000	46,0
48,0	56,6	69,6	5 400	5 100	4 700	4 400	59,1	69,0	5 700	5 400	5 000	4 700	48,0
50,0	54,9	68,2	5 000	4 600	4 300	4 000	57,4	67,6	5 200	4 900	4 600	4 300	50,0
52,0	53,1	66,7	4 500	4 200	4 000	3 700	55,6	66,1	4 800	4 500	4 200	3 900	52,0
54,0	51,3	65,1	4 100	3 900	3 600	3 400	53,8	64,5	4 400	4 100	3 800	3 600	54,0
56,0	49,5	63,4	3 800	3 500	3 300	3 100	51,9	62,7	4 000	3 800	3 500	3 300	56,0
58,0	47,6	61,5	3 400	3 200	3 000	2 800	50,0	60,8	3 700	3 400	3 200	3 000	58,0
60,0	45,6	59,6	3 100	2 900	2 700	2 500	48,0	58,9	3 300	3 100	2 900	2 700	60,0
62,0	43,6	57,5	2 800	2 700	2 400	2 200	45,9	56,7	3 000	2 800	2 600	2 400	62,0
64,0	41,5	55,2	2 600	2 400	2 200	2 000	43,8	54,4	2 700	2 500	2 400	2 200	64,0
66,0	39,3	52,7	2 300	2 100	1 900	1 700	41,6	51,9	2 500	2 300	2 100	1 900	66,0
68,0	36,9	50,1	2 000	1 800	1 600	1 500	39,2	49,2	2 200	2 000	1 800	1 600	68,0
68,6	35,3	49,2	1 900	1 800	1 600	1 400	38,1	48,3	2 100	1 900	1 700	1 500	68,6
70,1	33,4	46,9	1 700	1 600	1 400		35,9	45,9	1 900	1 700	1 500	1 400	70,1
71,6	31,5	44,5	1 500	1 400			33,6	43,6	1 700	1 500	1 300		71,6
72,0	31,8	44,0	1 500				34,0	43,0	1 600				72,0
73,2	30,2	42,0	1 300				32,3	40,9	1 500				73,2
74,7													74,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

60,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,9							18,9
20,0							20,0
20,4							20,4
21,6							21,6
22,0							22,0
22,6							22,6
23,2							23,2
24,0							24,0
24,1							24,1
25,3							25,3
26,0							26,0
26,2	78,9	78,6	9 500				26,2
26,8	77,7	78,4	9 400				26,8
27,4	77,3	78,2	9 300	7 800			27,4
28,0	77,6	78,0	9 200	7 800			28,0
29,0	76,5	77,6	9 100	7 800	5 800		29,0
30,0	76,1	77,2	8 900	7 800	5 800		30,0
30,2	75,8	77,2	8 900	7 800	5 800	4 300	30,2
32,0	74,5	76,5	8 600	7 800	5 800	4 300	32,0
34,0	73,0	75,6	8 300	7 800	5 800	4 300	34,0
36,0	71,4	74,7	8 100	7 800	5 800	4 300	36,0
38,0	69,8	73,7	7 800	7 700	5 800	4 300	38,0
40,0	68,2	72,6	7 600	7 500	5 800	4 300	40,0
42,0	66,6	71,5	7 400	7 200	5 800	4 300	42,0
44,0	64,9	70,3	7 100	6 700	5 800	4 300	44,0
46,0	63,2	69,0	6 600	6 200	5 700	4 300	46,0
48,0	61,5	67,6	6 000	5 600	5 300	4 300	48,0
50,0	59,7	66,2	5 500	5 200	4 800	4 300	50,0
52,0	57,9	64,6	5 000	4 700	4 400	4 200	52,0
54,0	56,0	62,9	4 600	4 300	4 100	3 800	54,0
56,0	54,1	61,2	4 200	4 000	3 700	3 500	56,0
58,0	52,1	59,2	3 800	3 600	3 400	3 200	58,0
60,0	50,1	57,2	3 500	3 300	3 100	2 900	60,0
62,0	48,0	55,0	3 200	3 000	2 800	2 600	62,0
64,0	45,8	52,6	2 900	2 700	2 500	2 300	64,0
66,0	43,4	50,0	2 600	2 400	2 200	2 000	66,0
68,0	41,0	47,2	2 300	2 100	1 900	1 700	68,0
68,6	39,3	46,2	2 200	2 000	1 900	1 700	68,6
70,1	37,4	43,8	2 000	1 800	1 600	1 500	70,1
71,6	35,5	41,2	1 800	1 600	1 400		71,6
72,0	35,5	40,6	1 700	1 500			72,0
73,2	33,3	38,3	1 500	1 400			73,2
74,7	31,2	35,3	1 300				74,7

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

63,0 m


21,3 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
19,5	78,9	85,2	11 400										19,5
20,0	78,5	85,1	11 400										20,0
21,0	77,5	84,8	11 300	8 700									21,0
22,0	77,1	84,6	11 200	8 700									22,0
22,3	76,7	84,5	11 200	8 700	6 500								22,3
23,2	75,8	84,3	11 100	8 700	6 500		78,9	83,8	10 900				23,2
23,8	75,2	84,1	11 000	8 700	6 500	4 900	78,0	83,6	10 800				23,8
24,0	75,8	84,1	11 000	8 700	6 500	4 900	78,3	83,5	10 800				24,0
24,7	74,7	83,9	11 000	8 600	6 500	4 900	77,3	83,3	10 800	8 200			24,7
25,9	74,1	83,5	10 800	8 600	6 500	4 900	76,1	83,0	10 700	8 200	6 100		25,9
26,0	74,3	83,5	10 800	8 600	6 500	4 900	76,9	83,0	10 700	8 200	6 100		26,0
26,8	73,2	83,2	10 800	8 600	6 400	4 800	75,6	82,7	10 600	8 200	6 100		26,8
27,4	72,6	83,0	10 700	8 600	6 400	4 800	75,3	82,5	10 600	8 200	6 100	4 500	27,4
28,0	72,9	82,9	10 600	8 600	6 400	4 800	75,5	82,3	10 500	8 200	6 100	4 500	28,0
28,3	71,9	82,7	10 600	8 600	6 400	4 800	74,9	82,2	10 500	8 200	6 100	4 500	28,3
29,6	71,2	82,3	10 500	8 500	6 400	4 800	74,2	81,8	10 400	8 200	6 100	4 500	29,6
30,0	71,5	82,2	10 400	8 500	6 400	4 800	74,0	81,6	10 400	8 200	6 100	4 500	30,0
31,1	70,5	81,8	10 300	8 500	6 400	4 800	72,9	81,2	10 300	8 200	6 000	4 500	31,1
32,0	70,1	81,4	10 300	8 500	6 400	4 800	72,6	80,9	10 200	8 200	6 000	4 500	32,0
34,0	68,6	80,6	10 000	8 500	6 400	4 800	71,1	80,1	10 100	8 200	6 000	4 500	34,0
36,0	67,2	79,8	9 200	8 300	6 300	4 800	69,6	79,2	9 600	8 200	6 000	4 500	36,0
38,0	65,7	78,9	8 300	7 700	6 300	4 700	68,1	78,3	8 800	8 100	6 000	4 500	38,0
40,0	64,2	77,9	7 600	7 000	6 300	4 700	66,6	77,3	8 000	7 400	6 000	4 500	40,0
42,0	62,6	76,8	6 900	6 400	6 000	4 700	65,1	76,3	7 300	6 800	6 000	4 500	42,0
44,0	61,1	75,7	6 300	5 900	5 400	4 700	63,5	75,1	6 700	6 200	5 800	4 500	44,0
46,0	59,5	74,5	5 800	5 400	5 000	4 600	62,0	73,9	6 100	5 700	5 300	4 400	46,0
48,0	57,9	73,2	5 300	4 900	4 500	4 200	60,3	72,6	5 600	5 200	4 800	4 400	48,0
50,0	56,3	71,9	4 800	4 500	4 100	3 800	58,7	71,3	5 100	4 700	4 400	4 100	50,0
52,0	54,6	70,5	4 400	4 100	3 800	3 500	57,0	69,8	4 600	4 300	4 000	3 700	52,0
54,0	52,9	68,9	4 000	3 700	3 400	3 200	55,3	68,3	4 200	3 900	3 700	3 400	54,0
56,0	51,2	67,3	3 600	3 400	3 100	2 900	53,6	66,7	3 900	3 600	3 300	3 100	56,0
58,0	49,4	65,6	3 300	3 000	2 800	2 600	51,8	64,9	3 500	3 300	3 000	2 800	58,0
60,0	47,6	63,8	3 000	2 700	2 500	2 300	49,9	63,1	3 200	2 900	2 700	2 500	60,0
62,0	45,7	61,8	2 700	2 400	2 200	2 000	48,0	61,1	2 900	2 600	2 400	2 200	62,0
64,0	43,8	59,7	2 400	2 100	1 900	1 700	46,0	59,0	2 600	2 400	2 100	1 900	64,0
65,5	41,5	58,0	2 100	1 900	1 700	1 500	43,7	57,2	2 300	2 100	1 900	1 700	65,5
66,0	41,7	57,4	2 100	1 900	1 600		44,0	56,7	2 300	2 100	1 800	1 600	66,0
67,1	39,9	56,1	1 900	1 700	1 500		41,9	55,3	2 100	1 900	1 700	1 500	67,1
68,6	38,4	54,2	1 700	1 500	1 300		40,4	53,4	1 900	1 700	1 500		68,6
70,0	37,4	52,4	1 500				39,6	51,6	1 700	1 500			70,0
70,1	37,3	52,3	1 500				38,9	51,4	1 700	1 500			70,1
71,6							37,6	49,2	1 500				71,6
73,2													73,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

63,0 m



21,3 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
19,5							19,5
20,0							20,0
21,0							21,0
22,0							22,0
22,3							22,3
23,2							23,2
23,8							23,8
24,0							24,0
24,7							24,7
25,9							25,9
26,0							26,0
26,8	78,9	81,5	9 500				26,8
27,4	78,0	81,3	9 400				27,4
28,0	78,0	81,1	9 300				28,0
28,3	77,7	81,0	9 200	7 200			28,3
29,6	76,4	80,5	9 100	7 200	5 200		29,6
30,0	76,6	80,4	9 000	7 200	5 200		30,0
31,1	75,5	80,0	8 800	7 200	5 200	3 800	31,1
32,0	75,1	79,6	8 700	7 200	5 200	3 800	32,0
34,0	73,6	78,8	8 400	7 200	5 200	3 800	34,0
36,0	72,1	78,0	8 200	7 200	5 200	3 800	36,0
38,0	70,6	77,0	7 900	7 200	5 200	3 800	38,0
40,0	69,1	76,0	7 700	7 200	5 200	3 800	40,0
42,0	67,5	74,9	7 500	7 100	5 200	3 800	42,0
44,0	65,9	73,8	7 000	6 600	5 200	3 800	44,0
46,0	64,3	72,6	6 400	6 000	5 200	3 800	46,0
48,0	62,7	71,2	5 900	5 500	5 100	3 800	48,0
50,0	61,0	69,9	5 400	5 000	4 700	3 800	50,0
52,0	59,3	68,4	4 900	4 600	4 300	3 800	52,0
54,0	57,5	66,8	4 500	4 200	3 900	3 600	54,0
56,0	55,7	65,1	4 100	3 800	3 500	3 300	56,0
58,0	53,9	63,3	3 700	3 500	3 200	3 000	58,0
60,0	52,0	61,4	3 400	3 100	2 900	2 700	60,0
62,0	50,0	59,4	3 000	2 800	2 600	2 400	62,0
64,0	48,0	57,2	2 700	2 500	2 300	2 100	64,0
65,5	45,5	55,4	2 500	2 300	2 100	1 900	65,5
66,0	45,8	54,8	2 400	2 200	2 000	1 800	66,0
67,1	43,9	53,4	2 300	2 100	1 900	1 600	67,1
68,6	42,4	51,4	2 000	1 800	1 600	1 400	68,6
70,0	41,3	49,5	1 800	1 600	1 400		70,0
70,1	40,9	49,4	1 800	1 600	1 400		70,1
71,6	38,9	47,0	1 600	1 400			71,6
73,2	37,3	44,6	1 400				73,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


66,0 m


21,3 m

	5°			15°			
			0°			0°	
m	°	m	kg	°	m	kg	m
20,1	78,9	88,1	11 100				20,1
22,0	77,6	87,7	10 900				22,0
23,8	76,1	87,2	10 800	78,9	86,7	10 600	23,8
24,0	76,2	87,2	10 800	78,7	86,6	10 600	24,0
26,0	74,9	86,6	10 600	77,3	86,1	10 600	26,0
27,4	73,3	86,2	10 500	75,6	85,6	10 500	27,4
28,0	73,5	86,0	10 500	76,0	85,5	10 500	28,0
30,0	72,2	85,3	10 300	74,6	84,8	10 300	30,0
32,0	70,8	84,6	10 100	73,2	84,1	10 200	32,0
34,0	69,4	83,9	9 800	71,8	83,3	10 100	34,0
36,0	68,0	83,0	9 000	70,4	82,5	9 500	36,0
38,0	66,6	82,2	8 200	68,9	81,6	8 600	38,0
40,0	65,1	81,2	7 400	67,5	80,6	7 900	40,0
42,0	63,7	80,2	6 700	66,0	79,6	7 200	42,0
44,0	62,2	79,1	6 100	64,5	78,6	6 500	44,0
46,0	60,7	78,0	5 600	63,0	77,4	5 900	46,0
48,0	59,2	76,8	5 100	61,5	76,2	5 400	48,0
50,0	57,6	75,5	4 600	59,9	74,9	4 900	50,0
52,0	56,0	74,1	4 200	58,3	73,5	4 500	52,0
54,0	54,4	72,7	3 800	56,7	72,1	4 100	54,0
56,0	52,8	71,2	3 400	55,1	70,5	3 700	56,0
58,0	51,1	69,5	3 100	53,4	68,9	3 300	58,0
60,0	49,4	67,8	2 800	51,6	67,1	3 000	60,0
62,0	47,6	66,0	2 400	49,8	65,3	2 700	62,0
64,0	45,8	64,0	2 100	48,0	63,3	2 400	64,0
66,0	43,9	61,9	1 800	46,1	61,2	2 000	66,0
68,0	41,9	59,7	1 500	44,1	58,9	1 700	68,0
68,6	41,4	59,0	1 400	43,4	58,2	1 700	68,6
70,0				42,1	56,5	1 400	70,0
70,1				41,9	56,4	1 400	70,1
71,6							71,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2









m	25° °	m	0° kg	m
20,1				20,1
22,0				22,0
23,8				23,8
24,0				24,0
26,0				26,0
27,4	78,9	84,4	9 500	27,4
28,0	78,5	84,2	9 400	28,0
30,0	77,1	83,6	9 100	30,0
32,0	75,7	82,8	8 800	32,0
34,0	74,2	82,0	8 500	34,0
36,0	72,8	81,2	8 300	36,0
38,0	71,3	80,3	8 000	38,0
40,0	69,9	79,3	7 800	40,0
42,0	68,4	78,3	7 500	42,0
44,0	66,8	77,2	6 900	44,0
46,0	65,3	76,0	6 300	46,0
48,0	63,7	74,8	5 700	48,0
50,0	62,2	73,5	5 200	50,0
52,0	60,5	72,1	4 800	52,0
54,0	58,9	70,6	4 300	54,0
56,0	57,2	69,0	3 900	56,0
58,0	55,4	67,3	3 600	58,0
60,0	53,7	65,5	3 200	60,0
62,0	51,8	63,6	2 900	62,0
64,0	49,9	61,6	2 600	64,0
66,0	48,0	59,4	2 200	66,0
68,0	45,9	57,1	1 900	68,0
68,6	44,4	56,4	1 800	68,6
70,0	43,8	54,6	1 600	70,0
70,1	42,9	54,4	1 600	70,1
71,6	42,0	52,4	1 400	71,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

27,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,8	78,9	52,9	10 600										12,8
13,0	78,7	52,9	10 600										13,0
13,7	77,3	52,7	10 500	8 200									13,7
14,0	77,5	52,7	10 500	8 200									14,0
14,6	76,4	52,5	10 400	8 200	6 500								14,6
15,0	76,4	52,4	10 300	8 100	6 500								15,0
15,5	75,5	52,3	10 200	8 100	6 500	5 400							15,5
16,0	75,2	52,1	10 200	8 100	6 500	5 400							16,0
17,1	73,4	51,8	10 000	8 100	6 500	5 400	78,8	51,4	9 900				17,1
18,0	72,9	51,5	9 900	8 000	6 500	5 400	77,8	51,1	9 700	8 100			18,0
18,9	71,1	51,2	9 700	8 000	6 400	5 400	76,1	50,8	9 600	8 100	6 500		18,9
19,5	70,5	51,0	9 600	8 000	6 400	5 300	75,5	50,6	9 500	8 100	6 500	5 400	19,5
20,0	70,6	50,8	9 600	8 000	6 400	5 300	75,4	50,4	9 400	8 100	6 500	5 400	20,0
21,3	68,7	50,3	9 400	7 900	6 400	5 300	73,7	49,9	9 200	8 000	6 500	5 400	21,3
22,0	68,2	50,0	9 300	7 900	6 400	5 300	73,0	49,6	9 000	7 900	6 500	5 400	22,0
22,3	67,6	49,8	9 200	7 900	6 400	5 300	72,6	49,5	9 000	7 900	6 500	5 400	22,3
22,9	66,7	49,6	9 200	7 900	6 400	5 300	71,7	49,2	8 900	7 800	6 500	5 400	22,9
23,8	65,3	49,2	9 000	7 800	6 300	5 300	70,3	48,8	8 700	7 700	6 500	5 400	23,8
24,0	65,8	49,1	9 000	7 800	6 300	5 300	70,6	48,7	8 700	7 700	6 500	5 400	24,0
26,0	63,3	48,1	8 700	7 700	6 300	5 300	68,1	47,7	8 400	7 400	6 500	5 400	26,0
28,0	60,8	46,9	8 500	7 500	6 300	5 200	65,5	46,5	8 200	7 200	6 500	5 400	28,0
30,0	58,2	45,7	8 300	7 300	6 200	5 200	62,9	45,3	7 900	7 000	6 300	5 400	30,0
32,0	55,5	44,3	8 000	7 100	6 200	5 200	60,2	43,9	7 600	6 800	6 200	5 400	32,0
34,0	52,8	42,8	7 700	6 800	6 100	5 200	57,4	42,3	7 400	6 600	6 000	5 400	34,0
36,0	49,9	41,1	7 400	6 600	6 000	5 100	54,5	40,6	7 200	6 500	5 900	5 400	36,0
38,0	46,9	39,2	7 200	6 400	5 800	5 100	51,5	38,7	6 900	6 300	5 700	5 300	38,0
40,0	43,7	37,2	7 000	6 200	5 700	5 100	48,2	36,6	6 600	6 100	5 600	5 200	40,0
42,0	40,3	34,8	6 700	6 100	5 500	5 100	44,8	34,3	6 300	6 000	5 500	5 100	42,0
44,0	36,7	32,2	6 500	5 900	5 400	4 900	41,1	31,6	6 000	5 900	5 400	5 000	44,0
46,0	32,7	29,1	6 300	5 800	5 300	4 900	37,0	28,4	5 700	5 700	5 300	4 900	46,0
47,9	28,3	25,8	6 200	5 600	5 200	4 800	32,3	25,0	5 500	5 500	5 200	4 900	47,9
48,0	28,1	25,5	6 200	5 600	5 100		32,3	24,7	5 500	5 500	5 200	4 900	48,0
48,2	27,6	25,2	6 100	5 600	5 100		31,5	24,3	5 500	5 500	5 200	4 900	48,2
48,8	25,8	23,9	6 100	5 600			29,7	22,9	5 400	5 400	5 200	4 800	48,8
49,1	25,3	23,2	6 100				28,8	22,2	5 400	5 400	5 200	4 800	49,1
49,4							27,9	21,5	5 400	5 300	5 200	4 800	49,4
49,7							27,0	20,8	5 400	5 300	5 200		49,7
50,0							26,0	20,1	5 300	5 300			50,0
50,0							26,6	20,0	5 300				50,0
50,3							25,7	19,2	5 300				50,3
50,6													50,6
50,9													50,9

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



27,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,8							12,8
13,0							13,0
13,7							13,7
14,0							14,0
14,6							14,6
15,0							15,0
15,5							15,5
16,0							16,0
17,1							17,1
18,0							18,0
18,9							18,9
19,5							19,5
20,0							20,0
21,3	78,8	48,9	8 400				21,3
22,0	78,0	48,6	8 300				22,0
22,3	77,6	48,5	8 200	7 400			22,3
22,9	76,7	48,2	8 100	7 300	6 600		22,9
23,8	75,3	47,8	7 900	7 200	6 500	5 500	23,8
24,0	75,5	47,7	7 800	7 200	6 500	5 500	24,0
26,0	73,0	46,6	7 400	7 000	6 300	5 500	26,0
28,0	70,4	45,5	6 900	6 800	6 200	5 500	28,0
30,0	67,7	44,2	6 600	6 500	6 100	5 500	30,0
32,0	64,9	42,8	6 200	6 100	6 000	5 500	32,0
34,0	62,0	41,2	5 900	5 800	5 800	5 400	34,0
36,0	59,0	39,4	5 700	5 600	5 500	5 300	36,0
38,0	55,9	37,5	5 400	5 300	5 300	5 200	38,0
40,0	52,5	35,3	5 200	5 100	5 100	5 000	40,0
42,0	49,0	32,8	5 000	4 900	4 900	4 900	42,0
44,0	45,0	30,0	4 800	4 800	4 700	4 700	44,0
46,0	40,7	26,7	4 700	4 600	4 600	4 600	46,0
47,9	35,4	22,9	4 600	4 500	4 500	4 500	47,9
48,0	35,6	22,6	4 500	4 500	4 500	4 500	48,0
48,2	34,5	22,2	4 500	4 500	4 500	4 500	48,2
48,8	32,7	20,6	4 500	4 500	4 500	4 500	48,8
49,1	31,8	19,8	4 500	4 500	4 500	4 500	49,1
49,4	30,9	18,9	4 500	4 500	4 500	4 400	49,4
49,7	30,0	18,1	4 500	4 500	4 400	4 400	49,7
50,0	29,0	17,3	4 400	4 400	4 400	4 400	50,0
50,0	29,2	17,3	4 400	4 400	4 400		50,0
50,3	27,7	16,2	4 400	4 400	4 400		50,3
50,6	26,3	15,1	4 400	4 400			50,6
50,9	25,3	14,0	4 400				50,9

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

30,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,4	78,8	55,9	10 500										13,4
14,0	78,2	55,7	10 400										14,0
14,3	77,7	55,6	10 400	8 100									14,3
15,0	77,1	55,5	10 300	8 100									15,0
15,2	76,8	55,4	10 300	8 100	6 500								15,2
16,0	76,1	55,2	10 100	8 100	6 500								16,0
16,2	75,7	55,2	10 100	8 000	6 500	5 400							16,2
17,7	73,5	54,7	9 900	8 000	6 400	5 300	78,8	54,4	9 800				17,7
18,0	73,9	54,6	9 900	8 000	6 400	5 300	78,5	54,3	9 800				18,0
18,6	72,4	54,4	9 800	8 000	6 400	5 300	77,4	54,0	9 700	8 100			18,6
19,5	71,5	54,1	9 600	7 900	6 400	5 300	76,5	53,7	9 500	8 100	6 500		19,5
20,0	71,7	54,0	9 600	7 900	6 400	5 300	76,2	53,6	9 500	8 100	6 500		20,0
20,4	70,6	53,8	9 500	7 900	6 400	5 300	75,4	53,4	9 400	8 000	6 500	5 400	20,4
21,9	69,1	53,2	9 300	7 800	6 300	5 300	73,2	52,8	9 200	8 000	6 500	5 400	21,9
22,0	69,5	53,2	9 300	7 800	6 300	5 300	74,0	52,8	9 200	8 000	6 500	5 400	22,0
22,9	68,1	52,8	9 200	7 800	6 300	5 300	72,1	52,4	9 000	7 900	6 500	5 400	22,9
23,8	67,2	52,4	9 000	7 800	6 300	5 300	71,2	52,0	8 900	7 800	6 500	5 400	23,8
24,0	67,2	52,4	9 000	7 800	6 300	5 300	71,7	52,0	8 900	7 700	6 500	5 400	24,0
24,4	66,4	52,2	9 000	7 800	6 300	5 300	70,6	51,8	8 800	7 700	6 500	5 400	24,4
26,0	64,9	51,4	8 800	7 700	6 300	5 200	69,4	51,0	8 600	7 500	6 500	5 400	26,0
28,0	62,6	50,4	8 500	7 600	6 200	5 200	67,0	49,9	8 300	7 300	6 500	5 400	28,0
30,0	60,2	49,2	8 300	7 400	6 200	5 200	64,6	48,8	8 000	7 100	6 400	5 400	30,0
32,0	57,7	47,9	8 100	7 200	6 200	5 200	62,1	47,5	7 800	7 000	6 300	5 400	32,0
34,0	55,1	46,5	7 900	7 000	6 100	5 100	59,5	46,1	7 500	6 800	6 100	5 400	34,0
36,0	52,5	45,0	7 600	6 800	6 100	5 100	56,9	44,5	7 300	6 600	6 000	5 400	36,0
38,0	49,8	43,3	7 400	6 600	6 000	5 100	54,1	42,8	7 100	6 400	5 900	5 400	38,0
40,0	46,9	41,5	7 200	6 400	5 800	5 100	51,3	40,9	6 900	6 300	5 700	5 300	40,0
42,0	44,0	39,4	6 900	6 200	5 700	5 100	48,2	38,9	6 600	6 100	5 600	5 200	42,0
44,0	40,8	37,1	6 700	6 100	5 500	5 100	45,0	36,5	6 300	6 000	5 500	5 100	44,0
46,0	37,4	34,5	6 500	5 900	5 400	5 000	41,5	33,9	6 000	5 900	5 400	5 000	46,0
48,0	33,7	31,6	6 400	5 800	5 300	4 900	37,7	30,9	5 800	5 700	5 300	4 900	48,0
50,0	29,5	28,1	6 200	5 600	5 200	4 800	33,5	27,4	5 600	5 500	5 300	4 900	50,0
50,6	27,7	26,9	6 200	5 600	5 100	4 700	31,5	26,1	5 500	5 500	5 200	4 900	50,6
50,9	27,0	26,3	6 100	5 600	5 100		30,7	25,4	5 500	5 400	5 200	4 900	50,9
51,5	25,7	25,1	6 100	5 600			29,2	24,1	5 400	5 400	5 200	4 800	51,5
51,8	25,2	24,4	6 100				28,5	23,4	5 400	5 300	5 200	4 800	51,8
52,0							28,5	23,1	5 400	5 300	5 200	4 800	52,0
52,1							27,7	22,7	5 400	5 300	5 200	4 800	52,1
52,4							26,8	21,9	5 300	5 300	5 200		52,4
52,7							25,9	21,2	5 300	5 300			52,7
53,0							25,5	20,4	5 300				53,0
53,3													53,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134 + B10

50 120 kg + 15 880 kg

360°

30,0 m

24,4 m

25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
13,4							13,4
14,0							14,0
14,3							14,3
15,0							15,0
15,2							15,2
16,0							16,0
16,2							16,2
17,7							17,7
18,0							18,0
18,6							18,6
19,5							19,5
20,0							20,0
20,4							20,4
21,9	78,8	51,8	8 400				21,9
22,0	78,7	51,8	8 400				22,0
22,9	77,1	51,4	8 200	7 400			22,9
23,8	76,2	51,0	8 100	7 300	6 500		23,8
24,0	76,4	50,9	8 000	7 300	6 500		24,0
24,4	75,6	50,7	7 900	7 200	6 500	5 500	24,4
26,0	74,0	50,0	7 500	7 100	6 400	5 500	26,0
28,0	71,6	48,9	7 100	6 900	6 300	5 500	28,0
30,0	69,1	47,7	6 800	6 600	6 200	5 500	30,0
32,0	66,6	46,4	6 400	6 300	6 000	5 500	32,0
34,0	63,9	44,9	6 100	6 000	5 900	5 400	34,0
36,0	61,2	43,3	5 900	5 800	5 700	5 400	36,0
38,0	58,4	41,6	5 600	5 500	5 500	5 300	38,0
40,0	55,4	39,6	5 400	5 300	5 300	5 200	40,0
42,0	52,2	37,5	5 200	5 100	5 100	5 000	42,0
44,0	48,9	35,0	5 000	4 900	4 900	4 900	44,0
46,0	45,2	32,3	4 800	4 800	4 800	4 700	46,0
48,0	41,2	29,1	4 700	4 700	4 600	4 600	48,0
50,0	36,7	25,3	4 600	4 500	4 500	4 500	50,0
50,6	34,5	23,8	4 500	4 500	4 500	4 500	50,6
50,9	33,7	23,1	4 500	4 500	4 500	4 500	50,9
51,5	32,2	21,7	4 500	4 500	4 500	4 500	51,5
51,8	31,5	20,9	4 500	4 500	4 500	4 400	51,8
52,0	31,1	20,5	4 500	4 500	4 400	4 400	52,0
52,1	30,6	20,1	4 500	4 500	4 400	4 400	52,1
52,4	29,4	19,1	4 500	4 400	4 400	4 400	52,4
52,7	28,3	18,2	4 400	4 400	4 400	4 400	52,7
53,0	27,1	17,2	4 400	4 400	4 400		53,0
53,3	26,4	16,3	4 400	4 400			53,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

33,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,0	78,8	58,8	10 400										14,0
14,9	77,1	58,6	10 300	8 000									14,9
15,0	77,8	58,6	10 300	8 000									15,0
15,8	76,2	58,4	10 100	8 000	6 400								15,8
16,0	76,8	58,3	10 100	8 000	6 400								16,0
17,1	74,9	58,0	10 000	8 000	6 400	5 300							17,1
18,0	74,8	57,8	9 800	7 900	6 400	5 300							18,0
18,3	73,7	57,7	9 800	7 900	6 400	5 300	78,8	57,3	9 800				18,3
19,2	72,8	57,4	9 700	7 900	6 400	5 300	76,9	57,0	9 700	8 000			19,2
20,0	72,7	57,2	9 600	7 900	6 400	5 300	77,0	56,8	9 500	8 000			20,0
20,1	71,9	57,1	9 600	7 900	6 400	5 300	75,9	56,7	9 500	8 000	6 500		20,1
21,0	71,0	56,8	9 400	7 800	6 300	5 300	75,0	56,4	9 400	8 000	6 500	5 400	21,0
22,0	70,6	56,4	9 300	7 800	6 300	5 300	74,9	56,0	9 300	8 000	6 500	5 400	22,0
22,6	69,4	56,2	9 200	7 800	6 300	5 300	73,4	55,8	9 200	7 900	6 500	5 400	22,6
23,5	68,5	55,8	9 100	7 800	6 300	5 200	72,5	55,4	9 100	7 900	6 500	5 400	23,5
24,0	68,5	55,6	9 000	7 800	6 300	5 200	72,7	55,2	9 000	7 800	6 500	5 400	24,0
24,4	67,6	55,5	9 000	7 700	6 300	5 200	71,6	55,1	8 900	7 800	6 500	5 400	24,4
25,3	66,7	55,1	8 900	7 700	6 300	5 200	70,7	54,7	8 800	7 700	6 500	5 400	25,3
26,0	66,3	54,8	8 800	7 700	6 200	5 200	70,6	54,3	8 700	7 600	6 500	5 400	26,0
28,0	64,1	53,8	8 500	7 600	6 200	5 200	68,3	53,4	8 400	7 400	6 400	5 400	28,0
30,0	61,9	52,7	8 300	7 500	6 200	5 200	66,1	52,3	8 200	7 200	6 400	5 400	30,0
32,0	59,6	51,5	8 100	7 300	6 100	5 100	63,8	51,1	7 900	7 100	6 300	5 400	32,0
34,0	57,2	50,2	7 900	7 100	6 100	5 100	61,4	49,8	7 700	6 900	6 200	5 400	34,0
36,0	54,8	48,8	7 700	6 900	6 100	5 100	59,0	48,3	7 500	6 700	6 100	5 400	36,0
38,0	52,3	47,3	7 500	6 700	6 000	5 100	56,4	46,8	7 300	6 600	6 000	5 400	38,0
40,0	49,7	45,6	7 400	6 600	5 900	5 100	53,8	45,1	7 100	6 400	5 800	5 300	40,0
42,0	47,0	43,7	7 100	6 400	5 800	5 100	51,1	43,2	6 800	6 300	5 700	5 200	42,0
44,0	44,2	41,7	6 900	6 200	5 600	5 000	48,2	41,1	6 600	6 100	5 600	5 200	44,0
46,0	41,2	39,4	6 700	6 100	5 500	5 000	45,2	38,8	6 300	6 000	5 500	5 100	46,0
48,0	38,0	36,9	6 600	5 900	5 400	4 900	42,0	36,2	6 000	5 900	5 400	5 000	48,0
50,0	34,6	34,0	6 300	5 800	5 300	4 900	38,5	33,3	5 800	5 700	5 300	4 900	50,0
52,0	30,8	30,8	6 100	5 600	5 200	4 800	34,6	30,0	5 600	5 600	5 300	4 900	52,0
53,0	27,9	28,7	5 900	5 600	5 100	4 700	31,9	27,9	5 500	5 500	5 200	4 900	53,0
53,6	26,7	27,6	5 800	5 600	5 100		30,7	26,7	5 500	5 400	5 200	4 900	53,6
54,0	26,1	27,0	5 700	5 500			30,1	26,1	5 400	5 400	5 200	4 800	54,0
54,0	26,5	26,9	5 700				30,2	26,0	5 400	5 400	5 200	4 800	54,0
54,6	25,2	25,7	5 600				28,4	24,6	5 400	5 300	5 200	4 800	54,6
55,2							26,7	23,1	5 300	5 300	5 200		55,2
55,5							25,9	22,4	5 300	5 300			55,5
55,8							25,5	21,6	5 300				55,8
56,0													56,0
56,1													56,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



33,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,0							14,0
14,9							14,9
15,0							15,0
15,8							15,8
16,0							16,0
17,1							17,1
18,0							18,0
18,3							18,3
19,2							19,2
20,0							20,0
20,1							20,1
21,0							21,0
22,0							22,0
22,6	78,8	54,8	8 400				22,6
23,5	77,4	54,4	8 200	7 400			23,5
24,0	77,2	54,2	8 100	7 300			24,0
24,4	76,4	54,0	8 100	7 300	6 500		24,4
25,3	75,1	53,6	7 900	7 200	6 500	5 500	25,3
26,0	75,0	53,3	7 700	7 200	6 400	5 500	26,0
28,0	72,7	52,3	7 300	7 000	6 300	5 500	28,0
30,0	70,4	51,2	6 900	6 800	6 200	5 500	30,0
32,0	68,0	49,9	6 600	6 500	6 100	5 500	32,0
34,0	65,6	48,6	6 300	6 200	6 000	5 500	34,0
36,0	63,1	47,1	6 000	5 900	5 800	5 400	36,0
38,0	60,5	45,5	5 800	5 700	5 600	5 300	38,0
40,0	57,8	43,8	5 600	5 500	5 400	5 300	40,0
42,0	55,0	41,8	5 400	5 300	5 200	5 200	42,0
44,0	52,0	39,7	5 200	5 100	5 100	5 000	44,0
46,0	48,9	37,3	5 000	4 900	4 900	4 900	46,0
48,0	45,5	34,6	4 800	4 800	4 800	4 700	48,0
50,0	41,8	31,5	4 700	4 700	4 600	4 600	50,0
52,0	37,6	27,9	4 600	4 600	4 500	4 500	52,0
53,0	34,4	25,6	4 500	4 500	4 500	4 500	53,0
53,6	32,9	24,3	4 500	4 500	4 500	4 500	53,6
54,0	32,1	23,7	4 500	4 500	4 500	4 500	54,0
54,0	32,8	23,6	4 500	4 500	4 500	4 500	54,0
54,6	30,3	21,9	4 500	4 500	4 500	4 400	54,6
55,2	28,5	20,2	4 500	4 400	4 400	4 400	55,2
55,5	27,6	19,3	4 400	4 400	4 400	4 400	55,5
55,8	26,7	18,4	4 400	4 400	4 400		55,8
56,0	26,6	17,8	4 400	4 400			56,0
56,1	26,3	17,5	4 400	4 400			56,1

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

36,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
14,6	78,8	61,7	10 200										14,6
15,0	78,4	61,7	10 200										15,0
15,5	77,5	61,5	10 100	8 000									15,5
16,0	77,5	61,4	10 100	8 000									16,0
16,8	76,2	61,2	10 000	7 900	6 400								16,8
17,7	75,3	61,0	9 900	7 900	6 400	5 300							17,7
18,0	75,5	60,9	9 800	7 900	6 400	5 300							18,0
18,9	74,1	60,6	9 700	7 900	6 300	5 300	78,8	60,2	9 800				18,9
19,8	73,2	60,4	9 600	7 800	6 300	5 300	77,2	59,9	9 600	8 000			19,8
20,0	73,6	60,3	9 600	7 800	6 300	5 200	77,7	59,9	9 600	8 000			20,0
20,7	72,3	60,1	9 500	7 800	6 300	5 200	76,3	59,6	9 500	8 000	6 400		20,7
21,9	71,1	59,7	9 300	7 800	6 300	5 200	75,1	59,2	9 300	7 900	6 400	5 300	21,9
22,0	71,6	59,6	9 300	7 800	6 300	5 200	75,7	59,2	9 300	7 900	6 400	5 300	22,0
23,2	69,8	59,2	9 100	7 700	6 300	5 200	73,8	58,7	9 200	7 900	6 400	5 300	23,2
24,0	69,6	58,9	9 000	7 700	6 200	5 200	73,6	58,4	9 100	7 900	6 400	5 300	24,0
24,1	68,9	58,8	9 000	7 700	6 200	5 200	72,9	58,4	9 000	7 900	6 400	5 300	24,1
25,0	68,0	58,4	8 900	7 700	6 200	5 200	72,0	58,0	8 900	7 800	6 400	5 300	25,0
25,9	67,1	58,1	8 800	7 700	6 200	5 200	71,1	57,6	8 800	7 700	6 400	5 300	25,9
26,0	67,5	58,0	8 800	7 700	6 200	5 200	71,6	57,6	8 800	7 700	6 400	5 300	26,0
28,0	65,5	57,1	8 600	7 600	6 200	5 200	69,5	56,7	8 500	7 500	6 400	5 300	28,0
30,0	63,4	56,1	8 300	7 500	6 100	5 100	67,4	55,7	8 300	7 300	6 400	5 300	30,0
32,0	61,2	55,0	8 100	7 400	6 100	5 100	65,2	54,5	8 100	7 100	6 400	5 300	32,0
34,0	59,0	53,8	7 900	7 200	6 100	5 100	63,0	53,3	7 800	7 000	6 300	5 300	34,0
36,0	56,8	52,5	7 700	7 100	6 000	5 100	60,8	52,0	7 600	6 800	6 200	5 300	36,0
38,0	54,5	51,1	7 500	6 900	6 000	5 100	58,4	50,6	7 400	6 700	6 000	5 300	38,0
40,0	52,1	49,5	7 400	6 700	6 000	5 000	56,0	49,0	7 200	6 500	5 900	5 300	40,0
42,0	49,6	47,8	7 200	6 500	5 900	5 000	53,5	47,3	7 100	6 400	5 800	5 300	42,0
44,0	47,1	45,9	7 100	6 400	5 700	5 000	50,9	45,4	6 800	6 200	5 700	5 200	44,0
46,0	44,4	43,9	6 900	6 200	5 600	5 000	48,2	43,3	6 600	6 100	5 600	5 100	46,0
48,0	41,6	41,7	6 700	6 100	5 500	5 000	45,4	41,1	6 300	6 000	5 500	5 100	48,0
50,0	38,6	39,2	6 300	5 900	5 400	4 900	42,3	38,5	6 100	5 900	5 400	5 000	50,0
52,0	35,4	36,4	5 900	5 700	5 300	4 900	39,0	35,7	5 800	5 800	5 300	4 900	52,0
54,0	31,9	33,3	5 500	5 400	5 100	4 800	35,5	32,5	5 600	5 400	5 200	4 900	54,0
55,8	27,4	30,0	5 200	5 000	4 900	4 700	31,4	29,1	5 300	5 100	5 000	4 800	55,8
56,0	28,0	29,6	5 200	5 000	4 900		31,4	28,7	5 300	5 100	5 000	4 800	56,0
56,4	26,4	28,8	5 100	4 900	4 800		30,0	27,8	5 200	5 000	4 900	4 700	56,4
56,7	25,9	28,1	5 000	4 900			29,3	27,1	5 100	5 000	4 800	4 700	56,7
57,3	25,1	26,9	4 900				27,8	25,8	5 000	4 900	4 700	4 600	57,3
57,6							27,0	25,0	5 000	4 800	4 700		57,6
58,0							26,7	24,2	4 900	4 800			58,0
58,2							25,6	23,6	4 900	4 700			58,2
58,5							25,3	22,8	4 800				58,5
58,8													58,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



36,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
14,6							14,6
15,0							15,0
15,5							15,5
16,0							16,0
16,8							16,8
17,7							17,7
18,0							18,0
18,9							18,9
19,8							19,8
20,0							20,0
20,7							20,7
21,9							21,9
22,0							22,0
23,2	78,7	57,7	8 400				23,2
24,0	77,9	57,4	8 300				24,0
24,1	76,9	57,3	8 300	7 300			24,1
25,0	76,0	56,9	8 100	7 300	6 500		25,0
25,9	75,1	56,6	7 900	7 200	6 500	5 500	25,9
26,0	75,8	56,5	7 900	7 200	6 500	5 500	26,0
28,0	73,7	55,6	7 500	7 100	6 400	5 500	28,0
30,0	71,5	54,5	7 100	6 900	6 300	5 500	30,0
32,0	69,3	53,4	6 800	6 700	6 100	5 500	32,0
34,0	67,0	52,1	6 500	6 400	6 100	5 500	34,0
36,0	64,7	50,8	6 200	6 100	6 000	5 400	36,0
38,0	62,3	49,3	6 000	5 900	5 800	5 400	38,0
40,0	59,8	47,7	5 700	5 600	5 600	5 300	40,0
42,0	57,3	45,9	5 500	5 400	5 400	5 300	42,0
44,0	54,6	44,0	5 300	5 300	5 200	5 100	44,0
46,0	51,8	41,8	5 200	5 100	5 000	5 000	46,0
48,0	48,8	39,5	5 000	4 900	4 900	4 900	48,0
50,0	45,6	36,8	4 800	4 800	4 800	4 700	50,0
52,0	42,2	33,9	4 700	4 700	4 700	4 600	52,0
54,0	38,4	30,4	4 600	4 600	4 600	4 500	54,0
55,8	34,4	26,8	4 500	4 500	4 500	4 500	55,8
56,0	34,0	26,4	4 500	4 500	4 500	4 500	56,0
56,4	32,8	25,4	4 500	4 500	4 500	4 500	56,4
56,7	31,9	24,6	4 500	4 500	4 500	4 400	56,7
57,3	30,1	23,0	4 500	4 500	4 400	4 400	57,3
57,6	29,2	22,2	4 500	4 400	4 400	4 400	57,6
58,0	28,7	21,2	4 400	4 400	4 400	4 400	58,0
58,2	27,5	20,5	4 400	4 400	4 400	4 400	58,2
58,5	26,7	19,6	4 400	4 400	4 400		58,5
58,8	26,1	18,6	4 400	4 400			58,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

39,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	78,8	64,7	10 100										15,2
16,0	78,1	64,5	10 000										16,0
16,2	77,8	64,5	10 000	7 900									16,2
17,4	76,6	64,2	9 900	7 900	6 300								17,4
18,0	76,2	64,0	9 800	7 800	6 300								18,0
18,3	75,7	63,9	9 800	7 800	6 300	5 200							18,3
19,5	74,5	63,6	9 600	7 800	6 300	5 200	78,7	63,2	9 700				19,5
20,0	74,4	63,5	9 500	7 800	6 300	5 200	78,3	63,0	9 700				20,0
20,4	73,6	63,3	9 500	7 800	6 300	5 200	77,6	62,9	9 600	7 900			20,4
21,6	72,4	62,9	9 300	7 700	6 200	5 200	76,4	62,5	9 400	7 900	6 400		21,6
22,0	72,5	62,8	9 300	7 700	6 200	5 200	76,4	62,4	9 400	7 900	6 400		22,0
22,6	71,4	62,6	9 200	7 700	6 200	5 200	75,4	62,2	9 300	7 900	6 400	5 300	22,6
23,8	70,2	62,2	9 100	7 700	6 200	5 200	74,2	61,7	9 200	7 900	6 400	5 300	23,8
24,0	70,6	62,1	9 000	7 700	6 200	5 200	74,5	61,7	9 100	7 900	6 400	5 300	24,0
24,7	69,3	61,8	9 000	7 600	6 200	5 200	73,3	61,4	9 100	7 800	6 400	5 300	24,7
25,6	68,4	61,5	8 900	7 600	6 200	5 100	72,4	61,0	8 900	7 800	6 400	5 300	25,6
26,0	68,7	61,3	8 800	7 600	6 200	5 100	72,5	60,9	8 900	7 700	6 300	5 300	26,0
26,8	67,2	61,0	8 700	7 600	6 100	5 100	71,2	60,5	8 800	7 700	6 300	5 300	26,8
28,0	66,7	60,4	8 600	7 500	6 100	5 100	70,6	60,0	8 600	7 600	6 300	5 300	28,0
30,0	64,7	59,5	8 300	7 500	6 100	5 100	68,6	59,0	8 400	7 400	6 300	5 300	30,0
32,0	62,7	58,5	8 200	7 400	6 100	5 100	66,5	58,0	8 200	7 200	6 300	5 300	32,0
34,0	60,7	57,3	7 900	7 400	6 000	5 100	64,5	56,9	8 000	7 100	6 300	5 300	34,0
36,0	58,6	56,1	7 800	7 200	6 000	5 000	62,3	55,6	7 800	6 900	6 200	5 300	36,0
38,0	56,4	54,8	7 600	7 000	6 000	5 000	60,2	54,3	7 600	6 800	6 100	5 300	38,0
40,0	54,2	53,3	7 400	6 800	5 900	5 000	57,9	52,8	7 400	6 600	6 000	5 300	40,0
42,0	51,9	51,8	7 200	6 700	5 900	5 000	55,7	51,2	7 200	6 500	5 900	5 300	42,0
44,0	49,6	50,1	7 100	6 500	5 800	5 000	53,3	49,5	7 000	6 400	5 800	5 300	44,0
46,0	47,1	48,2	7 000	6 300	5 700	5 000	50,8	47,6	6 800	6 200	5 700	5 200	46,0
48,0	44,6	46,2	6 600	6 200	5 600	5 000	48,2	45,6	6 600	6 100	5 600	5 100	48,0
50,0	41,9	44,0	6 200	5 900	5 500	4 900	45,5	43,3	6 300	5 900	5 500	5 100	50,0
52,0	39,1	41,5	5 700	5 500	5 300	4 900	42,7	40,9	5 900	5 700	5 400	5 000	52,0
54,0	36,1	38,8	5 400	5 200	5 000	4 700	39,6	38,1	5 500	5 300	5 100	4 900	54,0
56,0	32,8	35,8	5 000	4 800	4 700	4 500	36,3	35,0	5 100	4 900	4 800	4 600	56,0
58,0	29,3	32,3	4 600	4 500	4 400	4 200	32,6	31,4	4 800	4 600	4 500	4 300	58,0
58,5	28,0	31,2	4 600	4 400	4 300	4 100	31,0	30,3	4 700	4 500	4 400	4 200	58,5
58,8	27,3	30,6	4 500	4 400	4 200		30,3	29,7	4 600	4 500	4 300	4 200	58,8
59,4	26,1	29,4	4 400	4 300			29,1	28,4	4 500	4 400	4 200	4 100	59,4
60,0	25,2	28,2	4 300				28,4	27,2	4 400	4 300	4 200	4 000	60,0
60,4							27,2	26,3	4 400	4 200	4 100		60,4
60,7							26,4	25,5	4 300	4 200			60,7
61,0							25,7	24,8	4 300	4 100			61,0
61,3							25,3	24,0	4 200				61,3
61,6													61,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



39,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,2							15,2
16,0							16,0
16,2							16,2
17,4							17,4
18,0							18,0
18,3							18,3
19,5							19,5
20,0							20,0
20,4							20,4
21,6							21,6
22,0							22,0
22,6							22,6
23,8	78,7	60,6	8 400				23,8
24,0	78,5	60,6	8 400				24,0
24,7	77,3	60,3	8 200	7 300			24,7
25,6	76,4	59,9	8 100	7 300	6 500		25,6
26,0	76,5	59,8	8 000	7 200	6 500		26,0
26,8	75,2	59,4	7 900	7 200	6 500	5 400	26,8
28,0	74,5	58,9	7 600	7 100	6 400	5 400	28,0
30,0	72,5	57,9	7 300	7 000	6 300	5 400	30,0
32,0	70,4	56,8	7 000	6 800	6 200	5 400	32,0
34,0	68,3	55,7	6 600	6 500	6 100	5 400	34,0
36,0	66,1	54,4	6 400	6 300	6 000	5 400	36,0
38,0	63,9	53,0	6 100	6 000	5 900	5 400	38,0
40,0	61,6	51,5	5 900	5 800	5 700	5 400	40,0
42,0	59,3	49,9	5 700	5 600	5 500	5 300	42,0
44,0	56,8	48,1	5 500	5 400	5 300	5 200	44,0
46,0	54,3	46,2	5 300	5 200	5 200	5 100	46,0
48,0	51,6	44,1	5 100	5 100	5 000	5 000	48,0
50,0	48,8	41,7	5 000	4 900	4 900	4 900	50,0
52,0	45,8	39,2	4 900	4 800	4 800	4 700	52,0
54,0	42,6	36,3	4 700	4 700	4 700	4 600	54,0
56,0	39,0	33,0	4 600	4 600	4 600	4 500	56,0
58,0	35,1	29,1	4 500	4 500	4 500	4 400	58,0
58,5	33,7	27,9	4 500	4 500	4 400	4 300	58,5
58,8	32,9	27,2	4 500	4 400	4 400	4 300	58,8
59,4	31,4	25,8	4 400	4 400	4 300	4 200	59,4
60,0	30,4	24,5	4 400	4 300	4 200	4 100	60,0
60,4	28,9	23,4	4 400	4 300	4 200	4 000	60,4
60,7	27,9	22,5	4 300	4 200	4 100	4 000	60,7
61,0	26,9	21,6	4 300	4 200	4 100		61,0
61,3	26,0	20,7	4 200	4 100			61,3
61,6	25,9	19,8	4 200				61,6

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

42,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,8	78,7	67,6	10 000										15,8
16,0	78,6	67,6	10 000										16,0
16,8	77,2	67,4	9 900	7 800									16,8
18,0	76,9	67,1	9 800	7 800	6 200								18,0
19,2	75,4	66,8	9 600	7 700	6 200	5 200							19,2
19,8	75,1	66,6	9 500	7 700	6 200	5 200	79,0	66,2	9 600				19,8
20,0	75,1	66,6	9 500	7 700	6 200	5 200	78,8	66,1	9 600				20,0
21,0	74,0	66,3	9 400	7 700	6 200	5 200	77,5	65,8	9 500	7 900			21,0
22,0	73,3	66,0	9 300	7 700	6 200	5 100	77,0	65,5	9 400	7 800			22,0
22,3	72,7	65,8	9 200	7 700	6 200	5 100	76,7	65,4	9 400	7 800	6 300		22,3
23,2	71,8	65,5	9 100	7 600	6 200	5 100	75,8	65,1	9 300	7 800	6 300	5 300	23,2
24,0	71,5	65,3	9 000	7 600	6 200	5 100	75,2	64,8	9 200	7 800	6 300	5 200	24,0
24,1	70,9	65,2	9 000	7 600	6 200	5 100	74,9	64,8	9 200	7 800	6 300	5 200	24,1
25,3	69,7	64,8	8 900	7 600	6 100	5 100	73,7	64,3	9 000	7 800	6 300	5 200	25,3
26,0	69,7	64,5	8 800	7 600	6 100	5 100	73,4	64,1	9 000	7 800	6 300	5 200	26,0
26,2	68,8	64,4	8 800	7 500	6 100	5 100	72,8	64,0	8 900	7 800	6 300	5 200	26,2
27,4	67,6	64,0	8 600	7 500	6 100	5 100	71,6	63,5	8 800	7 700	6 300	5 200	27,4
28,0	67,8	63,7	8 600	7 500	6 100	5 100	71,5	63,3	8 700	7 600	6 300	5 200	28,0
30,0	65,9	62,8	8 400	7 400	6 100	5 100	69,6	62,4	8 500	7 500	6 300	5 200	30,0
32,0	64,0	61,8	8 100	7 400	6 000	5 100	67,7	61,4	8 300	7 300	6 300	5 200	32,0
34,0	62,1	60,8	7 900	7 300	6 000	5 000	65,7	60,3	8 100	7 100	6 300	5 200	34,0
36,0	60,1	59,6	7 800	7 200	6 000	5 000	63,7	59,1	7 900	7 000	6 300	5 200	36,0
38,0	58,1	58,4	7 600	7 100	5 900	5 000	61,7	57,9	7 700	6 900	6 200	5 200	38,0
40,0	56,1	57,0	7 400	6 900	5 900	5 000	59,6	56,5	7 500	6 700	6 100	5 200	40,0
42,0	53,9	55,6	7 300	6 800	5 900	5 000	57,5	55,0	7 400	6 600	6 000	5 200	42,0
44,0	51,8	54,0	7 100	6 600	5 900	4 900	55,3	53,4	7 200	6 500	5 900	5 200	44,0
46,0	49,5	52,3	6 900	6 400	5 800	4 900	53,0	51,7	7 000	6 300	5 800	5 200	46,0
48,0	47,2	50,4	6 400	6 100	5 700	4 900	50,7	49,8	6 600	6 200	5 700	5 200	48,0
50,0	44,8	48,4	6 000	5 700	5 400	4 900	48,2	47,8	6 200	5 900	5 500	5 100	50,0
52,0	42,2	46,2	5 600	5 300	5 100	4 900	45,6	45,6	5 700	5 500	5 300	5 000	52,0
54,0	39,6	43,8	5 200	5 000	4 800	4 600	42,9	43,1	5 300	5 100	4 900	4 700	54,0
56,0	36,7	41,2	4 800	4 600	4 400	4 300	40,0	40,5	5 000	4 800	4 600	4 400	56,0
60,0	30,3	34,9	4 200	4 000	3 900	3 700	33,5	34,0	4 300	4 100	4 000	3 800	60,0
61,3	27,5	32,4	4 000	3 800	3 700	3 600	30,5	31,2	4 100	3 900	3 800	3 700	61,3
61,6	26,8	31,8	3 900	3 800	3 700		29,9	30,6	4 000	3 900	3 800	3 600	61,6
62,2	25,6	30,6	3 800	3 700			28,6	29,2	3 900	3 800	3 700	3 500	62,2
62,5	25,6	30,0	3 800				28,0	28,5	3 900	3 800	3 600	3 500	62,5
62,8							27,4	27,9	3 800	3 700	3 600	3 500	62,8
63,1							26,8	27,2	3 800	3 700	3 500		63,1
63,4							26,2	26,5	3 700	3 600			63,4
63,7							25,6	25,9	3 700				63,7
64,0							25,2	25,2	3 700				64,0
64,3													64,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

42,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,8							15,8
16,0							16,0
16,8							16,8
18,0							18,0
19,2							19,2
19,8							19,8
20,0							20,0
21,0							21,0
22,0							22,0
22,3							22,3
23,2							23,2
24,0							24,0
24,1	79,0	63,7	8 400				24,1
25,3	77,4	63,2	8 200	7 300			25,3
26,0	77,2	62,9	8 200	7 200			26,0
26,2	76,8	62,9	8 100	7 200	6 500		26,2
27,4	75,6	62,4	7 900	7 200	6 400	5 300	27,4
28,0	75,3	62,1	7 800	7 100	6 400	5 300	28,0
30,0	73,4	61,2	7 400	7 000	6 300	5 300	30,0
32,0	71,4	60,2	7 100	6 900	6 200	5 300	32,0
34,0	69,4	59,1	6 800	6 700	6 200	5 300	34,0
36,0	67,4	57,9	6 500	6 400	6 100	5 300	36,0
38,0	65,3	56,6	6 300	6 200	6 000	5 300	38,0
40,0	63,2	55,2	6 100	6 000	5 900	5 300	40,0
42,0	61,0	53,7	5 800	5 700	5 700	5 300	42,0
44,0	58,7	52,1	5 600	5 600	5 500	5 300	44,0
46,0	56,4	50,3	5 500	5 400	5 300	5 200	46,0
48,0	53,9	48,4	5 300	5 200	5 200	5 100	48,0
50,0	51,4	46,2	5 100	5 100	5 000	5 000	50,0
52,0	48,7	43,9	5 000	4 900	4 900	4 800	52,0
54,0	45,9	41,4	4 900	4 800	4 800	4 700	54,0
56,0	42,9	38,6	4 700	4 700	4 600	4 500	56,0
60,0	36,0	31,7	4 300	4 200	4 100	3 900	60,0
61,3	32,2	28,6	4 100	4 000	3 900	3 700	61,3
61,6	31,5	27,9	4 100	4 000	3 800	3 700	61,6
62,2	30,1	26,4	4 000	3 900	3 700	3 600	62,2
62,5	29,4	25,7	3 900	3 800	3 700	3 600	62,5
62,8	28,7	24,9	3 900	3 800	3 600	3 500	62,8
63,1	28,0	24,2	3 800	3 700	3 600	3 500	63,1
63,4	27,3	23,4	3 800	3 700	3 500	3 400	63,4
63,7	26,7	22,7	3 700	3 600	3 500		63,7
64,0	26,7	21,9	3 700	3 600			64,0
64,3	25,8	20,9	3 600				64,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

45,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,2	79,0	70,6	9 900										16,2
17,4	77,3	70,3	9 800	7 700									17,4
18,0	77,4	70,2	9 700	7 700									18,0
18,6	76,4	70,0	9 600	7 700	6 200								18,6
19,8	75,2	69,7	9 500	7 700	6 200	5 100							19,8
20,0	75,7	69,7	9 500	7 700	6 200	5 100							20,0
20,4	74,8	69,5	9 400	7 700	6 200	5 100	78,9	69,1	9 600				20,4
21,6	74,2	69,2	9 300	7 600	6 100	5 100	77,3	68,8	9 400	7 800			21,6
22,0	74,0	69,1	9 200	7 600	6 100	5 100	77,6	68,6	9 400	7 800			22,0
22,9	73,1	68,8	9 100	7 600	6 100	5 100	76,1	68,3	9 300	7 800	6 300		22,9
24,0	72,3	68,4	9 000	7 500	6 100	5 100	75,9	68,0	9 200	7 800	6 300		24,0
24,1	71,9	68,4	9 000	7 500	6 100	5 100	75,0	68,0	9 200	7 800	6 300	5 200	24,1
24,7	71,3	68,2	8 900	7 500	6 100	5 100	74,7	67,7	9 100	7 800	6 200	5 200	24,7
25,9	70,1	67,8	8 800	7 500	6 100	5 100	74,1	67,3	9 000	7 700	6 200	5 200	25,9
26,0	70,6	67,7	8 800	7 500	6 100	5 100	74,1	67,3	9 000	7 700	6 200	5 200	26,0
27,1	68,9	67,3	8 700	7 500	6 000	5 100	72,9	66,8	8 900	7 700	6 200	5 200	27,1
28,0	68,8	66,9	8 600	7 500	6 000	5 000	72,3	66,5	8 800	7 700	6 200	5 200	28,0
30,0	67,0	66,1	8 300	7 400	6 000	5 000	70,6	65,6	8 600	7 500	6 200	5 200	30,0
32,0	65,2	65,2	8 100	7 300	6 000	5 000	68,7	64,7	8 400	7 400	6 200	5 200	32,0
34,0	63,4	64,2	8 000	7 300	6 000	5 000	66,9	63,7	8 200	7 200	6 200	5 200	34,0
36,0	61,5	63,1	7 800	7 200	5 900	5 000	65,0	62,6	8 000	7 100	6 200	5 200	36,0
38,0	59,6	61,9	7 600	7 200	5 900	4 900	63,1	61,4	7 800	6 900	6 200	5 200	38,0
40,0	57,7	60,6	7 500	7 000	5 900	4 900	61,1	60,1	7 600	6 800	6 100	5 200	40,0
42,0	55,7	59,3	7 300	6 900	5 800	4 900	59,1	58,7	7 500	6 700	6 000	5 200	42,0
44,0	53,7	57,8	7 100	6 700	5 800	4 900	57,1	57,2	7 300	6 500	5 900	5 200	44,0
46,0	51,6	56,2	6 800	6 500	5 800	4 900	55,0	55,6	7 000	6 400	5 800	5 200	46,0
48,0	49,4	54,5	6 300	6 000	5 600	4 900	52,8	53,9	6 500	6 100	5 800	5 200	48,0
50,0	47,2	52,6	5 800	5 600	5 300	4 800	50,6	52,1	6 100	5 800	5 500	5 100	50,0
52,0	44,9	50,6	5 400	5 200	4 900	4 700	48,2	50,0	5 600	5 400	5 100	4 900	52,0
54,0	42,5	48,5	5 000	4 800	4 600	4 400	45,8	47,8	5 200	5 000	4 800	4 600	54,0
56,0	40,0	46,1	4 700	4 500	4 300	4 100	43,2	45,4	4 800	4 600	4 400	4 200	56,0
58,0	37,3	43,5	4 300	4 100	4 000	3 800	40,5	42,8	4 500	4 300	4 100	3 900	58,0
60,0	34,4	40,6	4 000	3 900	3 700	3 500	37,5	39,8	4 100	4 000	3 800	3 700	60,0
63,7	27,5	34,2	3 500	3 400	3 200	3 100	30,5	33,3	3 600	3 500	3 300	3 200	63,7
64,0	27,9	33,7	3 400	3 300	3 200		30,8	32,8	3 500	3 400	3 300	3 200	64,0
64,3	26,5	33,1	3 400	3 300	3 200		29,4	32,0	3 500	3 400	3 200	3 100	64,3
64,9	25,5	31,8	3 300	3 200			28,3	30,6	3 400	3 300	3 200	3 000	64,9
65,2	25,5	31,2	3 300				27,8	29,9	3 400	3 200	3 100	3 000	65,2
65,8							26,7	28,5	3 300	3 200	3 100		65,8
66,1							26,1	27,8	3 200	3 100			66,1
66,5							25,5	27,0	3 200				66,5
66,8							25,1	26,3	3 200				66,8
67,1													67,1

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

45,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,2							16,2
17,4							17,4
18,0							18,0
18,6							18,6
19,8							19,8
20,0							20,0
20,4							20,4
21,6							21,6
22,0							22,0
22,9							22,9
24,0							24,0
24,1							24,1
24,7	78,9	66,6	8 400				24,7
25,9	77,1	66,1	8 300	7 300			25,9
26,0	77,8	66,1	8 300	7 300			26,0
27,1	75,9	65,7	8 100	7 200	6 400		27,1
28,0	76,0	65,3	7 900	7 200	6 400	5 100	28,0
30,0	74,1	64,4	7 500	7 100	6 300	5 100	30,0
32,0	72,3	63,5	7 200	7 000	6 300	5 100	32,0
34,0	70,4	62,4	6 900	6 800	6 200	5 100	34,0
36,0	68,5	61,3	6 700	6 600	6 100	5 100	36,0
38,0	66,5	60,1	6 400	6 300	6 000	5 100	38,0
40,0	64,5	58,8	6 200	6 100	5 900	5 100	40,0
42,0	62,5	57,4	6 000	5 900	5 800	5 100	42,0
44,0	60,4	55,9	5 800	5 700	5 600	5 100	44,0
46,0	58,2	54,2	5 600	5 500	5 400	5 100	46,0
48,0	56,0	52,5	5 400	5 400	5 300	5 100	48,0
50,0	53,7	50,5	5 300	5 200	5 100	5 000	50,0
52,0	51,2	48,4	5 100	5 100	5 000	4 900	52,0
54,0	48,7	46,2	5 000	4 900	4 800	4 700	54,0
56,0	46,0	43,7	4 800	4 700	4 600	4 400	56,0
58,0	43,2	40,9	4 600	4 400	4 200	4 100	58,0
60,0	40,1	37,8	4 300	4 100	3 900	3 800	60,0
63,7	32,6	30,8	3 700	3 500	3 400	3 300	63,7
64,0	32,9	30,2	3 600	3 500	3 300	3 200	64,0
64,3	31,3	29,4	3 600	3 400	3 300	3 200	64,3
64,9	29,9	27,7	3 500	3 300	3 200	3 100	64,9
65,2	29,2	26,9	3 400	3 300	3 200	3 100	65,2
65,8	27,8	25,3	3 300	3 200	3 100	3 000	65,8
66,1	27,1	24,5	3 300	3 200	3 100	2 900	66,1
66,5	26,4	23,7	3 200	3 100	3 000		66,5
66,8	25,7	22,9	3 200	3 100			66,8
67,1	25,6	22,0	3 100				67,1

REFERENCE ONLY!

MLC150-1 S-2

Manitowoc®

134 + B10

50 120 kg + 15 880 kg

360°

48,0 m

24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	78,9	73,6	9 700										16,8
18,0	78,0	73,3	9 600	7 600									18,0
19,2	76,4	73,0	9 500	7 600	6 100								19,2
20,0	76,3	72,8	9 400	7 600	6 100								20,0
20,4	75,6	72,7	9 400	7 600	6 100	5 100							20,4
21,0	75,0	72,5	9 300	7 500	6 100	5 100	78,9	72,1	9 400				21,0
22,0	74,7	72,2	9 200	7 500	6 100	5 100	78,1	71,8	9 400				22,0
22,3	73,9	72,1	9 200	7 500	6 100	5 000	77,7	71,7	9 400	7 700			22,3
23,5	73,3	71,8	9 000	7 500	6 100	5 000	76,5	71,3	9 200	7 700	6 200		23,5
24,0	73,1	71,6	9 000	7 500	6 000	5 000	76,5	71,2	9 200	7 700	6 200		24,0
24,7	72,3	71,4	8 900	7 500	6 000	5 000	75,3	70,9	9 100	7 700	6 200	5 100	24,7
25,3	71,7	71,2	8 800	7 400	6 000	5 000	74,7	70,7	9 000	7 700	6 200	5 100	25,3
26,0	71,4	70,9	8 800	7 400	6 000	5 000	74,8	70,5	9 000	7 700	6 200	5 100	26,0
26,5	70,5	70,8	8 700	7 400	6 000	5 000	73,8	70,3	8 900	7 700	6 200	5 100	26,5
27,7	69,3	70,3	8 600	7 400	6 000	5 000	73,2	69,8	8 800	7 600	6 200	5 100	27,7
28,0	69,7	70,2	8 500	7 400	6 000	5 000	73,1	69,7	8 800	7 600	6 200	5 100	28,0
29,0	68,5	69,8	8 400	7 400	6 000	5 000	72,0	69,3	8 700	7 600	6 200	5 100	29,0
30,0	68,0	69,4	8 300	7 300	6 000	5 000	71,4	68,9	8 600	7 500	6 200	5 100	30,0
32,0	66,3	68,5	8 100	7 300	5 900	5 000	69,7	68,0	8 400	7 400	6 200	5 100	32,0
34,0	64,6	67,5	7 900	7 200	5 900	4 900	67,9	67,1	8 300	7 300	6 200	5 100	34,0
36,0	62,8	66,5	7 800	7 200	5 900	4 900	66,2	66,0	8 100	7 100	6 200	5 100	36,0
38,0	61,0	65,4	7 600	7 100	5 800	4 900	64,3	64,9	7 900	7 000	6 200	5 100	38,0
40,0	59,2	64,2	7 500	7 100	5 800	4 900	62,5	63,7	7 700	6 900	6 200	5 100	40,0
42,0	57,3	62,9	7 300	6 900	5 800	4 900	60,6	62,4	7 600	6 700	6 100	5 100	42,0
44,0	55,4	61,5	7 000	6 700	5 800	4 900	58,7	61,0	7 300	6 600	6 000	5 100	44,0
46,0	53,5	60,1	6 600	6 300	5 700	4 900	56,7	59,5	6 900	6 500	5 900	5 100	46,0
48,0	51,5	58,5	6 100	5 800	5 400	4 800	54,7	57,9	6 400	6 000	5 700	5 100	48,0
50,0	49,4	56,7	5 700	5 400	5 100	4 700	52,6	56,2	5 900	5 600	5 300	5 000	50,0
52,0	47,3	54,9	5 200	5 000	4 700	4 500	50,5	54,3	5 500	5 200	4 900	4 700	52,0
54,0	45,1	52,9	4 800	4 600	4 400	4 200	48,2	52,3	5 000	4 800	4 600	4 400	54,0
56,0	42,8	50,8	4 500	4 300	4 100	3 900	45,9	50,1	4 700	4 500	4 200	4 000	56,0
58,0	40,3	48,4	4 100	3 900	3 800	3 600	43,4	47,7	4 300	4 100	3 900	3 700	58,0
62,0	35,1	43,1	3 500	3 400	3 200	3 100	38,1	42,3	3 700	3 500	3 400	3 200	62,0
66,0	29,0	36,4	3 000	2 900	2 800	2 600	31,9	35,5	3 100	3 000	2 900	2 700	66,0
66,5	27,3	35,5	3 000	2 800	2 700	2 600	30,2	34,5	3 100	2 900	2 800	2 700	66,5
67,1	26,4	34,2	2 900	2 800	2 600		29,2	33,1	3 000	2 800	2 700	2 600	67,1
67,7	25,5	33,0	2 800	2 700			28,1	31,7	2 900	2 800	2 700	2 500	67,7
68,0	25,5	32,4	2 800				27,6	31,0	2 900	2 700	2 600	2 500	68,0
68,6							26,6	29,6	2 800	2 700	2 500		68,6
68,9							26,0	29,0	2 700	2 600			68,9
69,2							25,5	28,3	2 700				69,2
69,5							25,1	27,6	2 700				69,5
69,8													69,8

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

48,0 m



24,4 m



25°



m	°	m	0° kg	1° kg	2° kg	3° kg	m
16,8							16,8
18,0							18,0
19,2							19,2
20,0							20,0
20,4							20,4
21,0							21,0
22,0							22,0
22,3							22,3
23,5							23,5
24,0							24,0
24,7							24,7
25,3	78,9	69,5	8 300				25,3
26,0	78,3	69,3	8 300				26,0
26,5	77,5	69,1	8 200	7 300			26,5
27,7	76,3	68,6	8 100	7 200	6 300		27,7
28,0	76,6	68,5	8 000	7 200	6 300		28,0
29,0	75,0	68,1	7 800	7 100	6 300	4 800	29,0
30,0	74,9	67,7	7 700	7 100	6 300	4 800	30,0
32,0	73,1	66,8	7 400	7 000	6 300	4 800	32,0
34,0	71,3	65,8	7 100	6 900	6 200	4 800	34,0
36,0	69,5	64,8	6 800	6 700	6 100	4 800	36,0
38,0	67,7	63,6	6 600	6 500	6 000	4 800	38,0
40,0	65,8	62,4	6 300	6 200	6 000	4 800	40,0
42,0	63,9	61,1	6 100	6 000	5 900	4 800	42,0
44,0	61,9	59,6	5 900	5 800	5 700	4 800	44,0
46,0	59,9	58,1	5 700	5 700	5 600	4 800	46,0
48,0	57,8	56,4	5 600	5 500	5 400	4 800	48,0
50,0	55,6	54,7	5 400	5 300	5 300	4 800	50,0
52,0	53,4	52,7	5 300	5 200	5 100	4 800	52,0
54,0	51,1	50,7	5 100	4 900	4 800	4 500	54,0
56,0	48,7	48,4	4 800	4 600	4 400	4 200	56,0
58,0	46,1	45,9	4 500	4 300	4 100	3 900	58,0
62,0	40,6	40,2	3 800	3 600	3 500	3 300	62,0
66,0	33,9	33,0	3 200	3 100	2 900	2 800	66,0
66,5	32,1	31,8	3 100	3 000	2 900	2 700	66,5
67,1	30,8	30,3	3 000	2 900	2 800	2 700	67,1
67,7	29,5	28,7	3 000	2 800	2 700	2 600	67,7
68,0	28,9	28,0	2 900	2 800	2 700	2 600	68,0
68,6	27,6	26,4	2 800	2 700	2 600	2 500	68,6
68,9	26,9	25,6	2 800	2 700	2 600		68,9
69,2	26,3	24,8	2 700	2 600	2 500		69,2
69,5	25,7	24,1	2 700	2 600			69,5
69,8	25,6	23,3	2 600				69,8

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

51,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
17,4	78,9	76,5	9 600										17,4
18,0	78,4	76,3	9 500										18,0
18,6	77,4	76,2	9 500	7 500									18,6
20,0	76,9	75,9	9 400	7 500									20,0
20,1	76,0	75,8	9 300	7 500	6 000								20,1
21,3	75,4	75,5	9 200	7 500	6 000	5 000							21,3
21,6	75,2	75,4	9 200	7 500	6 000	5 000	78,9	75,0	9 300				21,6
22,0	75,3	75,3	9 200	7 500	6 000	5 000	78,6	74,9	9 300				22,0
22,9	74,1	75,1	9 100	7 400	6 000	5 000	77,6	74,6	9 200	7 600			22,9
24,0	73,8	74,8	8 900	7 400	6 000	5 000	77,0	74,3	9 100	7 600			24,0
24,1	73,0	74,7	8 900	7 400	6 000	5 000	76,9	74,3	9 100	7 600	6 100		24,1
25,6	72,2	74,2	8 800	7 400	6 000	5 000	75,4	73,8	9 000	7 600	6 100	5 100	25,6
25,9	72,1	74,1	8 700	7 400	5 900	5 000	75,1	73,7	9 000	7 600	6 100	5 100	25,9
26,0	72,2	74,1	8 700	7 400	5 900	5 000	75,4	73,6	9 000	7 600	6 100	5 100	26,0
27,1	70,9	73,7	8 600	7 300	5 900	5 000	73,9	73,2	8 900	7 600	6 100	5 100	27,1
28,0	70,6	73,4	8 500	7 300	5 900	4 900	73,8	72,9	8 800	7 600	6 100	5 100	28,0
28,3	69,7	73,3	8 500	7 300	5 900	4 900	72,9	72,8	8 800	7 600	6 100	5 100	28,3
29,6	68,4	72,8	8 400	7 300	5 900	4 900	72,2	72,3	8 600	7 600	6 100	5 100	29,6
30,0	69,0	72,6	8 300	7 300	5 900	4 900	72,2	72,1	8 600	7 500	6 100	5 100	30,0
32,0	67,3	71,8	8 100	7 200	5 900	4 900	70,6	71,3	8 400	7 500	6 100	5 100	32,0
34,0	65,7	70,9	8 000	7 200	5 900	4 900	68,9	70,4	8 300	7 300	6 100	5 100	34,0
36,0	64,0	69,9	7 800	7 100	5 800	4 900	67,2	69,4	8 200	7 200	6 100	5 100	36,0
38,0	62,3	68,8	7 600	7 100	5 800	4 900	65,5	68,3	8 000	7 000	6 100	5 100	38,0
40,0	60,5	67,7	7 500	7 000	5 800	4 800	63,7	67,2	7 800	6 900	6 100	5 100	40,0
42,0	58,8	66,5	7 300	7 000	5 800	4 800	62,0	66,0	7 700	6 800	6 100	5 100	42,0
44,0	57,0	65,2	6 900	6 600	5 700	4 800	60,1	64,6	7 300	6 600	6 000	5 100	44,0
46,0	55,1	63,8	6 400	6 100	5 600	4 800	58,3	63,2	6 700	6 400	5 900	5 100	46,0
50,0	51,3	60,7	5 500	5 200	4 900	4 600	54,4	60,1	5 800	5 400	5 200	4 900	50,0
54,0	47,3	57,1	4 700	4 400	4 200	4 000	50,4	56,5	4 900	4 600	4 400	4 200	54,0
58,0	43,0	53,0	4 000	3 800	3 600	3 400	46,0	52,3	4 200	4 000	3 700	3 600	58,0
62,0	38,2	48,2	3 400	3 200	3 000	2 900	41,2	47,4	3 500	3 400	3 200	3 000	62,0
66,0	32,9	42,4	2 800	2 700	2 600	2 400	35,8	41,5	3 000	2 800	2 700	2 500	66,0
69,2	27,2	36,6	2 500	2 300	2 200	2 100	30,2	35,6	2 600	2 400	2 300	2 200	69,2
69,8	26,3	35,5	2 400	2 300	2 200		29,3	34,5	2 500	2 400	2 200	2 100	69,8
70,0	26,7	35,1	2 400	2 300			29,4	34,1	2 500	2 300	2 200	2 100	70,0
70,1	25,9	34,9	2 400	2 200			28,8	33,8	2 400	2 300	2 200	2 100	70,1
70,7	25,4	33,6	2 300				27,5	32,4	2 400	2 300	2 100	2 000	70,7
71,0							26,9	31,7	2 300	2 200	2 100		71,0
71,3							26,3	31,0	2 300	2 200			71,3
71,6							25,6	30,3	2 300	2 200			71,6
71,9							25,6	29,6	2 200				71,9
72,2													72,2
72,5													72,5

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°



51,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
17,4							17,4
18,0							18,0
18,6							18,6
20,0							20,0
20,1							20,1
21,3							21,3
21,6							21,6
22,0							22,0
22,9							22,9
24,0							24,0
24,1							24,1
25,6							25,6
25,9	78,9	72,5	8 300				25,9
26,0	78,8	72,4	8 300				26,0
27,1	77,5	72,0	8 200	7 200			27,1
28,0	77,2	71,7	8 100	7 200			28,0
28,3	76,7	71,6	8 100	7 200	5 900		28,3
29,6	75,4	71,1	7 900	7 100	5 900	4 600	29,6
30,0	75,5	70,9	7 800	7 100	5 900	4 600	30,0
32,0	73,8	70,1	7 500	7 000	5 900	4 600	32,0
34,0	72,1	69,1	7 200	6 900	5 900	4 600	34,0
36,0	70,4	68,1	6 900	6 800	5 900	4 600	36,0
38,0	68,7	67,0	6 700	6 600	5 900	4 600	38,0
40,0	66,9	65,9	6 500	6 400	5 900	4 600	40,0
42,0	65,1	64,6	6 300	6 200	5 900	4 600	42,0
44,0	63,2	63,3	6 100	6 000	5 800	4 600	44,0
46,0	61,3	61,8	5 900	5 800	5 700	4 600	46,0
50,0	57,4	58,6	5 500	5 400	5 300	4 600	50,0
54,0	53,2	54,9	5 100	4 900	4 600	4 300	54,0
58,0	48,7	50,6	4 300	4 100	3 900	3 700	58,0
62,0	43,7	45,5	3 700	3 500	3 300	3 200	62,0
66,0	38,0	39,3	3 100	2 900	2 800	2 600	66,0
69,2	32,2	32,9	2 600	2 500	2 400	2 300	69,2
69,8	31,3	31,7	2 500	2 400	2 300	2 200	69,8
70,0	31,1	31,3	2 500	2 400	2 300	2 200	70,0
70,1	30,8	31,0	2 500	2 400	2 300	2 200	70,1
70,7	29,3	29,4	2 400	2 300	2 200	2 100	70,7
71,0	28,6	28,5	2 400	2 300	2 200	2 100	71,0
71,3	27,9	27,7	2 300	2 200	2 100	2 000	71,3
71,6	27,1	26,9	2 300	2 200	2 100		71,6
71,9	26,4	26,1	2 300	2 200			71,9
72,2	25,7	25,2	2 200	2 100			72,2
72,5	25,4	24,4	2 200				72,5

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

54,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,0	78,9	79,4	9 400										18,0
19,2	77,4	79,2	9 300	7 400									19,2
20,0	77,4	79,0	9 300	7 400									20,0
20,7	76,3	78,8	9 200	7 400	5 900								20,7
21,9	75,1	78,5	9 100	7 400	5 900	4 900							21,9
22,0	75,9	78,5	9 100	7 400	5 900	4 900							22,0
22,3	74,9	78,4	9 100	7 400	5 900	4 900	78,9	77,9	9 200				22,3
23,5	74,3	78,0	8 900	7 300	5 900	4 900	77,3	77,6	9 100	7 500			23,5
24,0	74,4	77,9	8 900	7 300	5 900	4 900	77,5	77,4	9 100	7 500			24,0
25,0	73,0	77,6	8 800	7 300	5 900	4 900	76,5	77,1	9 000	7 500	6 100		25,0
26,0	72,9	77,3	8 700	7 300	5 900	4 900	76,0	76,8	8 900	7 500	6 100		26,0
26,2	71,9	77,2	8 700	7 300	5 900	4 900	75,8	76,7	8 900	7 500	6 100	4 900	26,2
26,5	71,8	77,1	8 600	7 300	5 900	4 900	75,5	76,6	8 900	7 500	6 100	4 900	26,5
27,7	71,2	76,7	8 500	7 300	5 900	4 900	74,3	76,2	8 800	7 500	6 100	4 900	27,7
28,0	71,3	76,6	8 500	7 200	5 900	4 900	74,5	76,1	8 800	7 500	6 100	4 900	28,0
29,0	70,0	76,2	8 400	7 200	5 800	4 900	73,0	75,7	8 700	7 500	6 100	4 900	29,0
30,0	69,8	75,9	8 300	7 200	5 800	4 900	72,9	75,4	8 600	7 500	6 100	4 900	30,0
30,2	68,9	75,8	8 300	7 200	5 800	4 900	71,9	75,3	8 600	7 500	6 100	4 900	30,2
32,0	68,2	75,1	8 100	7 100	5 800	4 900	71,3	74,6	8 400	7 400	6 100	4 900	32,0
34,0	66,7	74,2	7 900	7 100	5 800	4 900	69,8	73,7	8 300	7 300	6 100	4 900	34,0
36,0	65,1	73,3	7 800	7 100	5 800	4 800	68,1	72,8	8 200	7 200	6 100	4 900	36,0
38,0	63,4	72,2	7 600	7 000	5 700	4 800	66,5	71,7	8 000	7 100	6 100	4 900	38,0
40,0	61,8	71,2	7 400	7 000	5 700	4 800	64,9	70,7	7 800	7 000	6 100	4 900	40,0
42,0	60,1	70,0	7 300	6 800	5 700	4 800	63,2	69,5	7 600	6 900	6 100	4 900	42,0
44,0	58,4	68,8	6 800	6 400	5 700	4 800	61,4	68,2	7 200	6 600	6 000	4 900	44,0
48,0	54,9	66,1	5 800	5 400	5 100	4 700	57,9	65,5	6 100	5 700	5 400	4 900	48,0
52,0	51,2	62,9	4 900	4 600	4 300	4 100	54,2	62,4	5 100	4 800	4 600	4 300	52,0
56,0	47,3	59,4	4 100	3 900	3 700	3 400	50,3	58,8	4 400	4 100	3 900	3 700	56,0
60,0	43,2	55,3	3 500	3 300	3 100	2 900	46,1	54,6	3 700	3 500	3 300	3 100	60,0
64,0	38,7	50,5	2 900	2 700	2 600	2 400	41,5	49,8	3 100	2 900	2 700	2 600	64,0
68,0	33,7	44,9	2 400	2 300	2 100	2 000	36,4	44,0	2 500	2 400	2 300	2 100	68,0
71,6	27,6	38,5	2 000	1 900	1 700	1 600	30,6	37,5	2 100	2 000	1 800	1 700	71,6
72,0	27,8	37,9	2 000	1 800	1 700		30,4	36,9	2 100	1 900	1 800	1 700	72,0
72,2	26,7	37,4	1 900	1 800	1 700		29,6	36,3	2 000	1 900	1 800	1 600	72,2
72,9	25,8	36,1	1 900	1 700			28,4	34,9	2 000	1 800	1 700	1 600	72,9
73,2	25,4	35,5	1 800				27,9	34,3	1 900	1 800	1 700	1 500	73,2
73,5	25,4	34,8	1 800				27,3	33,6	1 900	1 800	1 600		73,5
73,8							26,7	32,9	1 800	1 700	1 600		73,8
74,1							26,1	32,2	1 800	1 700			74,1
74,4							25,6	31,5	1 800	1 600			74,4
74,7							25,6	30,8	1 700				74,7
75,0													75,0
75,3													75,3

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

54,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,0							18,0
19,2							19,2
20,0							20,0
20,7							20,7
21,9							21,9
22,0							22,0
22,3							22,3
23,5							23,5
24,0							24,0
25,0							25,0
26,0							26,0
26,2							26,2
26,5	78,9	75,4	8 300				26,5
27,7	77,2	75,0	8 200	7 200			27,7
28,0	77,7	74,9	8 200	7 200			28,0
29,0	76,5	74,5	8 000	7 100	5 600		29,0
30,0	76,1	74,1	7 900	7 100	5 600		30,0
30,2	75,8	74,1	7 900	7 100	5 600	4 200	30,2
32,0	74,5	73,3	7 600	7 000	5 600	4 200	32,0
34,0	72,9	72,4	7 300	6 900	5 600	4 200	34,0
36,0	71,3	71,5	7 100	6 800	5 600	4 200	36,0
38,0	69,6	70,4	6 800	6 700	5 600	4 200	38,0
40,0	67,9	69,3	6 600	6 500	5 600	4 200	40,0
42,0	66,2	68,1	6 400	6 300	5 600	4 200	42,0
44,0	64,4	66,9	6 200	6 100	5 600	4 200	44,0
48,0	60,8	64,1	5 800	5 700	5 500	4 200	48,0
52,0	57,0	60,8	5 400	5 100	4 800	4 200	52,0
56,0	53,0	57,2	4 600	4 300	4 100	3 900	56,0
60,0	48,7	52,9	3 900	3 600	3 400	3 200	60,0
64,0	43,9	47,9	3 200	3 000	2 900	2 700	64,0
68,0	38,5	41,8	2 700	2 500	2 400	2 200	68,0
71,6	32,6	34,9	2 200	2 100	1 900	1 800	71,6
72,0	32,2	34,2	2 100	2 000	1 900	1 700	72,0
72,2	31,5	33,6	2 100	2 000	1 800	1 700	72,2
72,9	30,2	32,0	2 000	1 900	1 800	1 600	72,9
73,2	29,6	31,2	2 000	1 900	1 700	1 600	73,2
73,5	28,9	30,4	1 900	1 800	1 700	1 500	73,5
73,8	28,3	29,6	1 900	1 800	1 600	1 500	73,8
74,1	27,6	28,8	1 900	1 700	1 600	1 500	74,1
74,4	27,0	28,0	1 800	1 700	1 600		74,4
74,7	26,3	27,2	1 800	1 600			74,7
75,0	25,7	26,5	1 700	1 600			75,0
75,3	25,4	25,7	1 700				75,3

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

57,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
18,6	78,9	82,4	9 300										18,6
19,8	77,1	82,1	9 200	7 300									19,8
20,0	77,9	82,1	9 200	7 300									20,0
21,3	76,4	81,7	9 100	7 300	5 900								21,3
22,0	76,4	81,6	9 000	7 300	5 900								22,0
22,9	75,1	81,3	8 900	7 300	5 800	4 800	78,9	80,9	9 200				22,9
24,0	75,0	81,0	8 800	7 200	5 800	4 800	78,0	80,5	9 100				24,0
24,1	74,0	81,0	8 800	7 200	5 800	4 700	77,9	80,5	9 100	7 400			24,1
25,6	73,2	80,5	8 700	7 200	5 800	4 700	76,4	80,1	8 900	7 400	6 000		25,6
26,0	73,5	80,4	8 600	7 200	5 800	4 700	76,6	79,9	8 900	7 400	6 000		26,0
26,8	72,6	80,2	8 600	7 200	5 800	4 700	75,6	79,7	8 800	7 400	6 000	4 500	26,8
27,1	72,5	80,1	8 500	7 200	5 800	4 700	75,5	79,6	8 800	7 400	6 000	4 500	27,1
28,0	72,1	79,8	8 500	7 200	5 800	4 700	75,1	79,3	8 700	7 400	6 000	4 500	28,0
28,3	71,7	79,7	8 400	7 200	5 800	4 700	74,7	79,2	8 700	7 400	6 000	4 500	28,3
29,6	70,4	79,2	8 300	7 100	5 800	4 700	73,4	78,7	8 600	7 400	6 000	4 500	29,6
30,0	70,6	79,1	8 300	7 100	5 800	4 700	73,6	78,6	8 600	7 400	6 000	4 500	30,0
31,1	69,5	78,6	8 200	7 100	5 800	4 700	72,5	78,1	8 500	7 400	6 000	4 500	31,1
32,0	69,1	78,3	8 100	7 100	5 800	4 700	72,1	77,8	8 400	7 400	6 000	4 500	32,0
34,0	67,6	77,5	7 900	7 000	5 700	4 700	70,6	77,0	8 300	7 300	6 000	4 500	34,0
36,0	66,0	76,6	7 700	7 000	5 700	4 700	69,0	76,1	8 100	7 200	6 000	4 500	36,0
38,0	64,5	75,6	7 600	7 000	5 700	4 600	67,4	75,1	8 000	7 100	6 000	4 500	38,0
40,0	62,9	74,6	7 400	6 900	5 700	4 600	65,9	74,1	7 800	7 000	6 000	4 500	40,0
42,0	61,3	73,5	7 200	6 700	5 600	4 600	64,3	72,9	7 600	6 900	6 000	4 500	42,0
44,0	59,7	72,3	6 700	6 200	5 600	4 600	62,6	71,8	7 000	6 600	6 000	4 500	44,0
46,0	58,0	71,0	6 100	5 700	5 300	4 600	61,0	70,5	6 500	6 100	5 700	4 500	46,0
48,0	56,4	69,7	5 600	5 200	4 900	4 500	59,3	69,2	5 900	5 600	5 200	4 500	48,0
50,0	54,7	68,3	5 100	4 800	4 500	4 200	57,5	67,7	5 400	5 100	4 800	4 500	50,0
52,0	52,9	66,8	4 700	4 400	4 100	3 900	55,8	66,2	5 000	4 700	4 400	4 100	52,0
54,0	51,1	65,2	4 300	4 100	3 800	3 600	54,0	64,6	4 600	4 300	4 100	3 800	54,0
56,0	49,3	63,4	4 000	3 700	3 500	3 300	52,1	62,8	4 200	4 000	3 700	3 500	56,0
58,0	47,4	61,6	3 600	3 400	3 200	3 000	50,2	61,0	3 900	3 600	3 400	3 200	58,0
60,0	45,4	59,6	3 300	3 100	2 900	2 700	48,2	59,0	3 500	3 300	3 100	2 900	60,0
62,0	43,4	57,5	3 000	2 800	2 700	2 500	46,2	56,9	3 200	3 000	2 800	2 700	62,0
64,0	41,3	55,3	2 800	2 600	2 400	2 200	44,0	54,6	2 900	2 800	2 600	2 400	64,0
66,0	39,1	52,8	2 500	2 300	2 200	2 000	41,8	52,1	2 700	2 500	2 300	2 200	66,0
68,0	36,7	50,2	2 300	2 100	1 900	1 700	39,4	49,4	2 400	2 300	2 100	1 900	68,0
70,0	34,3	47,3	2 000	1 800	1 700	1 500	36,9	46,4	2 200	2 000	1 800	1 700	70,0
71,6	31,6	44,7	1 800	1 600	1 500	1 300	34,4	43,8	2 000	1 800	1 600	1 500	71,6
72,0	31,6	44,1	1 800	1 600	1 500		34,2	43,2	1 900	1 700	1 600		72,0
73,2	29,3	42,0	1 600	1 500	1 300		32,3	41,1	1 800	1 600	1 500		73,2
74,0	28,8	40,5	1 500				31,3	39,5	1 600	1 500			74,0
74,7	27,8	39,2	1 400				29,8	38,1	1 600	1 400			74,7
76,2							27,7	34,9	1 400				76,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

57,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
18,6							18,6
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,1							24,1
25,6							25,6
26,0							26,0
26,8							26,8
27,1	78,8	78,3	8 300				27,1
28,0	78,2	78,0	8 200				28,0
28,3	77,7	77,9	8 200	7 000			28,3
29,6	76,4	77,5	8 000	7 000	5 200		29,6
30,0	76,7	77,3	8 000	7 000	5 200		30,0
31,1	75,5	76,9	7 800	7 000	5 200	3 900	31,1
32,0	75,1	76,5	7 700	7 000	5 200	3 900	32,0
34,0	73,6	75,7	7 400	6 900	5 200	3 900	34,0
36,0	72,0	74,8	7 200	6 800	5 200	3 900	36,0
38,0	70,4	73,8	6 900	6 800	5 200	3 900	38,0
40,0	68,8	72,7	6 700	6 600	5 200	3 900	40,0
42,0	67,2	71,6	6 500	6 400	5 200	3 900	42,0
44,0	65,5	70,4	6 300	6 200	5 200	3 900	44,0
46,0	63,8	69,1	6 100	6 000	5 200	3 900	46,0
48,0	62,1	67,7	5 900	5 800	5 200	3 900	48,0
50,0	60,3	66,3	5 700	5 400	5 100	3 900	50,0
52,0	58,5	64,7	5 300	5 000	4 700	3 900	52,0
54,0	56,7	63,0	4 900	4 600	4 300	3 900	54,0
56,0	54,8	61,2	4 500	4 200	3 900	3 700	56,0
58,0	52,8	59,3	4 100	3 800	3 600	3 400	58,0
60,0	50,7	57,3	3 700	3 500	3 300	3 100	60,0
62,0	48,6	55,1	3 400	3 200	3 000	2 800	62,0
64,0	46,4	52,7	3 100	2 900	2 700	2 600	64,0
66,0	44,1	50,1	2 800	2 600	2 500	2 300	66,0
68,0	41,6	47,3	2 500	2 400	2 200	2 100	68,0
70,0	39,0	44,2	2 300	2 100	2 000	1 800	70,0
71,6	36,6	41,4	2 100	1 900	1 700	1 600	71,6
72,0	36,2	40,8	2 000	1 900	1 700	1 500	72,0
73,2	34,3	38,5	1 900	1 700	1 600	1 400	73,2
74,0	33,0	36,9	1 700	1 600	1 400		74,0
74,7	31,8	35,3	1 600	1 500	1 400		74,7
76,2	29,1	31,9	1 400				76,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

60,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
19,2	78,9	85,3	9 100										19,2
20,0	78,3	85,1	9 000										20,0
20,7	77,3	85,0	9 000	7 200									20,7
21,9	76,1	84,7	8 900	7 200	5 800								21,9
22,0	76,9	84,7	8 900	7 200	5 800								22,0
23,5	75,3	84,3	8 800	7 200	5 800	4 400	78,8	83,8	9 000				23,5
24,0	75,5	84,2	8 700	7 100	5 800	4 400	78,5	83,7	9 000				24,0
24,7	74,7	83,9	8 700	7 100	5 800	4 400	77,7	83,5	8 900	7 300			24,7
26,0	74,1	83,6	8 600	7 100	5 800	4 400	77,0	83,1	8 800	7 300			26,0
26,2	73,8	83,5	8 500	7 100	5 700	4 400	76,8	83,0	8 800	7 300	5 600		26,2
27,7	72,3	83,0	8 400	7 100	5 700	4 300	75,3	82,5	8 700	7 300	5 600	4 200	27,7
28,0	72,7	82,9	8 400	7 100	5 700	4 300	75,6	82,5	8 700	7 300	5 600	4 200	28,0
29,0	71,5	82,6	8 300	7 000	5 700	4 300	74,5	82,1	8 600	7 300	5 600	4 200	29,0
30,0	71,3	82,3	8 200	7 000	5 700	4 300	74,2	81,8	8 500	7 300	5 600	4 200	30,0
30,5	70,5	82,1	8 200	7 000	5 700	4 300	73,5	81,6	8 500	7 300	5 600	4 200	30,5
31,7	69,3	81,6	8 100	7 000	5 700	4 300	72,3	81,1	8 400	7 300	5 600	4 200	31,7
32,0	69,9	81,5	8 000	7 000	5 700	4 300	72,7	81,0	8 400	7 300	5 600	4 200	32,0
34,0	68,4	80,7	7 900	6 900	5 700	4 300	71,3	80,2	8 200	7 300	5 500	4 200	34,0
36,0	66,9	79,9	7 700	6 900	5 600	4 300	69,8	79,4	8 100	7 300	5 500	4 200	36,0
38,0	65,5	79,0	7 500	6 900	5 600	4 300	68,3	78,4	8 000	7 100	5 500	4 200	38,0
40,0	64,0	78,0	7 400	6 800	5 600	4 200	66,8	77,4	7 900	7 000	5 500	4 200	40,0
42,0	62,4	76,9	7 100	6 600	5 600	4 200	65,3	76,4	7 500	6 900	5 500	4 200	42,0
44,0	60,9	75,8	6 500	6 000	5 600	4 200	63,7	75,3	6 900	6 400	5 500	4 200	44,0
46,0	59,3	74,6	5 900	5 500	5 100	4 200	62,1	74,1	6 300	5 900	5 500	4 200	46,0
48,0	57,7	73,3	5 400	5 100	4 700	4 200	60,5	72,8	5 800	5 400	5 000	4 200	48,0
50,0	56,1	72,0	5 000	4 600	4 300	4 000	58,9	71,4	5 300	4 900	4 600	4 100	50,0
52,0	54,4	70,6	4 500	4 200	3 900	3 700	57,2	70,0	4 800	4 500	4 200	3 900	52,0
54,0	52,7	69,0	4 200	3 900	3 600	3 300	55,5	68,5	4 400	4 100	3 900	3 600	54,0
56,0	51,0	67,4	3 800	3 500	3 300	3 000	53,8	66,8	4 100	3 800	3 500	3 300	56,0
58,0	49,2	65,7	3 500	3 200	3 000	2 800	52,0	65,1	3 700	3 500	3 200	3 000	58,0
60,0	47,4	63,9	3 100	2 900	2 700	2 500	50,1	63,2	3 400	3 100	2 900	2 700	60,0
62,0	45,5	61,9	2 900	2 700	2 400	2 200	48,2	61,2	3 100	2 900	2 700	2 400	62,0
64,0	43,6	59,8	2 600	2 400	2 200	1 900	46,2	59,1	2 800	2 600	2 400	2 200	64,0
66,0	41,5	57,6	2 300	2 100	1 900	1 700	44,2	56,9	2 500	2 300	2 100	1 900	66,0
68,0	39,4	55,2	2 000	1 800	1 600	1 500	42,1	54,4	2 200	2 000	1 800	1 600	68,0
68,6	38,4	54,4	2 000	1 800	1 600	1 400	41,1	53,6	2 200	2 000	1 800	1 600	68,6
70,0	37,2	52,5	1 800	1 600	1 400		39,8	51,8	2 000	1 800	1 600	1 400	70,0
70,1	36,9	52,4	1 700	1 600	1 400		38,9	51,6	1 900	1 800	1 600	1 400	70,1
71,6	34,6	50,2	1 600	1 400			37,4	49,4	1 700	1 600	1 400		71,6
72,0	34,9	49,7	1 500				37,4	48,9	1 700	1 500			72,0
73,2	33,5	48,0	1 400				35,3	47,0	1 500	1 400			73,2
74,0							34,9	45,7	1 400				74,0
74,7							34,0	44,6	1 300				74,7

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

60,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
19,2							19,2
20,0							20,0
20,7							20,7
21,9							21,9
22,0							22,0
23,5							23,5
24,0							24,0
24,7							24,7
26,0							26,0
26,2							26,2
27,7	78,8	81,3	8 200				27,7
28,0	78,6	81,2	8 200				28,0
29,0	77,5	80,9	8 100	6 500			29,0
30,0	77,2	80,5	8 100	6 500			30,0
30,5	76,5	80,3	8 000	6 500	4 800		30,5
31,7	75,3	79,9	7 800	6 500	4 800	3 500	31,7
32,0	75,7	79,8	7 800	6 500	4 800	3 500	32,0
34,0	74,2	78,9	7 500	6 500	4 800	3 500	34,0
36,0	72,7	78,1	7 300	6 500	4 800	3 500	36,0
38,0	71,2	77,1	7 100	6 500	4 800	3 500	38,0
40,0	69,7	76,1	6 800	6 500	4 800	3 500	40,0
42,0	68,1	75,0	6 600	6 500	4 800	3 500	42,0
44,0	66,5	73,9	6 400	6 300	4 800	3 500	44,0
46,0	64,9	72,7	6 200	6 100	4 800	3 500	46,0
48,0	63,3	71,4	6 000	5 700	4 800	3 500	48,0
50,0	61,6	70,0	5 600	5 300	4 800	3 500	50,0
52,0	59,9	68,5	5 100	4 800	4 500	3 500	52,0
54,0	58,1	66,9	4 700	4 400	4 100	3 500	54,0
56,0	56,4	65,3	4 300	4 000	3 800	3 500	56,0
58,0	54,5	63,5	3 900	3 700	3 400	3 200	58,0
60,0	52,6	61,6	3 600	3 400	3 100	2 900	60,0
62,0	50,7	59,5	3 300	3 100	2 800	2 600	62,0
64,0	48,6	57,3	3 000	2 800	2 600	2 400	64,0
66,0	46,5	55,0	2 700	2 500	2 300	2 100	66,0
68,0	44,3	52,5	2 400	2 200	2 000	1 800	68,0
68,6	43,1	51,7	2 300	2 100	1 900	1 700	68,6
70,0	41,9	49,7	2 100	1 900	1 700	1 600	70,0
70,1	40,9	49,5	2 100	1 900	1 700	1 500	70,1
71,6	39,4	47,2	1 900	1 700	1 500	1 300	71,6
72,0	39,4	46,7	1 800	1 600	1 500		72,0
73,2	37,3	44,8	1 700	1 500	1 300		73,2
74,0	36,8	43,3	1 500				74,0
74,7	35,8	42,1	1 500				74,7

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°

63,0 m


24,4 m

	5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
19,8	78,8	88,2	8 900										19,8
20,0	78,7	88,2	8 900										20,0
21,3	77,4	87,9	8 800	7 100									21,3
22,0	77,4	87,7	8 800	7 100									22,0
22,6	76,7	87,6	8 700	7 100	5 400								22,6
24,0	76,0	87,2	8 600	7 000	5 300								24,0
24,1	75,9	87,2	8 600	7 000	5 300	4 000	78,8	86,7	8 900				24,1
25,3	74,7	86,9	8 500	7 000	5 300	4 000	77,4	86,4	8 800	6 900			25,3
26,0	74,7	86,7	8 500	7 000	5 300	4 000	77,5	86,2	8 700	6 900			26,0
26,8	73,6	86,4	8 400	7 000	5 300	3 900	76,6	86,0	8 700	6 900	5 100		26,8
28,0	73,3	86,1	8 300	7 000	5 300	3 900	76,1	85,6	8 600	6 900	5 100		28,0
28,3	72,7	86,0	8 300	7 000	5 300	3 900	75,7	85,5	8 600	6 900	5 100	3 700	28,3
29,6	71,4	85,6	8 200	6 900	5 300	3 900	74,4	85,1	8 500	6 900	5 000	3 700	29,6
30,0	71,9	85,4	8 200	6 900	5 300	3 900	74,8	84,9	8 500	6 900	5 000	3 700	30,0
31,1	70,5	85,0	8 100	6 900	5 200	3 900	73,5	84,5	8 400	6 900	5 000	3 700	31,1
32,0	70,6	84,7	8 000	6 900	5 200	3 900	73,4	84,2	8 300	6 900	5 000	3 700	32,0
32,6	69,7	84,5	7 900	6 900	5 200	3 900	72,4	84,0	8 300	6 900	5 000	3 700	32,6
34,0	69,2	84,0	7 800	6 900	5 200	3 900	72,0	83,4	8 200	6 900	5 000	3 700	34,0
36,0	67,8	83,1	7 700	6 800	5 200	3 900	70,6	82,6	8 000	6 900	5 000	3 700	36,0
38,0	66,3	82,2	7 500	6 800	5 200	3 900	69,1	81,7	7 900	6 900	5 000	3 700	38,0
40,0	64,9	81,3	7 400	6 700	5 200	3 800	67,7	80,8	7 800	6 900	5 000	3 700	40,0
42,0	63,4	80,3	6 900	6 400	5 100	3 800	66,2	79,8	7 400	6 700	5 000	3 700	42,0
44,0	62,0	79,2	6 300	5 800	5 100	3 800	64,7	78,7	6 700	6 200	5 000	3 600	44,0
46,0	60,5	78,1	5 800	5 300	4 900	3 800	63,2	77,5	6 100	5 700	5 000	3 600	46,0
48,0	59,0	76,9	5 300	4 900	4 500	3 800	61,7	76,3	5 600	5 200	4 800	3 600	48,0
50,0	57,4	75,6	4 800	4 400	4 100	3 700	60,1	75,0	5 100	4 800	4 400	3 600	50,0
52,0	55,8	74,2	4 400	4 100	3 700	3 500	58,5	73,7	4 700	4 400	4 000	3 600	52,0
54,0	54,2	72,8	4 000	3 700	3 400	3 100	56,9	72,2	4 300	4 000	3 700	3 400	54,0
56,0	52,6	71,3	3 600	3 400	3 100	2 800	55,3	70,7	3 900	3 600	3 400	3 100	56,0
58,0	50,9	69,6	3 300	3 000	2 800	2 500	53,6	69,0	3 600	3 300	3 000	2 800	58,0
60,0	49,2	67,9	3 000	2 700	2 500	2 200	51,8	67,3	3 200	3 000	2 800	2 500	60,0
62,0	47,4	66,1	2 700	2 400	2 200	1 900	50,1	65,4	2 900	2 700	2 500	2 200	62,0
64,0	45,6	64,1	2 400	2 100	1 900	1 700	48,2	63,5	2 600	2 400	2 200	1 900	64,0
65,5	43,5	62,5	2 100	1 900	1 700	1 500	46,5	61,8	2 400	2 200	1 900	1 700	65,5
66,0	43,7	62,0	2 100	1 800	1 600		46,3	61,4	2 300	2 100	1 900	1 600	66,0
67,1	41,9	60,9	1 900	1 700	1 500		44,9	60,2	2 200	1 900	1 700	1 500	67,1
68,0	41,8	59,8	1 800	1 600			44,3	59,1	2 000	1 800	1 600	1 400	68,0
68,6	40,4	59,1	1 700	1 500			43,4	58,4	1 900	1 700	1 500	1 300	68,6
70,0	39,8	57,4	1 500	1 300			42,3	56,7	1 700	1 500	1 300		70,0
70,1	38,9	57,3	1 500	1 300			41,9	56,5	1 700	1 500	1 300		70,1
71,6	38,0	55,4	1 300				40,4	54,5	1 500	1 300			71,6
72,0							40,1	54,1	1 500				72,0
73,2							38,8	52,5	1 300				73,2

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2

134
+
B10



50 120 kg
+
15 880 kg

360°

63,0 m



24,4 m



25°

m	°	m	0° kg	1° kg	2° kg	3° kg	m
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,6							22,6
24,0							24,0
24,1							24,1
25,3							25,3
26,0							26,0
26,8							26,8
28,0							28,0
28,3	78,8	84,2	8 200				28,3
29,6	77,2	83,8	8 100	6 100			29,6
30,0	77,6	83,7	8 100	6 100			30,0
31,1	76,5	83,3	8 000	6 100	4 300		31,1
32,0	76,2	82,9	7 900	6 100	4 300		32,0
32,6	75,4	82,7	7 800	6 100	4 300	3 100	32,6
34,0	74,8	82,1	7 600	6 100	4 300	3 100	34,0
36,0	73,4	81,3	7 400	6 100	4 300	3 100	36,0
38,0	71,9	80,4	7 200	6 100	4 300	3 100	38,0
40,0	70,4	79,4	6 900	6 100	4 300	3 100	40,0
42,0	68,9	78,4	6 700	6 100	4 300	3 100	42,0
44,0	67,4	77,3	6 500	6 100	4 300	3 100	44,0
46,0	65,9	76,1	6 300	6 000	4 300	3 100	46,0
48,0	64,3	74,9	6 000	5 600	4 300	3 100	48,0
50,0	62,7	73,6	5 500	5 100	4 300	3 100	50,0
52,0	61,1	72,2	5 000	4 700	4 300	3 100	52,0
54,0	59,5	70,7	4 600	4 300	4 000	3 100	54,0
56,0	57,8	69,1	4 200	3 900	3 600	3 100	56,0
58,0	56,1	67,4	3 800	3 500	3 300	3 000	58,0
60,0	54,3	65,7	3 500	3 200	3 000	2 800	60,0
62,0	52,4	63,8	3 100	2 900	2 700	2 500	62,0
64,0	50,6	61,7	2 800	2 600	2 400	2 200	64,0
65,5	48,5	60,1	2 600	2 400	2 200	1 900	65,5
66,0	48,6	59,6	2 500	2 300	2 100	1 900	66,0
67,1	46,9	58,3	2 400	2 200	1 900	1 700	67,1
68,0	46,6	57,2	2 200	2 000	1 800	1 600	68,0
68,6	45,4	56,5	2 200	1 900	1 700	1 500	68,6
70,0	44,4	54,7	1 900	1 700	1 500	1 300	70,0
70,1	43,9	54,6	1 900	1 700	1 500	1 300	70,1
71,6	42,4	52,5	1 700	1 500			71,6
72,0	42,2	52,0	1 600				72,0
73,2	40,8	50,3	1 500				73,2

REFERENCE ONLY!

MLC150-1 S-2

134
+
B10


50 120 kg
+
15 880 kg

360°


66,0 m


24,4 m

m	5° °	5° m	5° 0° kg	15° °	15° m	15° 0° kg	m
20,4	78,8	91,2	8 700				20,4
22,0	77,8	90,8	8 600				22,0
24,0	76,5	90,3	8 500				24,0
24,4	75,8	90,2	8 500	79,0	89,7	8 800	24,4
26,0	75,2	89,8	8 400	77,9	89,3	8 600	26,0
28,0	73,9	89,2	8 200	76,6	88,7	8 500	28,0
28,7	72,7	89,0	8 200	75,7	88,5	8 500	28,7
30,0	72,6	88,6	8 100	75,3	88,1	8 400	30,0
32,0	71,2	87,9	7 900	73,9	87,4	8 200	32,0
34,0	69,9	87,2	7 800	72,6	86,6	8 100	34,0
36,0	68,5	86,4	7 600	71,2	85,8	8 000	36,0
38,0	67,2	85,5	7 500	69,9	85,0	7 900	38,0
40,0	65,8	84,6	7 300	68,5	84,1	7 700	40,0
42,0	64,4	83,6	6 700	67,1	83,1	7 200	42,0
44,0	63,0	82,6	6 100	65,6	82,1	6 600	44,0
46,0	61,5	81,5	5 600	64,2	81,0	6 000	46,0
48,0	60,1	80,4	5 100	62,7	79,8	5 500	48,0
50,0	58,6	79,2	4 600	61,2	78,6	5 000	50,0
52,0	57,1	77,9	4 200	59,7	77,3	4 500	52,0
54,0	55,6	76,5	3 800	58,2	75,9	4 100	54,0
56,0	54,0	75,0	3 400	56,6	74,4	3 700	56,0
58,0	52,4	73,5	3 100	55,0	72,9	3 400	58,0
60,0	50,8	71,9	2 800	53,4	71,2	3 100	60,0
62,0	49,2	70,1	2 400	51,7	69,5	2 700	62,0
64,0	47,4	68,3	2 100	50,0	67,6	2 400	64,0
66,0	45,7	66,4	1 800	48,2	65,7	2 100	66,0
68,0	43,9	64,3	1 500	46,4	63,6	1 800	68,0
68,6	43,3	63,7	1 500	45,4	62,9	1 700	68,6
70,0				44,5	61,3	1 500	70,0
70,1				44,4	61,2	1 500	70,1
71,6							71,6

REFERENCE ONLY!

Manitowoc Cranes
Manitowoc, Wisconsin 54220 U.S.A.

MLC150-1 S-2









m	25° °	m	0° kg	m
20,4				20,4
22,0				22,0
24,0				24,0
24,4				24,4
26,0				26,0
28,0				28,0
28,7	79,0	87,2	8 100	28,7
30,0	78,1	86,8	8 100	30,0
32,0	76,7	86,1	7 900	32,0
34,0	75,3	85,3	7 700	34,0
36,0	74,0	84,5	7 500	36,0
38,0	72,6	83,7	7 300	38,0
40,0	71,2	82,7	7 000	40,0
42,0	69,7	81,8	6 800	42,0
44,0	68,3	80,7	6 600	44,0
46,0	66,8	79,6	6 400	46,0
48,0	65,3	78,4	5 900	48,0
50,0	63,8	77,1	5 300	50,0
52,0	62,3	75,8	4 900	52,0
54,0	60,7	74,4	4 400	54,0
56,0	59,1	72,9	4 000	56,0
58,0	57,4	71,3	3 700	58,0
60,0	55,8	69,6	3 300	60,0
62,0	54,0	67,9	3 000	62,0
64,0	52,3	66,0	2 700	64,0
66,0	50,5	63,9	2 400	66,0
68,0	48,6	61,8	2 000	68,0
68,6	47,4	61,1	1 900	68,6
70,0	46,6	59,5	1 700	70,0
70,1	45,9	59,3	1 700	70,1
71,6	45,0	57,5	1 500	71,6

REFERENCE ONLY!