

Liftcrane Jib Capacities

Jib No. 134 on
 Boom No. B10:350
 75,200 lb Crane Counterweight
 0 lb Carbody Counterweight
 Crawler Machine on a Barge
 0 Degree thru 3 Degree Static Machine List
 No Travel - 360 Degree Rating

MLC150-1 SERIES 1



LIFTING CAPACITIES: Chart supplements Boom Capacity chart **No. 9822-A**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm and uniformly supporting surface with machine list not to exceed degrees noted. Refer to Boom Rigging **No. 80117858**, Jib Rigging **No. 80117860**, Wire Rope Specifications chart **No. 9841-A**, Counterweight Arrangements chart **No. 9828-A**, and Wind Conditions chart **No. 9842-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



JIB POINT ELEVATION: Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

MACHINE EQUIPMENT: Machine equipped with 26 ft 2 in. crawlers, 48 in. treads, 17 ft 5 in. gantry, 10 part boom hoist reeving, boom straps, 75,200 lb crane counterweight, and 0 lb carbody counterweight.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

Caution: Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 2,000 lb.

Table 1








Over End or Side of Crawlers												
Boom Length (ft)	Jib No. 134											
	30.0 ft		40.0 ft		50.0 ft		60.0 ft		70.0 ft		80.0 ft	
	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
	Block Weight (lb)											
	88.6	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700
98.4	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,600	7,600
108.3	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,300	7,300	6,500	6,500
118.1	7,700	7,700	7,700	7,700	7,700	7,700	6,800	6,800	6,100	6,100	5,400	5,400
128.0	7,700	7,700	7,200	7,200	6,400	6,400	5,700	5,700	5,000	5,000	4,400	4,400
137.8	6,600	6,600	5,900	5,900	5,200	5,200	4,500	4,400	3,900	3,800	3,400	3,000
147.6	5,400	5,200	4,800	4,500	4,100	3,700	3,400	2,900	2,700	2,200	#	#
157.5	3,800	3,400	3,100	2,700	2,400	#	#	#	#	#	#	#
167.3	2,200	#	#	#	#	#	#	#	#	Raising Not Permitted		
177.2	#	#	#									
187.0												
196.9												

Table 2




Over End of Blocked Crawlers												
Boom Length (ft)	Jib No. 134											
	30.0 ft		40.0 ft		50.0 ft		60.0 ft		70.0 ft		80.0 ft	
	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
	Block Weight (lb)											
88.6	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700
98.4	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,600	7,600
108.3	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,700	7,300	7,300	6,500	6,500
118.1	7,700	7,700	7,700	7,700	7,700	7,700	6,800	6,800	6,100	6,100	5,400	5,400
128.0	7,700	7,700	7,200	7,200	6,400	6,400	5,700	5,700	5,000	5,000	4,400	4,400
137.8	6,600	6,600	5,900	5,900	5,200	5,200	4,500	4,500	3,900	3,900	3,400	3,400
147.6	5,400	5,400	4,800	4,800	4,100	4,100	3,500	3,500	3,000	3,000	3,000	3,000
157.5	4,100	4,100	3,500	3,500	3,000	3,000	3,000	3,000	3,000	3,000	3,000	2,700
167.3	3,000	3,000	3,000	3,000	3,000	3,000	3,000	2,500	2,300	#	#	#
177.2	3,000	3,000	2,700	2,300	#	#	#	#	#	#	#	#
187.0	#	#	#	#	#	#	#	#	Raising Not Permitted			
196.9	#	#	#									




Warning: Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.

Explanation of Symbols




	Jib No. 134 + Boom No. B10:350
	Crane Counterweight + Carbody Counterweight
	360 Degree Rating
	Boom Length
	Jib Length
	Jib Offset Angle
	Operating Radius (see page 1)
	Boom Angle (see page 1)
	Jib Point Elevation (see page 1)
	Machine List
	Lifting Capacities (see page 1)

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	ft	°	ft					
				0° lb	1° lb	2° lb	3° lb	
30								30
32								32
34								34
36								36
37								37
38								38
40								40
41	78.6	119.2	41,400					41
42	78.0	118.9	40,900					42
43	77.5	118.5	40,400	40,300				43
44	77.0	118.2	39,900	39,800				44
45	76.0	117.8	39,500	39,300	39,200			45
46	76.0	117.4	39,000	38,800	38,800	38,700		46
48	74.9	116.7	38,100	38,000	37,900	37,800		48
50	73.9	115.8	37,300	37,200	37,100	37,000		50
55	71.2	113.6	35,400	35,300	35,200	35,100		55
60	68.5	111.1	33,700	33,600	33,600	33,500		60
65	65.7	108.2	32,200	32,200	32,100	32,000		65
70	62.8	105.0	30,900	30,800	30,800	30,700		70
75	59.9	101.5	29,700	29,700	29,200	28,000		75
80	56.8	97.5	28,700	27,800	26,700	25,700		80
85	53.5	93.0	26,400	25,500	24,600	23,700		85
90	50.1	88.0	24,200	23,400	22,600	21,900		90
95	46.4	82.4	22,300	21,600	20,900	20,200		95
100	42.5	75.9	20,500	19,900	19,400	18,800		100
105	38.1	68.3	19,000	18,500	18,000	17,500		105
110	33.0	59.2	17,500	17,100	16,700	16,300		110
111	31.8	57.0	17,300	16,900	16,400	16,000		111
112	30.5	54.7	17,000	16,600	16,200	15,800		112
113	29.3	52.4	16,700	16,400	16,000	15,600		113
114	28.2	50.2	16,500	16,100	15,700	15,400		114
115								115

MLC150-1 S-1





			5°				15°						
			0°	1°	2°	3°	0°	1°	2°	3°			
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft
32	78.9	134.5	59,200										32
34	78.0	134.0	59,200	54,600									34
36	77.1	133.5	59,200	54,200									36
37	76.5	133.3	59,200	54,000	47,800		79.0	132.5	58,700				37
38	76.2	133.0	59,200	53,800	47,600		78.5	132.2	58,500				38
39	75.5	132.7	59,200	53,600	47,400	42,700	77.5	131.9	58,300				39
40	75.3	132.5	59,200	53,400	47,300	42,500	77.6	131.6	58,000	50,900			40
42	74.4	131.9	59,200	53,000	47,000	42,300	76.7	131.0	57,600	50,700	45,300		42
44	73.4	131.2	59,200	52,700	46,700	42,000	75.7	130.4	57,200	50,400	45,100	40,800	44
45	72.5	130.9	59,200	52,500	46,600	42,000	74.5	130.1	57,000	50,200	45,000	40,700	45
46	72.5	130.6	59,200	52,300	46,400	41,900	74.8	129.7	56,800	50,100	44,900	40,700	46
47	71.5	130.2	58,400	52,100	46,300	41,700	73.5	129.4	56,700	50,000	44,800	40,600	47
48	71.6	129.9	57,600	51,900	46,100	41,600	73.9	129.0	56,500	49,900	44,700	40,500	48
49	70.5	129.5	56,000	51,300	46,000	41,500	72.5	128.7	55,900	49,700	44,600	40,400	49
50	70.7	129.2	54,400	50,700	45,900	41,400	72.9	128.3	55,200	49,600	44,500	40,400	50
55	68.3	127.2	47,500	44,600	42,000	39,500	70.5	126.3	48,300	45,300	42,700	40,100	55
60	65.9	124.9	42,100	39,700	37,500	35,500	68.1	124.0	42,700	40,300	38,100	36,100	60
65	63.4	122.4	37,500	35,600	33,700	32,000	65.6	121.5	38,100	36,100	34,300	32,600	65
70	60.9	119.6	33,800	32,100	30,600	29,100	63.1	118.7	34,300	32,600	31,000	29,600	70
75	58.3	116.5	30,600	29,200	27,800	26,600	60.5	115.6	31,000	29,600	28,300	27,000	75
80	55.7	113.1	27,800	26,600	25,500	24,400	57.8	112.1	28,200	27,000	25,900	24,800	80
85	52.9	109.4	25,400	24,400	23,400	22,400	55.1	108.3	25,800	24,700	23,700	22,800	85
90	50.1	105.2	23,300	22,400	21,600	20,700	52.2	104.1	23,600	22,700	21,900	21,000	90
95	47.1	100.6	21,500	20,700	19,900	19,200	49.2	99.4	21,700	21,000	20,200	19,500	95
100	43.9	95.4	19,800	19,100	18,500	17,800	46.0	94.2	20,100	19,400	18,700	18,000	100
105	40.6	89.7	18,300	17,700	17,100	16,600	42.6	88.4	18,500	17,900	17,300	16,800	105
110	37.0	83.2	17,000	16,500	15,900	15,500	38.9	81.8	17,200	16,600	16,100	15,600	110
115	33.0	75.7	15,800	15,300	14,900	14,400	34.9	74.1	15,900	15,400	15,000	14,600	115
120	28.6	66.8	14,600	14,300	13,900	13,500	30.3	65.1	14,700	14,400	14,000	13,600	120
121	27.0	64.8	14,400	14,100	13,700		29.0	62.9	14,500	14,200	13,800	13,400	121
122	26.0	62.7	14,200	13,900			28.0	60.7	14,300	14,000	13,600	13,200	122
123	25.6	60.6	14,000				27.0	58.5	14,100	13,800	13,400		123
124							26.0	56.3	13,900	13,500			124

MLC150-1 S-1




$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$





98.4 ft

30.0 ft



	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
32								32
34								34
36								36
37								37
38								38
39								39
40								40
42	79.0	129.2	41,800					42
44	78.1	128.5	40,900					44
45	77.5	128.2	40,400	40,300				45
46	77.1	127.9	40,000	39,900				46
47	76.5	127.5	39,600	39,400	39,400			47
48	76.2	127.1	39,100	39,000	38,900			48
49	75.5	126.8	38,700	38,600	38,500	38,500		49
50	75.2	126.4	38,300	38,200	38,100	38,000		50
55	72.8	124.3	36,400	36,400	36,300	36,200		55
60	70.3	122.0	34,800	34,700	34,700	34,600		60
65	67.8	119.5	33,300	33,300	33,200	33,100		65
70	65.2	116.6	32,000	32,000	31,500	30,100		70
75	62.6	113.4	30,800	30,000	28,700	27,400		75
80	59.8	109.9	28,600	27,400	26,200	25,100		80
85	57.0	106.0	26,100	25,100	24,100	23,100		85
90	54.0	101.7	23,900	23,000	22,100	21,300		90
95	50.9	96.9	22,000	21,200	20,400	19,700		95
100	47.7	91.6	20,300	19,600	18,900	18,300		100
105	44.2	85.5	18,700	18,100	17,500	16,900		105
110	40.3	78.6	17,300	16,800	16,300	15,800		110
115	36.1	70.6	16,000	15,500	15,100	14,700		115
120	31.2	61.0	14,800	14,400	14,000	13,700		120
121	29.7	58.6	14,600	14,200	13,800	13,500		121
122	28.3	56.3	14,300	14,000	13,600	13,300		122
123	27.8	54.0	14,100	13,800	13,400			123
124								124

MLC150-1 S-1



	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb		3°  lb
34							34	
36							36	
37							37	
38							38	
39							39	
40							40	
41							41	
42							42	
44	79.0	138.8	41,800				44	
46	78.1	138.2	41,000				46	
47	77.5	137.8	40,500	40,300			47	
48	77.2	137.5	40,100	40,000			48	
49	76.5	137.2	39,700	39,600	39,400		49	
50	76.3	136.8	39,300	39,200	39,100		50	
51	75.6	136.4	38,900	38,800	38,700	38,500	51	
55	74.1	134.9	37,500	37,300	37,300	37,200	55	
60	71.8	132.8	35,800	35,800	35,600	35,500	60	
65	69.5	130.5	34,400	34,200	34,200	32,500	65	
70	67.2	127.9	33,000	32,800	31,100	29,500	70	
75	64.8	125.0	31,300	29,700	28,300	26,900	75	
80	62.3	121.9	28,400	27,100	25,800	24,700	80	
85	59.8	118.4	25,900	24,800	23,700	22,700	85	
90	57.2	114.6	23,700	22,800	21,800	20,900	90	
95	54.5	110.4	21,800	20,900	20,100	19,300	95	
100	51.6	105.8	20,100	19,300	18,600	17,900	100	
105	48.7	100.6	18,500	17,900	17,200	16,600	105	
110	45.5	94.9	17,100	16,500	16,000	15,400	110	
115	42.1	88.5	15,800	15,300	14,800	14,300	115	
120	38.5	81.3	14,700	14,200	13,800	13,300	120	
125	34.4	72.8	13,600	13,200	12,800	12,400	125	
129	30.0	64.7	12,800	12,400	12,100	11,700	129	
130	29.7	62.6	12,600	12,200	11,900	11,600	130	
131	28.6	60.3	12,400	12,100	11,700	11,400	131	
132							132	
133							133	


MLC150-1 S-1




75,200 lb
+
0 lb








360°





118.1 ft



30.0 ft


	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				0°  lb	1°  lb	2°  lb	3°  lb			0°  lb	1°  lb	2°  lb	3°  lb		
36	78.8	153.8	59,200											36	
38	78.0	153.3	59,200											38	
39	77.5	153.1	59,200	53,500										39	
40	77.3	152.8	59,200	53,400										40	
41	76.5	152.6	59,200	53,200	47,000			78.9	151.7	57,800				41	
42	76.5	152.3	59,200	53,000	46,800			78.5	151.5	57,700				42	
44	75.7	151.8	59,200	52,700	46,600	41,900		77.7	150.9	57,300	50,300			44	
46	74.9	151.2	59,200	52,400	46,400	41,700		76.9	150.3	57,100	50,000	44,700		46	
48	74.1	150.6	57,100	52,000	46,100	41,500		76.1	149.7	56,700	49,800	44,500		48	
49	73.5	150.3	55,400	50,800	46,000	41,400		75.5	149.4	55,700	49,700	44,400	40,300	49	
50	73.3	150.0	53,800	49,700	45,900	41,300		75.3	149.1	54,800	49,600	44,300	40,200	50	
51	72.6	149.6	52,400	48,500	44,800	40,600		74.6	148.8	53,400	48,600	43,800	39,900	51	
54	71.4	148.6	48,300	44,800	41,700	38,600		73.4	147.7	49,200	45,500	42,000	39,000	54	
55	71.3	148.3	47,000	43,600	40,600	37,900		73.2	147.4	47,800	44,400	41,400	38,700	55	
60	69.2	146.4	41,500	38,700	36,300	34,000		71.2	145.5	42,200	39,400	36,900	34,700	60	
65	67.2	144.3	36,900	34,700	32,600	30,700		69.1	143.3	37,600	35,300	33,200	31,300	65	
70	65.1	141.9	33,200	31,200	29,500	27,800		67.0	141.0	33,700	31,800	30,000	28,400	70	
75	62.9	139.4	30,000	28,300	26,800	25,400		64.8	138.4	30,500	28,800	27,300	25,900	75	
80	60.7	136.6	27,200	25,800	24,500	23,200		62.6	135.6	27,700	26,200	24,900	23,700	80	
85	58.5	133.5	24,800	23,600	22,400	21,300		60.4	132.5	25,200	24,000	22,800	21,700	85	
90	56.2	130.2	22,700	21,600	20,600	19,700		58.1	129.1	23,100	22,000	21,000	20,000	90	
95	53.8	126.5	20,800	19,900	19,000	18,200		55.7	125.4	21,200	20,200	19,300	18,500	95	
100	51.4	122.5	19,200	18,400	17,600	16,800		53.2	121.4	19,500	18,700	17,900	17,100	100	
105	48.9	118.2	17,700	17,000	16,300	15,600		50.7	117.0	18,000	17,200	16,500	15,800	105	
110	46.2	113.4	16,400	15,700	15,100	14,500		48.0	112.2	16,600	15,900	15,300	14,700	110	
115	43.5	108.2	15,100	14,600	14,000	13,500		45.2	107.0	15,400	14,800	14,200	13,700	115	
120	40.6	102.4	14,000	13,500	13,000	12,500		42.3	101.1	14,200	13,700	13,200	12,700	120	
125	37.5	96.0	13,000	12,600	12,100	11,700		39.1	94.6	13,200	12,700	12,300	11,800	125	
130	34.1	88.8	12,100	11,700	11,300	10,900		35.7	87.2	12,200	11,800	11,400	11,000	130	
135	30.4	80.5	11,200	10,900	10,500	10,200		31.9	78.8	11,300	11,000	10,600	10,300	135	
137	28.4	76.6	10,900	10,600	10,200	9,900		29.4	74.8	11,000	10,600	10,300	10,000	137	
139	26.8	72.7	10,600	10,300	9,900			27.8	70.8	10,700	10,300	10,000	9,700	139	
140	26.2	70.8	10,400	10,100				27.6	68.8	10,500	10,200	9,900		140	
141	25.3	68.6	10,300					26.0	66.5	10,300	10,000			141	
142								25.7	64.2	10,200				142	

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


				 25°				
				 0°	 1°	 2°	 3°	
	ft	o	ft	lb	lb	lb	lb	ft
36								36
38								38
39								39
40								40
41								41
42								42
44								44
46	78.9	148.4	41,800					46
48	78.1	147.8	41,000					48
49	77.5	147.5	40,600					49
50	77.3	147.2	40,200	40,400				50
51	76.6	146.8	39,800	39,700	39,500			51
54	75.4	145.8	38,700	38,600	38,400	38,300		54
55	75.2	145.4	38,300	38,200	38,100	38,000		55
60	73.1	143.5	36,700	36,600	36,500	35,300		60
65	71.0	141.3	35,300	35,200	33,800	31,900		65
70	68.9	138.9	33,900	32,400	30,600	28,900		70
75	66.7	136.3	31,000	29,300	27,800	26,300		75
80	64.4	133.4	28,100	26,700	25,400	24,100		80
85	62.1	130.3	25,600	24,400	23,200	22,100		85
90	59.8	126.9	23,400	22,400	21,300	20,400		90
95	57.4	123.1	21,500	20,600	19,700	18,800		95
100	54.9	119.0	19,800	18,900	18,100	17,400		100
105	52.2	114.5	18,200	17,500	16,800	16,100		105
110	49.5	109.6	16,800	16,200	15,500	14,900		110
115	46.6	104.2	15,500	15,000	14,400	13,800		115
120	43.6	98.1	14,400	13,900	13,300	12,900		120
125	40.3	91.4	13,300	12,800	12,400	12,000		125
130	36.8	83.7	12,300	11,900	11,500	11,100		130
135	32.8	74.8	11,400	11,000	10,700	10,300		135
137	30.4	70.6	11,000	10,700	10,400	10,000		137
139	28.8	66.3	10,700	10,400	10,100	9,700		139
140	28.2	64.2	10,500	10,200	9,900	9,600		140
141								141
142								142


MLC150-1 S-1




75,200 lb
+
0 lb







360°




128.0 ft





30.0 ft




	 5°							 15°							
															
															
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft		
38	78.8	163.4	59,200											38	
40	78.1	162.9	59,200											40	
41	77.5	162.7	59,200	53,000										41	
42	77.3	162.5	59,200	52,900										42	
43	76.5	162.2	59,200	52,700	46,600			78.8	161.3	57,400				43	
44	76.6	162.0	59,200	52,500	46,400			78.5	161.1	57,300				44	
46	75.8	161.4	59,200	52,200	46,200	41,500		77.7	160.6	56,900	49,900			46	
48	75.1	160.9	56,700	51,900	45,900	41,300		77.0	160.0	56,700	49,700	44,300		48	
50	74.4	160.3	53,500	49,100	45,200	41,100		76.2	159.4	54,500	49,400	44,200		50	
51	73.6	160.0	52,100	47,900	44,200	40,300		75.6	159.1	53,100	48,300	43,500	39,900	51	
53	72.8	159.3	49,400	45,500	42,100	38,700		74.8	158.4	50,300	46,100	42,100	38,900	53	
55	72.5	158.7	46,600	43,100	40,000	37,100		74.3	157.8	47,500	44,000	40,800	37,900	55	
56	71.6	158.3	45,500	42,100	39,100	36,400		73.6	157.4	46,400	43,000	39,900	37,100	56	
60	70.6	156.9	41,100	38,200	35,600	33,300		72.4	156.0	41,900	39,000	36,300	33,900	60	
65	68.6	155.0	36,600	34,200	32,000	30,000		70.5	154.0	37,300	34,900	32,600	30,600	65	
70	66.7	152.8	32,800	30,800	28,900	27,200		68.5	151.9	33,400	31,400	29,500	27,700	70	
75	64.7	150.4	29,600	27,900	26,300	24,800		66.5	149.5	30,200	28,400	26,800	25,300	75	
80	62.7	147.9	26,900	25,400	24,000	22,600		64.5	146.9	27,400	25,800	24,400	23,100	80	
85	60.6	145.0	24,500	23,100	21,900	20,800		62.4	144.1	24,900	23,600	22,400	21,200	85	
90	58.6	142.0	22,400	21,200	20,100	19,100		60.3	141.0	22,800	21,600	20,500	19,500	90	
95	56.4	138.7	20,500	19,500	18,500	17,600		58.2	137.6	20,900	19,900	18,900	18,000	95	
100	54.2	135.1	18,800	17,900	17,100	16,300		55.9	134.0	19,200	18,300	17,400	16,600	100	
105	51.9	131.2	17,300	16,600	15,800	15,100		53.6	130.1	17,700	16,900	16,100	15,400	105	
110	49.6	126.9	16,000	15,300	14,600	14,000		51.3	125.8	16,300	15,600	14,900	14,200	110	
115	47.1	122.3	14,800	14,200	13,500	13,000		48.8	121.1	15,000	14,400	13,800	13,200	115	
120	44.6	117.3	13,700	13,100	12,600	12,000		46.2	116.0	13,900	13,300	12,800	12,200	120	
125	41.9	111.8	12,700	12,200	11,700	11,200		43.5	110.5	12,900	12,400	11,900	11,400	125	
130	39.1	105.7	11,700	11,300	10,800	10,400		40.7	104.3	11,900	11,500	11,000	10,600	130	
135	36.1	98.9	10,900	10,500	10,100	9,700		37.6	97.5	11,000	10,600	10,200	9,800	135	
140	32.9	91.4	10,100	9,700	9,400	9,000		34.3	89.8	10,200	9,800	9,500	9,100	140	
145	29.3	82.7	9,300	9,000	8,700	8,400		30.7	80.9	9,400	9,100	8,800	8,500	145	
146	28.2	80.7	9,200	8,900	8,600	8,300		29.2	78.8	9,300	9,000	8,700	8,400	146	
147	27.4	78.7	9,100	8,800	8,500			28.4	76.7	9,100	8,800	8,500	8,200	147	
148	26.6	76.6	8,900	8,600				27.6	74.6	9,000	8,700	8,400	8,100	148	
149	25.8	74.6	8,800	8,500				26.8	72.6	8,900	8,600	8,300		149	
150	25.2	72.6	8,600					26.5	70.5	8,700	8,400			150	
151								25.6	68.1	8,600				151	

MLC150-1 S-1





75,200 lb
+
0 lb



		 25°						
								
 ft	 °	 ft	 lb	 lb	 lb	 lb	 ft	
38							38	
40							40	
41							41	
42							42	
43							43	
44							44	
46							46	
48	78.9	158.0	41,700				48	
50	78.1	157.5	41,000				50	
51	77.6	157.1	40,600	40,400			51	
53	76.8	156.5	39,900	39,700	39,600		53	
55	76.2	155.8	39,200	39,000	38,900		55	
56	75.6	155.5	38,800	38,700	38,500	37,800	56	
60	74.3	154.0	37,600	37,500	37,100	34,700	60	
65	72.3	152.0	36,100	35,500	33,300	31,300	65	
70	70.3	149.8	34,100	32,000	30,100	28,300	70	
75	68.3	147.4	30,700	29,000	27,300	25,800	75	
80	66.2	144.8	27,900	26,300	24,900	23,600	80	
85	64.1	141.9	25,400	24,000	22,800	21,600	85	
90	62.0	138.7	23,200	22,000	20,900	19,900	90	
95	59.8	135.3	21,200	20,200	19,200	18,300	95	
100	57.5	131.6	19,500	18,600	17,700	16,900	100	
105	55.2	127.6	17,900	17,100	16,400	15,600	105	
110	52.7	123.3	16,500	15,800	15,100	14,500	110	
115	50.2	118.5	15,300	14,600	14,000	13,400	115	
120	47.6	113.3	14,100	13,500	13,000	12,400	120	
125	44.8	107.6	13,000	12,500	12,000	11,500	125	
130	41.9	101.2	12,000	11,600	11,100	10,700	130	
135	38.7	94.1	11,100	10,700	10,300	9,900	135	
140	35.3	86.1	10,300	9,900	9,600	9,200	140	
145	31.4	76.8	9,500	9,200	8,800	8,500	145	
146	30.0	74.6	9,300	9,000	8,700	8,400	146	
147	29.0	72.4	9,200	8,900	8,600	8,300	147	
148	28.0	70.2	9,000	8,700	8,400	8,100	148	
149	27.9	68.1	8,900	8,600	8,300		149	
150							150	
151							151	


MLC150-1 S-1




75,200 lb
+
0 lb











360°





137.8 ft





30.0 ft



	 5°							 15°									
																	
				ft	°	ft	lb			lb	lb	lb	lb			lb	lb
40	78.8	173.0	59,200											40			
42	78.1	172.6	59,200											42			
43	77.5	172.3	59,200	52,400										43			
44	77.4	172.1	59,200	52,300										44			
45	76.5	171.9	59,200	52,100				78.8	171.0	57,000				45			
46	76.7	171.6	59,200	52,000	45,900			78.5	170.7	56,800				46			
48	76.0	171.1	56,400	51,300	45,700	41,100	77.7	170.2	56,500	49,400				48			
50	75.3	170.5	53,200	48,500	44,500	40,900	77.0	169.6	54,300	49,200				50			
51	74.6	170.2	51,800	47,300	43,400	40,000	76.6	169.3	52,900	48,100	43,800			51			
53	73.8	169.6	49,100	45,000	41,300	38,100	75.8	168.7	50,100	45,800	42,000	38,900		53			
55	73.5	169.1	46,300	42,600	39,300	36,300	75.3	168.1	47,300	43,500	40,100	37,100		55			
56	72.6	168.7	45,200	41,600	38,400	35,500	74.6	167.8	46,100	42,500	39,200	36,300		56			
58	71.8	168.1	43,000	39,700	36,700	34,000	73.8	167.1	43,900	40,500	37,500	34,800		58			
60	71.7	167.4	40,800	37,700	35,000	32,500	73.5	166.5	41,600	38,500	35,700	33,200		60			
65	70.0	165.6	36,300	33,700	31,400	29,300	71.7	164.6	37,000	34,400	32,100	29,900		65			
70	68.1	163.5	32,500	30,300	28,300	26,500	69.9	162.6	33,100	30,900	28,900	27,100		70			
75	66.3	161.3	29,200	27,400	25,700	24,100	68.0	160.4	29,800	28,000	26,300	24,700		75			
80	64.4	158.9	26,500	24,900	23,400	22,000	66.1	158.0	27,000	25,400	23,900	22,500		80			
85	62.5	156.3	24,100	22,700	21,400	20,200	64.2	155.4	24,600	23,200	21,900	20,600		85			
90	60.6	153.5	22,000	20,700	19,600	18,500	62.3	152.5	22,400	21,200	20,000	18,900		90			
95	58.6	150.5	20,100	19,000	18,000	17,000	60.3	149.4	20,500	19,400	18,400	17,400		95			
100	56.6	147.2	18,400	17,500	16,600	15,700	58.2	146.1	18,800	17,900	16,900	16,100		100			
105	54.5	143.6	17,000	16,100	15,300	14,500	56.1	142.5	17,300	16,400	15,600	14,800		105			
110	52.4	139.8	15,600	14,900	14,100	13,400	54.0	138.7	15,900	15,200	14,400	13,700		110			
115	50.2	135.6	14,400	13,700	13,100	12,400	51.8	134.5	14,700	14,000	13,300	12,700		115			
120	47.9	131.1	13,300	12,700	12,100	11,500	49.5	129.9	13,600	12,900	12,300	11,700		120			
125	45.6	126.3	12,300	11,700	11,200	10,700	47.1	125.0	12,500	11,900	11,400	10,900		125			
130	43.1	121.0	11,300	10,800	10,400	9,900	44.6	119.7	11,600	11,000	10,600	10,100		130			
135	40.5	115.2	10,500	10,000	9,600	9,200	42.0	113.8	10,700	10,200	9,800	9,300		135			
140	37.8	108.8	9,700	9,300	8,900	8,500	39.3	107.4	9,900	9,400	9,000	8,600		140			
145	34.9	101.8	9,000	8,600	8,200	7,900	36.3	100.2	9,100	8,700	8,400	8,000		145			
150	31.7	93.9	8,300	7,900	7,600	7,300	33.1	92.2	8,400	8,000	7,700	7,400		150			
155	28.3	84.9	7,600	7,300	7,000	6,800	29.5	83.0	7,700	7,400	7,100	6,800		155			
156	27.3	82.8	7,500	7,200	6,900		28.2	80.8	7,600	7,300	7,000	6,700		156			
157	26.5	80.7	7,400	7,100			27.4	78.6	7,400	7,200	6,900			157			
158	25.8	78.6	7,300				26.6	76.4	7,300	7,000	6,800			158			
159	25.2	76.6	7,100				25.8	74.2	7,200	6,900				159			
160							25.5	72.1	7,100					160			

MLC150-1 S-1





75,200 lb
+
0 lb



	25°							
	 ft	 °	 ft					
				0°	1°	2°	3°	
				 lb	 lb	 lb	 lb	
40							40	
42							42	
43							43	
44							44	
45							45	
46							46	
48							48	
50	78.8	167.7	41,600				50	
51	77.8	167.4	41,300				51	
53	77.4	166.8	40,600	40,400			53	
55	77.0	166.2	39,900	39,700			55	
56	76.6	165.8	39,600	39,400	39,300		56	
58	75.8	165.1	39,000	38,800	37,900		58	
60	75.2	164.5	38,400	38,200	36,500	35,500	60	
65	73.4	162.6	37,000	35,100	32,800	30,600	65	
70	71.5	160.5	33,800	31,600	29,600	27,700	70	
75	69.7	158.3	30,400	28,600	26,800	25,200	75	
80	67.8	155.9	27,600	25,900	24,400	23,000	80	
85	65.8	153.2	25,100	23,600	22,300	21,100	85	
90	63.8	150.3	22,900	21,600	20,400	19,300	90	
95	61.8	147.2	20,900	19,800	18,800	17,800	95	
100	59.7	143.8	19,200	18,200	17,300	16,400	100	
105	57.6	140.2	17,600	16,800	15,900	15,100	105	
110	55.4	136.2	16,200	15,400	14,700	14,000	110	
115	53.2	131.9	14,900	14,200	13,600	12,900	115	
120	50.9	127.3	13,800	13,100	12,500	12,000	120	
125	48.4	122.3	12,700	12,100	11,600	11,100	125	
130	45.9	116.8	11,700	11,200	10,700	10,200	130	
135	43.2	110.8	10,800	10,400	9,900	9,500	135	
140	40.3	104.1	10,000	9,500	9,100	8,800	140	
145	37.3	96.7	9,200	8,800	8,400	8,100	145	
150	33.9	88.3	8,400	8,100	7,800	7,500	150	
155	30.2	78.6	7,700	7,400	7,100	6,900	155	
156	29.0	76.5	7,600	7,300	7,000	6,800	156	
157	28.5	74.3	7,500	7,200	6,900	6,600	157	
158							158	
159							159	
160							160	


MLC150-1 S-1




75,200 lb
+
0 lb








360°





147.6 ft





30.0 ft




	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
42	78.7	182.7	59,200											42	
44	78.1	182.2	59,200											44	
45	77.5	182.0	59,200	51,800										45	
46	77.4	181.8	59,200	51,700										46	
47	76.5	181.5	57,700	51,200				78.8	180.6	56,400				47	
48	76.8	181.3	56,200	50,800	45,400			78.4	180.4	56,300				48	
50	76.1	180.7	52,900	48,000	43,800			77.8	179.8	54,000	48,900			50	
51	75.6	180.5	51,500	46,800	42,700	39,100		76.8	179.6	52,600	47,800			51	
52	75.2	180.2	50,200	45,600	41,700	38,200		76.6	179.3	51,200	46,600			52	
53	74.8	179.9	48,800	44,500	40,700	37,300		76.4	179.0	49,800	45,400	41,500		53	
55	74.5	179.3	46,000	42,100	38,600	35,600		76.1	178.4	47,000	43,000	39,500		55	
56	73.6	179.0	44,900	41,100	37,800	34,800		75.6	178.1	45,900	42,000	38,700	35,600	56	
58	72.8	178.4	42,700	39,200	36,100	33,300		74.8	177.5	43,600	40,100	36,900	34,100	58	
60	72.8	177.8	40,500	37,300	34,400	31,800		74.4	176.9	41,400	38,100	35,200	32,600	60	
61	71.8	177.4	39,600	36,500	33,700	31,200		73.6	176.5	40,500	37,300	34,500	31,900	61	
65	71.1	176.1	36,000	33,300	30,900	28,700		72.7	175.1	36,800	34,000	31,600	29,300	65	
70	69.4	174.2	32,200	29,900	27,800	25,900		71.0	173.2	32,900	30,600	28,500	26,600	70	
75	67.7	172.1	29,000	27,000	25,200	23,600		69.3	171.2	29,600	27,600	25,800	24,100	75	
80	65.9	169.9	26,200	24,500	23,000	21,500		67.5	168.9	26,800	25,100	23,500	22,000	80	
85	64.2	167.4	23,800	22,300	21,000	19,700		65.8	166.5	24,300	22,800	21,400	20,100	85	
90	62.4	164.8	21,700	20,400	19,200	18,000		63.9	163.8	22,200	20,900	19,600	18,500	90	
95	60.5	162.0	19,800	18,700	17,600	16,600		62.1	161.0	20,300	19,100	18,000	17,000	95	
100	58.7	158.9	18,200	17,100	16,200	15,300		60.2	157.9	18,600	17,500	16,600	15,600	100	
105	56.7	155.7	16,700	15,800	14,900	14,100		58.3	154.6	17,000	16,100	15,300	14,400	105	
110	54.8	152.1	15,300	14,500	13,700	13,000		56.3	151.1	15,700	14,800	14,100	13,300	110	
115	52.8	148.4	14,100	13,400	12,700	12,000		54.3	147.2	14,400	13,700	13,000	12,300	115	
120	50.7	144.3	13,000	12,400	11,700	11,100		52.3	143.1	13,300	12,600	12,000	11,400	120	
125	48.6	139.9	12,000	11,400	10,800	10,300		50.1	138.7	12,300	11,600	11,100	10,500	125	
130	46.4	135.2	11,100	10,500	10,000	9,500		47.9	133.9	11,300	10,800	10,200	9,700	130	
135	44.1	130.1	10,200	9,700	9,200	8,800		45.6	128.8	10,400	9,900	9,400	9,000	135	
140	41.8	124.5	9,400	9,000	8,500	8,100		43.2	123.2	9,600	9,200	8,700	8,300	140	
145	39.3	118.5	8,700	8,300	7,900	7,500		40.7	117.0	8,800	8,400	8,000	7,600	145	
150	36.6	111.8	8,000	7,600	7,300	6,900		38.0	110.3	8,100	7,800	7,400	7,000	150	
155	33.8	104.5	7,400	7,000	6,700	6,400		35.1	102.9	7,500	7,100	6,800	6,500	155	
160	30.7	96.3	6,800	6,500	6,200	5,900		32.0	94.5	6,900	6,500	6,200	6,000	160	
164	27.6	88.8	6,300	6,000	5,800	5,500		28.6	86.8	6,400	6,100	5,800	5,600	164	
165	27.3	86.9	6,200	5,900	5,700			28.5	84.9	6,300	6,000	5,700	5,500	165	
166	26.3	84.8	6,100	5,800				27.3	82.7	6,100	5,900	5,600		166	
168	25.1	80.5	5,900					25.8	78.2	5,900	5,700			168	
169								25.4	76.0	5,800				169	

MLC150-1 S-1













75,200 lb
+
0 lb





	25°							
	ft	°	ft					
				0°	1°	2°	3°	
				 lb	 lb	 lb	 lb	
42							42	
44							44	
45							45	
46							46	
47							47	
48							48	
50							50	
51							51	
52	78.8	177.3	41,600				52	
53	77.7	177.0	41,300				53	
55	77.8	176.4	40,600	40,400			55	
56	76.8	176.1	40,300	40,100			56	
58	76.4	175.5	39,700	39,500	37,700		58	
60	76.1	174.8	39,100	38,900	36,000		60	
61	75.6	174.5	38,800	38,100	35,300	32,700	61	
65	74.4	173.1	37,500	34,800	32,300	30,000	65	
70	72.6	171.2	33,600	31,300	29,100	27,200	70	
75	70.9	169.1	30,200	28,200	26,400	24,700	75	
80	69.1	166.8	27,300	25,600	24,000	22,500	80	
85	67.3	164.3	24,800	23,300	21,900	20,600	85	
90	65.5	161.6	22,600	21,300	20,100	18,900	90	
95	63.6	158.7	20,700	19,500	18,400	17,400	95	
100	61.7	155.6	19,000	17,900	16,900	16,000	100	
105	59.7	152.3	17,400	16,500	15,600	14,700	105	
110	57.7	148.7	16,000	15,200	14,400	13,600	110	
115	55.7	144.8	14,700	14,000	13,200	12,600	115	
120	53.6	140.6	13,500	12,900	12,200	11,600	120	
125	51.4	136.1	12,500	11,900	11,300	10,700	125	
130	49.1	131.2	11,500	10,900	10,400	9,900	130	
135	46.8	125.9	10,600	10,100	9,600	9,100	135	
140	44.3	120.2	9,800	9,300	8,900	8,400	140	
145	41.7	113.9	9,000	8,600	8,200	7,800	145	
150	38.9	107.0	8,200	7,900	7,500	7,100	150	
155	36.0	99.2	7,500	7,200	6,900	6,600	155	
160	32.7	90.5	6,900	6,600	6,300	6,000	160	
164	29.6	82.4	6,400	6,100	5,900	5,600	164	
165	29.0	80.4	6,300	6,000	5,700	5,500	165	
166	28.3	78.2	6,200	5,900	5,600	5,400	166	
168							168	
169							169	




MLC150-1 S-1







	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 		
44	78.7	192.3	59,200											44	
46	78.1	191.9	59,200											46	
47	77.5	191.6	57,500	51,200										47	
48	77.5	191.4	55,900	50,200										48	
49	76.5	191.1	54,200	48,800				78.7	190.2	55,400				49	
50	76.8	190.9	52,600	47,500	43,000			78.4	190.0	53,800				50	
52	75.6	190.4	49,800	45,100	41,000			77.2	189.5	51,000	46,000			52	
53	75.4	190.1	48,500	43,900	40,000	36,400		76.8	189.2	49,600	44,900			53	
54	75.2	189.8	47,100	42,800	39,000	35,600		76.4	188.9	48,200	43,700			54	
55	75.3	189.6	45,700	41,600	38,000	34,800		76.9	188.7	46,700	42,600	38,900		55	
57	74.2	189.0	43,500	39,700	36,300	33,300		75.6	188.1	44,500	40,600	37,200		57	
58	73.8	188.7	42,400	38,700	35,500	32,600		75.4	187.8	43,400	39,600	36,300	33,300	58	
60	73.7	188.1	40,200	36,800	33,800	31,100		75.3	187.2	41,100	37,700	34,600	31,900	60	
63	72.4	187.1	37,400	34,400	31,700	29,200		73.8	186.2	38,300	35,200	32,400	30,000	63	
65	72.1	186.5	35,600	32,800	30,300	28,000		73.7	185.6	36,500	33,600	31,000	28,700	65	
70	70.5	184.7	31,800	29,400	27,300	25,300		72.1	183.8	32,600	30,100	27,900	25,900	70	
75	68.9	182.8	28,600	26,500	24,700	23,000		70.4	181.8	29,300	27,200	25,300	23,500	75	
80	67.3	180.7	25,800	24,100	22,400	20,900		68.8	179.7	26,400	24,600	23,000	21,400	80	
85	65.6	178.4	23,400	21,900	20,400	19,100		67.1	177.4	24,000	22,400	20,900	19,600	85	
90	63.9	175.9	21,300	19,900	18,700	17,500		65.4	175.0	21,800	20,400	19,100	17,900	90	
95	62.2	173.3	19,400	18,200	17,100	16,000		63.7	172.3	19,900	18,700	17,500	16,500	95	
100	60.5	170.5	17,800	16,700	15,700	14,700		62.0	169.4	18,200	17,100	16,100	15,100	100	
105	58.7	167.4	16,300	15,300	14,400	13,600		60.2	166.4	16,700	15,700	14,800	13,900	105	
110	56.9	164.2	15,000	14,100	13,300	12,500		58.4	163.1	15,300	14,400	13,600	12,800	110	
115	55.1	160.7	13,700	13,000	12,200	11,500		56.5	159.6	14,100	13,300	12,500	11,800	115	
120	53.2	156.9	12,600	11,900	11,200	10,600		54.6	155.8	12,900	12,200	11,500	10,900	120	
125	51.2	152.9	11,600	11,000	10,400	9,800		52.7	151.8	11,900	11,200	10,600	10,000	125	
130	49.2	148.6	10,700	10,100	9,500	9,000		50.6	147.5	10,900	10,300	9,800	9,200	130	
135	47.2	144.0	9,800	9,300	8,800	8,300		48.6	142.8	10,100	9,500	9,000	8,500	135	
140	45.1	139.1	9,000	8,500	8,100	7,600		46.4	137.8	9,200	8,800	8,300	7,800	140	
145	42.8	133.7	8,300	7,800	7,400	7,000		44.2	132.4	8,500	8,000	7,600	7,200	145	
150	40.5	127.9	7,600	7,200	6,800	6,400		41.9	126.5	7,800	7,400	7,000	6,600	150	
155	38.1	121.6	7,000	6,600	6,200	5,900		39.4	120.2	7,100	6,700	6,400	6,000	155	
160	35.5	114.7	6,400	6,000	5,700	5,400		36.8	113.2	6,500	6,200	5,800	5,500	160	
165	32.8	107.1	5,800	5,500	5,200	4,900		34.0	105.4	5,900	5,600	5,300	5,000	165	
170	29.8	98.6	5,300	5,000	4,700	4,400		30.9	96.7	5,400	5,100	4,800	4,500	170	
172	27.8	94.7	5,100	4,800	4,500	4,200		28.8	92.7	5,200	4,900	4,600	4,300	172	
174	26.6	90.8	4,900	4,600	4,300			27.6	88.8	4,900	4,700	4,400	4,100	174	
175	26.5	88.8	4,800	4,500				27.6	86.8	4,800	4,600	4,300		175	
177	25.0	84.5	4,600					25.7	82.3	4,600	4,400			177	
178								25.3	80.0	4,500				178	

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$






	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
44								44
46								46
47								47
48								48
49								49
50								50
52								52
53								53
54	78.8	186.9	41,500					54
55	78.5	186.7	41,200					55
57	77.2	186.1	40,600	40,400				57
58	76.8	185.8	40,300	39,800				58
60	76.9	185.2	39,700	38,500	35,500			60
63	75.4	184.2	38,200	36,000	33,300	30,700		63
65	75.2	183.5	37,300	34,400	31,800	29,400		65
70	73.6	181.7	33,300	30,900	28,600	26,600		70
75	72.0	179.7	29,900	27,800	25,900	24,200		75
80	70.3	177.6	27,100	25,200	23,500	22,000		80
85	68.6	175.3	24,500	22,900	21,500	20,100		85
90	66.9	172.8	22,300	20,900	19,600	18,400		90
95	65.1	170.1	20,400	19,100	18,000	16,900		95
100	63.4	167.2	18,600	17,500	16,500	15,500		100
105	61.6	164.1	17,100	16,100	15,100	14,300		105
110	59.7	160.8	15,700	14,800	13,900	13,100		110
115	57.8	157.2	14,400	13,600	12,800	12,100		115
120	55.9	153.4	13,200	12,500	11,800	11,100		120
125	53.9	149.3	12,200	11,500	10,900	10,300		125
130	51.9	144.8	11,200	10,600	10,000	9,400		130
135	49.8	140.1	10,300	9,700	9,200	8,700		135
140	47.6	135.0	9,400	8,900	8,400	8,000		140
145	45.3	129.5	8,600	8,200	7,700	7,300		145
150	42.9	123.5	7,900	7,500	7,100	6,700		150
155	40.3	116.9	7,200	6,800	6,500	6,100		155
160	37.7	109.7	6,600	6,200	5,900	5,600		160
165	34.8	101.6	6,000	5,700	5,400	5,100		165
170	31.6	92.6	5,400	5,100	4,800	4,500		170
172	29.8	88.4	5,200	4,900	4,600	4,300		172
174	28.6	84.2	5,000	4,700	4,400	4,100		174
175	28.0	82.1	4,800	4,600	4,300	4,000		175
177								177
178								178



MLC150-1 S-1







			5°				15°						
			0°	1°	2°	3°	0°	1°	2°	3°			
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft
45	79.0	202.2	59,200										45
46	78.7	201.9	59,100										46
48	78.1	201.5	55,500										48
49	77.5	201.3	53,900	48,200									49
50	77.5	201.0	52,300	46,900									50
51	76.8	200.8	50,900	45,700			78.7	199.9	52,000				51
52	76.6	200.5	49,500	44,600	40,200		77.8	199.6	50,600				52
54	76.2	200.0	46,800	42,200	38,300		77.3	199.1	47,800	43,200			54
55	76.0	199.8	45,400	41,100	37,300		77.5	198.9	46,500	42,100			55
56	75.6	199.5	44,300	40,100	36,500	33,200	76.8	198.6	45,300	41,100			56
57	75.2	199.2	43,200	39,200	35,600	32,500	76.6	198.3	44,200	40,100	36,500		57
59	74.4	198.7	40,900	37,200	34,000	31,100	76.2	197.7	41,900	38,200	34,800		59
60	74.5	198.4	39,800	36,300	33,200	30,400	76.0	197.5	40,800	37,200	34,000		60
61	73.8	198.1	38,900	35,500	32,500	29,800	75.6	197.2	39,900	36,400	33,300	30,500	61
62	73.6	197.8	38,000	34,700	31,800	29,200	75.2	196.8	38,900	35,600	32,600	29,900	62
65	73.0	196.9	35,300	32,300	29,700	27,300	74.5	195.9	36,200	33,100	30,500	28,000	65
66	72.6	196.5	34,500	31,700	29,100	26,800	73.6	195.6	35,400	32,500	29,800	27,500	66
70	71.5	195.2	31,500	29,000	26,700	24,700	73.0	194.2	32,300	29,700	27,400	25,300	70
75	70.0	193.3	28,300	26,100	24,100	22,400	71.5	192.4	29,000	26,800	24,800	23,000	75
80	68.4	191.4	25,500	23,600	21,900	20,300	69.9	190.4	26,100	24,200	22,500	20,900	80
85	66.9	189.2	23,100	21,400	19,900	18,500	68.3	188.2	23,700	22,000	20,500	19,100	85
90	65.3	186.9	21,000	19,500	18,200	16,900	66.7	185.9	21,500	20,000	18,700	17,400	90
95	63.7	184.4	19,100	17,800	16,600	15,500	65.1	183.4	19,600	18,300	17,100	16,000	95
100	62.1	181.8	17,400	16,300	15,200	14,200	63.5	180.8	17,900	16,700	15,700	14,600	100
105	60.4	178.9	15,900	14,900	14,000	13,100	61.8	177.9	16,400	15,300	14,400	13,400	105
110	58.7	175.9	14,600	13,700	12,800	12,000	60.1	174.9	15,000	14,100	13,200	12,300	110
115	57.0	172.7	13,400	12,500	11,800	11,000	58.4	171.6	13,700	12,900	12,100	11,300	115
120	55.3	169.2	12,300	11,500	10,800	10,100	56.7	168.1	12,600	11,800	11,100	10,400	120
125	53.5	165.5	11,300	10,600	9,900	9,300	54.9	164.4	11,600	10,900	10,200	9,600	125
130	51.7	161.6	10,300	9,700	9,100	8,500	53.0	160.4	10,600	10,000	9,400	8,800	130
135	49.8	157.3	9,500	8,900	8,300	7,800	51.1	156.2	9,700	9,100	8,600	8,100	135
140	47.8	152.8	8,700	8,200	7,600	7,200	49.2	151.6	8,900	8,400	7,900	7,400	140
145	45.8	148.0	7,900	7,500	7,000	6,600	47.2	146.8	8,200	7,700	7,200	6,700	145
150	43.8	142.8	7,300	6,800	6,400	6,000	45.1	141.5	7,400	7,000	6,600	6,200	150
155	41.6	137.2	6,600	6,200	5,800	5,400	42.9	135.9	6,800	6,400	6,000	5,600	155
160	39.4	131.2	6,000	5,600	5,300	4,900	40.6	129.8	6,200	5,800	5,400	5,100	160
170	34.5	117.5	4,900	4,500	4,200	3,800	35.7	115.9	5,000	4,700	4,300	3,900	170
175	31.8	109.6	4,300	4,000	3,600	3,300	32.9	107.9	4,500	4,100	3,700	3,400	175
180	28.9	100.8	3,800	3,400	3,100		30.0	98.8	3,900	3,500	3,200		180
183	26.2	94.7	3,400	3,100			27.2	92.7	3,500	3,200			183
184	25.6	92.7	3,300	3,000			26.6	90.6	3,400	3,100			184
185	25.7	90.7	3,200				26.7	88.6	3,300	3,000			185
187							25.2	84.0	3,100				187





MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	 25°							
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
45								45
46								46
48								48
49								49
50								50
51								51
52								52
54								54
55								55
56	78.7	196.6	41,500					56
57	77.8	196.3	41,200					57
59	77.3	195.7	40,600	39,100				59
60	77.5	195.4	40,300	38,100				60
61	76.8	195.1	39,700	37,300				61
62	76.6	194.8	39,000	36,500	33,400			62
65	76.0	193.9	37,000	34,000	31,300			65
66	75.6	193.5	36,200	33,300	30,600	28,200		66
70	74.5	192.2	33,000	30,500	28,100	26,000		70
75	72.9	190.3	29,700	27,500	25,400	23,600		75
80	71.3	188.3	26,800	24,900	23,100	21,500		80
85	69.8	186.1	24,200	22,600	21,000	19,600		85
90	68.1	183.8	22,000	20,600	19,200	17,900		90
95	66.5	181.2	20,100	18,800	17,500	16,400		95
100	64.9	178.5	18,300	17,200	16,100	15,000		100
105	63.2	175.6	16,800	15,700	14,700	13,800		105
110	61.5	172.5	15,400	14,400	13,500	12,700		110
115	59.7	169.2	14,100	13,200	12,400	11,700		115
120	57.9	165.7	12,900	12,100	11,400	10,700		120
125	56.1	161.9	11,800	11,100	10,500	9,800		125
130	54.2	157.9	10,900	10,200	9,600	9,000		130
135	52.3	153.6	10,000	9,400	8,800	8,300		135
140	50.3	148.9	9,100	8,600	8,100	7,600		140
145	48.3	144.0	8,300	7,800	7,400	6,900		145
150	46.1	138.6	7,600	7,200	6,700	6,300		150
155	43.9	132.9	6,900	6,500	6,100	5,700		155
160	41.6	126.6	6,300	5,900	5,500	5,200		160
170	36.5	112.3	5,100	4,800	4,400	4,000		170
175	33.6	104.0	4,500	4,200	3,800	3,500		175
180	30.5	94.6	3,900	3,600	3,300			180
183	28.5	88.2	3,500	3,200				183
184								184
185								185
187								187




MLC150-1 S-1




	 5°							 15°									
																	
				ft	°	ft	lb			lb	lb	lb	lb			lb	lb
47	78.9	211.8	57,000											47			
48	78.7	211.6	55,200											48			
50	78.1	211.1	52,000											50			
51	77.6	210.9	50,600	45,100										51			
52	77.2	210.7	49,200	43,900				79.0	209.8	50,200				52			
54	76.4	210.2	46,400	41,700	37,500			78.0	209.3	47,500				54			
55	76.7	209.9	45,100	40,500	36,600			78.1	209.0	46,200				55			
56	75.8	209.7	43,900	39,600	35,800			77.6	208.7	45,100	40,600			56			
58	75.4	209.1	41,700	37,700	34,200	29,600		76.8	208.2	42,800	38,600			58			
59	75.2	208.9	40,600	36,700	33,400	29,500		76.4	208.0	41,700	37,700	34,200		59			
60	75.3	208.6	39,500	35,800	32,500	29,500		76.7	207.7	40,500	36,700	33,400		60			
61	74.6	208.3	38,600	35,000	31,900	29,000		75.8	207.4	39,600	35,900	32,700		61			
63	73.8	207.7	36,800	33,400	30,500	27,800		75.4	206.8	37,700	34,300	31,300	28,400	63			
64	73.4	207.5	35,900	32,600	29,800	27,200		75.2	206.5	36,800	33,500	30,600	27,900	64			
65	73.9	207.2	34,900	31,800	29,100	26,600		75.3	206.2	35,900	32,700	29,900	27,400	65			
68	72.4	206.2	32,700	29,800	27,300	25,100		73.8	205.3	33,500	30,600	28,100	25,800	68			
70	72.4	205.6	31,100	28,500	26,100	24,000		73.8	204.6	32,000	29,300	26,900	24,700	70			
75	71.0	203.8	27,900	25,600	23,600	21,700		72.4	202.9	28,600	26,300	24,300	22,400	75			
80	69.5	202.0	25,100	23,200	21,400	19,700		70.9	201.0	25,800	23,800	22,000	20,300	80			
85	68.0	199.9	22,700	21,000	19,400	18,000		69.4	199.0	23,300	21,600	20,000	18,500	85			
90	66.5	197.8	20,600	19,100	17,700	16,400		67.9	196.8	21,200	19,600	18,200	16,900	90			
95	65.0	195.4	18,700	17,400	16,100	15,000		66.4	194.4	19,300	17,900	16,600	15,400	95			
100	63.5	192.9	17,100	15,900	14,700	13,700		64.9	191.9	17,500	16,300	15,200	14,100	100			
105	61.9	190.3	15,600	14,500	13,500	12,500		63.3	189.2	16,000	14,900	13,900	12,900	105			
110	60.4	187.4	14,200	13,200	12,300	11,500		61.7	186.4	14,600	13,600	12,700	11,800	110			
115	58.8	184.4	13,000	12,100	11,300	10,500		60.1	183.3	13,400	12,500	11,600	10,900	115			
120	57.1	181.2	11,900	11,100	10,300	9,600		58.5	180.1	12,200	11,400	10,700	9,900	120			
125	55.5	177.7	10,900	10,100	9,400	8,800		56.8	176.6	11,200	10,500	9,800	9,100	125			
130	53.8	174.1	9,900	9,300	8,600	8,000		55.1	172.9	10,200	9,600	8,900	8,300	130			
135	52.0	170.2	9,100	8,500	7,900	7,300		53.3	169.0	9,400	8,700	8,200	7,600	135			
140	50.3	166.0	8,300	7,700	7,200	6,700		51.6	164.9	8,500	8,000	7,400	6,900	140			
145	48.4	161.6	7,500	7,000	6,500	6,100		49.7	160.4	7,800	7,300	6,800	6,300	145			
150	46.6	156.9	6,900	6,400	5,900	5,400		47.8	155.7	7,100	6,600	6,100	5,700	150			
155	44.6	151.9	6,200	5,800	5,300	4,800		45.9	150.6	6,400	6,000	5,500	5,000	155			
160	42.6	146.5	5,600	5,100	4,700	4,200		43.8	145.1	5,800	5,400	4,900	4,400	160			
165	40.5	140.7	5,000	4,500	4,100	3,700		41.7	139.3	5,200	4,700	4,300	3,800	165			
170	38.3	134.4	4,400	3,900	3,500	3,100		39.5	132.9	4,500	4,100	3,700	3,300	170			
175	36.0	127.6	3,800	3,400	3,000			37.1	126.0	3,900	3,500	3,200		175			
180	33.6	120.2	3,200					34.7	118.5	3,400	3,000			180			

MLC150-1 S-1





$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	 25°							
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
47								47
48								48
50								50
51								51
52								52
54								54
55								55
56								56
58	78.7	206.2	41,400					58
59	78.0	205.9	41,100					59
60	78.1	205.6	40,900					60
61	77.6	205.3	40,000		36,800			61
63	76.8	204.8	38,400		35,200			63
64	76.4	204.5	37,600		34,400	31,400		64
65	76.7	204.2	36,800		33,600	30,700		65
68	75.4	203.2	34,400		31,500	28,900	26,400	68
70	75.2	202.6	32,800		30,100	27,600	25,400	70
75	73.8	200.8	29,400		27,100	25,000	23,000	75
80	72.3	198.9	26,500		24,500	22,600	20,900	80
85	70.8	196.8	23,900		22,200	20,600	19,100	85
90	69.3	194.6	21,700		20,200	18,700	17,400	90
95	67.7	192.2	19,800		18,400	17,100	15,900	95
100	66.2	189.7	18,000		16,800	15,600	14,600	100
105	64.6	187.0	16,400		15,300	14,300	13,300	105
110	63.0	184.1	15,000		14,000	13,100	12,200	110
115	61.4	181.0	13,800		12,800	12,000	11,200	115
120	59.7	177.7	12,600		11,800	11,000	10,200	120
125	58.0	174.2	11,500		10,800	10,100	9,400	125
130	56.3	170.5	10,500		9,800	9,200	8,600	130
135	54.5	166.5	9,600		9,000	8,400	7,800	135
140	52.7	162.2	8,800		8,200	7,700	7,100	140
145	50.8	157.7	8,000		7,500	7,000	6,500	145
150	48.9	152.9	7,300		6,800	6,300	5,900	150
155	46.9	147.7	6,600		6,100	5,700	5,200	155
160	44.8	142.1	5,900		5,500	5,100	4,600	160
165	42.6	136.1	5,300		4,900	4,400	4,000	165
170	40.3	129.6	4,700		4,200	3,800	3,400	170
175	37.9	122.6	4,000		3,600	3,300		175
180	35.4	114.8	3,400		3,100			180



$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


187.0 ft



30.0 ft

	 5°							 15°							
															
															
49	78.9	221.4	53,300												49
50	78.7	221.2	51,700												50
53	77.4	220.5	47,500	42,200											53
54	77.2	220.3	46,100	41,100				79.0	219.4	47,200					54
55	77.3	220.1	44,800	40,100				78.7	219.1	45,900					55
57	76.2	219.6	42,500	38,200	33,600			77.6	218.6	43,700					57
58	75.8	219.3	41,400	37,200	33,000			77.4	218.4	42,500	38,100				58
59	75.4	219.1	40,300	36,300	32,500			77.2	218.1	41,400	37,200				59
60	76.0	218.8	39,200	35,300	32,000	26,300		77.3	217.9	40,300	36,300				60
62	74.6	218.3	37,400	33,800	30,600	26,200		76.2	217.3	38,400	34,700	31,400			62
63	74.4	218.0	36,500	33,000	29,900	26,100		75.8	217.0	37,500	33,900	30,700			63
65	74.6	217.4	34,600	31,400	28,600	26,000		76.0	216.5	35,600	32,300	29,400	25,300		65
67	73.6	216.8	33,100	30,100	27,400	25,000		74.6	215.9	34,000	30,900	28,200	24,900		67
70	73.2	215.9	30,800	28,100	25,600	23,400		74.6	215.0	31,700	28,900	26,400	24,200		70
75	71.9	214.3	27,600	25,200	23,100	21,200		73.2	213.3	28,400	26,000	23,800	21,900		75
80	70.5	212.5	24,800	22,800	20,900	19,200		71.8	211.5	25,500	23,400	21,600	19,800		80
85	69.1	210.6	22,400	20,600	19,000	17,500		70.4	209.6	23,100	21,200	19,600	18,000		85
90	67.7	208.5	20,300	18,700	17,200	15,900		69.0	207.5	20,900	19,300	17,800	16,400		90
95	66.2	206.3	18,400	17,000	15,700	14,500		67.6	205.3	19,000	17,500	16,200	15,000		95
100	64.8	203.9	16,700	15,500	14,300	13,200		66.1	202.9	17,300	16,000	14,800	13,700		100
105	63.3	201.4	15,300	14,100	13,100	12,100		64.6	200.4	15,700	14,600	13,500	12,500		105
110	61.8	198.7	13,900	12,900	11,900	11,000		63.1	197.7	14,400	13,300	12,300	11,400		110
115	60.3	195.9	12,700	11,800	10,900	10,100		61.6	194.8	13,100	12,200	11,300	10,400		115
120	58.8	192.9	11,600	10,700	9,900	9,200		60.1	191.8	12,000	11,100	10,300	9,500		120
125	57.2	189.7	10,600	9,800	9,100	8,400		58.5	188.6	10,900	10,100	9,400	8,700		125
130	55.7	186.2	9,600	8,900	8,300	7,600		56.9	185.1	10,000	9,200	8,600	7,900		130
135	54.1	182.6	8,800	8,100	7,500	6,900		55.3	181.5	9,100	8,400	7,800	7,200		135
140	52.4	178.8	8,000	7,400	6,800	6,300		53.6	177.6	8,300	7,700	7,100	6,500		140
145	50.7	174.7	7,200	6,700	6,200	5,600		51.9	173.5	7,500	7,000	6,400	5,900		145
150	49.0	170.4	6,600	6,000	5,500	4,900		50.2	169.1	6,800	6,300	5,700	5,200		150
155	47.2	165.8	5,900	5,300	4,800	4,300		48.4	164.5	6,100	5,600	5,100	4,500		155
160	45.4	160.8	5,200	4,700	4,200	3,700		46.6	159.6	5,500	4,900	4,400	3,900		160
165	43.5	155.6	4,500	4,100	3,600	3,100		44.6	154.3	4,800	4,300	3,800	3,300		165
170	41.5	150.0	3,900	3,500	3,000			42.7	148.6	4,100	3,700	3,200			170
175	39.5	144.0	3,300					40.6	142.5	3,500	3,100				175
180								38.4	136.0	3,000					180

MLC150-1 S-1











75,200 lb
+
0 lb






		25°				
		30.0 ft				
		0°				
ft	°	ft	lb	lb	lb	ft
49						49
50						50
53						53
54						54
55						55
57						57
58						58
59	79.0	216.1	41,700			59
60	78.7	215.8	41,300			60
62	77.6	215.3	39,400			62
63	77.4	215.0	38,500	34,800		63
65	77.3	214.4	36,500	33,200		65
67	76.2	213.8	34,900	31,800	29,000	67
70	75.9	212.9	32,500	29,700	27,200	70
75	74.5	211.2	29,100	26,700	24,500	75
80	73.1	209.4	26,200	24,100	22,200	80
85	71.7	207.5	23,700	21,900	20,200	85
90	70.3	205.4	21,500	19,800	18,300	90
95	68.8	203.1	19,500	18,100	16,700	95
100	67.4	200.7	17,800	16,500	15,300	100
105	65.9	198.2	16,200	15,000	13,900	105
110	64.4	195.4	14,800	13,700	12,700	110
115	62.8	192.5	13,500	12,500	11,600	115
120	61.3	189.5	12,300	11,500	10,600	120
125	59.7	186.2	11,200	10,500	9,700	125
130	58.1	182.7	10,300	9,500	8,900	130
135	56.4	179.0	9,400	8,700	8,100	135
140	54.7	175.1	8,500	7,900	7,300	140
145	53.0	170.9	7,700	7,200	6,600	145
150	51.2	166.5	7,000	6,500	6,000	150
155	49.4	161.7	6,300	5,800	5,300	155
160	47.5	156.7	5,700	5,100	4,600	160
165	45.6	151.3	5,000	4,500	4,000	165
170	43.6	145.5	4,300	3,800	3,400	170
175	41.4	139.3	3,700	3,200		175
180	39.2	132.6	3,100			180

MLC150-1 S-1





	 5°							 15°							
															
				0°	1°	2°	3°			0°	1°	2°	3°		
				ft	o	ft	lb			lb	lb	lb	ft		
51	78.9	231.1	49,900												51
55	77.9	230.2	44,500	39,500											55
56	76.8	229.9	43,300	38,600				78.9	229.0	44,400					56
59	76.2	229.2	40,000	35,800				77.3	228.3	41,100					59
60	76.6	229.0	38,900	34,800	30,000			77.9	228.0	40,000	35,900				60
61	75.8	228.7	38,000	34,100	29,600			76.8	227.8	39,000	35,100				61
63	75.4	228.2	36,100	32,500	28,800	23,200		76.4	227.2	37,200	33,500				63
64	75.2	227.9	35,200	31,700	28,400	23,200		76.2	227.0	36,200	32,700	29,000			64
65	75.3	227.7	34,300	30,900	28,000	23,200		76.6	226.7	35,300	31,900	28,900			65
68	73.8	226.8	32,000	28,900	26,200	23,000		75.4	225.8	32,900	29,800	27,100	22,400		68
69	73.4	226.5	31,300	28,300	25,700	22,900		75.2	225.6	32,200	29,100	26,500	22,300		69
70	74.0	226.2	30,500	27,600	25,100	22,800		75.3	225.3	31,400	28,500	25,900	22,300		70
73	72.4	225.3	28,500	25,900	23,600	21,500		73.8	224.3	29,400	26,700	24,300	21,700		73
75	72.7	224.7	27,200	24,800	22,600	20,600		74.0	223.7	28,100	25,600	23,300	21,300		75
80	71.4	223.0	24,500	22,300	20,400	18,600		72.6	222.0	25,200	23,000	21,100	19,300		80
85	70.0	221.1	22,000	20,200	18,500	16,900		71.3	220.2	22,700	20,800	19,100	17,500		85
90	68.7	219.2	19,900	18,300	16,800	15,400		69.9	218.2	20,600	18,900	17,300	15,900		90
95	67.3	217.1	18,000	16,600	15,200	14,000		68.6	216.1	18,600	17,100	15,800	14,500		95
100	65.9	214.8	16,400	15,100	13,800	12,700		67.2	213.8	16,900	15,600	14,300	13,200		100
105	64.6	212.5	14,900	13,700	12,600	11,600		65.8	211.4	15,400	14,200	13,100	12,000		105
110	63.2	209.9	13,500	12,500	11,500	10,500		64.4	208.9	14,000	12,900	11,900	11,000		110
115	61.7	207.2	12,300	11,300	10,400	9,600		63.0	206.2	12,700	11,800	10,800	10,000		115
120	60.3	204.4	11,200	10,300	9,500	8,700		61.5	203.3	11,600	10,700	9,900	9,100		120
125	58.8	201.3	10,200	9,400	8,600	7,900		60.1	200.3	10,600	9,700	9,000	8,200		125
130	57.3	198.1	9,200	8,500	7,800	7,100		58.6	197.1	9,600	8,800	8,100	7,500		130
135	55.8	194.8	8,400	7,700	7,100	6,300		57.0	193.6	8,700	8,000	7,400	6,700		135
140	54.3	191.2	7,600	7,000	6,300	5,600		55.5	190.0	7,900	7,300	6,600	5,900		140
145	52.7	187.4	6,800	6,200	5,500	4,900		53.9	186.2	7,100	6,500	5,900	5,200		145
150	51.1	183.3	6,100	5,400	4,800	4,200		52.3	182.2	6,400	5,800	5,100	4,500		150
155	49.5	179.1	5,300	4,700	4,200	3,600		50.6	177.9	5,700	5,000	4,500	3,900		155
160	47.8	174.6	4,600	4,100	3,500	3,000		48.9	173.3	4,900	4,400	3,800	3,300		160
165	46.1	169.8	4,000	3,500	3,000			47.2	168.5	4,200	3,700	3,200			165
170	44.3	164.7	3,400					45.4	163.3	3,600	3,100				170
175								43.5	157.9	3,000					175

MLC150-1 S-1



25°							
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft
51							51
55							55
56							56
59							59
60							60
61	78.9	225.7	40,100				61
63	77.5	225.2	38,200				63
64	77.3	224.9	37,200				64
65	77.9	224.6	36,300	32,800			65
68	76.4	223.8	33,900	30,700			68
69	76.2	223.5	33,100	30,000	27,200		69
70	76.6	223.2	32,300	29,300	26,700		70
73	75.4	222.2	30,200	27,500	25,100	21,000	73
75	75.2	221.6	28,900	26,300	24,100	21,000	75
80	73.9	219.9	25,900	23,700	21,700	19,900	80
85	72.6	218.0	23,400	21,500	19,700	18,100	85
90	71.2	216.0	21,200	19,500	17,900	16,500	90
95	69.8	213.9	19,200	17,700	16,300	15,000	95
100	68.4	211.6	17,400	16,100	14,800	13,700	100
105	67.0	209.2	15,900	14,700	13,500	12,500	105
110	65.6	206.6	14,400	13,300	12,300	11,400	110
115	64.1	203.9	13,200	12,200	11,200	10,300	115
120	62.7	201.0	12,000	11,100	10,200	9,400	120
125	61.2	197.9	10,900	10,100	9,300	8,600	125
130	59.7	194.7	9,900	9,200	8,400	7,800	130
135	58.1	191.2	9,000	8,300	7,700	7,000	135
140	56.6	187.5	8,200	7,500	6,900	6,300	140
145	55.0	183.7	7,400	6,800	6,200	5,500	145
150	53.3	179.6	6,700	6,100	5,400	4,800	150
155	51.6	175.2	5,900	5,300	4,700	4,100	155
160	49.9	170.6	5,200	4,600	4,000	3,500	160
165	48.1	165.7	4,500	3,900	3,400		165
170	46.3	160.4	3,800	3,300			170
175	44.4	154.8	3,200				175


MLC150-1 S-1




75,200 lb
+
0 lb








360°







88.6 ft



40.0 ft




	 5°							 15°							
															
				0°	1°	2°	3°			0°	1°	2°	3°		
				ft	o	ft	lb			lb	lb	lb	ft		
34	78.8	134.1	52,400												34
36	77.9	133.6	51,800	43,800											36
38	77.0	133.1	51,300	43,400	37,800										38
40	76.0	132.5	50,700	43,100	37,600										40
41	75.5	132.2	50,500	42,900	37,500	33,300	78.7	131.1	46,900						41
42	75.1	132.0	50,300	42,700	37,300	33,200	78.2	130.8	46,800						42
43	74.5	131.6	50,000	42,500	37,200	33,100	77.5	130.5	46,600	40,100					43
44	74.2	131.3	49,800	42,400	37,000	33,000	77.3	130.2	46,400	40,000					44
45	73.5	131.0	49,500	42,200	36,900	32,900	76.5	129.9	46,300	39,900	35,100				45
46	73.3	130.7	49,300	42,000	36,800	32,800	76.3	129.5	46,100	39,800	35,000				46
47	72.5	130.3	49,000	41,900	36,600	32,700	75.5	129.2	46,000	39,600	34,900	31,300			47
48	72.4	130.0	48,800	41,700	36,500	32,500	75.4	128.8	45,800	39,500	34,900	31,300			48
50	71.4	129.2	48,400	41,400	36,300	32,400	74.5	128.1	45,500	39,300	34,700	31,200			50
52	70.2	128.4	48,000	41,100	36,100	32,200	73.2	127.3	45,200	39,100	34,500	31,000			52
54	69.4	127.6	47,500	40,800	35,800	32,000	72.4	126.5	44,900	38,900	34,400	30,900			54
55	69.1	127.2	47,300	40,600	35,700	31,900	72.1	126.1	44,800	38,800	34,300	30,800			55
60	66.7	125.0	42,900	39,900	35,100	31,400	69.6	123.8	43,000	38,300	34,000	30,500			60
65	64.2	122.5	38,400	36,400	34,500	31,000	67.2	121.3	39,000	37,100	33,700	30,300			65
70	61.7	119.7	34,600	32,900	31,400	29,900	64.6	118.5	35,200	33,500	31,900	30,100			70
75	59.1	116.6	31,400	29,900	28,600	27,400	62.0	115.4	31,900	30,500	29,100	27,900			75
80	56.5	113.2	28,600	27,400	26,200	25,200	59.3	111.9	29,100	27,900	26,700	25,600			80
85	53.7	109.5	26,200	25,200	24,200	23,200	56.5	108.1	26,600	25,600	24,600	23,600			85
90	50.9	105.3	24,100	23,200	22,300	21,500	53.7	103.9	24,500	23,600	22,700	21,900			90
95	47.9	100.7	22,200	21,400	20,700	19,900	50.6	99.2	22,600	21,800	21,000	20,300			95
100	44.7	95.6	20,600	19,900	19,200	18,600	47.4	94.0	20,900	20,200	19,500	18,900			100
105	41.4	89.8	19,100	18,500	17,900	17,300	44.0	88.1	19,300	18,700	18,100	17,600			105
110	37.8	83.3	17,700	17,200	16,700	16,200	40.3	81.5	17,900	17,400	16,900	16,400			110
115	33.8	75.8	16,500	16,000	15,600	15,200	36.3	73.8	16,700	16,200	15,800	15,300			115
120	29.4	67.0	15,400	15,000	14,600	14,200	31.7	64.7	15,500	15,100	14,700	14,400			120
121	28.0	64.9	15,200	14,800	14,400	14,000	30.0	62.4	15,300	14,900	14,500	14,200			121
122	27.0	62.8	15,000	14,600	14,200		29.0	60.1	15,100	14,700	14,300	14,000			122
123	26.0	60.7	14,700	14,400			28.0	57.8	14,900	14,500	14,200	13,800			123
124	25.3	58.6	14,500				27.0	55.6	14,600	14,300	14,000				124
125							26.2	53.3	14,400	14,100					125






MLC150-1 S-1



25°							
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft
34							34
36							36
38							38
40							40
41							41
42							42
43							43
44							44
45							45
46							46
47	79.0	126.8	31,800				47
48	78.5	126.5	31,400				48
50	77.5	125.7	30,700	30,500			50
52	76.2	124.9	30,100	29,900	29,700		52
54	75.4	124.1	29,500	29,300	29,100	27,700	54
55	75.1	123.6	29,200	29,000	28,800	27,700	55
60	72.6	121.3	27,800	27,600	27,500	27,300	60
65	70.1	118.7	26,600	26,400	26,300	26,200	65
70	67.5	115.9	25,500	25,300	25,200	25,100	70
75	64.8	112.7	24,500	24,300	24,300	24,100	75
80	62.1	109.1	23,600	23,500	23,400	23,300	80
85	59.2	105.2	22,800	22,700	22,500	22,500	85
90	56.2	100.9	22,000	21,900	21,800	21,800	90
95	53.1	96.0	21,400	21,300	21,200	20,600	95
100	49.8	90.6	20,800	20,400	19,800	19,100	100
105	46.2	84.5	19,500	18,900	18,400	17,800	105
110	42.4	77.5	18,100	17,600	17,100	16,600	110
115	38.0	69.3	16,800	16,400	15,900	15,500	115
120	33.1	59.4	15,600	15,200	14,800	14,500	120
121	31.7	57.0	15,400	15,000	14,600	14,300	121
122	30.3	54.6	15,100	14,800	14,400	14,100	122
123	29.5	52.2	14,900	14,600	14,200	13,900	123
124							124
125							125

MLC150-1 S-1






	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 		
36	78.7	143.8	52,000											36	
38	77.9	143.3	51,500	43,600										38	
40	77.0	142.8	51,000	43,200										40	
41	76.5	142.5	50,800	43,000	37,600									41	
42	76.2	142.2	50,500	42,800	37,400									42	
43	75.5	141.9	50,300	42,700	37,300	33,100	78.6	140.8	46,800					43	
44	75.3	141.6	50,100	42,500	37,200	33,000	78.2	140.5	46,600					44	
45	74.5	141.3	49,900	42,400	37,100	32,900	77.5	140.2	46,500	39,900				45	
46	74.5	141.0	49,600	42,300	36,900	32,900	77.3	139.9	46,400	39,800				46	
47	73.5	140.7	49,400	42,100	36,800	32,800	76.5	139.5	46,200	39,700	35,000			47	
48	73.6	140.4	49,200	41,900	36,700	32,600	76.5	139.2	46,000	39,600	35,000			48	
49	72.5	140.0	49,000	41,800	36,500	32,600	75.5	138.9	45,900	39,500	34,900			49	
50	72.8	139.7	48,800	41,600	36,400	32,500	75.6	138.5	45,700	39,400	34,800	31,200		50	
52	71.2	139.0	48,400	41,300	36,200	32,300	74.2	137.8	45,500	39,300	34,700	31,100		52	
54	70.4	138.2	48,000	41,000	36,000	32,100	73.4	137.0	45,200	39,100	34,500	30,900		54	
55	70.6	137.9	47,800	40,900	35,900	32,000	73.4	136.7	45,100	39,000	34,500	30,900		55	
56	69.6	137.4	46,800	40,700	35,800	31,900	72.6	136.3	44,800	38,900	34,400	30,800		56	
60	68.4	135.8	42,500	40,000	35,300	31,600	71.2	134.6	43,400	38,600	34,100	30,600		60	
65	66.2	133.5	38,000	35,900	33,900	31,200	68.9	132.3	38,800	36,600	33,800	30,400		65	
70	63.9	131.0	34,200	32,400	30,700	29,200	66.6	129.7	34,900	33,100	31,400	29,800		70	
75	61.5	128.2	31,000	29,500	28,000	26,700	64.2	126.9	31,600	30,000	28,600	27,200		75	
80	59.1	125.1	28,200	26,900	25,700	24,500	61.8	123.8	28,800	27,400	26,200	25,000		80	
85	56.7	121.7	25,800	24,700	23,600	22,600	59.3	120.4	26,300	25,200	24,100	23,000		85	
90	54.1	118.0	23,700	22,700	21,800	20,900	56.8	116.6	24,100	23,100	22,200	21,300		90	
95	51.5	114.0	21,800	21,000	20,100	19,300	54.1	112.5	22,200	21,400	20,500	19,700		95	
100	48.8	109.5	20,200	19,400	18,700	18,000	51.3	108.0	20,500	19,800	19,000	18,300		100	
105	45.9	104.6	18,700	18,000	17,400	16,700	48.4	103.0	19,000	18,300	17,700	17,000		105	
110	42.9	99.1	17,300	16,700	16,200	15,600	45.4	97.5	17,600	17,000	16,400	15,900		110	
115	39.7	93.0	16,100	15,600	15,100	14,600	42.1	91.2	16,300	15,800	15,300	14,800		115	
120	36.2	86.2	15,000	14,500	14,100	13,600	38.5	84.2	15,200	14,700	14,300	13,800		120	
125	32.4	78.3	14,000	13,600	13,200	12,800	34.6	76.1	14,100	13,700	13,300	12,900		125	
130	28.1	69.0	13,000	12,700	12,300	12,000	30.2	66.5	13,100	12,800	12,400	12,100		130	
131	27.0	66.9	12,800	12,500	12,200		28.8	64.2	13,000	12,600	12,300	12,000		131	
132	26.0	64.7	12,700	12,300			27.5	61.8	12,800	12,400	12,100	11,800		132	
133	25.2	62.5	12,500				26.3	59.5	12,600	12,300	11,900			133	
134							26.0	57.2	12,400					134	

MLC150-1 S-1




75,200 lb
+
0 lb



	 25°							
	 ft	 °	 ft					
				0°	1°	2°	3°	
				 lb	 lb	 lb	 lb	
36							36	
38							38	
40							40	
41							41	
42							42	
43							43	
44							44	
45							45	
46							46	
47							47	
48							48	
49	78.9	136.4	31,800				49	
50	78.5	136.1	31,400				50	
52	77.2	135.3	30,800	30,500			52	
54	76.4	134.6	30,200	30,000	29,800		54	
55	76.3	134.2	29,900	29,700	29,500		55	
56	75.4	133.8	29,600	29,400	29,300	29,100	56	
60	74.0	132.1	28,500	28,400	28,200	28,100	60	
65	71.7	129.7	27,300	27,200	27,000	26,900	65	
70	69.3	127.1	26,200	26,100	26,000	25,800	70	
75	66.9	124.2	25,200	25,100	25,000	24,800	75	
80	64.4	121.0	24,300	24,200	24,100	24,000	80	
85	61.9	117.5	23,500	23,400	23,300	23,200	85	
90	59.2	113.7	22,800	22,700	22,600	21,700	90	
95	56.5	109.5	22,100	21,700	20,900	20,100	95	
100	53.6	104.8	20,800	20,100	19,300	18,600	100	
105	50.6	99.6	19,300	18,600	17,900	17,300	105	
110	47.4	93.9	17,800	17,200	16,700	16,100	110	
115	44.0	87.4	16,500	16,000	15,500	15,000	115	
120	40.3	80.0	15,300	14,900	14,400	14,000	120	
125	36.1	71.3	14,200	13,800	13,400	13,100	125	
130	31.3	60.9	13,200	12,900	12,500	12,200	130	
131	30.0	58.4	13,000	12,700	12,300	12,000	131	
132	29.0	56.0	12,800	12,500	12,200	11,900	132	
133							133	
134							134	


MLC150-1 S-1




75,200 lb
+
0 lb








360°



108.3 ft




40.0 ft

	 5°							 15°							
															
															
38	78.7	153.4	51,600						150.4	46,500				38	
40	77.9	152.9	51,200	43,300				78.2	150.1	46,400				40	
42	77.1	152.4	50,800	42,900				77.5	149.8	46,300	39,800			42	
43	76.5	152.1	50,500	42,700	37,300			77.4	149.5	46,200	39,700			43	
44	76.3	151.9	50,300	42,600	37,200			76.5	149.2	46,000	39,600	34,800		44	
45	75.5	151.3	49,900	42,300	36,900	32,900		76.6	148.9	45,900	39,500	34,800		45	
46	74.5	151.0	49,700	42,200	36,800	32,800		75.6	148.5	45,800	39,500	34,700		46	
47	74.7	150.7	49,500	42,100	36,700	32,700		75.2	148.2	45,700	39,400	34,700	31,000	47	
48	73.5	150.4	49,300	41,900	36,600	32,600		74.4	147.5	45,400	39,200	34,500	30,900	48	
49	73.9	150.1	49,100	41,700	36,500	32,500		74.6	147.2	45,300	39,100	34,500	30,900	49	
50	72.6	149.7	48,900	41,600	36,400	32,400		73.6	146.8	44,900	39,000	34,400	30,900	50	
51	72.2	149.4	48,800	41,500	36,300	32,300		72.8	146.0	44,000	38,800	34,300	30,800	51	
52	71.4	148.7	48,100	41,200	36,100	32,100		72.5	145.2	43,200	38,700	34,200	30,700	52	
53	71.9	148.4	47,800	41,100	36,000	32,100		70.4	143.1	38,500	36,200	33,900	30,500	53	
54	70.6	148.0	46,700	40,800	35,900	32,000		68.3	140.8	34,700	32,700	30,900	29,300	54	
55	69.8	147.2	44,500	40,200	35,700	31,800		66.1	138.2	31,400	29,700	28,200	26,700	55	
56	69.9	146.5	42,300	39,500	35,400	31,700		63.9	135.3	28,500	27,100	25,800	24,500	56	
57	67.8	144.3	37,700	35,500	33,400	31,300		61.7	132.2	26,100	24,800	23,700	22,600	57	
58	65.7	142.0	33,900	32,000	30,300	28,600		59.4	128.9	23,900	22,800	21,800	20,800	58	
59	63.6	139.5	30,700	29,100	27,600	26,100		57.0	125.2	22,000	21,100	20,100	19,300	59	
60	61.4	136.6	28,000	26,500	25,200	24,000		54.5	121.2	20,300	19,500	18,700	17,900	60	
61	59.2	133.6	25,500	24,300	23,200	22,100		51.9	116.8	18,800	18,000	17,300	16,600	61	
62	56.9	130.2	23,400	22,400	21,400	20,400		49.3	111.9	17,400	16,700	16,100	15,500	62	
63	54.5	126.6	21,600	20,600	19,700	18,900		46.5	106.6	16,100	15,500	15,000	14,400	63	
64	52.1	122.6	19,900	19,100	18,300	17,500		43.5	100.8	15,000	14,500	13,900	13,500	64	
65	49.5	118.3	18,400	17,700	17,000	16,300		40.3	94.2	13,900	13,500	13,000	12,600	65	
66	46.9	113.5	17,100	16,400	15,800	15,200		36.9	86.8	13,000	12,500	12,100	11,700	66	
67	44.2	108.3	15,900	15,300	14,700	14,200		33.1	78.3	12,000	11,700	11,300	11,000	67	
68	41.3	102.5	14,700	14,200	13,700	13,200		30.0	72.3	11,500	11,200	10,900	10,600	68	
69	38.1	96.1	13,700	13,300	12,800	12,400		29.0	70.3	11,400	11,000	10,700	10,400	69	
70	34.8	88.9	12,800	12,400	12,000	11,600		28.8	68.3	11,200	10,900	10,600	10,300	70	
71	31.1	80.6	11,900	11,500	11,200	10,900		27.0	65.9	11,000	10,700	10,400		71	
72	28.0	74.8	11,400	11,100	10,800	10,400		26.0	63.5	10,900	10,600			72	
73	27.0	72.9	11,300	10,900	10,600			25.8	61.1	10,700				73	
74	27.0	70.9	11,100	10,800										74	
75	25.5	68.7	10,900	10,600										75	
76	25.1	66.5	10,800											76	


MLC150-1 S-1







75,200 lb
+
0 lb





108.3 ft



40.0 ft

	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
38								38
40								40
42								42
43								43
44								44
45								45
46								46
47								47
48								48
49								49
50								50
51	78.9	146.1	31,700					51
52	77.8	145.7	31,400					52
54	77.3	145.0	30,800					54
55	77.2	144.6	30,600	30,600				55
56	76.6	144.2	30,300	30,100	29,900			56
58	75.8	143.5	29,800	29,600	29,400	29,200		58
60	75.1	142.7	29,200	29,100	28,900	28,700		60
65	73.0	140.5	28,000	27,800	27,700	27,500		65
70	70.8	138.1	26,900	26,800	26,700	26,500		70
75	68.6	135.5	25,900	25,800	25,700	25,500		75
80	66.4	132.6	25,100	24,900	24,800	24,700		80
85	64.1	129.4	24,200	24,100	24,000	23,100		85
90	61.7	126.0	23,500	23,300	22,300	21,300		90
95	59.2	122.2	22,400	21,500	20,500	19,700		95
100	56.7	118.0	20,700	19,800	19,000	18,200		100
105	54.1	113.5	19,100	18,300	17,600	16,900		105
110	51.3	108.5	17,700	17,000	16,400	15,700		110
115	48.4	103.1	16,400	15,800	15,200	14,700		115
120	45.4	97.0	15,200	14,700	14,200	13,700		120
125	42.0	90.1	14,100	13,600	13,200	12,700		125
130	38.4	82.3	13,100	12,700	12,300	11,900		130
135	34.4	73.2	12,100	11,800	11,400	11,100		135
138	31.0	66.6	11,600	11,300	10,900	10,600		138
139	30.0	64.4	11,400	11,100	10,800	10,500		139
140	29.7	62.2	11,200	10,900	10,600	10,300		140
141								141
142								142
143								143


MLC150-1 S-1




75,200 lb
+
0 lb








360°





118.1 ft






40.0 ft



	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				0°  lb	1°  lb	2°  lb	3°  lb			0°  lb	1°  lb	2°  lb	3°  lb		
40	78.7	163.0		51,300										40	
42	77.9	162.5		50,800	42,900									42	
44	77.2	162.0		50,400	42,600									44	
45	76.5	161.8		50,200	42,500	37,000								45	
46	76.5	161.5		50,000	42,300	36,900		79.0	160.3	46,500				46	
48	75.7	161.0		49,600	42,100	36,700	32,600	78.2	159.8	46,300				48	
49	74.5	160.7		49,500	41,900	36,600	32,600	77.5	159.5	46,100	39,600			49	
50	75.0	160.4		49,300	41,800	36,500	32,500	77.5	159.2	46,000	39,500			50	
52	73.6	159.7		48,600	41,500	36,300	32,300	76.2	158.5	45,800	39,300	34,600		52	
53	73.4	159.4		48,200	41,400	36,200	32,200	75.8	158.2	45,700	39,300	34,600		53	
54	73.2	159.1		47,800	41,300	36,100	32,100	75.4	157.9	45,500	39,200	34,500	30,900	54	
55	73.1	158.8		47,500	41,100	36,000	32,000	75.6	157.6	45,400	39,100	34,400	30,900	55	
56	72.6	158.4		46,400	40,700	35,900	32,000	74.6	157.2	44,900	39,000	34,400	30,800	56	
58	71.8	157.7		44,200	39,900	35,700	31,800	73.8	156.5	43,900	38,900	34,300	30,700	58	
60	71.2	157.0		41,900	39,000	35,500	31,700	73.7	155.8	42,900	38,800	34,200	30,600	60	
61	70.6	156.6		41,000	38,200	35,000	31,500	72.6	155.4	42,000	38,200	34,100	30,600	61	
65	69.3	155.0		37,400	35,000	32,800	30,700	71.7	153.8	38,300	35,800	33,600	30,500	65	
70	67.3	152.9		33,600	31,500	29,700	27,900	69.7	151.6	34,400	32,300	30,400	28,600	70	
75	65.3	150.5		30,400	28,600	27,000	25,500	67.8	149.2	31,100	29,300	27,600	26,100	75	
80	63.3	147.9		27,600	26,100	24,700	23,400	65.7	146.6	28,200	26,700	25,300	23,900	80	
85	61.3	145.1		25,200	23,900	22,600	21,500	63.6	143.8	25,800	24,400	23,200	22,000	85	
90	59.2	142.1		23,100	21,900	20,800	19,800	61.5	140.7	23,600	22,400	21,300	20,300	90	
95	57.0	138.7		21,200	20,200	19,200	18,300	59.4	137.3	21,700	20,600	19,700	18,700	95	
100	54.8	135.2		19,500	18,600	17,800	17,000	57.1	133.7	20,000	19,000	18,200	17,400	100	
105	52.6	131.2		18,000	17,200	16,500	15,700	54.8	129.8	18,400	17,600	16,800	16,100	105	
110	50.2	127.0		16,700	16,000	15,300	14,600	52.5	125.5	17,000	16,300	15,600	15,000	110	
115	47.8	122.4		15,500	14,800	14,200	13,600	50.0	120.8	15,800	15,100	14,500	13,900	115	
120	45.2	117.4		14,300	13,800	13,200	12,700	47.4	115.7	14,600	14,100	13,500	13,000	120	
125	42.6	111.9		13,300	12,800	12,300	11,800	44.7	110.1	13,600	13,100	12,600	12,100	125	
130	39.8	105.8		12,400	11,900	11,500	11,100	41.8	103.9	12,600	12,100	11,700	11,300	130	
135	36.8	99.1		11,500	11,100	10,700	10,300	38.8	97.1	11,700	11,300	10,900	10,500	135	
140	33.5	91.5		10,700	10,400	10,000	9,600	35.5	89.3	10,900	10,500	10,100	9,800	140	
145	30.0	82.9		10,000	9,600	9,300	9,000	31.8	80.4	10,100	9,800	9,500	9,100	145	
147	27.4	78.8		9,700	9,400	9,100	8,800	29.4	76.2	9,800	9,500	9,200	8,900	147	
148	26.6	76.8		9,600	9,200	9,000		28.6	74.1	9,700	9,400	9,100	8,800	148	
149	25.8	74.8		9,400	9,100			27.8	72.0	9,500	9,200	8,900	8,600	149	
150	25.9	72.7		9,300				27.6	69.9	9,400	9,100	8,800		150	
151	25.0	70.5		9,100				26.0	67.5	9,200	8,900			151	
152								25.7	65.0	9,100				152	

MLC150-1 S-1




$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




		 25°						
								
 ft	 °	 ft	 lb	 lb	 lb	 lb	 ft	
40							40	
42							42	
44							44	
45							45	
46							46	
48							48	
49							49	
50							50	
52							52	
53	78.8	155.7	31,700				53	
54	78.0	155.3	31,400				54	
55	78.1	155.0	31,100				55	
56	77.6	154.6	30,800	30,600			56	
58	76.8	153.9	30,300	30,100	29,900		58	
60	76.1	153.2	29,800	29,600	29,500		60	
61	75.6	152.8	29,600	29,400	29,200	29,100	61	
65	74.2	151.2	28,700	28,500	28,300	28,200	65	
70	72.2	149.0	27,600	27,400	27,300	27,200	70	
75	70.1	146.5	26,600	26,400	26,300	26,200	75	
80	68.0	143.9	25,700	25,600	25,500	24,500	80	
85	65.9	141.0	24,900	24,800	23,700	22,500	85	
90	63.8	137.8	24,100	22,900	21,800	20,800	90	
95	61.5	134.4	22,100	21,100	20,100	19,200	95	
100	59.3	130.7	20,400	19,500	18,600	17,800	100	
105	56.9	126.6	18,800	18,000	17,200	16,500	105	
110	54.5	122.2	17,400	16,600	15,900	15,300	110	
115	51.9	117.4	16,100	15,400	14,800	14,200	115	
120	49.3	112.1	14,900	14,300	13,700	13,200	120	
125	46.5	106.3	13,800	13,300	12,800	12,300	125	
130	43.5	99.9	12,800	12,300	11,900	11,400	130	
135	40.3	92.7	11,900	11,400	11,000	10,600	135	
140	36.8	84.5	11,000	10,600	10,300	9,900	140	
145	32.8	75.0	10,200	9,800	9,500	9,200	145	
147	30.5	70.5	9,900	9,500	9,200	8,900	147	
148	29.8	68.3	9,700	9,400	9,100	8,800	148	
149	29.2	66.0	9,500	9,300	9,000	8,700	149	
150							150	
151							151	
152							152	

MLC150-1 S-1



75,200 lb
+
0 lb






	25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
41								41
42								42
44								44
46								46
47								47
48								48
50								50
51								51
54								54
55	78.8	165.3	31,600					55
57	77.2	164.6	31,100					57
58	76.8	164.3	30,900	30,700				58
60	77.0	163.6	30,400	30,200	30,000			60
63	75.4	162.5	29,700	29,500	29,300	29,200		63
65	75.2	161.7	29,200	29,000	28,900	28,700		65
70	73.3	159.7	28,200	28,000	27,900	27,700		70
75	71.4	157.4	27,200	27,000	26,900	26,200		75
80	69.5	154.9	26,300	26,200	25,400	24,000		80
85	67.5	152.3	25,500	24,600	23,300	22,000		85
90	65.5	149.4	23,800	22,600	21,400	20,300		90
95	63.5	146.2	21,900	20,800	19,700	18,700		95
100	61.4	142.8	20,100	19,100	18,200	17,300		100
105	59.3	139.1	18,500	17,600	16,800	16,000		105
110	57.1	135.2	17,100	16,300	15,600	14,800		110
115	54.8	130.9	15,800	15,100	14,400	13,800		115
120	52.4	126.2	14,600	14,000	13,400	12,800		120
125	50.0	121.1	13,500	13,000	12,400	11,900		125
130	47.4	115.6	12,500	12,000	11,500	11,000		130
135	44.7	109.5	11,600	11,100	10,700	10,200		135
140	41.8	102.8	10,700	10,300	9,900	9,500		140
145	38.7	95.2	9,900	9,600	9,200	8,800		145
150	35.3	86.7	9,200	8,800	8,500	8,200		150
155	31.5	76.7	8,500	8,200	7,900	7,600		155
156	30.0	74.4	8,300	8,000	7,700	7,500		156
157	29.0	72.1	8,200	7,900	7,600	7,300		157
158	28.9	69.8	8,000	7,800	7,500	7,200		158
159								159
160								160
161								161

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


147.6 ft

40.0 ft

	 25°						 ft
	 °	 ft					
			 lb	 lb	 lb	 lb	
45							45
46							46
48							48
50							50
52							52
55							55
58							58
59	78.8	184.6	31,600				59
60	78.4	184.3	31,400				60
61	77.6	183.9	31,100				61
62	77.2	183.6	30,900	30,700			62
65	76.8	182.6	30,300	30,100	29,900		65
68	75.4	181.5	29,600	29,500	29,300	28,300	68
70	75.2	180.8	29,200	29,100	28,900	27,700	70
75	73.5	178.8	28,300	28,200	27,000	25,200	75
80	71.8	176.6	27,400	26,300	24,600	23,000	80
85	70.1	174.3	25,600	24,000	22,500	21,100	85
90	68.4	171.8	23,300	21,900	20,600	19,400	90
95	66.7	169.1	21,300	20,100	18,900	17,800	95
100	64.9	166.2	19,600	18,500	17,400	16,400	100
105	63.1	163.1	18,000	17,000	16,000	15,200	105
110	61.2	159.7	16,600	15,700	14,800	14,000	110
115	59.3	156.1	15,300	14,500	13,700	12,900	115
120	57.4	152.3	14,100	13,300	12,600	12,000	120
125	55.4	148.1	13,000	12,300	11,700	11,100	125
130	53.3	143.7	12,000	11,400	10,800	10,200	130
135	51.2	138.9	11,100	10,500	10,000	9,500	135
140	48.9	133.7	10,200	9,700	9,200	8,800	140
145	46.6	128.1	9,400	9,000	8,500	8,100	145
150	44.2	122.1	8,700	8,200	7,800	7,500	150
155	41.6	115.4	8,000	7,600	7,200	6,900	155
160	38.9	108.1	7,300	7,000	6,600	6,300	160
165	36.0	99.9	6,700	6,400	6,100	5,800	165
170	32.7	90.7	6,100	5,800	5,500	5,300	170
173	30.2	84.2	5,800	5,500	5,200	5,000	173
175	29.1	79.9	5,500	5,300	5,000	4,800	175
176							176
177							177
178							178
179							179

MLC150-1 S-1




75,200 lb
+
0 lb








360°





157.5 ft





40.0 ft




	 5°							 15°							
															
				0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 		
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft		
47	78.9	201.8	49,400										47		
48	78.6	201.6	49,200										48		
50	78.0	201.1	49,000										50		
54	76.4	200.1	46,800	41,200	35,500								54		
55	76.5	199.8	46,300	40,700	35,400		78.8	198.8	45,300				55		
							78.5	198.6	45,200						
57	75.6	199.3	44,000	39,300	34,800	31,000	77.6	198.0	43,900	38,500			57		
60	75.0	198.5	40,700	37,100	34,000	31,000	77.0	197.2	41,900	38,200			60		
61	74.6	198.1	39,800	36,300	33,300	30,400	76.6	196.9	40,900	37,400	33,700		61		
64	73.4	197.2	37,000	33,900	31,200	28,700	75.4	195.9	38,100	35,000	32,000	29,100	64		
65	73.5	196.9	36,100	33,100	30,500	28,100	75.5	195.6	37,200	34,100	31,400	29,000	65		
67	72.6	196.2	34,600	31,800	29,300	27,000	74.2	195.0	35,600	32,800	30,200	27,900	67		
70	72.0	195.2	32,300	29,700	27,500	25,400	74.0	193.9	33,300	30,700	28,400	26,300	70		
75	70.5	193.4	29,000	26,900	24,900	23,100	72.4	192.1	29,900	27,700	25,700	23,900	75		
80	68.9	191.4	26,200	24,400	22,600	21,100	70.9	190.1	27,000	25,100	23,400	21,800	80		
85	67.4	189.3	23,800	22,200	20,600	19,300	69.3	188.0	24,600	22,900	21,300	19,900	85		
90	65.8	187.0	21,700	20,200	18,900	17,600	67.7	185.6	22,400	20,900	19,500	18,300	90		
95	64.2	184.5	19,800	18,500	17,300	16,200	66.1	183.1	20,400	19,100	17,900	16,800	95		
100	62.6	181.9	18,100	17,000	15,900	14,900	64.5	180.5	18,700	17,500	16,500	15,400	100		
105	60.9	179.0	16,600	15,600	14,600	13,700	62.8	177.6	17,200	16,100	15,100	14,200	105		
110	59.2	176.0	15,300	14,400	13,500	12,700	61.1	174.5	15,800	14,800	13,900	13,100	110		
115	57.5	172.7	14,100	13,200	12,400	11,700	59.4	171.3	14,500	13,700	12,900	12,100	115		
120	55.8	169.3	12,900	12,200	11,500	10,800	57.6	167.8	13,400	12,600	11,900	11,200	120		
125	54.0	165.6	11,900	11,200	10,600	9,900	55.8	164.0	12,300	11,600	10,900	10,300	125		
130	52.2	161.6	11,000	10,300	9,700	9,200	54.0	160.1	11,300	10,700	10,100	9,500	130		
135	50.3	157.4	10,100	9,500	9,000	8,500	52.1	155.8	10,400	9,900	9,300	8,800	135		
140	48.4	152.9	9,300	8,800	8,300	7,800	50.1	151.3	9,600	9,100	8,600	8,100	140		
145	46.4	148.1	8,600	8,100	7,600	7,200	48.1	146.4	8,900	8,400	7,900	7,400	145		
150	44.3	142.9	7,900	7,400	7,000	6,600	46.0	141.1	8,100	7,700	7,300	6,800	150		
155	42.1	137.3	7,200	6,800	6,400	6,100	43.8	135.5	7,500	7,100	6,700	6,300	155		
160	39.9	131.3	6,600	6,300	5,900	5,500	41.5	129.3	6,800	6,500	6,100	5,700	160		
165	37.5	124.8	6,100	5,700	5,400	5,100	39.1	122.7	6,200	5,900	5,600	5,200	165		
170	35.0	117.6	5,500	5,200	4,900	4,600	36.6	115.4	5,700	5,400	5,100	4,800	170		
175	32.3	109.7	5,000	4,700	4,400	4,100	33.8	107.3	5,200	4,900	4,600	4,200	175		
180	29.4	100.9	4,500	4,200	3,900	3,600	30.8	98.3	4,700	4,400	4,100	3,700	180		
182	27.8	96.9	4,300	4,000	3,700	3,400	28.8	94.1	4,400	4,200	3,800	3,500	182		
183	27.2	94.9	4,200	3,900	3,600		28.2	92.0	4,300	4,000	3,700	3,400	183		
184	26.6	92.9	4,100	3,800			27.6	90.0	4,200	3,900	3,600	3,300	184		
185	26.2	90.8	4,000	3,700			27.5	87.9	4,100	3,800	3,500		185		
186	25.5	88.7	3,900				26.3	85.5	4,000	3,700			186		
187							25.7	83.2	3,900	3,600			187		
188							25.3	80.8	3,800				188		

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$





	25°							
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
47								47
48								48
50								50
54								54
55								55
57								57
60								60
61	78.7	194.2	31,600					61
64	77.3	193.2	30,900	30,700				64
65	77.5	192.9	30,700	30,500				65
67	76.2	192.2	30,300	30,100	30,000			67
70	76.0	191.2	29,700	29,600	29,300	25,800		70
75	74.4	189.3	28,800	28,600	26,500	24,700		75
80	72.8	187.3	27,900	25,900	24,100	22,500		80
85	71.2	185.1	25,300	23,600	22,000	20,600		85
90	69.6	182.8	23,000	21,600	20,200	18,900		90
95	68.0	180.2	21,100	19,700	18,500	17,300		95
100	66.3	177.5	19,300	18,100	17,000	16,000		100
105	64.6	174.6	17,700	16,600	15,600	14,700		105
110	62.9	171.5	16,300	15,300	14,400	13,500		110
115	61.1	168.2	15,000	14,100	13,300	12,500		115
120	59.3	164.6	13,800	13,000	12,200	11,500		120
125	57.5	160.8	12,700	12,000	11,300	10,600		125
130	55.6	156.7	11,700	11,000	10,400	9,800		130
135	53.6	152.4	10,700	10,200	9,600	9,000		135
140	51.6	147.7	9,900	9,300	8,800	8,300		140
145	49.6	142.7	9,100	8,600	8,100	7,700		145
150	47.4	137.3	8,300	7,900	7,500	7,000		150
155	45.2	131.5	7,700	7,200	6,800	6,400		155
160	42.8	125.1	7,000	6,600	6,200	5,900		160
165	40.3	118.2	6,400	6,000	5,700	5,400		165
170	37.6	110.6	5,800	5,500	5,200	4,900		170
175	34.8	102.1	5,200	5,000	4,700	4,300		175
180	31.6	92.5	4,700	4,400	4,100	3,800		180
182	29.7	88.2	4,500	4,200	3,900	3,600		182
183	29.5	86.1	4,400	4,100	3,800	3,500		183
184								184
185								185
186								186
187								187
188								188




MLC150-1 S-1



			5°				15°						
			0°	1°	2°	3°	0°	1°	2°	3°			
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft
49	78.9	211.4	48,700										49
50	78.6	211.2	48,600										50
53	77.4	210.5	47,000	40,600									53
55	77.2	210.0	45,900	40,400									55
56	76.6	209.7	44,800	39,600	35,100		78.8	208.5	44,900				56
59	75.4	208.9	41,500	37,400	33,800		77.3	207.7	42,400	38,100			59
60	75.8	208.7	40,400	36,600	33,400	28,000	77.7	207.4	41,600	37,800			60
62	74.6	208.1	38,500	35,000	32,000	27,800	76.6	206.8	39,700	36,200			62
63	74.4	207.8	37,600	34,200	31,300	27,600	76.4	206.5	38,800	35,400	32,300		63
65	74.3	207.2	35,800	32,600	29,900	27,400	76.2	205.9	36,900	33,700	30,900		65
66	73.6	206.9	35,000	32,000	29,300	26,900	75.6	205.6	36,100	33,000	30,300	26,300	66
69	72.4	206.0	32,700	30,000	27,500	25,300	74.4	204.7	33,800	31,000	28,500	25,800	69
70	72.9	205.6	31,900	29,300	26,900	24,800	74.8	204.3	33,000	30,300	27,800	25,700	70
73	71.4	204.6	30,000	27,600	25,400	23,400	73.4	203.3	31,000	28,500	26,300	24,300	73
75	71.4	203.9	28,700	26,400	24,400	22,500	73.3	202.6	29,600	27,300	25,200	23,300	75
80	70.0	202.0	25,900	23,900	22,100	20,500	71.8	200.7	26,700	24,700	22,900	21,200	80
85	68.5	200.0	23,500	21,700	20,200	18,700	70.4	198.7	24,200	22,500	20,900	19,400	85
90	67.0	197.8	21,300	19,800	18,400	17,100	68.9	196.5	22,100	20,500	19,100	17,800	90
95	65.5	195.5	19,500	18,100	16,800	15,700	67.3	194.1	20,100	18,700	17,500	16,300	95
100	64.0	193.0	17,800	16,600	15,400	14,400	65.8	191.6	18,400	17,200	16,000	15,000	100
105	62.4	190.3	16,300	15,200	14,200	13,200	64.2	188.9	16,800	15,700	14,700	13,700	105
110	60.8	187.5	14,900	13,900	13,000	12,200	62.6	186.1	15,500	14,500	13,500	12,600	110
115	59.2	184.5	13,700	12,800	12,000	11,200	61.0	183.0	14,200	13,300	12,400	11,600	115
120	57.6	181.2	12,600	11,800	11,000	10,300	59.4	179.7	13,000	12,200	11,400	10,700	120
125	56.0	177.8	11,600	10,800	10,100	9,500	57.7	176.3	12,000	11,200	10,500	9,900	125
130	54.3	174.1	10,600	9,900	9,300	8,700	56.0	172.6	11,000	10,300	9,700	9,100	130
135	52.5	170.3	9,800	9,100	8,600	8,000	54.3	168.7	10,100	9,500	8,900	8,300	135
140	50.8	166.1	9,000	8,400	7,900	7,300	52.5	164.5	9,300	8,700	8,200	7,600	140
145	48.9	161.7	8,200	7,700	7,200	6,700	50.6	160.0	8,500	8,000	7,500	7,000	145
150	47.0	157.0	7,500	7,000	6,600	6,200	48.7	155.3	7,800	7,300	6,900	6,400	150
155	45.1	152.0	6,900	6,400	6,000	5,600	46.7	150.2	7,100	6,700	6,300	5,900	155
160	43.1	146.6	6,300	5,900	5,500	5,100	44.7	144.7	6,500	6,100	5,700	5,300	160
165	41.0	140.8	5,700	5,300	4,900	4,500	42.6	138.8	5,900	5,500	5,200	4,800	165
170	38.8	134.5	5,200	4,800	4,400	4,000	40.4	132.5	5,400	5,000	4,600	4,200	170
175	36.5	127.7	4,600	4,200	3,900	3,500	38.0	125.6	4,800	4,400	4,100	3,700	175
180	34.0	120.3	4,100	3,700	3,400	3,000	35.5	118.0	4,200	3,900	3,500	3,200	180
185	31.4	112.1	3,500	3,200			32.8	109.6	3,700	3,400	3,000		185
190	28.6	103.0	3,000				29.9	100.3	3,100				190
192													192

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
49							49	
50							50	
53							53	
55							55	
56							56	
59							59	
60							60	
62	79.0	204.1	31,800				62	
63	78.0	203.8	31,600				63	
65	78.1	203.2	31,200				65	
66	77.6	202.9	31,000	30,700			66	
69	76.4	201.9	30,400	30,200	29,400		69	
70	76.7	201.6	30,200	30,000	28,800		70	
73	75.4	200.5	29,600	28,900	27,200	23,500	73	
75	75.2	199.8	29,300	28,200	26,100	23,500	75	
80	73.7	197.9	27,600	25,600	23,700	22,000	80	
85	72.2	195.8	25,000	23,200	21,600	20,100	85	
90	70.7	193.6	22,800	21,200	19,800	18,400	90	
95	69.1	191.2	20,800	19,400	18,100	16,900	95	
100	67.5	188.7	19,000	17,800	16,600	15,500	100	
105	66.0	185.9	17,400	16,300	15,200	14,300	105	
110	64.3	183.0	16,000	15,000	14,000	13,100	110	
115	62.7	179.9	14,700	13,700	12,900	12,100	115	
120	61.0	176.6	13,500	12,600	11,900	11,100	120	
125	59.3	173.1	12,400	11,600	10,900	10,200	125	
130	57.6	169.3	11,400	10,700	10,000	9,400	130	
135	55.8	165.3	10,500	9,800	9,200	8,600	135	
140	54.0	161.0	9,600	9,000	8,500	7,900	140	
145	52.1	156.5	8,800	8,300	7,800	7,300	145	
150	50.1	151.6	8,100	7,600	7,100	6,600	150	
155	48.1	146.4	7,400	6,900	6,500	6,100	155	
160	46.0	140.7	6,700	6,300	5,900	5,500	160	
165	43.8	134.7	6,100	5,700	5,300	5,000	165	
170	41.5	128.1	5,500	5,200	4,800	4,400	170	
175	39.1	120.9	5,000	4,600	4,200	3,800	175	
180	36.5	113.0	4,400	4,000	3,600	3,300	180	
185	33.6	104.3	3,800	3,400	3,100		185	
190	30.5	94.3	3,200				190	
192	29.2	89.9	3,000				192	






40.0 ft



9839-A, 2021-02-26
46/135

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	 25°							
	 ft	 °	 ft					
				 0° lb	 1° lb	 2° lb		 3° lb
51							51	
55							55	
58							58	
60							60	
61							61	
62							62	
64	79.0	213.8	31,700				64	
65	78.7	213.5	31,500				65	
68	77.4	212.5	30,900	30,800			68	
69	77.2	212.2	30,700	30,600			69	
70	77.3	211.9	30,500	30,400			70	
72	76.2	211.2	30,200	29,400	27,200		72	
75	75.9	210.2	29,700	27,800	25,600	21,300	75	
80	74.5	208.4	27,300	25,200	23,300	21,300	80	
85	73.0	206.5	24,800	22,900	21,200	19,600	85	
90	71.6	204.4	22,500	20,800	19,300	17,900	90	
95	70.1	202.1	20,500	19,000	17,700	16,400	95	
100	68.7	199.7	18,700	17,400	16,200	15,000	100	
105	67.2	197.1	17,100	15,900	14,800	13,800	105	
110	65.7	194.4	15,700	14,600	13,600	12,700	110	
115	64.1	191.5	14,300	13,400	12,500	11,600	115	
120	62.5	188.4	13,200	12,300	11,400	10,700	120	
125	61.0	185.1	12,100	11,300	10,500	9,800	125	
130	59.3	181.6	11,100	10,300	9,600	9,000	130	
135	57.7	177.8	10,100	9,500	8,800	8,200	135	
140	56.0	173.9	9,300	8,700	8,100	7,500	140	
145	54.2	169.7	8,500	7,900	7,400	6,800	145	
150	52.4	165.2	7,700	7,200	6,700	6,200	150	
155	50.6	160.4	7,000	6,500	6,100	5,600	155	
160	48.7	155.4	6,400	5,900	5,500	5,000	160	
165	46.7	149.9	5,800	5,300	4,900	4,400	165	
170	44.7	144.1	5,200	4,700	4,200	3,800	170	
175	42.6	137.8	4,500	4,100	3,700	3,200	175	
180	40.3	131.0	3,900	3,500	3,100		180	
185	37.9	123.6	3,300				185	


MLC150-1 S-1




75,200 lb
+
0 lb









360°





187.0 ft





40.0 ft



	 5°							 15°							
	 ft	 °	 ft					 ft	 °					 ft	
				0°  lb	1°  lb	2°  lb	3°  lb			0°  lb	1°  lb	2°  lb	3°  lb		
53	78.8	230.7	47,200											53	
55	78.3	230.2	45,300											55	
57	77.6	229.8	43,100	38,400										57	
60	77.0	229.0	39,700	35,700				78.8	227.7	41,100				60	
61	76.6	228.8	38,800	34,900	28,900			77.8	227.5	40,200				61	
63	75.8	228.2	37,000	33,300	28,900			77.4	226.9	38,300	34,400			63	
64	75.4	228.0	36,100	32,500	28,800	22,500		77.2	226.7	37,300	33,700			64	
65	75.7	227.7	35,100	31,700	28,800	22,500		77.4	226.4	36,400	32,900			65	
66	74.8	227.4	34,400	31,100	28,200	22,500		76.8	226.1	35,600	32,200			66	
67	74.6	227.1	33,600	30,400	27,600	22,500		76.6	225.8	34,800	31,500	27,400		67	
70	74.4	226.3	31,300	28,400	25,900	22,400		76.1	225.0	32,400	29,500	26,900		70	
71	73.8	226.0	30,600	27,800	25,400	22,200		75.6	224.6	31,700	28,900	26,300	21,300	71	
74	73.2	225.0	28,700	26,100	23,800	21,600		74.4	223.7	29,700	27,100	24,800	21,200	74	
75	73.1	224.7	28,000	25,600	23,300	21,400		74.8	223.4	29,100	26,500	24,300	21,200	75	
77	72.2	224.0	26,900	24,600	22,500	20,600		73.6	222.7	27,900	25,500	23,400	20,800	77	
80	71.8	223.0	25,200	23,100	21,100	19,400		73.5	221.7	26,200	24,000	22,000	20,200	80	
85	70.5	221.2	22,800	20,900	19,200	17,600		72.2	219.8	23,700	21,700	20,000	18,400	85	
90	69.1	219.2	20,700	19,000	17,500	16,100		70.8	217.9	21,500	19,800	18,200	16,800	90	
95	67.8	217.1	18,800	17,300	15,900	14,700		69.4	215.8	19,500	18,000	16,600	15,300	95	
100	66.4	214.9	17,100	15,800	14,600	13,400		68.1	213.5	17,800	16,400	15,200	14,000	100	
105	65.0	212.5	15,600	14,400	13,300	12,300		66.7	211.1	16,200	15,000	13,900	12,800	105	
110	63.6	210.0	14,200	13,200	12,200	11,200		65.2	208.6	14,800	13,700	12,700	11,800	110	
115	62.2	207.3	13,000	12,000	11,100	10,300		63.8	205.9	13,600	12,600	11,600	10,800	115	
120	60.7	204.4	11,900	11,000	10,200	9,400		62.4	203.0	12,400	11,500	10,600	9,800	120	
125	59.3	201.4	10,900	10,100	9,300	8,600		60.9	199.9	11,300	10,500	9,700	9,000	125	
130	57.8	198.2	9,900	9,200	8,500	7,800		59.4	196.7	10,400	9,600	8,900	8,200	130	
135	56.3	194.8	9,100	8,400	7,700	7,100		57.9	193.3	9,500	8,800	8,100	7,500	135	
140	54.7	191.2	8,300	7,600	7,000	6,500		56.3	189.7	8,600	8,000	7,400	6,800	140	
145	53.2	187.4	7,500	6,900	6,400	5,800		54.7	185.8	7,900	7,300	6,700	6,200	145	
150	51.6	183.4	6,800	6,300	5,700	5,100		53.1	181.8	7,200	6,600	6,100	5,500	150	
155	49.9	179.2	6,200	5,600	5,000	4,500		51.5	177.5	6,500	6,000	5,400	4,800	155	
160	48.2	174.6	5,500	4,900	4,400	3,900		49.8	172.9	5,900	5,300	4,800	4,200	160	
165	46.5	169.8	4,800	4,300	3,800	3,300		48.0	168.1	5,200	4,700	4,100	3,600	165	
170	44.7	164.7	4,200	3,700	3,300			46.2	162.9	4,500	4,000	3,600	3,100	170	
175	42.9	159.3	3,600	3,200				44.3	157.4	3,900	3,500	3,000		175	
180	40.9	153.5	3,100					42.4	151.5	3,300				180	
185														185	

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	ft	°	ft					
				0° lb	1° lb	2° lb	3° lb	
53								53
55								55
57								57
60								60
61								61
63								63
64								64
65								65
66	78.9	223.4	31,700					66
67	77.8	223.1	31,500					67
70	77.9	222.2	31,000	30,600				70
71	76.8	221.9	30,800	30,000				71
74	76.2	220.9	30,300	28,100	24,900			74
75	76.5	220.6	30,100	27,500	24,900			75
77	75.6	219.9	28,900	26,500	24,100	19,200		77
80	75.2	218.9	27,100	24,900	22,900	19,200		80
85	73.8	217.0	24,500	22,600	20,800	19,200		85
90	72.5	215.0	22,300	20,500	18,900	17,500		90
95	71.1	212.9	20,200	18,700	17,300	16,000		95
100	69.7	210.6	18,500	17,100	15,800	14,600		100
105	68.3	208.2	16,900	15,600	14,500	13,400		105
110	66.8	205.6	15,400	14,300	13,300	12,300		110
115	65.4	202.8	14,100	13,100	12,100	11,200		115
120	63.9	199.9	12,900	12,000	11,100	10,300		120
125	62.4	196.8	11,800	11,000	10,200	9,400		125
130	60.9	193.5	10,800	10,000	9,300	8,600		130
135	59.3	190.0	9,900	9,200	8,500	7,900		135
140	57.8	186.4	9,000	8,400	7,700	7,200		140
145	56.1	182.4	8,200	7,600	7,000	6,500		145
150	54.5	178.3	7,500	6,900	6,400	5,800		150
155	52.8	173.9	6,800	6,300	5,700	5,200		155
160	51.1	169.3	6,100	5,600	5,100	4,500		160
165	49.3	164.3	5,500	4,900	4,400	3,900		165
170	47.4	159.0	4,800	4,300	3,800	3,300		170
175	45.5	153.4	4,200	3,700	3,200			175
180	43.5	147.3	3,500	3,100				180
185	41.4	140.8	3,000					185


MLC150-1 S-1



75,200 lb
+
0 lb




196.9 ft





40.0 ft

	5°			15°			
	ft	°	ft	lb	°	ft	lb
55	78.8	240.3	45,000				55
60	77.6	239.2	39,400				60
61	76.8	238.9	38,500	79.0	237.6	39,800	61
65	76.3	237.9	34,800	78.0	236.6	36,100	65
68	75.4	237.1	32,500	76.4	235.8	33,700	68
70	75.1	236.5	31,000	76.7	235.2	32,100	70
75	73.8	235.0	27,700	75.5	233.7	28,800	75
80	72.6	233.4	24,900	74.2	232.1	25,900	80
85	71.3	231.7	22,400	72.9	230.3	23,300	85
90	70.0	229.8	20,300	71.6	228.5	21,100	90
95	68.7	227.8	18,400	70.3	226.4	19,200	95
100	67.4	225.7	16,700	69.0	224.3	17,500	100
105	66.1	223.4	15,200	67.7	222.0	15,900	105
110	64.8	221.0	13,900	66.4	219.6	14,500	110
115	63.4	218.5	12,600	65.0	217.0	13,200	115
120	62.1	215.8	11,500	63.6	214.3	12,100	120
125	60.7	212.9	10,500	62.2	211.4	11,000	125
130	59.3	209.9	9,500	60.8	208.4	10,000	130
135	57.9	206.7	8,700	59.4	205.2	9,100	135
140	56.4	203.3	7,900	57.9	201.8	8,300	140
145	54.9	199.8	7,100	56.5	198.2	7,500	145
150	53.4	196.0	6,400	54.9	194.4	6,800	150
155	51.9	192.0	5,600	53.4	190.4	6,100	155
160	50.3	187.9	4,900	51.8	186.2	5,300	160
165	48.7	183.4	4,300	50.2	181.7	4,700	165
170	47.1	178.7	3,600	48.5	176.9	4,000	170
175	45.4	173.7	3,100	46.8	171.9	3,400	175
180							180

MLC150-1 S-1




75,200 lb
+
0 lb



 25°				
ft	°	ft	lb	ft
55				55
60				60
61				61
65				65
68	78.9	233.0	31,700	68
70	78.4	232.4	31,400	70
75	77.1	230.9	29,800	75
80	75.8	229.3	26,900	80
85	74.5	227.5	24,300	85
90	73.2	225.6	22,000	90
95	71.9	223.5	20,000	95
100	70.6	221.4	18,200	100
105	69.3	219.1	16,600	105
110	67.9	216.6	15,100	110
115	66.5	214.0	13,800	115
120	65.1	211.3	12,600	120
125	63.7	208.3	11,500	125
130	62.3	205.2	10,500	130
135	60.8	202.0	9,500	135
140	59.3	198.5	8,700	140
145	57.8	194.9	7,900	145
150	56.3	191.0	7,100	150
155	54.7	186.9	6,400	155
160	53.1	182.6	5,700	160
165	51.4	178.0	5,000	165
170	49.8	173.2	4,300	170
175	48.0	168.0	3,700	175
180	46.2	162.6	3,100	180


MLC150-1 S-1




75,200 lb
+
0 lb



360°





88.6 ft





50.0 ft



	5°							15°						
	ft	°	ft	0° lb	1° lb	2° lb	3° lb	°	ft	0° lb	1° lb	2° lb	3° lb	ft
37	78.7	143.7	43,400											37
38	78.3	143.4	43,100											38
39	77.5	143.2	42,900	35,800										39
40	77.5	142.9	42,700	35,700										40
42	76.6	142.4	42,200	35,400	30,600									42
44	75.8	141.8	41,800	35,100	30,400	26,800								44
45	74.5	141.5	41,600	34,900	30,200	26,700		78.9	140.2	38,800				45
46	74.9	141.2	41,400	34,800	30,100	26,600		78.5	139.9	38,700				46
48	74.1	140.5	41,000	34,500	29,900	26,400		77.6	139.3	38,400	32,600			48
50	73.2	139.9	40,600	34,200	29,700	26,300		76.8	138.6	38,100	32,500	28,400		50
52	72.2	139.1	40,200	33,900	29,500	26,100		75.2	137.8	37,800	32,300	28,200	25,100	52
54	71.4	138.4	39,800	33,600	29,300	25,900		74.4	137.1	37,500	32,100	28,100	25,000	54
55	71.0	138.0	39,600	33,500	29,200	25,800		74.6	136.7	37,400	32,000	28,000	24,900	55
56	70.4	137.6	39,500	33,400	29,100	25,800		73.6	136.3	37,200	31,900	28,000	24,900	56
58	69.2	136.8	39,100	33,100	28,900	25,600		72.8	135.5	36,900	31,700	27,800	24,800	58
60	68.8	136.0	38,700	32,900	28,700	25,500		72.3	134.6	36,700	31,600	27,700	24,700	60
65	66.6	133.7	37,900	32,200	28,200	25,100		70.1	132.3	35,500	31,100	27,400	24,500	65
70	64.3	131.1	34,900	31,700	27,700	24,800		67.8	129.8	33,500	30,700	27,100	24,200	70
75	62.0	128.3	31,600	30,100	27,300	24,400		65.4	126.9	31,800	30,300	26,800	24,000	75
80	59.6	125.3	28,900	27,600	26,300	24,100		63.0	123.8	29,500	28,200	26,500	23,800	80
85	57.1	121.9	26,500	25,300	24,200	23,200		60.5	120.4	27,000	25,900	24,800	23,600	85
90	54.6	118.2	24,400	23,400	22,400	21,500		57.9	116.7	24,900	23,900	22,900	22,000	90
95	52.0	114.2	22,500	21,600	20,800	20,000		55.3	112.6	22,900	22,100	21,200	20,400	95
100	49.2	109.7	20,800	20,100	19,300	18,600		52.5	108.0	21,200	20,500	19,700	19,000	100
105	46.4	104.8	19,300	18,700	18,000	17,400		49.6	103.0	19,700	19,000	18,400	17,700	105
110	43.4	99.4	18,000	17,400	16,800	16,300		46.5	97.5	18,300	17,700	17,100	16,600	110
115	40.2	93.3	16,800	16,200	15,700	15,200		43.2	91.3	17,000	16,500	16,000	15,500	115
120	36.7	86.4	15,600	15,200	14,700	14,300		39.7	84.3	15,900	15,400	15,000	14,500	120
125	32.9	78.6	14,600	14,200	13,800	13,400		35.8	76.2	14,800	14,400	14,000	13,600	125
130	28.6	69.4	13,700	13,300	13,000	12,600		31.3	66.6	13,800	13,500	13,100	12,800	130
131	27.0	67.2	13,500	13,100	12,800			29.8	64.2	13,600	13,300	13,000	12,600	131
132	26.0	65.1	13,300	13,000				28.6	61.8	13,500	13,100	12,800	12,500	132
133	25.7	62.9	13,100					27.4	59.4	13,300	12,900	12,600	12,300	133
134								26.2	57.0	13,100	12,800	12,500		134
135								26.0	54.6	12,900				135

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	 25°							
	 ft	 °	 ft					
				 0° lb	 1° lb	 2° lb		 3° lb
37							37	
38							38	
39							39	
40							40	
42							42	
44							44	
45							45	
46							46	
48							48	
50							50	
52							52	
54	78.7	134.3	26,000				54	
55	78.2	133.9	25,700				55	
56	77.4	133.5	25,500	25,200			56	
58	76.2	132.7	25,000	24,700	24,500		58	
60	75.9	131.8	24,500	24,200	24,000		60	
65	73.6	129.4	23,400	23,200	22,900	22,000	65	
70	71.2	126.8	22,400	22,100	21,900	21,800	70	
75	68.8	123.9	21,400	21,200	21,100	21,000	75	
80	66.3	120.7	20,600	20,400	20,300	20,100	80	
85	63.8	117.2	19,900	19,700	19,500	19,500	85	
90	61.1	113.4	19,200	19,000	18,900	18,800	90	
95	58.4	109.1	18,600	18,500	18,300	18,200	95	
100	55.5	104.5	18,100	17,900	17,700	17,700	100	
105	52.5	99.3	17,500	17,400	17,300	17,100	105	
110	49.3	93.5	17,000	17,000	16,800	16,700	110	
115	45.9	87.0	16,600	16,500	16,200	15,700	115	
120	42.1	79.5	16,100	15,600	15,200	14,700	120	
125	37.9	70.8	15,000	14,600	14,200	13,800	125	
130	33.0	60.3	13,900	13,600	13,200	12,900	130	
131	31.7	57.7	13,700	13,400	13,100	12,700	131	
132	30.3	55.1	13,500	13,200	12,900	12,600	132	
133	29.5	52.5	13,300	13,000	12,700	12,400	133	
134							134	
135							135	


MLC150-1 S-1




75,200 lb
+
0 lb








360°





98.4 ft





50.0 ft


	 5°						 15°								
	 ft	 °	 ft					 °	 ft					 ft	
				0° 	1° 	2° 	3° 			0° 	1° 	2° 			3° 
39	78.7	153.3	43,100										39		
40	78.3	153.1	42,900										40		
41	77.5	152.8	42,600	35,600									41		
42	77.5	152.5	42,400	35,500									42		
44	76.7	152.0	42,000	35,200	30,400								44		
46	75.9	151.4	41,700	34,900	30,200	26,700							46		
47	75.0	151.1	41,500	34,800	30,100	26,600	78.9	149.8	38,700				47		
48	75.1	150.8	41,300	34,600	30,000	26,500	78.5	149.5	38,500				48		
50	74.3	150.2	40,900	34,400	29,800	26,300	77.7	148.9	38,300	32,500			50		
52	73.2	149.5	40,500	34,100	29,600	26,200	76.2	148.2	38,000	32,400	28,300		52		
55	72.3	148.5	40,000	33,700	29,300	25,900	75.6	147.2	37,600	32,100	28,100	25,000	55		
56	71.6	148.1	39,800	33,600	29,200	25,900	74.6	146.8	37,500	32,000	28,000	25,000	56		
58	70.8	147.4	39,500	33,400	29,000	25,700	73.8	146.0	37,200	31,900	27,900	24,900	58		
60	70.3	146.6	39,100	33,100	28,800	25,600	73.6	145.3	37,000	31,700	27,800	24,700	60		
63	68.8	145.3	38,600	32,800	28,600	25,400	71.8	144.0	36,600	31,400	27,600	24,600	63		
65	68.2	144.5	38,300	32,600	28,400	25,200	71.5	143.1	36,300	31,300	27,500	24,500	65		
70	66.1	142.2	34,500	32,000	28,000	24,900	69.4	140.8	34,800	30,900	27,200	24,300	70		
75	64.0	139.6	31,300	29,600	27,500	24,600	67.2	138.2	32,000	30,400	27,000	24,100	75		
80	61.8	136.8	28,500	27,100	25,800	24,200	65.0	135.4	29,200	27,700	26,400	23,900	80		
85	59.6	133.8	26,100	24,900	23,700	22,600	62.7	132.3	26,700	25,500	24,300	23,200	85		
90	57.3	130.4	24,000	22,900	21,900	20,900	60.4	128.9	24,500	23,400	22,400	21,400	90		
95	54.9	126.8	22,100	21,200	20,300	19,400	58.0	125.2	22,600	21,700	20,700	19,900	95		
100	52.5	122.8	20,400	19,600	18,800	18,000	55.6	121.2	20,900	20,000	19,200	18,500	100		
105	50.0	118.5	18,900	18,200	17,500	16,800	53.0	116.8	19,400	18,600	17,900	17,200	105		
110	47.3	113.7	17,600	16,900	16,300	15,700	50.3	112.0	18,000	17,300	16,700	16,000	110		
115	44.6	108.5	16,400	15,800	15,200	14,700	47.5	106.7	16,700	16,100	15,500	15,000	115		
120	41.7	102.8	15,200	14,700	14,200	13,700	44.6	100.8	15,500	15,000	14,500	14,000	120		
125	38.6	96.4	14,200	13,800	13,300	12,900	41.4	94.2	14,500	14,000	13,600	13,100	125		
130	35.3	89.2	13,300	12,900	12,500	12,100	38.0	86.8	13,500	13,100	12,700	12,300	130		
135	31.6	80.9	12,400	12,000	11,700	11,300	34.2	78.4	12,600	12,200	11,900	11,500	135		
139	27.8	73.2	11,800	11,400	11,100	10,800	30.0	70.3	11,900	11,600	11,300	10,900	139		
140	27.4	71.3	11,600	11,300	11,000		29.9	68.3	11,700	11,400	11,100	10,800	140		
141	26.0	69.1	11,400	11,100			28.0	65.8	11,600	11,300	11,000	10,700	141		
142	25.6	66.9	11,300				27.0	63.4	11,400	11,100	10,800		142		
143							26.0	60.9	11,200	11,000			143		
144							25.8	58.5	11,100				144		

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	ft	°	ft					
				lb	lb	lb	lb	
39								39
40								40
41								41
42								42
44								44
46								46
47								47
48								48
50								50
52								52
55								55
56	78.6	144.0	26,000					56
58	77.0	143.2	25,500	25,300				58
60	76.9	142.4	25,100	24,800	24,500			60
63	74.8	141.1	24,400	24,200	23,900	23,500		63
65	74.8	140.2	24,000	23,700	23,500	23,300		65
70	72.6	137.8	22,900	22,800	22,600	22,300		70
75	70.4	135.1	22,100	21,900	21,700	21,500		75
80	68.2	132.2	21,300	21,100	20,900	20,700		80
85	65.9	129.1	20,500	20,300	20,200	20,000		85
90	63.5	125.6	19,800	19,600	19,500	19,400		90
95	61.0	121.8	19,200	19,100	18,900	18,700		95
100	58.5	117.7	18,600	18,500	18,300	18,200		100
105	55.8	113.1	18,100	17,900	17,800	17,600		105
110	53.1	108.1	17,600	17,500	17,000	16,400		110
115	50.2	102.6	17,000	16,400	15,800	15,300		115
120	47.1	96.5	15,800	15,300	14,800	14,300		120
125	43.7	89.6	14,700	14,200	13,800	13,300		125
130	40.1	81.7	13,700	13,300	12,900	12,500		130
135	36.0	72.6	12,700	12,400	12,000	11,700		135
139	32.0	63.7	12,000	11,700	11,400	11,000		139
140	31.2	61.5	11,800	11,500	11,200	10,900		140
141	30.0	58.8	11,600	11,300	11,000	10,700		141
142	29.0	56.2	11,500	11,200	10,900	10,600		142
143								143
144								144


MLC150-1 S-1



75,200 lb
+
0 lb






360°





108.3 ft







50.0 ft



	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 0°	 1°	 2°	 3°			 0°	 1°	 2°	 3°		
41	78.7	162.9	42,800											41	
42	78.3	162.7	42,600											42	
43	77.5	162.4	42,400	35,400										43	
44	77.6	162.2	42,200	35,200										44	
46	76.8	161.7	41,800	35,000	30,200									46	
48	76.1	161.1	41,500	34,700	30,000									48	
49	75.5	160.8	41,300	34,600	29,900	26,400	78.8	159.5	38,500					49	
50	75.3	160.5	41,100	34,500	29,800	26,400	78.5	159.2	38,400					50	
52	74.2	159.9	40,800	34,200	29,700	26,200	77.2	158.5	38,200					52	
54	73.4	159.2	40,400	34,000	29,500	26,100	76.4	157.9	37,900	32,300	28,200			54	
55	73.5	158.9	40,300	33,900	29,400	26,000	76.6	157.6	37,800	32,200	28,100			55	
57	72.2	158.2	39,900	33,700	29,200	25,900	75.2	156.8	37,600	32,000	28,000	24,900		57	
60	71.6	157.2	39,400	33,300	29,000	25,600	74.7	155.8	37,200	31,800	27,800	24,800		60	
63	69.8	156.0	38,600	33,000	28,700	25,500	72.8	154.6	36,900	31,600	27,700	24,600		63	
65	69.6	155.2	38,000	32,700	28,500	25,300	72.7	153.8	36,600	31,400	27,500	24,600		65	
70	67.7	153.0	34,200	32,200	28,100	25,000	70.8	151.6	35,100	31,100	27,300	24,400		70	
75	65.7	150.7	31,000	29,200	27,600	24,700	68.8	149.2	31,800	30,000	27,100	24,200		75	
80	63.7	148.1	28,200	26,700	25,300	24,000	66.7	146.6	29,000	27,400	26,000	24,100		80	
85	61.7	145.3	25,800	24,500	23,300	22,100	64.7	143.8	26,500	25,100	23,900	22,700		85	
90	59.6	142.2	23,700	22,500	21,500	20,400	62.5	140.7	24,300	23,100	22,000	21,000		90	
95	57.4	138.9	21,800	20,800	19,800	18,900	60.4	137.3	22,400	21,300	20,400	19,400		95	
100	55.2	135.3	20,200	19,300	18,400	17,600	58.1	133.7	20,700	19,700	18,900	18,000		100	
105	52.9	131.4	18,700	17,900	17,100	16,400	55.8	129.8	19,100	18,300	17,500	16,800		105	
110	50.6	127.2	17,300	16,600	15,900	15,300	53.5	125.5	17,700	17,000	16,300	15,600		110	
115	48.2	122.6	16,100	15,400	14,800	14,200	51.0	120.8	16,500	15,800	15,200	14,600		115	
120	45.6	117.6	15,000	14,400	13,800	13,300	48.4	115.7	15,300	14,700	14,200	13,600		120	
125	43.0	112.1	14,000	13,400	12,900	12,500	45.7	110.1	14,300	13,700	13,200	12,700		125	
130	40.2	106.0	13,000	12,600	12,100	11,700	42.9	103.9	13,300	12,800	12,400	11,900		130	
135	37.2	99.3	12,100	11,700	11,300	10,900	39.8	97.1	12,400	12,000	11,600	11,200		135	
140	34.0	91.8	11,300	11,000	10,600	10,300	36.5	89.3	11,500	11,200	10,800	10,500		140	
145	30.4	83.2	10,600	10,300	9,900	9,600	32.8	80.4	10,800	10,400	10,100	9,800		145	
148	27.6	77.1	10,200	9,900	9,600	9,300	29.6	74.1	10,300	10,000	9,700	9,400		148	
149	26.8	75.1	10,000	9,700	9,400		28.8	72.0	10,200	9,900	9,600	9,300		149	
150	26.4	73.1	9,900	9,600			28.6	69.9	10,000	9,700	9,400	9,200		150	
151	25.5	70.8	9,800				27.0	67.4	9,900	9,600	9,300			151	
152							26.0	64.9	9,700	9,500				152	
153							25.7	62.4	9,600					153	

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	 ft	 °	 ft					
				 0° lb	 1° lb	 2° lb	 3° lb	
41								41
42								42
43								43
44								44
46								46
48								48
49								49
50								50
52								52
54								54
55								55
57	79.0	153.9	26,300					57
60	77.8	152.8	25,500	25,300				60
63	75.8	151.6	24,900	24,600	24,400			63
65	75.8	150.8	24,500	24,200	24,000	23,800		65
70	73.8	148.6	23,500	23,300	23,100	22,800		70
75	71.8	146.1	22,600	22,400	22,200	22,000		75
80	69.7	143.5	21,800	21,600	21,400	21,200		80
85	67.6	140.6	21,100	20,800	20,700	20,600		85
90	65.4	137.4	20,400	20,200	20,000	19,900		90
95	63.2	134.0	19,700	19,600	19,400	19,300		95
100	60.9	130.2	19,100	19,000	18,900	18,500		100
105	58.5	126.2	18,600	18,500	18,000	17,200		105
110	56.1	121.7	18,100	17,400	16,700	16,000		110
115	53.5	116.9	16,800	16,200	15,500	14,900		115
120	50.9	111.6	15,600	15,000	14,500	13,900		120
125	48.1	105.8	14,500	14,000	13,500	13,000		125
130	45.1	99.3	13,500	13,000	12,600	12,200		130
135	41.8	92.1	12,600	12,200	11,700	11,400		135
140	38.3	83.9	11,700	11,300	11,000	10,600		140
145	34.3	74.2	10,900	10,500	10,200	9,900		145
148	31.0	67.2	10,400	10,100	9,800	9,500		148
149	30.0	64.9	10,200	9,900	9,600	9,400		149
150	29.7	62.6	10,100	9,800	9,500	9,200		150
151								151
152								152
153								153


MLC150-1 S-1




75,200 lb
+
0 lb








360°



118.1 ft




50.0 ft

	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
42	79.0	172.8	42,600										42		
44	78.3	172.3	42,200										44		
45	77.5	172.1	42,100	35,100									45		
46	77.6	171.8	41,900	35,000									46		
48	76.9	171.3	41,600	34,800	30,000								48		
50	76.2	170.8	41,200	34,500	29,800								50		
51	75.6	170.5	41,100	34,400	29,700	26,300	78.8	169.1	38,400				51		
54	74.4	169.6	40,600	34,100	29,500	26,100	77.3	168.2	38,000	32,300			54		
55	74.4	169.3	40,400	33,900	29,400	26,000	77.4	167.9	37,900	32,200			55		
57	73.2	168.6	40,100	33,700	29,300	25,900	76.2	167.2	37,700	32,000	28,000		57		
59	72.4	167.9	39,800	33,500	29,100	25,700	75.4	166.5	37,500	31,900	27,900	24,800	59		
60	72.7	167.6	39,600	33,400	29,000	25,700	75.6	166.2	37,400	31,900	27,900	24,800	60		
62	71.2	166.9	38,900	33,200	28,800	25,600	74.2	165.5	37,200	31,700	27,700	24,700	62		
65	70.9	165.8	37,700	32,900	28,600	25,400	73.8	164.4	36,800	31,500	27,600	24,600	65		
67	69.6	165.0	36,200	32,400	28,400	25,300	72.2	163.5	36,000	31,400	27,500	24,500	67		
70	69.1	163.8	33,900	31,700	28,200	25,100	72.0	162.3	34,800	31,200	27,300	24,400	70		
75	67.2	161.6	30,600	28,800	27,100	24,800	70.1	160.1	31,500	29,600	27,100	24,200	75		
80	65.4	159.2	27,900	26,200	24,800	23,400	68.2	157.7	28,600	27,000	25,500	24,000	80		
85	63.5	156.6	25,400	24,000	22,700	21,500	66.3	155.1	26,200	24,700	23,400	22,200	85		
90	61.5	153.8	23,300	22,100	20,900	19,800	64.3	152.2	24,000	22,700	21,600	20,400	90		
95	59.6	150.7	21,400	20,400	19,300	18,400	62.3	149.1	22,000	20,900	19,900	18,900	95		
100	57.5	147.4	19,800	18,800	17,900	17,000	60.3	145.8	20,300	19,300	18,400	17,500	100		
105	55.5	143.9	18,300	17,400	16,600	15,800	58.2	142.2	18,800	17,900	17,100	16,300	105		
110	53.3	140.0	16,900	16,200	15,400	14,700	56.1	138.3	17,400	16,600	15,900	15,100	110		
115	51.2	135.9	15,700	15,000	14,300	13,700	53.9	134.1	16,100	15,400	14,700	14,100	115		
120	48.9	131.4	14,600	14,000	13,400	12,800	51.6	129.6	15,000	14,300	13,700	13,100	120		
125	46.5	126.6	13,600	13,000	12,500	11,900	49.2	124.7	13,900	13,300	12,800	12,300	125		
130	44.1	121.3	12,600	12,100	11,600	11,100	46.7	119.3	12,900	12,400	11,900	11,400	130		
135	41.5	115.5	11,800	11,300	10,900	10,400	44.1	113.4	12,000	11,600	11,100	10,700	135		
140	38.8	109.2	11,000	10,500	10,100	9,700	41.3	106.9	11,200	10,800	10,400	10,000	140		
145	35.9	102.1	10,200	9,800	9,500	9,100	38.3	99.8	10,400	10,000	9,700	9,300	145		
150	32.8	94.3	9,500	9,200	8,900	8,500	35.1	91.7	9,700	9,400	9,000	8,700	150		
155	29.3	85.3	8,900	8,600	8,300	8,000	31.5	82.4	9,000	8,700	8,400	8,100	155		
156	28.2	83.2	8,700	8,400	8,200	7,900	30.2	80.2	8,900	8,600	8,300	8,000	156		
158	26.6	79.0	8,500	8,200	7,900		28.6	75.8	8,600	8,300	8,100	7,800	158		
159	25.8	76.9	8,400	8,100			27.8	73.6	8,500	8,200	7,900	7,700	159		
160	25.4	74.8	8,200				27.4	71.4	8,400	8,100	7,800		160		
161							26.0	68.9	8,200	8,000			161		
162							25.6	66.3	8,100				162		


MLC150-1 S-1






75,200 lb
+
0 lb





118.1 ft



50.0 ft

	 25°							 ft
	 °	 ft						
			 lb	 lb	 lb	 lb		
42							42	
44							44	
45							45	
46							46	
48							48	
50							50	
51							51	
54							54	
55							55	
57							57	
59	79.0	163.6	26,200				59	
60	78.6	163.2	26,000				60	
62	77.2	162.5	25,500	25,300			62	
65	76.7	161.3	24,900	24,700	24,500		65	
67	75.2	160.5	24,500	24,300	24,100	23,700	67	
70	74.9	159.3	24,000	23,700	23,500	23,300	70	
75	73.0	157.0	23,100	22,900	22,700	22,500	75	
80	71.0	154.5	22,300	22,100	21,900	21,700	80	
85	69.1	151.8	21,600	21,400	21,200	21,100	85	
90	67.1	148.9	20,900	20,700	20,500	20,400	90	
95	65.1	145.8	20,300	20,100	19,900	19,500	95	
100	63.0	142.4	19,700	19,500	18,900	18,100	100	
105	60.8	138.7	19,200	18,400	17,600	16,800	105	
110	58.6	134.7	17,800	17,000	16,300	15,600	110	
115	56.3	130.4	16,500	15,800	15,100	14,500	115	
120	54.0	125.7	15,300	14,700	14,100	13,500	120	
125	51.5	120.6	14,200	13,700	13,100	12,600	125	
130	48.9	115.0	13,200	12,700	12,200	11,700	130	
135	46.2	108.9	12,300	11,800	11,400	10,900	135	
140	43.3	102.1	11,400	11,000	10,600	10,200	140	
145	40.1	94.5	10,600	10,200	9,800	9,500	145	
150	36.7	85.9	9,800	9,500	9,200	8,800	150	
155	32.8	75.8	9,100	8,800	8,500	8,200	155	
156	31.3	73.4	8,900	8,700	8,400	8,100	156	
158	29.8	68.7	8,700	8,400	8,100	7,900	158	
159	29.2	66.3	8,500	8,300	8,000	7,700	159	
160							160	
161							161	
162							162	


MLC150-1 S-1




75,200 lb
+
0 lb










360°




128.0 ft





50.0 ft



	 5°							 15°									
																	
				ft	o	ft	lb			lb	lb	lb	lb			lb	lb
44	78.9	182.4	42,200						78.8	178.7	38,100				44		
46	78.3	182.0	41,900						78.1	178.1	38,000				46		
47	77.5	181.7	41,800	34,800											47		
48	77.6	181.5	41,600	34,700											48		
50	77.0	181.0	41,300	34,500	29,800										50		
53	75.4	180.1	40,800	34,200	29,500	26,100	78.8	178.7	38,100						53		
55	75.3	179.6	40,500	34,000	29,400	26,000	78.1	178.1	38,000						55		
56	74.6	179.2	40,400	33,900	29,300	25,900	77.6	177.8	37,900	32,100					56		
59	73.4	178.3	40,000	33,500	29,100	25,700	76.4	176.9	37,600	31,900	27,900				59		
60	73.7	178.0	39,800	33,400	29,000	25,700	76.4	176.6	37,500	31,800	27,800				60		
61	72.6	177.7	39,300	33,300	28,900	25,600	75.6	176.2	37,400	31,800	27,800				61		
62	72.2	177.3	38,800	33,200	28,900	25,500	75.2	175.9	37,300	31,700	27,700	24,600			62		
64	71.4	176.6	37,900	33,000	28,700	25,400	74.4	175.2	37,100	31,600	27,600	24,600			64		
65	72.0	176.3	37,400	32,900	28,600	25,300	74.7	174.8	36,900	31,500	27,600	24,500			65		
67	70.6	175.5	35,800	32,300	28,500	25,200	73.6	174.1	36,000	31,400	27,500	24,500			67		
70	70.3	174.4	33,500	31,200	28,300	25,100	73.0	172.9	34,600	31,200	27,400	24,400			70		
75	68.6	172.3	30,300	28,300	26,500	24,800	71.3	170.9	31,200	29,200	27,200	24,200			75		
80	66.8	170.1	27,500	25,800	24,200	22,800	69.5	168.6	28,400	26,600	25,000	23,500			80		
85	65.0	167.7	25,100	23,600	22,200	20,900	67.7	166.2	25,900	24,400	23,000	21,600			85		
90	63.2	165.1	23,000	21,700	20,400	19,300	65.9	163.5	23,700	22,400	21,100	19,900			90		
95	61.4	162.2	21,100	19,900	18,900	17,800	64.1	160.7	21,700	20,600	19,500	18,400			95		
100	59.5	159.2	19,400	18,400	17,400	16,500	62.2	157.6	20,000	19,000	18,000	17,100			100		
105	57.6	155.9	17,900	17,000	16,100	15,300	60.3	154.3	18,500	17,500	16,700	15,800			105		
110	55.7	152.4	16,600	15,700	15,000	14,200	58.3	150.7	17,100	16,200	15,400	14,700			110		
115	53.7	148.6	15,300	14,600	13,900	13,200	56.3	146.9	15,800	15,100	14,300	13,600			115		
120	51.7	144.6	14,200	13,600	12,900	12,300	54.2	142.8	14,700	14,000	13,300	12,700			120		
125	49.5	140.2	13,200	12,600	12,000	11,500	52.0	138.3	13,600	13,000	12,400	11,800			125		
130	47.3	135.5	12,300	11,700	11,200	10,700	49.8	133.5	12,600	12,100	11,500	11,000			130		
135	45.1	130.4	11,400	10,900	10,400	10,000	47.5	128.4	11,700	11,200	10,700	10,300			135		
140	42.7	124.8	10,600	10,100	9,700	9,300	45.1	122.7	10,900	10,400	10,000	9,600			140		
145	40.2	118.8	9,900	9,400	9,000	8,700	42.6	116.6	10,100	9,700	9,300	8,900			145		
150	37.6	112.2	9,200	8,800	8,400	8,100	39.9	109.8	9,400	9,000	8,600	8,300			150		
155	34.7	104.9	8,500	8,200	7,800	7,500	37.0	102.3	8,700	8,400	8,000	7,700			155		
160	31.7	96.7	7,900	7,600	7,300	7,000	33.8	93.9	8,100	7,800	7,500	7,200			160		
165	28.3	87.4	7,300	7,100	6,800	6,500	30.3	84.3	7,500	7,200	6,900	6,700			165		
166	27.3	85.2	7,200	7,000	6,700		29.2	82.0	7,300	7,100	6,800	6,600			166		
168	25.8	80.9	7,000	6,700			27.6	77.4	7,100	6,900	6,600	6,400			168		
169	25.3	78.8	6,900				26.8	75.1	7,000	6,800	6,500				169		
170							26.3	72.8	6,900	6,600					170		
171							25.4	70.3	6,800						171		

MLC150-1 S-1








75,200 lb
+
0 lb







	25°							
	ft	°	ft					
				0°	1°	2°	3°	
				lb	lb	lb	lb	
44							44	
46							46	
47							47	
48							48	
50							50	
53							53	
55							55	
56							56	
59							59	
60							60	
61	78.9	173.2	26,200				61	
62	77.8	172.8	26,000				62	
64	77.3	172.1	25,600	25,300			64	
65	77.5	171.8	25,400	25,100			65	
67	76.2	171.0	25,000	24,700	24,500		67	
70	75.8	169.8	24,400	24,200	24,000	23,600	70	
75	74.0	167.7	23,600	23,400	23,200	22,900	75	
80	72.2	165.4	22,800	22,600	22,400	22,200	80	
85	70.4	162.9	22,000	21,800	21,700	21,500	85	
90	68.5	160.2	21,400	21,200	21,100	20,600	90	
95	66.6	157.3	20,700	20,600	20,100	19,000	95	
100	64.7	154.1	20,200	19,600	18,600	17,600	100	
105	62.8	150.8	19,000	18,100	17,200	16,300	105	
110	60.7	147.1	17,600	16,700	15,900	15,100	110	
115	58.7	143.2	16,300	15,500	14,800	14,100	115	
120	56.5	139.0	15,100	14,400	13,700	13,100	120	
125	54.3	134.4	14,000	13,300	12,700	12,200	125	
130	52.0	129.4	13,000	12,400	11,800	11,300	130	
135	49.6	124.1	12,000	11,500	11,000	10,500	135	
140	47.1	118.2	11,100	10,700	10,200	9,800	140	
145	44.5	111.8	10,300	9,900	9,500	9,100	145	
150	41.6	104.7	9,600	9,200	8,800	8,500	150	
155	38.6	96.8	8,900	8,500	8,200	7,900	155	
160	35.2	87.8	8,200	7,900	7,600	7,300	160	
165	31.4	77.3	7,500	7,300	7,000	6,700	165	
166	30.0	74.9	7,400	7,100	6,900	6,600	166	
168	28.9	70.0	7,200	6,900	6,700	6,400	168	
169							169	
170							170	
171							171	





MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	 25°							
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
46								46
48								48
49								49
50								50
53								53
55								55
56								56
58								58
60								60
61								61
63	78.9	182.8	26,100					63
64	78.0	182.5	26,000					64
65	78.2	182.1	25,800					65
66	77.6	181.8	25,600	25,300				66
69	76.4	180.7	25,000	24,800	24,600			69
70	76.6	180.3	24,900	24,600	24,400			70
72	75.2	179.5	24,500	24,300	24,100	23,500		72
75	74.9	178.3	24,000	23,800	23,600	23,400		75
80	73.2	176.2	23,200	23,000	22,800	22,600		80
85	71.5	173.8	22,500	22,300	22,100	21,900		85
90	69.8	171.3	21,800	21,600	21,400	20,100		90
95	68.0	168.6	21,200	20,900	19,700	18,600		95
100	66.3	165.7	20,300	19,200	18,100	17,100		100
105	64.4	162.5	18,700	17,700	16,800	15,900		105
110	62.6	159.2	17,300	16,400	15,500	14,700		110
115	60.7	155.6	16,000	15,100	14,400	13,600		115
120	58.7	151.7	14,800	14,000	13,300	12,600		120
125	56.7	147.5	13,700	13,000	12,300	11,700		125
130	54.6	143.1	12,600	12,000	11,500	10,900		130
135	52.5	138.3	11,700	11,200	10,600	10,100		135
140	50.3	133.1	10,800	10,300	9,800	9,400		140
145	47.9	127.5	10,000	9,600	9,100	8,700		145
150	45.5	121.3	9,300	8,900	8,400	8,000		150
155	42.9	114.7	8,600	8,200	7,800	7,400		155
160	40.2	107.3	7,900	7,500	7,200	6,900		160
170	33.9	89.7	6,600	6,400	6,100	5,800		170
174	30.6	80.9	6,200	5,900	5,700	5,400		174
175	30.2	78.8	6,100	5,800	5,600	5,300		175
176	29.4	76.3	6,000	5,700	5,500	5,200		176
177								177
178								178
179								179
180								180

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$



	 25°						 ft
	 °	 ft					
			0°  lb	1°  lb	2°  lb	3°  lb	
48							48
50							50
51							51
55							55
57							57
58							58
60							60
63							63
65	78.8	192.4	26,200				65
67	77.6	191.7	25,800				67
68	77.4	191.4	25,600	25,300			68
70	77.3	190.7	25,200	25,000			70
71	76.6	190.3	25,100	24,800	24,500		71
75	75.7	188.8	24,400	24,200	23,900	22,300	75
80	74.1	186.8	23,700	23,400	23,200	22,300	80
85	72.5	184.6	22,900	22,700	22,500	21,400	85
90	70.9	182.2	22,200	22,000	21,000	19,700	90
95	69.3	179.7	21,600	20,600	19,300	18,200	95
100	67.6	177.0	20,100	18,900	17,800	16,800	100
105	65.9	174.1	18,500	17,400	16,400	15,500	105
110	64.2	170.9	17,100	16,100	15,200	14,300	110
115	62.4	167.6	15,700	14,900	14,000	13,300	115
120	60.6	164.0	14,500	13,700	13,000	12,300	120
125	58.8	160.2	13,400	12,700	12,000	11,400	125
130	56.9	156.1	12,400	11,800	11,100	10,500	130
135	54.9	151.7	11,500	10,900	10,300	9,800	135
140	52.9	147.0	10,600	10,100	9,500	9,000	140
145	50.8	142.0	9,800	9,300	8,800	8,400	145
150	48.6	136.6	9,100	8,600	8,200	7,700	150
155	46.4	130.7	8,300	7,900	7,500	7,100	155
160	44.0	124.4	7,700	7,300	6,900	6,600	160
165	41.5	117.4	7,100	6,700	6,400	6,000	165
170	38.8	109.7	6,500	6,100	5,800	5,500	170
175	35.9	101.2	5,900	5,600	5,300	5,000	175
180	32.7	91.5	5,400	5,100	4,800	4,600	180
182	30.8	86.9	5,100	4,900	4,700	4,400	182
184	29.6	82.4	4,900	4,700	4,500	4,200	184
185	29.1	80.1	4,800	4,600	4,400	4,100	185
186							186
187							187
188							188
189							189

MLC150-1 S-1



25°							
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft
50							50
54							54
55							55
57							57
58							58
60							60
61							61
62							62
65							65
67	78.8	202.1	26,100				67
69	77.3	201.4	25,800				69
70	77.9	201.1	25,600	25,300			70
74	76.2	199.6	25,000	24,700	24,400		74
75	76.5	199.3	24,800	24,500	24,300		75
77	75.2	198.5	24,500	24,200	24,000	20,500	77
80	75.0	197.4	24,000	23,800	23,600	20,500	80
85	73.4	195.3	23,300	23,100	22,500	20,500	85
90	71.9	193.1	22,700	22,100	20,600	19,200	90
95	70.4	190.7	21,600	20,200	18,900	17,700	95
100	68.8	188.1	19,800	18,600	17,400	16,300	100
105	67.2	185.4	18,200	17,100	16,000	15,000	105
110	65.6	182.4	16,800	15,700	14,800	13,900	110
115	63.9	179.3	15,400	14,500	13,700	12,800	115
120	62.3	176.0	14,200	13,400	12,600	11,900	120
125	60.5	172.5	13,100	12,400	11,600	11,000	125
130	58.8	168.7	12,100	11,400	10,800	10,100	130
135	57.0	164.7	11,200	10,500	9,900	9,300	135
140	55.2	160.4	10,300	9,700	9,200	8,600	140
145	53.3	155.8	9,500	9,000	8,400	8,000	145
150	51.3	150.9	8,700	8,300	7,800	7,300	150
155	49.3	145.6	8,000	7,600	7,100	6,700	155
160	47.2	140.0	7,400	7,000	6,600	6,200	160
165	45.0	133.9	6,700	6,400	6,000	5,600	165
170	42.6	127.3	6,200	5,800	5,500	5,100	170
175	40.2	120.0	5,600	5,300	5,000	4,700	175
180	37.6	112.1	5,100	4,800	4,500	4,100	180
185	34.7	103.2	4,600	4,200	3,900	3,600	185
190	31.6	93.2	4,000	3,700	3,400	3,100	190
194	28.8	83.9	3,500	3,300	3,000		194
195							195
196							196
198							198


MLC150-1 S-1




75,200 lb
+
0 lb





360°





167.3 ft




50.0 ft




25°							
							
							
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft
52							52
55							55
56							56
59							59
60							60
63							63
64							64
65							65
68							68
69	78.8	211.7	26,100				69
70	78.5	211.4	25,900				70
71	77.8	211.0	25,700				71
72	77.6	210.7	25,600	25,300			72
75	77.1	209.7	25,100	24,900			75
76	76.6	209.3	25,000	24,700	24,400		76
79	75.4	208.2	24,500	24,300	24,000	18,900	79
80	75.7	207.9	24,400	24,100	23,900	18,900	80
85	74.3	205.9	23,700	23,400	22,100	18,900	85
90	72.8	203.8	23,000	21,700	20,200	18,800	90
95	71.3	201.5	21,400	19,900	18,500	17,300	95
100	69.9	199.1	19,600	18,200	17,000	15,900	100
105	68.4	196.5	17,900	16,800	15,700	14,600	105
110	66.8	193.8	16,500	15,400	14,400	13,500	110
115	65.3	190.9	15,200	14,200	13,300	12,400	115
120	63.7	187.7	14,000	13,100	12,200	11,400	120
125	62.1	184.4	12,800	12,000	11,300	10,600	125
130	60.5	180.9	11,800	11,100	10,400	9,700	130
135	58.8	177.2	10,900	10,200	9,600	9,000	135
140	57.1	173.2	10,000	9,400	8,800	8,200	140
145	55.4	169.0	9,200	8,600	8,100	7,600	145
150	53.6	164.5	8,500	7,900	7,400	6,900	150
155	51.7	159.7	7,700	7,300	6,800	6,300	155
160	49.8	154.6	7,100	6,600	6,200	5,800	160
165	47.8	149.1	6,500	6,000	5,600	5,300	165
170	45.8	143.3	5,900	5,500	5,100	4,700	170
175	43.6	136.9	5,300	5,000	4,600	4,100	175
180	41.4	130.1	4,800	4,400	4,000	3,600	180
185	39.0	122.6	4,200	3,800	3,500	3,100	185
190	36.4	114.4	3,600	3,300			190
195	33.6	105.2	3,100				195

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	25°							
	ft	°	ft					
				0° lb	1° lb	2° lb	3° lb	
54								54
55								55
58								58
60								60
61								61
62								62
65								65
66								66
70								70
71	78.8	221.3	26,100					71
74	77.3	220.3	25,600	25,300				74
75	77.7	220.0	25,500	25,200				75
78	76.4	219.0	25,000	24,700	22,400			78
80	76.3	218.3	24,700	24,500	22,400			80
82	75.2	217.5	24,400	24,100	22,100	17,300		82
85	75.0	216.4	24,000	23,500	21,700	17,300		85
90	73.6	214.4	23,100	21,400	19,800	17,300		90
95	72.2	212.3	21,100	19,600	18,100	16,800		95
100	70.8	210.0	19,300	17,900	16,600	15,400		100
105	69.4	207.5	17,700	16,400	15,300	14,200		105
110	68.0	205.0	16,200	15,100	14,000	13,000		110
115	66.5	202.2	14,900	13,800	12,900	12,000		115
120	65.0	199.3	13,600	12,700	11,800	11,000		120
125	63.5	196.2	12,500	11,700	10,900	10,100		125
130	62.0	192.9	11,500	10,700	10,000	9,300		130
135	60.4	189.4	10,600	9,900	9,200	8,500		135
140	58.9	185.7	9,700	9,000	8,400	7,800		140
145	57.2	181.8	8,900	8,300	7,700	7,200		145
150	55.6	177.6	8,100	7,600	7,000	6,500		150
155	53.9	173.2	7,400	6,900	6,400	5,900		155
160	52.1	168.5	6,800	6,300	5,800	5,300		160
165	50.3	163.5	6,100	5,700	5,200	4,700		165
170	48.5	158.2	5,600	5,100	4,600	4,100		170
175	46.5	152.5	5,000	4,500	4,000	3,600		175
180	44.5	146.4	4,300	3,900	3,500	3,000		180
185	42.4	139.9	3,700	3,300				185
190	40.2	132.8	3,200					190

MLC150-1 S-1



			5°				15°						
			0°	1°	2°	3°	0°	1°	2°	3°			
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft
56	78.8	240.2	39,300	32,400									56
60	77.8	239.3	38,900	32,000									60
64	76.2	238.3	36,100	32,000	24,500		78.9	236.8	36,500				64
65	76.6	238.1	35,500	31,900	24,500		78.7	236.5	36,400				65
68	75.4	237.2	33,100	29,900	24,500	19,000	77.4	235.7	34,300	30,500			68
70	75.3	236.7	31,600	28,600	24,400	19,000	77.4	235.1	33,000	29,900			70
72	74.6	236.1	30,300	27,400	24,000	19,000	76.6	234.5	31,600	28,700	23,000		72
75	74.1	235.2	28,300	25,700	23,400	19,000	76.1	233.6	29,600	26,900	23,000		75
76	73.6	234.8	27,800	25,200	23,000	19,000	75.6	233.3	29,000	26,400	22,900	17,800	76
80	72.8	233.6	25,500	23,300	21,200	18,900	74.9	232.0	26,700	24,400	22,300	17,800	80
84	71.2	232.2	23,500	21,500	19,700	17,900	73.2	230.6	24,600	22,600	20,700	17,800	84
85	71.5	231.8	23,100	21,100	19,300	17,700	73.6	230.2	24,100	22,100	20,300	17,700	85
90	70.3	230.0	20,900	19,200	17,600	16,100	72.3	228.4	21,900	20,100	18,500	17,000	90
95	69.0	228.0	19,000	17,500	16,100	14,800	71.0	226.4	19,900	18,400	16,900	15,600	95
100	67.7	225.8	17,300	15,900	14,700	13,500	69.7	224.2	18,200	16,800	15,500	14,300	100
105	66.3	223.6	15,800	14,600	13,400	12,400	68.4	221.9	16,600	15,300	14,200	13,100	105
110	65.0	221.2	14,500	13,300	12,300	11,300	67.0	219.5	15,200	14,100	13,000	12,000	110
115	63.7	218.6	13,200	12,200	11,200	10,400	65.7	216.9	13,900	12,900	11,900	11,000	115
120	62.3	215.9	12,100	11,200	10,300	9,500	64.3	214.2	12,800	11,800	10,900	10,100	120
125	60.9	213.1	11,100	10,200	9,400	8,700	62.9	211.3	11,700	10,800	10,000	9,200	125
130	59.5	210.1	10,100	9,300	8,600	7,900	61.5	208.3	10,700	9,900	9,200	8,400	130
135	58.1	206.9	9,300	8,500	7,900	7,200	60.1	205.1	9,800	9,100	8,400	7,700	135
140	56.7	203.5	8,500	7,800	7,200	6,600	58.6	201.7	9,000	8,300	7,600	7,000	140
145	55.2	199.9	7,700	7,100	6,500	5,900	57.1	198.1	8,200	7,600	7,000	6,400	145
150	53.7	196.2	7,000	6,500	5,800	5,200	55.6	194.3	7,500	6,900	6,300	5,700	150
155	52.2	192.2	6,400	5,800	5,200	4,600	54.1	190.3	6,800	6,300	5,700	5,100	155
160	50.6	188.0	5,700	5,100	4,600	4,000	52.5	186.1	6,200	5,600	5,000	4,500	160
165	49.0	183.6	5,000	4,500	4,000	3,500	50.9	181.6	5,500	5,000	4,400	3,900	165
170	47.4	178.9	4,400	3,900	3,400		49.2	176.8	4,900	4,300	3,800	3,300	170
175	45.7	173.9	3,800	3,400			47.5	171.8	4,200	3,700	3,300		175
180	43.9	168.7	3,300				45.7	166.4	3,600	3,200			180
185							43.9	160.7	3,100				185


MLC150-1 S-1




75,200 lb
+
0 lb








360°





98.4 ft






60.0 ft





	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				0°  lb	1°  lb	2°  lb	3°  lb			0°  lb	1°  lb	2°  lb	3°  lb		
41	78.8	163.1	36,600											41	
42	78.4	162.9	36,400											42	
44	77.7	162.4	36,100	29,800										44	
46	76.9	161.9	35,700	29,600	25,400									46	
48	76.2	161.3	35,400	29,400	25,200									48	
49	75.5	161.0	35,200	29,300	25,100	22,100								49	
50	75.4	160.7	35,000	29,100	25,000	22,000								50	
51	74.6	160.4	34,800	29,000	25,000	22,000	78.9	159.0	32,200					51	
54	73.4	159.4	34,300	28,700	24,800	21,700	77.3	158.1	31,800	27,400				54	
55	73.6	159.1	34,100	28,600	24,700	21,700	77.3	157.7	31,600	27,300				55	
56	72.6	158.8	33,900	28,500	24,600	21,600	76.6	157.4	31,500	27,200	23,700			56	
59	71.4	157.7	33,400	28,200	24,300	21,500	75.4	156.3	31,100	27,000	23,500	20,800		59	
60	71.7	157.4	33,200	28,000	24,200	21,400	75.4	156.0	30,900	26,900	23,500	20,800		60	
61	70.6	157.0	33,000	27,900	24,200	21,300	74.6	155.6	30,800	26,800	23,400	20,700		61	
64	69.4	155.8	32,500	27,600	23,900	21,100	73.4	154.4	30,400	26,500	23,300	20,600		64	
65	69.8	155.4	32,400	27,600	23,800	21,100	73.5	154.0	30,300	26,400	23,200	20,500		65	
66	68.6	155.0	32,200	27,400	23,800	21,000	72.6	153.5	30,200	26,300	23,100	20,500		66	
69	67.4	153.7	31,700	27,100	23,500	20,800	71.4	152.2	29,800	26,000	23,000	20,400		69	
70	67.8	153.3	31,500	27,000	23,500	20,800	71.5	151.8	29,700	25,900	22,900	20,400		70	
75	65.8	150.9	30,800	26,600	23,200	20,500	69.5	149.4	28,900	25,500	22,600	20,200		75	
80	63.8	148.3	28,700	26,000	22,800	20,200	67.5	146.8	27,500	25,000	22,400	20,000		80	
85	61.8	145.5	26,300	24,900	22,500	20,000	65.4	144.0	26,200	24,600	22,100	19,800		85	
90	59.7	142.5	24,100	23,000	21,900	19,700	63.3	140.9	24,800	23,600	21,800	19,600		90	
95	57.5	139.2	22,300	21,200	20,300	19,400	61.2	137.6	22,900	21,900	20,900	19,400		95	
100	55.4	135.6	20,600	19,700	18,800	18,000	58.9	133.9	21,200	20,300	19,400	18,500		100	
105	53.1	131.7	19,100	18,300	17,500	16,800	56.6	130.0	19,600	18,800	18,000	17,300		105	
110	50.8	127.5	17,800	17,000	16,400	15,700	54.3	125.7	18,200	17,500	16,800	16,100		110	
115	48.3	122.9	16,500	15,900	15,300	14,700	51.8	121.0	17,000	16,300	15,700	15,100		115	
120	45.8	117.9	15,400	14,800	14,300	13,800	49.2	116.0	15,800	15,200	14,700	14,100		120	
125	43.2	112.4	14,400	13,900	13,400	12,900	46.5	110.4	14,800	14,200	13,700	13,200		125	
130	40.4	106.4	13,500	13,000	12,500	12,100	43.7	104.2	13,800	13,300	12,800	12,400		130	
135	37.4	99.7	12,600	12,200	11,800	11,400	40.6	97.4	12,900	12,400	12,000	11,600		135	
140	34.2	92.2	11,800	11,400	11,100	10,700	37.3	89.6	12,000	11,700	11,300	10,900		140	
145	30.6	83.6	11,000	10,700	10,400	10,100	33.7	80.8	11,200	10,900	10,600	10,300		145	
148	27.6	77.6	10,600	10,300	10,000	9,700	30.6	74.5	10,800	10,500	10,200	9,900		148	
149	26.8	75.6	10,500	10,200	9,900		29.8	72.4	10,600	10,300	10,100	9,800		149	
150	26.6	73.6	10,300	10,100			29.5	70.3	10,500	10,200	9,900	9,600		150	
151	25.7	71.3	10,200				28.0	67.8	10,400	10,100	9,800	9,500		151	
152							27.0	65.2	10,200	9,900	9,700			152	
153							26.0	62.7	10,100	9,800				153	
154							25.6	60.2	9,900					154	



MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
41								41
42								42
44								44
46								46
48								48
49								49
50								50
51								51
54								54
55								55
56								56
59								59
60								60
61	78.9	152.5	22,600					61
64	77.3	151.2	22,100	21,700				64
65	77.3	150.8	21,900	21,500				65
66	76.6	150.4	21,700	21,300	21,000			66
69	75.4	149.1	21,100	20,800	20,500	19,800		69
70	75.3	148.6	20,900	20,600	20,300	19,800		70
75	73.3	146.2	20,000	19,800	19,500	19,300		75
80	71.2	143.5	19,300	19,000	18,800	18,500		80
85	69.1	140.6	18,600	18,300	18,100	17,900		85
90	66.9	137.4	17,900	17,700	17,500	17,200		90
95	64.7	134.0	17,300	17,100	16,900	16,700		95
100	62.4	130.3	16,700	16,500	16,400	16,200		100
105	60.0	126.2	16,200	16,100	15,800	15,700		105
110	57.6	121.8	15,700	15,500	15,400	15,300		110
115	55.1	117.0	15,300	15,200	15,000	14,900		115
120	52.4	111.7	14,900	14,700	14,600	14,500		120
125	49.6	105.8	14,500	14,400	14,000	13,600		125
130	46.6	99.4	14,100	13,600	13,100	12,700		130
135	43.3	92.1	13,100	12,700	12,300	11,900		135
140	39.8	83.9	12,200	11,800	11,500	11,100		140
145	35.8	74.3	11,400	11,100	10,700	10,400		145
148	32.6	67.3	10,900	10,600	10,300	10,000		148
149	31.8	65.0	10,700	10,500	10,200	9,900		149
150	31.2	62.6	10,600	10,300	10,000	9,800		150
151	29.7	59.8	10,400	10,200	9,900	9,600		151
152	28.3	56.9	10,300	10,000	9,700	9,500		152
153	27.8	54.0	10,100	9,900	9,600			153
154								154





MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
43								43
44								44
46								46
48								48
50								50
51								51
53								53
55								55
56								56
59								59
60								60
61								61
63	78.9	162.1	22,600					63
65	78.1	161.3	22,300					65
66	77.6	160.9	22,100	21,700				66
69	76.4	159.7	21,500	21,200	20,900			69
70	76.3	159.2	21,300	21,000	20,700			70
71	75.6	158.8	21,200	20,800	20,600	19,800		71
75	74.4	157.0	20,500	20,200	19,900	19,700		75
80	72.5	154.5	19,700	19,400	19,200	19,000		80
85	70.5	151.8	19,000	18,700	18,500	18,300		85
90	68.5	148.9	18,400	18,100	17,900	17,700		90
95	66.5	145.8	17,700	17,600	17,400	17,100		95
100	64.4	142.3	17,200	17,000	16,800	16,600		100
105	62.2	138.7	16,700	16,500	16,300	16,200		105
110	60.0	134.7	16,200	16,100	15,900	15,700		110
115	57.7	130.3	15,700	15,600	15,400	15,100		115
120	55.4	125.6	15,400	15,200	14,700	14,100		120
125	52.9	120.5	14,900	14,300	13,800	13,200		125
130	50.3	115.0	13,900	13,400	12,900	12,400		130
135	47.6	108.8	12,900	12,500	12,000	11,600		135
140	44.7	102.1	12,100	11,600	11,200	10,800		140
145	41.5	94.5	11,200	10,900	10,500	10,100		145
150	38.1	85.9	10,500	10,100	9,800	9,500		150
155	34.2	75.8	9,700	9,400	9,100	8,800		155
157	32.0	70.9	9,400	9,200	8,900	8,600		157
158	31.0	68.4	9,300	9,000	8,800	8,500		158
159	30.0	66.0	9,200	8,900	8,600	8,400		159
160	29.6	63.6	9,000	8,800	8,500	8,300		160
161	28.6	60.7	8,900	8,600	8,400	8,100		161
162								162
163								163





MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$



	25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
45								45
46								46
48								48
50								50
51								51
54								54
55								55
58								58
60								60
61								61
64								64
65	78.8	171.7	22,600					65
68	77.4	170.5	22,100	21,700				68
70	77.1	169.8	21,800	21,400				70
71	76.6	169.3	21,600	21,200	20,900			71
74	75.4	168.1	21,100	20,700	20,500	19,700		74
75	75.3	167.7	20,900	20,600	20,300	19,700		75
80	73.5	165.3	20,200	19,900	19,600	19,300		80
85	71.7	162.8	19,400	19,200	18,900	18,800		85
90	69.9	160.1	18,800	18,600	18,300	18,100		90
95	68.0	157.2	18,200	18,000	17,800	17,600		95
100	66.0	154.1	17,700	17,500	17,300	17,000		100
105	64.1	150.7	17,100	16,900	16,700	16,600		105
110	62.1	147.1	16,600	16,500	16,300	15,800		110
115	60.0	143.1	16,200	16,000	15,400	14,700		115
120	57.8	138.9	15,700	15,000	14,400	13,700		120
125	55.6	134.3	14,600	14,000	13,400	12,800		125
130	53.3	129.4	13,600	13,000	12,500	11,900		130
135	50.9	124.0	12,600	12,100	11,600	11,100		135
140	48.4	118.1	11,800	11,300	10,800	10,400		140
145	45.8	111.7	10,900	10,500	10,100	9,700		145
150	42.9	104.6	10,200	9,800	9,400	9,100		150
155	39.9	96.7	9,500	9,100	8,800	8,400		155
160	36.5	87.7	8,800	8,500	8,200	7,900		160
165	32.7	77.2	8,100	7,800	7,600	7,300		165
167	30.4	72.1	7,900	7,600	7,400	7,100		167
168	29.6	69.5	7,700	7,500	7,200	7,000		168
169	28.8	67.0	7,600	7,400	7,100	6,900		169
170	28.2	64.4	7,500	7,200	7,000	6,800		170
171								171
172								172

MLC150-1 S-1



	25°							
	 ft	 °	 ft					
				0°	1°	2°	3°	
				 lb	 lb	 lb	 lb	
46							46	
48							48	
50							50	
53							53	
55							55	
56							56	
57							57	
60							60	
63							63	
65							65	
66							66	
67	78.8	181.3	22,600				67	
70	77.8	180.2	22,100	21,800			70	
73	76.4	179.0	21,600	21,300	20,900		73	
75	76.2	178.2	21,300	21,000	20,700		75	
76	75.6	177.8	21,100	20,800	20,500	19,700	76	
80	74.5	176.1	20,500	20,300	20,000	19,600	80	
85	72.8	173.7	19,800	19,600	19,300	19,100	85	
90	71.0	171.2	19,200	19,000	18,700	18,500	90	
95	69.3	168.5	18,600	18,400	18,200	17,900	95	
100	67.5	165.6	18,100	17,800	17,700	17,500	100	
105	65.7	162.4	17,500	17,400	17,100	16,600	105	
110	63.8	159.1	17,100	16,900	16,200	15,400	110	
115	61.9	155.5	16,600	15,800	15,000	14,300	115	
120	59.9	151.6	15,400	14,700	14,000	13,300	120	
125	57.9	147.4	14,300	13,700	13,000	12,400	125	
130	55.9	143.0	13,300	12,700	12,100	11,500	130	
135	53.7	138.1	12,400	11,800	11,300	10,800	135	
140	51.5	133.0	11,500	11,000	10,500	10,000	140	
145	49.2	127.3	10,700	10,200	9,800	9,300	145	
150	46.7	121.2	9,900	9,500	9,100	8,700	150	
155	44.1	114.5	9,200	8,800	8,400	8,100	155	
160	41.4	107.1	8,500	8,200	7,800	7,500	160	
165	38.4	98.9	7,900	7,600	7,300	7,000	165	
170	35.1	89.5	7,300	7,000	6,700	6,400	170	
174	31.8	80.7	6,800	6,600	6,300	6,000	174	
175	31.4	78.6	6,700	6,400	6,200	5,900	175	
177	29.0	73.3	6,500	6,200	6,000	5,800	177	
178	28.0	70.7	6,300	6,100	5,900	5,700	178	
179	27.9	68.1	6,200	6,000	5,800		179	
180							180	
181							181	


MLC150-1 S-1




75,200 lb
+
0 lb



360°






137.8 ft







60.0 ft




			5°				15°						
			0°	1°	2°	3°	0°	1°	2°	3°			
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft
48	79.0	201.9	35,500										48
50	78.4	201.4	35,200										50
52	77.2	200.9	35,000	28,900									52
55	76.9	200.2	34,600	28,700	24,600								55
58	75.4	199.3	34,200	28,400	24,400	21,400							58
59	75.2	199.1	34,100	28,400	24,400	21,400	78.7	197.6	31,600				59
60	75.4	198.8	33,900	28,300	24,300	21,400	78.4	197.3	31,500				60
62	74.2	198.2	33,700	28,100	24,200	21,300	77.2	196.6	31,300	26,900			62
65	73.9	197.3	33,400	27,800	24,000	21,100	76.9	195.7	31,000	26,700	23,200		65
69	72.2	195.9	32,800	27,500	23,800	20,900	75.2	194.4	30,600	26,400	23,000	20,400	69
70	72.4	195.6	32,700	27,400	23,700	20,900	75.4	194.0	30,500	26,400	23,000	20,300	70
72	71.2	194.9	31,600	27,300	23,600	20,800	74.2	193.3	30,300	26,200	22,900	20,300	72
75	70.9	193.8	30,100	27,100	23,400	20,700	73.9	192.2	30,000	26,000	22,800	20,200	75
78	69.4	192.6	28,400	26,100	23,200	20,500	72.4	191.0	29,000	25,800	22,700	20,100	78
80	69.3	191.8	27,300	25,400	23,100	20,500	72.3	190.2	28,400	25,700	22,600	20,100	80
85	67.8	189.7	24,900	23,200	21,700	20,200	70.7	188.0	25,900	24,200	22,400	19,900	85
90	66.2	187.4	22,700	21,300	19,900	18,700	69.1	185.7	23,700	22,200	20,800	19,500	90
95	64.6	184.9	20,900	19,600	18,400	17,300	67.5	183.2	21,700	20,400	19,200	18,000	95
100	63.0	182.2	19,200	18,000	17,000	16,000	65.9	180.6	20,000	18,800	17,700	16,700	100
105	61.3	179.4	17,700	16,700	15,700	14,800	64.2	177.7	18,400	17,400	16,400	15,400	105
110	59.6	176.4	16,300	15,400	14,500	13,700	62.5	174.6	17,000	16,100	15,200	14,300	110
115	57.9	173.1	15,100	14,300	13,500	12,700	60.8	171.4	15,700	14,900	14,100	13,300	115
120	56.2	169.7	14,000	13,200	12,500	11,800	59.0	167.9	14,600	13,800	13,000	12,300	120
125	54.4	166.0	13,000	12,300	11,600	11,000	57.2	164.2	13,500	12,800	12,100	11,500	125
130	52.6	162.1	12,000	11,400	10,800	10,200	55.4	160.2	12,500	11,900	11,300	10,700	130
135	50.7	157.9	11,200	10,600	10,000	9,500	53.5	155.9	11,600	11,000	10,500	9,900	135
140	48.8	153.4	10,400	9,800	9,300	8,800	51.5	151.4	10,800	10,200	9,700	9,200	140
145	46.8	148.6	9,600	9,100	8,700	8,200	49.5	146.5	10,000	9,500	9,000	8,600	145
150	44.7	143.4	8,900	8,500	8,000	7,600	47.4	141.2	9,300	8,800	8,400	8,000	150
155	42.6	137.9	8,300	7,900	7,500	7,100	45.3	135.6	8,600	8,200	7,800	7,400	155
160	40.4	131.8	7,700	7,300	6,900	6,600	43.0	129.5	8,000	7,600	7,200	6,900	160
165	38.0	125.3	7,100	6,800	6,400	6,100	40.6	122.8	7,400	7,000	6,700	6,400	165
170	35.5	118.2	6,600	6,300	5,900	5,600	38.0	115.5	6,800	6,500	6,200	5,900	170
175	32.8	110.4	6,100	5,800	5,500	5,200	35.3	107.5	6,300	6,000	5,700	5,400	175
180	29.9	101.6	5,600	5,300	5,100	4,800	32.3	98.4	5,800	5,500	5,200	5,000	180
183	27.2	95.6	5,300	5,100	4,800	4,600	29.6	92.2	5,500	5,200	5,000	4,700	183
184	26.6	93.6	5,200	5,000	4,700		28.8	90.2	5,400	5,100	4,900	4,700	184
185	26.7	91.6	5,100	4,900			29.0	88.1	5,300	5,000	4,800	4,600	185
186	25.5	89.4	5,000	4,800			27.4	85.7	5,200	4,900	4,700	4,500	186
187	25.4	87.2	5,000				26.8	83.2	5,100	4,900	4,600		187
188							26.2	80.8	5,000	4,800			188
190							25.2	75.9	4,800				190




MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	 25°							 ft
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
50								50
54								54
55								55
57								57
60								60
61								61
64								64
65								65
67								67
70								70
71	78.8	200.6	22,600					71
74	77.3	199.5	22,100	21,700				74
75	77.6	199.1	21,900	21,600				75
77	76.6	198.4	21,600	21,300	21,000			77
80	76.1	197.2	21,200	20,900	20,700			80
81	75.6	196.8	21,100	20,800	20,500	17,700		81
85	74.6	195.2	20,600	20,300	20,000	17,700		85
90	73.0	192.9	19,900	19,700	19,400	17,700		90
95	71.5	190.5	19,400	19,100	18,800	17,700		95
100	69.9	188.0	18,900	18,600	18,100	17,000		100
105	68.3	185.2	18,300	17,800	16,700	15,700		105
110	66.7	182.3	17,500	16,400	15,500	14,600		110
115	65.0	179.2	16,100	15,200	14,300	13,500		115
120	63.4	175.8	14,900	14,100	13,300	12,500		120
125	61.7	172.3	13,800	13,000	12,300	11,600		125
130	59.9	168.5	12,800	12,100	11,400	10,800		130
135	58.1	164.5	11,800	11,200	10,600	10,000		135
140	56.3	160.2	11,000	10,400	9,800	9,300		140
145	54.4	155.6	10,200	9,600	9,100	8,600		145
150	52.4	150.7	9,400	8,900	8,400	8,000		150
155	50.4	145.4	8,700	8,200	7,800	7,400		155
160	48.3	139.8	8,000	7,600	7,200	6,800		160
165	46.0	133.7	7,400	7,000	6,600	6,300		165
170	43.7	127.0	6,800	6,400	6,100	5,800		170
180	38.6	111.8	5,700	5,400	5,100	4,800		180
190	32.6	92.8	4,700	4,400	4,200	3,900		190
191	31.4	90.5	4,600	4,300	4,100	3,800		191
193	30.2	85.7	4,400	4,100	3,900	3,600		193
194	29.6	83.4	4,300	4,000	3,800	3,500		194
195	29.0	81.0	4,200	4,000	3,700	3,400		195
196	28.3	78.4	4,100	3,800	3,600	3,300		196
197								197
199								199

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
52								52
55								55
56								56
60								60
62								62
63								63
65								65
66								66
70								70
73	78.7	210.2	22,500					73
75	78.2	209.5	22,200					75
76	77.6	209.1	22,100	21,800				76
80	76.8	207.7	21,500	21,200	20,900			80
83	75.4	206.5	21,100	20,800	20,600	16,500		83
85	75.3	205.7	20,900	20,600	20,300	16,500		85
90	73.9	203.6	20,300	20,000	19,700	16,500		90
95	72.4	201.4	19,700	19,400	19,200	16,500		95
100	70.9	198.9	19,200	19,000	17,700	16,500		100
105	69.4	196.3	18,700	17,500	16,400	15,300		105
110	67.9	193.6	17,200	16,100	15,100	14,200		110
115	66.3	190.7	15,900	14,900	14,000	13,100		115
120	64.8	187.5	14,600	13,700	12,900	12,100		120
125	63.2	184.2	13,500	12,700	11,900	11,200		125
130	61.5	180.7	12,500	11,700	11,000	10,400		130
135	59.9	177.0	11,500	10,900	10,200	9,600		135
140	58.2	173.0	10,700	10,000	9,400	8,900		140
145	56.4	168.8	9,800	9,300	8,700	8,200		145
150	54.6	164.3	9,100	8,600	8,000	7,600		150
155	52.8	159.5	8,400	7,900	7,400	7,000		155
160	50.9	154.4	7,700	7,300	6,800	6,400		160
165	48.9	148.9	7,100	6,700	6,300	5,900		165
170	46.8	143.0	6,500	6,100	5,700	5,400		170
175	44.7	136.7	5,900	5,600	5,200	4,900		175
180	42.4	129.8	5,400	5,100	4,700	4,400		180
185	40.0	122.3	4,900	4,600	4,200	3,900		185
190	37.4	114.0	4,400	4,000	3,700	3,400		190
195	34.6	104.8	3,800	3,500	3,200			195
200	31.5	94.4	3,300	3,000				200


MLC150-1 S-1




75,200 lb
+
0 lb



360°





167.3 ft



60.0 ft

25°							
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft
54							54
55							55
58							58
60							60
62							62
64							64
65							65
66							66
68							68
70							70
72							72
74	79.0	220.2	22,700				74
75	78.7	219.8	22,600				75
76	77.8	219.5	22,400				76
78	77.4	218.8	22,100	21,800			78
80	77.4	218.1	21,900	21,500			80
82	76.6	217.3	21,600	21,200	19,800		82
85	76.0	216.2	21,200	20,800	19,800		85
86	75.6	215.8	21,100	20,700	19,800	15,300	86
90	74.6	214.2	20,600	20,300	19,800	15,300	90
95	73.2	212.1	20,000	19,800	18,900	15,300	95
100	71.8	209.8	19,500	18,600	17,400	15,300	100
105	70.4	207.3	18,400	17,200	16,000	14,900	105
110	69.0	204.7	16,900	15,800	14,700	13,700	110
115	67.5	202.0	15,600	14,600	13,600	12,700	115
120	66.0	199.0	14,400	13,400	12,500	11,700	120
125	64.5	195.9	13,200	12,400	11,600	10,800	125
130	63.0	192.6	12,200	11,400	10,700	10,000	130
135	61.4	189.1	11,300	10,500	9,900	9,200	135
140	59.9	185.4	10,400	9,700	9,100	8,500	140
145	58.2	181.5	9,600	9,000	8,400	7,800	145
150	56.6	177.4	8,800	8,200	7,700	7,200	150
155	54.9	172.9	8,100	7,600	7,100	6,600	155
160	53.1	168.3	7,400	6,900	6,500	6,000	160
165	51.3	163.3	6,800	6,300	5,900	5,500	165
170	49.4	157.9	6,200	5,800	5,400	5,000	170
175	47.5	152.3	5,600	5,300	4,900	4,400	175
180	45.5	146.2	5,100	4,700	4,300	3,900	180
185	43.4	139.6	4,600	4,200	3,800	3,400	185
190	41.2	132.5	4,000	3,600	3,200		190
195	38.8	124.7	3,400	3,100			195


MLC150-1 S-1




75,200 lb
+
0 lb








360°




177.2 ft



60.0 ft



	 5°							 15°							
	 ft	 °	 ft					 ft	 °	 lb	 lb	 lb	 lb		
				 0°	 1°	 2°	 3°								
56	78.9	240.4	33,900											56	
60	77.9	239.5	33,500	27,700										60	
64	76.2	238.5	33,100	27,400	22,200									64	
65	76.6	238.3	33,000	27,400	22,100									65	
66	75.8	238.0	32,800	27,300	22,100			78.9	236.4	30,800				66	
68	75.4	237.4	32,400	27,200	22,100	17,400	77.5	235.8	30,700					68	
70	75.4	236.9	32,100	27,100	22,100	17,300	77.9	235.2	30,500	26,000				70	
74	74.2	235.7	29,400	26,400	22,100	17,300	76.2	234.0	30,200	25,800	20,900			74	
75	74.1	235.4	28,800	26,200	22,100	17,300	76.7	233.7	30,100	25,800	20,900			75	
76	73.6	235.1	28,200	25,700	22,000	17,300	75.8	233.4	29,500	25,600	20,900			76	
78	72.8	234.4	27,100	24,700	21,800	17,300	75.4	232.8	28,400	25,300	20,900	16,200		78	
80	72.9	233.8	26,000	23,700	21,700	17,300	75.4	232.1	27,300	25,000	20,900	16,200		80	
84	71.2	232.4	24,000	22,000	20,100	17,300	74.2	230.7	25,300	23,200	20,900	16,200		84	
85	71.6	232.0	23,500	21,500	19,800	17,300	74.1	230.4	24,800	22,700	20,900	16,200		85	
88	70.4	230.9	22,200	20,400	18,700	16,900	72.8	229.2	23,400	21,500	19,800	16,200		88	
90	70.3	230.2	21,400	19,600	18,000	16,600	72.8	228.5	22,500	20,700	19,100	16,200		90	
95	69.0	228.2	19,500	17,900	16,500	15,200	71.5	226.5	20,500	18,900	17,500	16,100		95	
100	67.7	226.0	17,800	16,400	15,100	13,900	70.2	224.3	18,800	17,400	16,000	14,800		100	
105	66.4	223.8	16,300	15,000	13,900	12,800	68.9	222.1	17,200	15,900	14,700	13,600		105	
110	65.1	221.4	14,900	13,800	12,700	11,800	67.5	219.6	15,800	14,600	13,500	12,500		110	
115	63.8	218.8	13,700	12,600	11,700	10,800	66.2	217.1	14,500	13,400	12,400	11,500		115	
120	62.4	216.1	12,500	11,600	10,700	9,900	64.8	214.3	13,300	12,400	11,500	10,600		120	
125	61.0	213.3	11,500	10,700	9,900	9,100	63.4	211.5	12,200	11,400	10,500	9,800		125	
130	59.6	210.3	10,600	9,800	9,100	8,400	62.0	208.4	11,200	10,400	9,700	9,000		130	
135	58.2	207.1	9,700	9,000	8,300	7,700	60.6	205.2	10,300	9,600	8,900	8,200		135	
140	56.8	203.7	8,900	8,200	7,600	7,000	59.1	201.8	9,500	8,800	8,200	7,600		140	
145	55.3	200.2	8,200	7,500	7,000	6,400	57.6	198.2	8,700	8,100	7,500	6,900		145	
150	53.8	196.4	7,500	6,900	6,400	5,800	56.1	194.4	8,000	7,400	6,800	6,300		150	
155	52.3	192.5	6,800	6,300	5,800	5,200	54.6	190.4	7,300	6,800	6,300	5,800		155	
160	50.7	188.3	6,200	5,700	5,100	4,600	53.0	186.2	6,700	6,200	5,700	5,100		160	
165	49.1	183.9	5,600	5,100	4,600	4,000	51.4	181.7	6,100	5,600	5,100	4,500		165	
170	47.5	179.2	5,000	4,500	4,000	3,500	49.7	177.0	5,500	5,000	4,500	4,000		170	
175	45.8	174.2	4,400	3,900	3,500	3,000	48.0	172.0	4,900	4,400	3,900	3,500		175	
180	44.0	168.9	3,900	3,400	3,000		46.2	166.6	4,300	3,900	3,400	3,000		180	
185	42.2	163.3	3,300				44.4	160.9	3,800	3,300				185	
190							42.5	154.8	3,200					190	
195														195	

MLC150-1 S-1



25°								
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft	
56							56	
60							60	
64							64	
65							65	
66							66	
68							68	
70							70	
74							74	
75							75	
76	79.0	229.8	22,600				76	
78	77.5	229.1	22,400				78	
80	77.9	228.5	22,100	21,700			80	
84	76.2	227.0	21,600	21,200	18,400		84	
85	76.6	226.7	21,500	21,100	18,400		85	
88	75.4	225.5	21,100	20,800	18,400	14,100	88	
90	75.3	224.8	20,900	20,600	18,400	14,100	90	
95	74.0	222.7	20,400	20,000	18,400	14,100	95	
100	72.7	220.5	19,800	18,300	17,000	14,100	100	
105	71.3	218.2	18,100	16,800	15,600	14,100	105	
110	69.9	215.8	16,600	15,500	14,400	13,300	110	
115	68.6	213.1	15,300	14,200	13,200	12,300	115	
120	67.2	210.4	14,100	13,100	12,200	11,300	120	
125	65.8	207.4	12,900	12,000	11,200	10,400	125	
130	64.3	204.3	11,900	11,100	10,300	9,600	130	
135	62.8	201.1	11,000	10,200	9,500	8,800	135	
140	61.4	197.6	10,100	9,400	8,700	8,100	140	
145	59.8	193.9	9,300	8,600	8,000	7,400	145	
150	58.3	190.0	8,500	7,900	7,300	6,800	150	
155	56.7	185.9	7,800	7,200	6,700	6,200	155	
160	55.1	181.6	7,100	6,600	6,100	5,600	160	
165	53.4	177.0	6,500	6,000	5,500	5,000	165	
170	51.7	172.1	5,900	5,400	4,900	4,400	170	
175	50.0	166.9	5,300	4,800	4,300	3,900	175	
180	48.1	161.4	4,700	4,200	3,800	3,300	180	
185	46.2	155.5	4,100	3,700	3,200		185	
190	44.3	149.2	3,500	3,100			190	
195	42.2	142.4	3,000				195	


MLC150-1 S-1




75,200 lb
+
0 lb









360°





187.0 ft



60.0 ft



	 5°							 15°											
																			
				ft	°	ft	lb			lb	lb	lb	ft			lb	lb	lb	lb
58	78.8	250.1	33,400											58					
60	78.4	249.6	33,200											60					
62	77.6	249.1	33,000	27,300										62					
65	77.2	248.4	32,800	27,100										65					
66	76.6	248.1	32,600	27,100	20,500									66					
68	75.8	247.6	32,200	27,000	20,500		78.9	246.0	30,500					68					
70	76.0	247.1	31,700	26,900	20,500	15,800	78.4	245.4	30,400					70					
72	74.6	246.5	30,400	26,400	20,400	15,800	77.6	244.9	30,200					72					
75	74.8	245.7	28,500	25,800	20,400	15,800	77.2	244.0	30,000	25,700				75					
76	73.8	245.4	27,900	25,300	20,400	15,800	76.6	243.7	29,400	25,400	19,400			76					
78	73.4	244.7	26,800	24,300	20,400	15,800	75.8	243.1	28,200	25,000	19,400			78					
80	73.6	244.1	25,600	23,300	20,400	15,800	76.0	242.4	27,000	24,600	19,400	14,800		80					
82	72.6	243.5	24,700	22,400	19,900	15,800	74.6	241.8	26,000	23,700	19,400	14,800		82					
85	72.4	242.5	23,200	21,200	19,300	15,800	74.8	240.8	24,500	22,400	19,400	14,800		85					
86	71.8	242.1	22,800	20,800	19,000	15,800	73.8	240.4	24,000	22,000	19,200	14,800		86					
90	71.1	240.7	21,100	19,200	17,600	15,700	73.5	239.0	22,300	20,400	18,700	14,800		90					
95	69.9	238.8	19,200	17,500	16,100	14,700	72.3	237.1	20,300	18,600	17,100	14,800		95					
100	68.7	236.8	17,500	16,000	14,700	13,500	71.0	235.0	18,500	17,000	15,700	14,400		100					
105	67.4	234.6	16,000	14,700	13,500	12,400	69.8	232.9	16,900	15,600	14,400	13,200		105					
110	66.2	232.3	14,600	13,400	12,300	11,300	68.5	230.6	15,500	14,300	13,200	12,100		110					
115	64.9	229.9	13,400	12,300	11,300	10,400	67.2	228.1	14,200	13,100	12,100	11,100		115					
120	63.6	227.3	12,200	11,300	10,400	9,500	65.9	225.5	13,000	12,000	11,100	10,200		120					
125	62.3	224.6	11,200	10,300	9,500	8,700	64.6	222.8	12,000	11,000	10,200	9,400		125					
130	61.0	221.8	10,300	9,400	8,700	8,000	63.3	219.9	11,000	10,100	9,300	8,600		130					
135	59.6	218.8	9,400	8,600	7,900	7,300	61.9	216.9	10,100	9,300	8,600	7,900		135					
140	58.2	215.6	8,600	7,900	7,200	6,600	60.5	213.7	9,200	8,500	7,800	7,200		140					
145	56.9	212.2	7,800	7,200	6,600	5,900	59.1	210.3	8,400	7,800	7,100	6,500		145					
150	55.5	208.7	7,100	6,500	5,900	5,300	57.7	206.7	7,700	7,100	6,500	5,900		150					
155	54.0	205.0	6,500	5,900	5,200	4,600	56.3	203.0	7,000	6,500	5,900	5,200		155					
160	52.6	201.1	5,800	5,200	4,600	4,100	54.8	199.0	6,400	5,800	5,200	4,600		160					
165	51.1	197.0	5,200	4,600	4,000	3,500	53.3	194.9	5,800	5,200	4,600	4,100		165					
170	49.5	192.6	4,600	4,000	3,500	3,000	51.7	190.5	5,100	4,600	4,000	3,500		170					
175	48.0	188.0	4,000	3,500	3,000		50.2	185.8	4,500	4,000	3,500	3,000		175					
180	46.4	183.1	3,400				48.5	180.9	3,900	3,400				180					
185							46.9	175.7	3,300					185					
190														190					

MLC150-1 S-1









25°							
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft
58							58
60							60
62							62
65							65
66							66
68							68
70							70
72							72
75							75
76							76
78	78.9	239.4	22,600				78
80	78.4	238.8	22,300				80
82	77.6	238.1	22,100	21,700			82
85	77.2	237.1	21,700	21,400			85
86	76.6	236.7	21,600	21,300	17,000		86
90	75.9	235.2	21,200	20,800	17,000	12,900	90
95	74.7	233.3	20,600	19,700	17,000	12,900	95
100	73.4	231.2	19,600	18,000	16,600	12,900	100
105	72.1	229.0	17,900	16,500	15,300	12,900	105
110	70.8	226.7	16,400	15,200	14,000	12,900	110
115	69.5	224.2	15,100	13,900	12,900	11,900	115
120	68.2	221.6	13,800	12,800	11,800	10,900	120
125	66.9	218.8	12,700	11,800	10,900	10,000	125
130	65.5	215.8	11,700	10,800	10,000	9,200	130
135	64.1	212.7	10,700	9,900	9,200	8,500	135
140	62.7	209.5	9,800	9,100	8,400	7,700	140
145	61.3	206.0	9,000	8,300	7,700	7,100	145
150	59.8	202.4	8,200	7,600	7,000	6,400	150
155	58.3	198.5	7,500	6,900	6,400	5,800	155
160	56.8	194.5	6,800	6,300	5,800	5,200	160
165	55.3	190.2	6,200	5,700	5,100	4,600	165
170	53.7	185.7	5,600	5,100	4,500	4,000	170
175	52.1	180.9	5,000	4,400	3,900	3,400	175
180	50.4	175.9	4,300	3,800	3,400		180
185	48.7	170.5	3,700	3,300			185
190	46.9	164.8	3,200				190

MLC150-1 S-1








75,200 lb
+
0 lb





	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
40	79.0	163.6	31,400										40		
42	78.3	163.1	31,000										42		
43	77.5	162.9	30,800	24,500									43		
44	77.5	162.6	30,700	24,500									44		
46	76.8	162.1	30,300	24,400	19,700								46		
48	76.0	161.5	29,900	24,400	19,600								48		
49	75.5	161.2	29,800	24,300	19,600	16,400							49		
50	75.3	161.0	29,600	24,300	19,600	16,400							50		
53	73.8	160.0	29,100	24,200	19,600	16,300	78.6	158.7	27,200				53		
55	73.4	159.4	28,700	24,200	19,500	16,300	77.9	158.1	27,000	23,100			55		
58	71.8	158.3	28,300	24,000	19,500	16,300	75.8	157.0	26,600	22,800	19,900		58		
60	71.5	157.6	27,900	23,800	19,500	16,300	76.0	156.3	26,300	22,600	19,900	16,600	60		
65	69.6	155.6	27,200	23,200	19,400	16,300	74.0	154.3	25,600	22,200	19,600	16,600	65		
67	68.2	154.8	26,900	23,000	19,400	16,200	73.2	153.4	25,400	22,000	19,400	16,600	67		
70	67.7	153.5	26,400	22,700	19,300	16,200	72.1	152.1	25,000	21,700	19,200	16,600	70		
72	66.2	152.5	26,200	22,500	19,300	16,200	71.2	151.2	24,800	21,500	19,100	16,600	72		
75	65.7	151.1	25,800	22,200	19,300	16,200	70.1	149.8	24,400	21,300	18,900	16,600	75		
80	63.7	148.6	25,100	21,600	19,100	16,100	68.1	147.2	23,800	20,900	18,600	16,600	80		
85	61.7	145.8	24,400	21,100	18,800	16,100	66.0	144.3	22,800	20,500	18,300	16,500	85		
90	59.6	142.7	23,800	20,700	18,400	16,000	63.9	141.3	21,700	20,100	18,000	16,200	90		
95	57.4	139.4	22,800	20,200	18,000	16,000	61.7	137.9	20,700	19,700	17,700	16,000	95		
100	55.2	135.8	21,200	19,900	17,700	15,900	59.5	134.3	19,800	19,400	17,500	15,800	100		
105	53.0	132.0	19,700	18,900	17,400	15,800	57.2	130.4	19,000	18,800	17,200	15,600	105		
110	50.7	127.8	18,300	17,600	16,900	15,500	54.9	126.1	18,200	18,100	17,000	15,400	110		
115	48.2	123.2	17,100	16,500	15,900	15,200	52.4	121.5	17,600	16,900	16,300	15,300	115		
120	45.7	118.2	16,000	15,400	14,900	14,300	49.8	116.4	16,400	15,800	15,300	14,700	120		
125	43.1	112.7	15,000	14,500	14,000	13,500	47.2	110.8	15,400	14,900	14,300	13,900	125		
130	40.3	106.7	14,100	13,600	13,200	12,700	44.3	104.7	14,400	13,900	13,500	13,000	130		
135	37.3	100.0	13,200	12,800	12,400	12,000	41.3	97.9	13,500	13,100	12,700	12,300	135		
140	34.1	92.6	12,400	12,000	11,700	11,300	38.0	90.2	12,700	12,300	11,900	11,600	140		
145	30.6	84.0	11,700	11,300	11,000	10,700	34.4	81.4	11,900	11,600	11,200	10,900	145		
148	27.6	78.1	11,200	10,900	10,600	10,300	31.6	75.2	11,400	11,100	10,800	10,500	148		
149	26.8	76.1	11,100	10,800	10,500		30.8	73.2	11,300	11,000	10,700	10,400	149		
150	26.6	74.1	11,000	10,700			30.2	71.1	11,100	10,900	10,600	10,300	150		
151	25.7	71.9	10,800				29.0	68.5	11,000	10,700	10,400	10,200	151		
152							28.0	65.9	10,900	10,600	10,300	10,100	152		
153							27.0	63.4	10,700	10,500	10,200		153		
154							26.0	60.8	10,600	10,300			154		
155							25.3	58.2	10,400				155		


MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	25°							
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
40								40
42								42
43								43
44								44
46								46
48								48
49								49
50								50
53								53
55								55
58								58
60								60
65	78.6	151.2	20,200					65
67	77.2	150.3	19,800					67
70	76.6	149.0	19,200	19,400				70
72	75.2	148.0	18,900	18,500	18,000	16,300		72
75	74.6	146.5	18,400	18,000	17,700	16,200		75
80	72.5	143.9	17,700	17,300	17,000	16,100		80
85	70.4	141.0	16,900	16,600	16,300	15,900		85
90	68.2	137.8	16,300	16,000	15,700	15,500		90
95	66.0	134.4	15,700	15,400	15,200	14,900		95
100	63.7	130.7	15,100	14,900	14,700	14,400		100
105	61.4	126.6	14,600	14,400	14,200	14,000		105
110	58.9	122.2	14,200	13,900	13,800	13,500		110
115	56.4	117.4	13,700	13,500	13,400	13,200		115
120	53.7	112.1	13,300	13,100	13,000	12,800		120
125	50.9	106.3	12,900	12,800	12,600	12,500		125
130	48.0	99.9	12,600	12,500	12,300	12,200		130
135	44.8	92.7	12,300	12,200	12,000	11,900		135
140	41.3	84.5	12,100	11,900	11,800	11,600		140
145	37.3	75.0	11,900	11,700	11,400	11,100		145
148	34.0	68.1	11,500	11,300	11,000	10,700		148
149	33.0	65.8	11,400	11,100	10,900	10,600		149
150	32.7	63.5	11,300	11,000	10,700	10,400		150
151	30.8	60.5	11,100	10,800	10,600	10,300		151
152	29.6	57.4	11,000	10,700	10,400	10,200		152
153	28.4	54.4	10,800	10,600	10,300	10,100		153
154	27.2	51.3	10,700	10,400	10,200	9,900		154
155	26.9	48.3	10,500	10,300				155

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	ft	°	ft					
				0° lb	1° lb	2° lb	3° lb	
46								46
48								48
49								49
50								50
53								53
55								55
56								56
58								58
60								60
61								61
64								64
65								65
68								68
70	78.9	180.4		20,300				70
73	77.4	179.2		19,900	19,400			73
75	77.2	178.5		19,500	19,100			75
76	76.6	178.0		19,400	19,000	18,300		76
79	75.4	176.7		19,000	18,600	18,100	16,400	79
80	75.6	176.3		18,800	18,400	18,100	16,400	80
85	73.9	174.0		18,100	17,800	17,500	16,200	85
90	72.1	171.4		17,500	17,200	16,900	16,100	90
95	70.4	168.7		16,900	16,600	16,300	16,000	95
100	68.6	165.8		16,400	16,100	15,800	15,600	100
105	66.8	162.7		15,900	15,600	15,400	15,100	105
110	64.9	159.3		15,400	15,200	14,900	14,700	110
115	63.0	155.7		15,000	14,700	14,500	14,300	115
120	61.0	151.8		14,600	14,300	14,100	13,900	120
125	59.0	147.7		14,200	14,000	13,700	13,000	125
130	57.0	143.2		13,900	13,300	12,800	12,200	130
135	54.8	138.4		13,000	12,500	11,900	11,400	135
140	52.6	133.3		12,100	11,600	11,100	10,700	140
145	50.3	127.6		11,300	10,900	10,400	10,000	145
150	47.9	121.5		10,600	10,100	9,700	9,300	150
155	45.3	114.9		9,800	9,500	9,100	8,700	155
160	42.5	107.5		9,200	8,800	8,500	8,100	160
170	36.3	90.0		7,900	7,600	7,400	7,100	170
174	32.8	81.3		7,400	7,200	6,900	6,700	174
175	32.6	79.1		7,300	7,100	6,800	6,600	175
177	30.4	73.8		7,100	6,900	6,600	6,400	177
178	29.6	71.1		7,000	6,800	6,500	6,300	178
179	28.8	68.5		6,900	6,600	6,400	6,200	179
180	28.2	65.8		6,800	6,500	6,300	6,100	180
181	27.2	62.8		6,600	6,400	6,200		181


MLC150-1 S-1




75,200 lb
+
0 lb








360°





137.8 ft





70.0 ft



	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
51	78.8	211.7	28,600											51	
54	77.3	211.0	28,200	22,800										54	
55	77.7	210.8	28,100	22,800										55	
58	76.4	210.0	27,700	22,700	18,400									58	
60	76.3	209.5	27,500	22,600	18,400									60	
61	75.6	209.2	27,400	22,600	18,400	15,500								61	
63	74.8	208.7	27,200	22,600	18,400	15,400	78.8	207.2	25,300					63	
65	74.8	208.1	27,000	22,600	18,300	15,400	78.2	206.6	25,000					65	
66	73.8	207.8	26,800	22,600	18,300	15,400	77.6	206.2	25,000	21,500				66	
70	73.4	206.5	26,400	22,500	18,300	15,300	76.8	205.0	24,600	21,200	18,700			70	
73	71.8	205.5	26,100	22,200	18,300	15,300	75.4	204.0	24,400	21,000	18,600	15,800		73	
75	72.0	204.8	25,900	22,100	18,200	15,300	75.3	203.3	24,200	20,900	18,500	15,800		75	
78	70.4	203.7	25,600	21,900	18,200	15,300	73.8	202.2	24,000	20,700	18,300	15,800		78	
80	70.5	203.0	25,400	21,700	18,200	15,300	73.9	201.4	23,800	20,600	18,200	15,800		80	
82	69.6	202.2	25,200	21,500	18,100	15,300	72.6	200.6	23,600	20,500	18,200	15,800		82	
85	69.0	201.0	24,800	21,300	18,100	15,300	72.4	199.4	23,400	20,400	18,000	15,800		85	
90	67.6	198.8	23,000	20,900	18,100	15,200	70.9	197.3	23,000	20,000	17,800	15,800		90	
95	66.1	196.6	21,100	19,800	18,100	15,200	69.4	194.9	22,100	19,800	17,600	15,800		95	
100	64.5	194.1	19,400	18,200	17,100	15,200	67.8	192.5	20,400	19,100	17,400	15,700		100	
105	63.0	191.5	17,900	16,800	15,800	14,900	66.3	189.8	18,800	17,700	16,600	15,600		105	
110	61.4	188.7	16,600	15,600	14,700	13,800	64.7	187.0	17,400	16,400	15,400	14,500		110	
115	59.8	185.7	15,300	14,500	13,600	12,800	63.1	184.0	16,100	15,200	14,300	13,500		115	
120	58.2	182.5	14,200	13,400	12,700	11,900	61.5	180.8	14,900	14,100	13,300	12,600		120	
125	56.6	179.1	13,200	12,500	11,800	11,100	59.8	177.3	13,900	13,100	12,400	11,700		125	
130	54.9	175.5	12,300	11,600	10,900	10,300	58.1	173.7	12,900	12,200	11,500	10,900		130	
135	53.2	171.7	11,400	10,800	10,200	9,600	56.4	169.8	12,000	11,300	10,700	10,100		135	
140	51.4	167.6	10,600	10,000	9,500	9,000	54.6	165.7	11,100	10,500	10,000	9,500		140	
145	49.6	163.3	9,900	9,300	8,800	8,400	52.8	161.3	10,300	9,800	9,300	8,800		145	
150	47.7	158.6	9,200	8,700	8,200	7,800	50.9	156.6	9,600	9,100	8,700	8,200		150	
155	45.8	153.7	8,500	8,100	7,700	7,200	48.9	151.6	8,900	8,500	8,100	7,600		155	
160	43.8	148.4	7,900	7,500	7,100	6,700	46.9	146.2	8,300	7,900	7,500	7,100		160	
165	41.8	142.7	7,300	7,000	6,600	6,300	44.8	140.5	7,700	7,300	7,000	6,600		165	
170	39.6	136.6	6,800	6,500	6,100	5,800	42.6	134.2	7,100	6,800	6,400	6,100		170	
180	34.9	122.7	5,800	5,500	5,300	5,000	37.8	120.1	6,100	5,800	5,500	5,200		180	
190	29.6	105.9	5,000	4,700	4,500	4,300	32.4	102.8	5,200	4,900	4,700	4,400		190	
192	27.8	101.9	4,800	4,600	4,300	4,100	30.8	98.7	5,000	4,800	4,500	4,300		192	
194	26.6	97.9	4,600	4,400	4,200		29.6	94.5	4,800	4,600	4,400	4,100		194	
195	26.6	96.0	4,600	4,300			29.2	92.5	4,700	4,500	4,300	4,100		195	
196	25.5	93.8	4,500				28.2	90.0	4,600	4,400	4,200	4,000		196	
197	25.2	91.6	4,400				27.4	87.6	4,600	4,300	4,100			197	
198							26.6	85.2	4,500	4,300	4,100			198	
199							25.8	82.8	4,400	4,200				199	
200							25.6	80.3	4,300					200	

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	 25°							
	 ft	 °	 ft					
				 0°	 1°	 2°	 3°	
51								51
54								54
55								55
58								58
60								60
61								61
63								63
65								65
66								66
70								70
73								73
75	78.8	199.6	21,000					75
78	77.4	198.5	20,600	19,500				78
80	77.3	197.8	20,300	19,400				80
82	76.2	196.9	20,000	19,300	17,200			82
85	75.8	195.7	19,600	19,200	17,200	14,800		85
90	74.3	193.5	19,000	18,600	17,000	14,800		90
95	72.7	191.1	18,300	17,900	16,900	14,800		95
100	71.2	188.6	17,800	17,400	16,800	14,800		100
105	69.6	185.9	17,300	16,900	16,600	14,800		105
110	68.0	183.0	16,700	16,500	16,200	14,800		110
115	66.3	179.9	16,200	15,900	15,000	14,200		115
120	64.7	176.7	15,600	14,800	14,000	13,200		120
125	62.9	173.1	14,500	13,700	13,000	12,300		125
130	61.2	169.4	13,500	12,800	12,100	11,500		130
135	59.4	165.4	12,500	11,900	11,300	10,700		135
140	57.6	161.2	11,600	11,100	10,500	9,900		140
145	55.7	156.7	10,800	10,300	9,800	9,300		145
150	53.8	151.8	10,100	9,600	9,100	8,600		150
155	51.7	146.6	9,300	8,900	8,400	8,000		155
160	49.7	141.1	8,700	8,200	7,800	7,400		160
165	47.5	135.1	8,000	7,600	7,300	6,900		165
170	45.2	128.5	7,400	7,100	6,700	6,400		170
180	40.2	113.6	6,300	6,000	5,700	5,400		180
190	34.3	95.2	5,300	5,100	4,800	4,600		190
192	32.4	90.6	5,100	4,900	4,600	4,400		192
194	30.8	86.0	4,900	4,700	4,500	4,200		194
195	30.8	83.8	4,800	4,600	4,400	4,200		195
196	29.2	81.0	4,700	4,500	4,300	4,100		196
197	28.4	78.3	4,600	4,400	4,200	4,000		197
198	27.6	75.5	4,500	4,300	4,100	3,900		198
199	26.8	72.8	4,400	4,200	4,000			199
200	26.7	70.0	4,400	4,200				200


MLC150-1 S-1




75,200 lb
+
0 lb



360°




147.6 ft



70.0 ft







		5°						15°					


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




360°




157.5 ft

70.0 ft



	 5°							 15°							
															
				0°  lb	1°  lb	2°  lb	3°  lb			0°  lb	1°  lb	2°  lb	3°  lb		
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft		
54	79.0	231.2	28,000										54		
55	78.8	231.0	27,900										55		
58	77.4	230.3	27,700	22,200									58		
60	77.5	229.8	27,500	22,200									60		
62	76.6	229.3	27,300	22,100	18,000								62		
65	76.2	228.5	27,000	22,100	17,900								65		
66	75.6	228.3	26,900	22,100	17,900	15,100							66		
67	75.2	228.0	26,800	22,100	17,900	15,100	78.8	226.4	24,900				67		
70	74.9	227.1	26,600	22,000	17,900	15,000	78.0	225.5	24,700	21,200			70		
74	73.2	225.9	26,100	21,900	17,900	15,000	76.2	224.3	24,500	21,000	18,400		74		
75	73.6	225.6	26,000	21,900	17,900	15,000	76.7	224.0	24,400	20,900	18,400		75		
78	72.4	224.6	25,800	21,900	17,900	15,000	75.4	223.0	24,100	20,800	18,300	15,300	78		
79	72.2	224.3	25,700	21,900	17,900	15,000	75.2	222.6	24,100	20,700	18,300	15,300	79		
80	72.3	223.9	25,600	21,900	17,900	15,000	75.3	222.3	24,000	20,700	18,300	15,300	80		
82	71.2	223.2	25,100	21,700	17,900	15,000	74.6	221.6	23,800	20,600	18,200	15,300	82		
85	70.9	222.1	24,500	21,500	17,800	15,000	74.0	220.5	23,600	20,500	18,100	15,300	85		
86	69.8	221.7	24,000	21,300	17,800	15,000	73.6	220.1	23,600	20,400	18,100	15,300	86		
90	69.6	220.2	22,300	20,700	17,700	14,900	72.7	218.6	23,300	20,200	17,900	15,300	90		
95	68.2	218.1	20,400	19,000	17,600	14,900	71.3	216.5	21,600	19,900	17,700	15,300	95		
100	66.9	215.9	18,800	17,400	16,200	14,900	69.9	214.3	19,800	18,400	17,100	15,300	100		
105	65.5	213.6	17,200	16,100	14,900	13,900	68.5	211.9	18,200	17,000	15,800	14,800	105		
110	64.1	211.1	15,900	14,800	13,800	12,900	67.1	209.4	16,800	15,700	14,600	13,700	110		
115	62.7	208.4	14,700	13,700	12,800	11,900	65.7	206.7	15,500	14,500	13,500	12,700	115		
120	61.3	205.6	13,500	12,600	11,800	11,000	64.3	203.9	14,300	13,400	12,500	11,700	120		
125	59.8	202.6	12,500	11,700	10,900	10,200	62.8	200.8	13,300	12,400	11,600	10,900	125		
130	58.3	199.5	11,600	10,800	10,100	9,400	61.3	197.7	12,300	11,500	10,800	10,100	130		
135	56.8	196.1	10,700	10,000	9,400	8,700	59.8	194.3	11,400	10,600	10,000	9,300	135		
140	55.3	192.6	9,900	9,300	8,700	8,100	58.2	190.7	10,500	9,900	9,200	8,700	140		
145	53.7	188.8	9,100	8,600	8,000	7,500	56.7	186.9	9,700	9,100	8,600	8,000	145		
150	52.2	184.9	8,500	7,900	7,400	6,900	55.0	182.9	9,000	8,400	7,900	7,400	150		
155	50.5	180.7	7,800	7,300	6,800	6,400	53.4	178.7	8,300	7,800	7,300	6,800	155		
160	48.9	176.2	7,200	6,700	6,300	5,900	51.7	174.2	7,700	7,200	6,800	6,300	160		
165	47.1	171.5	6,600	6,200	5,800	5,400	50.0	169.4	7,100	6,600	6,200	5,800	165		
170	45.4	166.5	6,100	5,700	5,300	5,000	48.2	164.3	6,500	6,100	5,700	5,300	170		
175	43.5	161.2	5,600	5,200	4,900	4,500	46.3	158.9	6,000	5,600	5,300	4,900	175		
180	41.6	155.5	5,100	4,800	4,400	4,000	44.4	153.1	5,500	5,100	4,800	4,400	180		
185	39.7	149.3	4,700	4,300	3,900	3,600	42.4	146.9	5,000	4,700	4,300	3,900	185		
190	37.6	142.8	4,200	3,800	3,500	3,100	40.3	140.2	4,600	4,200	3,800	3,500	190		
195	35.5	135.7	3,700	3,400	3,100		38.1	133.0	4,100	3,700	3,400	3,100	195		
200	33.2	128.0	3,300	3,000			35.7	125.1	3,600	3,300			200		
205							33.2	116.4	3,100				205		

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
54								54
55								55
58								58
60								60
62								62
65								65
66								66
67								67
70								70
74								74
75								75
78								78
79	78.8	218.9	21,000					79
80	78.5	218.5	20,900					80
82	77.6	217.8	20,600	19,300				82
85	77.1	216.7	20,200	19,200				85
86	76.6	216.3	20,100	19,200	17,000			86
90	75.8	214.7	19,600	19,100	17,000	13,200		90
95	74.4	212.6	19,000	18,600	17,000	13,200		95
100	73.0	210.3	18,500	18,000	16,800	13,200		100
105	71.6	207.9	17,900	17,500	16,700	13,200		105
110	70.1	205.4	17,500	16,600	15,500	13,200		110
115	68.7	202.6	16,400	15,300	14,400	13,200		115
120	67.2	199.7	15,100	14,200	13,300	12,500		120
125	65.7	196.7	14,000	13,100	12,300	11,600		125
130	64.2	193.4	13,000	12,200	11,400	10,700		130
135	62.6	189.9	12,000	11,300	10,600	9,900		135
140	61.0	186.3	11,100	10,500	9,800	9,200		140
145	59.4	182.4	10,300	9,700	9,100	8,500		145
150	57.8	178.3	9,500	9,000	8,400	7,900		150
155	56.1	173.9	8,800	8,300	7,800	7,300		155
160	54.3	169.3	8,100	7,700	7,200	6,700		160
165	52.5	164.4	7,500	7,100	6,600	6,200		165
170	50.7	159.1	6,900	6,500	6,100	5,700		170
175	48.8	153.5	6,300	6,000	5,600	5,200		175
180	46.8	147.5	5,800	5,500	5,100	4,800		180
185	44.7	141.0	5,300	5,000	4,700	4,300		185
190	42.5	134.0	4,800	4,500	4,200	3,800		190
195	40.2	126.4	4,400	4,000	3,700	3,300		195
200	37.7	118.1	3,800	3,500	3,200			200
205	35.0	108.8	3,300	3,000				205


MLC150-1 S-1




75,200 lb
+
0 lb








360°







167.3 ft






70.0 ft



	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
56	79.0	240.9	27,500											56	
60	78.0	240.0	27,200											60	
65	76.8	238.7	26,800											65	
68	75.4	237.9	26,500											68	
69	75.2	237.6	26,500					79.0	236.3	24,800				69	
70	75.5	237.4	26,400					78.0	236.0	24,800				70	
72	74.6	236.8	26,200					78.5	235.8	24,700				72	
75	74.3	235.9	25,900					77.6	235.2	24,600	21,100			75	
76	73.8	235.6	25,800					77.2	234.3	24,400	20,900			76	
80	73.0	234.3	25,500					76.6	234.0	24,300	20,900	18,200		80	
84	71.4	232.9	24,400					76.0	232.7	24,000	20,600	18,200	14,300	84	
85	71.8	232.6	24,100					74.2	231.3	23,800	20,500	18,000	14,300	85	
88	70.4	231.5	22,800					74.7	231.0	23,700	20,400	18,000	14,300	88	
90	70.5	230.8	22,000					73.4	229.8	23,400	20,300	17,900	14,300	90	
92	69.6	230.0	21,200					73.4	229.1	23,200	20,200	17,900	14,300	92	
95	69.2	228.8	20,100					72.6	228.3	22,400	20,000	17,800	14,300	95	
100	67.9	226.7	18,400					72.1	227.1	21,300	19,700	17,700	14,300	100	
105	66.6	224.5	16,900					70.8	225.0	19,500	18,100	16,700	14,300	105	
110	65.3	222.1	15,500					69.5	222.8	17,900	16,600	15,400	14,300	110	
115	63.9	219.6	14,300					68.2	220.4	16,500	15,300	14,200	13,200	115	
120	62.6	216.9	13,200					66.8	217.8	15,200	14,100	13,100	12,200	120	
125	61.2	214.1	12,100					65.4	215.1	14,000	13,100	12,100	11,300	125	
130	59.8	211.1	11,200					64.0	212.3	12,900	12,100	11,200	10,400	130	
135	58.4	208.0	10,300					62.6	209.3	11,900	11,100	10,400	9,700	135	
140	56.9	204.6	9,500					61.2	206.1	11,000	10,300	9,600	8,900	140	
145	55.5	201.1	8,800					59.8	202.8	10,200	9,500	8,900	8,200	145	
150	54.0	197.4	8,100					58.3	199.2	9,400	8,800	8,200	7,600	150	
155	52.5	193.5	7,400					56.8	195.5	8,700	8,100	7,500	7,000	155	
160	50.9	189.4	6,800					55.2	191.5	8,000	7,500	6,900	6,400	160	
165	49.3	185.0	6,300					53.7	187.3	7,400	6,900	6,400	5,900	165	
170	47.7	180.4	5,700					52.1	182.9	6,800	6,300	5,800	5,400	170	
175	46.0	175.5	5,200					50.4	178.2	6,200	5,800	5,300	4,900	175	
180	44.3	170.3	4,700					48.7	173.3	5,700	5,300	4,800	4,400	180	
185	42.5	164.7	4,200					47.0	168.0	5,200	4,800	4,300	3,900	185	
190	40.7	158.8	3,700					45.2	162.4	4,700	4,200	3,800	3,400	190	
195			3,200					43.3	156.4	4,100	3,700	3,300		195	
200	38.7	152.5						41.3	150.0	3,600	3,200			200	
								39.3	143.1	3,100					

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
56								56
60								60
65								65
68								68
69								69
70								70
72								72
75								75
76								76
80	79.0	228.9	21,100					80
84	77.4	227.5	20,600	19,300				84
85	77.7	227.1	20,500	19,200				85
88	76.4	226.0	20,100	19,100	16,100			88
90	76.4	225.2	19,800	19,100	16,100			90
92	75.6	224.4	19,600	19,000	16,100	12,400		92
95	75.1	223.2	19,300	18,800	16,100	12,400		95
100	73.8	221.1	18,700	18,400	16,100	12,400		100
105	72.4	218.8	18,200	17,600	16,100	12,400		105
110	71.0	216.3	17,500	16,300	15,200	12,400		110
115	69.7	213.7	16,100	15,000	14,000	12,400		115
120	68.3	211.0	14,900	13,900	13,000	12,100		120
125	66.9	208.1	13,700	12,800	12,000	11,200		125
130	65.4	205.0	12,700	11,900	11,100	10,300		130
135	64.0	201.8	11,700	11,000	10,300	9,600		135
140	62.5	198.3	10,800	10,100	9,500	8,800		140
145	61.0	194.7	10,000	9,400	8,800	8,200		145
150	59.4	190.9	9,300	8,700	8,100	7,500		150
155	57.9	186.8	8,500	8,000	7,400	6,900		155
160	56.2	182.5	7,900	7,300	6,800	6,400		160
165	54.6	178.0	7,200	6,700	6,300	5,800		165
170	52.9	173.2	6,600	6,200	5,800	5,300		170
175	51.1	168.0	6,100	5,700	5,300	4,800		175
180	49.3	162.6	5,500	5,100	4,800	4,300		180
185	47.5	156.8	5,000	4,600	4,200	3,800		185
190	45.5	150.5	4,500	4,100	3,700	3,300		190
195	43.5	143.9	4,000	3,600	3,200			195
200	41.3	136.6	3,400	3,100				200


MLC150-1 S-1




75,200 lb
+
0 lb








360°





177.2 ft



70.0 ft





	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
58	78.9	250.5	27,000											58	
60	78.5	250.1	26,900											60	
62	77.6	249.6	26,700	21,600										62	
65	77.3	248.9	26,500	21,500										65	
67	76.6	248.4	26,300	21,500	17,500									67	
70	76.1	247.6	26,100	21,400	17,400		79.0	246.0	24,700					70	
71	75.6	247.3	26,000	21,400	17,400	14,100	77.8	245.7	24,600					71	
75	74.9	246.2	25,700	21,400	17,400	14,100	77.8	244.5	24,300	20,900				75	
79	73.2	244.9	25,400	21,300	17,400	14,000	76.2	243.3	24,100	20,700	17,100			79	
80	73.7	244.6	25,300	21,300	17,400	14,000	76.6	243.0	24,100	20,600	17,100			80	
82	72.6	244.0	24,700	21,300	17,400	14,000	75.6	242.3	23,900	20,500	17,100			82	
83	72.4	243.7	24,400	21,300	17,400	14,000	75.4	242.0	23,900	20,500	17,100	13,300		83	
85	72.5	243.0	23,800	21,200	17,400	14,000	75.3	241.4	23,700	20,400	17,100	13,300		85	
86	71.8	242.7	23,300	21,000	17,400	14,000	74.8	241.0	23,600	20,400	17,100	13,300		86	
90	71.3	241.3	21,600	19,800	17,300	14,000	74.1	239.6	23,000	20,200	17,100	13,300		90	
94	70.2	239.7	20,100	18,400	16,800	14,000	72.4	238.1	21,400	19,500	17,100	13,300		94	
95	70.1	239.4	19,700	18,100	16,600	14,000	72.9	237.7	21,000	19,300	17,100	13,300		95	
100	68.8	237.4	18,000	16,600	15,300	14,000	71.6	235.7	19,200	17,700	16,300	13,300		100	
105	67.6	235.2	16,500	15,200	14,000	12,900	70.4	233.5	17,600	16,300	15,000	13,300		105	
110	66.3	233.0	15,200	14,000	12,900	11,900	69.1	231.3	16,200	14,900	13,800	12,800		110	
115	65.0	230.6	13,900	12,800	11,900	10,900	67.8	228.8	14,900	13,800	12,700	11,800		115	
120	63.7	228.1	12,800	11,800	10,900	10,100	66.5	226.3	13,700	12,700	11,700	10,900		120	
125	62.4	225.4	11,800	10,900	10,000	9,200	65.2	223.6	12,600	11,700	10,800	10,000		125	
130	61.1	222.6	10,800	10,000	9,200	8,500	63.9	220.7	11,600	10,800	10,000	9,200		130	
135	59.8	219.6	9,900	9,200	8,500	7,800	62.5	217.7	10,700	9,900	9,200	8,500		135	
140	58.4	216.4	9,100	8,400	7,800	7,200	61.1	214.6	9,800	9,100	8,400	7,800		140	
145	57.0	213.1	8,400	7,700	7,100	6,600	59.8	211.2	9,100	8,400	7,800	7,200		145	
150	55.6	209.6	7,700	7,100	6,500	6,000	58.3	207.7	8,300	7,700	7,100	6,600		150	
155	54.2	206.0	7,000	6,500	6,000	5,400	56.9	204.0	7,600	7,100	6,500	6,000		155	
160	52.8	202.1	6,400	5,900	5,400	4,800	55.4	200.1	7,000	6,500	6,000	5,400		160	
165	51.3	198.0	5,900	5,300	4,800	4,200	53.9	196.0	6,400	5,900	5,400	4,900		165	
170	49.8	193.7	5,300	4,700	4,200	3,700	52.4	191.6	5,800	5,400	4,800	4,300		170	
175	48.2	189.2	4,700	4,200	3,700	3,200	50.8	187.0	5,300	4,800	4,300	3,800		175	
180	46.6	184.4	4,100	3,700	3,200		49.2	182.2	4,700	4,200	3,700	3,300		180	
185	45.0	179.3	3,600	3,200			47.6	177.0	4,100	3,700	3,200			185	
190	43.3	173.9	3,100				45.8	171.6	3,600	3,200				190	
195							44.1	165.8	3,100					195	
200														200	







MLC150-1 S-1







25°								
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft	
58							58	
60							60	
62							62	
65							65	
67							67	
70							70	
71							71	
75							75	
79							79	
80							80	
82	79.0	238.5	21,100				82	
83	78.0	238.1	20,900				83	
85	78.2	237.5	20,700				85	
86	77.6	237.1	20,600	19,200			86	
90	77.0	235.7	20,100	19,100	15,100		90	
94	75.2	234.1	19,600	18,900	15,100	11,400	94	
95	75.7	233.7	19,500	18,900	15,100	11,400	95	
100	74.5	231.7	19,000	18,600	15,100	11,400	100	
105	73.2	229.5	18,500	17,300	15,100	11,400	105	
110	71.9	227.2	17,200	15,900	14,800	11,400	110	
115	70.6	224.7	15,800	14,700	13,600	11,400	115	
120	69.2	222.1	14,600	13,600	12,600	11,400	120	
125	67.9	219.4	13,500	12,500	11,600	10,800	125	
130	66.5	216.5	12,400	11,500	10,700	9,900	130	
135	65.2	213.4	11,400	10,600	9,900	9,200	135	
140	63.8	210.2	10,600	9,800	9,100	8,400	140	
145	62.4	206.8	9,700	9,000	8,400	7,800	145	
150	60.9	203.2	8,900	8,300	7,700	7,100	150	
155	59.4	199.4	8,200	7,600	7,100	6,500	155	
160	57.9	195.4	7,500	7,000	6,500	6,000	160	
165	56.4	191.1	6,900	6,400	5,900	5,500	165	
170	54.8	186.7	6,300	5,800	5,400	4,900	170	
175	53.2	181.9	5,800	5,300	4,800	4,300	175	
180	51.5	176.9	5,200	4,700	4,200	3,800	180	
185	49.8	171.6	4,600	4,200	3,700	3,300	185	
190	48.1	166.0	4,100	3,600	3,200		190	
195	46.2	160.0	3,500	3,100			195	
200	44.3	153.5	3,000				200	




MLC150-1 S-1





	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
42	78.9	173.7	23,500										42		
44	78.2	173.2	23,300										44		
45	77.5	173.0	23,200	18,100									45		
46	77.5	172.7	23,100	18,100									46		
48	76.8	172.2	22,900	18,000	14,500								48		
50	76.1	171.7	22,700	18,000	14,400								50		
51	75.6	171.4	22,600	18,000	14,400	12,000							51		
55	74.4	170.2	22,200	17,800	14,300	11,900							55		
56	73.6	169.9	22,100	17,800	14,300	11,900	78.8	168.7	21,800				56		
59	72.4	168.9	21,800	17,800	14,300	11,900	77.3	167.7	21,500	18,000			59		
60	72.6	168.6	21,700	17,700	14,300	11,900	77.4	167.4	21,400	18,000			60		
62	71.2	167.9	21,500	17,700	14,300	11,900	76.2	166.7	21,200	17,900	14,500		62		
64	70.4	167.2	21,300	17,600	14,200	11,900	75.4	166.0	20,900	17,900	14,500	12,000	64		
65	70.8	166.8	21,200	17,600	14,200	11,800	75.6	165.6	20,800	17,900	14,500	12,000	65		
70	69.0	164.8	20,700	17,500	14,200	11,800	73.8	163.6	20,200	17,700	14,500	12,000	70		
73	67.8	163.5	20,400	17,400	14,100	11,800	71.8	162.3	19,900	17,400	14,500	12,000	73		
75	67.2	162.7	20,200	17,400	14,100	11,800	72.0	161.4	19,700	17,300	14,500	12,000	75		
78	65.8	161.3	20,000	17,300	14,000	11,700	70.4	160.0	19,400	17,000	14,400	12,000	78		
80	65.3	160.3	19,800	17,300	14,000	11,700	70.1	159.1	19,200	16,900	14,400	12,000	80		
85	63.5	157.8	19,400	17,100	14,000	11,600	68.2	156.5	18,700	16,500	14,400	12,000	85		
90	61.5	155.0	18,900	16,800	13,900	11,600	66.3	153.7	18,200	16,100	14,400	12,000	90		
95	59.6	152.0	18,600	16,400	13,800	11,600	64.3	150.7	17,800	15,800	14,200	12,000	95		
100	57.6	148.8	18,200	16,000	13,700	11,500	62.3	147.4	17,300	15,500	13,900	12,000	100		
105	55.5	145.3	17,700	15,600	13,700	11,500	60.2	143.9	16,900	15,100	13,700	12,000	105		
110	53.4	141.6	17,200	15,200	13,600	11,500	58.1	140.1	16,400	14,800	13,400	12,000	110		
115	51.3	137.5	16,700	14,900	13,400	11,400	55.9	136.0	16,100	14,500	13,100	12,000	115		
120	49.0	133.1	16,100	14,500	13,100	11,400	53.6	131.6	15,700	14,200	12,900	11,900	120		
125	46.7	128.4	15,100	14,300	12,900	11,400	51.3	126.8	15,200	13,900	12,700	11,700	125		
130	44.3	123.2	14,200	13,700	12,600	11,400	48.9	121.5	14,600	13,600	12,500	11,500	130		
135	41.8	117.6	13,300	12,900	12,400	11,300	46.3	115.8	13,700	13,200	12,300	11,300	135		
140	39.1	111.4	12,500	12,100	11,700	11,200	43.6	109.5	12,900	12,400	12,000	11,200	140		
145	36.3	104.6	11,800	11,400	11,000	10,700	40.7	102.6	12,100	11,700	11,300	11,000	145		
150	33.2	97.0	11,100	10,800	10,400	10,100	37.6	94.8	11,400	11,000	10,700	10,400	150		
157	28.1	84.0	10,200	9,900	9,600	9,400	32.1	81.4	10,400	10,200	9,900	9,600	157		
158	27.4	82.1	10,100	9,800	9,500		31.4	79.5	10,300	10,000	9,700	9,500	158		
160	26.2	78.4	9,800	9,600			30.3	75.7	10,000	9,800	9,500	9,200	160		
161	25.3	76.2	9,700				29.0	73.1	9,900	9,700	9,400	9,100	161		
162							28.0	70.6	9,800	9,500	9,300	9,000	162		
163							27.0	68.1	9,700	9,400	9,200		163		
164							26.0	65.5	9,600	9,300			164		
165							25.7	63.0	9,400				165		
166													166		
167													167		

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	 25°						 ft
	 °	 ft					
			0°  lb	1°  lb	2°  lb	3°  lb	
42							42
44							44
45							45
46							46
48							48
50							50
51							51
55							55
56							56
59							59
60							60
62							62
64							64
65							65
70	78.8	160.5	18,600				70
73	76.8	159.1	18,200	16,300			73
75	76.9	158.2	18,000	16,100	14,500		75
78	75.4	156.8	17,500	16,000	14,400	12,200	78
80	75.0	155.8	17,100	15,900	14,300	12,200	80
85	73.1	153.2	16,300	15,600	14,100	12,200	85
90	71.1	150.3	15,600	15,300	13,800	12,200	90
95	69.1	147.3	15,000	14,700	13,600	12,200	95
100	67.0	143.9	14,400	14,100	13,500	12,200	100
105	64.9	140.3	13,800	13,600	13,200	12,100	105
110	62.7	136.4	13,300	13,100	12,900	12,000	110
115	60.5	132.2	12,800	12,600	12,400	11,800	115
120	58.1	127.6	12,400	12,200	12,000	11,700	120
125	55.7	122.6	12,000	11,800	11,700	11,500	125
130	53.2	117.2	11,600	11,500	11,300	11,200	130
135	50.5	111.2	11,300	11,100	11,000	10,900	135
140	47.7	104.7	10,900	10,800	10,700	10,700	140
145	44.6	97.3	10,600	10,600	10,500	10,400	145
150	41.3	89.1	10,400	10,300	10,300	10,200	150
157	35.4	74.4	10,100	10,100	9,800	9,600	157
158	34.6	72.3	10,100	10,000	9,800	9,600	158
160	33.3	68.1	10,000	9,900	9,700	9,400	160
161	31.8	65.2	9,900	9,800	9,600	9,300	161
162	30.6	62.3	9,800	9,700	9,400	9,200	162
163	29.4	59.3	9,700	9,600	9,300	9,100	163
164	28.2	56.4	9,600	9,400	9,200	9,000	164
165	28.0	53.5	9,500	9,300	9,100		165
166	26.0	49.7	9,400	9,200			166
167	25.3	45.9	9,200				167


MLC150-1 S-1




75,200 lb
+
0 lb











360°





98.4 ft




80.0 ft

	 5°							 15°							
															
															
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft		
44	78.8	183.3	23,200										44		
46	78.2	182.8	23,000										46		
47	77.5	182.6	23,000	17,900									47		
48	77.5	182.4	22,900	17,900									48		
50	76.9	181.9	22,700	17,900	14,400								50		
53	75.4	181.0	22,400	17,800	14,300	11,900							53		
55	75.2	180.5	22,200	17,800	14,300	11,900							55		
58	73.8	179.6	21,900	17,700	14,200	11,800	78.8	178.3	21,700				58		
60	73.6	179.0	21,700	17,600	14,200	11,800	78.1	177.7	21,600				60		
61	72.6	178.6	21,600	17,600	14,200	11,800	77.6	177.4	21,400	17,900			61		
64	71.4	177.6	21,300	17,500	14,200	11,800	76.4	176.4	21,100	17,900	14,400		64		
65	71.9	177.3	21,200	17,500	14,200	11,800	76.5	176.0	21,000	17,800	14,400		65		
67	70.6	176.5	21,000	17,500	14,100	11,800	75.2	175.3	20,800	17,800	14,400	11,900	67		
70	70.2	175.4	20,700	17,400	14,100	11,800	74.8	174.2	20,500	17,800	14,400	11,900	70		
72	69.2	174.6	20,600	17,300	14,000	11,700	73.6	173.3	20,300	17,700	14,400	11,900	72		
75	68.5	173.4	20,300	17,300	14,000	11,700	73.0	172.1	19,900	17,400	14,400	11,900	75		
78	66.8	172.1	20,000	17,200	14,000	11,700	71.8	170.8	19,700	17,200	14,300	11,900	78		
80	66.8	171.2	19,800	17,200	13,900	11,700	71.3	169.9	19,500	17,000	14,300	11,900	80		
85	65.0	168.8	19,400	17,100	13,900	11,600	69.5	167.5	19,000	16,700	14,300	11,900	85		
90	63.2	166.3	19,000	16,900	13,800	11,600	67.7	164.9	18,500	16,400	14,300	11,900	90		
95	61.4	163.5	18,600	16,700	13,800	11,500	65.9	162.1	18,100	16,000	14,300	11,900	95		
100	59.6	160.5	18,200	16,300	13,700	11,500	64.0	159.1	17,600	15,700	14,100	11,900	100		
105	57.7	157.3	17,900	15,900	13,600	11,500	62.1	155.9	17,200	15,400	13,800	11,900	105		
110	55.8	153.9	17,500	15,600	13,600	11,400	60.2	152.4	16,800	15,100	13,600	11,900	110		
115	53.8	150.1	16,800	15,200	13,500	11,400	58.2	148.6	16,500	14,800	13,400	11,900	115		
120	51.8	146.2	15,700	14,900	13,400	11,400	56.1	144.6	16,100	14,500	13,200	11,900	120		
125	49.7	141.9	14,700	14,100	13,200	11,300	54.0	140.3	15,200	14,200	13,000	11,900	125		
130	47.5	137.2	13,800	13,200	12,700	11,300	51.8	135.6	14,200	13,700	12,800	11,700	130		
135	45.3	132.2	12,900	12,400	11,900	11,300	49.5	130.5	13,300	12,800	12,300	11,500	135		
140	42.9	126.8	12,100	11,600	11,200	10,800	47.2	125.0	12,500	12,000	11,600	11,200	140		
145	40.5	120.9	11,400	11,000	10,600	10,200	44.7	119.1	11,700	11,300	10,900	10,500	145		
150	37.9	114.5	10,700	10,300	9,900	9,600	42.0	112.5	11,000	10,600	10,300	9,900	150		
155	35.1	107.4	10,000	9,700	9,400	9,000	39.2	105.3	10,300	10,000	9,700	9,300	155		
160	32.2	99.5	9,400	9,100	8,800	8,500	36.2	97.2	9,700	9,400	9,100	8,800	160		
166	27.8	87.9	8,800	8,500	8,200	8,000	31.8	85.2	9,000	8,700	8,500	8,200	166		
167	27.1	86.0	8,700	8,400	8,100		31.1	83.2	8,900	8,600	8,300	8,100	167		
169	25.7	82.1	8,500	8,200			29.7	79.2	8,600	8,400	8,100	7,900	169		
170	25.3	80.2	8,300				29.1	77.2	8,500	8,300	8,000	7,800	170		
171							28.0	74.6	8,400	8,200	7,900	7,700	171		
172							27.0	72.0	8,300	8,100	7,800		172		
173							26.0	69.5	8,200	8,000			173		
174							25.5	66.9	8,100				174		
175													175		


MLC150-1 S-1







75,200 lb
+
0 lb





98.4 ft



80.0 ft

	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
44							44	
46							46	
47							47	
48							48	
50							50	
53							53	
55							55	
58							58	
60							60	
61							61	
64							64	
65							65	
67							67	
70							70	
72	78.8	170.1	18,600				72	
75	77.7	168.8	18,300	16,300			75	
78	75.8	167.5	17,900	16,100	14,500		78	
80	76.0	166.6	17,500	16,000	14,400	12,200	80	
85	74.1	164.1	16,700	15,700	14,200	12,200	85	
90	72.3	161.5	16,100	15,500	14,000	12,200	90	
95	70.4	158.6	15,400	15,100	13,800	12,200	95	
100	68.5	155.5	14,800	14,500	13,600	12,200	100	
105	66.6	152.2	14,300	14,000	13,400	12,200	105	
110	64.6	148.6	13,700	13,500	13,200	12,100	110	
115	62.5	144.8	13,200	13,000	12,800	12,000	115	
120	60.4	140.6	12,800	12,600	12,400	11,800	120	
125	58.2	136.1	12,400	12,200	12,100	11,700	125	
130	56.0	131.3	12,000	11,900	11,700	11,600	130	
135	53.6	126.0	11,700	11,500	11,400	11,300	135	
140	51.2	120.3	11,300	11,200	11,100	11,000	140	
145	48.6	114.1	11,000	10,900	10,800	10,700	145	
150	45.8	107.2	10,800	10,700	10,600	10,200	150	
155	42.8	99.6	10,500	10,300	9,900	9,600	155	
160	39.6	90.9	9,900	9,600	9,300	9,000	160	
166	34.2	77.8	9,200	8,900	8,600	8,400	166	
167	33.4	75.6	9,100	8,800	8,500	8,300	167	
169	31.8	71.2	8,800	8,500	8,300	8,000	169	
170	31.7	69.0	8,700	8,400	8,200	7,900	170	
171	30.0	65.9	8,500	8,300	8,100	7,800	171	
172	29.0	62.8	8,400	8,200	8,000	7,700	172	
173	28.0	59.7	8,300	8,100	7,900	7,600	173	
174	27.0	56.6	8,200	8,000	7,700		174	
175	26.5	53.5	8,100	7,800			175	


MLC150-1 S-1




75,200 lb
+
0 lb









360°






108.3 ft





80.0 ft





	 5°							 15°							
															
															
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft		
46	78.8	192.9	22,900										46		
48	78.2	192.5	22,800										48		
49	77.5	192.2	22,700	17,800									49		
50	77.6	192.0	22,600	17,700									50		
52	76.6	191.5	22,400	17,700	14,200								52		
55	76.0	190.7	22,100	17,700	14,200								55		
56	75.6	190.4	22,000	17,700	14,200	11,800							56		
60	74.5	189.3	21,700	17,500	14,100	11,700	78.8	188.0	21,700				60		
63	72.8	188.3	21,400	17,500	14,100	11,700	77.4	187.0	21,400	17,700			63		
65	72.9	187.7	21,200	17,400	14,100	11,700	77.2	186.4	21,100	17,700			65		
66	71.8	187.3	21,100	17,400	14,100	11,700	76.6	186.0	21,100	17,700	14,300		66		
69	71.2	186.3	20,800	17,300	14,000	11,700	75.4	185.0	20,800	17,700	14,300	11,900	69		
70	71.3	185.9	20,700	17,300	14,000	11,700	75.6	184.6	20,700	17,700	14,300	11,900	70		
74	69.4	184.4	20,400	17,200	14,000	11,600	73.4	183.1	20,300	17,600	14,300	11,900	74		
75	69.7	184.0	20,300	17,200	13,900	11,600	74.0	182.7	20,200	17,600	14,300	11,900	75		
77	68.6	183.2	20,100	17,200	13,900	11,600	72.6	181.9	20,000	17,400	14,300	11,900	77		
80	68.1	182.0	19,900	17,100	13,900	11,600	72.3	180.6	19,800	17,200	14,300	11,900	80		
83	66.8	180.6	19,600	17,100	13,900	11,600	70.8	179.3	19,400	17,000	14,300	11,900	83		
85	66.4	179.8	19,400	17,000	13,800	11,500	70.7	178.4	19,200	16,900	14,300	11,900	85		
90	64.7	177.3	19,000	16,900	13,800	11,500	69.0	176.0	18,800	16,600	14,300	11,900	90		
95	63.0	174.8	18,600	16,800	13,700	11,500	67.3	173.3	18,400	16,200	14,200	11,900	95		
100	61.3	172.0	18,300	16,500	13,600	11,400	65.5	170.5	18,000	16,000	14,200	11,900	100		
105	59.6	169.0	17,900	16,200	13,600	11,400	63.8	167.5	17,500	15,600	14,100	11,900	105		
110	57.8	165.8	17,600	15,900	13,500	11,400	62.0	164.3	17,200	15,300	13,800	11,900	110		
115	56.0	162.4	16,500	15,500	13,500	11,300	60.1	160.8	16,800	15,000	13,600	11,900	115		
120	54.1	158.7	15,400	14,700	13,400	11,300	58.2	157.1	16,000	14,800	13,400	11,900	120		
125	52.2	154.8	14,400	13,700	13,100	11,200	56.3	153.2	15,000	14,300	13,200	11,900	125		
130	50.2	150.6	13,500	12,900	12,300	11,200	54.3	148.9	14,000	13,400	12,800	11,900	130		
135	48.2	146.1	12,600	12,100	11,500	11,000	52.3	144.4	13,100	12,500	12,000	11,500	135		
140	46.1	141.2	11,800	11,300	10,800	10,400	50.1	139.4	12,300	11,800	11,300	10,800	140		
145	43.9	136.0	11,100	10,600	10,200	9,800	47.9	134.1	11,500	11,000	10,600	10,100	145		
150	41.6	130.3	10,400	10,000	9,600	9,200	45.6	128.4	10,800	10,300	9,900	9,500	150		
160	36.7	117.5	9,100	8,800	8,500	8,100	40.7	115.3	9,500	9,100	8,800	8,400	160		
170	31.2	101.9	8,000	7,800	7,500	7,200	34.9	99.4	8,300	8,000	7,700	7,400	170		
174	28.3	94.0	7,700	7,400	7,100	6,900	31.2	91.1	7,900	7,600	7,400	7,100	174		
176	27.0	90.1	7,500	7,200	7,000		29.8	86.9	7,700	7,400	7,200	6,900	176		
177	26.3	88.1	7,400	7,100			29.1	84.9	7,600	7,300	7,100	6,800	177		
179	25.2	84.2	7,200				27.7	80.7	7,400	7,100	6,900	6,700	179		
180							28.0	78.6	7,200	7,000	6,800		180		
181							26.3	76.0	7,100	6,900	6,700		181		
182							25.7	73.4	7,100	6,800			182		
183							25.4	70.8	7,000				183		
184													184		







MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	ft	°	ft					
				0° lb	1° lb	2° lb	3° lb	
46								46
48								48
49								49
50								50
52								52
55								55
56								56
60								60
63								63
65								65
66								66
69								69
70								70
74	78.8	179.7	18,600					74
75	78.4	179.3	18,500					75
77	77.2	178.4	18,200	16,300				77
80	76.8	177.2	17,800	16,100	14,500			80
83	75.4	175.8	17,400	16,000	14,400	12,100		83
85	75.1	174.9	17,100	15,900	14,300	12,100		85
90	73.3	172.4	16,400	15,600	14,100	12,100		90
95	71.6	169.7	15,800	15,300	13,900	12,100		95
100	69.8	166.9	15,200	14,900	13,700	12,100		100
105	68.0	163.8	14,700	14,400	13,500	12,100		105
110	66.2	160.5	14,100	13,900	13,300	12,100		110
115	64.3	156.9	13,700	13,400	13,200	12,100		115
120	62.3	153.1	13,200	13,000	12,800	12,000		120
125	60.4	149.0	12,800	12,600	12,400	11,800		125
130	58.3	144.7	12,400	12,200	12,100	11,700		130
135	56.2	139.9	12,100	11,900	11,700	11,600		135
140	54.0	134.9	11,700	11,600	11,400	11,200		140
145	51.7	129.4	11,400	11,300	11,000	10,500		145
150	49.3	123.4	11,100	10,700	10,300	9,900		150
160	44.1	109.7	9,800	9,400	9,100	8,700		160
170	38.0	92.7	8,500	8,200	7,900	7,700		170
174	34.8	83.5	8,100	7,800	7,500	7,300		174
176	33.2	79.0	7,800	7,600	7,300	7,100		176
177	32.4	76.7	7,700	7,500	7,200	7,000		177
179	30.8	72.1	7,500	7,200	7,000	6,800		179
180	30.3	69.8	7,400	7,100	6,900	6,700		180
181	29.0	66.7	7,300	7,000	6,800	6,600		181
182	28.0	63.5	7,100	6,900	6,700	6,500		182
183	27.0	60.4	7,000	6,800	6,600			183
184	26.2	57.3	6,900	6,700				184

MLC150-1 S-1




	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
48	78.8	202.6	22,600										48		
50	78.2	202.1	22,500										50		
51	77.6	201.9	22,400		17,600								51		
55	76.7	200.9	22,100		17,600	14,100							55		
58	75.4	200.1	21,800		17,500	14,100	11,700						58		
60	75.3	199.5	21,600		17,500	14,100	11,700						60		
62	74.2	198.9	21,400		17,400	14,100	11,700	78.8	197.6	21,600			62		
65	73.8	198.0	21,200		17,300	14,000	11,600	77.9	196.7	21,300	17,700		65		
68	72.4	197.0	20,900		17,300	14,000	11,600	76.4	195.7	21,000	17,600	14,200	68		
70	72.3	196.4	20,700		17,200	14,000	11,600	76.3	195.0	20,800	17,600	14,200	70		
72	71.2	195.7	20,600		17,200	13,900	11,600	75.2	194.3	20,600	17,600	14,200	72		
75	70.7	194.6	20,300		17,100	13,900	11,500	74.8	193.2	20,400	17,500	14,200	75		
76	69.8	194.2	20,200		17,100	13,900	11,500	73.8	192.8	20,300	17,500	14,200	76		
79	69.2	193.0	20,000		17,000	13,800	11,500	73.2	191.6	20,000	17,400	14,200	79		
80	69.2	192.6	19,900		17,000	13,800	11,500	73.3	191.3	19,900	17,300	14,200	80		
82	68.2	191.8	19,700		17,000	13,800	11,500	72.2	190.4	19,700	17,200	14,200	82		
85	67.6	190.5	19,500		17,000	13,700	11,500	71.7	189.1	19,500	17,100	14,200	85		
90	66.1	188.3	19,100		16,800	13,700	11,400	70.1	186.9	19,100	16,800	14,100	90		
95	64.5	185.8	18,700		16,700	13,700	11,400	68.5	184.4	18,600	16,400	14,100	95		
100	62.9	183.2	18,300		16,600	13,500	11,400	66.9	181.8	18,200	16,100	14,100	100		
105	61.2	180.5	17,900		16,500	13,500	11,400	65.2	179.0	17,900	15,800	14,100	105		
110	59.6	177.5	17,300		16,100	13,500	11,300	63.6	176.0	17,500	15,600	14,000	110		
115	57.9	174.3	16,100		15,300	13,400	11,300	61.8	172.7	16,800	15,300	13,800	115		
120	56.1	170.9	15,000		14,200	13,400	11,200	60.1	169.3	15,700	14,900	13,500	120		
125	54.4	167.3	14,000		13,300	12,600	11,200	58.3	165.6	14,600	13,900	13,200	125		
130	52.6	163.4	13,000		12,400	11,800	11,200	56.5	161.7	13,600	13,000	12,400	130		
135	50.7	159.3	12,200		11,600	11,100	10,500	54.6	157.6	12,700	12,200	11,600	135		
140	48.8	154.8	11,400		10,900	10,400	9,900	52.7	153.1	11,900	11,400	10,800	140		
145	46.8	150.1	10,700		10,200	9,700	9,300	50.7	148.3	11,100	10,600	10,200	145		
150	44.8	145.0	10,000		9,500	9,100	8,700	48.6	143.2	10,400	10,000	9,500	150		
155	42.7	139.6	9,300		8,900	8,500	8,100	46.5	137.6	9,700	9,300	8,900	155		
160	40.5	133.7	8,700		8,400	8,000	7,600	44.2	131.7	9,100	8,700	8,400	160		
170	35.7	120.4	7,600		7,300	7,000	6,700	39.4	118.1	8,000	7,600	7,300	170		
180	30.3	104.2	6,700		6,400	6,200	5,900	33.8	101.5	6,900	6,600	6,400	180		
183	28.2	98.4	6,400		6,200	5,900	5,700	31.2	95.6	6,600	6,400	6,100	183		
185	27.2	94.6	6,200		6,000	5,800		30.6	91.6	6,400	6,200	6,000	185		
186	26.3	92.4	6,100		5,900			29.2	89.3	6,300	6,100	5,900	186		
188	25.1	88.1	6,000					27.6	84.7	6,200	5,900	5,700	188		
189								26.8	82.3	6,100	5,800	5,600	189		
190								27.0	80.0	6,000	5,800		190		
191								25.5	77.4	5,900	5,700		191		
192								25.3	74.7	5,800			192		
193													193		


MLC150-1 S-1






75,200 lb
+
0 lb




118.1 ft



80.0 ft

	 25°							
	 ft	 °	 ft					
				 lb	 lb	 lb	 lb	
48								48
50								50
51								51
55								55
58								58
60								60
62								62
65								65
68								68
70								70
72								72
75								75
76	78.7	189.3	18,600					76
79	77.3	188.1	18,300					79
80	77.5	187.7	18,200	16,200				80
82	76.2	186.8	17,900	16,100	14,500			82
85	75.9	185.5	17,400	15,900	14,300	12,100		85
90	74.3	183.2	16,700	15,700	14,200	12,100		90
95	72.6	180.7	16,100	15,500	14,000	12,100		95
100	71.0	178.0	15,600	15,200	13,800	12,100		100
105	69.3	175.2	15,000	14,700	13,600	12,100		105
110	67.6	172.1	14,500	14,300	13,500	12,100		110
115	65.8	168.8	14,000	13,800	13,300	12,100		115
120	64.0	165.3	13,600	13,400	13,100	12,100		120
125	62.2	161.5	13,200	13,000	12,800	11,900		125
130	60.3	157.5	12,800	12,600	12,400	11,900		130
135	58.4	153.2	12,400	12,300	12,100	11,600		135
140	56.4	148.6	12,100	11,900	11,300	10,800		140
145	54.3	143.6	11,600	11,100	10,600	10,100		145
150	52.2	138.3	10,900	10,400	9,900	9,500		150
155	50.0	132.6	10,100	9,700	9,300	8,900		155
160	47.6	126.3	9,500	9,100	8,700	8,300		160
170	42.5	112.1	8,200	7,900	7,600	7,300		170
180	36.6	94.4	7,100	6,800	6,600	6,300		180
183	34.2	87.9	6,800	6,500	6,300	6,100		183
185	33.1	83.6	6,600	6,300	6,100	5,900		185
186	32.0	81.0	6,500	6,200	6,000	5,800		186
188	30.0	75.8	6,300	6,100	5,800	5,600		188
189	29.0	73.1	6,200	6,000	5,700	5,500		189
190	29.0	70.5	6,100	5,900	5,600	5,400		190
191	27.3	67.4	6,000	5,800	5,600	5,400		191
192	26.7	64.2	5,900	5,700	5,500			192
193	26.1	61.0	5,800	5,600				193


MLC150-1 S-1




75,200 lb
+
0 lb









360°





128.0 ft






80.0 ft





	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 0°	 1°	 2°	 3°			 0°	 1°	 2°	 3°		
50	78.8	212.2	22,400						207.2	21,500				50	
53	77.4	211.5	22,100	17,500				78.5	206.9	21,400				53	
55	77.4	211.0	22,000	17,400				77.6	206.3	21,200	17,500			55	
57	76.2	210.5	21,800	17,400	14,000			77.0	205.4	21,000	17,500			57	
60	76.0	209.7	21,600	17,300	14,000	11,600		76.6	205.0	20,900	17,500	14,100		60	
64	74.2	208.6	21,200	17,200	13,900	11,600	78.7	207.2	21,500					64	
65	74.5	208.3	21,100	17,200	13,900	11,600	78.5	206.9	21,400					65	
67	73.6	207.7	21,000	17,200	13,900	11,600	77.6	206.3	21,200	17,500				67	
70	73.1	206.8	20,700	17,100	13,800	11,500	77.0	205.4	21,000	17,500				70	
71	72.6	206.4	20,600	17,100	13,800	11,500	76.6	205.0	20,900	17,500	14,100			71	
74	71.4	205.4	20,400	17,000	13,800	11,500	75.4	204.0	20,600	17,500	14,100	11,800		74	
75	71.7	205.1	20,300	17,000	13,800	11,500	75.6	203.7	20,500	17,400	14,100	11,700		75	
78	70.4	204.0	20,100	17,000	13,700	11,500	74.4	202.5	20,300	17,400	14,100	11,700		78	
80	70.2	203.2	19,900	16,900	13,700	11,500	74.1	201.8	20,100	17,400	14,100	11,700		80	
81	69.6	202.8	19,800	16,900	13,700	11,500	73.6	201.4	20,000	17,400	14,100	11,700		81	
84	68.4	201.6	19,600	16,800	13,600	11,400	72.4	200.2	19,800	17,200	14,100	11,700		84	
85	68.8	201.2	19,500	16,800	13,600	11,400	72.6	199.8	19,700	17,100	14,100	11,700		85	
88	67.4	199.9	19,300	16,800	13,600	11,400	71.4	198.5	19,400	17,000	14,100	11,700		88	
90	67.3	199.1	19,100	16,700	13,600	11,400	71.1	197.6	19,300	16,900	14,100	11,700		90	
95	65.8	196.8	18,700	16,600	13,500	11,300	69.6	195.3	18,900	16,500	14,100	11,700		95	
100	64.3	194.3	18,300	16,600	13,500	11,300	68.1	192.9	18,500	16,300	14,100	11,700		100	
105	62.7	191.7	18,200	16,500	13,500	11,300	66.5	190.2	18,100	16,000	14,000	11,700		105	
110	61.1	188.9	17,000	16,000	13,400	11,300	65.0	187.4	17,800	15,700	14,000	11,700		110	
115	59.6	185.9	15,700	14,900	13,300	11,200	63.4	184.4	16,500	15,500	14,000	11,700		115	
120	57.9	182.8	14,600	13,800	13,100	11,200	61.7	181.2	15,400	14,500	13,800	11,700		120	
125	56.3	179.4	13,600	12,900	12,200	11,100	60.1	177.8	14,300	13,600	12,800	11,700		125	
130	54.6	175.8	12,700	12,000	11,400	10,800	58.4	174.2	13,300	12,600	12,000	11,400		130	
135	52.9	172.0	11,800	11,200	10,600	10,100	56.6	170.3	12,400	11,800	11,200	10,600		135	
140	51.1	167.9	11,000	10,500	9,900	9,400	54.9	166.2	11,600	11,000	10,500	9,900		140	
150	47.5	159.0	9,600	9,100	8,700	8,200	51.2	157.1	10,100	9,600	9,100	8,700		150	
160	43.6	148.7	8,400	8,000	7,600	7,200	47.2	146.8	8,800	8,400	8,000	7,600		160	
170	39.4	137.0	7,300	6,900	6,600	6,300	42.9	134.8	7,600	7,300	6,900	6,600		170	
180	34.7	123.1	6,300	6,000	5,700	5,500	38.2	120.7	6,600	6,300	6,000	5,700		180	
190	29.4	106.4	5,400	5,200	5,000	4,700	32.7	103.6	5,700	5,400	5,200	4,900		190	
192	27.8	102.4	5,300	5,000	4,800	4,600	30.8	99.5	5,500	5,300	5,000	4,800		192	
193	27.2	100.5	5,200	5,000	4,700		30.2	97.4	5,400	5,200	4,900	4,700		193	
195	26.4	96.5	5,000	4,800			29.6	93.3	5,200	5,000	4,800	4,600		195	
197	25.1	92.1	4,900				27.8	88.5	5,100	4,800	4,600	4,400		197	
198							27.2	86.1	5,000	4,800	4,600			198	
199							26.6	83.7	4,900	4,700				199	
200							26.0	81.4	4,800	4,600				200	
201							25.3	78.7	4,700					201	
202														202	









MLC150-1 S-1







	 25°							
	 ft	 °	 ft					
				0°	1°	2°	3°	
				 lb	 lb	 lb	 lb	
50							50	
53							53	
55							55	
57							57	
60							60	
64							64	
65							65	
67							67	
70							70	
71							71	
74							74	
75							75	
78	78.7	198.9	18,500				78	
80	78.1	198.2	18,400				80	
81	77.6	197.8	18,200	16,200			81	
84	76.4	196.5	17,900	16,100	14,400		84	
85	76.6	196.1	17,800	16,000	14,400		85	
88	75.4	194.8	17,400	15,900	14,300	12,000	88	
90	75.1	193.9	17,100	15,800	14,200	12,000	90	
95	73.5	191.6	16,500	15,600	14,100	12,000	95	
100	72.0	189.0	15,900	15,400	13,900	12,000	100	
105	70.4	186.3	15,400	15,100	13,700	12,000	105	
110	68.8	183.5	14,900	14,600	13,500	12,000	110	
115	67.2	180.4	14,400	14,100	13,400	12,000	115	
120	65.5	177.1	14,000	13,700	13,300	12,000	120	
125	63.8	173.6	13,500	13,300	13,100	12,000	125	
130	62.0	169.9	13,200	12,900	12,600	11,900	130	
135	60.3	165.9	12,800	12,400	11,800	11,200	135	
140	58.4	161.7	12,200	11,600	11,000	10,500	140	
150	54.6	152.4	10,600	10,100	9,600	9,100	150	
160	50.5	141.7	9,200	8,800	8,400	8,000	160	
170	46.1	129.2	8,000	7,600	7,300	6,900	170	
180	41.1	114.4	6,900	6,600	6,300	6,000	180	
190	35.3	96.0	5,900	5,600	5,400	5,100	190	
192	33.4	91.5	5,700	5,400	5,200	5,000	192	
193	32.6	89.3	5,600	5,300	5,100	4,900	193	
195	31.8	84.8	5,400	5,100	4,900	4,700	195	
197	29.4	79.4	5,200	5,000	4,800	4,500	197	
198	28.6	76.7	5,100	4,900	4,700	4,500	198	
199	27.8	73.9	5,000	4,800	4,600	4,400	199	
200	27.8	71.2	4,900	4,700	4,500		200	
201	26.0	68.0	4,800	4,600			201	
202	25.9	64.8	4,700				202	



MLC150-1 S-1




	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				0°  lb	1°  lb	2°  lb	3°  lb			0°  lb	1°  lb	2°  lb	3°  lb		
52	78.7	221.8	22,100							21,300				52	
55	77.9	221.2	21,900	17,200						21,000	17,400			55	
59	76.2	220.2	21,600	17,200	13,800					21,000	17,300			59	
60	76.6	219.9	21,500	17,200	13,800					20,800	17,300	14,000		60	
63	75.4	219.1	21,200	17,100	13,800	11,500				20,600	17,300	14,000		63	
65	75.3	218.6	21,100	17,100	13,800	11,400	79.0	217.2	21,300					65	
69	73.4	217.4	20,800	17,000	13,700	11,400	77.2	216.0	21,000	17,400				69	
70	73.9	217.1	20,700	17,000	13,700	11,400	77.6	215.7	21,000	17,300				70	
73	72.4	216.1	20,400	17,000	13,700	11,400	76.4	214.7	20,800	17,300	14,000			73	
75	72.5	215.5	20,200	16,900	13,700	11,400	76.2	214.0	20,600	17,300	14,000			75	
76	71.8	215.1	20,200	16,900	13,700	11,400	75.6	213.7	20,600	17,300	14,000	11,700		76	
79	71.2	214.1	19,900	16,800	13,600	11,400	74.4	212.6	20,300	17,300	14,000	11,600		79	
80	71.1	213.7	19,900	16,800	13,600	11,400	74.9	212.3	20,200	17,300	13,900	11,600		80	
83	69.8	212.6	19,600	16,700	13,600	11,300	73.4	211.1	20,000	17,300	13,900	11,600		83	
85	69.8	211.8	19,500	16,700	13,600	11,300	73.5	210.4	19,800	17,300	13,900	11,600		85	
86	68.8	211.4	19,400	16,700	13,500	11,300	72.8	210.0	19,800	17,200	13,900	11,600		86	
90	68.4	209.8	19,100	16,600	13,500	11,300	72.0	208.3	19,500	17,000	13,900	11,600		90	
95	66.9	207.6	18,700	16,500	13,500	11,300	70.6	206.1	19,100	16,700	13,900	11,600		95	
100	65.5	205.3	18,400	16,500	13,400	11,200	69.2	203.8	18,700	16,400	13,900	11,600		100	
105	64.0	202.8	17,900	16,400	13,400	11,200	67.7	201.3	18,400	16,200	13,900	11,600		105	
110	62.6	200.2	16,600	15,500	13,300	11,200	66.2	198.7	17,500	15,900	13,900	11,600		110	
115	61.1	197.4	15,300	14,400	13,300	11,100	64.7	195.8	16,200	15,200	13,900	11,600		115	
120	59.6	194.4	14,200	13,400	12,600	11,100	63.2	192.8	15,000	14,200	13,300	11,600		120	
125	58.0	191.3	13,200	12,400	11,700	11,000	61.6	189.6	14,000	13,200	12,400	11,600		125	
130	56.4	187.9	12,300	11,600	10,900	10,300	60.0	186.2	13,000	12,300	11,600	10,900		130	
135	54.8	184.3	11,400	10,800	10,100	9,600	58.4	182.7	12,100	11,400	10,800	10,200		135	
140	53.2	180.6	10,600	10,000	9,500	8,900	56.8	178.8	11,200	10,600	10,000	9,500		140	
150	49.8	172.3	9,200	8,700	8,200	7,700	53.4	170.5	9,700	9,200	8,700	8,200		150	
160	46.3	163.0	8,000	7,500	7,100	6,700	49.7	161.0	8,400	8,000	7,600	7,100		160	
170	42.5	152.3	6,900	6,500	6,100	5,800	45.9	150.3	7,300	6,900	6,500	6,200		170	
180	38.4	140.1	5,900	5,600	5,300	5,000	41.7	137.8	6,200	5,900	5,600	5,300		180	
190	33.8	125.8	5,000	4,800	4,500	4,200	37.1	123.3	5,300	5,000	4,800	4,500		190	
200	28.6	108.6	4,300	4,000	3,800	3,500	31.8	105.6	4,500	4,200	4,000	3,800		200	
201	27.4	106.5	4,200	4,000	3,700	3,400	30.4	103.5	4,400	4,200	3,900	3,700		201	
202	26.8	104.5	4,100	3,900	3,600		29.8	101.3	4,300	4,100	3,900	3,600		202	
204	25.6	100.4	4,000	3,700			28.6	97.1	4,200	3,900	3,700	3,400		204	
205	25.6	98.3	3,900				28.7	95.0	4,100	3,900	3,600	3,400		205	
206							27.4	92.5	4,000	3,800	3,500	3,300		206	
207							26.8	90.0	3,900	3,700	3,400			207	
208							26.2	87.6	3,800	3,600				208	
209							25.6	85.1	3,800					209	
210							25.2	82.6	3,700					210	
211														211	

MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$


	25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
52								52
55								55
59								59
60								60
63								63
65								65
69								69
70								70
73								73
75								75
76								76
79	79.0	208.9	18,500					79
80	78.7	208.6	18,500					80
83	77.4	207.4	18,200	16,200				83
85	77.3	206.6	18,100	16,100				85
86	76.6	206.2	18,000	16,000	14,300			86
90	75.8	204.6	17,400	15,900	14,300	11,900		90
95	74.4	202.3	16,800	15,700	14,100	11,900		95
100	72.9	199.9	16,200	15,500	14,000	11,900		100
105	71.4	197.4	15,700	15,300	13,800	11,900		105
110	69.9	194.7	15,200	14,900	13,700	11,900		110
115	68.3	191.8	14,800	14,500	13,500	11,900		115
120	66.8	188.7	14,300	14,000	13,300	11,900		120
125	65.2	185.5	13,900	13,600	13,100	11,900		125
130	63.6	182.0	13,500	13,000	12,300	11,600		130
135	61.9	178.3	12,800	12,100	11,400	10,800		135
140	60.2	174.4	11,900	11,200	10,600	10,100		140
150	56.7	165.8	10,300	9,800	9,200	8,700		150
160	53.0	156.1	8,900	8,400	8,000	7,600		160
170	49.0	144.9	7,700	7,300	6,900	6,500		170
180	44.6	132.0	6,600	6,200	5,900	5,600		180
190	39.8	116.6	5,600	5,300	5,000	4,700		190
200	34.0	97.6	4,600	4,400	4,200	4,000		200
201	33.2	95.3	4,600	4,300	4,100	3,900		201
202	32.4	92.9	4,500	4,200	4,000	3,800		202
204	30.8	88.3	4,300	4,100	3,900	3,600		204
205	30.7	86.0	4,200	4,000	3,800	3,500		205
206	29.2	83.1	4,100	3,900	3,700	3,400		206
207	28.4	80.3	4,000	3,800	3,600	3,300		207
208	27.6	77.5	3,900	3,700	3,500	3,200		208
209	26.8	74.7	3,900	3,600	3,400			209
210	26.7	71.9	3,800	3,500				210
211	25.8	68.6	3,700					211


MLC150-1 S-1




75,200 lb
+
0 lb







360°





147.6 ft





80.0 ft





	 5°							 15°									
																	
																	
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft				
53	79.0	231.7	21,800										53				
55	78.5	231.3	21,700										55				
57	77.6	230.8	21,600	17,100									57				
60	77.2	230.1	21,400	17,100									60				
61	76.6	229.8	21,300	17,000	13,700								61				
65	75.9	228.8	21,000	17,000	13,700	11,400							65				
67	74.6	228.2	20,800	16,900	13,600	11,400	79.0	226.8	21,200				67				
70	74.6	227.4	20,600	16,900	13,600	11,300	78.2	225.9	20,900				70				
71	73.8	227.1	20,500	16,900	13,600	11,300	77.6	225.6	20,800	17,200			71				
75	73.3	225.8	20,200	16,800	13,600	11,300	76.9	224.4	20,600	17,200	13,900		75				
79	71.4	224.5	19,900	16,700	13,500	11,300	75.2	223.0	20,300	17,200	13,800	11,500	79				
80	72.0	224.2	19,800	16,700	13,500	11,300	75.5	222.7	20,200	17,200	13,800	11,500	80				
81	70.8	223.8	19,700	16,600	13,500	11,300	74.8	222.3	20,200	17,200	13,800	11,500	81				
85	70.7	222.4	19,500	16,600	13,400	11,200	74.2	220.9	19,900	17,100	13,800	11,500	85				
89	69.2	220.8	19,200	16,500	13,400	11,200	72.4	219.3	19,700	17,100	13,800	11,500	89				
90	69.3	220.4	19,100	16,500	13,400	11,200	72.9	218.9	19,600	17,100	13,800	11,500	90				
92	68.2	219.6	18,900	16,500	13,400	11,200	71.6	218.1	19,500	17,000	13,800	11,500	92				
95	68.0	218.4	18,700	16,400	13,400	11,200	71.5	216.9	19,200	16,800	13,800	11,500	95				
100	66.6	216.2	18,300	16,300	13,300	11,100	70.1	214.6	18,900	16,600	13,800	11,500	100				
105	65.2	213.8	17,600	16,200	13,200	11,100	68.7	212.3	18,500	16,300	13,800	11,500	105				
110	63.8	211.3	16,300	15,200	13,200	11,100	67.3	209.8	17,200	16,000	13,800	11,500	110				
115	62.4	208.7	15,000	14,100	13,100	11,000	65.9	207.1	15,900	14,900	13,800	11,500	115				
120	61.0	205.9	13,900	13,000	12,200	11,000	64.5	204.3	14,800	13,900	13,000	11,500	120				
125	59.6	202.9	12,900	12,100	11,300	10,600	63.0	201.3	13,700	12,900	12,100	11,300	125				
130	58.1	199.7	12,000	11,200	10,500	9,800	61.5	198.1	12,700	11,900	11,200	10,500	130				
135	56.6	196.4	11,100	10,400	9,800	9,200	60.0	194.7	11,800	11,100	10,400	9,800	135				
140	55.1	192.9	10,300	9,700	9,100	8,500	58.5	191.1	11,000	10,300	9,700	9,100	140				
145	53.5	189.1	9,600	9,000	8,400	7,900	56.9	187.4	10,200	9,600	9,000	8,500	145				
150	51.9	185.2	8,900	8,300	7,800	7,300	55.3	183.4	9,500	8,900	8,400	7,900	150				
155	50.3	181.0	8,200	7,700	7,300	6,800	53.6	179.1	8,800	8,300	7,800	7,300	155				
160	48.6	176.5	7,600	7,200	6,700	6,300	52.0	174.7	8,200	7,700	7,200	6,800	160				
165	46.9	171.8	7,100	6,600	6,200	5,800	50.2	169.9	7,600	7,100	6,700	6,300	165				
170	45.1	166.8	6,500	6,200	5,800	5,400	48.4	164.8	7,000	6,600	6,200	5,800	170				
175	43.3	161.5	6,000	5,700	5,300	5,000	46.6	159.4	6,500	6,100	5,700	5,400	175				
180	41.4	155.8	5,600	5,200	4,900	4,600	44.7	153.6	6,000	5,600	5,300	5,000	180				
185	39.5	149.7	5,100	4,800	4,500	4,200	42.7	147.5	5,500	5,200	4,900	4,600	185				
190	37.4	143.2	4,700	4,400	4,100	3,700	40.6	140.8	5,100	4,800	4,500	4,100	190				
195	35.2	136.1	4,300	4,000	3,700	3,400	38.4	133.6	4,600	4,300	4,000	3,700	195				
200	33.0	128.4	3,900	3,600	3,300	3,000	36.1	125.8	4,200	3,900	3,600	3,300	200				
205	30.5	120.0	3,500	3,200			33.6	117.1	3,800	3,500	3,200		205				
210	27.9	110.6	3,100				30.8	107.5	3,300	3,100			210				
215													215				

MLC150-1 S-1





75,200 lb
+
0 lb



	 25°							
	 ft	 °	 ft					
				0° 	1° 	2° 	3° 	
				lb	lb	lb	lb	
53								53
55								55
57								57
60								60
61								61
65								65
67								67
70								70
71								71
75								75
79								79
80								80
81	78.9	218.6	18,500					81
85	77.9	217.1	18,300	16,100				85
89	76.2	215.5	17,800	15,900	14,200			89
90	76.5	215.1	17,700	15,900	14,200			90
92	75.6	214.2	17,500	15,800	14,200	11,300		92
95	75.1	213.0	17,100	15,700	14,200	11,300		95
100	73.7	210.7	16,500	15,600	14,000	11,300		100
105	72.3	208.3	16,000	15,400	13,900	11,300		105
110	70.9	205.8	15,500	15,100	13,700	11,300		110
115	69.4	203.0	15,000	14,800	13,600	11,300		115
120	67.9	200.1	14,600	14,400	13,400	11,300		120
125	66.4	197.1	14,200	13,700	12,800	11,300		125
130	64.9	193.8	13,500	12,700	11,900	11,200		130
135	63.4	190.4	12,500	11,800	11,100	10,500		135
140	61.8	186.7	11,600	11,000	10,300	9,700		140
145	60.2	182.8	10,800	10,200	9,600	9,100		145
150	58.5	178.7	10,100	9,500	8,900	8,400		150
155	56.8	174.4	9,300	8,800	8,300	7,800		155
160	55.1	169.8	8,700	8,200	7,700	7,300		160
165	53.3	164.9	8,000	7,600	7,100	6,700		165
170	51.5	159.6	7,400	7,000	6,600	6,200		170
175	49.6	154.0	6,900	6,500	6,100	5,700		175
180	47.6	148.0	6,300	6,000	5,600	5,300		180
185	45.5	141.6	5,800	5,500	5,200	4,900		185
190	43.3	134.6	5,400	5,000	4,700	4,400		190
195	41.0	127.1	4,900	4,600	4,300	4,000		195
200	38.5	118.7	4,400	4,200	3,900	3,600		200
205	35.9	109.5	4,000	3,700	3,400	3,100		205
210	32.9	99.1	3,500	3,200	3,000			210
215	29.6	87.1	3,000					215


MLC150-1 S-1




75,200 lb
+
0 lb








360°







157.5 ft





80.0 ft





	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				0° 	1° 	2° 	3° 			0° 	1° 	2° 	3° 		
55	79.0	241.3	21,500											55	
59	77.2	240.4	21,300	16,900										59	
60	77.7	240.2	21,200	16,900										60	
63	76.4	239.5	21,000	16,800	13,500									63	
65	76.5	239.0	20,900	16,800	13,500									65	
67	75.6	238.4	20,700	16,700	13,500	11,200								67	
69	75.2	237.9	20,600	16,700	13,500	11,200	78.9	236.4	20,900					69	
70	75.3	237.6	20,500	16,700	13,500	11,200	78.7	236.1	20,900					70	
73	74.4	236.7	20,300	16,600	13,500	11,200	77.4	235.2	20,700					73	
75	74.0	236.1	20,100	16,600	13,500	11,200	77.4	234.6	20,600	17,000				75	
77	73.2	235.5	20,000	16,600	13,400	11,200	76.6	234.0	20,400	17,000	13,700			77	
80	72.8	234.6	19,700	16,500	13,400	11,200	76.2	233.0	20,200	17,000	13,700			80	
81	71.8	234.2	19,700	16,500	13,400	11,200	75.6	232.7	20,100	17,000	13,700	11,400		81	
83	71.4	233.5	19,500	16,500	13,400	11,100	74.8	232.0	20,000	17,000	13,700	11,400		83	
85	71.5	232.8	19,400	16,400	13,300	11,100	74.9	231.3	19,900	17,000	13,700	11,400		85	
87	70.6	232.1	19,200	16,400	13,300	11,100	73.6	230.6	19,700	17,000	13,700	11,400		87	
90	70.2	231.0	19,000	16,400	13,300	11,100	73.6	229.5	19,600	16,900	13,700	11,400		90	
91	69.6	230.6	19,000	16,400	13,300	11,100	72.8	229.1	19,500	16,900	13,700	11,400		91	
95	68.9	229.0	18,700	16,300	13,200	11,100	72.3	227.5	19,300	16,900	13,700	11,400		95	
100	67.6	226.9	18,300	16,200	13,200	11,000	71.0	225.4	19,000	16,600	13,700	11,400		100	
105	66.3	224.7	17,200	16,000	13,100	11,000	69.7	223.1	18,300	16,400	13,700	11,400		105	
110	65.0	222.3	15,900	14,700	13,100	11,000	68.4	220.8	16,900	15,700	13,700	11,400		110	
115	63.7	219.8	14,600	13,600	12,700	10,900	67.0	218.2	15,600	14,600	13,600	11,400		115	
120	62.3	217.2	13,500	12,600	11,700	10,900	65.6	215.5	14,400	13,500	12,600	11,400		120	
125	60.9	214.4	12,500	11,700	10,900	10,100	64.3	212.7	13,400	12,500	11,700	10,900		125	
130	59.6	211.4	11,600	10,800	10,100	9,400	62.9	209.7	12,400	11,600	10,800	10,100		130	
135	58.1	208.2	10,700	10,000	9,300	8,700	61.4	206.5	11,500	10,700	10,000	9,400		135	
140	56.7	204.9	9,900	9,200	8,600	8,000	60.0	203.2	10,600	9,900	9,300	8,700		140	
145	55.2	201.4	9,200	8,600	8,000	7,400	58.5	199.6	9,800	9,200	8,600	8,000		145	
150	53.8	197.7	8,500	7,900	7,400	6,900	57.0	195.9	9,100	8,500	8,000	7,400		150	
155	52.2	193.8	7,800	7,300	6,800	6,300	55.5	192.0	8,400	7,900	7,400	6,900		155	
160	50.7	189.7	7,200	6,700	6,300	5,800	53.9	187.8	7,800	7,300	6,800	6,400		160	
165	49.1	185.3	6,700	6,200	5,800	5,400	52.3	183.4	7,200	6,700	6,300	5,900		165	
170	47.5	180.7	6,100	5,700	5,300	4,900	50.7	178.7	6,600	6,200	5,800	5,400		170	
175	45.8	175.8	5,600	5,300	4,900	4,400	49.0	173.8	6,100	5,700	5,300	4,900		175	
180	44.1	170.6	5,200	4,800	4,400	4,000	47.2	168.5	5,600	5,200	4,900	4,500		180	
185	42.3	165.1	4,700	4,300	3,900	3,500	45.4	162.9	5,100	4,800	4,400	4,000		185	
190	40.4	159.2	4,200	3,900	3,500	3,100	43.5	156.9	4,700	4,300	3,900	3,500		190	
195	38.5	152.9	3,800	3,400	3,100		41.6	150.5	4,200	3,800	3,500	3,100		195	
200	36.5	146.1	3,300	3,000			39.6	143.7	3,700	3,400	3,000			200	
205							37.4	136.2	3,300					205	
210														210	





MLC150-1 S-1


$$\begin{array}{r} 75,200 \text{ lb} \\ + \\ 0 \text{ lb} \\ \hline \end{array}$$




	 25°							
	 ft	 °	 ft					
				0°  lb	1°  lb	2°  lb	3°  lb	
55								55
59								59
60								60
63								63
65								65
67								67
69								69
70								70
73								73
75								75
77								77
80								80
81								81
83	78.9	228.2	18,400					83
85	78.4	227.5	18,300					85
87	77.6	226.7	18,200	16,100				87
90	77.1	225.6	18,000	15,900				90
91	76.6	225.2	17,800	15,900		13,900		91
95	75.8	223.6	17,400	15,800	13,900		10,700	95
100	74.4	221.4	16,800	15,600	13,900		10,700	100
105	73.1	219.1	16,300	15,400	13,900	10,700		105
110	71.7	216.7	15,800	15,300	13,800	10,700		110
115	70.4	214.1	15,300	15,000	13,600	10,700		115
120	69.0	211.4	14,900	14,400	13,500	10,700		120
125	67.6	208.5	14,200	13,300	12,500	10,700		125
130	66.1	205.4	13,200	12,400	11,600	10,700		130
135	64.7	202.2	12,200	11,500	10,800	10,100		135
140	63.2	198.7	11,400	10,700	10,000	9,300		140
145	61.7	195.1	10,500	9,900	9,300	8,700		145
150	60.2	191.3	9,800	9,200	8,600	8,000		150
155	58.6	187.3	9,000	8,500	7,900	7,400		155
160	57.0	183.0	8,400	7,800	7,400	6,900		160
165	55.3	178.4	7,700	7,300	6,800	6,300		165
170	53.6	173.6	7,100	6,700	6,300	5,800		170
175	51.9	168.5	6,600	6,200	5,800	5,400		175
180	50.1	163.1	6,000	5,600	5,300	4,900		180
185	48.2	157.3	5,500	5,200	4,800	4,500		185
190	46.3	151.1	5,000	4,700	4,400	4,000		190
195	44.2	144.4	4,600	4,200	3,900	3,500		195
200	42.1	137.2	4,100	3,700	3,400	3,000		200
205	39.8	129.4	3,600	3,300				205
210	37.4	120.8	3,100					210

MLC150-1 S-1




	 5°							 15°							
	 ft	 °	 ft					 °	 ft					 ft	
				 lb	 lb	 lb	 lb			 lb	 lb	 lb	 lb		
57	78.9	251.0	21,200											57	
60	78.2	250.3	21,000											60	
61	77.8	250.1	21,000	16,600										61	
65	77.0	249.1	20,700	16,600										65	
66	76.6	248.9	20,700	16,600	13,400									66	
70	75.9	247.8	20,400	16,500	13,300	11,100								70	
71	74.8	247.5	20,300	16,500	13,300	11,100	78.9	246.0	20,700					71	
75	74.7	246.4	20,000	16,500	13,300	11,100	77.9	244.9	20,400	16,900				75	
79	73.2	245.2	19,800	16,400	13,300	11,000	76.2	243.7	20,200	16,800	13,600			79	
80	73.5	244.9	19,700	16,400	13,300	11,000	76.7	243.4	20,100	16,800	13,600			80	
84	72.2	243.6	19,400	16,300	13,200	11,000	75.2	242.0	19,900	16,800	13,600	11,300		84	
85	72.3	243.3	19,300	16,300	13,200	11,000	75.5	241.7	19,800	16,800	13,600	11,300		85	
89	71.2	241.9	19,100	16,200	13,200	11,000	74.2	240.3	19,600	16,800	13,600	11,300		89	
90	71.0	241.5	19,000	16,200	13,100	11,000	74.3	240.0	19,600	16,800	13,600	11,300		90	
93	69.8	240.4	18,800	16,200	13,100	11,000	73.4	238.8	19,400	16,800	13,600	11,300		93	
95	69.8	239.6	18,600	16,100	13,100	10,900	73.1	238.1	19,200	16,800	13,600	11,300		95	
97	68.6	238.8	18,500	16,100	13,100	10,900	72.2	237.3	19,100	16,700	13,600	11,300		97	
100	68.6	237.6	18,300	16,100	13,100	10,900	71.8	236.1	19,000	16,700	13,600	11,300		100	
105	67.3	235.5	16,900	15,600	13,000	10,900	70.6	233.9	18,000	16,500	13,600	11,300		105	
110	66.1	233.2	15,500	14,300	13,000	10,800	69.3	231.6	16,600	15,400	13,600	11,300		110	
115	64.8	230.9	14,300	13,200	12,200	10,800	68.0	229.2	15,300	14,200	13,200	11,300		115	
120	63.5	228.3	13,200	12,200	11,300	10,400	66.7	226.7	14,100	13,100	12,200	11,300		120	
125	62.2	225.7	12,100	11,200	10,400	9,600	65.4	224.0	13,100	12,100	11,300	10,500		125	
130	60.9	222.8	11,200	10,400	9,600	8,900	64.1	221.2	12,100	11,200	10,400	9,700		130	
135	59.5	219.9	10,300	9,600	8,900	8,200	62.7	218.2	11,100	10,400	9,600	8,900		135	
140	58.2	216.7	9,500	8,800	8,200	7,600	61.4	215.0	10,300	9,600	8,900	8,300		140	
145	56.8	213.4	8,800	8,200	7,500	7,000	60.0	211.7	9,500	8,900	8,200	7,600		145	
150	55.4	209.9	8,100	7,500	6,900	6,400	58.6	208.1	8,800	8,200	7,600	7,000		150	
155	54.0	206.3	7,500	6,900	6,400	5,900	57.1	204.4	8,100	7,500	7,000	6,500		155	
160	52.5	202.4	6,900	6,300	5,900	5,400	55.7	200.5	7,500	6,900	6,400	6,000		160	
165	51.1	198.3	6,300	5,800	5,300	4,800	54.2	196.4	6,900	6,400	5,900	5,500		165	
170	49.5	194.0	5,800	5,300	4,800	4,300	52.6	192.1	6,300	5,900	5,400	4,900		170	
175	48.0	189.5	5,300	4,800	4,300	3,800	51.1	187.5	5,800	5,400	4,900	4,400		175	
180	46.4	184.7	4,700	4,300	3,800	3,400	49.4	182.7	5,300	4,900	4,400	3,900		180	
185	44.8	179.6	4,200	3,800	3,300		47.8	177.5	4,800	4,300	3,900	3,500		185	
190	43.1	174.3	3,700	3,300			46.1	172.1	4,300	3,800	3,400	3,000		190	
195	41.3	168.6	3,200				44.3	166.3	3,800	3,300	3,000			195	
200							42.5	160.1	3,300					200	
205														205	

MLC150-1 S-1



25°								
ft	°	ft	0° lb	1° lb	2° lb	3° lb	ft	
57							57	
60							60	
61							61	
65							65	
66							66	
70							70	
71							71	
75							75	
79							79	
80							80	
84							84	
85	78.9	237.8	18,400				85	
89	77.2	236.4	18,200	16,000			89	
90	77.6	236.0	18,100	16,000			90	
93	76.4	234.8	17,800	15,900	13,200		93	
95	76.4	234.1	17,600	15,800	13,200		95	
97	75.6	233.3	17,400	15,800	13,200	10,100	97	
100	75.1	232.0	17,100	15,600	13,200	10,100	100	
105	73.8	229.9	16,600	15,500	13,200	10,100	105	
110	72.6	227.5	16,100	15,300	13,200	10,100	110	
115	71.2	225.1	15,600	15,200	13,200	10,100	115	
120	69.9	222.5	15,100	14,100	13,100	10,100	120	
125	68.6	219.7	14,000	13,000	12,100	10,100	125	
130	67.2	216.8	12,900	12,100	11,200	10,100	130	
135	65.9	213.8	12,000	11,200	10,400	9,700	135	
140	64.5	210.6	11,100	10,300	9,600	9,000	140	
145	63.0	207.1	10,300	9,600	8,900	8,300	145	
150	61.6	203.5	9,500	8,800	8,200	7,700	150	
155	60.1	199.8	8,800	8,200	7,600	7,100	155	
160	58.6	195.8	8,100	7,500	7,000	6,500	160	
165	57.1	191.5	7,400	6,900	6,500	6,000	165	
170	55.5	187.1	6,800	6,400	5,900	5,500	170	
175	53.9	182.4	6,300	5,800	5,400	5,000	175	
180	52.2	177.4	5,700	5,300	4,900	4,500	180	
185	50.5	172.1	5,200	4,900	4,400	4,000	185	
190	48.8	166.5	4,800	4,300	3,900	3,500	190	
195	46.9	160.5	4,200	3,800	3,400	3,000	195	
200	45.0	154.0	3,700	3,300			200	
205	43.0	147.2	3,200				205	


MLC150-1 S-1




75,200 lb
+
0 lb








360°





177.2 ft





80.0 ft

	 5°							 15°							
															
															
ft	°	ft	lb	lb	lb	lb	°	ft	lb	lb	lb	lb	ft		
59	78.9	260.6	20,800										59		
60	78.7	260.4	20,800										60		
63	77.4	259.7	20,600	16,400									63		
65	77.5	259.2	20,500	16,400									65		
68	76.4	258.5	20,400	16,400	13,200								68		
70	76.4	258.0	20,200	16,300	13,200								70		
72	75.6	257.5	20,100	16,300	13,100	10,900							72		
73	75.4	257.2	20,000	16,300	13,100	10,900	78.9	255.7	20,400				73		
75	75.3	256.6	19,900	16,200	13,100	10,900	78.4	255.1	20,300				75		
77	74.6	256.1	19,800	16,200	13,100	10,900	77.6	254.5	20,200	16,700			77		
80	74.1	255.2	19,600	16,200	13,100	10,900	77.3	253.6	20,000	16,600			80		
82	73.2	254.6	19,400	16,100	13,100	10,900	76.6	253.0	19,900	16,600	13,400		82		
85	73.0	253.6	19,200	16,100	13,000	10,900	76.1	252.1	19,700	16,600	13,400		85		
86	71.8	253.3	19,200	16,100	13,000	10,900	75.6	251.7	19,700	16,600	13,400	10,900	86		
87	71.6	252.9	19,100	16,100	13,000	10,900	75.2	251.4	19,600	16,600	13,400	10,900	87		
90	71.8	251.9	18,900	16,100	13,000	10,900	74.9	250.4	19,500	16,600	13,400	10,900	90		
91	70.8	251.6	18,800	16,100	13,000	10,800	73.8	250.0	19,400	16,600	13,400	10,900	91		
95	70.6	250.1	18,600	16,000	12,900	10,800	73.7	248.6	19,200	16,600	13,400	10,900	95		
99	69.2	248.6	18,100	15,900	12,900	10,800	72.2	247.0	19,000	16,600	13,400	10,900	99		
100	69.4	248.2	18,000	15,900	12,900	10,800	72.5	246.6	18,900	16,600	13,400	10,900	100		
105	68.2	246.2	16,500	15,100	12,900	10,800	71.3	244.6	17,700	16,300	13,400	10,900	105		
110	67.0	244.1	15,100	13,900	12,800	10,800	70.1	242.4	16,300	15,000	13,400	10,900	110		
115	65.8	241.8	13,900	12,800	11,800	10,800	68.9	240.1	15,000	13,800	12,800	10,900	115		
120	64.6	239.4	12,800	11,800	10,800	9,900	67.7	237.7	13,800	12,800	11,800	10,900	120		
125	63.4	236.8	11,700	10,800	10,000	9,100	66.4	235.1	12,700	11,800	10,900	10,000	125		
130	62.1	234.1	10,800	10,000	9,200	8,400	65.2	232.4	11,700	10,800	10,000	9,200	130		
135	60.8	231.3	9,900	9,200	8,400	7,700	63.9	229.6	10,800	10,000	9,200	8,500	135		
140	59.5	228.3	9,100	8,400	7,700	7,100	62.6	226.6	10,000	9,200	8,500	7,800	140		
145	58.2	225.2	8,400	7,700	7,100	6,500	61.3	223.4	9,200	8,500	7,800	7,200	145		
150	56.9	221.9	7,700	7,100	6,500	5,900	59.9	220.1	8,400	7,800	7,200	6,600	150		
155	55.6	218.5	7,100	6,500	5,900	5,300	58.6	216.6	7,800	7,200	6,600	6,000	155		
160	54.2	214.8	6,500	5,900	5,300	4,700	57.2	213.0	7,100	6,600	6,000	5,500	160		
165	52.8	211.0	5,900	5,300	4,700	4,200	55.8	209.1	6,500	6,000	5,500	4,900	165		
170	51.4	207.0	5,300	4,700	4,200	3,700	54.4	205.0	6,000	5,500	4,900	4,300	170		
175	50.0	202.7	4,700	4,200	3,700	3,200	52.9	200.8	5,400	4,900	4,300	3,800	175		
180	48.5	198.3	4,200	3,700	3,200		51.4	196.3	4,800	4,300	3,800	3,300	180		
185	47.0	193.6	3,600	3,200			49.9	191.5	4,300	3,800	3,300		185		
190	45.4	188.6	3,100				48.3	186.5	3,700	3,300			190		
195							46.7	181.2	3,200				195		
200													200		

MLC150-1 S-1



75,200 lb
+
0 lb



		25°					