

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL

81 240 kg Crane Counterweight

19 960 kg Carbody Counterweight

8 585 mm Crawlers Extended

Crawler Machine on a Barge

0 Degree thru 3 Degree Machine List

No Travel - 360 Degree Rating

LIFTING CAPACITIES: Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths and operating radii are for freely suspended loads and do not exceed 75% of a static tipping load. Capacities based on structural competence are denoted by an asterisk (*). Capacities indicated by (b) require 5 670 kg minimum weight.

Upper boom point capacity for liftcrane service with single part whip line is 13 380 kg or 26 760 kg with two part whip line. When boom butt mounted auxiliary drum is used, capacity with single part whip line is 9 070 kg or 18 140 kg with two part whip line. In all cases, upper boom point capacities cannot exceed those listed for main boom capacity.

76.2m and 79.2m boom lengths require only the middle two sheaves in lower boom point. All other sheaves must be removed from lower boom point.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom point sheaves, is considered part of main boom load. Boom is not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm uniformly supporting surface with crawlers fully extended, gantry up and machine list not to exceed degrees noted. Refer to boom rigging **No. 177156** or **No. 177353** and Wire Rope Specification chart **No. 7810-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to operators manual for operating guidelines.

OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block. Boom angle is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.

BOOM POINT ELEVATION: Boom point elevation is vertical distance from barge deck to centerline of boom point shaft.

MACHINE EQUIPMENT: Machine equipped with 8 585 mm extendible crawlers, 1 219 mm treads, 3 124 mm retractable gantry, 9 144 mm live mast, 20 part boom hoist reeving, four 35 mm boom pendants, 81 240 kg crane counterweight and 19 960 kg carbody counterweight.

Maximum Boom Lengths Lifted Unassisted			
List	Over Front of Blocked Crawlers	Over Rear of Blocked Crawlers	Over Side of Extended Crawlers
	Boom Length	Boom Length	Boom Length
0 Degree	79.2m	79.2m	(a) 79.2m
1 Degree	76.2m	76.2m	76.2m
2 Degree	76.2m	76.2m	76.2m
3 Degree	76.2m	76.2m	76.2m
Load block, hook and weight ball on barge deck at start. (a) Upper boom point cannot be lifted over side of extended crawlers on 79.2m boom. Jib is not to be used on crawler machine while operating on a barge.			

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
21.3m (70 Ft.) Boom							
4.9	82.8	23.5	200 000 *b				4.9
5.0	82.5	23.5	194 000 *b				5.0
5.5	81.1	23.4	175 000 *b	161 700 *b			5.5
6.0	79.7	23.3	161 000 *b	149 600 *b	139 600 *b		6.0
7.0	77.0	23.1	138 700 *b	129 900 *b	122 100 *b	113 100 *b	7.0
8.0	74.2	22.8	121 600 *	114 600 *	108 400 *	98 100 *	8.0
9.0	71.3	22.5	108 000 *	102 400 *	96 900	86 500 *	9.0
10.0	68.4	22.1	95 900	89 700	84 200	77 200 *	10.0
11.0	65.5	21.6	82 700	78 100	74 000	69 700	11.0
12.0	62.5	21.1	72 800	69 100	65 800	62 800	12.0
13.0	59.3	20.5	64 800	61 900	59 200	56 700	13.0
14.0	56.1	19.8	58 300	55 900	53 700	51 600	14.0
15.0	52.7	19.0	52 900	50 800	49 000	47 200	15.0
16.0	49.1	18.1	48 300	46 500	45 000	43 500	16.0
18.0	41.3	16.0	40 900	39 700	38 600	37 500	18.0
20.0	31.9	13.2	35 300	34 300	33 500	32 800	20.0
24.4m (80 Ft.) Boom							
5.2	83.0	26.6	183 800 *b				5.2
5.5	82.2	26.5	174 600 *b				5.5
6.0	81.0	26.4	160 700 *b	148 100 *b			6.0
7.0	78.6	26.2	138 300 *b	128 600 *b	120 100 *b	112 200 *b	7.0
8.0	76.2	26.0	121 300 *	113 500 *	106 700 *	97 800 *	8.0
9.0	73.8	25.7	107 700 *	101 400 *	95 400	86 300 *	9.0
10.0	71.3	25.3	95 900	89 000	82 900	77 000 *	10.0
11.0	68.8	24.9	82 800	77 600	73 000	68 800	11.0
12.0	66.2	24.5	72 800	68 700	65 000	61 600	12.0
13.0	63.5	24.0	64 900	61 500	58 400	55 600	13.0
14.0	60.9	23.4	58 400	55 500	53 000	50 700	14.0
15.0	58.1	22.8	52 900	50 600	48 400	46 400	15.0
16.0	55.2	22.1	48 300	46 300	44 500	42 700	16.0
18.0	49.1	20.4	40 900	39 400	38 100	36 800	18.0
20.0	42.4	18.4	35 300	34 200	33 100	32 200	20.0
22.0	34.5	15.7	30 800	29 900	29 200	28 500	22.0
24.0	24.5	11.9	27 100	26 500	25 900	25 400	24.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
27.4m (90 Ft.) Boom							
5.8	82.5	29.6	165 500 *b				5.8
6.0	82.0	29.5	160 400 *b				6.0
7.0	79.9	29.3	138 100 *b	128 000 *b	117 800 *b		7.0
8.0	77.8	29.1	121 000 *	112 600 *	105 200 *	97 800 *	8.0
9.0	75.6	28.9	107 500 *	100 600 *	94 000	86 200 *	9.0
10.0	73.4	28.6	95 800	88 400	81 800	76 400	10.0
11.0	71.2	28.2	82 900	77 100	72 000	67 400	11.0
12.0	69.0	27.8	72 900	68 300	64 200	60 400	12.0
13.0	66.7	27.4	64 900	61 100	57 800	54 700	13.0
14.0	64.4	26.9	58 400	55 200	52 400	49 800	14.0
15.0	62.0	26.4	52 900	50 300	47 900	45 700	15.0
16.0	59.6	25.8	48 300	46 000	44 000	42 100	16.0
18.0	54.5	24.4	40 900	39 200	37 700	36 300	18.0
20.0	49.1	22.7	35 300	34 000	32 800	31 700	20.0
22.0	43.2	20.7	30 800	29 800	28 900	28 000	22.0
24.0	36.4	18.2	27 200	26 400	25 700	25 000	24.0
26.0	28.3	14.9	24 100	23 500	23 000	22 500	26.0
30.5m (100 Ft.) Boom							
6.1	82.7	32.6	157 900 *b				6.1
7.0	80.9	32.5	138 000 *b	126 600 *b			7.0
8.0	79.0	32.3	120 900 *	111 700 *	103 800 *	94 600	8.0
9.0	77.1	32.0	107 300 *	99 900 *	92 600	85 400	9.0
10.0	75.1	31.7	95 800	87 800	80 600	74 500	10.0
11.0	73.2	31.4	83 000	76 600	71 100	66 200	11.0
12.0	71.2	31.1	73 000	67 900	63 400	59 400	12.0
13.0	69.2	30.7	65 000	60 800	57 100	53 800	13.0
14.0	67.1	30.3	58 400	54 900	51 900	49 100	14.0
15.0	65.1	29.8	53 000	50 100	47 500	45 000	15.0
16.0	62.9	29.3	48 300	45 800	43 600	41 500	16.0
18.0	58.6	28.1	41 000	39 100	37 400	35 800	18.0
20.0	54.0	26.7	35 400	33 800	32 600	31 300	20.0
22.0	49.1	25.0	30 900	29 700	28 700	27 700	22.0
24.0	43.8	23.1	27 200	26 300	25 500	24 700	24.0
26.0	37.9	20.6	24 200	23 500	22 800	22 200	26.0
28.0	31.0	17.6	21 700	21 100	20 600	20 100	28.0
30.0	22.2	13.4	19 500	19 000	18 600	18 300	30.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
33.5m (110 Ft.) Boom							
6.7	82.3	35.6	143 700 *				6.7
7.0	81.8	35.5	138 000 *				7.0
8.0	80.0	35.4	120 600 *	110 800 *	99 200 *		8.0
9.0	78.3	35.2	107 100 *	99 000 *	91 500	82 400	9.0
10.0	76.5	34.9	95 600	87 100	79 400	72 900	10.0
11.0	74.8	34.6	83 000	76 100	70 100	64 900	11.0
12.0	73.0	34.3	73 000	67 400	62 600	58 300	12.0
13.0	71.2	34.0	64 900	60 400	56 400	52 900	13.0
14.0	69.3	33.6	58 400	54 600	51 300	48 300	14.0
15.0	67.5	33.2	52 900	49 700	46 900	44 300	15.0
16.0	65.6	32.7	48 300	45 500	43 100	40 800	16.0
18.0	61.7	31.7	40 900	38 800	37 000	35 200	18.0
20.0	57.7	30.4	35 300	33 600	32 200	30 800	20.0
22.0	53.5	29.0	30 800	29 500	28 300	27 200	22.0
24.0	49.1	27.3	27 100	26 100	25 200	24 300	24.0
26.0	44.3	25.4	24 100	23 300	22 500	21 800	26.0
28.0	39.0	23.0	21 600	20 900	20 300	19 700	28.0
30.0	33.1	20.2	19 400	18 800	18 400	17 900	30.0
32.0	25.8	16.5	17 600	17 100	16 700	16 300	32.0
36.6m (120 Ft.) Boom							
6.7	82.9	38.7	140 500 *				6.7
7.0	82.5	38.6	136 200 *				7.0
8.0	80.9	38.5	120 400 *	110 100 *	94 700 *		8.0
9.0	79.3	38.3	106 900 *	98 200 *	89 800	77 700 *	9.0
10.0	77.7	38.0	95 400	86 400	78 300	71 700	10.0
11.0	76.1	37.8	83 000	75 500	69 200	63 700	11.0
12.0	74.4	37.5	72 900	66 900	61 800	57 300	12.0
13.0	72.8	37.2	64 900	60 000	55 800	51 900	13.0
14.0	71.1	36.8	58 400	54 300	50 700	47 400	14.0
15.0	69.5	36.5	52 900	49 400	46 400	43 600	15.0
16.0	67.8	36.1	48 200	45 200	42 700	40 300	16.0
18.0	64.3	35.1	40 800	38 600	36 600	34 700	18.0
20.0	60.7	34.0	35 200	33 400	31 800	30 400	20.0
22.0	57.0	32.8	30 700	29 300	28 100	26 800	22.0
24.0	53.2	31.3	27 100	25 900	24 900	23 900	24.0
26.0	49.1	29.6	24 100	23 100	22 300	21 500	26.0
28.0	44.7	27.7	21 600	20 800	20 100	19 400	28.0
30.0	40.0	25.4	19 400	18 700	18 200	17 600	30.0
32.0	34.7	22.7	17 600	17 000	16 500	16 100	32.0
34.0	28.5	19.3	15 900	15 400	15 000	14 700	34.0
36.0	20.6	14.7	14 500	14 100	13 700	13 500	36.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
39.6m (130 Ft.) Boom							
7.3	82.6	41.7	129 300 *				7.3
8.0	81.6	41.6	120 400 *	101 000 *			8.0
9.0	80.1	41.4	106 800 *	96 900 *	82 500 *		9.0
10.0	78.6	41.2	95 400	85 800	77 700	69 100	10.0
11.0	77.2	40.9	83 000	75 000	68 300	62 500	11.0
12.0	75.7	40.7	73 000	66 500	61 100	56 300	12.0
13.0	74.2	40.4	64 900	59 600	55 100	51 200	13.0
14.0	72.6	40.1	58 400	54 000	50 200	46 800	14.0
15.0	71.1	39.7	52 900	49 200	45 900	43 000	15.0
16.0	69.6	39.4	48 200	45 000	42 200	39 700	16.0
18.0	66.4	38.5	40 800	38 400	36 300	34 300	18.0
20.0	63.2	37.5	35 200	33 300	31 600	30 000	20.0
22.0	59.9	36.4	30 700	29 200	27 800	26 500	22.0
24.0	56.4	35.1	27 100	25 800	24 700	23 700	24.0
26.0	52.8	33.6	24 100	23 100	22 100	21 300	26.0
28.0	49.1	31.9	21 600	20 700	19 900	19 200	28.0
30.0	45.1	30.0	19 400	18 700	18 000	17 400	30.0
32.0	40.7	27.8	17 600	16 900	16 400	15 900	32.0
34.0	36.0	25.2	16 000	15 400	14 900	14 500	34.0
36.0	30.5	22.0	14 500	14 000	13 600	13 300	36.0
38.0	24.0	18.0	13 200	12 800	12 500	12 200	38.0
42.7m (140 Ft.) Boom							
7.9	82.3	44.7	121 200 *				7.9
8.0	82.2	44.6	120 100 *				8.0
9.0	80.8	44.5	106 500 *	94 600 *			9.0
10.0	79.5	44.3	95 200	85 200	76 500	64 800 *	10.0
11.0	78.1	44.1	83 000	74 400	67 400	61 400	11.0
12.0	76.7	43.8	72 900	66 000	60 300	55 300	12.0
13.0	75.3	43.6	64 800	59 200	54 400	50 300	13.0
14.0	73.9	43.3	58 300	53 600	49 600	46 000	14.0
15.0	72.5	43.0	52 800	48 800	45 400	42 300	15.0
16.0	71.1	42.6	48 100	44 700	41 700	39 100	16.0
18.0	68.2	41.8	40 800	38 100	35 900	33 800	18.0
20.0	65.3	40.9	35 100	33 000	31 300	29 600	20.0
22.0	62.2	39.9	30 600	29 000	27 500	26 100	22.0
24.0	59.1	38.7	27 000	25 600	24 400	23 300	24.0
26.0	55.9	37.4	24 000	22 900	21 900	20 900	26.0
28.0	52.6	35.9	21 500	20 500	19 700	18 900	28.0
30.0	49.1	34.2	19 300	18 500	17 800	17 100	30.0
32.0	45.4	32.3	17 500	16 800	16 100	15 600	32.0
34.0	41.4	30.1	15 900	15 300	14 700	14 200	34.0
36.0	37.0	27.6	14 400	13 900	13 400	13 000	36.0
38.0	32.2	24.6	13 200	12 700	12 300	11 900	38.0
40.0	26.6	20.9	12 000	11 600	11 300	11 000	40.0
42.0	19.4	16.0	10 900	10 600	10 400	10 100	42.0



Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
45.7m (150 Ft.) Boom							
7.9	82.8	47.7	110 700 *				7.9
8.0	82.7	47.7	110 400 *				8.0
9.0	81.4	47.6	105 500 *	84 200 *			9.0
10.0	80.2	47.4	94 900	81 500	68 300 *		10.0
11.0	78.9	47.2	82 900	73 900	66 400	57 400 *	11.0
12.0	77.6	47.0	72 800	65 600	59 500	54 600	12.0
13.0	76.3	46.7	64 700	58 800	53 800	49 400	13.0
14.0	75.0	46.4	58 200	53 200	48 900	45 200	14.0
15.0	73.7	46.2	52 700	48 500	44 800	41 600	15.0
16.0	72.4	45.8	48 000	44 400	41 200	38 400	16.0
18.0	69.7	45.1	40 600	37 800	35 400	33 200	18.0
20.0	67.0	44.3	34 900	32 800	30 900	29 100	20.0
22.0	64.3	43.3	30 500	28 700	27 100	25 700	22.0
24.0	61.4	42.3	26 800	25 400	24 100	22 900	24.0
26.0	58.5	41.1	23 900	22 600	21 500	20 500	26.0
28.0	55.5	39.7	21 300	20 300	19 400	18 500	28.0
30.0	52.3	38.2	19 200	18 300	17 500	16 800	30.0
32.0	49.1	36.5	17 300	16 500	15 900	15 200	32.0
34.0	45.6	34.6	15 700	15 000	14 500	13 900	34.0
36.0	41.9	32.5	14 300	13 700	13 200	12 700	36.0
38.0	37.9	30.0	13 000	12 500	12 000	11 600	38.0
40.0	33.6	27.2	11 900	11 400	11 000	10 700	40.0
42.0	28.6	23.7	10 800	10 400	10 100	9 800	42.0
44.0	22.6	19.4	9 900	9 500	9 300	9 000	44.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL

81 240 kg Crane Counterweight

19 960 kg Carbody Counterweight

8 585 mm Crawlers Extended

Crawler Machine on a Barge

0 Degree thru 3 Degree Machine List

No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
48.8m (160 Ft.) Boom							
8.5	82.5	50.7	103 800 *				8.5
9.0	82.0	50.7	102 000 *				9.0
10.0	80.8	50.5	95 100	78 400 *			10.0
11.0	79.6	50.3	82 800	73 300	63 800	54 500 *	11.0
12.0	78.4	50.1	72 700	65 000	58 900	53 100	12.0
13.0	77.2	49.9	64 700	58 400	53 100	48 500	13.0
14.0	76.0	49.6	58 100	52 800	48 300	44 400	14.0
15.0	74.8	49.3	52 600	48 100	44 300	40 900	15.0
16.0	73.5	49.0	47 900	44 100	40 700	37 800	16.0
18.0	71.1	48.4	40 500	37 500	35 000	32 700	18.0
20.0	68.5	47.6	34 800	32 500	30 500	28 600	20.0
22.0	66.0	46.7	30 300	28 400	26 800	25 300	22.0
24.0	63.4	45.7	26 700	25 100	23 800	22 500	24.0
26.0	60.7	44.6	23 700	22 400	21 300	20 200	26.0
28.0	57.9	43.4	21 200	20 100	19 100	18 200	28.0
30.0	55.1	42.1	19 000	18 100	17 200	16 500	30.0
32.0	52.1	40.5	17 200	16 300	15 600	15 000	32.0
34.0	49.1	38.8	15 600	14 800	14 200	13 600	34.0
36.0	45.8	37.0	14 100	13 500	12 900	12 400	36.0
38.0	42.4	34.8	12 800	12 300	11 800	11 400	38.0
40.0	38.7	32.4	11 700	11 200	10 800	10 400	40.0
42.0	34.7	29.7	10 700	10 200	9 900	9 600	42.0
44.0	30.2	26.4	9 800	9 400	9 100	8 800	44.0
46.0	25.0	22.5	8 900	8 600	8 300	8 100	46.0
48.0	18.5	17.3	8 100	7 800	7 600	7 400	48.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
51.8m (170 Ft.) Boom							
8.5	83.0	53.8	96 800 *				8.5
9.0	82.5	53.7	95 400 *				9.0
10.0	81.3	53.6	92 200	72 400 *			10.0
11.0	80.2	53.4	82 800	70 400	58 500 *		11.0
12.0	79.1	53.2	72 700	64 800	57 100 *	48 500 *	12.0
13.0	78.0	53.0	64 600	58 000	52 400	47 500	13.0
14.0	76.8	52.8	58 000	52 400	47 800	43 700	14.0
15.0	75.7	52.5	52 500	47 800	43 800	40 300	15.0
16.0	74.5	52.2	47 900	43 800	40 300	37 200	16.0
18.0	72.2	51.6	40 400	37 300	34 600	32 200	18.0
20.0	69.9	50.9	34 800	32 300	30 100	28 200	20.0
22.0	67.5	50.1	30 300	28 300	26 500	24 900	22.0
24.0	65.1	49.2	26 600	25 000	23 500	22 200	24.0
26.0	62.6	48.1	23 600	22 200	21 000	19 900	26.0
28.0	60.0	47.0	21 100	19 900	18 900	17 900	28.0
30.0	57.4	45.8	19 000	17 900	17 000	16 200	30.0
32.0	54.7	44.4	17 100	16 200	15 500	14 700	32.0
34.0	52.0	42.8	15 500	14 700	14 000	13 400	34.0
36.0	49.1	41.1	14 100	13 400	12 800	12 200	36.0
38.0	46.0	39.3	12 800	12 200	11 700	11 200	38.0
40.0	42.8	37.2	11 700	11 100	10 700	10 300	40.0
42.0	39.4	34.8	10 600	10 200	9 700	9 400	42.0
44.0	35.7	32.1	9 700	9 300	8 900	8 600	44.0
46.0	31.6	29.1	8 900	8 500	8 200	7 900	46.0
48.0	27.0	25.4	8 100	7 800	7 500	7 200	48.0
50.0	21.5	20.8	7 400	7 100	6 800	6 700	50.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
54.9m (180 Ft.) Boom							
9.1	82.7	56.8	90 300 *				9.1
10.0	81.8	56.7	87 900 *				10.0
11.0	80.8	56.5	82 800	67 200 *	53 800 *		11.0
12.0	79.7	56.3	72 600	64 000	53 800 *		12.0
13.0	78.6	56.1	64 500	57 500	52 000	42 500 *	13.0
14.0	77.6	55.9	57 900	52 000	47 200	42 500 *	14.0
15.0	76.5	55.6	52 400	47 500	43 200	39 600	15.0
16.0	75.4	55.4	47 700	43 500	39 800	36 600	16.0
18.0	73.2	54.8	40 300	37 000	34 200	31 700	18.0
20.0	71.0	54.1	34 600	32 000	29 800	27 700	20.0
22.0	68.8	53.4	30 100	28 000	26 200	24 500	22.0
24.0	66.5	52.5	26 500	24 700	23 200	21 800	24.0
26.0	64.2	51.6	23 500	22 000	20 800	19 500	26.0
28.0	61.9	50.5	21 000	19 700	18 600	17 600	28.0
30.0	59.5	49.4	18 800	17 700	16 800	15 900	30.0
32.0	57.0	48.1	17 000	16 000	15 200	14 400	32.0
34.0	54.4	46.7	15 300	14 500	13 800	13 100	34.0
36.0	51.8	45.1	13 900	13 200	12 500	11 900	36.0
38.0	49.0	43.4	12 600	12 000	11 400	10 900	38.0
40.0	46.2	41.6	11 500	10 900	10 400	10 000	40.0
42.0	43.2	39.5	10 500	9 900	9 500	9 100	42.0
44.0	40.0	37.2	9 600	9 100	8 700	8 400	44.0
46.0	36.6	34.6	8 700	8 300	8 000	7 700	46.0
48.0	32.8	31.6	8 000	7 600	7 300	7 000	48.0
50.0	28.6	28.2	7 300	6 900	6 700	6 400	50.0
52.0	23.8	24.0	6 600	6 300	6 100	5 800	52.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
57.9m (190 Ft.) Boom							
9.8	82.5	59.8	82 100 *				9.8
10.0	82.3	59.8	81 500 *				10.0
11.0	81.3	59.6	79 200	61 500 *			11.0
12.0	80.3	59.4	72 900	60 000 *	47 500 *		12.0
13.0	79.2	59.2	64 400	57 400	47 500 *	37 400 *	13.0
14.0	78.2	59.0	57 800	51 700	46 500	37 300 *	14.0
15.0	77.2	58.8	52 300	47 100	42 700	37 300 *	15.0
16.0	76.2	58.5	47 600	43 100	39 300	36 200	16.0
18.0	74.2	58.0	40 100	36 700	33 800	31 200	18.0
20.0	72.1	57.3	34 400	31 700	29 400	27 300	20.0
22.0	70.0	56.6	29 900	27 700	25 800	24 100	22.0
24.0	67.8	55.8	26 300	24 500	22 900	21 400	24.0
26.0	65.7	54.9	23 300	21 700	20 400	19 200	26.0
28.0	63.5	54.0	20 800	19 400	18 300	17 300	28.0
30.0	61.2	52.9	18 600	17 500	16 500	15 600	30.0
32.0	58.9	51.7	16 700	15 700	14 900	14 100	32.0
34.0	56.6	50.4	15 100	14 300	13 500	12 800	34.0
36.0	54.1	49.0	13 700	12 900	12 300	11 600	36.0
38.0	51.6	47.4	12 400	11 800	11 200	10 600	38.0
40.0	49.0	45.7	11 300	10 700	10 200	9 700	40.0
42.0	46.3	43.9	10 300	9 700	9 300	8 800	42.0
44.0	43.5	41.8	9 400	8 900	8 500	8 100	44.0
46.0	40.5	39.6	8 500	8 100	7 700	7 300	46.0
48.0	37.3	37.0	7 800	7 300	7 000	6 700	48.0
50.0	33.9	34.2	7 100	6 700	6 400	6 100	50.0
52.0	30.0	30.9	6 400	6 100	5 800	5 600	52.0
54.0	25.7	27.0	5 800	5 500	5 300	5 000	54.0
56.0	20.5	22.1	5 200	5 000	4 800	4 600	56.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL

81 240 kg Crane Counterweight

19 960 kg Carbody Counterweight

8 585 mm Crawlers Extended

Crawler Machine on a Barge

0 Degree thru 3 Degree Machine List

No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
61.0m (200 Ft.) Boom							
9.8	82.9	62.9	77 500 *				9.8
10.0	82.7	62.8	77 000 *				10.0
11.0	81.7	62.7	74 900 *	56 600 *			11.0
12.0	80.7	62.5	71 800	56 500 *			12.0
13.0	79.8	62.3	64 200	55 400	42 100 *	33 000 *	13.0
14.0	78.8	62.1	57 600	51 300	42 000 *	32 900 *	14.0
15.0	77.9	61.9	52 100	46 700	41 700	32 900 *	15.0
16.0	76.9	61.7	47 400	42 700	39 500	32 900 *	16.0
18.0	75.0	61.2	40 000	36 400	33 300	30 800	18.0
20.0	73.0	60.6	34 300	31 400	29 000	26 800	20.0
22.0	71.0	59.9	29 800	27 500	25 500	23 700	22.0
24.0	69.0	59.1	26 100	24 200	22 600	21 000	24.0
26.0	67.0	58.3	23 100	21 500	20 100	18 800	26.0
28.0	64.9	57.4	20 600	19 200	18 000	16 900	28.0
30.0	62.8	56.4	18 400	17 200	16 200	15 200	30.0
32.0	60.7	55.3	16 600	15 500	14 600	13 800	32.0
34.0	58.5	54.1	15 000	14 000	13 200	12 500	34.0
36.0	56.2	52.7	13 500	12 700	12 000	11 400	36.0
38.0	53.9	51.3	12 300	11 500	10 900	10 300	38.0
40.0	51.5	49.7	11 100	10 500	9 900	9 400	40.0
42.0	49.0	48.0	10 100	9 500	9 000	8 600	42.0
44.0	46.5	46.2	9 200	8 600	8 200	7 800	44.0
46.0	43.8	44.2	8 400	7 900	7 500	7 100	46.0
48.0	41.0	41.9	7 600	7 200	6 800	6 500	48.0
50.0	38.0	39.4	6 900	6 500	6 200	5 900	50.0
52.0	34.8	36.6	6 200	5 900	5 600	5 300	52.0
54.0	31.2	33.5	5 700	5 300	5 100	4 800	54.0
56.0	27.3	29.8	5 100	4 800	4 600	4 400	56.0
58.0	22.8	25.4	4 600	4 300	4 100	3 900	58.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL

81 240 kg Crane Counterweight

19 960 kg Carbody Counterweight

8 585 mm Crawlers Extended

Crawler Machine on a Barge

0 Degree thru 3 Degree Machine List

No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
64.0m (210 Ft.) Boom							
10.4	82.7	65.9	71 900 *				10.4
11.0	82.1	65.8	70 800 *				11.0
12.0	81.2	65.6	69 100 *	50 700 *			12.0
13.0	80.3	65.4	64 300	50 600 *	37 500 *		13.0
14.0	79.4	65.2	57 500	50 400 *	37 500 *	29 100 *	14.0
15.0	78.5	65.0	52 000	46 400	37 400 *	29 100 *	15.0
16.0	77.5	64.8	47 300	42 400	37 000	29 000 *	16.0
18.0	75.7	64.3	39 800	36 100	33 200	28 900 *	18.0
20.0	73.8	63.7	34 200	31 200	28 700	26 400	20.0
22.0	72.0	63.1	29 700	27 200	25 200	23 300	22.0
24.0	70.1	62.4	26 000	24 000	22 300	20 700	24.0
26.0	68.1	61.6	23 000	21 300	19 800	18 500	26.0
28.0	66.2	60.7	20 500	19 000	17 800	16 600	28.0
30.0	64.2	59.8	18 300	17 100	16 000	15 000	30.0
32.0	62.2	58.8	16 500	15 300	14 400	13 500	32.0
34.0	60.1	57.6	14 800	13 900	13 000	12 300	34.0
36.0	58.0	56.4	13 400	12 500	11 800	11 100	36.0
38.0	55.9	55.1	12 100	11 300	10 700	10 100	38.0
40.0	53.7	53.6	11 000	10 300	9 700	9 200	40.0
42.0	51.4	52.0	10 000	9 400	8 800	8 300	42.0
44.0	49.0	50.3	9 100	8 500	8 100	7 600	44.0
46.0	46.6	48.5	8 200	7 700	7 300	6 900	46.0
48.0	44.1	46.5	7 500	7 000	6 600	6 300	48.0
50.0	41.4	44.3	6 800	6 400	6 000	5 700	50.0
52.0	38.6	41.8	6 200	5 700	5 400	5 100	52.0
54.0	35.6	39.1	5 600	5 200	4 900	4 600	54.0
56.0	32.3	36.1	5 000	4 600	4 400	4 200	56.0
58.0	28.7	32.6	4 500	4 100	4 000	3 700	58.0
60.0	24.6	28.5	4 000	3 700	3 500	3 300	60.0
62.0	19.7	23.4	3 500	3 300	3 100	2 900	62.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
67.1m (220 Ft.) Boom							
10.4	83.0	68.9	66 900 *				10.4
11.0	82.5	68.8	66 400 *				11.0
12.0	81.6	68.7	64 800 *	45 500 *			12.0
13.0	80.7	68.5	62 900	45 300 *	33 400 *		13.0
14.0	79.9	68.3	57 400	45 200 *	33 400 *	0 *	14.0
15.0	79.0	68.2	51 900	45 100	33 300 *	25 700 *	15.0
16.0	78.1	67.9	47 200	43 200	33 200 *	25 600 *	16.0
18.0	76.4	67.5	39 700	35 800	32 200	25 500 *	18.0
20.0	74.6	66.9	34 000	30 900	28 300	25 300	20.0
22.0	72.8	66.3	29 500	27 000	24 800	23 000	22.0
24.0	71.0	65.6	25 800	23 800	22 000	20 300	24.0
26.0	69.2	64.9	22 800	21 100	19 500	18 100	26.0
28.0	67.3	64.1	20 300	18 800	17 500	16 300	28.0
30.0	65.5	63.2	18 100	16 800	15 700	14 600	30.0
32.0	63.6	62.2	16 300	15 100	14 200	13 200	32.0
34.0	61.6	61.1	14 600	13 600	12 700	12 000	34.0
36.0	59.6	60.0	13 200	12 300	11 600	10 800	36.0
38.0	57.6	58.7	11 900	11 200	10 500	9 800	38.0
40.0	55.6	57.4	10 800	10 100	9 500	8 900	40.0
42.0	53.5	55.9	9 800	9 100	8 600	8 100	42.0
44.0	51.3	54.4	8 900	8 300	7 800	7 300	44.0
46.0	49.0	52.6	8 000	7 500	7 100	6 700	46.0
48.0	46.7	50.8	7 300	6 800	6 400	6 000	48.0
50.0	44.3	48.8	6 600	6 100	5 800	5 400	50.0
52.0	41.8	46.6	6 000	5 500	5 200	4 900	52.0
54.0	39.1	44.2	5 400	5 000	4 700	4 400	54.0
56.0	36.3	41.6	4 800	4 500	4 200	3 900	56.0
58.0	33.2	38.6	4 300	4 000	3 700	3 500	58.0
60.0	29.9	35.3	3 800	3 500	3 300	3 100	60.0
62.0	26.2	31.4	3 400	3 100	2 900	2 700	62.0
64.0	21.9	26.8	2 900	2 700	2 500	2 400	64.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
70.1m (230 Ft.) Boom							
11.0	82.8	71.9	60 500 *				11.0
12.0	82.0	71.8	60 300 *				12.0
13.0	81.1	71.6	59 400 *	40 800 *			13.0
14.0	80.3	71.4	57 200	40 600 *	29 700 *		14.0
15.0	79.5	71.3	51 700	40 500 *	29 600 *	22 600 *	15.0
16.0	78.6	71.1	47 000	40 000	29 600 *	22 600 *	16.0
18.0	77.0	70.6	39 500	35 800	29 400 *	22 500 *	18.0
20.0	75.3	70.1	33 800	30 600	28 000	22 400 *	20.0
22.0	73.6	69.5	29 300	26 700	24 500	22 000	22.0
24.0	71.9	68.9	25 700	23 500	21 600	20 000	24.0
26.0	70.1	68.2	22 600	20 800	19 200	17 800	26.0
28.0	68.4	67.4	20 100	18 500	17 200	15 900	28.0
30.0	66.6	66.5	17 900	16 600	15 400	14 300	30.0
32.0	64.8	65.6	16 100	14 900	13 800	12 900	32.0
34.0	63.0	64.6	14 400	13 400	12 500	11 600	34.0
36.0	61.1	63.5	13 000	12 000	11 300	10 500	36.0
38.0	59.2	62.3	11 800	10 900	10 200	9 500	38.0
40.0	57.3	61.1	10 600	9 800	9 200	8 600	40.0
42.0	55.3	59.7	9 600	8 900	8 300	7 800	42.0
44.0	53.3	58.2	8 700	8 100	7 500	7 000	44.0
46.0	51.2	56.7	7 900	7 300	6 800	6 300	46.0
48.0	49.0	54.9	7 100	6 500	6 100	5 700	48.0
50.0	46.8	53.1	6 400	5 900	5 500	5 200	50.0
52.0	44.5	51.1	5 700	5 300	4 900	4 600	52.0
54.0	42.1	48.9	5 200	4 700	4 400	4 100	54.0
56.0	39.6	46.6	4 600	4 200	3 900	3 700	56.0
58.0	36.9	44.0	4 100	3 700	3 500	3 200	58.0
60.0	34.0	41.1	3 600	3 300	3 100	2 800	60.0
62.0	30.9	37.9	3 200	2 900	2 600	2 400	62.0
64.0	27.5	34.3	2 800	2 400	2 300	2 100	64.0
66.0	23.7	30.0	2 300	2 100			66.0
68.0	19.1	24.7	2 000				68.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL
81 240 kg Crane Counterweight
19 960 kg Carbody Counterweight
8 585 mm Crawlers Extended
Crawler Machine on a Barge
0 Degree thru 3 Degree Machine List
No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
73.2m (240 Ft.) Boom							
11.6	82.6	74.9	55 000 *				11.6
12.0	82.3	74.9	54 900 *				12.0
13.0	81.5	74.7	54 600 *	36 800 *			13.0
14.0	80.7	74.5	54 400 *	36 700 *	0 *		14.0
15.0	79.9	74.4	51 900	36 600 *	26 500 *		15.0
16.0	79.1	74.2	46 900	36 500 *	26 400 *	20 000 *	16.0
18.0	77.5	73.7	39 400	34 900	26 300 *	19 800 *	18.0
20.0	75.9	73.2	33 700	30 300	26 000	19 800 *	20.0
22.0	74.3	72.7	29 100	26 400	24 300	19 600 *	22.0
24.0	72.6	72.1	25 500	23 200	21 300	19 300	24.0
26.0	71.0	71.4	22 500	20 500	18 900	17 400	26.0
28.0	69.3	70.7	19 900	18 300	16 900	15 600	28.0
30.0	67.6	69.8	17 700	16 300	15 100	14 000	30.0
32.0	65.9	69.0	15 900	14 600	13 600	12 600	32.0
34.0	64.2	68.0	14 200	13 100	12 200	11 300	34.0
36.0	62.4	67.0	12 800	11 800	11 000	10 200	36.0
38.0	60.6	65.9	11 500	10 700	9 900	9 200	38.0
40.0	58.8	64.7	10 400	9 600	8 900	8 300	40.0
42.0	56.9	63.4	9 400	8 700	8 100	7 500	42.0
44.0	55.0	62.0	8 500	7 800	7 300	6 800	44.0
46.0	53.1	60.5	7 600	7 100	6 600	6 100	46.0
48.0	51.1	59.0	6 900	6 300	5 900	5 500	48.0
50.0	49.0	57.2	6 200	5 700	5 300	4 900	50.0
52.0	46.9	55.4	5 600	5 100	4 700	4 300	52.0
54.0	44.7	53.4	5 000	4 500	4 200	3 900	54.0
56.0	42.4	51.3	4 400	4 000	3 700	3 400	56.0
58.0	40.0	49.0	3 900	3 500	3 200	3 000	58.0
60.0	37.5	46.4	3 400	3 100	2 800	2 600	60.0
62.0	34.8	43.6	3 000	2 600	2 400	2 200	62.0
64.0	31.9	40.5	2 600	2 300	2 000	1 900	64.0
66.0	28.7	37.0	2 200				66.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL

81 240 kg Crane Counterweight

19 960 kg Carbody Counterweight

8 585 mm Crawlers Extended

Crawler Machine on a Barge

0 Degree thru 3 Degree Machine List

No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms	1 Degree List Boom Capacity Kilograms	2 Degree List Boom Capacity Kilograms	3 Degree List Boom Capacity Kilograms	Oper. Radius Meters
76.2m (250 Ft.) Boom							
11.6	82.9	78.0	49 900 *				11.6
12.0	82.6	77.9	49 800 *				12.0
13.0	81.9	77.8	49 600 *	33 300 *			13.0
14.0	81.1	77.6	49 400 *	33 200 *			14.0
15.0	80.3	77.5	49 100 *	33 100 *	23 800 *		15.0
16.0	79.6	77.3	47 300	33 000 *	23 800 *		16.0
18.0	78.0	76.9	39 600	32 700 *	23 600 *	17 700 *	18.0
20.0	76.5	76.4	33 800	30 500	23 500 *	17 600 *	20.0
22.0	74.9	75.9	29 200	26 500	23 200	17 500 *	22.0
24.0	73.4	75.3	25 600	23 300	21 500	17 400 *	24.0
26.0	71.8	74.6	22 500	20 700	18 900	17 300	26.0
28.0	70.2	73.9	20 000	18 400	16 900	15 600	28.0
30.0	68.6	73.1	17 800	16 400	15 200	14 000	30.0
32.0	66.9	72.3	16 000	14 700	13 700	12 700	32.0
34.0	65.3	71.4	14 300	13 300	12 300	11 400	34.0
36.0	63.6	70.4	12 900	12 000	11 100	10 300	36.0
38.0	61.9	69.4	11 600	10 800	10 000	9 300	38.0
40.0	60.2	68.2	10 500	9 800	9 100	8 400	40.0
42.0	58.4	67.0	9 500	8 800	8 200	7 600	42.0
44.0	56.6	65.7	8 600	8 000	7 400	6 900	44.0
46.0	54.8	64.3	7 700	7 200	6 700	6 200	46.0
48.0	52.9	62.8	7 000	6 500	6 000	5 600	48.0
50.0	51.0	61.3	6 300	5 900	5 400	5 000	50.0
52.0	49.0	59.5	5 700	5 200	4 800	4 500	52.0
54.0	47.0	57.7	5 100	4 700	4 300	4 000	54.0
56.0	44.9	55.7	4 500	4 200	3 900	3 500	56.0
58.0	42.7	53.6	4 000	3 700	3 400	3 100	58.0
60.0	40.4	51.3	3 500	3 200	3 000	2 700	60.0
62.0	38.0	48.8	3 100	2 800	2 600	2 300	62.0
64.0	35.4	46.1	2 700	2 400	2 200	2 000	64.0
66.0	32.7	43.1	2 300	2 000			66.0
68.0	29.8	39.7	1 900				68.0

Liftcrane Boom Capacities

888 SERIES 2

Boom No. 22EL

81 240 kg Crane Counterweight

19 960 kg Carbody Counterweight

8 585 mm Crawlers Extended

Crawler Machine on a Barge

0 Degree thru 3 Degree Machine List

No Travel - 360 Degree Rating

Oper. Radius Meters	Boom Angle Deg.	Boom Point Elev. Meters	0 Degree List Boom Capacity Kilograms
79.2m (260 Ft.) Boom			
12.2	82.8	81.0	45 500 *
13.0	82.2	80.9	45 400 *
14.0	81.4	80.7	45 100 *
15.0	80.7	80.6	44 900 *
16.0	80.0	80.4	44 400
18.0	78.5	80.0	39 700
20.0	77.0	79.5	33 600
22.0	75.5	79.0	29 000
24.0	74.0	78.5	25 400
26.0	72.5	77.8	22 400
28.0	71.0	77.2	19 800
30.0	69.4	76.4	17 600
32.0	67.9	75.6	15 800
34.0	66.3	74.8	14 100
36.0	64.7	73.8	12 700
38.0	63.1	72.8	11 400
40.0	61.5	71.7	10 300
42.0	59.8	70.6	9 300
44.0	58.1	69.4	8 400
46.0	56.4	68.1	7 500
48.0	54.6	66.7	6 800
50.0	52.8	65.2	6 100
52.0	50.9	63.6	5 400
54.0	49.0	61.8	4 800
56.0	47.1	60.0	4 300
58.0	45.0	58.1	3 800
60.0	42.9	56.0	3 300
62.0	40.8	53.7	2 900
64.0	38.5	51.2	2 400
66.0	36.0	48.5	2 100