


Liftcrane Boom Capacities

Boom No. 58 HL with 30,0 m Mast No. 59A
150 590 kg Crane Counterweight
54 430 kg Carbody Counterweight
Crawler Machine on a Barge
0 Degree thru 3 Degree Static Machine List
No Travel - 360 Degree Rating - Two Swing Drives



Manitowoc

**16000
SERIES 3
With Mast**



LIFTING CAPACITIES: Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths and operating radii are for freely suspended loads and do not exceed 75% of a static tipping load. Capacities based on structural competence are denoted by an asterisk (*).

Standard upper boom point capacity for liftcrane service with single part whip line is 13 610 kg or 27 220 kg with two part whip line. In all cases, upper boom point capacities cannot exceed those listed for main boom capacity.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom point sheaves, is considered part of main boom load. Boom is not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm uniformly supporting surface with machine list not to exceed degrees noted. Refer to boom rigging **No. A14546**, Wire Rope Specification chart **No. 8745-A**, Counterweight Arrangement chart **No. 8682-A** and Wind Conditions chart **No. 8688-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to Operator's Manual for operating guidelines.



OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees ($^{\circ}$) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



BOOM POINT ELEVATION: Boom point elevation is vertical distance from barge deck to centerline of boom point shaft.











MACHINE EQUIPMENT: Machine equipped with two swing drives, 10 363 mm crawlers, 1 524 mm treads, 9 754 mm live mast, 30,0 m mast, 12 part boom hoist reeving, boom support straps, 150 590 kg crane counterweight, two 13 610 kg and four 6 800 kg carbody counterweights.


Maximum Boom Lengths Lifted Unassisted		
List	Over End of Blocked Crawlers	Over Side of Crawlers
	Boom Length	Boom Length
0 Degree	96,0 m	90,0 m
1 Degree	90,0 m	90,0 m
2 Degree	90,0 m	90,0 m
3 Degree	90,0 m	90,0 m
Load block, hook and weight ball on barge deck until combined weights are within rated capacity of chart.		

Boom Catwalk Deduct


Deduct 300 kg from capacities when boom catwalks are attached.

Explanation of Symbols







m	°	m	kg	kg	kg	kg	m
7,9	82,8	44,2	335 000 *				7,9
8,0	82,7	44,2	332 100 *				8,0
9,0	81,3	44,0	295 900 *	270 700 *			9,0
10,0	80,0	43,8	266 400 *	243 500 *	218 800 *		10,0
11,0	78,6	43,6	239 800 *	220 300 *	198 800	172 700 *	11,0
12,0	77,2	43,4	215 400	194 900	177 000	162 500	12,0
14,0	74,3	42,8	170 500	156 600	144 400	133 600	14,0
16,0	71,4	42,1	140 000	130 100	121 200	113 200	16,0
18,0	68,5	41,3	118 200	110 800	104 000	97 800	18,0
20,0	65,5	40,4	101 700	95 900	90 600	85 700	20,0
22,0	62,4	39,4	88 800	84 200	79 900	76 000	22,0
24,0	59,3	38,2	78 400	74 700	71 200	67 900	24,0
26,0	56,0	36,8	69 900	66 800	63 900	61 200	26,0
28,0	52,5	35,3	62 700	60 200	57 800	55 500	28,0
30,0	48,9	33,6	56 700	54 600	52 500	50 500	30,0
32,0	45,1	31,6	51 500	49 700	48 000	46 300	32,0
34,0	41,0	29,3	47 000	45 400	44 000	42 500	34,0
36,0	36,5	26,7	43 000	41 700	40 400	39 200	36,0
38,0	31,4	23,5	39 400	38 400	37 300	36 300	38,0
40,0	25,3	19,6	36 300	35 400	34 500	33 700	40,0



 48,0 m							
m	°	m	kg	kg	kg	kg	m
8,5	83,0	50,2	311 200 *				8,5
9,0	82,4	50,1	295 600 *				9,0
10,0	81,2	49,9	266 000 *	240 700 *			10,0
11,0	80,0	49,8	239 500 *	217 700 *	193 900		11,0
12,0	78,8	49,5	215 700	192 600	172 900	156 600	12,0
14,0	76,3	49,0	170 700	155 000	141 500	129 800	14,0
16,0	73,9	48,5	140 100	128 900	119 000	110 300	16,0
18,0	71,3	47,8	118 100	109 700	102 200	95 400	18,0
20,0	68,8	47,0	101 600	95 100	89 100	83 700	20,0
22,0	66,2	46,1	88 600	83 400	78 600	74 200	22,0
24,0	63,5	45,1	78 200	74 000	70 000	66 300	24,0
26,0	60,8	44,0	69 700	66 200	62 900	59 800	26,0
28,0	57,9	42,7	62 500	59 600	56 800	54 100	28,0
30,0	55,0	41,3	56 400	53 900	51 600	49 300	30,0
32,0	52,0	39,8	51 200	49 100	47 100	45 100	32,0
34,0	48,8	38,0	46 700	44 900	43 100	41 400	34,0
36,0	45,5	36,1	42 700	41 100	39 600	38 100	36,0
38,0	42,0	33,9	39 200	37 800	36 500	35 200	38,0
40,0	38,1	31,4	36 000	34 900	33 700	32 600	40,0
42,0	33,9	28,5	33 200	32 200	31 200	30 200	42,0
44,0	29,2	25,1	30 700	29 800	28 900	28 100	44,0
46,0	23,5	20,8	28 300	27 600	26 900	26 100	46,0




m	°	m	kg	kg	kg	kg	m
9,8	82,5	56,1	272 200 *				9,8
10,0	82,2	56,0	265 600 *				10,0
11,0	81,1	55,9	239 000 *	215 000 *			11,0
12,0	80,1	55,7	215 500	190 100	169 000		12,0
14,0	77,9	55,2	170 600	153 200	138 500	126 300	14,0
16,0	75,7	54,7	140 000	127 500	116 700	107 300	16,0
18,0	73,5	54,1	118 000	108 600	100 300	92 900	18,0
20,0	71,2	53,4	101 300	94 100	87 500	81 600	20,0
22,0	69,0	52,7	88 300	82 500	77 200	72 400	22,0
24,0	66,7	51,8	77 900	73 100	68 800	64 700	24,0
26,0	64,3	50,8	69 400	65 400	61 700	58 300	26,0
28,0	61,9	49,8	62 200	58 800	55 700	52 800	28,0
30,0	59,4	48,6	56 100	53 200	50 600	48 000	30,0
32,0	56,9	47,3	50 900	48 400	46 100	43 900	32,0
34,0	54,3	45,8	46 300	44 200	42 200	40 300	34,0
36,0	51,6	44,3	42 300	40 500	38 700	37 000	36,0
38,0	48,8	42,5	38 800	37 200	35 600	34 100	38,0
40,0	45,8	40,6	35 700	34 300	32 900	31 500	40,0
42,0	42,7	38,5	32 800	31 600	30 400	29 200	42,0
44,0	39,4	36,1	30 300	29 200	28 100	27 100	44,0
46,0	35,8	33,3	28 000	27 000	26 100	25 100	46,0
48,0	31,9	30,2	25 800	25 000	24 200	23 400	48,0
50,0	27,4	26,5	23 900	23 200	22 500	21 700	50,0
52,0	22,1	21,9	22 100	21 500	20 900	20 300	52,0




 60,0 m							
m	°	m	kg	kg	kg	kg	m
10,4	82,6	62,0	255 200 *				10,4
11,0	82,0	61,9	238 500 *				11,0
12,0	81,1	61,8	215 300	187 800			12,0
14,0	79,1	61,4	170 500	151 400	135 600		14,0
16,0	77,2	60,9	139 700	126 000	114 300	104 600	16,0
18,0	75,2	60,4	117 600	107 300	98 400	90 500	18,0
20,0	73,2	59,8	101 000	93 000	85 800	79 500	20,0
22,0	71,2	59,1	87 900	81 500	75 700	70 500	22,0
24,0	69,1	58,3	77 500	72 200	67 400	63 000	24,0
26,0	67,1	57,5	68 900	64 500	60 500	56 800	26,0
28,0	64,9	56,5	61 700	58 000	54 600	51 400	28,0
30,0	62,8	55,5	55 600	52 500	49 500	46 700	30,0
32,0	60,6	54,4	50 400	47 700	45 100	42 700	32,0
34,0	58,4	53,2	45 800	43 500	41 200	39 100	34,0
36,0	56,1	51,8	41 800	39 800	37 800	35 900	36,0
38,0	53,7	50,3	38 300	36 500	34 700	33 000	38,0
40,0	51,3	48,7	35 100	33 500	32 000	30 500	40,0
42,0	48,7	47,0	32 300	30 900	29 500	28 200	42,0
44,0	46,1	45,1	29 800	28 500	27 300	26 100	44,0
46,0	43,3	43,0	27 400	26 300	25 200	24 100	46,0
48,0	40,4	40,7	25 300	24 300	23 300	22 400	48,0
50,0	37,3	38,1	23 400	22 500	21 600	20 800	50,0
52,0	33,9	35,2	21 700	20 800	20 000	19 300	52,0
54,0	30,2	31,8	20 000	19 300	18 600	17 900	54,0
56,0	26,0	27,9	18 500	17 800	17 200	16 600	56,0
58,0	20,9	23,0	17 000	16 500	15 900	15 400	58,0

16000 S-3








m	°	m	kg	kg	kg	kg	m
11,0	82,8	68,0	238 900*				11,0
12,0	81,9	67,8	215 400				12,0
14,0	80,1	67,5	170 600	150 000	133 400		14,0
16,0	78,3	67,1	139 800	124 900	112 400		16,0
18,0	76,6	66,6	117 700	106 500	96 800	88 600	18,0
20,0	74,8	66,0	101 000	92 300	84 600	77 800	20,0
22,0	72,9	65,4	87 900	80 900	74 700	69 100	22,0
24,0	71,1	64,7	77 400	71 700	66 500	61 800	24,0
26,0	69,2	64,0	68 900	64 100	59 700	55 700	26,0
28,0	67,4	63,1	61 700	57 600	53 900	50 400	28,0
30,0	65,5	62,2	55 500	52 100	48 900	45 900	30,0
32,0	63,5	61,2	50 300	47 300	44 500	41 900	32,0
34,0	61,5	60,1	45 700	43 100	40 700	38 400	34,0
36,0	59,5	59,0	41 700	39 500	37 300	35 200	36,0
38,0	57,5	57,7	38 200	36 200	34 300	32 400	38,0
40,0	55,4	56,3	35 100	33 300	31 500	29 900	40,0
42,0	53,2	54,8	32 200	30 600	29 100	27 600	42,0
44,0	51,0	53,2	29 700	28 300	26 900	25 500	44,0
46,0	48,6	51,4	27 400	26 100	24 800	23 600	46,0
48,0	46,3	49,5	25 300	24 100	23 000	21 900	48,0
50,0	43,8	47,5	23 400	22 300	21 300	20 300	50,0
52,0	41,1	45,2	21 600	20 600	19 700	18 800	52,0
54,0	38,4	42,7	19 900	19 100	18 200	17 400	54,0
56,0	35,4	39,9	18 400	17 700	16 900	16 100	56,0
58,0	32,2	36,8	17 000	16 300	15 600	15 000	58,0
60,0	28,6	33,3	15 700	15 100	14 500	13 900	60,0
62,0	24,6	29,1	14 400	13 900	13 400	12 800	62,0
64,0	19,8	24,0	13 200	12 800	12 300	11 900	64,0



 72,0 m							
m	°	m	kg	kg	kg	kg	m
11,6	82,9	74,0	224 000*				11,6
12,0	82,6	73,9	215 100				12,0
14,0	81,0	73,6	170 300	148 500			14,0
16,0	79,3	73,2	139 400	123 400	110 500		16,0
18,0	77,7	72,8	117 200	105 100	94 800		18,0
20,0	76,1	72,3	100 500	91 100	82 900	75 700	20,0
22,0	74,4	71,7	87 400	79 800	73 100	67 200	22,0
24,0	72,7	71,1	76 900	70 700	65 100	60 100	24,0
26,0	71,1	70,4	68 300	63 100	58 400	54 100	26,0
28,0	69,4	69,6	61 100	56 700	52 600	49 000	28,0
30,0	67,6	68,8	55 000	51 200	47 700	44 500	30,0
32,0	65,9	67,9	49 700	46 400	43 400	40 600	32,0
34,0	64,1	66,9	45 100	42 300	39 600	37 100	34,0
36,0	62,3	65,9	41 100	38 600	36 300	34 000	36,0
38,0	60,5	64,8	37 600	35 400	33 300	31 300	38,0
40,0	58,6	63,5	34 400	32 500	30 600	28 800	40,0
42,0	56,7	62,2	31 600	29 800	28 100	26 500	42,0
44,0	54,8	60,8	29 100	27 500	25 900	24 500	44,0
46,0	52,8	59,3	26 800	25 300	23 900	22 600	46,0
48,0	50,7	57,7	24 700	23 300	22 100	20 900	48,0
50,0	48,6	55,9	22 700	21 500	20 400	19 300	50,0
52,0	46,4	54,0	20 900	19 900	18 800	17 800	52,0
54,0	44,1	52,0	19 300	18 300	17 400	16 500	54,0
56,0	41,8	49,8	17 800	16 900	16 000	15 200	56,0
58,0	39,3	47,3	16 400	15 600	14 800	14 000	58,0
60,0	36,6	44,7	15 100	14 300	13 600	12 900	60,0
62,0	33,8	41,8	13 800	13 200	12 500	11 900	62,0
64,0	30,7	38,5	12 700	12 100	11 500	10 900	64,0
66,0	27,4	34,7	11 600	11 100	10 500	10 000	66,0
68,0	23,5	30,3	10 600	10 100	9 600	9 100	68,0
70,0	18,9	24,9	9 600	9 200	8 700	8 300	70,0

16000 S-3




78,0 m							
 m	 °	 m	 kg	 kg	 kg	 kg	 m
12,2	83,0	79,9	205 100*				12,2
14,0	81,7	79,7	170 700	131 200*			14,0
16,0	80,2	79,3	139 200	124 400	98 500*		16,0
18,0	78,7	78,9	117 000	104 000	92 600		18,0
20,0	77,2	78,5	100 200	90 100	81 300		20,0
22,0	75,6	77,9	87 100	78 900	71 800	65 600	22,0
24,0	74,1	77,4	76 500	69 800	63 900	58 600	24,0
26,0	72,6	76,7	67 900	62 300	57 300	52 800	26,0
28,0	71,0	76,1	60 700	55 900	51 600	47 700	28,0
30,0	69,4	75,3	54 500	50 500	46 700	43 300	30,0
32,0	67,9	74,5	49 300	45 700	42 500	39 500	32,0
34,0	66,3	73,6	44 700	41 600	38 700	36 100	34,0
36,0	64,6	72,7	40 700	38 000	35 400	33 100	36,0
38,0	63,0	71,6	37 200	34 700	32 500	30 300	38,0
40,0	61,3	70,5	34 000	31 800	29 800	27 900	40,0
42,0	59,6	69,4	31 200	29 200	27 400	25 700	42,0
44,0	57,9	68,1	28 600	26 900	25 200	23 600	44,0
46,0	56,1	66,8	26 300	24 700	23 200	21 800	46,0
48,0	54,3	65,3	24 200	22 800	21 400	20 100	48,0
50,0	52,4	63,8	22 300	21 000	19 700	18 500	50,0
52,0	50,5	62,2	20 500	19 300	18 200	17 100	52,0
54,0	48,6	60,4	18 800	17 800	16 700	15 700	54,0
56,0	46,6	58,5	17 300	16 400	15 400	14 400	56,0
58,0	44,5	56,5	15 900	15 000	14 100	13 300	58,0
60,0	42,3	54,3	14 600	13 800	13 000	12 200	60,0
62,0	40,0	51,9	13 400	12 700	11 900	11 200	62,0
64,0	37,6	49,4	12 200	11 600	10 900	10 200	64,0
66,0	35,1	46,6	11 200	10 600	9 900	9 300	66,0
68,0	32,4	43,5	10 200	9 600	9 000	8 400	68,0
70,0	29,5	40,0	9 200	8 700	8 200	7 600	70,0
72,0	26,2	36,1	8 300	7 800	7 400	6 900	72,0
74,0	22,6	31,5	7 400*	7 000	6 600	6 200	74,0
76,0	18,2	25,9	6 500*	6 200*	5 900	5 500	76,0

16000 S-3



58 HL









150 590 kg
+
54 430 kg




360°

m	°	m	kg	kg	kg	kg	m
13,7	82,5	85,8	175 400				13,7
14,0	82,3	85,8	170 600				14,0
16,0	80,9	85,4	138 800	110 100*			16,0
18,0	79,5	85,1	116 500	102 300	81 800*		18,0
20,0	78,1	84,6	99 700	88 800	80 000		20,0
22,0	76,7	84,2	86 500	77 800	70 200	62 400*	22,0
24,0	75,3	83,6	75 900	68 800	62 500	57 200	24,0
26,0	73,9	83,0	67 300	61 300	56 000	51 200	26,0
28,0	72,4	82,4	60 100	55 000	50 400	46 300	28,0
30,0	71,0	81,7	53 900	49 500	45 600	42 000	30,0
32,0	69,5	81,0	48 600	44 800	41 400	38 200	32,0
34,0	68,1	80,2	44 100	40 700	37 700	34 800	34,0
36,0	66,6	79,3	40 000	37 100	34 400	31 900	36,0
38,0	65,1	78,4	36 500	33 900	31 400	29 200	38,0
40,0	63,5	77,4	33 300	31 000	28 800	26 800	40,0
42,0	62,0	76,3	30 500	28 400	26 400	24 600	42,0
44,0	60,4	75,2	27 900	26 000	24 200	22 600	44,0
46,0	58,8	73,9	25 600	23 900	22 300	20 700	46,0
48,0	57,2	72,7	23 500	21 900	20 400	19 000	48,0
50,0	55,6	71,3	21 600	20 100	18 800	17 500	50,0
52,0	53,9	69,8	19 800	18 500	17 200	16 000	52,0
54,0	52,1	68,3	18 200	17 000	15 800	14 700	54,0
56,0	50,4	66,6	16 700	15 600	14 500	13 500	56,0
58,0	48,6	64,9	15 200	14 200	13 300	12 300	58,0
60,0	46,7	63,0	13 900	13 000	12 100	11 200	60,0
62,0	44,8	61,0	12 700	11 900	11 000	10 200	62,0
64,0	42,8	58,8	11 600	10 800	10 000	9 300	64,0
66,0	40,7	56,5	10 500	9 800	9 100	8 400	66,0
68,0	38,5	54,0	9 500	8 800	8 200	7 500	68,0
70,0	36,2	51,3	8 500	7 900	7 300	6 700	70,0
72,0	33,8	48,4	7 600	7 100	6 500	5 900	72,0
74,0	31,2	45,2	6 600*	6 200*	5 700*	5 200	74,0
76,0	28,4	41,5	5 600*	5 300*	4 900*	4 500*	76,0
78,0	25,3	37,5	4 700*	4 300*	4 000*	3 700*	78,0
80,0	21,7	32,7	3 700*	3 500*			80,0





 90,0 m							
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
13,7	83,0	91,9	148 400*				13,7
14,0	82,8	91,8	148 400*				14,0
16,0	81,5	91,5	138 900*	91 700*			16,0
18,0	80,2	91,2	116 300	91 700*	67 500*		18,0
20,0	78,9	90,8	99 400	88 300	67 500*		20,0
22,0	77,6	90,3	86 200	76 900	66 600*	51 900*	22,0
24,0	76,3	89,8	75 700	68 000	61 800	51 900*	24,0
26,0	75,0	89,3	67 000	60 600	55 000	50 100	26,0
28,0	73,6	88,7	59 700	54 300	49 500	45 200	28,0
30,0	72,3	88,1	53 600	48 900	44 700	40 900	30,0
32,0	71,0	87,4	48 300	44 200	40 600	37 200	32,0
34,0	69,6	86,6	43 700	40 200	36 900	33 900	34,0
36,0	68,2	85,8	39 700	36 500	33 700	31 000	36,0
38,0	66,8	85,0	36 100	33 300	30 800	28 400	38,0
40,0	65,4	84,1	32 900	30 500	28 100	26 000	40,0
42,0	64,0	83,1	30 100	27 900	25 800	23 800	42,0
44,0	62,6	82,0	27 600	25 500	23 600	21 800	44,0
46,0	61,1	80,9	25 300	23 400	21 700	20 000	46,0
48,0	59,7	79,8	23 100	21 500	19 900	18 400	48,0
50,0	58,2	78,5	21 200	19 700	18 200	16 800	50,0
52,0	56,6	77,2	19 400	18 000	16 700	15 400	52,0
54,0	55,1	75,8	17 800	16 500	15 300	14 100	54,0
56,0	53,5	74,3	16 300	15 100	14 000	12 900	56,0
58,0	51,9	72,8	14 900	13 800	12 700	11 700	58,0
60,0	50,2	71,1	13 600	12 600	11 600	10 600	60,0
62,0	48,5	69,3	12 300	11 400	10 500	9 600	62,0
64,0	46,8	67,5	11 200	10 400	9 500	8 700	64,0
66,0	45,0	65,5	10 100	9 400	8 600	7 800	66,0
68,0	43,1	63,4	9 100	8 400	7 700	7 000	68,0
70,0	41,2	61,1	8 200	7 500	6 800	6 200	70,0
72,0	39,2	58,7	7 200*	6 600	6 000	5 400	72,0
74,0	37,1	56,1	6 200*	5 700*	5 200*	4 700*	74,0
76,0	34,9	53,2	5 200*	4 700*	4 300*	3 800*	76,0
78,0	32,6	50,2	4 300*	3 800*			78,0

16000 S-3



150 590 kg
+
54 430 kg



 96,0 m			
 m	 °	 m	 kg
15,2	82,5	97,7	126 900 *
16,0	82,0	97,6	126 900 *
18,0	80,8	97,3	115 700
20,0	79,6	96,9	98 900
22,0	78,4	96,5	85 600
24,0	77,2	96,0	75 000
26,0	75,9	95,5	66 300
28,0	74,7	95,0	59 000
30,0	73,4	94,4	52 900
32,0	72,2	93,7	47 500
34,0	70,9	93,0	43 000
36,0	69,7	92,3	38 900
38,0	68,4	91,5	35 400
40,0	67,1	90,6	32 200
42,0	65,8	89,7	29 300
44,0	64,4	88,8	26 800
46,0	63,1	87,8	24 500
48,0	61,7	86,7	22 400
50,0	60,4	85,6	20 400
52,0	59,0	84,4	18 600
54,0	57,6	83,1	17 000
56,0	56,1	81,7	15 500
58,0	54,7	80,3	14 100
60,0	53,2	78,8	12 700
62,0	51,7	77,3	11 500
64,0	50,1	75,6	10 400
66,0	48,5	73,8	9 300
68,0	46,9	72,0	8 300 *
70,0	45,2	70,0	7 200 *
72,0	43,5	67,9	6 100 *
74,0	41,7	65,7	5 100 *
76,0	39,8	63,3	4 100 *